



Report No.: SUCR260800084009

Page: 1 of 48

Appendix B.3

1.1. Test Band = LTE Band2_ TM1

1.1.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3534.75	50.69	-48.29	28.56	-64.30	-13.00	51.30	Horizontal
2	5899.5	52.39	-47.15	32.76	-57.26	-13.00	44.26	Horizontal
3	7668	51.82	-45.01	36.37	-52.08	-13.00	39.08	Horizontal
4	10458.75	50.65	-40.89	39.12	-46.38	-13.00	33.38	Horizontal
5	13623.75	52.75	-38.79	39.74	-41.57	-13.00	28.57	Horizontal
6	17919	54.89	-38.29	44.31	-34.35	-13.00	21.35	Horizontal

1.2. Test Band = LTE Band2_ TM1

1.2.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3590.25	50.83	-48.28	28.64	-64.07	-13.00	51.07	Vertical
2	5930.25	52.10	-47.26	32.77	-57.64	-13.00	44.64	Vertical
3	7953	51.98	-44.84	36.31	-51.81	-13.00	38.81	Vertical
4	10173	51.30	-42.07	38.92	-47.11	-13.00	34.11	Vertical
5	13495.5	52.87	-39.19	39.54	-42.04	-13.00	29.04	Vertical
6	17960.25	54.77	-38.60	44.56	-34.53	-13.00	21.53	Vertical



Report No.: SUCR260800084009

Page: 2 of 48

1.3. Test Band = LTE Band2_ TM1

1.3.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3258	50.79	-48.08	28.31	-64.25	-13.00	51.25	Horizontal
2	4442.25	50.88	-48.06	30.01	-62.43	-13.00	49.43	Horizontal
3	6392.25	51.78	-46.96	34.29	-56.15	-13.00	43.15	Horizontal
4	8841.75	52.51	-44.01	37.23	-49.53	-13.00	36.53	Horizontal
5	13455.75	53.41	-39.18	39.48	-41.55	-13.00	28.55	Horizontal
6	17955	54.61	-38.56	44.53	-34.68	-13.00	21.68	Horizontal

1.4. Test Band = LTE Band2_ TM1

1.4.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3591	50.95	-48.28	28.65	-63.95	-13.00	50.95	Vertical
2	5891.25	52.19	-47.19	32.76	-57.51	-13.00	44.51	Vertical
3	8389.5	51.69	-44.16	36.73	-51.00	-13.00	38.00	Vertical
4	10918.5	51.30	-40.14	39.44	-44.65	-13.00	31.65	Vertical
5	14952.75	54.70	-37.70	40.20	-38.06	-13.00	25.06	Vertical
6	17916.75	54.74	-38.28	44.30	-34.50	-13.00	21.50	Vertical



Report No.: SUCR260800084009

Page: 3 of 48

1.5. Test Band = LTE Band2_ TM1

1.5.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3315.75	50.80	-48.09	28.35	-64.20	-13.00	51.20	Horizontal
2	4443	50.88	-48.05	30.01	-62.43	-13.00	49.43	Horizontal
3	6239.25	52.27	-47.46	33.71	-56.74	-13.00	43.74	Horizontal
4	8838.75	52.17	-44.01	37.22	-49.87	-13.00	36.87	Horizontal
5	12799.5	53.17	-39.30	38.92	-42.47	-13.00	29.47	Horizontal
6	17907	54.77	-38.20	44.24	-34.45	-13.00	21.45	Horizontal

1.6. Test Band = LTE Band2_ TM1

1.6.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3270	50.75	-48.07	28.32	-64.26	-13.00	51.26	Vertical
2	4337.25	50.53	-47.90	29.84	-62.79	-13.00	49.79	Vertical
3	6697.5	51.93	-46.56	35.02	-54.88	-13.00	41.88	Vertical
4	10484.25	50.61	-40.74	39.14	-46.25	-13.00	33.25	Vertical
5	14321.25	54.45	-38.45	40.27	-39.00	-13.00	26.00	Vertical
6	17872.5	54.83	-38.16	44.04	-34.56	-13.00	21.56	Vertical



Report No.: SUCR260800084009

Page: 4 of 48

1.7. Test Band = LTE Band4_ TM1

1.7.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3270	45.59	-48.07	28.32	-69.42	-13.00	56.42	Horizontal
2	4455	45.98	-48.04	30.03	-67.29	-13.00	54.29	Horizontal
3	6244.875	45.43	-47.45	33.73	-63.55	-13.00	50.55	Horizontal
4	10120.875	41.07	-41.93	38.88	-57.23	-13.00	44.23	Horizontal
5	15464.625	36.62	-36.95	39.36	-56.23	-13.00	43.23	Horizontal
6	17913.375	35.61	-38.25	44.28	-53.62	-13.00	40.62	Horizontal

1.8. Test Band = LTE Band4_ TM1

1.8.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3479.25	46.31	-48.31	28.48	-68.78	-13.00	55.78	Vertical
2	4957.5	45.95	-48.02	31.11	-66.22	-13.00	53.22	Vertical
3	6678	45.19	-46.66	34.98	-61.75	-13.00	48.75	Vertical
4	9424.125	43.76	-42.89	37.99	-56.39	-13.00	43.39	Vertical
5	14951.25	37.89	-37.69	40.20	-54.86	-13.00	41.86	Vertical
6	17876.625	35.98	-38.16	44.06	-53.38	-13.00	40.38	Vertical



Report No.: SUCR260800084009

Page: 5 of 48

1.9. Test Band = LTE Band4_ TM1

1.9.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3297.75	45.00	-48.03	28.34	-69.95	-13.00	56.95	Horizontal
2	4425.375	46.07	-48.08	29.98	-67.29	-13.00	54.29	Horizontal
3	6564	44.89	-47.03	34.80	-62.60	-13.00	49.60	Horizontal
4	9049.5	42.47	-43.01	37.47	-58.33	-13.00	45.33	Horizontal
5	11619	38.79	-39.75	39.44	-56.78	-13.00	43.78	Horizontal
6	17865.75	35.85	-38.16	43.99	-53.58	-13.00	40.58	Horizontal

1.10. Test Band = LTE Band4_ TM1

1.10.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3251.25	46.10	-48.09	28.30	-68.95	-13.00	55.95	Vertical
2	4105.5	45.58	-48.08	29.47	-68.29	-13.00	55.29	Vertical
3	6663.375	44.97	-46.73	34.96	-62.06	-13.00	49.06	Vertical
4	9547.125	42.58	-42.31	38.17	-56.82	-13.00	43.82	Vertical
5	13713.375	36.81	-38.11	39.87	-56.69	-13.00	43.69	Vertical
6	17914.125	35.90	-38.26	44.28	-53.33	-13.00	40.33	Vertical



Report No.: SUCR260800084009

Page: 6 of 48

1.11. Test Band = LTE Band4_ TM1

1.11.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3240	45.50	-48.11	28.29	-69.58	-13.00	56.58	Horizontal
2	4028.25	45.96	-48.15	29.35	-68.10	-13.00	55.10	Horizontal
3	7025.25	44.67	-46.41	35.55	-61.45	-13.00	48.45	Horizontal
4	9526.125	42.70	-42.34	38.14	-56.76	-13.00	43.76	Horizontal
5	13725	37.35	-38.23	39.89	-56.25	-13.00	43.25	Horizontal
6	17915.25	35.75	-38.26	44.29	-53.48	-13.00	40.48	Horizontal

1.12. Test Band = LTE Band4_ TM1

1.12.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3371.25	45.93	-48.30	28.40	-69.23	-13.00	56.23	Vertical
2	4513.125	46.19	-47.98	30.13	-66.92	-13.00	53.92	Vertical
3	8196.375	43.48	-44.20	36.52	-59.47	-13.00	46.47	Vertical
4	11800.875	38.82	-39.87	39.42	-56.89	-13.00	43.89	Vertical
5	15619.5	34.96	-37.45	39.08	-58.67	-13.00	45.67	Vertical
6	17910.375	35.60	-38.23	44.26	-53.63	-13.00	40.63	Vertical



Report No.: SUCR260800084009

Page: 7 of 48

1.13. Test Band = LTE Band5_ TM1

1.13.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1157.7778	49.84	-50.11	24.82	-70.71	-13.00	57.71	Horizontal
2	1774.6667	49.26	-49.81	25.76	-70.05	-13.00	57.05	Horizontal
3	2811.1111	51.11	-48.69	27.76	-65.08	-13.00	52.08	Horizontal
4	4481.3333	50.60	-48.19	30.07	-62.78	-13.00	49.78	Horizontal
5	6100.8889	51.96	-47.01	33.18	-57.13	-13.00	44.13	Horizontal
6	7783.1111	51.53	-45.10	36.34	-52.48	-13.00	39.48	Horizontal

1.14. Test Band = LTE Band5_ TM1

1.14.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1155.5556	50.79	-50.11	24.82	-69.75	-13.00	56.75	Vertical
2	1749.7778	49.36	-49.78	25.72	-69.96	-13.00	56.96	Vertical
3	2721.3333	51.82	-48.93	27.60	-64.77	-13.00	51.77	Vertical
4	4916	51.05	-48.14	31.02	-61.33	-13.00	48.33	Vertical
5	6744.4444	51.83	-46.81	35.09	-55.15	-13.00	42.15	Vertical
6	8463.5556	51.63	-44.33	36.81	-51.15	-13.00	38.15	Vertical



Report No.: SUCR260800084009

Page: 8 of 48

1.15. Test Band = LTE Band5_ TM1

1.15.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1240.8889	50.23	-50.19	24.66	-70.56	-13.00	57.56	Horizontal
2	2116	50.90	-49.46	26.51	-67.32	-13.00	54.32	Horizontal
3	3100.4444	51.74	-48.92	28.18	-64.26	-13.00	51.26	Horizontal
4	4834.6667	51.31	-48.07	30.84	-61.19	-13.00	48.19	Horizontal
5	6360	51.63	-47.30	34.17	-56.76	-13.00	43.76	Horizontal
6	8955.1111	51.39	-43.44	37.35	-49.96	-13.00	36.96	Horizontal

1.16. Test Band = LTE Band5_ TM1

1.16.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1251.5556	50.49	-50.18	24.62	-70.33	-13.00	57.33	Vertical
2	2092.8889	50.93	-49.47	26.47	-67.34	-13.00	54.34	Vertical
3	2999.5556	51.19	-48.29	28.10	-64.26	-13.00	51.26	Vertical
4	4403.1111	50.91	-48.05	29.94	-62.45	-13.00	49.45	Vertical
5	6562.6667	51.34	-47.11	34.80	-56.23	-13.00	43.23	Vertical
6	8965.7778	51.00	-43.32	37.36	-50.21	-13.00	37.21	Vertical



Report No.: SUCR260800084009

Page: 9 of 48

1.17. Test Band = LTE Band5_ TM1

1.17.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1139.1111	49.76	-50.06	24.83	-70.73	-13.00	57.73	Horizontal
2	2137.7778	50.63	-49.47	26.55	-67.55	-13.00	54.55	Horizontal
3	3139.1111	51.55	-48.80	28.21	-64.30	-13.00	51.30	Horizontal
4	4784.4444	51.07	-48.03	30.73	-61.49	-13.00	48.49	Horizontal
5	6495.5556	51.42	-47.08	34.68	-56.24	-13.00	43.24	Horizontal
6	8214.2222	50.87	-44.31	36.54	-52.16	-13.00	39.16	Horizontal

1.18. Test Band = LTE Band5_ TM1

1.18.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1194.2222	50.24	-50.21	24.80	-70.43	-13.00	57.43	Vertical
2	1822.6667	49.87	-49.82	25.86	-69.35	-13.00	56.35	Vertical
3	2844	51.52	-48.72	27.82	-64.64	-13.00	51.64	Vertical
4	3936.4444	50.59	-48.40	29.20	-63.87	-13.00	50.87	Vertical
5	6086.6667	52.11	-47.09	33.13	-57.11	-13.00	44.11	Vertical
6	8806.2222	51.77	-44.04	37.19	-50.35	-13.00	37.35	Vertical



Report No.: SUCR260800084009

Page: 10 of 48

1.19. Test Band = LTE Band7_ TM1

1.19.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3276	51.32	-48.06	28.32	-63.68	-25.00	38.68	Horizontal
2	4525.5	51.05	-47.99	30.16	-62.04	-25.00	37.04	Horizontal
3	6408.5	52.12	-46.94	34.35	-55.72	-25.00	30.72	Horizontal
4	9989.5	51.37	-41.74	38.79	-46.85	-25.00	21.85	Horizontal
5	15452.5	54.33	-37.08	39.39	-38.63	-25.00	13.63	Horizontal
6	17901	55.80	-38.16	44.21	-33.41	-25.00	8.41	Horizontal

1.20. Test Band = LTE Band7_ TM1

1.20.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3412.5	51.10	-48.40	28.43	-64.13	-25.00	39.13	Vertical
2	4790.5	51.92	-48.01	30.74	-60.61	-25.00	35.61	Vertical
3	6712	52.57	-46.59	35.04	-54.24	-25.00	29.24	Vertical
4	9433	53.11	-42.83	38.01	-46.97	-25.00	21.97	Vertical
5	12065.5	53.14	-39.56	39.36	-42.32	-25.00	17.32	Vertical
6	17897	55.35	-38.15	44.18	-33.88	-25.00	8.88	Vertical



Report No.: SUCR260800084009

Page: 11 of 48

1.21. Test Band = LTE Band7_ TM1

1.21.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3305	51.56	-48.05	28.34	-63.41	-25.00	38.41	Horizontal
2	5427	52.48	-47.69	32.40	-58.07	-25.00	33.07	Horizontal
3	7596	51.44	-44.63	36.38	-52.07	-25.00	27.07	Horizontal
4	10893	51.50	-40.06	39.43	-44.39	-25.00	19.39	Horizontal
5	14983.5	54.43	-37.90	40.20	-38.52	-25.00	13.52	Horizontal
6	17909.5	55.11	-38.22	44.26	-34.11	-25.00	9.11	Horizontal

1.22. Test Band = LTE Band7_ TM1

1.22.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	51.05	-48.29	28.53	-63.97	-25.00	38.97	Vertical
2	4507	51.18	-47.98	30.12	-61.95	-25.00	36.95	Vertical
3	6761.5	52.34	-46.76	35.12	-54.56	-25.00	29.56	Vertical
4	9440	53.30	-42.78	38.02	-46.72	-25.00	21.72	Vertical
5	13716	53.96	-38.14	39.87	-39.56	-25.00	14.56	Vertical
6	16536	55.27	-37.23	38.61	-38.61	-25.00	13.61	Vertical



Report No.: SUCR260800084009

Page: 12 of 48

1.23. Test Band = LTE Band7_ TM1

1.23.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3297	51.16	-48.03	28.34	-63.80	-25.00	38.80	Horizontal
2	4474	51.37	-48.01	30.06	-61.85	-25.00	36.85	Horizontal
3	6268	52.46	-47.39	33.82	-56.38	-25.00	31.38	Horizontal
4	9034	50.95	-43.06	37.45	-49.92	-25.00	24.92	Horizontal
5	13387	53.28	-39.16	39.38	-41.76	-25.00	16.76	Horizontal
6	17894	55.02	-38.15	44.16	-34.23	-25.00	9.23	Horizontal

1.24. Test Band = LTE Band7_ TM1

1.24.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3371.5	50.82	-48.30	28.40	-64.34	-25.00	39.34	Vertical
2	4756	51.23	-47.99	30.66	-61.35	-25.00	36.35	Vertical
3	6399	51.54	-46.93	34.32	-56.34	-25.00	31.34	Vertical
4	8604	51.97	-43.98	36.96	-50.30	-25.00	25.30	Vertical
5	11379	52.39	-40.16	39.46	-43.57	-25.00	18.57	Vertical
6	17907	55.33	-38.20	44.24	-33.89	-25.00	8.89	Vertical



Report No.: SUCR260800084009

Page: 13 of 48

1.25. Test Band = LTE Band12_ TM1

1.25.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1172.5	49.69	-50.15	24.81	-70.91	-13.00	57.91	Horizontal
2	1601.5	49.98	-49.93	25.50	-69.70	-40.00	29.70	Horizontal
3	2266.5	51.04	-49.25	26.78	-66.69	-13.00	53.69	Horizontal
4	3019	52.31	-48.41	28.12	-63.24	-13.00	50.24	Horizontal
5	5103	50.74	-47.92	31.49	-60.95	-13.00	47.95	Horizontal
6	8986	50.70	-43.08	37.38	-50.26	-13.00	37.26	Horizontal

1.26. Test Band = LTE Band12_ TM1

1.26.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1229	50.14	-50.20	24.70	-70.62	-13.00	57.62	Vertical
2	1731.5	49.59	-49.76	25.70	-69.73	-13.00	56.73	Vertical
3	2644	52.00	-49.10	27.46	-64.90	-13.00	51.90	Vertical
4	3933.5	50.73	-48.40	29.19	-63.74	-13.00	50.74	Vertical
5	6691.5	51.84	-46.74	35.01	-55.15	-13.00	42.15	Vertical
6	8941.5	51.47	-43.60	37.34	-50.05	-13.00	37.05	Vertical



Report No.: SUCR260800084009

Page: 14 of 48

1.27. Test Band = LTE Band12_ TM1

1.27.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1193.5	49.81	-50.21	24.80	-70.86	-13.00	57.86	Horizontal
2	1639	49.83	-49.85	25.56	-69.72	-13.00	56.72	Horizontal
3	2610	52.00	-49.15	27.40	-65.02	-13.00	52.02	Horizontal
4	4650.5	49.89	-48.06	30.43	-63.00	-13.00	50.00	Horizontal
5	6754	51.63	-46.83	35.11	-55.35	-13.00	42.35	Horizontal
6	8998	50.41	-42.94	37.40	-50.40	-13.00	37.40	Horizontal

1.28. Test Band = LTE Band12_ TM1

1.28.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1199	50.78	-50.23	24.80	-69.91	-13.00	56.91	Vertical
2	1682	49.56	-49.76	25.62	-69.83	-13.00	56.83	Vertical
3	2699.5	51.99	-49.00	27.56	-64.71	-13.00	51.71	Vertical
4	4298	49.58	-48.04	29.78	-63.94	-13.00	50.94	Vertical
5	7168	51.23	-46.12	35.80	-54.34	-13.00	41.34	Vertical
6	8961	50.87	-43.37	37.36	-50.41	-13.00	37.41	Vertical



Report No.: SUCR260800084009

Page: 15 of 48

1.29. Test Band = LTE Band12_ TM1

1.29.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1283	50.41	-50.15	24.51	-70.49	-13.00	57.49	Horizontal
2	1657.5	49.63	-49.81	25.59	-69.85	-13.00	56.85	Horizontal
3	2109.5	51.64	-49.46	26.50	-66.59	-13.00	53.59	Horizontal
4	3025.5	51.51	-48.45	28.12	-64.08	-13.00	51.08	Horizontal
5	4602	50.06	-48.04	30.32	-62.92	-13.00	49.92	Horizontal
6	8350	51.26	-44.38	36.69	-51.70	-13.00	38.70	Horizontal

1.30. Test Band = LTE Band12_ TM1

1.30.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1207.5	50.16	-50.22	24.77	-70.55	-13.00	57.55	Vertical
2	1673	49.61	-49.78	25.61	-69.82	-13.00	56.82	Vertical
3	2500.5	51.86	-48.90	27.20	-65.10	-13.00	52.10	Vertical
4	4072.5	49.46	-48.28	29.42	-64.67	-13.00	51.67	Vertical
5	7046	50.94	-46.36	35.58	-55.10	-13.00	42.10	Vertical
6	9000	50.29	-42.92	37.40	-50.49	-13.00	37.49	Vertical



Report No.: SUCR260800084009

Page: 16 of 48

1.31. Test Band = LTE Band13 5M_ TM1

1.31.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1282	50.32	-50.15	24.51	-70.58	-13.00	57.58	Horizontal
2	1768	49.26	-49.80	25.75	-70.05	-13.00	57.05	Horizontal
3	2658.5	52.07	-49.07	27.49	-64.78	-13.00	51.78	Horizontal
4	3448	51.05	-48.57	28.46	-64.32	-13.00	51.32	Horizontal
5	5940.5	52.10	-47.25	32.78	-57.64	-13.00	44.64	Horizontal
6	8960	50.99	-43.38	37.36	-50.30	-13.00	37.30	Horizontal

1.32. Test Band = LTE Band13 5M_ TM1

1.32.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1370.5	50.61	-50.05	24.20	-70.49	-13.00	57.49	Vertical
2	2090.5	50.85	-49.48	26.46	-67.43	-13.00	54.43	Vertical
3	2782.5	51.72	-48.74	27.71	-64.57	-13.00	51.57	Vertical
4	3970.5	50.40	-48.37	29.25	-63.98	-13.00	50.98	Vertical
5	5931.5	52.08	-47.20	32.77	-57.61	-13.00	44.61	Vertical
6	8894	51.97	-44.08	37.28	-50.08	-13.00	37.08	Vertical



Report No.: SUCR260800084009

Page: 17 of 48

1.33. Test Band = LTE Band13 5M_ TM1

1.33.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1320	50.13	-50.11	24.38	-70.86	-13.00	57.86	Horizontal
2	1726	49.48	-49.75	25.69	-69.84	-13.00	56.84	Horizontal
3	3052.5	51.80	-48.62	28.14	-63.94	-13.00	50.94	Horizontal
4	4541.5	50.36	-48.15	30.19	-62.85	-13.00	49.85	Horizontal
5	7293	51.77	-46.10	36.03	-53.56	-13.00	40.56	Horizontal
6	8975.5	50.53	-43.20	37.37	-50.56	-13.00	37.56	Horizontal

1.34. Test Band = LTE Band13 5M_ TM1

1.34.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1234.5	50.48	-50.20	24.68	-70.30	-13.00	57.30	Vertical
2	2076.5	51.00	-49.51	26.44	-67.33	-13.00	54.33	Vertical
3	2649.5	52.20	-49.09	27.47	-64.68	-13.00	51.68	Vertical
4	4107.5	49.57	-48.27	29.47	-64.49	-13.00	51.49	Vertical
5	5699.5	51.98	-47.50	32.68	-58.10	-13.00	45.10	Vertical
6	8955	51.15	-43.44	37.35	-50.20	-13.00	37.20	Vertical



Report No.: SUCR260800084009

Page: 18 of 48

1.35. Test Band = LTE Band13 5M_ TM1

1.35.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1106.5	50.17	-49.97	24.85	-70.21	-13.00	57.21	Horizontal
2	1647.5	49.69	-49.83	25.57	-69.83	-13.00	56.83	Horizontal
3	2495.5	51.76	-48.93	27.19	-65.23	-13.00	52.23	Horizontal
4	3510	50.93	-48.44	28.52	-64.25	-13.00	51.25	Horizontal
5	4848	51.20	-48.09	30.87	-61.29	-13.00	48.29	Horizontal
6	8623	51.30	-43.94	36.99	-50.92	-13.00	37.92	Horizontal

1.36. Test Band = LTE Band13 5M_ TM1

1.36.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1271	50.53	-50.16	24.55	-70.34	-13.00	57.34	Vertical
2	1715	50.03	-49.74	25.67	-69.30	-13.00	56.30	Vertical
3	2590.5	52.30	-49.14	27.36	-64.74	-13.00	51.74	Vertical
4	4093.5	49.84	-48.27	29.45	-64.24	-13.00	51.24	Vertical
5	6774.5	51.85	-46.88	35.14	-55.15	-13.00	42.15	Vertical
6	8948.5	51.12	-43.52	37.34	-50.31	-13.00	37.31	Vertical



Report No.: SUCR260800084009

Page: 19 of 48

1.37. Test Band = LTE Band13 10M_ TM1

1.37.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1169	50.18	-50.14	24.82	-70.41	-13.00	57.41	Horizontal
2	1708.5	49.66	-49.73	25.66	-69.67	-13.00	56.67	Horizontal
3	2663.5	51.96	-49.06	27.49	-64.87	-13.00	51.87	Horizontal
4	4256.5	49.35	-48.17	29.71	-64.37	-13.00	51.37	Horizontal
5	5920	51.89	-47.14	32.77	-57.74	-13.00	44.74	Horizontal
6	8834.5	51.73	-44.05	37.22	-50.37	-13.00	37.37	Horizontal

1.38. Test Band = LTE Band13 10M_ TM1

1.38.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1243	50.50	-50.19	24.65	-70.30	-13.00	57.30	Vertical
2	2047.5	51.59	-49.57	26.39	-66.85	-13.00	53.85	Vertical
3	2850.5	51.35	-48.73	27.83	-64.81	-13.00	51.81	Vertical
4	3909.5	50.75	-48.42	29.16	-63.78	-13.00	50.78	Vertical
5	5462	51.99	-47.41	32.49	-58.19	-13.00	45.19	Vertical
6	7799	51.66	-45.06	36.34	-52.32	-13.00	39.32	Vertical



Report No.: SUCR260800084009

Page: 20 of 48

1.39. Test Band = LTE Band17_ TM1

1.39.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1124.4444	50.33	-50.02	24.84	-70.11	-13.00	57.11	Horizontal
2	1760	49.77	-49.79	25.74	-69.54	-13.00	56.54	Horizontal
3	2699.5556	52.08	-49.00	27.56	-64.62	-13.00	51.62	Horizontal
4	4520	50.67	-48.18	30.14	-62.63	-13.00	49.63	Horizontal
5	6768	52.04	-46.86	35.13	-54.95	-13.00	41.95	Horizontal
6	8878.2222	51.99	-44.07	37.27	-50.08	-13.00	37.08	Horizontal

1.40. Test Band = LTE Band17_ TM1

1.40.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1129.3333	50.26	-50.03	24.84	-70.20	-13.00	57.20	Vertical
2	1641.7778	50.86	-49.84	25.56	-68.68	-13.00	55.68	Vertical
3	2473.3333	52.33	-49.05	27.15	-64.83	-13.00	51.83	Vertical
4	3579.1111	51.40	-48.47	28.63	-63.70	-13.00	50.70	Vertical
5	5256	51.33	-47.90	31.92	-59.92	-13.00	46.92	Vertical
6	7251.5556	51.82	-46.13	35.95	-53.62	-13.00	40.62	Vertical



Report No.: SUCR260800084009

Page: 21 of 48

1.41. Test Band = LTE Band17_ TM1

1.41.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1170.6667	50.30	-50.15	24.81	-70.29	-13.00	57.29	Horizontal
2	1755.5556	49.57	-49.79	25.73	-69.74	-13.00	56.74	Horizontal
3	2563.1111	52.21	-49.07	27.31	-64.81	-13.00	51.81	Horizontal
4	3936.4444	50.68	-48.40	29.20	-63.78	-13.00	50.78	Horizontal
5	6383.1111	51.83	-47.28	34.26	-56.45	-13.00	43.45	Horizontal
6	8835.5556	52.30	-44.05	37.22	-49.80	-13.00	36.80	Horizontal

1.42. Test Band = LTE Band17_ TM1

1.42.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1236.8889	50.62	-50.19	24.67	-70.16	-13.00	57.16	Vertical
2	1688.8889	50.10	-49.74	25.63	-69.27	-13.00	56.27	Vertical
3	2468.8889	52.29	-49.08	27.14	-64.91	-13.00	51.91	Vertical
4	4387.5556	51.06	-48.04	29.92	-62.32	-13.00	49.32	Vertical
5	6491.1111	51.07	-47.09	34.67	-56.61	-13.00	43.61	Vertical
6	8833.3333	52.13	-44.05	37.22	-49.97	-13.00	36.97	Vertical



Report No.: SUCR260800084009

Page: 22 of 48

1.43. Test Band = LTE Band17_ TM1

1.43.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1240.4444	50.39	-50.19	24.66	-70.40	-13.00	57.40	Horizontal
2	1680	50.16	-49.76	25.62	-69.24	-13.00	56.24	Horizontal
3	3036.8889	52.40	-48.52	28.13	-63.25	-13.00	50.25	Horizontal
4	4764	50.40	-48.04	30.68	-62.22	-13.00	49.22	Horizontal
5	5904.8889	52.15	-47.05	32.76	-57.40	-13.00	44.40	Horizontal
6	8621.7778	51.49	-43.94	36.98	-50.72	-13.00	37.72	Horizontal

1.44. Test Band = LTE Band17_ TM1

1.44.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1193.3333	50.61	-50.21	24.80	-70.06	-13.00	57.06	Vertical
2	1801.7778	49.79	-49.84	25.80	-69.50	-13.00	56.50	Vertical
3	2576.4444	52.20	-49.11	27.34	-64.83	-13.00	51.83	Vertical
4	3916.8889	50.94	-48.42	29.17	-63.57	-13.00	50.57	Vertical
5	5438.6667	52.27	-47.42	32.43	-57.98	-13.00	44.98	Vertical
6	7864	52.26	-45.34	36.33	-52.01	-13.00	39.01	Vertical



Report No.: SUCR260800084009

Page: 23 of 48

1.45. Test Band = LTE Band25_ TM1

1.45.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3278.25	50.67	-48.06	28.32	-64.33	-13.00	51.33	Horizontal
2	4492.5	50.97	-47.99	30.09	-62.19	-13.00	49.19	Horizontal
3	7314.75	51.89	-46.16	36.07	-53.46	-13.00	40.46	Horizontal
4	11424.75	51.66	-40.08	39.46	-44.22	-13.00	31.22	Horizontal
5	14902.5	54.36	-37.39	40.21	-38.08	-13.00	25.08	Horizontal
6	17942.25	54.46	-38.47	44.45	-34.81	-13.00	21.81	Horizontal

1.46. Test Band = LTE Band25_ TM1

1.46.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3197.25	51.10	-48.17	28.26	-64.07	-13.00	51.07	Vertical
2	4383	50.94	-48.05	29.91	-62.46	-13.00	49.46	Vertical
3	5482.5	52.10	-47.63	32.55	-58.24	-13.00	45.24	Vertical
4	7145.25	51.50	-46.00	35.76	-54.00	-13.00	41.00	Vertical
5	9432	52.63	-42.83	38.00	-47.46	-13.00	34.46	Vertical
6	14322.75	55.38	-38.46	40.27	-38.07	-13.00	25.07	Vertical



Report No.: SUCR260800084009

Page: 24 of 48

1.47. Test Band = LTE Band25_ TM1

1.47.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3293.25	51.13	-48.04	28.33	-63.83	-13.00	50.83	Horizontal
2	5021.25	51.13	-47.97	31.26	-60.84	-13.00	47.84	Horizontal
3	6758.25	52.41	-46.75	35.11	-54.48	-13.00	41.48	Horizontal
4	9485.25	52.35	-42.47	38.08	-47.30	-13.00	34.30	Horizontal
5	13250.25	52.67	-38.90	39.18	-42.31	-13.00	29.31	Horizontal
6	17899.5	54.78	-38.15	44.20	-34.43	-13.00	21.43	Horizontal

1.48. Test Band = LTE Band25_ TM1

1.48.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3284.25	50.74	-48.05	28.33	-64.24	-13.00	51.24	Vertical
2	5334	52.54	-47.76	32.14	-58.34	-13.00	45.34	Vertical
3	7603.5	51.21	-44.59	36.38	-52.26	-13.00	39.26	Vertical
4	12038.25	52.36	-39.50	39.38	-43.02	-13.00	30.02	Vertical
5	14921.25	54.89	-37.50	40.21	-37.67	-13.00	24.67	Vertical
6	17888.25	54.63	-38.15	44.13	-34.66	-13.00	21.66	Vertical



Report No.: SUCR260800084009
Page: 25 of 48

1.49. Test Band = LTE Band25_ TM1

1.49.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3594	50.93	-48.28	28.65	-63.96	-13.00	50.96	Horizontal
2	4822.5	51.14	-48.01	30.81	-61.33	-13.00	48.33	Horizontal
3	6721.5	51.71	-46.62	35.05	-55.12	-13.00	42.12	Horizontal
4	9960	51.21	-41.86	38.74	-47.17	-13.00	34.17	Horizontal
5	13730.25	53.49	-38.28	39.90	-40.16	-13.00	27.16	Horizontal
6	17467.5	54.30	-36.97	41.61	-36.32	-13.00	23.32	Horizontal

1.50. Test Band = LTE Band25_ TM1

1.50.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3584.25	50.79	-48.28	28.63	-64.12	-13.00	51.12	Vertical
2	4861.5	51.48	-48.02	30.90	-60.91	-13.00	47.91	Vertical
3	6231.75	52.67	-47.48	33.68	-56.39	-13.00	43.39	Vertical
4	8382.75	51.87	-44.19	36.72	-50.85	-13.00	37.85	Vertical
5	13526.25	53.39	-39.15	39.59	-41.43	-13.00	28.43	Vertical
6	17871	54.83	-38.16	44.03	-34.57	-13.00	21.57	Vertical



Report No.: SUCR260800084009

Page: 26 of 48

1.51. Test Band = LTE Band26 22H_ TM1

1.51.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1247.1111	50.62	-50.18	24.64	-70.19	-13.00	57.19	Horizontal
2	2180.4444	51.28	-49.48	26.62	-66.84	-13.00	53.84	Horizontal
3	3013.7778	51.73	-48.38	28.11	-63.80	-13.00	50.80	Horizontal
4	5347.5556	52.11	-47.64	32.17	-58.62	-13.00	45.62	Horizontal
5	6940.8889	51.43	-46.57	35.41	-54.99	-13.00	41.99	Horizontal
6	8830.6667	51.73	-44.05	37.21	-50.37	-13.00	37.37	Horizontal

1.52. Test Band = LTE Band26 22H_ TM1

1.52.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1240.4444	50.54	-50.19	24.66	-70.25	-13.00	57.25	Vertical
2	2102.2222	51.44	-49.46	26.48	-66.80	-13.00	53.80	Vertical
3	3525.3333	51.01	-48.44	28.54	-64.15	-13.00	51.15	Vertical
4	5197.3333	51.12	-48.01	31.75	-60.40	-13.00	47.40	Vertical
5	6741.3333	51.91	-46.80	35.09	-55.06	-13.00	42.06	Vertical
6	8953.7778	51.30	-43.46	37.35	-50.07	-13.00	37.07	Vertical



Report No.: SUCR260800084009

Page: 27 of 48

1.53. Test Band = LTE Band26 22H_ TM1

1.53.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1200.4444	50.00	-50.23	24.80	-70.69	-13.00	57.69	Horizontal
2	2181.3333	51.12	-49.48	26.63	-67.00	-13.00	54.00	Horizontal
3	3009.3333	51.27	-48.35	28.11	-64.23	-13.00	51.23	Horizontal
4	3927.1111	51.24	-48.41	29.18	-63.24	-13.00	50.24	Horizontal
5	6141.3333	51.96	-47.21	33.34	-57.17	-13.00	44.17	Horizontal
6	8865.3333	51.78	-44.07	37.25	-50.29	-13.00	37.29	Horizontal

1.54. Test Band = LTE Band26 22H_ TM1

1.54.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1281.7778	50.61	-50.15	24.51	-70.28	-13.00	57.28	Vertical
2	2142.6667	51.04	-49.47	26.56	-67.14	-13.00	54.14	Vertical
3	2950.6667	51.54	-48.53	28.01	-64.24	-13.00	51.24	Vertical
4	4435.1111	50.71	-48.10	30.00	-62.66	-13.00	49.66	Vertical
5	6663.1111	51.68	-46.86	34.96	-55.48	-13.00	42.48	Vertical
6	8853.3333	51.93	-44.06	37.24	-50.15	-13.00	37.15	Vertical



Report No.: SUCR260800084009

Page: 28 of 48

1.55. Test Band = LTE Band26 22H_ TM1

1.55.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1207.1111	50.40	-50.22	24.78	-70.31	-13.00	57.31	Horizontal
2	2095.5556	50.98	-49.47	26.47	-67.28	-13.00	54.28	Horizontal
3	3034.2222	51.94	-48.51	28.13	-63.70	-13.00	50.70	Horizontal
4	4827.1111	50.85	-48.06	30.82	-61.65	-13.00	48.65	Horizontal
5	7151.5556	51.41	-46.08	35.77	-54.16	-13.00	41.16	Horizontal
6	8981.7778	50.87	-43.13	37.38	-50.14	-13.00	37.14	Horizontal

1.56. Test Band = LTE Band26 22H_ TM1

1.56.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1319.1111	50.59	-50.11	24.38	-70.39	-13.00	57.39	Vertical
2	2044	51.37	-49.58	26.38	-67.09	-13.00	54.09	Vertical
3	3189.7778	51.71	-48.65	28.25	-63.95	-13.00	50.95	Vertical
4	5522.6667	51.45	-47.45	32.61	-58.65	-13.00	45.65	Vertical
5	7799.5556	51.65	-45.06	36.34	-52.33	-13.00	39.33	Vertical
6	8865.3333	51.96	-44.07	37.25	-50.11	-13.00	37.11	Vertical



Report No.: SUCR260800084009

Page: 29 of 48

1.57. Test Band = LTE Band26 90S 5M_ TM1

1.57.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1159.1111	50.09	-50.12	24.82	-70.47	-13.00	57.47	Horizontal
2	2258.2222	50.83	-49.28	26.76	-66.95	-13.00	53.95	Horizontal
3	2867.1111	51.22	-48.75	27.86	-64.93	-13.00	51.93	Horizontal
4	3588	51.37	-48.47	28.64	-63.72	-13.00	50.72	Horizontal
5	5395.5556	51.97	-47.46	32.31	-58.44	-13.00	45.44	Horizontal
6	8848	52.07	-44.06	37.23	-50.02	-13.00	37.02	Horizontal

1.58. Test Band = LTE Band26 90S 5M_ TM1

1.58.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1284.8889	50.56	-50.15	24.50	-70.34	-13.00	57.34	Vertical
2	2230.2222	51.26	-49.38	26.71	-66.67	-13.00	53.67	Vertical
3	3040	52.00	-48.54	28.13	-63.67	-13.00	50.67	Vertical
4	4376.8889	51.07	-48.04	29.90	-62.32	-13.00	49.32	Vertical
5	5878.2222	52.07	-47.17	32.75	-57.61	-13.00	44.61	Vertical
6	7958.2222	51.43	-44.87	36.31	-52.39	-13.00	39.39	Vertical



Report No.: SUCR260800084009

Page: 30 of 48

1.59. Test Band = LTE Band26 90S 5M_ TM1

1.59.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1193.7778	50.48	-50.21	24.80	-70.19	-13.00	57.19	Horizontal
2	2092.4444	51.07	-49.48	26.47	-67.20	-13.00	54.20	Horizontal
3	3161.3333	51.95	-48.74	28.23	-63.82	-13.00	50.82	Horizontal
4	4468.4444	50.72	-48.16	30.05	-62.65	-13.00	49.65	Horizontal
5	6083.5556	51.90	-47.11	33.12	-57.35	-13.00	44.35	Horizontal
6	8377.3333	52.03	-44.16	36.72	-50.67	-13.00	37.67	Horizontal

1.60. Test Band = LTE Band26 90S 5M_ TM1

1.60.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1319.1111	50.80	-50.11	24.38	-70.18	-13.00	57.18	Vertical
2	2316.4444	51.46	-49.19	26.87	-66.12	-13.00	53.12	Vertical
3	3053.3333	51.93	-48.63	28.14	-63.81	-13.00	50.81	Vertical
4	4596.4444	50.51	-48.05	30.31	-62.48	-13.00	49.48	Vertical
5	6339.1111	52.16	-47.32	34.09	-56.33	-13.00	43.33	Vertical
6	8789.7778	51.77	-44.07	37.17	-50.39	-13.00	37.39	Vertical



Report No.: SUCR260800084009

Page: 31 of 48

1.61. Test Band = LTE Band26 90S 5M_ TM1

1.61.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1275.1111	50.02	-50.15	24.54	-70.86	-13.00	57.86	Horizontal
2	2040	50.82	-49.59	26.37	-67.65	-13.00	54.65	Horizontal
3	2950.6667	51.46	-48.53	28.01	-64.32	-13.00	51.32	Horizontal
4	4309.3333	49.77	-48.03	29.79	-63.73	-13.00	50.73	Horizontal
5	6703.1111	51.59	-46.71	35.02	-55.35	-13.00	42.35	Horizontal
6	8616.8889	51.40	-43.91	36.98	-50.79	-13.00	37.79	Horizontal

1.62. Test Band = LTE Band26 90S 5M_ TM1

1.62.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1271.1111	50.67	-50.16	24.55	-70.20	-13.00	57.20	Vertical
2	2048.4444	51.25	-49.57	26.39	-67.19	-13.00	54.19	Vertical
3	3031.1111	51.81	-48.49	28.12	-63.81	-13.00	50.81	Vertical
4	4514.6667	50.88	-48.19	30.13	-62.44	-13.00	49.44	Vertical
5	6360.8889	51.80	-47.30	34.17	-56.59	-13.00	43.59	Vertical
6	8832	52.13	-44.05	37.22	-49.97	-13.00	36.97	Vertical



Report No.: SUCR260800084009

Page: 32 of 48

1.63. Test Band = LTE Band26 90S 10M_ TM1

1.63.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1273.3333	50.25	-50.16	24.54	-70.62	-13.00	57.62	Horizontal
2	2076	50.75	-49.51	26.44	-67.58	-13.00	54.58	Horizontal
3	2750.6667	51.69	-48.84	27.65	-64.76	-13.00	51.76	Horizontal
4	4436	51.08	-48.10	30.00	-62.29	-13.00	49.29	Horizontal
5	5460.4444	51.74	-47.41	32.49	-58.44	-13.00	45.44	Horizontal
6	8375.1111	52.08	-44.17	36.71	-50.64	-13.00	37.64	Horizontal

1.64. Test Band = LTE Band26 90S 10M_ TM1

1.64.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1157.3333	50.47	-50.11	24.82	-70.08	-13.00	57.08	Vertical
2	1740.4444	49.98	-49.77	25.71	-69.34	-13.00	56.34	Vertical
3	2201.7778	51.35	-49.48	26.66	-66.73	-13.00	53.73	Vertical
4	3140	52.19	-48.80	28.21	-63.66	-13.00	50.66	Vertical
5	4977.7778	51.44	-48.01	31.15	-60.68	-13.00	47.68	Vertical
6	8389.3333	51.52	-44.06	36.73	-51.07	-13.00	38.07	Vertical



Report No.: SUCR260800084009

Page: 33 of 48

1.65. Test Band = LTE Band30 5M_ TM1

1.65.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3564.5	46.78	-48.28	28.60	-68.16	-40.00	28.16	Horizontal
2	4426.5	47.29	-48.08	29.98	-66.06	-40.00	26.06	Horizontal
3	7261	46.33	-46.18	35.97	-59.14	-40.00	19.14	Horizontal
4	10245	43.91	-41.69	38.97	-54.07	-40.00	14.07	Horizontal
5	12597.5	44.53	-39.01	39.04	-50.70	-40.00	10.70	Horizontal
6	17924.5	45.82	-38.33	44.35	-43.43	-40.00	3.43	Horizontal

1.66. Test Band = LTE Band30 5M_ TM1

1.66.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3431.5	46.95	-48.37	28.45	-68.24	-40.00	28.24	Vertical
2	5099.5	47.20	-47.82	31.48	-64.40	-40.00	24.40	Vertical
3	8825	46.16	-44.00	37.21	-55.89	-40.00	15.89	Vertical
4	11996	44.17	-39.44	39.40	-51.13	-40.00	11.13	Vertical
5	14853	45.16	-37.13	40.21	-47.01	-40.00	7.01	Vertical
6	17890.5	45.43	-38.15	44.14	-43.84	-40.00	3.84	Vertical



Report No.: SUCR260800084009

Page: 34 of 48

1.67. Test Band = LTE Band30 5M_ TM1

1.67.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3478	46.43	-48.32	28.48	-68.66	-40.00	28.66	Horizontal
2	4424.5	46.53	-48.08	29.98	-66.83	-40.00	26.83	Horizontal
3	7609.5	45.00	-44.63	36.38	-58.51	-40.00	18.51	Horizontal
4	9424	45.91	-42.89	37.99	-54.24	-40.00	14.24	Horizontal
5	13189.5	44.02	-38.67	39.08	-50.82	-40.00	10.82	Horizontal
6	17912	45.65	-38.24	44.27	-43.58	-40.00	3.58	Horizontal

1.68. Test Band = LTE Band30 5M_ TM1

1.68.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522	46.74	-48.29	28.54	-68.27	-40.00	28.27	Vertical
2	4473	46.82	-48.02	30.06	-66.40	-40.00	26.40	Vertical
3	7649	45.53	-44.88	36.37	-58.24	-40.00	18.24	Vertical
4	9498	45.33	-42.38	38.10	-54.22	-40.00	14.22	Vertical
5	14316	45.48	-38.45	40.27	-47.96	-40.00	7.96	Vertical
6	17882.5	45.58	-38.16	44.10	-43.74	-40.00	3.74	Vertical



Report No.: SUCR260800084009

Page: 35 of 48

1.69. Test Band = LTE Band30 5M_ TM1

1.69.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3530	47.10	-48.29	28.55	-67.90	-40.00	27.90	Horizontal
2	4611.5	47.19	-48.00	30.35	-65.72	-40.00	25.72	Horizontal
3	5866	46.89	-47.32	32.75	-62.94	-40.00	22.94	Horizontal
4	8269	45.51	-44.44	36.60	-57.59	-40.00	17.59	Horizontal
5	11378	43.94	-40.16	39.46	-52.02	-40.00	12.02	Horizontal
6	17968	45.68	-38.66	44.61	-43.63	-40.00	3.63	Horizontal

1.70. Test Band = LTE Band30 5M_ TM1

1.70.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3850.5	46.99	-48.24	29.06	-67.44	-40.00	27.44	Vertical
2	4839	46.70	-48.02	30.85	-65.73	-40.00	25.73	Vertical
3	8187.5	45.43	-44.26	36.51	-57.58	-40.00	17.58	Vertical
4	12020.5	44.01	-39.46	39.39	-51.33	-40.00	11.33	Vertical
5	14879.5	45.42	-37.26	40.21	-46.89	-40.00	6.89	Vertical
6	17921.5	45.87	-38.31	44.33	-43.37	-40.00	3.37	Vertical



Report No.: SUCR260800084009

Page: 36 of 48

1.71. Test Band = LTE Band30 10M_ TM1

1.71.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3253	46.84	-48.09	28.30	-68.21	-40.00	28.21	Horizontal
2	4437	46.74	-48.06	30.00	-66.58	-40.00	26.58	Horizontal
3	7762.5	46.13	-45.02	36.35	-57.81	-40.00	17.81	Horizontal
4	11390.5	43.33	-40.12	39.46	-52.59	-40.00	12.59	Horizontal
5	14909	45.60	-37.43	40.21	-46.88	-40.00	6.88	Horizontal
6	17888	45.57	-38.15	44.13	-43.72	-40.00	3.72	Horizontal

1.72. Test Band = LTE Band30 10M_ TM1

1.72.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3596.5	47.82	-48.28	28.65	-67.07	-40.00	27.07	Vertical
2	4900	46.88	-48.03	30.98	-65.43	-40.00	25.43	Vertical
3	7679	45.82	-45.08	36.36	-58.15	-40.00	18.15	Vertical
4	9466	45.55	-42.60	38.05	-54.26	-40.00	14.26	Vertical
5	14357	45.51	-38.51	40.26	-48.00	-40.00	8.00	Vertical
6	17907.5	45.54	-38.21	44.25	-43.68	-40.00	3.68	Vertical



Report No.: SUCR260800084009

Page: 37 of 48

1.73. Test Band = LTE Band38_ TM1

1.73.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3144.5	51.98	-48.33	28.22	-63.40	-25.00	38.40	Horizontal
2	3986.5	51.12	-48.19	29.28	-63.06	-25.00	38.06	Horizontal
3	5453.5	52.70	-47.66	32.47	-57.75	-25.00	32.75	Horizontal
4	8570	51.98	-44.06	36.93	-50.42	-25.00	25.42	Horizontal
5	11971.5	52.94	-39.58	39.40	-42.50	-25.00	17.50	Horizontal
6	17984	55.27	-38.78	44.70	-34.07	-25.00	9.07	Horizontal

1.74. Test Band = LTE Band38_ TM1

1.74.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3596.5	51.25	-48.28	28.65	-63.64	-25.00	38.64	Vertical
2	4896.5	51.64	-48.03	30.97	-60.68	-25.00	35.68	Vertical
3	7334	52.21	-46.16	36.10	-53.11	-25.00	28.11	Vertical
4	9469.5	53.23	-42.58	38.06	-46.55	-25.00	21.55	Vertical
5	12678	53.38	-39.21	38.99	-42.10	-25.00	17.10	Vertical
6	17905.5	55.33	-38.19	44.23	-33.89	-25.00	8.89	Vertical



Report No.: SUCR260800084009

Page: 38 of 48

1.75. Test Band = LTE Band38_ TM1

1.75.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3565	50.93	-48.28	28.60	-64.01	-25.00	39.01	Horizontal
2	4967.5	51.61	-48.02	31.13	-60.54	-25.00	35.54	Horizontal
3	7597	51.35	-44.62	36.38	-52.15	-25.00	27.15	Horizontal
4	12048	52.68	-39.52	39.37	-42.73	-25.00	17.73	Horizontal
5	14892	55.01	-37.33	40.21	-37.37	-25.00	12.37	Horizontal
6	17991	55.66	-38.83	44.75	-33.69	-25.00	8.69	Horizontal

1.76. Test Band = LTE Band38_ TM1

1.76.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3809	51.67	-48.19	28.99	-62.79	-25.00	37.79	Vertical
2	5463	52.92	-47.65	32.50	-57.49	-25.00	32.49	Vertical
3	8238	52.00	-44.32	36.56	-51.02	-25.00	26.02	Vertical
4	10914	51.31	-40.11	39.44	-44.62	-25.00	19.62	Vertical
5	14199.5	54.74	-38.66	40.28	-38.90	-25.00	13.90	Vertical
6	17921.5	55.27	-38.31	44.33	-33.97	-25.00	8.97	Vertical



Report No.: SUCR260800084009

Page: 39 of 48

1.77. Test Band = LTE Band38_ TM1

1.77.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3580	51.24	-48.28	28.63	-63.67	-25.00	38.67	Horizontal
2	4833	51.60	-48.02	30.83	-60.84	-25.00	35.84	Horizontal
3	7429	52.06	-46.17	36.27	-53.10	-25.00	28.10	Horizontal
4	10835	52.05	-40.47	39.38	-44.30	-25.00	19.30	Horizontal
5	14302	55.54	-38.42	40.27	-37.87	-25.00	12.87	Horizontal
6	17897.5	55.40	-38.15	44.19	-33.83	-25.00	8.83	Horizontal

1.78. Test Band = LTE Band38_ TM1

1.78.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3416.5	51.51	-48.39	28.43	-63.71	-25.00	38.71	Vertical
2	4900	51.91	-48.03	30.98	-60.40	-25.00	35.40	Vertical
3	7187	52.59	-46.15	35.84	-52.99	-25.00	27.99	Vertical
4	10333.5	51.69	-41.18	39.03	-45.72	-25.00	20.72	Vertical
5	14323.5	55.04	-38.46	40.27	-38.41	-25.00	13.41	Vertical
6	17934	55.13	-38.41	44.40	-34.13	-25.00	9.13	Vertical



Report No.: SUCR260800084009

Page: 40 of 48

1.79. Test Band = LTE Band41_ TM1

1.79.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3131	51.69	-48.37	28.20	-63.74	-25.00	38.74	Horizontal
2	4505	51.64	-47.98	30.11	-61.49	-25.00	36.49	Horizontal
3	6805.5	52.80	-46.88	35.19	-54.15	-25.00	29.15	Horizontal
4	10284	51.60	-41.31	39.00	-45.97	-25.00	20.97	Horizontal
5	14914.5	54.79	-37.46	40.21	-37.72	-25.00	12.72	Horizontal
6	17888.5	55.18	-38.15	44.13	-34.10	-25.00	9.10	Horizontal

1.80. Test Band = LTE Band41_ TM1

1.80.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3596.5	51.57	-48.28	28.65	-63.32	-25.00	38.32	Vertical
2	4521	51.39	-47.98	30.15	-61.71	-25.00	36.71	Vertical
3	6748	52.99	-46.71	35.10	-53.89	-25.00	28.89	Vertical
4	10027	51.41	-41.75	38.82	-46.78	-25.00	21.78	Vertical
5	13765.5	54.32	-38.65	39.95	-39.64	-25.00	14.64	Vertical
6	17975.5	55.37	-38.72	44.65	-33.95	-25.00	8.95	Vertical



Report No.: SUCR260800084009

Page: 41 of 48

1.81. Test Band = LTE Band41_ TM1

1.81.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3591	51.24	-48.28	28.65	-63.66	-25.00	38.66	Horizontal
2	5119.5	51.50	-47.83	31.53	-60.06	-25.00	35.06	Horizontal
3	7613	51.76	-44.65	36.38	-51.78	-25.00	26.78	Horizontal
4	10894	52.15	-40.05	39.43	-43.74	-25.00	18.74	Horizontal
5	13705	53.50	-38.02	39.86	-39.92	-25.00	14.92	Horizontal
6	17499.5	54.84	-36.83	41.80	-35.46	-25.00	10.46	Horizontal

1.82. Test Band = LTE Band41_ TM1

1.82.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3313.5	51.78	-48.08	28.35	-63.21	-25.00	38.21	Vertical
2	5126.5	51.97	-47.84	31.55	-59.57	-25.00	34.57	Vertical
3	7611	51.43	-44.64	36.38	-52.09	-25.00	27.09	Vertical
4	10362.5	52.23	-41.21	39.05	-45.18	-25.00	20.18	Vertical
5	14861	54.36	-37.17	40.21	-37.85	-25.00	12.85	Vertical
6	17902	55.36	-38.17	44.21	-33.85	-25.00	8.85	Vertical



Report No.: SUCR260800084009

Page: 42 of 48

1.83. Test Band = LTE Band41_ TM1

1.83.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3285.5	51.45	-48.05	28.33	-63.53	-25.00	38.53	Horizontal
2	4300.5	50.30	-47.78	29.78	-62.96	-25.00	37.96	Horizontal
3	6230	52.68	-47.48	33.67	-56.39	-25.00	31.39	Horizontal
4	8995	51.68	-43.21	37.39	-49.40	-25.00	24.40	Horizontal
5	12718	53.53	-39.28	38.97	-42.04	-25.00	17.04	Horizontal
6	17903	55.15	-38.17	44.22	-34.06	-25.00	9.06	Horizontal

1.84. Test Band = LTE Band41_ TM1

1.84.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3404	51.49	-48.41	28.42	-63.75	-25.00	38.75	Vertical
2	4807.5	51.49	-48.01	30.78	-61.01	-25.00	36.01	Vertical
3	7046	51.77	-46.25	35.58	-54.15	-25.00	29.15	Vertical
4	9434.5	53.58	-42.82	38.01	-46.49	-25.00	21.49	Vertical
5	12773	53.55	-39.29	38.94	-42.07	-25.00	17.07	Vertical
6	17943	55.24	-38.47	44.46	-34.03	-25.00	9.03	Vertical



Report No.: SUCR260800084009

Page: 43 of 48

1.85. Test Band = LTE Band66_ TM1

1.85.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3243	45.85	-48.10	28.29	-69.22	-13.00	56.22	Horizontal
2	4770.75	45.89	-48.00	30.70	-66.67	-13.00	53.67	Horizontal
3	6762	46.03	-46.76	35.12	-60.87	-13.00	47.87	Horizontal
4	9420	43.66	-42.91	37.99	-56.53	-13.00	43.53	Horizontal
5	14285.25	37.64	-38.46	40.27	-55.80	-13.00	42.80	Horizontal
6	17884.875	36.51	-38.16	44.11	-52.80	-13.00	39.80	Horizontal

1.86. Test Band = LTE Band66_ TM1

1.86.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3263.25	46.22	-48.08	28.31	-68.81	-13.00	55.81	Vertical
2	4485	46.91	-48.00	30.08	-66.27	-13.00	53.27	Vertical
3	6343.125	45.54	-47.15	34.10	-62.77	-13.00	49.77	Vertical
4	8493	44.97	-44.27	36.84	-57.72	-13.00	44.72	Vertical
5	11314.125	39.79	-40.41	39.47	-56.41	-13.00	43.41	Vertical
6	17922.75	35.72	-38.32	44.34	-53.52	-13.00	40.52	Vertical



Report No.: SUCR260800084009

Page: 44 of 48

1.87. Test Band = LTE Band66_ TM1

1.87.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3270.375	45.77	-48.07	28.32	-69.24	-13.00	56.24	Horizontal
2	4439.25	47.03	-48.06	30.00	-66.29	-13.00	53.29	Horizontal
3	6200.625	45.89	-47.55	33.56	-63.36	-13.00	50.36	Horizontal
4	9019.125	43.10	-43.11	37.43	-57.84	-13.00	44.84	Horizontal
5	12686.25	38.60	-39.23	38.99	-56.90	-13.00	43.90	Horizontal
6	17853.375	35.94	-38.17	43.92	-53.57	-13.00	40.57	Horizontal

1.88. Test Band = LTE Band66_ TM1

1.88.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3261.75	46.55	-48.08	28.31	-68.48	-13.00	55.48	Vertical
2	4315.875	46.25	-47.83	29.81	-67.04	-13.00	54.04	Vertical
3	6285.375	45.93	-47.35	33.88	-62.80	-13.00	49.80	Vertical
4	8599.875	44.62	-43.97	36.96	-57.65	-13.00	44.65	Vertical
5	12007.5	39.53	-39.44	39.40	-55.77	-13.00	42.77	Vertical
6	17911.875	35.97	-38.24	44.27	-53.26	-13.00	40.26	Vertical



Report No.: SUCR260800084009

Page: 45 of 48

1.89. Test Band = LTE Band66_ TM1

1.89.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3251.625	45.79	-48.09	28.30	-69.26	-13.00	56.26	Horizontal
2	4587.75	46.41	-48.00	30.29	-66.55	-13.00	53.55	Horizontal
3	6814.125	45.67	-46.87	35.20	-61.25	-13.00	48.25	Horizontal
4	9441	43.53	-42.77	38.02	-56.48	-13.00	43.48	Horizontal
5	13583.625	39.62	-39.07	39.68	-55.04	-13.00	42.04	Horizontal
6	17860.875	36.77	-38.17	43.97	-52.69	-13.00	39.69	Horizontal

1.90. Test Band = LTE Band66_ TM1

1.90.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3139.875	46.67	-48.35	28.21	-68.72	-13.00	55.72	Vertical
2	4069.5	46.07	-48.10	29.41	-67.88	-13.00	54.88	Vertical
3	5934.375	46.53	-47.27	32.77	-63.23	-13.00	50.23	Vertical
4	7597.875	44.20	-44.60	36.38	-59.28	-13.00	46.28	Vertical
5	10870.5	39.73	-40.22	39.41	-56.34	-13.00	43.34	Vertical
6	17909.625	36.54	-38.22	44.26	-52.68	-13.00	39.68	Vertical



Report No.: SUCR260800084009

Page: 46 of 48

1.91. Test Band = LTE Band71_ TM1

1.91.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1245	50.07	-50.19	24.64	-70.73	-13.00	57.73	Horizontal
2	1610	49.94	-49.91	25.52	-69.71	-13.00	56.71	Horizontal
3	2189	51.04	-49.49	26.64	-67.07	-13.00	54.07	Horizontal
4	3175	52.05	-48.70	28.24	-63.67	-13.00	50.67	Horizontal
5	5403	52.14	-47.44	32.33	-58.23	-13.00	45.23	Horizontal
6	8401.5	51.30	-43.98	36.74	-51.20	-13.00	38.20	Horizontal

1.92. Test Band = LTE Band71_ TM1

1.92.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1160.5	50.43	-50.12	24.82	-70.13	-13.00	57.13	Vertical
2	1667.5	50.20	-49.79	25.60	-69.25	-13.00	56.25	Vertical
3	2508	52.38	-48.92	27.21	-64.59	-13.00	51.59	Vertical
4	3897.5	50.75	-48.43	29.14	-63.80	-13.00	50.80	Vertical
5	6739.5	52.11	-46.79	35.08	-54.86	-13.00	41.86	Vertical
6	8984.5	50.93	-43.10	37.38	-50.05	-13.00	37.05	Vertical



Report No.: SUCR260800084009

Page: 47 of 48

1.93. Test Band = LTE Band71_ TM1

1.93.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1164.5	50.15	-50.13	24.82	-70.42	-13.00	57.42	Horizontal
2	1591.5	50.12	-49.92	25.44	-69.62	-13.00	56.62	Horizontal
3	2699	51.90	-49.00	27.56	-64.80	-13.00	51.80	Horizontal
4	4032	49.93	-48.32	29.35	-64.30	-13.00	51.30	Horizontal
5	6836	51.57	-46.77	35.24	-55.23	-13.00	42.23	Horizontal
6	8843.5	51.76	-44.06	37.23	-50.33	-13.00	37.33	Horizontal

1.94. Test Band = LTE Band71_ TM1

1.94.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1208	50.58	-50.22	24.77	-70.13	-13.00	57.13	Vertical
2	1641.5	50.67	-49.84	25.56	-68.87	-13.00	55.87	Vertical
3	2815	51.37	-48.70	27.77	-64.82	-13.00	51.82	Vertical
4	4398.5	50.52	-48.04	29.94	-62.84	-13.00	49.84	Vertical
5	6747	52.13	-46.81	35.10	-54.85	-13.00	41.85	Vertical
6	8850	51.86	-44.06	37.24	-50.23	-13.00	37.23	Vertical



Report No.: SUCR260800084009

Page: 48 of 48

1.95. Test Band = LTE Band71_ TM1

1.95.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1202	50.39	-50.23	24.79	-70.31	-13.00	57.31	Horizontal
2	1556	50.25	-49.89	25.19	-69.70	-13.00	56.70	Horizontal
3	2209.5	51.57	-49.46	26.68	-66.47	-13.00	53.47	Horizontal
4	3026	51.83	-48.45	28.12	-63.76	-13.00	50.76	Horizontal
5	4022.5	49.91	-48.33	29.34	-64.34	-13.00	51.34	Horizontal
6	7089	51.48	-46.06	35.66	-54.18	-13.00	41.18	Horizontal

1.96. Test Band = LTE Band71_ TM1

1.96.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1253.5	50.60	-50.18	24.61	-70.22	-13.00	57.22	Vertical
2	1572.5	50.57	-49.90	25.31	-69.29	-13.00	56.29	Vertical
3	2663.5	52.50	-49.06	27.49	-64.33	-13.00	51.33	Vertical
4	4017	50.00	-48.33	29.33	-64.27	-13.00	51.27	Vertical
5	6308.5	51.91	-47.35	33.97	-56.73	-13.00	43.73	Vertical
6	8396	51.46	-44.00	36.74	-51.07	-13.00	38.07	Vertical

---End of Attachment---