




OBW 802.11a 5720MHz




OBW 802.11a 5745MHz




OBW 802.11a 5785MHz




OBW 802.11a 5825MHz




OBW 802.11ac(VHT20) 5720MHz




OBW 802.11ac(VHT20) 5745MHz




OBW 802.11ac(VHT20) 5785MHz




OBW 802.11ac(VHT20) 5825MHz




OBW 802.11ac(VHT40) 5710MHz




OBW 802.11ac(VHT40) 5755MHz




OBW 802.11ac(VHT40) 5795MHz




OBW 802.11ac(VHT80) 5690MHz




OBW 802.11ac(VHT80) 5775MHz




OBW 802.11n(HT20) 5720MHz




OBW 802.11n(HT20) 5745MHz




OBW 802.11n(HT20) 5785MHz




OBW 802.11n(HT20) 5825MHz




OBW 802.11n(HT40) 5710MHz



OBW 802.11n(HT40) 5755MHz




OBW 802.11n(HT40) 5795MHz




Minimum 6 dB bandwidth

U-NII-3


-6dB Bandwidth 802.11a 5720MHz




-6dB Bandwidth 802.11a 5745MHz




-6dB Bandwidth 802.11a 5785MHz




-6dB Bandwidth 802.11a 5825MHz




-6dB Bandwidth 802.11ac(VHT20) 5720MHz




-6dB Bandwidth 802.11ac(VHT20) 5745MHz




-6dB Bandwidth 802.11ac(VHT20) 5785MHz




-6dB Bandwidth 802.11ac(VHT20) 5825MHz




-6dB Bandwidth 802.11ac(VHT40) 5710MHz




-6dB Bandwidth 802.11ac(VHT40) 5755MHz




-6dB Bandwidth 802.11ac(VHT40) 5795MHz




-6dB Bandwidth 802.11ac(VHT80) 5690MHz




-6dB Bandwidth 802.11ac(VHT80) 5775MHz




-6dB Bandwidth 802.11n(HT20) 5720MHz




-6dB Bandwidth 802.11n(HT20) 5745MHz




-6dB Bandwidth 802.11n(HT20) 5785MHz




-6dB Bandwidth 802.11n(HT20) 5825MHz




-6dB Bandwidth 802.11n(HT40) 5710MHz



-6dB Bandwidth 802.11n(HT40) 5755MHz



-6dB Bandwidth 802.11n(HT40) 5795MHz



6.2. Average Power Output

Mode	Duty cycle	Duty cycle correction Factor (dB)
802.11a	0.969	0.140
802.11n HT20	0.969	0.140
802.11n HT40	0.969	0.140
802.11ac VHT20	0.969	0.140
802.11ac VHT40	0.937	0.280
802.11ac VHT80	0.880	0.550
Note: when Duty cycle ≥ 0.98 , Duty cycle correction Factor not required.		

Power Index								
Channel	802.11a	802.11n HT20	802.11ac VHT20	Channel	802.11n HT40	802.11ac VHT40	Channel	802.11ac VHT80
CH36	15.5	15	12	CH38	14	12	CH42	12
CH40	13	12	12	CH46	14	12	/	/
CH48	15.5	13	12	/	/	/	/	/
CH52	15.5	15	12	CH54	14	12	CH58	12
CH60	13.5	15	12	CH62	14	12	/	/
CH64	15.5	12	12	/	/	/	/	/
CH100	11.5	12	12	CH102	13	12	CH106	12
CH120	15.5	15	12	CH118	14	12	CH122	12
CH140	15.5	15	12	CH134	14	12	CH138	12
CH144	15.5	15	12	CH142	14	12	/	/
CH149	15.5	15	12	CH151	14	12	CH155	12
CH157	15.5	15	12	CH159	14	12	/	/
CH165	15.5	15	12	/	/	/	/	/

Test Mode		Channel/ Frequency (MHz)	B=26 dB bandwidth (MHz)	Limit 11 dBm + 10 log B (dBm)	Final Limit (dBm)
U-NII-2A	802.11a	52/5260	19.79	23.97	23.97
		60/5300	19.99	24.01	24.00
		64/5320	20.28	24.07	24.00
	802.11n HT20	52/5260	20.10	24.03	24.00
		60/5300	20.30	24.07	24.00
		64/5320	20.38	24.09	24.00
	802.11n HT40	54/5270	40.70	27.10	24.00
		62/5310	40.76	27.10	24.00
	802.11ac VHT20	52/5260	20.21	24.06	24.00
		60/5300	20.21	24.06	24.00
		64/5320	20.26	24.07	24.00
	802.11ac VHT40	54/5270	40.61	27.09	24.00
		62/5310	40.71	27.10	24.00
	802.11ac VHT80	58/5290	80.83	30.08	24.00
U-NII-2C	802.11a	100/5500	19.78	23.96	23.96
		120/5600	19.83	23.97	23.97
		140/5700	19.96	24.00	24.00
		144/5720	19.78	23.96	23.96
	802.11n HT20	100/5500	20.26	24.07	24.00
		120/5600	20.15	24.04	24.00
		140/5700	20.18	24.05	24.00
		144/5720	20.20	24.05	24.00
	802.11n HT40	102/5510	40.68	27.09	24.00
		118/5590	40.95	27.12	24.00
		134/5670	40.62	27.09	24.00
		142/5710	40.59	27.08	24.00
	802.11ac VHT20	100/5500	20.09	24.03	24.00
		120/5600	20.40	24.10	24.00
		140/5700	20.09	24.03	24.00
		144/5720	20.38	24.09	24.00
	802.11ac VHT40	102/5510	40.63	27.09	24.00
		118/5590	41.10	27.14	24.00
		134/5670	40.53	27.08	24.00
		142/5710	40.62	27.09	24.00
	802.11ac VHT80	106/5530	81.22	30.10	24.00
		122/5610	81.48	30.11	24.00
		138/5690	80.95	30.08	24.00

Note: 250mW=24dBm

U-NII-1

Test Mode	Channel/ Frequency (MHz)	Average Power Measured (dBm)	Average Power with duty factor (dBm)	Limit (dBm)	Conclusion
802.11a	36/5180	14.88	15.02	24.00	PASS
	40/5200	11.81	11.95	24.00	PASS
	48/5240	14.58	14.72	24.00	PASS
802.11n HT20	36/5180	13.81	13.95	24.00	PASS
	40/5200	10.72	10.86	24.00	PASS
	48/5240	11.82	11.96	24.00	PASS
802.11n HT40	38/5190	12.61	12.75	24.00	PASS
	46/5230	12.76	12.90	24.00	PASS
802.11ac VHT20	36/5180	10.66	10.80	24.00	PASS
	40/5200	10.72	10.86	24.00	PASS
	48/5240	10.79	10.93	24.00	PASS
802.11ac VHT40	38/5190	10.48	10.76	24.00	PASS
	46/5230	10.59	10.87	24.00	PASS
802.11ac VHT80	42/5210	10.25	10.80	24.00	PASS
Note: Average Power with duty factor = Average Power Measured +Duty cycle correction factor					

U-NII-2A

Test Mode	Channel/ Frequency (MHz)	Average Power Measured (dBm)	Average Power with duty factor (dBm)	Limit (dBm)	Conclusion
802.11a	52/5260	14.38	14.52	23.97	PASS
	60/5300	12.25	12.39	24.00	PASS
	64/5320	14.31	14.45	24.00	PASS
802.11n HT20	52/5260	13.89	14.03	24.00	PASS
	60/5300	13.63	13.77	24.00	PASS
	64/5320	10.72	10.86	24.00	PASS
802.11n HT40	54/5270	12.47	12.61	24.00	PASS
	62/5310	12.58	12.72	24.00	PASS
802.11ac VHT20	52/5260	10.77	10.91	24.00	PASS
	60/5300	10.59	10.73	24.00	PASS
	64/5320	10.67	10.81	24.00	PASS
802.11ac VHT40	54/5270	12.44	12.72	24.00	PASS
	62/5310	12.60	12.88	24.00	PASS
802.11ac VHT80	58/5290	10.16	10.71	24.00	PASS
Note: Average Power with duty factor = Average Power Measured +Duty cycle correction factor					

U-NII-2C

Test Mode	Channel/ Frequency (MHz)	Average Power Measured (dBm)	Average Power with duty factor (dBm)	Limit (dBm)	Conclusion
802.11a	100/5500	9.67	9.81	23.96	PASS
	120/5600	14.04	14.18	23.97	PASS
	140/5700	14.58	14.72	24.00	PASS
	144/5720	13.94	14.08	23.96	PASS
802.11n HT20	100/5500	10.01	10.15	24.00	PASS
	120/5600	13.34	13.48	24.00	PASS
	140/5700	13.97	14.11	24.00	PASS
	144/5720	13.23	13.37	24.00	PASS
802.11n HT40	102/5510	11.06	11.20	24.00	PASS
	118/5590	12.07	12.21	24.00	PASS
	134/5670	12.75	12.89	24.00	PASS
	142/5710	12.62	12.76	24.00	PASS
802.11ac VHT20	100/5500	10.19	10.33	24.00	PASS
	120/5600	10.24	10.38	24.00	PASS
	140/5700	10.95	11.09	24.00	PASS
	144/5720	10.34	10.48	24.00	PASS
802.11ac VHT40	102/5510	10.02	10.30	24.00	PASS
	118/5590	10.25	10.53	24.00	PASS
	134/5670	10.57	10.85	24.00	PASS
	142/5710	10.59	10.87	24.00	PASS
802.11ac VHT80	106/5530	9.68	10.23	24.00	PASS
	122/5610	9.89	10.44	24.00	PASS
	138/5690	10.28	10.83	24.00	PASS
Note: Average Power with duty factor = Average Power Measured +Duty cycle correction factor					

U-NII-3

Test Mode	Channel/ Frequency (MHz)	Average Power Measured (dBm)	Average Power with duty factor (dBm)	Limit (dBm)	Conclusion
802.11a	144/5720	6.24	6.38	30.00	PASS
	149/5745	14.55	14.69	30.00	PASS
	157/5785	14.69	14.83	30.00	PASS
	165/5825	14.82	14.96	30.00	PASS
802.11n HT20	144/5720	5.83	5.97	30.00	PASS
	149/5745	13.95	14.09	30.00	PASS
	157/5785	14.19	14.33	30.00	PASS
	165/5825	14.13	14.27	30.00	PASS
802.11n HT40	142/5710	-0.09	0.05	30.00	PASS
	151/5755	12.85	12.99	30.00	PASS
	159/5795	13.14	13.28	30.00	PASS
802.11ac VHT20	144/5720	2.86	3.00	30.00	PASS
	149/5745	11.00	11.14	30.00	PASS
	157/5785	11.03	11.17	30.00	PASS
	165/5825	11.15	11.29	30.00	PASS
802.11ac VHT40	142/5710	-1.94	-1.66	30.00	PASS
	151/5755	10.85	11.13	30.00	PASS
	159/5795	11.13	11.41	30.00	PASS
802.11ac VHT80	138/5690	-5.63	-5.08	30.00	PASS
	155/5775	10.55	11.10	30.00	PASS
Note: Average Power with duty factor = Average Power Measured +Duty cycle correction factor					

6.3. Frequency Stability

Voltage (V)	Temperature (°C)	U-NII-1 Test Results			
		5200MHz			
		1min	2min	5min	10min
7.7	-10	5199.994039	5199.979201	5199.971704	5199.965479
7.7	0	5199.982464	5199.980241	5199.976464	5199.964773
7.7	10	5199.974593	5199.977588	5199.971973	5199.954895
7.7	20	5199.968779	5199.971871	5199.965756	5199.947395
7.7	30	5199.959323	5199.962417	5199.965440	5199.947384
7.7	40	5199.956518	5199.960258	5199.956962	5199.942375
7.7	50	5199.949488	5199.957641	5199.955082	5199.939655
6	20	5199.946584	5199.949364	5199.952357	5199.933382
8.8	20	5199.941837	5199.948887	5199.947774	5199.924821
Max. ΔMHz		-0.058163	-0.051113	-0.052226	-0.075179
PPM		-11.185192	-9.829423	-10.043462	-14.457500

Voltage (V)	Temperature (°C)	U-NII-2A Test Results			
		5300MHz			
		1min	2min	5min	10min
7.7	-10	5299.991011	5299.998276	5299.992861	5299.991627
7.7	0	5299.998670	5300.001127	5299.989305	5299.983008
7.7	10	5299.996265	5299.994844	5299.985040	5299.979761
7.7	20	5299.986627	5299.991311	5299.980852	5299.975968
7.7	30	5299.986002	5299.984567	5299.976838	5299.972819
7.7	40	5299.980406	5299.981448	5299.974664	5299.968079
7.7	50	5299.970517	5299.977981	5299.965811	5299.962933
6	20	5299.967561	5299.971368	5299.961914	5299.958927
8.8	20	5299.960043	5299.967557	5299.958405	5299.952519
Max. ΔMHz		-0.039957	-0.032443	-0.041595	-0.047481
PPM		-7.539057	-6.121321	-7.848113	-8.958679

Voltage (V)	Temperature (°C)	U-NII-2C Test Results			
		5580MHz			
		1min	2min	5min	10min
7.7	-10	5579.986677	5579.976964	5579.977956	5579.968853
7.7	0	5579.977808	5579.980883	5579.971799	5579.976828
7.7	10	5579.972089	5579.977114	5579.967329	5579.976517
7.7	20	5579.969980	5579.969154	5579.966743	5579.966519
7.7	30	5579.965207	5579.963465	5579.964091	5579.964774
7.7	40	5579.959902	5579.960540	5579.956815	5579.963084
7.7	50	5579.957008	5579.958866	5579.951168	5579.954426
6	20	5579.955100	5579.950160	5579.943327	5579.952365
8.8	20	5579.953708	5579.944671	5579.941203	5579.944228
Max. ΔMHz		-0.046292	-0.055329	-0.058797	-0.055772
PPM		-8.296057	-9.915591	-10.537097	-9.994982

Voltage (V)	Temperature (°C)	U-NII-3 Test Results			
		5785MHz			
		1min	2min	5min	10min
7.7	-10	5785.004019	5784.987921	5784.990779	5784.978726
7.7	0	5784.998255	5784.990023	5784.990714	5784.978958
7.7	10	5784.997241	5784.987239	5784.986135	5784.969793
7.7	20	5784.995359	5784.982045	5784.983949	5784.967711
7.7	30	5784.986442	5784.978994	5784.974364	5784.959672
7.7	40	5784.984177	5784.971095	5784.966251	5784.956744
7.7	50	5784.983236	5784.961104	5784.965512	5784.952803
6	20	5784.981785	5784.957833	5784.963031	5784.945587
8.8	20	5784.975189	5784.948941	5784.953508	5784.940430
Max. ΔMHz		-0.024811	-0.051059	-0.046492	-0.059570
PPM		-4.288850	-8.826102	-8.036646	-10.297321

6.4. Power Spectral Density

U-NII-1

Mode	Channel/ Frequency (MHz)	Read Value (dBm /MHz)	Power Spectral Density (dBm /MHz)	Limit (dBm /MHz)	Conclusion
802.11a	36/5180	5.11	5.25	11	PASS
	40/5200	2.85	2.99	11	PASS
	48/5240	4.83	4.97	11	PASS
802.11n HT20	36/5180	3.97	4.11	11	PASS
	40/5200	0.87	1.01	11	PASS
	48/5240	2.32	2.46	11	PASS
802.11n HT40	38/5190	0.28	0.42	11	PASS
	46/5230	0.37	0.51	11	PASS
802.11ac VHT20	36/5180	0.84	0.98	11	PASS
	40/5200	0.89	1.03	11	PASS
	48/5240	0.89	1.03	11	PASS
802.11ac VHT40	38/5190	-2.06	-1.78	11	PASS
	46/5230	-2.05	-1.77	11	PASS
802.11ac VHT80	42/5210	-5.57	-5.02	11	PASS
Note: Power Spectral Density =Read Value+Duty cycle correction factor					

U-NII-2A

Mode	Channel /Frequency (MHz)	Read Value (dBm /MHz)	Power Spectral Density (dBm /MHz)	Limit (dBm /MHz)	Conclusion
802.11a	52/5260	4.85	4.99	11	PASS
	60/5300	2.45	2.59	11	PASS
	64/5320	5.08	5.22	11	PASS
802.11n HT20	52/5260	4.37	4.51	11	PASS
	60/5300	3.96	4.10	11	PASS
	64/5320	0.88	1.02	11	PASS
802.11n HT40	54/5270	0.20	0.34	11	PASS
	62/5310	-0.04	0.10	11	PASS
802.11ac VHT20	52/5260	0.92	1.06	11	PASS
	60/5300	0.80	0.94	11	PASS
	64/5320	1.12	1.26	11	PASS
802.11ac VHT40	54/5270	-0.03	0.25	11	PASS
	62/5310	0.01	0.29	11	PASS
802.11ac VHT80	58/5290	-5.35	-4.80	11	PASS

Note: Power Spectral Density =Read Value+Duty cycle correction factor

U-NII-2C


Mode	Channel /Frequency (MHz)	Read Value (dBm /MHz)	Power Spectral Density (dBm /MHz)	Limit (dBm /MHz)	Conclusion
802.11a	100/5500	0.20	0.34	11	PASS
	120/5600	4.47	4.61	11	PASS
	140/5700	5.20	5.34	11	PASS
	144/5720	5.05	5.19	11	PASS
802.11n HT20	100/5500	0.23	0.37	11	PASS
	120/5600	3.96	4.10	11	PASS
	140/5700	4.39	4.53	11	PASS
	144/5720	4.29	4.43	11	PASS
802.11n HT40	102/5510	-1.51	-1.37	11	PASS
	118/5590	-0.41	-0.27	11	PASS
	134/5670	0.31	0.45	11	PASS
	142/5710	0.09	0.23	11	PASS
802.11ac VHT20	100/5500	0.28	0.42	11	PASS
	120/5600	0.73	0.87	11	PASS
	140/5700	1.36	1.50	11	PASS
	144/5720	1.58	1.72	11	PASS
802.11ac VHT40	102/5510	-2.32	-2.04	11	PASS
	118/5590	-1.80	-1.52	11	PASS
	134/5670	-1.85	-1.57	11	PASS
	142/5710	-1.79	-1.51	11	PASS
802.11ac VHT80	106/5530	-6.17	-5.62	11	PASS
	122/5610	-5.97	-5.42	11	PASS
	138/5690	-5.23	-4.68	11	PASS
Note: Power Spectral Density =Read Value+Duty cycle correction factor					

U-NII-3


Mode	Channel /Frequency (MHz)	Read Value (dBm/510kHz)	Power Spectral Density (dBm/510kHz)	Limit (dBm/500kHz)	Conclusion
802.11a	144/5720	-0.10	0.04	30	PASS
	149/5745	2.22	2.36	30	PASS
	157/5785	2.68	2.82	30	PASS
	165/5825	2.40	2.54	30	PASS
802.11n HT20	144/5720	-0.84	-0.70	30	PASS
	149/5745	1.29	1.43	30	PASS
	157/5785	1.48	1.62	30	PASS
	165/5825	1.42	1.56	30	PASS
802.11n HT40	142/5710	-6.42	-6.28	30	PASS
	151/5755	-2.87	-2.73	30	PASS
	159/5795	-2.42	-2.28	30	PASS
802.11ac VHT20	144/5720	-3.62	-3.48	30	PASS
	149/5745	-1.79	-1.65	30	PASS
	157/5785	-1.54	-1.40	30	PASS
	165/5825	-1.53	-1.39	30	PASS
802.11ac VHT40	142/5710	-8.82	-8.54	30	PASS
	151/5755	-5.06	-4.78	30	PASS
	159/5795	-4.30	-4.02	30	PASS
802.11ac VHT80	138/5690	-12.17	-11.62	30	PASS
	155/5775	-8.37	-7.82	30	PASS
Note: PSD=Read Value+Duty cycle correction factor					

U-NII-1


PSD 802.11a 5180MHz




PSD 802.11a 5200MHz




PSD 802.11a 5240MHz




PSD 802.11ac(VHT20) 5180MHz




PSD 802.11ac(VHT20) 5200MHz




PSD 802.11ac(VHT20) 5240MHz




PSD 802.11ac(VHT40) 5190MHz




PSD 802.11ac(VHT40) 5230MHz




PSD 802.11ac(VHT80) 5210MHz




PSD 802.11n(HT20) 5180MHz




PSD 802.11n(HT20) 5200MHz




PSD 802.11n(HT20) 5240MHz




PSD 802.11n(HT40) 5190MHz




PSD 802.11n(HT40) 5230MHz




PSD 802.11a 5260MHz




PSD 802.11a 5300MHz




PSD 802.11a 5320MHz




PSD 802.11ac(VHT20) 5260MHz




PSD 802.11ac(VHT20) 5300MHz




PSD 802.11ac(VHT20) 5320MHz




PSD 802.11ac(VHT40) 5270MHz




PSD 802.11ac(VHT40) 5310MHz




PSD 802.11ac(VHT80) 5290MHz




PSD 802.11n(HT20) 5260MHz




PSD 802.11n(HT20) 5300MHz




PSD 802.11n(HT20) 5320MHz




PSD 802.11n(HT40) 5270MHz




PSD 802.11n(HT40) 5310MHz




PSD 802.11a 5500MHz




PSD 802.11a 5600MHz




PSD 802.11a 5700MHz




PSD 802.11a 5720MHz




PSD 802.11ac(VHT20) 5500MHz




PSD 802.11ac(VHT20) 5600MHz




PSD 802.11ac(VHT20) 5700MHz




PSD 802.11ac(VHT20) 5720MHz




PSD 802.11ac(VHT40) 5510MHz




PSD 802.11ac(VHT40) 5590MHz




PSD 802.11ac(VHT40) 5670MHz




PSD 802.11ac(VHT40) 5710MHz




PSD 802.11ac(VHT80) 5530MHz




PSD 802.11ac(VHT80) 5610MHz




PSD 802.11ac(VHT80) 5690MHz




PSD 802.11n(HT20) 5500MHz




PSD 802.11n(HT20) 5600MHz




PSD 802.11n(HT20) 5700MHz




PSD 802.11n(HT20) 5720MHz




PSD 802.11n(HT40) 5510MHz




PSD 802.11n(HT40) 5590MHz




PSD 802.11n(HT40) 5670MHz




PSD 802.11n(HT40) 5710MHz




PSD 802.11a 5720MHz




PSD 802.11a 5745MHz




PSD 802.11a 5785MHz




PSD 802.11a 5825MHz




PSD 802.11ac(VHT20) 5720MHz




PSD 802.11ac(VHT20) 5745MHz




PSD 802.11ac(VHT20) 5785MHz




PSD 802.11ac(VHT20) 5825MHz




PSD 802.11ac(VHT40) 5710MHz




PSD 802.11ac(VHT40) 5755MHz




PSD 802.11ac(VHT40) 5795MHz




PSD 802.11ac(VHT80) 5690MHz




PSD 802.11ac(VHT80) 5775MHz




PSD 802.11n(HT20) 5720MHz




PSD 802.11n(HT20) 5745MHz




PSD 802.11n(HT20) 5785MHz




PSD 802.11n(HT20) 5825MHz




PSD 802.11n(HT40) 5710MHz



PSD 802.11n(HT40) 5755MHz



PSD 802.11n(HT40) 5795MHz



6.5. Unwanted Emission

The detailed test data see *EFTA26030124-IE-02-R4-ANNEX A* Test Result.

6.6. Conducted Emission

The detailed test data see *EFTA26030124-IE-02-R4-ANNEX A* Test Result.

7. Main Test Instruments

Name	Manufacturer	Type	Serial Number	Calibration Date	Expiration Date
Power sensor	R&S	NRP18S	101954	2025-05-06	2026-05-05
Spectrum Analyzer	KEYSIGHT	N9020A	MY51330870	2025-05-06	2026-05-05
DC Power Supply	UNI-T	UTP1306S+	2205D0517426	2025-11-24	2026-11-25
Test software	MW	MTS8310	2.0.0.0-	/	/
Climate Chamber	ESPEC	SU-242	93000506	2025-11-24	2026-11-25
Attenuator	HASCO	HA18A-10	0003	/	/
EMI Test Receiver	R&S	ESCI3	100948	2025-05-07	2026-05-06
Signal Analyzer	R&S	FSV40	101186	2025-05-06	2026-05-05
Loop Antenna	SCHWARZBECK	FMZB1519	1519-047	2023-04-16	2026-04-15
TRILOG Broadband Antenna	SCHWARZBECK	VULB 9163	1023	2023-07-14	2026-07-13
Horn Antenna	SCHWARZBECK	BBHA 9120D	430	2024-07-18	2027-07-17
Amplifier	R&S	SCU18F	101022	2025-05-06	2026-05-05
Horn Antenna	R&S	BBHA 9170	101301	2023-09-16	2026-09-15
Software	R&S	EMC32	9.26.01	/	/
Artificial main network	R&S	ENV216	102191	2025-11-24	2026-11-23
EMI Test Receiver	R&S	ESR	101667	2025-05-06	2026-05-05
Software	R&S	ELEKTRA	5.02.1	/	/

8. The EUT Appearance

Refer to *EUT Appearance*.

9. Test Setup Photos

Refer to *Part15E Test Setup*.

***** END OF REPORT *****