







GPRS1900-512-0



GPRS1900-810-0



EGPRS1900-512-2





EGPRS1900-810-2

Conducted Spurious Emission


Test Result

Band	Channel	Frequency Range(MHz)	Max.Freq. (MHz)	Result (dBm)	Limit (dBm)	Verdict
GSM850	128	30~1000MHz	955.41	-51.33	-13	PASS
GSM850	128	1000~10000MHz	1648.9	-55.47	-13	PASS
GSM850	190	30~1000MHz	485.09	-51.15	-13	PASS
GSM850	190	1000~10000MHz	1673.2	-54.74	-13	PASS
GSM850	251	30~1000MHz	409.56	-51.27	-13	PASS
GSM850	251	1000~10000MHz	2546.2	-48.7	-13	PASS
GPRS850	128	30~1000MHz	331.7	-51.02	-13	PASS
GPRS850	128	1000~10000MHz	2473	-52.69	-13	PASS
GPRS850	190	30~1000MHz	684.62	-51.29	-13	PASS
GPRS850	190	1000~10000MHz	2509.9	-53.31	-13	PASS
GPRS850	251	30~1000MHz	137.96	-51.2	-13	PASS
GPRS850	251	1000~10000MHz	5092.9	-59.99	-13	PASS
EGPRS850	128	30~1000MHz	507.3	-50.64	-13	PASS
EGPRS850	128	1000~10000MHz	2471.8	-60.08	-13	PASS
EGPRS850	190	30~1000MHz	421.46	-50.98	-13	PASS
EGPRS850	190	1000~10000MHz	2510.2	-60.21	-13	PASS
EGPRS850	251	30~1000MHz	366.43	-51.01	-13	PASS
EGPRS850	251	1000~10000MHz	1697.8	-58.45	-13	PASS
GSM1900	512	30~1000MHz	976.24	-51.44	-13	PASS
GSM1900	512	1000~3000MHz	2716.33	-45.25	-13	PASS
GSM1900	512	3000~20000MHz	3589.9	-57.17	-13	PASS
GSM1900	661	30~1000MHz	976.88	-51.52	-13	PASS
GSM1900	661	1000~3000MHz	2720.67	-45.22	-13	PASS
GSM1900	661	3000~20000MHz	3545.7	-57.05	-13	PASS
GSM1900	810	30~1000MHz	989.78	-51.36	-13	PASS
GSM1900	810	1000~3000MHz	2720	-45.28	-13	PASS
GSM1900	810	3000~20000MHz	3577.43	-57.15	-13	PASS
GPRS1900	512	30~1000MHz	985.68	-51.28	-13	PASS
GPRS1900	512	1000~3000MHz	2715.47	-45.29	-13	PASS
GPRS1900	512	3000~20000MHz	3590.47	-57.01	-13	PASS
GPRS1900	661	30~1000MHz	958.9	-51.26	-13	PASS
GPRS1900	661	1000~3000MHz	2729.67	-45.19	-13	PASS
GPRS1900	661	3000~20000MHz	3593.87	-57.13	-13	PASS
GPRS1900	810	30~1000MHz	966.28	-51.42	-13	PASS
GPRS1900	810	1000~3000MHz	2716.27	-45.28	-13	PASS






Date: 24.FEB.2026 10:01:06




Date: 24.FEB.2026 10:01:25

GPRS850-128-5-30~1000MHz-PASS



Date: 24.FEB.2026 10:01:44


GPRS850-128-5-1000~10000MHz-PASS




Date: 24.FEB.2026 10:02:02

GPRS850-190-5-30~1000MHz-PASS

GPRS850-190-5-1000~10000MHz-PASS




Date: 24.FEB.2026 10:02:21




Date: 24.FEB.2026 10:02:40

GPRS850-251-5-30~1000MHz-PASS



Date: 24.FEB.2026 10:04:32


GPRS850-251-5-1000~10000MHz-PASS




Date: 24.FEB.2026 10:04:51

EGPRS850-128-8-30~1000MHz-PASS

EGPRS850-128-8-1000~10000MHz-PASS




Date: 24.FEB.2026 10:05:09




Date: 24.FEB.2026 10:05:27

EGPRS850-190-8-30~1000MHz-PASS



Date: 24.FEB.2026 10:05:46


EGPRS850-190-8-1000~10000MHz-PASS




Date: 24.FEB.2026 10:06:05

EGPRS850-251-8-30~1000MHz-PASS


EGPRS850-251-8-1000~10000MHz-PASS






Date: 24.FEB.2026 10:08:19

GSM1900-661-0-1000~3000MHz-PASS




Date: 24.FEB.2026 10:08:35

GSM1900-661-0-3000~20000MHz-PASS




Date: 24.FEB.2026 10:08:44


GSM1900-810-0-30~1000MHz-PASS




Date: 24.FEB.2026 10:09:00


GSM1900-810-0-1000~3000MHz-PASS








Date: 24.FEB.2026 10:11:37




Date: 24.FEB.2026 10:11:53

GPRS1900-810-0-1000~3000MHz-PASS



Date: 24.FEB.2026 10:14:57


GPRS1900-810-0-3000~20000MHz-PASS




Date: 24.FEB.2026 10:15:13

EGPRS1900-512-2-30~1000MHz-PASS

EGPRS1900-512-2-1000~3000MHz-PASS





Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	128	VL	NT	-6.17	-0.007486	±2.5	PASS
GSM850	128	VN	NT	-7.59	-0.009209	±2.5	PASS
GSM850	128	VH	NT	-4.58	-0.005557	±2.5	PASS
GSM850	190	VL	NT	-10.75	-0.012850	±2.5	PASS
GSM850	190	VN	NT	-10.43	-0.012467	±2.5	PASS
GSM850	190	VH	NT	-7.14	-0.008535	±2.5	PASS
GSM850	251	VL	NT	-6.49	-0.007646	±2.5	PASS
GSM850	251	VN	NT	-7.72	-0.009095	±2.5	PASS
GSM850	251	VH	NT	-3.78	-0.004453	±2.5	PASS
GPRS850	128	VL	NT	-6.72	-0.008153	±2.5	PASS
GPRS850	128	VN	NT	-10.04	-0.012182	±2.5	PASS
GPRS850	128	VH	NT	-6.01	-0.007292	±2.5	PASS
GPRS850	190	VL	NT	-5.00	-0.005977	±2.5	PASS
GPRS850	190	VN	NT	-7.81	-0.009335	±2.5	PASS
GPRS850	190	VH	NT	-6.36	-0.007602	±2.5	PASS
GPRS850	251	VL	NT	-7.10	-0.008365	±2.5	PASS
GPRS850	251	VN	NT	-4.65	-0.005478	±2.5	PASS
GPRS850	251	VH	NT	-6.23	-0.007340	±2.5	PASS
EGPRS850	128	VL	NT	-11.59	-0.014062	±2.5	PASS
EGPRS850	128	VN	NT	-12.62	-0.015312	±2.5	PASS
EGPRS850	128	VH	NT	-14.37	-0.017435	±2.5	PASS
EGPRS850	190	VL	NT	-16.01	-0.019137	±2.5	PASS
EGPRS850	190	VN	NT	-12.53	-0.014977	±2.5	PASS
EGPRS850	190	VH	NT	-11.78	-0.014081	±2.5	PASS
EGPRS850	251	VL	NT	-14.24	-0.016777	±2.5	PASS
EGPRS850	251	VN	NT	-12.59	-0.014833	±2.5	PASS
EGPRS850	251	VH	NT	-10.04	-0.011828	±2.5	PASS
GSM1900	512	VL	NT	-7.68	-0.004151	±2.5	PASS
GSM1900	512	VN	NT	-11.04	-0.005967	±2.5	PASS
GSM1900	512	VH	NT	-8.17	-0.004416	±2.5	PASS
GSM1900	661	VL	NT	-8.30	-0.004415	±2.5	PASS
GSM1900	661	VN	NT	-11.11	-0.005910	±2.5	PASS
GSM1900	661	VH	NT	-13.98	-0.007436	±2.5	PASS
GSM1900	810	VL	NT	-6.72	-0.003519	±2.5	PASS
GSM1900	810	VN	NT	-8.23	-0.004309	±2.5	PASS

GSM1900	810	VH	NT	-2.78	-0.001456	±2.5	PASS
GPRS1900	512	VL	NT	-13.40	-0.007242	±2.5	PASS
GPRS1900	512	VN	NT	-14.72	-0.007956	±2.5	PASS
GPRS1900	512	VH	NT	-7.01	-0.003789	±2.5	PASS
GPRS1900	661	VL	NT	-6.46	-0.003436	±2.5	PASS
GPRS1900	661	VN	NT	-11.17	-0.005941	±2.5	PASS
GPRS1900	661	VH	NT	-6.49	-0.003452	±2.5	PASS
GPRS1900	810	VL	NT	-3.75	-0.001964	±2.5	PASS
GPRS1900	810	VN	NT	-10.82	-0.005666	±2.5	PASS
GPRS1900	810	VH	NT	-7.23	-0.003786	±2.5	PASS
EGPRS1900	512	VL	NT	-30.51	-0.016490	±2.5	PASS
EGPRS1900	512	VN	NT	-29.38	-0.015879	±2.5	PASS
EGPRS1900	512	VH	NT	-28.35	-0.015323	±2.5	PASS
EGPRS1900	661	VL	NT	-22.57	-0.012005	±2.5	PASS
EGPRS1900	661	VN	NT	-28.28	-0.015043	±2.5	PASS
EGPRS1900	661	VH	NT	-22.41	-0.011920	±2.5	PASS
EGPRS1900	810	VL	NT	-21.60	-0.011310	±2.5	PASS
EGPRS1900	810	VN	NT	-20.92	-0.010954	±2.5	PASS
EGPRS1900	810	VH	NT	-19.69	-0.010310	±2.5	PASS

Temperature							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	128	NV	-30	-5.52	-0.006697	±2.5	PASS
GSM850	128	NV	-20	-7.59	-0.009209	±2.5	PASS
GSM850	128	NV	-10	-5.33	-0.006467	±2.5	PASS
GSM850	128	NV	0	-8.33	-0.010107	±2.5	PASS
GSM850	128	NV	10	-4.71	-0.005715	±2.5	PASS
GSM850	128	NV	20	-7.33	-0.008893	±2.5	PASS
GSM850	128	NV	30	-8.23	-0.009985	±2.5	PASS
GSM850	128	NV	40	-4.81	-0.005836	±2.5	PASS
GSM850	128	NV	50	-5.49	-0.006661	±2.5	PASS
GSM850	190	NV	-30	-8.49	-0.010148	±2.5	PASS
GSM850	190	NV	-20	-8.62	-0.010304	±2.5	PASS
GSM850	190	NV	-10	-7.43	-0.008881	±2.5	PASS
GSM850	190	NV	0	-4.55	-0.005439	±2.5	PASS
GSM850	190	NV	10	-9.46	-0.011308	±2.5	PASS
GSM850	190	NV	20	-8.01	-0.009574	±2.5	PASS
GSM850	190	NV	30	-7.78	-0.009300	±2.5	PASS
GSM850	190	NV	40	-8.94	-0.010686	±2.5	PASS
GSM850	190	NV	50	-7.33	-0.008762	±2.5	PASS
GSM850	251	NV	-30	-4.39	-0.005172	±2.5	PASS
GSM850	251	NV	-20	-4.07	-0.004795	±2.5	PASS

GSM850	251	NV	-10	-2.65	-0.003122	±2.5	PASS
GSM850	251	NV	0	-4.78	-0.005631	±2.5	PASS
GSM850	251	NV	10	-5.13	-0.006044	±2.5	PASS
GSM850	251	NV	20	-4.58	-0.005396	±2.5	PASS
GSM850	251	NV	30	-2.62	-0.003087	±2.5	PASS
GSM850	251	NV	40	-3.58	-0.004218	±2.5	PASS
GSM850	251	NV	50	-3.87	-0.004559	±2.5	PASS
GPRS850	128	NV	-30	-4.71	-0.005715	±2.5	PASS
GPRS850	128	NV	-20	-9.52	-0.011551	±2.5	PASS
GPRS850	128	NV	-10	-6.33	-0.007680	±2.5	PASS
GPRS850	128	NV	0	-6.68	-0.008105	±2.5	PASS
GPRS850	128	NV	10	-10.01	-0.012145	±2.5	PASS
GPRS850	128	NV	20	-9.46	-0.011478	±2.5	PASS
GPRS850	128	NV	30	-11.04	-0.013395	±2.5	PASS
GPRS850	128	NV	40	-9.46	-0.011478	±2.5	PASS
GPRS850	128	NV	50	-4.75	-0.005763	±2.5	PASS
GPRS850	190	NV	-30	-5.17	-0.006180	±2.5	PASS
GPRS850	190	NV	-20	-5.17	-0.006180	±2.5	PASS
GPRS850	190	NV	-10	-9.07	-0.010842	±2.5	PASS
GPRS850	190	NV	0	-7.85	-0.009383	±2.5	PASS
GPRS850	190	NV	10	-10.53	-0.012587	±2.5	PASS
GPRS850	190	NV	20	-10.75	-0.012850	±2.5	PASS
GPRS850	190	NV	30	-11.36	-0.013579	±2.5	PASS
GPRS850	190	NV	40	-4.52	-0.005403	±2.5	PASS
GPRS850	190	NV	50	-5.17	-0.006180	±2.5	PASS
GPRS850	251	NV	-30	-6.42	-0.007564	±2.5	PASS
GPRS850	251	NV	-20	-4.36	-0.005137	±2.5	PASS
GPRS850	251	NV	-10	-3.78	-0.004453	±2.5	PASS
GPRS850	251	NV	0	-4.33	-0.005101	±2.5	PASS
GPRS850	251	NV	10	-6.75	-0.007952	±2.5	PASS
GPRS850	251	NV	20	-7.62	-0.008977	±2.5	PASS
GPRS850	251	NV	30	-8.72	-0.010273	±2.5	PASS
GPRS850	251	NV	40	-10.11	-0.011911	±2.5	PASS
GPRS850	251	NV	50	-5.81	-0.006845	±2.5	PASS
EGPRS850	128	NV	-30	-10.78	-0.013079	±2.5	PASS
EGPRS850	128	NV	-20	-12.82	-0.015554	±2.5	PASS
EGPRS850	128	NV	-10	-11.56	-0.014026	±2.5	PASS
EGPRS850	128	NV	0	-13.01	-0.015785	±2.5	PASS
EGPRS850	128	NV	10	-9.36	-0.011356	±2.5	PASS
EGPRS850	128	NV	20	-13.66	-0.016574	±2.5	PASS
EGPRS850	128	NV	30	-14.92	-0.018102	±2.5	PASS
EGPRS850	128	NV	40	-14.37	-0.017435	±2.5	PASS

EGPRS850	128	NV	50	-16.21	-0.019668	±2.5	PASS
EGPRS850	190	NV	-30	-12.20	-0.014583	±2.5	PASS
EGPRS850	190	NV	-20	-11.95	-0.014284	±2.5	PASS
EGPRS850	190	NV	-10	-10.72	-0.012814	±2.5	PASS
EGPRS850	190	NV	0	-13.01	-0.015551	±2.5	PASS
EGPRS850	190	NV	10	-13.20	-0.015778	±2.5	PASS
EGPRS850	190	NV	20	-15.08	-0.018025	±2.5	PASS
EGPRS850	190	NV	30	-11.46	-0.013698	±2.5	PASS
EGPRS850	190	NV	40	-13.17	-0.015742	±2.5	PASS
EGPRS850	190	NV	50	-9.49	-0.011344	±2.5	PASS
EGPRS850	251	NV	-30	-15.92	-0.018756	±2.5	PASS
EGPRS850	251	NV	-20	-10.56	-0.012441	±2.5	PASS
EGPRS850	251	NV	-10	-13.92	-0.016400	±2.5	PASS
EGPRS850	251	NV	0	-8.85	-0.010426	±2.5	PASS
EGPRS850	251	NV	10	-8.36	-0.009849	±2.5	PASS
EGPRS850	251	NV	20	-11.53	-0.013584	±2.5	PASS
EGPRS850	251	NV	30	-10.04	-0.011828	±2.5	PASS
EGPRS850	251	NV	40	-10.98	-0.012936	±2.5	PASS
EGPRS850	251	NV	50	-14.88	-0.017531	±2.5	PASS
GSM1900	512	NV	-30	-7.65	-0.004135	±2.5	PASS
GSM1900	512	NV	-20	-11.59	-0.006264	±2.5	PASS
GSM1900	512	NV	-10	-11.24	-0.006075	±2.5	PASS
GSM1900	512	NV	0	-10.43	-0.005637	±2.5	PASS
GSM1900	512	NV	10	-8.75	-0.004729	±2.5	PASS
GSM1900	512	NV	20	-15.56	-0.008410	±2.5	PASS
GSM1900	512	NV	30	-11.49	-0.006210	±2.5	PASS
GSM1900	512	NV	40	-9.40	-0.005081	±2.5	PASS
GSM1900	512	NV	50	-10.30	-0.005567	±2.5	PASS
GSM1900	661	NV	-30	-12.91	-0.006867	±2.5	PASS
GSM1900	661	NV	-20	-12.66	-0.006734	±2.5	PASS
GSM1900	661	NV	-10	-10.88	-0.005787	±2.5	PASS
GSM1900	661	NV	0	-6.33	-0.003367	±2.5	PASS
GSM1900	661	NV	10	-9.27	-0.004931	±2.5	PASS
GSM1900	661	NV	20	-9.88	-0.005255	±2.5	PASS
GSM1900	661	NV	30	-9.72	-0.005170	±2.5	PASS
GSM1900	661	NV	40	-9.94	-0.005287	±2.5	PASS
GSM1900	661	NV	50	-13.40	-0.007128	±2.5	PASS
GSM1900	810	NV	-30	-2.65	-0.001388	±2.5	PASS
GSM1900	810	NV	-20	-8.30	-0.004346	±2.5	PASS
GSM1900	810	NV	-10	-3.81	-0.001995	±2.5	PASS
GSM1900	810	NV	0	-2.03	-0.001063	±2.5	PASS
GSM1900	810	NV	10	-10.36	-0.005425	±2.5	PASS

GSM1900	810	NV	20	-5.62	-0.002943	±2.5	PASS
GSM1900	810	NV	30	-6.13	-0.003210	±2.5	PASS
GSM1900	810	NV	40	-3.45	-0.001806	±2.5	PASS
GSM1900	810	NV	50	-7.04	-0.003686	±2.5	PASS
GPRS1900	512	NV	-30	-10.49	-0.005670	±2.5	PASS
GPRS1900	512	NV	-20	-11.59	-0.006264	±2.5	PASS
GPRS1900	512	NV	-10	-11.49	-0.006210	±2.5	PASS
GPRS1900	512	NV	0	-5.39	-0.002913	±2.5	PASS
GPRS1900	512	NV	10	-5.71	-0.003086	±2.5	PASS
GPRS1900	512	NV	20	-9.65	-0.005216	±2.5	PASS
GPRS1900	512	NV	30	-12.04	-0.006507	±2.5	PASS
GPRS1900	512	NV	40	-11.66	-0.006302	±2.5	PASS
GPRS1900	512	NV	50	-10.11	-0.005464	±2.5	PASS
GPRS1900	661	NV	-30	-13.92	-0.007404	±2.5	PASS
GPRS1900	661	NV	-20	-6.72	-0.003574	±2.5	PASS
GPRS1900	661	NV	-10	-10.04	-0.005340	±2.5	PASS
GPRS1900	661	NV	0	-7.20	-0.003830	±2.5	PASS
GPRS1900	661	NV	10	-7.30	-0.003883	±2.5	PASS
GPRS1900	661	NV	20	-13.04	-0.006936	±2.5	PASS
GPRS1900	661	NV	30	-12.72	-0.006766	±2.5	PASS
GPRS1900	661	NV	40	-10.01	-0.005324	±2.5	PASS
GPRS1900	661	NV	50	-13.27	-0.007059	±2.5	PASS
GPRS1900	810	NV	-30	-10.49	-0.005493	±2.5	PASS
GPRS1900	810	NV	-20	-2.97	-0.001555	±2.5	PASS
GPRS1900	810	NV	-10	-7.39	-0.003870	±2.5	PASS
GPRS1900	810	NV	0	-7.55	-0.003953	±2.5	PASS
GPRS1900	810	NV	10	-7.36	-0.003854	±2.5	PASS
GPRS1900	810	NV	20	-12.04	-0.006304	±2.5	PASS
GPRS1900	810	NV	30	-2.87	-0.001503	±2.5	PASS
GPRS1900	810	NV	40	-10.23	-0.005357	±2.5	PASS
GPRS1900	810	NV	50	-6.55	-0.003430	±2.5	PASS
EGPRS1900	512	NV	-30	-21.15	-0.011431	±2.5	PASS
EGPRS1900	512	NV	-20	-24.12	-0.013036	±2.5	PASS
EGPRS1900	512	NV	-10	-33.80	-0.018268	±2.5	PASS
EGPRS1900	512	NV	0	-29.19	-0.015777	±2.5	PASS
EGPRS1900	512	NV	10	-24.38	-0.013177	±2.5	PASS
EGPRS1900	512	NV	20	-28.73	-0.015528	±2.5	PASS
EGPRS1900	512	NV	30	-32.16	-0.017382	±2.5	PASS
EGPRS1900	512	NV	40	-26.05	-0.014080	±2.5	PASS
EGPRS1900	512	NV	50	-26.31	-0.014220	±2.5	PASS
EGPRS1900	661	NV	-30	-25.09	-0.013346	±2.5	PASS
EGPRS1900	661	NV	-20	-24.89	-0.013239	±2.5	PASS

EGPRS1900	661	NV	-10	-27.28	-0.014511	±2.5	PASS
EGPRS1900	661	NV	0	-24.25	-0.012899	±2.5	PASS
EGPRS1900	661	NV	10	-23.96	-0.012745	±2.5	PASS
EGPRS1900	661	NV	20	-25.18	-0.013394	±2.5	PASS
EGPRS1900	661	NV	30	-28.25	-0.015027	±2.5	PASS
EGPRS1900	661	NV	40	-30.83	-0.016399	±2.5	PASS
EGPRS1900	661	NV	50	-20.11	-0.010697	±2.5	PASS
EGPRS1900	810	NV	-30	-25.41	-0.013305	±2.5	PASS
EGPRS1900	810	NV	-20	-17.98	-0.009415	±2.5	PASS
EGPRS1900	810	NV	-10	-24.86	-0.013017	±2.5	PASS
EGPRS1900	810	NV	0	-23.92	-0.012525	±2.5	PASS
EGPRS1900	810	NV	10	-22.60	-0.011834	±2.5	PASS
EGPRS1900	810	NV	20	-19.89	-0.010415	±2.5	PASS
EGPRS1900	810	NV	30	-22.02	-0.011530	±2.5	PASS
EGPRS1900	810	NV	40	-22.92	-0.012001	±2.5	PASS
EGPRS1900	810	NV	50	-24.21	-0.012677	±2.5	PASS