

DMD Remote 2 Quick Start Guide

The DMD Remote 2 – With 360 joystick!

Full 360 degree map panning with multi sensitivity, its the most accurate and precise remote for the DMD2 map.

- The thinner and shorter model
- 5 levels of sensitivity
- Full 360 degree map panning (only by cable connection)
- Bluetooth and Cable
- Injected plastic chassis
- Fully originally designed electronics and chassis
- Water-proof
- Dust-proof buttons

Can be **connected by Bluetooth or Cable** (cable connection is compatible with our DMD-T865, DMD-T865X and DMD-T665).

Includes cable with connector to convert from our connector to open wires for motorcycle 12V connection.

Optional splitter cable is needed if you want the Remote 2 to receive power and send data through the DMD-T665 harness.

When powering the T665 using the waterproof USB cable, the Remote 2 can also be powered using the splitter cable. However, a wired connection between the two devices is not possible, so the remote can only connect via Bluetooth.

SPLITTER CABLE IS ONLY FOR THE T665

Compatible with most navigations apps like DMD2, OSMAnd, LOCUS, Google Maps, Waze, GURU Maps, GAIA, Kurviger, Terra Pirata, etc, we can add **more apps on request!**

PLUG AND PLAY

Connect the connector, done!

If you are using a DMD device and the controller connected by cable there is no extra wiring required, the cable connection will deliver communication and power.

- No Bluetooth required when using cable connector.
- Power is delivered to the controller through the cable connection.
- DMD devices will already have the software installed as part of the OS.
- Basically, plug the connector, that is it! Nothing else required.

REMOTE 2 HIGHLIGHTS

The most advanced controller to date

Full 360 degree map panning with multi sensitivity, its the most accurate and precise remote for the DMD2 map.

- The thinner and shorter model
- 5 levels of sensitivity
- Full 360 degree map panning (only by cable connection)
- Bluetooth and Cable
- Injected plastic chassis
- Fully originally designed electronics and chassis
- Water-proof
- Dust-proof buttons



RF exposure statement

This equipment complies with the FCC and ISED radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Cet équipement est conforme aux limites d'exposition aux rayonnements de la FCC et de l'ISED établies pour un environnement non contrôlé. Cet émetteur ne doit pas être co-localisé ou fonctionner en conjonction avec une autre antenne ou un autre émetteur.

FCC Warning

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

NOTE 2: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

IC WARNING

This device contains licence-exempt transmitter(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

1. L'appareil ne doit pas produire de brouillage;
2. L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.