

MEASUREMENT 2


Type: Phone measurement (Complete)
Date of measurement: 2021-08-23
Measurement duration: 11 minutes 48 seconds

A. Experimental conditions



Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Cheek
Band	GSM1900
Channels	High
Signal	TDMA (Crest factor: 8.0)

B. SAR Measurement Results

Frequency (MHz)	1909.800000
Relative Permittivity (real part)	38.560124
Conductivity (S/m)	1.380369
Power Variation (%)	1.442440
Ambient Temperature	21.1
Liquid Temperature	21.3



SAR 10g (W/Kg)	0.132075
SAR 1g (W/Kg)	0.227755



MEASUREMENT 3

Type: Phone measurement (Complete)

Date of measurement: 2021-08-23


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Cheek
Band	GPRS850_2TX
Channels	High
Signal	Duty Cycle: 1:4

B. SAR Measurement Results


Frequency (MHz)	848.800000
Relative Permittivity (real part)	41.110245
Conductivity (S/m)	0.871245
Power Variation (%)	1.536272
Ambient Temperature	21.1
Liquid Temperature	21.3





Maximum location: X=-56.00, Y=-56.00

SAR Peak: 0.13 W/kg

SAR 10g (W/Kg)	0.098831
SAR 1g (W/Kg)	0.117713



3D screen shot	Hot spot position
	

MEASUREMENT 4

Type: Phone measurement (Complete)

Date of measurement: 2021-08-23


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Cheek
Band	GPRS1900_4TX
Channels	Low
Signal	Duty Cycle: 1:2

B. SAR Measurement Results



Frequency (MHz)	1850.200000
Relative Permittivity (real part)	38.560124
Conductivity (S/m)	1.380369
Power Variation (%)	1.536272
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-49.00, Y=-55.00

SAR Peak: 0.41 W/kg

SAR 10g (W/Kg)	0.168969
SAR 1g (W/Kg)	0.277969



MEASUREMENT 5

Type: Phone measurement (Complete)

Date of measurement: 2021-08-23


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Cheek
Band	WCDMA1900_RMC
Channels	Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	1852.400000
Relative Permittivity (real part)	38.560124
Conductivity (S/m)	1.380369
Power Variation (%)	1.524540
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-50.00, Y=-55.00

SAR Peak: 0.65 W/kg

SAR 10g (W/Kg)	0.264741
SAR 1g (W/Kg)	0.437004



MEASUREMENT 6

Type: Phone measurement (Complete)

Date of measurement: 2021-08-23


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Cheek
Band	WCDMA1700_RMC
Channels	High
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	1752.600000
Relative Permittivity (real part)	41.110245
Conductivity (S/m)	0.871245
Power Variation (%)	1.342427
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-55.00, Y=-56.00

SAR Peak: 0.94 W/kg

SAR 10g (W/Kg)	0.406379
SAR 1g (W/Kg)	0.646639



MEASUREMENT 7

Type: Phone measurement (Complete)

Date of measurement: 2021-08-23


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Cheek
Band	WCDMA850_RMC
Channels	Middle
Signal	Duty Cycle: 1:1

B. SAR Measurement Results


Frequency (MHz)	836.400000
Relative Permittivity (real part)	38.560124
Conductivity (S/m)	1.380369
Power Variation (%)	1.536272
Ambient Temperature	21.1
Liquid Temperature	21.3




Maximum location: X=9.00, Y=-2.00

SAR Peak: 0.24 W/kg

SAR 10g (W/Kg)	0.111918
SAR 1g (W/Kg)	0.169429



3D screen shot	Hot spot position
	

MEASUREMENT 8

Type: Phone measurement (Complete)

Date of measurement: 2021-08-27


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Cheek
Band	LTE Band 2
Channels	QPSK, 20MHz, 1RB, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative Permittivity (real part)	39.024890
Conductivity (S/m)	1.371250
Power Variation (%)	1.374628
Ambient Temperature	21.1
Liquid Temperature	21.2



SAR Peak: 0.60 W/kg

SAR 10g (W/Kg)	0.241122
SAR 1g (W/Kg)	0.401372



MEASUREMENT 9

Type: Phone measurement (Complete)

Date of measurement: 2021-08-23


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Cheek
Band	LTE Band 4
Channels	QPSK, 20MHz, 1RB, High
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	1745.000000
Relative Permittivity (real part)	39.024890
Conductivity (S/m)	1.371250
Power Variation (%)	1.374628
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-54.00, Y=-57.00

SAR Peak: 0.69 W/kg

SAR 10g (W/Kg)	0.291772
SAR 1g (W/Kg)	0.470143



MEASUREMENT 10

Type: Phone measurement (Complete)

Date of measurement: 2021-08-27


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left Cheek
Device Position	Cheek
Band	LTE Band 5
Channels	QPSK, 10MHz, 1RB, Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	829.000000
Relative Permittivity (real part)	38.631092
Conductivity (S/m)	1.930182
Power Variation (%)	0.924535
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-57.00, Y=-63.00

SAR Peak: 0.16 W/kg

SAR 10g (W/Kg)	0.079320
SAR 1g (W/Kg)	0.113802



MEASUREMENT 11

Type: Phone measurement (Complete)

Date of measurement: 2021-08-27


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left Cheek
Device Position	Cheek
Band	LTE Band 7
Channels	QPSK, 20MHz, 1RB, Middle
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	2535.000000
Relative Permittivity (real part)	38.631092
Conductivity (S/m)	1.930182
Power Variation (%)	0.924535
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-57.00, Y=-67.00

SAR Peak: 0.11 W/kg

SAR 10g (W/Kg)	0.033450
SAR 1g (W/Kg)	0.062360



MEASUREMENT 12

Type: Phone measurement (Complete)

Date of measurement: 2021-08-27


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Cheek
Band	LTE Band 12
Channels	QPSK, 10MHz, 1RB, Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results


Frequency (MHz)	704.000000
Relative Permittivity (real part)	42.110245
Conductivity (S/m)	0.861245
Power Variation (%)	0.924535
Ambient Temperature	21.1
Liquid Temperature	21.2




Maximum location: X=-48.00, Y=-38.00

SAR Peak: 0.08 W/kg

SAR 10g (W/Kg)	0.053833
SAR 1g (W/Kg)	0.066335



3D screen shot	Hot spot position
	

MEASUREMENT 13


Type: Phone measurement (Complete)
Date of measurement: 2021-08-27
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left Cheek
Device Position	Cheek
Band	LTE Band 17
Channels	QPSK, 10MHz, 1RB, Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	709.000000
Relative Permittivity (real part)	41.900245
Conductivity (S/m)	0.866245
Power Variation (%)	0.924535
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-48.00, Y=-32.00

SAR Peak: 0.09 W/kg

SAR 10g (W/Kg)	0.053063
SAR 1g (W/Kg)	0.067970



MEASUREMENT 14

Type: Phone measurement (Complete)

Date of measurement: 2021-08-31


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right Cheek
Device Position	Cheek
Band	LTE Band 38
Channels	QPSK, 10MHz, 1RB, High
Signal	Duty Cycle 1:1

B. SAR Measurement Results


Frequency (MHz)	2610.000000
Relative Permittivity (real part)	42.118668
Conductivity (S/m)	0.913696
Power Variation (%)	-1.480000
Ambient Temperature	21.1
Liquid Temperature	21.2




Maximum location: X=-49.00, Y=-33.00

SAR Peak: 0.03 W/kg

SAR 10g (W/Kg)	0.008809
SAR 1g (W/Kg)	0.015130



3D screen shot	Hot spot position
	

MEASUREMENT 15

Type: Phone measurement (Complete)

Date of measurement: 2021-08-31


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Cheek
Band	LTE Band 40(2305-2315)
Channels	QPSK, 10MHz, 1RB, Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	2307.500000
Relative Permittivity (real part)	41.480000
Conductivity (S/m)	0.977301
Power Variation (%)	0.520000
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-53.00, Y=-58.00

SAR Peak: 0.18 W/kg

SAR 10g (W/Kg)	0.059141
SAR 1g (W/Kg)	0.108452



MEASUREMENT 16

Type: Phone measurement (Complete)

Date of measurement: 2021-08-31


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left Cheek
Device Position	Cheek
Band	LTE Band 40(2350-2360)
Channels	QPSK, 10MHz, 1RB, Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results


Frequency (MHz)	2352.500000
Relative Permittivity (real part)	41.480000
Conductivity (S/m)	0.977301
Power Variation (%)	0.520000
Ambient Temperature	21.1
Liquid Temperature	21.2





Maximum location: X=-52.00, Y=-57.00

SAR Peak: 0.13 W/kg

SAR 10g (W/Kg)	0.044150
SAR 1g (W/Kg)	0.080941



3D screen shot	Hot spot position
	

MEASUREMENT 17


Type: Phone measurement (Complete)
Date of measurement: 2021-08-31
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right Cheek
Device Position	Cheek
Band	LTE Band 41
Channels	QPSK, 20MHz, 1RB, High
Signal	Duty Cycle 1:1

B. SAR Measurement Results


Frequency (MHz)	2605.000000
Relative Permittivity (real part)	41.480000
Conductivity (S/m)	0.977301
Power Variation (%)	0.520000
Ambient Temperature	21.1
Liquid Temperature	21.2





Maximum location: X=-48.00, Y=-74.00

SAR Peak: 0.06 W/kg

SAR 10g (W/Kg)	0.018810
SAR 1g (W/Kg)	0.034727



3D screen shot	Hot spot position
	

MEASUREMENT 18


Type: Phone measurement (Complete)
Date of measurement: 2021-08-31
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left Cheek
Device Position	Cheek
Band	WLAN 2.4GHz_802.11b
Channels	Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	2412.000000
Relative Permittivity (real part)	41.480000
Conductivity (S/m)	0.977301
Power Variation (%)	0.520000
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-10.00, Y=20.00

SAR Peak: 0.36 W/kg

SAR 10g (W/Kg)	0.108036
SAR 1g (W/Kg)	0.205478



MEASUREMENT 19


Type: Phone measurement (Complete)
Date of measurement: 2021-08-23
Measurement duration: 11 minutes 48 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	GSM850
Channels	Low
Signal	TDMA (Crest factor: 8.0)

B. SAR Measurement Results



Frequency (MHz)	824.20000
Relative Permittivity (real part)	55.195076
Conductivity (S/m)	0.971953
Power Variation (%)	1.650000
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=0.00, Y=1.00

SAR Peak: 0.53 W/kg

SAR 10g (W/Kg)	0.217986
SAR 1g (W/Kg)	0.338749



MEASUREMENT 20

Type: Phone measurement (Complete)

Date of measurement: 2021-08-23


Measurement duration: 11 minutes 48 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	GSM1900
Channels	High
Signal	TDMA (Crest factor: 8.0)

B. SAR Measurement Results


Frequency (MHz)	1909.800000
Relative Permittivity (real part)	40.00000
Conductivity (S/m)	1.400023
Power Variation (%)	1.130000
Ambient Temperature	21.1
Liquid Temperature	21.3





Maximum location: X=9.00, Y=16.00

SAR Peak: 0.44 W/kg

SAR 10g (W/Kg)	0.155380
SAR 1g (W/Kg)	0.274072



3D screen shot	Hot spot position
	

MEASUREMENT 21

Type: Phone measurement (Complete)

Date of measurement: 2021-08-23


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	WCDMA1900_RMC
Channels	Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	1852.400000
Relative Permittivity (real part)	38.560124
Conductivity (S/m)	1.399949
Power Variation (%)	-0.550000
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=17.00, Y=18.00

SAR Peak: 0.83 W/kg

SAR 10g (W/Kg)	0.270689
SAR 1g (W/Kg)	0.496838



MEASUREMENT 22

Type: Phone measurement (Complete)

Date of measurement: 2021-08-23


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Front
Band	WCDMA1700_RMC
Channels	Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	1752.600000
Relative Permittivity (real part)	41.540470
Conductivity (S/m)	0.899780
Power Variation (%)	-0.960000
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=10.00, Y=-16.00

SAR Peak: 0.80 W/kg

SAR 10g (W/Kg)	0.329909
SAR 1g (W/Kg)	0.531770



MEASUREMENT 23/39


Type: Phone measurement (Complete)
Date of measurement: 2021-08-23
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	WCDMA850_RMC
Channels	Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results


Frequency (MHz)	836.400000
Relative Permittivity (real part)	41.540470
Conductivity (S/m)	0.899780
Power Variation (%)	-0.960000
Ambient Temperature	21.1
Liquid Temperature	21.3




Maximum location: X=1.00, Y=9.00

SAR Peak: 0.43 W/kg

SAR 10g (W/Kg)	0.190156
SAR 1g (W/Kg)	0.295327



3D screen shot	Hot spot position
	

MEASUREMENT 24

Type: Phone measurement (Complete)

Date of measurement: 2021-08-23


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 2
Channels	QPSK, 20MHz, 1RB, Middle
Signal	Duty Cycle: 1:1

B. SAR Measurement Results



Frequency (MHz)	1880.000000
Relative Permittivity (real part)	40.000000
Conductivity (S/m)	1.399839
Power Variation (%)	-0.510000
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=13.00, Y=16.00

SAR Peak: 0.76 W/kg

SAR 10g (W/Kg)	0.243635
SAR 1g (W/Kg)	0.446893



MEASUREMENT 25

Type: Phone measurement (Complete)

Date of measurement: 2021-08-27


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Front
Band	LTE Band 4
Channels	QPSK, 20MHz, 1RB, High
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	1745.000000
Relative Permittivity (real part)	39.024890
Conductivity (S/m)	1.371250
Power Variation (%)	1.374628
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=15.00, Y=-14.00

SAR Peak: 0.66 W/kg

SAR 10g (W/Kg)	0.267680
SAR 1g (W/Kg)	0.436662



MEASUREMENT 26/42

Type: Phone measurement (Complete)

Date of measurement: 2021-08-27


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 5
Channels	QPSK, 10MHz, 1RB, Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results


Frequency (MHz)	829.000000
Relative Permittivity (real part)	38.631092
Conductivity (S/m)	1.857643
Power Variation (%)	-0.420000
Ambient Temperature	21.1
Liquid Temperature	21.2




Maximum location: X=-1.00, Y=8.00

SAR Peak: 0.46 W/kg

SAR 10g (W/Kg)	0.204823
SAR 1g (W/Kg)	0.315339



3D screen shot	Hot spot position
	

MEASUREMENT 27/43

Type: Phone measurement (Complete)

Date of measurement: 2021-08-27


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 7
Channels	QPSK, 20MHz, 1RB, Middle
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	2535.000000
Relative Permittivity (real part)	42.110245
Conductivity (S/m)	0.861245
Power Variation (%)	0.924535
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-8.00, Y=15.00

SAR Peak: 0.66 W/kg

SAR 10g (W/Kg)	0.174092
SAR 1g (W/Kg)	0.361186



MEASUREMENT 28/44

Type: Phone measurement (Complete)

Date of measurement: 2021-08-27


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 12
Channels	QPSK, 10MHz, 1RB, Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results


Frequency (MHz)	704.000000
Relative Permittivity (real part)	41.900245
Conductivity (S/m)	0.866245
Power Variation (%)	0.924535
Ambient Temperature	21.1
Liquid Temperature	21.2




Maximum location: X=-1.00, Y=6.00

SAR Peak: 0.21 W/kg

SAR 10g (W/Kg)	0.094738
SAR 1g (W/Kg)	0.146102



3D screen shot	Hot spot position
	

MEASUREMENT 29/45

Type: Phone measurement (Complete)

Date of measurement: 2021-08-27


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 17
Channels	QPSK, 10MHz, 1RB, Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	709.000000
Relative Permittivity (real part)	42.118668
Conductivity (S/m)	0.913696
Power Variation (%)	-1.480000
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-1.00, Y=6.00

SAR Peak: 0.21 W/kg

SAR 10g (W/Kg)	0.093860
SAR 1g (W/Kg)	0.145122



MEASUREMENT 30/46

Type: Phone measurement (Complete)

Date of measurement: 2021-08-31


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 38
Channels	QPSK, 20MHz, 1RB,High
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	2610.000000
Relative Permittivity (real part)	41.480000
Conductivity (S/m)	0.977301
Power Variation (%)	0.520000
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-3.00, Y=10.00

SAR Peak: 0.28 W/kg

SAR 10g (W/Kg)	0.075411
SAR 1g (W/Kg)	0.158698



MEASUREMENT 31/47

Type: Phone measurement (Complete)

Date of measurement: 2021-08-31


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 40(2305-2315)
Channels	QPSK, 10MHz, 1RB, Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results


Frequency (MHz)	2307.500000
Relative Permittivity (real part)	41.480000
Conductivity (S/m)	0.977301
Power Variation (%)	0.520000
Ambient Temperature	21.1
Liquid Temperature	21.2





Maximum location: X=-8.00, Y=10.00

SAR Peak: 0.44 W/kg

SAR 10g (W/Kg)	0.127963
SAR 1g (W/Kg)	0.250330



3D screen shot	Hot spot position
	

MEASUREMENT 32/48

Type: Phone measurement (Complete)

Date of measurement: 2021-08-31


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 40(2350-2360)
Channels	QPSK, 10MHz, 1RB, Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	2352.500000
Relative Permittivity (real part)	41.480000
Conductivity (S/m)	0.977301
Power Variation (%)	0.520000
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-8.00, Y=10.00

SAR Peak: 0.42 W/kg

SAR 10g (W/Kg)	0.120111
SAR 1g (W/Kg)	0.239266



MEASUREMENT 33/49

Type: Phone measurement (Complete)

Date of measurement: 2021-08-31


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 41
Channels	QPSK, 10MHz, 1RB, High
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	2605.000000
Relative Permittivity (real part)	41.480000
Conductivity (S/m)	0.977301
Power Variation (%)	0.520000
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-8.00, Y=10.00

SAR Peak: 0.52 W/kg

SAR 10g (W/Kg)	0.133763
SAR 1g (W/Kg)	0.281032



MEASUREMENT 34/50


Type: Phone measurement (Complete)
Date of measurement: 2021-08-23
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	WLAN 2.4GHz _802.11b
Channels	High
Signal	Duty Cycle: 1:1

B. SAR Measurement Results



Frequency (MHz)	2412.000000
Relative Permittivity (real part)	35.612911
Conductivity (S/m)	4.871483
Power Variation (%)	0.542660
Ambient Temperature	22.0
Liquid Temperature	22.3



Maximum location: X=18.00, Y=3.00

SAR Peak: 0.31 W/kg

SAR 10g (W/Kg)	0.087391
SAR 1g (W/Kg)	0.171087



MEASUREMENT 35

Type: Phone measurement (Complete)

Date of measurement: 2021-08-23


Measurement duration: 11 minutes 48 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	GPRS850_2TX
Channels	High
Signal	Duty Cycle: 1:4

B. SAR Measurement Results


Frequency (MHz)	848.80000
Relative Permittivity (real part)	55.195076
Conductivity (S/m)	0.971953
Power Variation (%)	1.650000
Ambient Temperature	21.1
Liquid Temperature	21.3




Maximum location: X=-3.00, Y=5.00

SAR Peak: 0.50 W/kg

SAR 10g (W/Kg)	0.217938
SAR 1g (W/Kg)	0.336735



3D screen shot	Hot spot position
	

MEASUREMENT 36


Type: Phone measurement (Complete)
Date of measurement: 2021-08-23
Measurement duration: 11 minutes 48 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	GPRS850_4TX
Channels	High
Signal	Duty Cycle: 1:2

B. SAR Measurement Results


Frequency (MHz)	1909.800000
Relative Permittivity (real part)	40.00000
Conductivity (S/m)	1.400023
Power Variation (%)	1.130000
Ambient Temperature	21.1
Liquid Temperature	21.3




Maximum location: X=1.00, Y=-9.00

SAR Peak: 0.81 W/kg

SAR 10g (W/Kg)	0.235531
SAR 1g (W/Kg)	0.458624



3D screen shot	Hot spot position
	

MEASUREMENT 37

Type: Phone measurement (Complete)

Date of measurement: 2021-08-23


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	WCDMA1900_RMC
Channels	Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	1852.400000
Relative Permittivity (real part)	38.560124
Conductivity (S/m)	1.399949
Power Variation (%)	-0.550000
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=1.00, Y=-15.00

SAR Peak: 1.26 W/kg

SAR 10g (W/Kg)	0.386990
SAR 1g (W/Kg)	0.742778



MEASUREMENT 38

Type: Phone measurement (Complete)

Date of measurement: 2021-08-23


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	WCDMA1700_RMC
Channels	Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	1752.600000
Relative Permittivity (real part)	41.540470
Conductivity (S/m)	0.899780
Power Variation (%)	-0.960000
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=1.00, Y=-17.00

SAR Peak: 0.94 W/kg

SAR 10g (W/Kg)	0.320384
SAR 1g (W/Kg)	0.588029



MEASUREMENT 39


Type: Phone measurement (Complete)
Date of measurement: 2021-08-23
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	WCDMA850_RMC
Channels	Middle
Signal	Duty Cycle 1:1

B. SAR Measurement Results


Frequency (MHz)	836.400000
Relative Permittivity (real part)	41.540470
Conductivity (S/m)	0.899780
Power Variation (%)	-0.960000
Ambient Temperature	21.1
Liquid Temperature	21.3




Maximum location: X=1.00, Y=9.00

SAR Peak: 0.43 W/kg

SAR 10g (W/Kg)	0.190156
SAR 1g (W/Kg)	0.295327



3D screen shot	Hot spot position
	

MEASUREMENT 40

Type: Phone measurement (Complete)

Date of measurement: 2021-08-23


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	LTE Band 2
Channels	QPSK, 20MHz, 1RB, Middle
Signal	Duty Cycle: 1:1

B. SAR Measurement Results



Frequency (MHz)	1880.000000
Relative Permittivity (real part)	40.000000
Conductivity (S/m)	1.399839
Power Variation (%)	-0.510000
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=5.00, Y=-15.00

SAR Peak: 1.14 W/kg

SAR 10g (W/Kg)	0.351572
SAR 1g (W/Kg)	0.669027



MEASUREMENT 41

Type: Phone measurement (Complete)

Date of measurement: 2021-08-27

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE2 - SN 45/15 EPGO280; ConvF: Refer to the Calibration Certificate; Calibrated: 2020-07-03

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	LTE Band 4
Channels	QPSK, 20MHz, 1RB, High
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	1745.000000
Relative Permittivity (real part)	39.024890
Conductivity (S/m)	1.371250
Power Variation (%)	1.374628
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=7.00, Y=-19.00

SAR Peak: 0.96 W/kg

SAR 10g (W/Kg)	0.322365
SAR 1g (W/Kg)	0.591251



Annex C. EUT Photos


EUT View Front



EUT View Back




Antenna View



Annex D. Test Setup Photos

Head Exposure Conditions


Right Cheek




Right Tilt



Left Cheek



Left Tilt



Body mode Exposure Conditions

Body Front



Body Back




Body Right



Body Left



Body Top



Body Bottom



Annex E. Calibration Certificate

Please refer to the exhibit for the calibration certificate

******* END OF REPORT *******