

Annex B. Plots of SAR Measurement

MEASUREMENT 1

Type: Phone measurement (Complete)

Date of measurement: 2022-06-14


Measurement duration: 11 minutes 48 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	GPRS900_4TX
Channels	Middle
Signal	Duty Cycle: 1:2

B. SAR Measurement Results



Frequency (MHz)	836.600000
Relative Permittivity (real part)	54.854517
Conductivity (S/m)	0.961275
Power Variation (%)	1.745600
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-11.00, Y=-8.00

SAR Peak: 1.92 W/kg

SAR 10g (W/Kg)	0.551617
SAR 1g (W/Kg)	0.678546



MEASUREMENT 2


Type: Phone measurement (Complete)
Date of measurement: 2022-06-15
Measurement duration: 11 minutes 48 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	GPRS1800_4TX
Channels	High
Signal	Duty Cycle: 1:2

B. SAR Measurement Results



Frequency (MHz)	1909.800000
Relative Permittivity (real part)	54.421244
Conductivity (S/m)	1.535369
Power Variation (%)	-0.550000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-9.00, Y=7.00

SAR Peak: 1.69 W/kg

SAR 10g (W/Kg)	0.331215
SAR 1g (W/Kg)	0.701822



MEASUREMENT 3


Type: Phone measurement (Complete)
Date of measurement: 2022-06-15
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	WCDMA1900_RMC
Channels	High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1907.600000
Relative Permittivity (real part)	54.421247
Conductivity (S/m)	1.530607
Power Variation (%)	0.880000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-11.00, Y=7.00
SAR Peak: 1.16 W/kg

SAR 10g (W/Kg)	0.531675
SAR 1g (W/Kg)	0.728234



MEASUREMENT 4


Type: Phone measurement (Complete)
Date of measurement: 2022-06-15
Measurement duration: 12 minutes 3 seconds
E-field Probe: SSE5- SN 09/13 EP168; ConvF: 5.84; Calibrated: 2020-05-22

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	WCDMA1700_RMC
Channels	Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	1712.400000
Relative Permittivity (real part)	54.510514
Conductivity (S/m)	1.533477
Power Variation (%)	0.150000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-10.00, Y=6.00

SAR Peak: 1.17 W/kg

SAR 10g (W/Kg)	0.336807
SAR 1g (W/Kg)	0.753079



MEASUREMENT 5


Type: Phone measurement (Complete)
Date of measurement: 2022-06-14
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	WCDMA850_RMC
Channels	High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	846.600000
Relative Permittivity (real part)	54.852275
Conductivity (S/m)	0.964087
Power Variation (%)	-1.020000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-12.00, Y=-6.00
SAR Peak: 1.94 W/kg

SAR 10g (W/Kg)	0.202384
SAR 1g (W/Kg)	0.697482



MEASUREMENT 6

Type: Phone measurement (Complete)

Date of measurement: 2022-06-15


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 2
Channels	QPSK, 20MHz, 1RB, High
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	1900.000000
Relative Permittivity (real part)	54.421724
Conductivity (S/m)	1.533097
Power Variation (%)	-1.140000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-10.00, Y=8.00

SAR Peak: 1.17 W/kg

SAR 10g (W/Kg)	0.382493
SAR 1g (W/Kg)	0.751612



MEASUREMENT 7

Type: Phone measurement (Complete)

Date of measurement: 2022-06-15


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 4
Channels	QPSK 20MHz 1RB,High
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	1745.000000
Relative Permittivity (real part)	54.512575
Conductivity (S/m)	1.530187
Power Variation (%)	0.780000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-10.00, Y=6.00

SAR Peak: 1.27 W/kg

SAR 10g (W/Kg)	0.355916
SAR 1g (W/Kg)	0.754937



MEASUREMENT 8

Type: Phone measurement (Complete)

Date of measurement: 2022-06-14


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 5
Channels	QPSK, 10MHz, 1RB, High
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	844.000000
Relative Permittivity (real part)	54.854745
Conductivity (S/m)	0.961045
Power Variation (%)	-0.877000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-12.00, Y=-9.00

SAR Peak: 1.69 W/kg

SAR 10g (W/Kg)	0.488295
SAR 1g (W/Kg)	0.704110



MEASUREMENT 9


Type: Phone measurement (Complete)
Date of measurement: 2022-06-15
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 7
Channels	QPSK, 20MHz, 1RB, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	2535.000000
Relative Permittivity (real part)	52.240766
Conductivity (S/m)	2.152182
Power Variation (%)	-0.770000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-23.00, Y=8.00
SAR Peak: 1.36 W/kg

SAR 10g (W/Kg)	0.425828
SAR 1g (W/Kg)	0.647181



MEASUREMENT 10

Type: Phone measurement (Complete)

Date of measurement: 2022-06-14


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 12
Channels	QPSK, 10MHz, 1RB, Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	704.000000
Relative Permittivity (real part)	54.964068
Conductivity (S/m)	0.943496
Power Variation (%)	-1.750000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-19.00, Y=-24.00

SAR Peak: 1.20 W/kg

SAR 10g (W/Kg)	0.425813
SAR 1g (W/Kg)	0.671607



MEASUREMENT 11

Type: Phone measurement (Complete)

Date of measurement: 2022-06-14


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 17
Channels	QPSK, 10MHz, 1RB, Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	709.000000
Relative Permittivity (real part)	54.962068
Conductivity (S/m)	0.943196
Power Variation (%)	-1.750000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-19.00, Y=-24.00

SAR Peak: 1.89 W/kg

SAR 10g (W/Kg)	0.425942
SAR 1g (W/Kg)	0.742998



MEASUREMENT 12


Type: Phone measurement (Complete)
Date of measurement: 2022-06-15
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 38
Channels	QPSK, 20MHz, 1RB, Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	2580.000000
Relative Permittivity (real part)	52.243168
Conductivity (S/m)	2.153796
Power Variation (%)	-1.050000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-9.00, Y=-37.00
SAR Peak: 1.97 W/kg

SAR 10g (W/Kg)	0.467718
SAR 1g (W/Kg)	0.753810



MEASUREMENT 13


Type: Phone measurement (Complete)
Date of measurement: 2022-06-15
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 40(2305-2315MHz)
Channels	QPSK, 10MHz, 1RB, Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	2310.000000
Relative Permittivity (real part)	51.982168
Conductivity (S/m)	1.793096
Power Variation (%)	-1.750000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-11.00, Y=-38.00
SAR Peak: 1.08 W/kg

SAR 10g (W/Kg)	0.678717
SAR 1g (W/Kg)	0.724768



MEASUREMENT 14

Type: Phone measurement (Complete)

Date of measurement: 2022-06-15


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 40(2350-2360MHz)
Channels	QPSK, 10MHz, 1RB, Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	2355.000000
Relative Permittivity (real part)	51.981668
Conductivity (S/m)	1.793606
Power Variation (%)	-1.050000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-13.00, Y=-36.00

SAR Peak: 1.64 W/kg

SAR 10g (W/Kg)	0.333125
SAR 1g (W/Kg)	0.539480



MEASUREMENT 15


Type: Phone measurement (Complete)
Date of measurement: 2022-06-15
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 41
Channels	QPSK, 20MHz, 1RB, High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	2645.000000
Relative Permittivity (real part)	52.243168
Conductivity (S/m)	2.153646
Power Variation (%)	1.450000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-9.00, Y=-37.00
SAR Peak: 1.58 W/kg

SAR 10g (W/Kg)	0.626226
SAR 1g (W/Kg)	0.758066



MEASUREMENT 16


Type: Phone measurement (Complete)
Date of measurement: 2022-06-15
Measurement duration: 12 minutes 3 seconds
E-field Probe: SSE5- SN 09/13 EP168; ConvF: 5.64; Calibrated: 2020-05-22

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=5mm dy=5mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	WiFi_802.11b
Channels	Middle
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	2437.000000
Relative Permittivity (real part)	52.983115
Conductivity (S/m)	1.941286
Power Variation (%)	1.330000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-7.00, Y=-8.00

SAR Peak: 0.70 W/kg

SAR 10g (W/Kg)	0.119188
SAR 1g (W/Kg)	0.342971



MEASUREMENT 17

Type: Phone measurement (Complete)

Date of measurement: 2022-06-14


Measurement duration: 11 minutes 48 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	GPRS900_4TX
Channels	Middle
Signal	Duty Cycle: 1:2

B. SAR Measurement Results

Frequency (MHz)	836.600000
Relative Permittivity (real part)	54.852451
Conductivity (S/m)	0.961245
Power Variation (%)	1.074536
Ambient Temperature	22.2
Liquid Temperature	22.2




Maximum location: X=-5.00, Y=-26.00



SAR Peak: 0.99 W/kg

SAR 10g (W/Kg)	0.344285
----------------	----------

SAR 1g (W/Kg)	0.479380
---------------	----------

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	6.4538	2.6284	1.1258	0.7815	0.4043



3D screen shot	Hot spot position
	

MEASUREMENT 18

Type: Phone measurement (Complete)

Date of measurement: 2022-06-15


Measurement duration: 11 minutes 48 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	GPRS1800_4TX
Channels	High
Signal	Duty Cycle: 1:2

B. SAR Measurement Results



Frequency (MHz)	1909.800000
Relative Permittivity (real part)	54.420124
Conductivity (S/m)	1.535369
Power Variation (%)	-0.150000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-8.00, Y=-8.00

SAR Peak: 1.42 W/kg

SAR 10g (W/Kg)	0.270309
SAR 1g (W/Kg)	0.677348



MEASUREMENT 19

Type: Phone measurement (Complete)

Date of measurement: 2022-06-15


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	WCDMA1900_RMC
Channels	High
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	1907.600000
Relative Permittivity (real part)	54.420124
Conductivity (S/m)	1.533607
Power Variation (%)	0.820000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-8.00, Y=-6.00

SAR Peak: 1.05 W/kg

SAR 10g (W/Kg)	0.308222
SAR 1g (W/Kg)	0.718204



MEASUREMENT 20


Type: Phone measurement (Complete)
Date of measurement: 2022-06-15
Measurement duration: 12 minutes 3 seconds
E-field Probe: SSE5- SN 09/13 EP168; ConvF: 5.84; Calibrated: 2020-05-22

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	WCDMA1700_RMC
Channels	Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	1712.400000
Relative Permittivity (real part)	54.513514
Conductivity (S/m)	1.533877
Power Variation (%)	-0.520000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-10.00, Y=-5.00

SAR Peak: 0.77 W/kg

SAR 10g (W/Kg)	0.241065
SAR 1g (W/Kg)	0.512053



MEASUREMENT 21


Type: Phone measurement (Complete)
Date of measurement: 2022-06-14
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	WCDMA850_RMC
Channels	High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	846.600000
Relative Permittivity (real part)	54.852275
Conductivity (S/m)	0.960987
Power Variation (%)	-1.200000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-8.00, Y=-24.00
SAR Peak: 1.66 W/kg

SAR 10g (W/Kg)	0.249798
SAR 1g (W/Kg)	0.673368



MEASUREMENT 22


Type: Phone measurement (Complete)
Date of measurement: 2022-06-15
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 2
Channels	QPSK, 20MHz, 1RB, High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1900.000000
Relative Permittivity (real part)	54.420124
Conductivity (S/m)	1.533697
Power Variation (%)	-1.340000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-7.00, Y=-7.00
SAR Peak: 1.46 W/kg

SAR 10g (W/Kg)	0.423307
SAR 1g (W/Kg)	0.563129



MEASUREMENT 23


Type: Phone measurement (Complete)
Date of measurement: 2022-06-15
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 4
Channels	QPSK 20MHz 1RB,High
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	1745.000000
Relative Permittivity (real part)	54.512275
Conductivity (S/m)	1.530987
Power Variation (%)	0.080000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-9.00, Y=-7.00

SAR Peak: 1.09 W/kg

SAR 10g (W/Kg)	0.383308
SAR 1g (W/Kg)	0.618993



MEASUREMENT 24

Type: Phone measurement (Complete)

Date of measurement: 2022-06-14


Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 5
Channels	QPSK, 10MHz, 1RB, High
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	844.000000
Relative Permittivity (real part)	54.854245
Conductivity (S/m)	0.961245
Power Variation (%)	-0.870000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-7.00, Y=-24.00

SAR Peak: 0.86 W/kg

SAR 10g (W/Kg)	0.163357
SAR 1g (W/Kg)	0.440184



MEASUREMENT 25


Type: Phone measurement (Complete)
Date of measurement: 2022-06-15
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 7
Channels	QPSK, 20MHz, 1RB, Middle
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	2535.000000
Relative Permittivity (real part)	52.240666
Conductivity (S/m)	2.150182
Power Variation (%)	-0.700000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-14.00, Y=-27.00

SAR Peak: 1.06 W/kg

SAR 10g (W/Kg)	0.452734
SAR 1g (W/Kg)	0.740738



MEASUREMENT 26


Type: Phone measurement (Complete)
Date of measurement: 2022-06-14
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 12
Channels	QPSK, 10MHz, 1RB, Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	704.000000
Relative Permittivity (real part)	54.964668
Conductivity (S/m)	0.943696
Power Variation (%)	-1.050000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-7.00, Y=-23.00
SAR Peak: 1.94 W/kg

SAR 10g (W/Kg)	0.579918
SAR 1g (W/Kg)	0.738570



MEASUREMENT 27


Type: Phone measurement (Complete)
Date of measurement: 2022-06-14
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 17
Channels	QPSK, 10MHz, 1RB, Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	709.000000
Relative Permittivity (real part)	54.962668
Conductivity (S/m)	0.943696
Power Variation (%)	-1.050000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-7.00, Y=-23.00
SAR Peak: 1.56 W/kg

SAR 10g (W/Kg)	0.452028
SAR 1g (W/Kg)	0.610753



MEASUREMENT 28


Type: Phone measurement (Complete)
Date of measurement: 2022-06-15
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 38
Channels	QPSK, 20MHz, 1RB, Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	2580.000000
Relative Permittivity (real part)	52.243668
Conductivity (S/m)	2.153696
Power Variation (%)	-1.050000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-12.00, Y=-32.00
SAR Peak: 0.92 W/kg

SAR 10g (W/Kg)	0.366256
SAR 1g (W/Kg)	0.520731



MEASUREMENT 29


Type: Phone measurement (Complete)
Date of measurement: 2022-06-15
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 40(2305-2315MHz)
Channels	QPSK, 10MHz, 1RB, Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	2310.000000
Relative Permittivity (real part)	51.982668
Conductivity (S/m)	1.793696
Power Variation (%)	-1.050000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=6.00, Y=5.00
SAR Peak: 1.18 W/kg

SAR 10g (W/Kg)	0.415532
SAR 1g (W/Kg)	0.640423



MEASUREMENT 30


Type: Phone measurement (Complete)
Date of measurement: 2022-06-15
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 40(2350-2360MHz)
Channels	QPSK, 10MHz, 1RB, Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	2355.000000
Relative Permittivity (real part)	51.980668
Conductivity (S/m)	1.793696
Power Variation (%)	-1.050000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=7.00, Y=6.00
SAR Peak: 1.70 W/kg

SAR 10g (W/Kg)	0.544536
SAR 1g (W/Kg)	0.693256



MEASUREMENT 31


Type: Phone measurement (Complete)
Date of measurement: 2022-06-15
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=8mm dy=8mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 41
Channels	QPSK, 20MHz, 1RB, High
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	2645.000000
Relative Permittivity (real part)	52.243668
Conductivity (S/m)	2.153696
Power Variation (%)	-1.050000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=-10.00, Y=17.00

SAR Peak: 0.74 W/kg

SAR 10g (W/Kg)	0.232531
SAR 1g (W/Kg)	0.434370



MEASUREMENT 32


Type: Phone measurement (Complete)
Date of measurement: 2022-06-15
Measurement duration: 12 minutes 3 seconds
E-field Probe: SSE5- SN 09/13 EP168; ConvF: 5.64; Calibrated: 2020-05-22

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=5mm dy=5mm dz=5mm
Phantom	Flat Plane
Device Position	Back
Band	WiFi_802.11b
Channels	Middle
Signal	Duty Cycle 1:1

B. SAR Measurement Results



Frequency (MHz)	2437.000000
Relative Permittivity (real part)	52.981115
Conductivity (S/m)	1.940286
Power Variation (%)	0.330000
Ambient Temperature	22.2
Liquid Temperature	22.2



Maximum location: X=8.00, Y=-6.00

SAR Peak: 0.86 W/kg

SAR 10g (W/Kg)	0.112663
SAR 1g (W/Kg)	0.367661



Annex C. EUT Photos

MDT760: EUT View 1




EUT View 2




MDT860:
EUT View 1




EUT View 2



Antenna View
MDT760



MDT860



Annex D. Test Setup Photos

Body mode Exposure Conditions MDT760 (Test distance: 0mm)

Body Back



Body Right




Body Top



MDT860 (Test distance: 0mm)

Body Back



Body Right



Body Bottom



Annex E. Calibration Certificate

Please refer to the exhibit for the calibration certificate

******* END OF REPORT *******