






Band5-4233-5-0.15~30MHz-PASS



Band5-4233-5-30~1000MHz-PASS



Band5-4233-5-1000~10000MHz-PASS

Appendix F: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	VN	NT	-7.77	-0.009402	±10	PASS
Band5	4132	VL	NT	-6.77	-0.008192	±10	PASS
Band5	4132	VH	NT	-6.21	-0.007515	±10	PASS
Band5	4182	VN	NT	-4.20	-0.005022	±10	PASS
Band5	4182	VL	NT	-3.81	-0.004555	±10	PASS
Band5	4182	VH	NT	-4.07	-0.004866	±10	PASS
Band5	4233	VN	NT	-1.60	-0.001890	±10	PASS
Band5	4233	VL	NT	-3.41	-0.004028	±10	PASS
Band5	4233	VH	NT	-3.89	-0.004595	±10	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	NV	-30	-5.78	-0.006994	±10	PASS
Band5	4132	NV	-20	-5.26	-0.006365	±10	PASS
Band5	4132	NV	-10	-5.18	-0.006268	±10	PASS
Band5	4132	NV	0	-5.13	-0.006208	±10	PASS
Band5	4132	NV	10	-4.57	-0.005530	±10	PASS
Band5	4132	NV	20	-4.08	-0.004937	±10	PASS
Band5	4132	NV	30	-4.99	-0.006038	±10	PASS
Band5	4132	NV	40	-4.53	-0.005482	±10	PASS
Band5	4132	NV	50	-5.36	-0.006486	±10	PASS
Band5	4182	NV	-30	-3.07	-0.003670	±10	PASS
Band5	4182	NV	-20	-4.29	-0.005129	±10	PASS
Band5	4182	NV	-10	-3.82	-0.004567	±10	PASS
Band5	4182	NV	0	-2.65	-0.003168	±10	PASS
Band5	4182	NV	10	-3.96	-0.004735	±10	PASS
Band5	4182	NV	20	-2.88	-0.003443	±10	PASS
Band5	4182	NV	30	-4.81	-0.005751	±10	PASS
Band5	4182	NV	40	-3.79	-0.004531	±10	PASS
Band5	4182	NV	50	-3.61	-0.004316	±10	PASS
Band5	4233	NV	-30	-2.62	-0.003095	±10	PASS
Band5	4233	NV	-20	-3.59	-0.004240	±10	PASS
Band5	4233	NV	-10	-2.67	-0.003154	±10	PASS

Band5	4233	NV	0	-2.26	-0.002670	±10	PASS
Band5	4233	NV	10	-2.30	-0.002717	±10	PASS
Band5	4233	NV	20	-2.42	-0.002858	±10	PASS
Band5	4233	NV	30	-2.14	-0.002528	±10	PASS
Band5	4233	NV	40	-2.99	-0.003532	±10	PASS
Band5	4233	NV	50	-3.75	-0.004429	±10	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	-3.86	-0.004671	±2	PASS
Band5	4132	1	VL	NT	-2.48	-0.003001	±2	PASS
Band5	4132	1	VH	NT	-4.57	-0.005530	±2	PASS
Band5	4132	2	VN	NT	-7.93	-0.009596	±2	PASS
Band5	4132	2	VL	NT	-6.90	-0.008349	±2	PASS
Band5	4132	2	VH	NT	-3.00	-0.003630	±2	PASS
Band5	4132	3	VN	NT	-3.71	-0.004489	±2	PASS
Band5	4132	3	VL	NT	-3.52	-0.004259	±2	PASS
Band5	4132	3	VH	NT	-6.76	-0.008180	±2	PASS
Band5	4132	4	VN	NT	-4.73	-0.005724	±2	PASS
Band5	4132	4	VL	NT	-7.45	-0.009015	±2	PASS
Band5	4132	4	VH	NT	-4.08	-0.004937	±2	PASS
Band5	4182	1	VN	NT	-5.34	-0.006385	±2	PASS
Band5	4182	1	VL	NT	-6.04	-0.007221	±2	PASS
Band5	4182	1	VH	NT	-3.61	-0.004316	±2	PASS
Band5	4182	2	VN	NT	-4.19	-0.005010	±2	PASS
Band5	4182	2	VL	NT	-4.94	-0.005906	±2	PASS
Band5	4182	2	VH	NT	-4.08	-0.004878	±2	PASS
Band5	4182	3	VN	NT	-3.78	-0.004519	±2	PASS
Band5	4182	3	VL	NT	-5.08	-0.006074	±2	PASS
Band5	4182	3	VH	NT	-5.09	-0.006086	±2	PASS
Band5	4182	4	VN	NT	-4.63	-0.005536	±2	PASS
Band5	4182	4	VL	NT	-5.76	-0.006887	±2	PASS
Band5	4182	4	VH	NT	-2.41	-0.002881	±2	PASS
Band5	4233	1	VN	NT	-4.98	-0.005882	±2	PASS
Band5	4233	1	VL	NT	-1.52	-0.001795	±2	PASS
Band5	4233	1	VH	NT	-4.43	-0.005233	±2	PASS
Band5	4233	2	VN	NT	-4.79	-0.005658	±2	PASS
Band5	4233	2	VL	NT	-3.91	-0.004618	±2	PASS
Band5	4233	2	VH	NT	-2.45	-0.002894	±2	PASS
Band5	4233	3	VN	NT	-3.83	-0.004524	±2	PASS
Band5	4233	3	VL	NT	-5.19	-0.006130	±2	PASS
Band5	4233	3	VH	NT	-3.93	-0.004642	±2	PASS
Band5	4233	4	VN	NT	-4.16	-0.004914	±2	PASS
Band5	4233	4	VL	NT	-2.09	-0.002469	±2	PASS
Band5	4233	4	VH	NT	-2.36	-0.002788	±2	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	-7.73	-0.009354	±2	PASS
Band5	4132	1	NV	-20	-4.00	-0.004840	±2	PASS
Band5	4132	1	NV	-10	-5.27	-0.006377	±2	PASS
Band5	4132	1	NV	0	-5.24	-0.006341	±2	PASS
Band5	4132	1	NV	10	-7.91	-0.009572	±2	PASS
Band5	4132	1	NV	20	-3.19	-0.003860	±2	PASS
Band5	4132	1	NV	30	-3.98	-0.004816	±2	PASS
Band5	4132	1	NV	40	-3.50	-0.004235	±2	PASS
Band5	4132	1	NV	50	-3.78	-0.004574	±2	PASS
Band5	4132	2	NV	-30	-2.83	-0.003424	±2	PASS
Band5	4132	2	NV	-20	-2.83	-0.003424	±2	PASS
Band5	4132	2	NV	-10	-5.61	-0.006788	±2	PASS
Band5	4132	2	NV	0	-3.42	-0.004138	±2	PASS
Band5	4132	2	NV	10	-3.59	-0.004344	±2	PASS
Band5	4132	2	NV	20	-1.47	-0.001779	±2	PASS
Band5	4132	2	NV	30	-4.94	-0.005978	±2	PASS
Band5	4132	2	NV	40	-2.57	-0.003110	±2	PASS
Band5	4132	2	NV	50	-3.05	-0.003691	±2	PASS
Band5	4132	3	NV	-30	-4.79	-0.005796	±2	PASS
Band5	4132	3	NV	-20	-5.94	-0.007188	±2	PASS
Band5	4132	3	NV	-10	-5.01	-0.006062	±2	PASS
Band5	4132	3	NV	0	-4.02	-0.004864	±2	PASS
Band5	4132	3	NV	10	-4.91	-0.005941	±2	PASS
Band5	4132	3	NV	20	-4.56	-0.005518	±2	PASS
Band5	4132	3	NV	30	-4.81	-0.005820	±2	PASS
Band5	4132	3	NV	40	-6.22	-0.007527	±2	PASS
Band5	4132	3	NV	50	-2.02	-0.002444	±2	PASS
Band5	4132	4	NV	-30	-5.05	-0.006111	±2	PASS
Band5	4132	4	NV	-20	-7.04	-0.008519	±2	PASS
Band5	4132	4	NV	-10	-4.44	-0.005373	±2	PASS
Band5	4132	4	NV	0	-2.95	-0.003570	±2	PASS
Band5	4132	4	NV	10	-5.72	-0.006922	±2	PASS
Band5	4132	4	NV	20	-5.40	-0.006534	±2	PASS
Band5	4132	4	NV	30	-6.00	-0.007260	±2	PASS
Band5	4132	4	NV	40	-3.49	-0.004223	±2	PASS
Band5	4132	4	NV	50	-4.99	-0.006038	±2	PASS

Band5	4182	1	NV	-30	-3.98	-0.004758	±2	PASS
Band5	4182	1	NV	-20	-4.77	-0.005703	±2	PASS
Band5	4182	1	NV	-10	-3.62	-0.004328	±2	PASS
Band5	4182	1	NV	0	-5.36	-0.006408	±2	PASS
Band5	4182	1	NV	10	-3.50	-0.004185	±2	PASS
Band5	4182	1	NV	20	-5.24	-0.006265	±2	PASS
Band5	4182	1	NV	30	-2.87	-0.003431	±2	PASS
Band5	4182	1	NV	40	-4.36	-0.005213	±2	PASS
Band5	4182	1	NV	50	-5.40	-0.006456	±2	PASS
Band5	4182	2	NV	-30	-4.68	-0.005595	±2	PASS
Band5	4182	2	NV	-20	-3.40	-0.004065	±2	PASS
Band5	4182	2	NV	-10	-4.79	-0.005727	±2	PASS
Band5	4182	2	NV	0	-4.56	-0.005452	±2	PASS
Band5	4182	2	NV	10	-6.58	-0.007867	±2	PASS
Band5	4182	2	NV	20	-1.80	-0.002152	±2	PASS
Band5	4182	2	NV	30	-3.32	-0.003969	±2	PASS
Band5	4182	2	NV	40	-2.36	-0.002822	±2	PASS
Band5	4182	2	NV	50	-2.88	-0.003443	±2	PASS
Band5	4182	3	NV	-30	-1.54	-0.001841	±2	PASS
Band5	4182	3	NV	-20	-2.20	-0.002630	±2	PASS
Band5	4182	3	NV	-10	-3.14	-0.003754	±2	PASS
Band5	4182	3	NV	0	-4.95	-0.005918	±2	PASS
Band5	4182	3	NV	10	-1.31	-0.001566	±2	PASS
Band5	4182	3	NV	20	-3.18	-0.003802	±2	PASS
Band5	4182	3	NV	30	-3.73	-0.004460	±2	PASS
Band5	4182	3	NV	40	-2.57	-0.003073	±2	PASS
Band5	4182	3	NV	50	-3.58	-0.004280	±2	PASS
Band5	4182	4	NV	-30	-4.79	-0.005727	±2	PASS
Band5	4182	4	NV	-20	-3.95	-0.004723	±2	PASS
Band5	4182	4	NV	-10	-5.01	-0.005990	±2	PASS
Band5	4182	4	NV	0	-2.06	-0.002463	±2	PASS
Band5	4182	4	NV	10	-2.81	-0.003360	±2	PASS
Band5	4182	4	NV	20	-1.67	-0.001997	±2	PASS
Band5	4182	4	NV	30	-1.76	-0.002104	±2	PASS
Band5	4182	4	NV	40	-3.10	-0.003706	±2	PASS
Band5	4182	4	NV	50	-4.50	-0.005380	±2	PASS
Band5	4233	1	NV	-30	-4.31	-0.005091	±2	PASS
Band5	4233	1	NV	-20	-0.86	-0.001016	±2	PASS
Band5	4233	1	NV	-10	-3.53	-0.004170	±2	PASS
Band5	4233	1	NV	0	-1.49	-0.001760	±2	PASS
Band5	4233	1	NV	10	-1.27	-0.001500	±2	PASS

Band5	4233	1	NV	20	-3.79	-0.004477	±2	PASS
Band5	4233	1	NV	30	-3.04	-0.003591	±2	PASS
Band5	4233	1	NV	40	-1.56	-0.001843	±2	PASS
Band5	4233	1	NV	50	-4.23	-0.004996	±2	PASS
Band5	4233	2	NV	-30	0.08	0.000094	±2	PASS
Band5	4233	2	NV	-20	-0.75	-0.000886	±2	PASS
Band5	4233	2	NV	-10	-0.67	-0.000791	±2	PASS
Band5	4233	2	NV	0	-2.37	-0.002799	±2	PASS
Band5	4233	2	NV	10	-4.58	-0.005410	±2	PASS
Band5	4233	2	NV	20	-3.36	-0.003969	±2	PASS
Band5	4233	2	NV	30	-3.23	-0.003815	±2	PASS
Band5	4233	2	NV	40	-2.49	-0.002941	±2	PASS
Band5	4233	2	NV	50	-4.13	-0.004878	±2	PASS
Band5	4233	3	NV	-30	-2.27	-0.002681	±2	PASS
Band5	4233	3	NV	-20	-2.74	-0.003236	±2	PASS
Band5	4233	3	NV	-10	-5.29	-0.006249	±2	PASS
Band5	4233	3	NV	0	-4.35	-0.005138	±2	PASS
Band5	4233	3	NV	10	-4.93	-0.005823	±2	PASS
Band5	4233	3	NV	20	-2.85	-0.003366	±2	PASS
Band5	4233	3	NV	30	-4.06	-0.004796	±2	PASS
Band5	4233	3	NV	40	-2.51	-0.002965	±2	PASS
Band5	4233	3	NV	50	-3.51	-0.004146	±2	PASS
Band5	4233	4	NV	-30	-1.30	-0.001536	±2	PASS
Band5	4233	4	NV	-20	-2.83	-0.003343	±2	PASS
Band5	4233	4	NV	-10	-3.40	-0.004016	±2	PASS
Band5	4233	4	NV	0	-6.17	-0.007288	±2	PASS
Band5	4233	4	NV	10	-2.21	-0.002610	±2	PASS
Band5	4233	4	NV	20	-4.02	-0.004748	±2	PASS
Band5	4233	4	NV	30	-3.56	-0.004205	±2	PASS
Band5	4233	4	NV	40	-2.78	-0.003284	±2	PASS
Band5	4233	4	NV	50	-2.88	-0.003402	±2	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	-6.59	-0.007974	±2	PASS
Band5	4132	1	VL	NT	-5.90	-0.007139	±2	PASS
Band5	4132	1	VH	NT	-6.10	-0.007381	±2	PASS
Band5	4132	2	VN	NT	-5.82	-0.007043	±2	PASS
Band5	4132	2	VL	NT	-5.86	-0.007091	±2	PASS
Band5	4132	2	VH	NT	-7.33	-0.008870	±2	PASS
Band5	4132	3	VN	NT	-4.73	-0.005724	±2	PASS
Band5	4132	3	VL	NT	-5.85	-0.007079	±2	PASS
Band5	4132	3	VH	NT	-5.28	-0.006389	±2	PASS
Band5	4132	4	VN	NT	-6.77	-0.008192	±2	PASS
Band5	4132	4	VL	NT	-8.57	-0.010370	±2	PASS
Band5	4132	4	VH	NT	-4.85	-0.005869	±2	PASS
Band5	4132	5	VN	NT	-7.59	-0.009184	±2	PASS
Band5	4132	5	VL	NT	-8.37	-0.010128	±2	PASS
Band5	4132	5	VH	NT	-6.13	-0.007418	±2	PASS
Band5	4182	1	VN	NT	-1.48	-0.001769	±2	PASS
Band5	4182	1	VL	NT	-4.76	-0.005691	±2	PASS
Band5	4182	1	VH	NT	-4.71	-0.005631	±2	PASS
Band5	4182	2	VN	NT	-2.99	-0.003575	±2	PASS
Band5	4182	2	VL	NT	-6.36	-0.007604	±2	PASS
Band5	4182	2	VH	NT	-5.63	-0.006731	±2	PASS
Band5	4182	3	VN	NT	-6.14	-0.007341	±2	PASS
Band5	4182	3	VL	NT	-3.58	-0.004280	±2	PASS
Band5	4182	3	VH	NT	-3.59	-0.004292	±2	PASS
Band5	4182	4	VN	NT	-3.49	-0.004173	±2	PASS
Band5	4182	4	VL	NT	-3.83	-0.004579	±2	PASS
Band5	4182	4	VH	NT	-4.84	-0.005787	±2	PASS
Band5	4182	5	VN	NT	-5.07	-0.006062	±2	PASS
Band5	4182	5	VL	NT	-2.68	-0.003204	±2	PASS
Band5	4182	5	VH	NT	-4.21	-0.005033	±2	PASS
Band5	4233	1	VN	NT	-2.58	-0.003047	±2	PASS
Band5	4233	1	VL	NT	-5.73	-0.006768	±2	PASS
Band5	4233	1	VH	NT	-2.10	-0.002481	±2	PASS
Band5	4233	2	VN	NT	-3.06	-0.003614	±2	PASS
Band5	4233	2	VL	NT	-4.53	-0.005351	±2	PASS
Band5	4233	2	VH	NT	-3.73	-0.004406	±2	PASS
Band5	4233	3	VN	NT	-5.55	-0.006556	±2	PASS

Band5	4233	3	VL	NT	-4.74	-0.005599	±2	PASS
Band5	4233	3	VH	NT	-5.40	-0.006378	±2	PASS
Band5	4233	4	VN	NT	-2.20	-0.002599	±2	PASS
Band5	4233	4	VL	NT	-3.80	-0.004489	±2	PASS
Band5	4233	4	VH	NT	-4.18	-0.004937	±2	PASS
Band5	4233	5	VN	NT	-7.05	-0.008327	±2	PASS
Band5	4233	5	VL	NT	-5.58	-0.006591	±2	PASS
Band5	4233	5	VH	NT	-4.81	-0.005682	±2	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	-6.92	-0.008374	±2	PASS
Band5	4132	1	NV	-20	-5.40	-0.006534	±2	PASS
Band5	4132	1	NV	-10	-6.32	-0.007648	±2	PASS
Band5	4132	1	NV	0	-4.28	-0.005179	±2	PASS
Band5	4132	1	NV	10	-5.01	-0.006062	±2	PASS
Band5	4132	1	NV	20	-5.01	-0.006062	±2	PASS
Band5	4132	1	NV	30	-3.67	-0.004441	±2	PASS
Band5	4132	1	NV	40	-4.08	-0.004937	±2	PASS
Band5	4132	1	NV	50	-4.58	-0.005542	±2	PASS
Band5	4132	2	NV	-30	-3.07	-0.003715	±2	PASS
Band5	4132	2	NV	-20	-3.88	-0.004695	±2	PASS
Band5	4132	2	NV	-10	-6.84	-0.008277	±2	PASS
Band5	4132	2	NV	0	-7.78	-0.009414	±2	PASS
Band5	4132	2	NV	10	-7.70	-0.009318	±2	PASS
Band5	4132	2	NV	20	-3.96	-0.004792	±2	PASS
Band5	4132	2	NV	30	-5.82	-0.007043	±2	PASS
Band5	4132	2	NV	40	-3.90	-0.004719	±2	PASS
Band5	4132	2	NV	50	-4.89	-0.005917	±2	PASS
Band5	4132	3	NV	-30	-7.32	-0.008858	±2	PASS
Band5	4132	3	NV	-20	-6.15	-0.007442	±2	PASS
Band5	4132	3	NV	-10	-4.78	-0.005784	±2	PASS
Band5	4132	3	NV	0	-5.36	-0.006486	±2	PASS
Band5	4132	3	NV	10	-2.70	-0.003267	±2	PASS
Band5	4132	3	NV	20	-7.45	-0.009015	±2	PASS
Band5	4132	3	NV	30	-1.17	-0.001416	±2	PASS
Band5	4132	3	NV	40	-5.44	-0.006583	±2	PASS
Band5	4132	3	NV	50	-7.96	-0.009632	±2	PASS
Band5	4132	4	NV	-30	-3.42	-0.004138	±2	PASS

Band5	4132	4	NV	-20	-5.03	-0.006087	±2	PASS
Band5	4132	4	NV	-10	-3.86	-0.004671	±2	PASS
Band5	4132	4	NV	0	-4.29	-0.005191	±2	PASS
Band5	4132	4	NV	10	-5.18	-0.006268	±2	PASS
Band5	4132	4	NV	20	-4.56	-0.005518	±2	PASS
Band5	4132	4	NV	30	-0.54	-0.000653	±2	PASS
Band5	4132	4	NV	40	-3.25	-0.003933	±2	PASS
Band5	4132	4	NV	50	-3.77	-0.004562	±2	PASS
Band5	4132	5	NV	-30	-4.81	-0.005820	±2	PASS
Band5	4132	5	NV	-20	-4.73	-0.005724	±2	PASS
Band5	4132	5	NV	-10	-4.55	-0.005506	±2	PASS
Band5	4132	5	NV	0	-4.76	-0.005760	±2	PASS
Band5	4132	5	NV	10	-4.26	-0.005155	±2	PASS
Band5	4132	5	NV	20	-4.06	-0.004913	±2	PASS
Band5	4132	5	NV	30	-3.87	-0.004683	±2	PASS
Band5	4132	5	NV	40	-5.92	-0.007164	±2	PASS
Band5	4132	5	NV	50	-4.28	-0.005179	±2	PASS
Band5	4182	1	NV	-30	-6.73	-0.008046	±2	PASS
Band5	4182	1	NV	-20	-4.88	-0.005835	±2	PASS
Band5	4182	1	NV	-10	-6.11	-0.007305	±2	PASS
Band5	4182	1	NV	0	-2.20	-0.002630	±2	PASS
Band5	4182	1	NV	10	-6.77	-0.008094	±2	PASS
Band5	4182	1	NV	20	-3.79	-0.004531	±2	PASS
Band5	4182	1	NV	30	-3.18	-0.003802	±2	PASS
Band5	4182	1	NV	40	-3.30	-0.003945	±2	PASS
Band5	4182	1	NV	50	-2.42	-0.002893	±2	PASS
Band5	4182	2	NV	-30	-5.39	-0.006444	±2	PASS
Band5	4182	2	NV	-20	-3.58	-0.004280	±2	PASS
Band5	4182	2	NV	-10	-4.38	-0.005237	±2	PASS
Band5	4182	2	NV	0	-1.85	-0.002212	±2	PASS
Band5	4182	2	NV	10	-3.57	-0.004268	±2	PASS
Band5	4182	2	NV	20	-5.51	-0.006588	±2	PASS
Band5	4182	2	NV	30	-2.61	-0.003121	±2	PASS
Band5	4182	2	NV	40	-4.01	-0.004794	±2	PASS
Band5	4182	2	NV	50	-2.57	-0.003073	±2	PASS
Band5	4182	3	NV	-30	-3.01	-0.003599	±2	PASS
Band5	4182	3	NV	-20	-2.45	-0.002929	±2	PASS
Band5	4182	3	NV	-10	-4.10	-0.004902	±2	PASS
Band5	4182	3	NV	0	-4.09	-0.004890	±2	PASS
Band5	4182	3	NV	10	-5.49	-0.006564	±2	PASS
Band5	4182	3	NV	20	-4.16	-0.004974	±2	PASS

Band5	4182	3	NV	30	-3.64	-0.004352	±2	PASS
Band5	4182	3	NV	40	-2.98	-0.003563	±2	PASS
Band5	4182	3	NV	50	-3.88	-0.004639	±2	PASS
Band5	4182	4	NV	-30	-4.51	-0.005392	±2	PASS
Band5	4182	4	NV	-20	-2.10	-0.002511	±2	PASS
Band5	4182	4	NV	-10	-1.61	-0.001925	±2	PASS
Band5	4182	4	NV	0	-2.98	-0.003563	±2	PASS
Band5	4182	4	NV	10	-3.86	-0.004615	±2	PASS
Band5	4182	4	NV	20	-3.48	-0.004161	±2	PASS
Band5	4182	4	NV	30	-1.60	-0.001913	±2	PASS
Band5	4182	4	NV	40	-2.93	-0.003503	±2	PASS
Band5	4182	4	NV	50	-3.49	-0.004173	±2	PASS
Band5	4182	5	NV	-30	-4.01	-0.004794	±2	PASS
Band5	4182	5	NV	-20	-3.78	-0.004519	±2	PASS
Band5	4182	5	NV	-10	-5.23	-0.006253	±2	PASS
Band5	4182	5	NV	0	-5.94	-0.007102	±2	PASS
Band5	4182	5	NV	10	-3.95	-0.004723	±2	PASS
Band5	4182	5	NV	20	-3.03	-0.003623	±2	PASS
Band5	4182	5	NV	30	-1.77	-0.002116	±2	PASS
Band5	4182	5	NV	40	-4.01	-0.004794	±2	PASS
Band5	4182	5	NV	50	-3.34	-0.003993	±2	PASS
Band5	4233	1	NV	-30	-4.29	-0.005067	±2	PASS
Band5	4233	1	NV	-20	-3.93	-0.004642	±2	PASS
Band5	4233	1	NV	-10	-0.82	-0.000969	±2	PASS
Band5	4233	1	NV	0	-4.50	-0.005315	±2	PASS
Band5	4233	1	NV	10	-5.29	-0.006249	±2	PASS
Band5	4233	1	NV	20	-3.10	-0.003662	±2	PASS
Band5	4233	1	NV	30	-2.74	-0.003236	±2	PASS
Band5	4233	1	NV	40	-4.60	-0.005433	±2	PASS
Band5	4233	1	NV	50	-0.82	-0.000969	±2	PASS
Band5	4233	2	NV	-30	-2.96	-0.003496	±2	PASS
Band5	4233	2	NV	-20	-1.92	-0.002268	±2	PASS
Band5	4233	2	NV	-10	-5.56	-0.006567	±2	PASS
Band5	4233	2	NV	0	-1.98	-0.002339	±2	PASS
Band5	4233	2	NV	10	-4.19	-0.004949	±2	PASS
Band5	4233	2	NV	20	-3.74	-0.004418	±2	PASS
Band5	4233	2	NV	30	-4.84	-0.005717	±2	PASS
Band5	4233	2	NV	40	-4.98	-0.005882	±2	PASS
Band5	4233	2	NV	50	-3.41	-0.004028	±2	PASS
Band5	4233	3	NV	-30	-4.53	-0.005351	±2	PASS
Band5	4233	3	NV	-20	-2.72	-0.003213	±2	PASS

Band5	4233	3	NV	-10	-2.94	-0.003473	±2	PASS
Band5	4233	3	NV	0	-6.27	-0.007406	±2	PASS
Band5	4233	3	NV	10	-5.19	-0.006130	±2	PASS
Band5	4233	3	NV	20	-3.17	-0.003744	±2	PASS
Band5	4233	3	NV	30	-4.37	-0.005162	±2	PASS
Band5	4233	3	NV	40	-2.39	-0.002823	±2	PASS
Band5	4233	3	NV	50	-0.06	-0.000071	±2	PASS
Band5	4233	4	NV	-30	-4.84	-0.005717	±2	PASS
Band5	4233	4	NV	-20	-4.81	-0.005682	±2	PASS
Band5	4233	4	NV	-10	-4.79	-0.005658	±2	PASS
Band5	4233	4	NV	0	-3.00	-0.003544	±2	PASS
Band5	4233	4	NV	10	-3.02	-0.003567	±2	PASS
Band5	4233	4	NV	20	-3.60	-0.004252	±2	PASS
Band5	4233	4	NV	30	-2.10	-0.002481	±2	PASS
Band5	4233	4	NV	40	-0.54	-0.000638	±2	PASS
Band5	4233	4	NV	50	-0.67	-0.000791	±2	PASS
Band5	4233	5	NV	-30	-4.51	-0.005327	±2	PASS
Band5	4233	5	NV	-20	-2.83	-0.003343	±2	PASS
Band5	4233	5	NV	-10	-4.17	-0.004926	±2	PASS
Band5	4233	5	NV	0	-4.13	-0.004878	±2	PASS
Band5	4233	5	NV	10	-4.57	-0.005398	±2	PASS
Band5	4233	5	NV	20	-2.37	-0.002799	±2	PASS
Band5	4233	5	NV	30	-2.91	-0.003437	±2	PASS
Band5	4233	5	NV	40	-2.52	-0.002977	±2	PASS
Band5	4233	5	NV	50	-3.38	-0.003992	±2	PASS