



Left Band edge_Horizontal_Average_802.11n20_5180MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-N20-5180

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5149.998	-7.45	57.46	50.01	54.00	-3.99	Average
2 5150.000	-7.45	57.40	49.95	54.00	-4.05	Average


Left Band edge_Vertical_Peak_802.11n20_5180MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-N20-5180

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5146.853	-7.45	70.46	63.01	74.00	-10.99 Peak
2	5150.000	-7.45	67.29	59.84	74.00	-14.16 Peak


Left Band edge_Vertical_Average_802.11n20_5180MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-N20-5180

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5149.442	-7.45	56.80	49.35	54.00	-4.65	Average
2 5150.000	-7.45	56.70	49.25	54.00	-4.75	Average


Right Band edge_Horizontal_Peak_802.11n20_5240MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-N20-5240

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5350.000	-6.76	63.69	56.93	74.00	-17.07 Peak
2 5434.910	-6.40	66.09	59.69	74.00	-14.31 Peak


Right Band edge_Horizontal_Average_802.11n20_5240MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-N20-5240

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	52.74	45.98	54.00	-8.02 Average
2	5456.880	-6.28	53.52	47.24	54.00	-6.76 Average


Right Band edge_Vertical_Peak_802.11n20_5240MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-N20-5240

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	63.20	56.44	74.00	-17.56 Peak
2	5457.920	-6.28	65.61	59.33	74.00	-14.67 Peak


Right Band edge_Vertical_Average_802.11n20_5240MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-N20-5240

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	52.61	45.85	54.00	-8.15 Average
2	5446.155	-6.33	53.57	47.24	54.00	-6.76 Average


Left Band edge_Horizontal_Peak_802.11a_5260MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A-5260

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4888.987	-7.64	65.46	57.82	74.00	-16.18	Peak
2 5150.000	-7.45	62.82	55.37	74.00	-18.63	Peak


Left Band edge_Horizontal_Average_802.11a_5260MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-A-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5061.393	-7.33	53.55	46.22	54.00	-7.78	Average
2 5150.000	-7.45	52.56	45.11	54.00	-8.89	Average


Left Band edge_Vertical_Peak_802.11a_5260MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4897.905	-7.60	65.87	58.27	74.00	-15.73	Peak
2 5150.000	-7.45	64.06	56.61	74.00	-17.39	Peak


Left Band edge_Vertical_Average_802.11a_5260MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-A-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5021.417	-7.29	53.19	45.90	54.00	-8.10 Average
2	5150.000	-7.45	52.74	45.29	54.00	-8.71 Average


Right Band edge_Horizontal_Peak_802.11a_5320MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	66.14	59.38	74.00	-14.62 Peak
2	5350.380	-6.76	68.36	61.60	74.00	-12.40 Peak


Right Band edge_Horizontal_Average_802.11a_5320MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	53.84	47.08	54.00	-6.92 Average
2	5350.740	-6.76	54.37	47.61	54.00	-6.39 Average


Right Band edge_Vertical_Peak_802.11a_5320MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	65.36	58.60	74.00	-15.40	Peak
2 5352.563	-6.75	68.36	61.61	74.00	-12.39	Peak


Right Band edge_Vertical_Average_802.11a_532MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	53.99	47.23	54.00	-6.77 Average
2	5350.132	-6.76	54.40	47.64	54.00	-6.36 Average


Left Band edge_Horizontal_Peak_802.11n20_5260MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-N20-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5023.775	-7.29	65.26	57.97	74.00	-16.03	Peak
2 5150.000	-7.45	62.59	55.14	74.00	-18.86	Peak


Left Band edge_Horizontal_Average_802.11n20_5260MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-N20-5260

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5021.315	-7.29	53.46	46.17	54.00	-7.83 Average
2	5150.000	-7.45	52.71	45.26	54.00	-8.74 Average


Left Band edge_Vertical_Peak_802.11n20_5260MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-N20-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4808.013	-7.82	65.66	57.84	74.00	-16.16	Peak
2 5150.000	-7.45	63.55	56.10	74.00	-17.90	Peak


Left Band edge_Vertical_Average_802.11n20_5260MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-N20-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5058.830	-7.32	53.13	45.81	54.00	-8.19 Average
2	5150.000	-7.45	53.01	45.56	54.00	-8.44 Average


Right Band edge_Horizontal_Peak_802.11n20_5320MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-N20-5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	69.86	63.10	74.00	-10.90	Peak
2 5350.110	-6.76	69.90	63.14	74.00	-10.86	Peak


Right Band edge_Horizontal_Average_802.11n20_532MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-N20-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	55.39	48.63	54.00	-5.37 Average
2	5350.020	-6.76	55.46	48.70	54.00	-5.30 Average


Right Band edge_Vertical_Peak_802.11n20_5320MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-N20-5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	69.69	62.93	74.00	-11.07	Peak
2 5350.290	-6.76	69.84	63.08	74.00	-10.92	Peak


Right Band edge_Vertical_Average_802.11n20_5320MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-N20-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	54.87	48.11	54.00	-5.89 Average
2	5350.200	-6.76	54.93	48.17	54.00	-5.83 Average


Left Band edge_Horizontal_Peak_802.11a_5500MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	63.90	57.64	74.00	-16.36 Peak
2 5467.759	-6.23	69.11	62.88	68.20	-5.32 Peak
3 5470.000	-6.22	66.96	60.74	68.20	-7.46 Peak


Left Band edge_Horizontal_Average_802.11a_5500MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-A-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	53.54	47.28	54.00	-6.72 Average


Left Band edge_Vertical_Peak_802.11a_5500MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	64.63	58.37	74.00	-15.63 Peak
2 5467.938	-6.23	69.84	63.61	68.20	-4.59 Peak
3 5470.000	-6.22	67.08	60.86	68.20	-7.34 Peak


Left Band edge_Vertical_Average_802.11a_5500MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-A-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	53.40	47.14	54.00	-6.86 Average


Right Band edge_Horizontal_Peak_802.11a_5700MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5700

	Freq Factor		Read		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	68.38	62.84	68.20	-5.36	Peak
2	5725.134	-5.53	68.70	63.17	68.20	-5.03	Peak


Right Band edge_Vertical_Peak_802.11a_5700MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5700

	Freq Factor		Read		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	67.37	61.83	68.20	-6.37	Peak
2	5725.294	-5.53	68.98	63.45	68.20	-4.75	Peak


Left Band edge_Horizontal_Peak_802.11n20_5500MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-N20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	64.21	57.95	74.00	-16.05 Peak
2 5469.888	-6.22	70.35	64.13	68.20	-4.07 Peak
3 5470.000	-6.22	68.72	62.50	68.20	-5.70 Peak


Left Band edge_Horizontal_Average_802.11n20_5500MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-N20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	53.37	47.11	54.00	-6.89 Average


Left Band edge_Vertical_Peak_802.11n20_5500MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-N20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	64.05	57.79	74.00	-16.21 Peak
2 5469.803	-6.22	70.02	63.80	68.20	-4.40 Peak
3 5470.000	-6.22	68.65	62.43	68.20	-5.77 Peak


Left Band edge_Vertical_Average_802.11n20_5500MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-N20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	53.45	47.19	54.00	-6.81 Average


Right Band edge_Horizontal_Peak_802.11n20_5700MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-N20-5700

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5725.000	-5.54	69.14	63.60	68.20	-4.60	Peak
2 5725.481	-5.53	70.11	64.58	68.20	-3.62	Peak


Right Band edge_Vertical_Peak_802.11n20_5700MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-N20-5700

	Freq Factor		Read		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	68.96	63.42	68.20	-4.78	Peak
2	5725.622	-5.53	70.38	64.85	68.20	-3.35	Peak


Left Band edge_Horizontal_Peak_802.11a_5745MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5745

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5605.344	-6.18	65.43	59.25	68.20	-8.95 Peak
2 5691.651	-5.79	66.42	60.63	99.04	-38.41 Peak
3 5719.510	-5.58	71.77	66.19	110.66	-44.47 Peak
4 5724.973	-5.54	78.93	73.39	122.14	-48.75 Peak


Left Band edge_Vertical_Peak_802.11a_5745MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5642.322	-5.94	65.68	59.74	68.20	-8.46	Peak
2	5694.786	-5.78	65.79	60.01	101.36	-41.35	Peak
3	5719.914	-5.58	71.88	66.30	110.78	-44.48	Peak
4	5724.877	-5.54	79.14	73.60	121.92	-48.32	Peak


Right Band edge_Horizontal_Peak_802.11a_5825MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.274	-4.70	70.34	65.64	121.58	-55.94	Peak
2	5855.565	-4.68	69.06	64.38	110.64	-46.26	Peak
3	5880.768	-4.58	66.47	61.89	100.92	-39.03	Peak
4	5939.290	-4.49	66.30	61.81	68.20	-6.39	Peak


Right Band edge_Vertical_Peak_802.11a_5825MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5825

			Read		Limit	Over	
	Freq	Factor	Level	Level	Line	Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5851.018	-4.70	69.90	65.20	119.88	-54.68	Peak
2	5855.204	-4.68	67.14	62.46	110.74	-48.28	Peak
3	5875.816	-4.61	67.00	62.39	104.59	-42.20	Peak
4	5937.547	-4.49	66.56	62.07	68.20	-6.13	Peak


Left Band edge_Horizontal_Peak_802.11n20_5745MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-N20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5648.616	-5.90	65.89	59.99	68.20	-8.21	Peak
2	5664.743	-5.85	65.96	60.11	79.14	-19.03	Peak
3	5719.985	-5.58	77.92	72.34	110.80	-38.46	Peak
4	5724.996	-5.54	78.59	73.05	122.19	-49.14	Peak


Left Band edge_Vertical_Peak_802.11n20_5745MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-N20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5627.455	-6.03	65.36	59.33	68.20	-8.87	Peak
2	5670.656	-5.84	66.20	60.36	83.53	-23.17	Peak
3	5719.866	-5.58	75.36	69.78	110.76	-40.98	Peak
4	5724.973	-5.54	78.03	72.49	122.14	-49.65	Peak


Right Band edge_Horizontal_Peak_802.11n20_5825MHz



Condition : Horizontal
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-N20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.359	-4.70	73.49	68.79	121.38	-52.59	Peak
2	5855.140	-4.68	70.06	65.38	110.76	-45.38	Peak
3	5882.723	-4.58	66.83	62.25	99.46	-37.21	Peak
4	5945.410	-4.49	66.25	61.76	68.20	-6.44	Peak

Right Band edge_Vertical_Peak_802.11n20_5825MHz



Condition : Vertical
Project No. : 2601R50576E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-N20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.252	-4.70	73.71	69.01	121.62	-52.61	Peak
2	5855.161	-4.68	70.28	65.60	110.75	-45.15	Peak
3	5898.384	-4.52	66.84	62.32	87.86	-25.54	Peak
4	5931.895	-4.49	66.05	61.56	68.20	-6.64	Peak

Emission Bandwidth**Test Information:**

Sample No.:	3JAR-3	Test Date:	2026/04/29
Test Site:	RF	Test Mode:	Transmitting
Tester:	Ethan Bu	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.9	Relative Humidity: (%)	41	ATM Pressure: (kPa)	100.9
----------------------	------	------------------------------	----	------------------------	-------

Test Data:**26dB Emission Bandwidth
5150-5250MHz**

Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5180	31.789
	5200	31.604
	5240	28.260
802.11n20	5180	29.682
	5200	33.949
	5240	26.588

5250-5350MHz

Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5260	28.059
	5300	28.688
	5320	28.797
802.11n20	5260	26.503
	5300	26.629
	5320	26.623

5470-5725MHz


Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5500	32.454
	5600	22.670
	5700	23.033
	5720	24.802
802.11n20	5500	27.199
	5600	22.888
	5700	23.320
	5720	25.136

6dB Emission Bandwidth
5725-5850MHz

Mode	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	5745	15.415	0.5	Pass
	5785	15.566	0.5	Pass
	5825	15.265	0.5	Pass
802.11n20	5745	15.766	0.5	Pass
	5785	15.616	0.5	Pass
	5825	15.616	0.5	Pass


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 20:49:30

802.11a_5200MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 20:52:37

802.11a_5240MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 20:55:29

802.11n20_5180MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:05:54

802.11n20_5200MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:38:49


802.11n20_5240MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:41:52

5250-5350MHz


802.11a_5260MHz




802.11a_5300MHz




802.11a_5320MHz




802.11n20_5260MHz



802.11n20_5300MHz




802.11n20_5320MHz




5470-5725MHz


802.11a_5500MHz




802.11a_5600MHz




802.11a_5700MHz




802.11a_5720MHz




802.11n20_5500MHz



802.11n20_5600MHz




802.11n20_5700MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:57:43


802.11n20_5720MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 22:00:15


5725-5850MHz

802.11a_5745MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:26:13

802.11a_5785MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:28:49

802.11a_5825MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:31:05

802.11n20_5745MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 22:03:31

802.11n20_5785MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 22:05:47

802.11n20_5825MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 22:08:55

99% Occupied Bandwidth**Test Information:**

Sample No.:	3JAR-3	Test Date:	2026/04/29
Test Site:	RF	Test Mode:	Transmitting
Tester:	Ethan Bu	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.9	Relative Humidity: (%)	41	ATM Pressure: (kPa)	100.9
----------------------	------	------------------------------	----	------------------------	-------

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5180	16.950
	5200	16.900
	5240	16.700
802.11n20	5180	18.150
	5200	18.250
	5240	17.950

Note:

The 99% Occupied Bandwidth have not fall into the band 5250-5350MHz, please refer to the test plots of 99% Occupied Bandwidth.

5250-5350MHz

Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5260	16.650
	5300	16.700
	5320	16.700
802.11n20	5260	17.950
	5300	17.950
	5320	17.950

5470-5725MHz

Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5500	17.300
	5600	16.550
	5700	16.600
	5720	16.600
802.11n20	5500	17.800
	5600	17.700
	5700	17.700
	5720	17.700

5725-5850MHz


Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5745	16.600
	5785	16.600
	5825	16.600
802.11n20	5745	17.700
	5785	17.800
	5825	17.750

Note:

The 99% Occupied Bandwidth have not fall into the band 5470-5725MHz, please refer to the test plots of 99% Occupied Bandwidth.


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 20:50:15

802.11a_5200MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 20:53:12

802.11a_5240MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 20:56:09

802.11n20_5180MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:36:38

802.11n20_5200MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:39:24


802.11n20_5240MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:42:33


5250-5350MHz

802.11a_5260MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:08:06

802.11a_5300MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:10:30

802.11a_5320MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:12:46

802.11n20_5260MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:45:39

802.11n20_5300MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:47:37


802.11n20_5320MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:51:06


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:16:59

802.11a_5600MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:19:15

802.11a_5700MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:22:02

802.11a_5720MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:24:20

802.11n20_5500MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:54:00

802.11n20_5600MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:55:59

802.11n20_5700MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:58:37


802.11n20_5720MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 22:01:00


5725-5850MHz

802.11a_5745MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:27:01

802.11a_5785MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:29:44

802.11a_5825MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:31:41

802.11n20_5745MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 22:04:19

802.11n20_5785MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 22:06:43

802.11n20_5825MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 22:09:31

Maximum Conducted Output Power**Test Information:**

Sample No.:	3JAR-3	Test Date:	2026/04/29
Test Site:	RF	Test Mode:	Transmitting
Tester:	Ethan Bu	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.9	Relative Humidity: (%)	41	ATM Pressure: (kPa)	100.9
----------------------	------	------------------------------	----	------------------------	-------

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5180	10.87	24	Pass
	5200	10.76	24	Pass
	5240	9.62	24	Pass
802.11n20	5180	11.12	24	Pass
	5200	10.79	24	Pass
	5240	9.66	24	Pass

5250-5350MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5260	9.43	24	Pass
	5300	9.66	24	Pass
	5320	9.49	24	Pass
802.11n20	5260	9.4	24	Pass
	5300	9.65	24	Pass
	5320	9.46	24	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5500	10.59	24	Pass
	5600	7.88	24	Pass
	5700	8.07	24	Pass
	5720	8.02	24	Pass
802.11n20	5500	9.01	24	Pass
	5600	7.92	24	Pass
	5700	7.91	24	Pass
	5720	7.98	24	Pass

5725-5850MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5745	8.73	30	Pass
	5785	8.83	30	Pass
	5825	8.73	30	Pass
802.11n20	5745	8.74	30	Pass
	5785	8.79	30	Pass
	5825	8.62	30	Pass

Power Spectral Density**Test Information:**

Sample No.:	3JAR-3	Test Date:	2026/04/29
Test Site:	RF	Test Mode:	Transmitting
Tester:	Ethan Bu	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.9	Relative Humidity: (%)	41	ATM Pressure: (kPa)	100.9
----------------------	------	------------------------------	----	------------------------	-------

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5180	-0.23	0.88	0.65	11	Pass
	5200	-0.07	0.88	0.81	11	Pass
	5240	-1.52	0.88	-0.64	11	Pass
802.11n20	5180	-0.02	0.85	0.83	11	Pass
	5200	-0.25	0.85	0.60	11	Pass
	5240	-1.80	0.85	-0.95	11	Pass

5250-5350MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5260	-1.39	0.88	-0.51	11	Pass
	5300	-0.89	0.88	-0.01	11	Pass
	5320	-1.29	0.88	-0.41	11	Pass
802.11n20	5260	-1.89	0.85	-1.04	11	Pass
	5300	-1.91	0.85	-1.06	11	Pass
	5320	-1.22	0.85	-0.37	11	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5500	-0.12	0.88	0.76	11	Pass
	5600	-2.81	0.88	-1.93	11	Pass
	5700	-3.23	0.88	-2.35	11	Pass
	5720	-2.32	0.88	-1.44	11	Pass
802.11n20	5500	-1.88	0.85	-1.03	11	Pass
	5600	-3.01	0.85	-2.16	11	Pass
	5700	-3.52	0.85	-2.67	11	Pass
	5720	-2.53	0.85	-1.68	11	Pass


5725-5850MHz

Mode	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	5745	-5.12	0.88	-4.24	30	Pass
	5785	-4.84	0.88	-3.96	30	Pass
	5825	-5.35	0.88	-4.47	30	Pass
802.11n20	5745	-4.92	0.85	-4.07	30	Pass
	5785	-5.27	0.85	-4.42	30	Pass
	5825	-4.58	0.85	-3.73	30	Pass

Result = Reading + Duty Cycle Factor


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 20:50:33

802.11a_5200MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 20:53:29

802.11a_5240MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 20:56:27

802.11n20_5180MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:36:56

802.11n20_5200MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:39:41


802.11n20_5240MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:42:49


5250-5350MHz

802.11a_5260MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:08:23

802.11a_5300MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:10:48

802.11a_5320MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:13:04

802.11n20_5260MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:45:56

802.11n20_5300MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:47:53


802.11n20_5320MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:51:22


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:17:16

802.11a_5600MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:19:32

802.11a_5700MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:22:19

802.11a_5720MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:24:52

802.11n20_5500MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:54:18

802.11n20_5600MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:56:16

802.11n20_5700MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:58:54


802.11n20_5720MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 22:01:30


5725-5850MHz

802.11a_5745MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:27:18

802.11a_5785MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:30:01

802.11a_5825MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 21:31:57

802.11n20_5745MHz




ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 22:04:36

802.11n20_5785MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 22:07:01

802.11n20_5825MHz



ProjectNo.:2601R50576E-RF Tester:Ethan Bu
Date: 29.APR.2026 22:09:48

EUT PHOTOGRAPHS

Please refer to the attachment 2601R50576E-RF-EXP External photo and 2601R50576E-RF-INP Internal photo.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2601R50576E-RF-TSPA Test Setup photo.

***** **END OF REPORT** *****