


5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 70
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49336G	46.18	68.20	-22.02	62.59	3	Horizontal	209	2.76	-	38.29	12.03	66.73			
PK	15.73084G	45.60	74.00	-28.40	57.36	3	Horizontal	85	2.04	-	37.54	14.60	63.90			
AV	15.73004G	35.42	54.00	-18.58	47.18	3	Horizontal	85	2.04	-	37.54	14.60	63.90			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 80
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4564G	59.78	74.00	-14.22	48.39	3	Vertical	308	1.80	-	33.91	7.77	30.29			
AV	5.4576G	47.43	54.00	-6.57	36.03	3	Vertical	308	1.80	-	33.92	7.77	30.29			
PK	5.4604G	60.00	68.20	-8.20	48.59	3	Vertical	308	1.80	-	33.92	7.78	30.29			
PK	5.5026G	114.77	Inf	-Inf	103.27	3	Vertical	308	1.80	-	34.01	7.80	30.31			
AV	5.5032G	104.61	Inf	-Inf	93.11	3	Vertical	308	1.80	-	34.01	7.80	30.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
Setting 80
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4552G	58.80	74.00	-15.20	47.41	3	Horizontal	5	2.93	-	33.91	7.77	30.29			
AV	5.4594G	46.52	54.00	-7.48	35.11	3	Horizontal	5	2.93	-	33.92	7.78	30.29			
PK	5.4662G	59.01	68.20	-9.19	47.59	3	Horizontal	5	2.93	-	33.93	7.78	30.29			
PK	5.5074G	113.32	Inf	-Inf	101.82	3	Horizontal	5	2.93	-	34.01	7.80	30.31			
AV	5.502G	104.03	Inf	-Inf	92.54	3	Horizontal	5	2.93	-	34.00	7.80	30.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0079G	45.90	74.00	-28.10	61.38	3	Vertical	355	2.70	-	38.42	12.29	66.19			
AV	11.01405G	33.27	54.00	-20.73	48.74	3	Vertical	355	2.70	-	38.43	12.29	66.19			
PK	16.5066G	47.58	68.20	-20.62	57.56	3	Vertical	2	1.06	-	38.84	14.93	63.75			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00495G	46.33	74.00	-27.67	61.82	3	Horizontal	216	2.60	-	38.41	12.29	66.19			
AV	10.9882G	33.17	54.00	-20.83	48.69	3	Horizontal	216	2.60	-	38.40	12.28	66.20			
PK	16.49225G	47.33	68.20	-20.87	57.37	3	Horizontal	322	1.10	-	38.77	14.93	63.74			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
Setting 80
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4188G	59.76	74.00	-14.24	48.38	3	Vertical	303	3.00	-	33.90	7.75	30.27			
AV	5.414G	46.86	54.00	-7.14	35.48	3	Vertical	303	3.00	-	33.90	7.75	30.27			
PK	5.4688G	57.40	68.20	-10.80	45.97	3	Vertical	303	3.00	-	33.94	7.78	30.29			
PK	5.5828G	115.28	Inf	-Inf	103.68	3	Vertical	303	3.00	-	34.03	7.85	30.28			
AV	5.5732G	106.08	Inf	-Inf	94.47	3	Vertical	303	3.00	-	34.05	7.84	30.28			
PK	5.776G	60.15	68.20	-8.05	48.19	3	Vertical	303	3.00	-	34.00	8.17	30.21			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
Setting 80
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.426G	59.26	74.00	-14.74	47.87	3	Horizontal	306	1.78	-	33.90	7.76	30.27			
AV	5.412G	46.62	54.00	-7.38	35.23	3	Horizontal	306	1.78	-	33.90	7.75	30.26			
PK	5.464G	58.19	68.20	-10.01	46.77	3	Horizontal	306	1.78	-	33.93	7.78	30.29			
PK	5.5864G	113.78	Inf	-Inf	102.18	3	Horizontal	306	1.78	-	34.03	7.85	30.28			
AV	5.5812G	104.38	Inf	-Inf	92.77	3	Horizontal	306	1.78	-	34.04	7.85	30.28			
PK	5.7536G	59.25	68.20	-8.95	47.34	3	Horizontal	306	1.78	-	34.00	8.13	30.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14525G	45.77	74.00	-28.23	61.09	3	Vertical	207	1.96	-	38.51	12.36	66.19			
AV	11.1675G	33.37	54.00	-20.63	48.69	3	Vertical	207	1.96	-	38.50	12.37	66.19			
PK	16.75065G	48.09	68.20	-20.11	57.13	3	Vertical	206	2.30	-	40.00	14.98	64.02			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16935G	46.21	74.00	-27.79	61.53	3	Horizontal	262	1.81	-	38.50	12.37	66.19			
AV	11.1746G	33.42	54.00	-20.58	48.74	3	Horizontal	262	1.81	-	38.50	12.37	66.19			
PK	16.7467G	47.86	68.20	-20.34	56.90	3	Horizontal	94	2.99	-	39.99	14.98	64.01			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 67
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7034G	115.03	Inf	-Inf	103.23	3	Vertical	326	2.88	-	34.00	8.04	30.24			
AV	5.6937G	104.87	Inf	-Inf	93.09	3	Vertical	326	2.88	-	34.00	8.02	30.24			
PK	5.725G	66.56	68.20	-1.64	54.71	3	Vertical	326	2.88	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 67
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6957G	113.57	Inf	-Inf	101.78	3	Horizontal	56	2.07	-	34.00	8.03	30.24			
AV	5.6956G	103.69	Inf	-Inf	91.90	3	Horizontal	56	2.07	-	34.00	8.03	30.24			
PK	5.7252G	67.20	68.20	-1.00	55.35	3	Horizontal	56	2.07	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 67
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41905G	46.60	74.00	-27.40	61.56	3	Vertical	155	1.22	-	38.74	12.50	66.20			
AV	11.41395G	33.61	54.00	-20.39	48.59	3	Vertical	155	1.22	-	38.73	12.49	66.20			
PK	17.0935G	48.97	68.20	-19.23	56.81	3	Vertical	74	2.91	-	41.39	15.05	64.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 67
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.378G	47.09	74.00	-26.91	62.11	3	Horizontal	258	1.76	-	38.70	12.48	66.20			
AV	11.37605G	33.60	54.00	-20.40	48.63	3	Horizontal	258	1.76	-	38.70	12.47	66.20			
PK	17.08035G	48.73	68.20	-19.47	56.61	3	Horizontal	36	1.92	-	41.36	15.05	64.29			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 80
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.7192G	117.39	Inf	-Inf	105.55	3	Vertical	337	2.85	-	34.00	8.07	30.23				
AV	5.7244G	108.22	Inf	-Inf	96.37	3	Vertical	337	2.85	-	34.00	8.08	30.23				
PK	5.8504G	60.00	68.20	-8.20	48.09	3	Vertical	337	2.85	-	33.90	8.19	30.18				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 80
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7164G	115.91	Inf	-Inf	104.08	3	Horizontal	65	2.07	-	34.00	8.06	30.23			
AV	5.716G	106.51	Inf	-Inf	94.68	3	Horizontal	65	2.07	-	34.00	8.06	30.23			
PK	5.8644G	59.93	68.20	-8.27	47.97	3	Horizontal	65	2.07	-	33.96	8.18	30.18			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4244G	46.37	74.00	-27.63	61.32	3	Vertical	281	2.06	-	38.75	12.50	66.20			
AV	11.46215G	33.73	54.00	-20.27	48.56	3	Vertical	281	2.06	-	38.85	12.52	66.20			
PK	17.15045G	51.07	68.20	-17.13	58.68	3	Vertical	35	1.40	-	41.60	15.07	64.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42885G	46.27	74.00	-27.73	61.21	3	Horizontal	41	1.67	-	38.76	12.50	66.20			
AV	11.43945G	33.63	54.00	-20.37	48.54	3	Horizontal	41	1.67	-	38.78	12.51	66.20			
PK	17.1642G	50.03	68.20	-18.17	57.58	3	Horizontal	13	1.33	-	41.66	15.07	64.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT V_2TX
Setting 80
04-E-5-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4596G	60.56	74.00	-13.44	64.09	3	Vertical	38	1.79	-	31.64	8.55	43.72			
AV	5.46G	47.68	54.00	-6.32	51.21	3	Vertical	38	1.79	-	31.64	8.55	43.72			
PK	5.4604G	59.71	68.20	-8.49	63.24	3	Vertical	38	1.79	-	31.64	8.55	43.72			
PK	5.5072G	113.02	Inf	-Inf	116.32	3	Vertical	38	1.79	-	31.79	8.60	43.69			
AV	5.4922G	101.17	Inf	-Inf	104.51	3	Vertical	38	1.79	-	31.77	8.59	43.70			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT V_2TX
Setting 80
04-E-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4596G	60.47	74.00	-13.53	64.00	3	Horizontal	61	1.80	-	31.64	8.55	43.72			
AV	5.458G	47.36	54.00	-6.64	50.90	3	Horizontal	61	1.80	-	31.63	8.55	43.72			
PK	5.4606G	60.74	68.20	-7.46	64.27	3	Horizontal	61	1.80	-	31.64	8.55	43.72			
PK	5.498G	113.95	Inf	-Inf	117.27	3	Horizontal	61	1.80	-	31.79	8.59	43.70			
AV	5.503G	101.84	Inf	-Inf	105.15	3	Horizontal	61	1.80	-	31.79	8.60	43.70			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.009G	45.76	74.00	-28.24	61.24	3	Vertical	251	1.50	-	38.42	12.29	66.19				
AV	11.005G	33.45	54.00	-20.55	48.94	3	Vertical	251	1.50	-	38.41	12.29	66.19				
PK	16.47925G	47.73	68.20	-20.47	57.83	3	Vertical	218	1.66	-	38.72	14.93	63.75				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99825G	45.64	74.00	-28.36	61.15	3	Horizontal	105	2.48	-	38.40	12.28	66.19			
AV	10.99325G	33.31	54.00	-20.69	48.83	3	Horizontal	105	2.48	-	38.40	12.28	66.20			
PK	16.4905G	47.16	68.20	-21.04	57.21	3	Horizontal	53	1.75	-	38.76	14.93	63.74			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3828G	58.15	74.00	-15.85	46.77	3	Vertical	328	3.00	-	33.90	7.73	30.25			
PK	5.464G	57.71	68.20	-10.49	46.29	3	Vertical	328	3.00	-	33.93	7.78	30.29			
AV	5.426G	46.15	54.00	-7.85	34.76	3	Vertical	328	3.00	-	33.90	7.76	30.27			
PK	5.5748G	116.27	Inf	-Inf	104.66	3	Vertical	328	3.00	-	34.05	7.84	30.28			
AV	5.5748G	103.02	Inf	-Inf	91.41	3	Vertical	328	3.00	-	34.05	7.84	30.28			
PK	5.7676G	58.83	68.20	-9.37	46.89	3	Vertical	328	3.00	-	34.00	8.15	30.21			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4016G	57.99	74.00	-16.01	46.61	3	Horizontal	305	1.80	-	33.90	7.74	30.26			
AV	5.4016G	45.75	54.00	-8.25	34.37	3	Horizontal	305	1.80	-	33.90	7.74	30.26			
PK	5.4636G	56.88	68.20	-11.32	45.46	3	Horizontal	305	1.80	-	33.93	7.78	30.29			
PK	5.5728G	113.91	Inf	-Inf	102.30	3	Horizontal	305	1.80	-	34.05	7.84	30.28			
AV	5.5732G	100.41	Inf	-Inf	88.80	3	Horizontal	305	1.80	-	34.05	7.84	30.28			
PK	5.7384G	58.38	68.20	-9.82	46.50	3	Horizontal	305	1.80	-	34.00	8.10	30.22			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1397G	46.28	74.00	-27.72	61.59	3	Vertical	257	1.83	-	38.52	12.36	66.19			
AV	11.1621G	33.34	54.00	-20.66	48.66	3	Vertical	257	1.83	-	38.50	12.37	66.19			
PK	16.71785G	48.10	68.20	-20.10	57.16	3	Vertical	329	2.67	-	39.94	14.98	63.98			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1676G	45.84	74.00	-28.16	61.16	3	Horizontal	328	1.81	-	38.50	12.37	66.19			
AV	11.163G	33.38	54.00	-20.62	48.70	3	Horizontal	328	1.81	-	38.50	12.37	66.19			
PK	16.72165G	48.41	68.20	-19.79	57.47	3	Horizontal	174	2.60	-	39.94	14.98	63.98			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT Y_2TX
Setting 58
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7051G	109.00	Inf	-Inf	97.20	3	Vertical	61	1.65	-	34.00	8.04	30.24			
AV	5.7051G	96.45	Inf	-Inf	84.65	3	Vertical	61	1.65	-	34.00	8.04	30.24			
PK	5.7255G	67.12	68.20	-1.08	55.27	3	Vertical	61	1.65	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT Y_2TX
Setting 58
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7048G	110.19	Inf	-Inf	98.39	3	Horizontal	56	1.80	-	34.00	8.04	30.24			
AV	5.7051G	97.28	Inf	-Inf	85.48	3	Horizontal	56	1.80	-	34.00	8.04	30.24			
PK	5.7255G	66.99	68.20	-1.21	55.14	3	Horizontal	56	1.80	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 58
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38995G	46.94	74.00	-27.06	61.96	3	Vertical	256	1.79	-	38.70	12.48	66.20			
AV	11.41955G	33.58	54.00	-20.42	48.54	3	Vertical	256	1.79	-	38.74	12.50	66.20			
PK	17.08385G	49.08	68.20	-19.12	56.94	3	Vertical	97	1.08	-	41.37	15.05	64.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 58
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3968G	46.43	74.00	-27.57	61.44	3	Horizontal	194	2.56	-	38.70	12.49	66.20			
AV	11.384G	33.59	54.00	-20.41	48.61	3	Horizontal	194	2.56	-	38.70	12.48	66.20			
PK	17.076G	48.59	68.20	-19.61	56.48	3	Horizontal	173	1.33	-	41.35	15.05	64.29			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 80
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7176G	114.93	Inf	-Inf	103.09	3	Vertical	24	1.73	-	34.00	8.07	30.23			
AV	5.7252G	101.81	Inf	-Inf	89.96	3	Vertical	24	1.73	-	34.00	8.08	30.23			
PK	5.8984G	58.75	68.20	-9.45	46.66	3	Vertical	24	1.73	-	34.09	8.17	30.17			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 80
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7152G	117.00	Inf	-Inf	105.17	3	Horizontal	57	2.03	-	34.00	8.06	30.23			
AV	5.7252G	102.39	Inf	-Inf	90.54	3	Horizontal	57	2.03	-	34.00	8.08	30.23			
PK	5.8952G	58.56	68.20	-9.64	46.48	3	Horizontal	57	2.03	-	34.08	8.17	30.17			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4598G	47.06	74.00	-26.94	61.90	3	Vertical	176	2.20	-	38.84	12.52	66.20			
AV	11.46385G	33.83	54.00	-20.17	48.65	3	Vertical	176	2.20	-	38.86	12.52	66.20			
PK	17.15285G	50.27	68.20	-17.93	57.87	3	Vertical	283	1.08	-	41.61	15.07	64.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42715G	46.83	74.00	-27.17	61.78	3	Horizontal	237	2.23	-	38.75	12.50	66.20			
AV	11.4637G	33.77	54.00	-20.23	48.60	3	Horizontal	237	2.23	-	38.85	12.52	66.20			
PK	17.1499G	49.32	68.20	-18.88	56.93	3	Horizontal	20	2.29	-	41.60	15.07	64.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4588G	60.57	74.00	-13.43	49.16	3	Vertical	306	1.81	-	33.92	7.78	30.29				
AV	5.4588G	49.43	54.00	-4.57	38.02	3	Vertical	306	1.81	-	33.92	7.78	30.29				
PK	5.4636G	63.46	68.20	-4.74	52.04	3	Vertical	306	1.81	-	33.93	7.78	30.29				
PK	5.5064G	112.69	Inf	-Inf	101.19	3	Vertical	306	1.81	-	34.01	7.80	30.31				
AV	5.5064G	101.18	Inf	-Inf	89.68	3	Vertical	306	1.81	-	34.01	7.80	30.31				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4558G	59.69	74.00	-14.31	48.30	3	Horizontal	357	2.94	-	33.91	7.77	30.29			
AV	5.4574G	48.73	54.00	-5.27	37.34	3	Horizontal	357	2.94	-	33.91	7.77	30.29			
PK	5.4674G	61.00	68.20	-7.20	49.58	3	Horizontal	357	2.94	-	33.93	7.78	30.29			
PK	5.5032G	112.22	Inf	-Inf	100.72	3	Horizontal	357	2.94	-	34.01	7.80	30.31			
AV	5.5032G	101.72	Inf	-Inf	90.22	3	Horizontal	357	2.94	-	34.01	7.80	30.31			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX

EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0018G	45.89	74.00	-28.11	61.39	3	Vertical	356	1.44	-	38.40	12.29	66.19			
AV	11.0026G	35.19	54.00	-18.81	50.68	3	Vertical	356	1.44	-	38.41	12.29	66.19			
PK	16.54044G	47.63	68.20	-20.57	57.43	3	Vertical	336	1.58	-	39.04	14.94	63.78			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX

EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0218G	45.90	74.00	-28.10	61.35	3	Horizontal	102	1.21	-	38.44	12.30	66.19			
AV	11.03304G	35.62	54.00	-18.38	51.04	3	Horizontal	102	1.21	-	38.47	12.30	66.19			
PK	16.53244G	47.48	68.20	-20.72	57.33	3	Horizontal	277	2.67	-	38.99	14.94	63.78			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.35G	55.51	74.00	-18.49	44.14	3	Vertical	307	2.76	-	33.90	7.70	30.23			
AV	5.35G	46.19	54.00	-7.81	34.82	3	Vertical	307	2.76	-	33.90	7.70	30.23			
PK	5.4188G	59.40	74.00	-14.60	48.02	3	Vertical	307	2.76	-	33.90	7.75	30.27			
AV	5.3996G	48.69	54.00	-5.31	37.31	3	Vertical	307	2.76	-	33.90	7.74	30.26			
PK	5.4644G	56.61	68.20	-11.59	45.19	3	Vertical	307	2.76	-	33.93	7.78	30.29			
PK	5.5336G	112.81	Inf	-Inf	101.18	3	Vertical	307	2.76	-	34.09	7.83	30.29			
AV	5.5468G	102.49	Inf	-Inf	90.86	3	Vertical	307	2.76	-	34.09	7.83	30.29			
PK	5.7464G	59.13	68.20	-9.07	47.23	3	Vertical	307	2.76	-	34.00	8.12	30.22			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.4244G	58.80	74.00	-15.20	47.42	3	Horizontal	334	1.80	-	33.90	7.75	30.27
AV	5.4392G	48.77	54.00	-5.23	37.39	3	Horizontal	334	1.80	-	33.90	7.76	30.28
PK	5.4652G	59.12	68.20	-9.08	47.70	3	Horizontal	334	1.80	-	33.93	7.78	30.29
PK	5.5656G	110.08	Inf	-Inf	98.46	3	Horizontal	334	1.80	-	34.07	7.84	30.29
AV	5.5664G	100.61	Inf	-Inf	88.99	3	Horizontal	334	1.80	-	34.07	7.84	30.29
PK	5.728G	58.36	68.20	-9.84	46.51	3	Horizontal	334	1.80	-	34.00	8.08	30.23

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.08528G	46.50	74.00	-27.50	61.79	3	Vertical	181	1.33	-	38.57	12.33	66.19			
AV	11.0844G	35.82	54.00	-18.18	51.11	3	Vertical	181	1.33	-	38.57	12.33	66.19			
PK	16.63196G	47.81	68.20	-20.39	57.05	3	Vertical	154	1.96	-	39.69	14.96	63.89			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10248G	46.25	74.00	-27.75	61.50	3	Horizontal	101	2.18	-	38.60	12.34	66.19			
AV	11.08004G	35.53	54.00	-18.47	50.83	3	Horizontal	101	2.18	-	38.56	12.33	66.19			
PK	16.64796G	48.58	68.20	-19.62	57.73	3	Horizontal	291	1.70	-	39.79	14.96	63.90			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.664G	113.03	Inf	-Inf	101.31	3	Vertical	303	2.90	-	34.00	7.97	30.25			
AV	5.664G	102.91	Inf	-Inf	91.19	3	Vertical	303	2.90	-	34.00	7.97	30.25			
PK	5.7261G	61.70	68.20	-6.50	49.85	3	Vertical	303	2.90	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6625G	114.31	Inf	-Inf	102.59	3	Horizontal	61	2.22	-	34.00	7.97	30.25			
AV	5.6679G	102.98	Inf	-Inf	91.25	3	Horizontal	61	2.22	-	34.00	7.98	30.25			
PK	5.7252G	65.74	68.20	-2.46	53.89	3	Horizontal	61	2.22	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34004G	46.85	74.00	-27.15	61.91	3	Vertical	29	2.36	-	38.68	12.46	66.20			
AV	11.34584G	36.22	54.00	-17.78	51.27	3	Vertical	29	2.36	-	38.69	12.46	66.20			
PK	17.0028G	48.87	68.20	-19.33	56.91	3	Vertical	180	2.61	-	41.21	15.04	64.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35604G	47.12	74.00	-26.88	62.16	3	Horizontal	191	1.39	-	38.70	12.46	66.20			
AV	11.34312G	35.53	54.00	-18.47	50.58	3	Horizontal	191	1.39	-	38.69	12.46	66.20			
PK	16.99016G	49.38	68.20	-18.82	57.49	3	Horizontal	227	1.84	-	41.14	15.03	64.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 80
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7048G	114.58	Inf	-Inf	102.78	3	Vertical	339	2.76	-	34.00	8.04	30.24			
AV	5.7044G	103.59	Inf	-Inf	91.79	3	Vertical	339	2.76	-	34.00	8.04	30.24			
PK	5.892G	59.41	68.20	-8.79	47.34	3	Vertical	339	2.76	-	34.07	8.17	30.17			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7076G	113.47	Inf	-Inf	101.66	3	Horizontal	62	2.07	-	34.00	8.05	30.24			
AV	5.7128G	102.94	Inf	-Inf	91.11	3	Horizontal	62	2.07	-	34.00	8.06	30.23			
PK	5.8536G	58.54	68.20	-9.66	46.62	3	Horizontal	62	2.07	-	33.91	8.19	30.18			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43636G	46.69	74.00	-27.31	61.61	3	Vertical	23	2.23	-	38.77	12.51	66.20			
AV	11.42868G	35.61	54.00	-18.39	50.55	3	Vertical	23	2.23	-	38.76	12.50	66.20			
PK	17.14652G	49.46	68.20	-18.74	57.08	3	Vertical	262	1.34	-	41.59	15.07	64.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42244G	48.01	74.00	-25.99	62.97	3	Horizontal	139	2.03	-	38.74	12.50	66.20			
AV	11.43664G	35.63	54.00	-18.37	50.55	3	Horizontal	139	2.03	-	38.77	12.51	66.20			
PK	17.1498G	49.38	68.20	-18.82	56.99	3	Horizontal	41	2.80	-	41.60	15.07	64.28			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2875G	58.04	68.20	-10.16	46.81	3	Vertical	307	3.00	-	33.77	7.66	30.20			
PK	5.4445G	62.86	74.00	-11.14	51.47	3	Vertical	307	3.00	-	33.90	7.77	30.28			
AV	5.447G	53.18	54.00	-0.82	41.79	3	Vertical	307	3.00	-	33.90	7.77	30.28			
PK	5.462G	61.75	68.20	-6.45	50.34	3	Vertical	307	3.00	-	33.92	7.78	30.29			
PK	5.567G	110.08	Inf	-Inf	98.46	3	Vertical	307	3.00	-	34.07	7.84	30.29			
AV	5.549G	99.37	Inf	-Inf	87.73	3	Vertical	307	3.00	-	34.10	7.83	30.29			
PK	5.729G	59.74	68.20	-8.46	47.88	3	Vertical	307	3.00	-	34.00	8.09	30.23			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3255G	57.83	68.20	-10.37	46.52	3	Horizontal	0	2.80	-	33.85	7.68	30.22			
PK	5.453G	59.44	74.00	-14.56	48.05	3	Horizontal	0	2.80	-	33.91	7.77	30.29			
AV	5.4555G	49.98	54.00	-4.02	38.59	3	Horizontal	0	2.80	-	33.91	7.77	30.29			
PK	5.468G	60.77	68.20	-7.43	49.34	3	Horizontal	0	2.80	-	33.94	7.78	30.29			
PK	5.5185G	108.37	Inf	-Inf	96.82	3	Horizontal	0	2.80	-	34.04	7.81	30.30			
AV	5.5185G	98.09	Inf	-Inf	86.54	3	Horizontal	0	2.80	-	34.04	7.81	30.30			
PK	5.7735G	58.67	68.20	-9.53	46.72	3	Horizontal	0	2.80	-	34.00	8.16	30.21			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX

EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05448G	45.98	74.00	-28.02	61.35	3	Vertical	108	1.17	-	38.51	12.31	66.19			
AV	11.07652G	35.58	54.00	-18.42	50.90	3	Vertical	108	1.17	-	38.55	12.32	66.19			
PK	16.57808G	47.98	68.20	-20.22	57.54	3	Vertical	167	2.07	-	39.32	14.95	63.83			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.08G	46.31	74.00	-27.69	61.61	3	Horizontal	45	1.39	-	38.56	12.33	66.19			
AV	11.07236G	35.67	54.00	-18.33	51.00	3	Horizontal	45	1.39	-	38.54	12.32	66.19			
PK	16.59968G	47.95	68.20	-20.25	57.35	3	Horizontal	293	2.68	-	39.50	14.95	63.85			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4305G	58.53	74.00	-15.47	47.14	3	Vertical	300	3.00	-	33.90	7.76	30.27			
AV	5.4445G	48.28	54.00	-5.72	36.89	3	Vertical	300	3.00	-	33.90	7.77	30.28			
PK	5.462G	57.72	68.20	-10.48	46.31	3	Vertical	300	3.00	-	33.92	7.78	30.29			
PK	5.5765G	108.42	Inf	-Inf	96.80	3	Vertical	300	3.00	-	34.05	7.85	30.28			
AV	5.574G	98.24	Inf	-Inf	86.63	3	Vertical	300	3.00	-	34.05	7.84	30.28			
PK	5.7265G	61.34	68.20	-6.86	49.49	3	Vertical	300	3.00	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3985G	58.75	74.00	-15.25	47.37	3	Horizontal	334	1.55	-	33.90	7.74	30.26			
PK	5.467G	57.70	68.20	-10.50	46.28	3	Horizontal	334	1.55	-	33.93	7.78	30.29			
AV	5.441G	48.45	54.00	-5.55	37.07	3	Horizontal	334	1.55	-	33.90	7.76	30.28			
PK	5.578G	108.14	Inf	-Inf	96.53	3	Horizontal	334	1.55	-	34.04	7.85	30.28			
AV	5.5955G	97.46	Inf	-Inf	85.87	3	Horizontal	334	1.55	-	34.01	7.86	30.28			
PK	5.725G	60.61	68.20	-7.59	48.76	3	Horizontal	334	1.55	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.20212G	45.34	74.00	-28.66	60.64	3	Vertical	284	2.17	-	38.50	12.39	66.19			
AV	11.2308G	34.96	54.00	-19.04	50.25	3	Vertical	284	2.17	-	38.50	12.40	66.19			
PK	16.83284G	49.39	68.20	-18.81	58.13	3	Vertical	286	1.22	-	40.37	15.00	64.11			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23984G	45.82	74.00	-28.18	61.10	3	Horizontal	142	1.35	-	38.50	12.41	66.19			
AV	11.23264G	35.37	54.00	-18.63	50.66	3	Horizontal	142	1.35	-	38.50	12.40	66.19			
PK	16.82288G	48.62	68.20	-19.58	57.37	3	Horizontal	141	2.13	-	40.35	15.00	64.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.451G	57.99	74.00	-16.01	46.60	3	Vertical	327	2.87	-	33.90	7.77	30.28			
AV	5.447G	47.47	54.00	-6.53	36.08	3	Vertical	327	2.87	-	33.90	7.77	30.28			
PK	5.469G	58.27	68.20	-9.93	46.84	3	Vertical	327	2.87	-	33.94	7.78	30.29			
PK	5.692G	111.61	Inf	-Inf	99.83	3	Vertical	327	2.87	-	34.00	8.02	30.24			
AV	5.705G	99.93	Inf	-Inf	88.13	3	Vertical	327	2.87	-	34.00	8.04	30.24			
PK	5.8935G	58.71	68.20	-9.49	46.64	3	Vertical	327	2.87	-	34.07	8.17	30.17			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4475G	57.05	74.00	-16.95	45.66	3	Horizontal	54	1.80	-	33.90	7.77	30.28			
AV	5.447G	47.55	54.00	-6.45	36.16	3	Horizontal	54	1.80	-	33.90	7.77	30.28			
PK	5.462G	57.80	68.20	-10.40	46.39	3	Horizontal	54	1.80	-	33.92	7.78	30.29			
PK	5.72G	108.77	Inf	-Inf	96.93	3	Horizontal	54	1.80	-	34.00	8.07	30.23			
AV	5.708G	98.58	Inf	-Inf	86.77	3	Horizontal	54	1.80	-	34.00	8.05	30.24			
PK	5.8515G	58.87	68.20	-9.33	46.95	3	Horizontal	54	1.80	-	33.91	8.19	30.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.36524G	47.34	74.00	-26.66	62.37	3	Vertical	11	1.82	-	38.70	12.47	66.20			
AV	11.3944G	36.57	54.00	-17.43	51.59	3	Vertical	11	1.82	-	38.70	12.48	66.20			
PK	17.06956G	49.11	68.20	-19.09	57.01	3	Vertical	231	1.66	-	41.34	15.05	64.29			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.36088G	46.28	74.00	-27.72	61.31	3	Horizontal	127	2.47	-	38.70	12.47	66.20			
AV	11.36868G	35.65	54.00	-18.35	50.68	3	Horizontal	127	2.47	-	38.70	12.47	66.20			
PK	17.0652G	48.56	68.20	-19.64	56.47	3	Horizontal	6	2.25	-	41.33	15.05	64.29			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_V_2TX
Setting 72
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3492G	56.78	68.20	-11.42	60.69	3	Vertical	39	1.80	-	31.40	8.47	43.78
PK	5.4596G	66.78	74.00	-7.22	70.31	3	Vertical	39	1.80	-	31.64	8.55	43.72
AV	5.4468G	53.11	54.00	-0.89	56.71	3	Vertical	39	1.80	-	31.59	8.54	43.73
PK	5.4604G	67.96	68.20	-0.24	71.49	3	Vertical	39	1.80	-	31.64	8.55	43.72
AV	5.4948G	91.31	Inf	-Inf	94.64	3	Vertical	39	1.80	-	31.78	8.59	43.70
PK	5.5844G	102.44	Inf	-Inf	105.75	3	Vertical	39	1.80	-	31.63	8.68	43.62
PK	5.7548G	65.14	68.20	-3.06	67.63	3	Vertical	39	1.80	-	32.10	8.86	43.45

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_V_2TX
Setting 72
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3452G	59.98	68.20	-8.22	63.91	3	Horizontal	360	1.80	-	31.38	8.47	43.78			
PK	5.4428G	65.80	74.00	-8.20	69.43	3	Horizontal	360	1.80	-	31.57	8.53	43.73			
PK	5.4652G	64.80	68.20	-3.40	68.30	3	Horizontal	360	1.80	-	31.66	8.56	43.72			
AV	5.458G	51.05	54.00	-2.95	54.59	3	Horizontal	360	1.80	-	31.63	8.55	43.72			
PK	5.5236G	103.71	Inf	-Inf	107.02	3	Horizontal	360	1.80	-	31.75	8.62	43.68			
PK	5.7276G	65.99	68.20	-2.21	68.57	3	Horizontal	360	1.80	-	32.06	8.83	43.47			
AV	5.6284G	92.90	Inf	-Inf	96.03	3	Horizontal	360	1.80	-	31.71	8.73	43.57			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 72
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14044G	45.88	74.00	-28.12	61.19	3	Vertical	83	2.04	-	38.52	12.36	66.19			
AV	11.15908G	35.41	54.00	-18.59	50.73	3	Vertical	83	2.04	-	38.50	12.37	66.19			
PK	16.71272G	49.20	68.20	-19.00	58.26	3	Vertical	319	2.59	-	39.93	14.98	63.97			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 72
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.128G	46.34	74.00	-27.66	61.64	3	Horizontal	78	2.83	-	38.54	12.35	66.19			
AV	11.15612G	34.73	54.00	-19.27	50.06	3	Horizontal	78	2.83	-	38.50	12.36	66.19			
PK	16.70952G	48.85	68.20	-19.35	57.92	3	Horizontal	118	1.74	-	39.92	14.98	63.97			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 80
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64G	59.05	68.20	-9.15	47.38	3	Vertical	66	1.71	-	34.00	7.93	30.26			
PK	5.7505G	116.00	Inf	-Inf	104.10	3	Vertical	66	1.71	-	34.00	8.12	30.22			
AV	5.7405G	106.38	Inf	-Inf	94.49	3	Vertical	66	1.71	-	34.00	8.11	30.22			
PK	5.944G	58.17	68.20	-10.03	45.98	3	Vertical	66	1.71	-	34.19	8.15	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 80
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6365G	59.32	68.20	-8.88	47.66	3	Horizontal	57	1.75	-	34.00	7.92	30.26			
PK	5.7405G	117.43	Inf	-Inf	105.54	3	Horizontal	57	1.75	-	34.00	8.11	30.22			
AV	5.74G	107.43	Inf	-Inf	95.54	3	Horizontal	57	1.75	-	34.00	8.11	30.22			
PK	5.946G	58.90	68.20	-9.30	46.72	3	Horizontal	57	1.75	-	34.19	8.14	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.47105G	46.51	74.00	-27.49	61.31	3	Vertical	132	2.42	-	38.88	12.52	66.20			
AV	11.4866G	33.72	54.00	-20.28	48.44	3	Vertical	132	2.42	-	38.95	12.53	66.20			
PK	17.2465G	50.10	68.20	-18.10	57.21	3	Vertical	280	1.64	-	42.08	15.09	64.28			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49575G	46.62	74.00	-27.38	61.30	3	Horizontal	260	2.08	-	38.98	12.54	66.20			
AV	11.4872G	33.73	54.00	-20.27	48.45	3	Horizontal	260	2.08	-	38.95	12.53	66.20			
PK	17.2369G	50.14	68.20	-18.06	57.32	3	Horizontal	22	2.51	-	42.02	15.08	64.28			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 80
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.538G	59.10	68.20	-9.10	47.50	3	Vertical	26	1.80	-	34.08	7.82	30.30			
PK	5.78G	113.95	Inf	-Inf	101.98	3	Vertical	26	1.80	-	34.00	8.18	30.21			
AV	5.7795G	104.77	Inf	-Inf	92.81	3	Vertical	26	1.80	-	34.00	8.17	30.21			
PK	5.994G	59.15	68.20	-9.05	46.87	3	Vertical	26	1.80	-	34.29	8.12	30.13			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 80
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6205G	59.04	68.20	-9.16	47.41	3	Horizontal	66	2.24	-	34.00	7.90	30.27			
PK	5.781G	115.63	Inf	-Inf	103.66	3	Horizontal	66	2.24	-	34.00	8.18	30.21			
AV	5.7805G	106.32	Inf	-Inf	94.35	3	Horizontal	66	2.24	-	34.00	8.18	30.21			
PK	5.958G	59.66	68.20	-8.54	47.45	3	Horizontal	66	2.24	-	34.22	8.14	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58015G	46.66	74.00	-27.34	61.05	3	Vertical	305	2.26	-	39.16	12.58	66.13			
AV	11.5577G	33.95	54.00	-20.05	48.41	3	Vertical	305	2.26	-	39.12	12.57	66.15			
PK	17.344G	51.31	68.20	-16.89	57.62	3	Vertical	322	1.67	-	42.85	15.11	64.27			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.548G	46.82	74.00	-27.18	61.32	3	Horizontal	3	2.79	-	39.10	12.56	66.16			
AV	11.5701G	33.93	54.00	-20.07	48.36	3	Horizontal	3	2.79	-	39.14	12.57	66.14			
PK	17.3454G	52.10	68.20	-16.10	58.40	3	Horizontal	175	2.13	-	42.86	15.11	64.27			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6285G	59.59	68.20	-8.61	47.94	3	Vertical	65	1.78	-	34.00	7.91	30.26				
PK	5.8205G	113.77	Inf	-Inf	101.80	3	Vertical	65	1.78	-	33.96	8.20	30.19				
AV	5.8205G	104.47	Inf	-Inf	92.50	3	Vertical	65	1.78	-	33.96	8.20	30.19				
PK	5.9245G	60.03	68.57	-8.54	47.89	3	Vertical	65	1.78	-	34.15	8.15	30.16				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.581G	59.29	68.20	-8.91	47.68	3	Horizontal	61	1.90	-	34.04	7.85	30.28			
PK	5.8205G	114.96	Inf	-Inf	102.99	3	Horizontal	61	1.90	-	33.96	8.20	30.19			
AV	5.8205G	105.74	Inf	-Inf	93.77	3	Horizontal	61	1.90	-	33.96	8.20	30.19			
PK	5.955G	59.35	68.20	-8.85	47.15	3	Horizontal	61	1.90	-	34.21	8.14	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
Setting 80
04-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.6413G	58.24	74.00	-15.76	48.32	3	Vertical	47	1.80	-	39.53	13.33	42.94			
AV	11.64038G	45.04	54.00	-8.96	35.11	3	Vertical	47	1.80	-	39.54	13.33	42.94			
PK	17.47192G	62.01	68.20	-6.19	46.61	3	Vertical	26	2.18	-	42.18	16.36	43.14			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
Setting 80
04-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.6536G	57.25	74.00	-16.75	47.38	3	Horizontal	126	1.86	-	39.49	13.34	42.96			
AV	11.6414G	44.81	54.00	-9.19	34.89	3	Horizontal	126	1.86	-	39.53	13.33	42.94			
PK	17.476G	61.96	68.20	-6.24	46.53	3	Horizontal	311	2.90	-	42.21	16.36	43.14			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT V_2TX
Setting 80
04-E-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.632G	56.59	68.20	-11.61	59.70	3	Vertical	27	1.68	-	31.73	8.73	43.57			
PK	5.738G	115.66	Inf	-Inf	118.20	3	Vertical	27	1.68	-	32.08	8.84	43.46			
AV	5.7375G	103.83	Inf	-Inf	106.37	3	Vertical	27	1.68	-	32.08	8.84	43.46			
PK	5.958G	56.74	68.20	-11.46	58.57	3	Vertical	27	1.68	-	32.32	9.09	43.24			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT V_2TX
Setting 80
04-E-5-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.5085G	56.63	68.20	-11.57	59.94	3	Horizontal	60	1.80	-	31.78	8.60	43.69			
PK	5.74G	116.46	Inf	-Inf	118.99	3	Horizontal	60	1.80	-	32.08	8.85	43.46			
AV	5.7375G	105.03	Inf	-Inf	107.57	3	Horizontal	60	1.80	-	32.08	8.84	43.46			
PK	5.936G	57.19	68.20	-11.01	59.08	3	Horizontal	60	1.80	-	32.30	9.07	43.26			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4878G	46.49	74.00	-27.51	61.21	3	Vertical	168	2.97	-	38.95	12.53	66.20			
AV	11.47975G	33.67	54.00	-20.33	48.42	3	Vertical	168	2.97	-	38.92	12.53	66.20			
PK	17.23825G	51.25	68.20	-16.95	58.42	3	Vertical	260	1.39	-	42.03	15.08	64.28			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.475G	45.97	74.00	-28.03	60.75	3	Horizontal	30	2.33	-	38.90	12.52	66.20			
AV	11.46625G	33.73	54.00	-20.27	48.55	3	Horizontal	30	2.33	-	38.86	12.52	66.20			
PK	17.25715G	50.37	68.20	-17.83	57.39	3	Horizontal	62	2.18	-	42.16	15.09	64.27			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6245G	58.98	68.20	-9.22	47.35	3	Vertical	26	1.80	-	34.00	7.90	30.27			
PK	5.7775G	114.21	Inf	-Inf	102.25	3	Vertical	26	1.80	-	34.00	8.17	30.21			
AV	5.7775G	101.35	Inf	-Inf	89.39	3	Vertical	26	1.80	-	34.00	8.17	30.21			
PK	5.9705G	58.59	68.20	-9.61	46.36	3	Vertical	26	1.80	-	34.24	8.13	30.14			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6475G	58.60	68.20	-9.60	46.92	3	Horizontal	64	2.23	-	34.00	7.94	30.26			
PK	5.783G	116.94	Inf	-Inf	104.97	3	Horizontal	64	2.23	-	34.00	8.18	30.21			
AV	5.7805G	103.21	Inf	-Inf	91.24	3	Horizontal	64	2.23	-	34.00	8.18	30.21			
PK	5.957G	58.92	68.20	-9.28	46.72	3	Horizontal	64	2.23	-	34.21	8.14	30.15			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56905G	46.96	74.00	-27.04	61.42	3	Vertical	147	1.76	-	39.12	12.57	66.15			
AV	11.56945G	33.99	54.00	-20.01	48.42	3	Vertical	147	1.76	-	39.14	12.57	66.14			
PK	17.34305G	52.30	68.20	-15.90	58.62	3	Vertical	358	1.39	-	42.84	15.11	64.27			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.57775G	46.64	74.00	-27.36	61.03	3	Horizontal	199	2.80	-	39.16	12.58	66.13			
AV	11.5521G	33.94	54.00	-20.06	48.43	3	Horizontal	199	2.80	-	39.10	12.56	66.15			
PK	17.3419G	51.76	68.20	-16.44	58.08	3	Horizontal	101	2.79	-	42.84	15.11	64.27			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_V_2TX
Setting 80
04-E-5-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.63G	56.48	68.20	-11.72	59.60	3	Vertical	27	1.74	-	31.72	8.73	43.57				
PK	5.818G	114.01	Inf	-Inf	116.36	3	Vertical	27	1.74	-	32.10	8.93	43.38				
AV	5.8195G	102.17	Inf	-Inf	104.52	3	Vertical	27	1.74	-	32.10	8.93	43.38				
PK	6.0145G	56.97	68.20	-11.23	58.62	3	Vertical	27	1.74	-	32.40	9.15	43.20				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_V_2TX
Setting 80
04-E-5-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.5815G	56.77	68.20	-11.43	60.07	3	Horizontal	67	1.79	-	31.64	8.68	43.62			
PK	5.828G	114.56	Inf	-Inf	116.89	3	Horizontal	67	1.79	-	32.10	8.94	43.37			
AV	5.8305G	103.17	Inf	-Inf	105.49	3	Horizontal	67	1.79	-	32.10	8.95	43.37			
PK	5.954G	57.53	68.20	-10.67	59.38	3	Horizontal	67	1.79	-	32.31	9.09	43.25			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6495G	46.87	74.00	-27.13	61.03	3	Vertical	305	1.63	-	39.30	12.61	66.07			
AV	11.63855G	33.87	54.00	-20.13	48.06	3	Vertical	305	1.63	-	39.28	12.61	66.08			
PK	17.49405G	52.35	68.20	-15.85	57.62	3	Vertical	357	1.04	-	43.85	15.14	64.26			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64705G	46.18	74.00	-27.82	60.35	3	Horizontal	324	1.98	-	39.29	12.61	66.07			
AV	11.64255G	33.75	54.00	-20.25	47.92	3	Horizontal	324	1.98	-	39.29	12.61	66.07			
PK	17.49375G	52.96	68.20	-15.24	58.23	3	Horizontal	244	2.83	-	43.85	15.14	64.26			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6425G	59.43	68.20	-8.77	47.76	3	Vertical	63	1.39	-	34.00	7.93	30.26			
PK	5.7405G	111.12	Inf	-Inf	99.23	3	Vertical	63	1.39	-	34.00	8.11	30.22			
AV	5.738G	101.10	Inf	-Inf	89.22	3	Vertical	63	1.39	-	34.00	8.10	30.22			
PK	5.9785G	58.23	68.20	-9.97	45.98	3	Vertical	63	1.39	-	34.26	8.13	30.14			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.521G	58.94	68.20	-9.26	47.39	3	Horizontal	61	2.18	-	34.04	7.81	30.30			
PK	5.7625G	113.18	Inf	-Inf	101.26	3	Horizontal	61	2.18	-	34.00	8.14	30.22			
AV	5.7405G	103.11	Inf	-Inf	91.22	3	Horizontal	61	2.18	-	34.00	8.11	30.22			
PK	5.9415G	58.92	68.20	-9.28	46.74	3	Horizontal	61	2.18	-	34.18	8.15	30.15			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49584G	46.83	74.00	-27.17	61.51	3	Vertical	150	2.44	-	38.98	12.54	66.20			
AV	11.52428G	35.59	54.00	-18.41	50.17	3	Vertical	150	2.44	-	39.05	12.55	66.18			
PK	17.28408G	49.97	68.20	-18.23	56.78	3	Vertical	202	2.74	-	42.37	15.09	64.27			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51104G	47.36	74.00	-26.64	61.99	3	Horizontal	157	1.67	-	39.02	12.54	66.19			
AV	11.51524G	35.69	54.00	-18.31	50.30	3	Horizontal	157	1.67	-	39.03	12.55	66.19			
PK	17.2464G	50.93	68.20	-17.27	58.04	3	Horizontal	282	2.57	-	42.08	15.09	64.28			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.5805G	58.36	68.20	-9.84	46.75	3	Vertical	24	1.80	-	34.04	7.85	30.28			
PK	5.7805G	109.89	Inf	-Inf	97.92	3	Vertical	24	1.80	-	34.00	8.18	30.21			
AV	5.785G	100.01	Inf	-Inf	88.04	3	Vertical	24	1.80	-	34.00	8.18	30.21			
PK	6.002G	59.01	68.20	-9.19	46.72	3	Vertical	24	1.80	-	34.30	8.12	30.13			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.611G	58.82	68.20	-9.38	47.21	3	Horizontal	61	2.12	-	34.00	7.88	30.27			
PK	5.79G	112.25	Inf	-Inf	100.27	3	Horizontal	61	2.12	-	34.00	8.19	30.21			
AV	5.7775G	101.90	Inf	-Inf	89.94	3	Horizontal	61	2.12	-	34.00	8.17	30.21			
PK	5.979G	59.76	68.20	-8.44	47.51	3	Horizontal	61	2.12	-	34.26	8.13	30.14			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5926G	46.14	74.00	-27.86	60.49	3	Vertical	288	1.48	-	39.19	12.58	66.12			
AV	11.57376G	36.41	54.00	-17.59	50.82	3	Vertical	288	1.48	-	39.15	12.57	66.13			
PK	17.37284G	52.10	68.20	-16.10	58.27	3	Vertical	287	2.86	-	42.99	15.11	64.27			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5848G	46.56	74.00	-27.44	60.93	3	Horizontal	39	2.69	-	39.17	12.58	66.12			
AV	11.57732G	36.48	54.00	-17.52	50.88	3	Horizontal	39	2.69	-	39.15	12.58	66.13			
PK	17.369G	50.83	68.20	-17.37	57.01	3	Horizontal	128	1.80	-	42.98	15.11	64.27			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX

EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6475G	66.10	68.20	-2.10	54.42	3	Vertical	23	1.71	-	34.00	7.94	30.26			
PK	5.7595G	109.39	Inf	-Inf	97.47	3	Vertical	23	1.71	-	34.00	8.14	30.22			
AV	5.76G	98.85	Inf	-Inf	86.93	3	Vertical	23	1.71	-	34.00	8.14	30.22			
PK	5.963G	58.16	68.20	-10.04	45.93	3	Vertical	23	1.71	-	34.23	8.14	30.14			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.642G	65.75	68.20	-2.45	54.08	3	Horizontal	57	1.89	-	34.00	7.93	30.26				
PK	5.7405G	109.93	Inf	-Inf	98.04	3	Horizontal	57	1.89	-	34.00	8.11	30.22				
AV	5.748G	100.09	Inf	-Inf	88.19	3	Horizontal	57	1.89	-	34.00	8.12	30.22				
PK	5.9735G	60.10	68.20	-8.10	47.86	3	Horizontal	57	1.89	-	34.25	8.13	30.14				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.564G	46.94	74.00	-27.06	61.38	3	Vertical	266	2.05	-	39.13	12.57	66.14			
AV	11.5426G	36.02	54.00	-17.98	50.53	3	Vertical	266	2.05	-	39.09	12.56	66.16			
PK	17.34464G	52.05	68.20	-16.15	58.35	3	Vertical	229	1.58	-	42.86	15.11	64.27			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX

EUT_Y_2TX
Setting 80
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55232G	47.44	74.00	-26.56	61.93	3	Horizontal	302	1.77	-	39.10	12.56	66.15			
AV	11.5408G	36.01	54.00	-17.99	50.53	3	Horizontal	302	1.77	-	39.08	12.56	66.16			
PK	17.33164G	52.43	68.20	-15.77	58.85	3	Horizontal	304	2.16	-	42.75	15.10	64.27			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_1TX	Pass	AV	5.3504G	53.79	54.00	-0.21	3	Horizontal	54	1.80	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT Y_1TX
Setting 72
04-E-5-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	65.90	74.00	-8.10	69.39	3	Vertical	332	2.78	-	32.00	8.39	43.88			
AV	5.1478G	49.51	54.00	-4.49	53.01	3	Vertical	332	2.78	-	31.99	8.39	43.88			
PK	5.1828G	107.25	Inf	-Inf	110.90	3	Vertical	332	2.78	-	31.80	8.41	43.86			
AV	5.1812G	98.53	Inf	-Inf	102.17	3	Vertical	332	2.78	-	31.81	8.41	43.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT Y_1TX
Setting 72
04-E-5-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1486G	69.39	74.00	-4.61	72.89	3	Horizontal	49	1.80	-	31.99	8.39	43.88			
AV	5.15G	53.76	54.00	-0.24	57.24	3	Horizontal	49	1.80	-	32.00	8.39	43.87			
PK	5.1774G	110.34	Inf	-Inf	113.95	3	Horizontal	49	1.80	-	31.84	8.41	43.86			
AV	5.181G	101.00	Inf	-Inf	104.64	3	Horizontal	49	1.80	-	31.81	8.41	43.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 72
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3564G	55.29	68.20	-12.91	46.84	3	Vertical	213	2.34	-	39.11	12.41	43.07			
PK	15.53444G	62.19	74.00	-11.81	50.31	3	Vertical	297	1.56	-	37.96	16.17	42.25			
AV	15.5323G	47.42	54.00	-6.58	35.53	3	Vertical	297	1.56	-	37.97	16.17	42.25			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT Y_1TX
Setting 72
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36768G	55.83	68.20	-12.37	47.36	3	Horizontal	240	1.13	-	39.14	12.42	43.09			
PK	15.5481G	60.53	74.00	-13.47	48.71	3	Horizontal	137	1.39	-	37.91	16.17	42.26			
AV	15.5455G	47.60	54.00	-6.40	35.77	3	Horizontal	137	1.39	-	37.92	16.17	42.26			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT Y_1TX
Setting 80
02-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1412G	62.22	74.00	-11.78	51.18	3	Vertical	7	2.82	-	33.58	7.58	30.12			
AV	5.1456G	51.49	54.00	-2.51	40.45	3	Vertical	7	2.82	-	33.59	7.58	30.13			
PK	5.1966G	110.11	Inf	-Inf	98.98	3	Vertical	7	2.82	-	33.69	7.59	30.15			
AV	5.2026G	101.14	Inf	-Inf	90.01	3	Vertical	7	2.82	-	33.70	7.59	30.16			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 80
02-D-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.15G	67.33	74.00	-6.67	56.28	3	Horizontal	309	2.18	-	33.60	7.58	30.13				
AV	5.1478G	52.70	54.00	-1.30	41.65	3	Horizontal	309	2.18	-	33.60	7.58	30.13				
PK	5.1964G	113.99	Inf	-Inf	102.86	3	Horizontal	309	2.18	-	33.69	7.59	30.15				
AV	5.1982G	105.03	Inf	-Inf	93.89	3	Horizontal	309	2.18	-	33.70	7.59	30.15				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 80
02-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39997G	46.84	68.20	-21.36	63.25	3	Vertical	32	1.80	-	38.30	11.98	66.69			
PK	15.60006G	46.83	74.00	-27.17	58.40	3	Vertical	183	1.80	-	37.80	14.48	63.85			
AV	15.5928G	36.02	54.00	-17.98	47.58	3	Vertical	183	1.80	-	37.81	14.48	63.85			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 80
02-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3922G	47.70	68.20	-20.50	64.08	3	Horizontal	51	1.10	-	38.32	11.98	66.68			
PK	15.58926G	46.79	74.00	-27.21	58.34	3	Horizontal	154	1.13	-	37.82	14.47	63.84			
AV	15.5961G	36.32	54.00	-17.68	47.88	3	Horizontal	154	1.13	-	37.81	14.48	63.85			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 80
02-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1098G	61.98	74.00	-12.02	51.00	3	Vertical	19	2.90	-	33.52	7.57	30.11			
AV	5.1212G	51.64	54.00	-2.36	40.64	3	Vertical	19	2.90	-	33.54	7.57	30.11			
PK	5.243G	110.33	Inf	-Inf	99.19	3	Vertical	19	2.90	-	33.70	7.62	30.18			
AV	5.2412G	101.22	Inf	-Inf	90.08	3	Vertical	19	2.90	-	33.70	7.62	30.18			
PK	5.3702G	61.83	74.00	-12.17	50.45	3	Vertical	19	2.90	-	33.90	7.72	30.24			
AV	5.3771G	52.08	54.00	-1.92	40.71	3	Vertical	19	2.90	-	33.90	7.72	30.25			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT Y_1TX
Setting 80
02-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.099G	61.94	74.00	-12.06	50.97	3	Horizontal	52	1.93	-	33.50	7.57	30.10			
AV	5.1464G	51.47	54.00	-2.53	40.43	3	Horizontal	52	1.93	-	33.59	7.58	30.13			
PK	5.2373G	114.23	Inf	-Inf	103.08	3	Horizontal	52	1.93	-	33.70	7.62	30.17			
AV	5.2328G	105.05	Inf	-Inf	93.91	3	Horizontal	52	1.93	-	33.70	7.61	30.17			
PK	5.3615G	62.43	74.00	-11.57	51.06	3	Horizontal	52	1.93	-	33.90	7.71	30.24			
AV	5.3561G	51.76	54.00	-2.24	40.39	3	Horizontal	52	1.93	-	33.90	7.71	30.24			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 80
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47667G	47.31	68.20	-20.89	63.76	3	Vertical	252	1.80	-	38.25	12.02	66.72			
PK	15.70998G	47.05	74.00	-26.95	58.78	3	Vertical	313	1.80	-	37.58	14.58	63.89			
AV	15.71079G	35.87	54.00	-18.13	47.60	3	Vertical	313	1.80	-	37.58	14.58	63.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 80
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46887G	47.47	68.20	-20.73	63.93	3	Horizontal	302	1.80	-	38.24	12.02	66.72			
PK	15.70671G	47.30	74.00	-26.70	59.02	3	Horizontal	109	1.80	-	37.59	14.58	63.89			
AV	15.72387G	36.03	54.00	-17.97	47.79	3	Horizontal	109	1.80	-	37.55	14.59	63.90			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 80
02-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1229G	61.64	74.00	-12.36	50.63	3	Vertical	1	2.89	-	33.55	7.57	30.11			
AV	5.1211G	51.62	54.00	-2.38	40.62	3	Vertical	1	2.89	-	33.54	7.57	30.11			
PK	5.2633G	110.14	Inf	-Inf	98.96	3	Vertical	1	2.89	-	33.73	7.64	30.19			
AV	5.2636G	101.00	Inf	-Inf	89.82	3	Vertical	1	2.89	-	33.73	7.64	30.19			
PK	5.356G	62.61	74.00	-11.39	51.24	3	Vertical	1	2.89	-	33.90	7.71	30.24			
AV	5.3848G	51.65	54.00	-2.35	40.27	3	Vertical	1	2.89	-	33.90	7.73	30.25			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 80
02-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1415G	61.92	74.00	-12.08	50.88	3	Horizontal	50	2.87	-	33.58	7.58	30.12			
AV	5.1388G	51.40	54.00	-2.60	40.36	3	Horizontal	50	2.87	-	33.58	7.58	30.12			
PK	5.2654G	114.58	Inf	-Inf	103.40	3	Horizontal	50	2.87	-	33.73	7.64	30.19			
AV	5.2579G	105.09	Inf	-Inf	93.92	3	Horizontal	50	2.87	-	33.72	7.63	30.18			
PK	5.3764G	62.61	74.00	-11.39	51.24	3	Horizontal	50	2.87	-	33.90	7.72	30.25			
AV	5.3662G	51.91	54.00	-2.09	40.54	3	Horizontal	50	2.87	-	33.90	7.71	30.24			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT Y_1TX
Setting 80
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.52006G	46.49	68.20	-21.71	62.86	3	Vertical	257	2.47	-	38.30	12.04	66.71			
PK	15.78789G	46.17	74.00	-27.83	58.02	3	Vertical	92	1.06	-	37.42	14.65	63.92			
AV	15.7695G	35.20	54.00	-18.80	47.02	3	Vertical	92	1.06	-	37.46	14.63	63.91			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 80
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52594G	46.43	68.20	-21.77	62.78	3	Horizontal	15	1.88	-	38.30	12.05	66.70			
PK	15.76758G	45.58	74.00	-28.42	57.40	3	Horizontal	211	1.89	-	37.46	14.63	63.91			
AV	15.79338G	34.84	54.00	-19.16	46.70	3	Horizontal	211	1.89	-	37.41	14.65	63.92			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 80
02-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2956G	109.94	Inf	-Inf	98.69	3	Vertical	339	2.87	-	33.79	7.66	30.20			
AV	5.2962G	100.84	Inf	-Inf	89.59	3	Vertical	339	2.87	-	33.79	7.66	30.20			
PK	5.3962G	63.23	74.00	-10.77	51.85	3	Vertical	339	2.87	-	33.90	7.74	30.26			
AV	5.3806G	52.01	54.00	-1.99	40.63	3	Vertical	339	2.87	-	33.90	7.73	30.25			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 80
02-D-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3028G	113.55	Inf	-Inf	102.28	3	Horizontal	50	2.85	-	33.81	7.67	30.21				
AV	5.3026G	104.30	Inf	-Inf	93.03	3	Horizontal	50	2.85	-	33.81	7.67	30.21				
PK	5.3584G	62.90	74.00	-11.10	51.53	3	Horizontal	50	2.85	-	33.90	7.71	30.24				
AV	5.394G	52.28	54.00	-1.72	40.89	3	Horizontal	50	2.85	-	33.90	7.74	30.25				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX

EUT_Y_1TX
Setting 80
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58503G	46.85	68.20	-21.35	63.04	3	Vertical	266	1.01	-	38.37	12.08	66.64			
PK	15.89682G	46.50	74.00	-27.50	58.03	3	Vertical	128	2.14	-	37.69	14.74	63.96			
AV	15.89406G	35.94	54.00	-18.06	47.48	3	Vertical	128	2.14	-	37.68	14.74	63.96			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 80
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59019G	46.94	68.20	-21.26	63.11	3	Horizontal	43	1.80	-	38.38	12.08	66.63			
PK	15.90609G	47.16	74.00	-26.84	58.69	3	Horizontal	87	2.48	-	37.68	14.75	63.96			
AV	15.90156G	36.02	54.00	-17.98	47.55	3	Horizontal	87	2.48	-	37.69	14.74	63.96			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT Y_1TX
Setting 72
04-E-5-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.323G	105.94	Inf	-Inf	109.98	3	Vertical	332	1.80	-	31.29	8.46	43.79			
AV	5.3144G	96.65	Inf	-Inf	100.72	3	Vertical	332	1.80	-	31.26	8.46	43.79			
PK	5.35G	65.97	74.00	-8.03	69.88	3	Vertical	332	1.80	-	31.40	8.47	43.78			
AV	5.3502G	49.40	54.00	-4.60	53.30	3	Vertical	332	1.80	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT Y_1TX
Setting 72
04-E-5-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.324G	111.07	Inf	-Inf	115.10	3	Horizontal	54	1.80	-	31.30	8.46	43.79			
AV	5.3184G	101.80	Inf	-Inf	105.86	3	Horizontal	54	1.80	-	31.27	8.46	43.79			
PK	5.3512G	71.26	74.00	-2.74	75.16	3	Horizontal	54	1.80	-	31.40	8.47	43.77			
AV	5.3504G	53.79	54.00	-0.21	57.69	3	Horizontal	54	1.80	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 72
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64897G	45.84	74.00	-28.16	61.90	3	Vertical	181	2.17	-	38.40	12.11	66.57			
AV	10.65212G	35.08	54.00	-18.92	51.14	3	Vertical	181	2.17	-	38.40	12.11	66.57			
PK	15.96903G	46.34	74.00	-27.66	58.03	3	Vertical	319	1.89	-	37.50	14.80	63.99			
AV	15.96477G	35.33	54.00	-18.67	47.02	3	Vertical	319	1.89	-	37.50	14.80	63.99			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 72
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65269G	46.71	74.00	-27.29	62.78	3	Horizontal	19	2.06	-	38.39	12.11	66.57			
AV	10.62866G	34.92	54.00	-19.08	51.01	3	Horizontal	19	2.06	-	38.40	12.10	66.59			
PK	15.95307G	45.95	74.00	-28.05	57.64	3	Horizontal	254	2.59	-	37.50	14.79	63.98			
AV	15.95103G	35.89	54.00	-18.11	47.58	3	Horizontal	254	2.59	-	37.50	14.79	63.98			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT Y_1TX
Setting 75
04-E-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4598G	60.68	74.00	-13.32	64.21	3	Vertical	342	1.80	-	31.64	8.55	43.72			
AV	5.4584G	46.10	54.00	-7.90	49.64	3	Vertical	342	1.80	-	31.63	8.55	43.72			
PK	5.469G	63.82	68.20	-4.38	67.30	3	Vertical	342	1.80	-	31.68	8.56	43.72			
PK	5.4974G	107.02	Inf	-Inf	110.34	3	Vertical	342	1.80	-	31.79	8.59	43.70			
AV	5.5064G	98.18	Inf	-Inf	101.48	3	Vertical	342	1.80	-	31.79	8.60	43.69			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT Y_1TX
Setting 75
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	63.70	74.00	-10.30	67.24	3	Horizontal	60	1.80	-	31.63	8.55	43.72
AV	5.46G	47.38	54.00	-6.62	50.91	3	Horizontal	60	1.80	-	31.64	8.55	43.72
PK	5.4684G	67.96	68.20	-0.24	71.45	3	Horizontal	60	1.80	-	31.67	8.56	43.72
PK	5.5018G	110.27	Inf	-Inf	113.57	3	Horizontal	60	1.80	-	31.80	8.60	43.70
AV	5.5054G	101.36	Inf	-Inf	104.66	3	Horizontal	60	1.80	-	31.79	8.60	43.69

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
Setting 75
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01491G	45.99	74.00	-28.01	61.46	3	Vertical	98	2.64	-	38.43	12.29	66.19			
AV	10.99967G	35.09	54.00	-18.91	50.60	3	Vertical	98	2.64	-	38.40	12.28	66.19			
PK	16.51275G	46.82	68.20	-21.38	56.75	3	Vertical	155	2.62	-	38.88	14.94	63.75			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX

EUT_Y_1TX
Setting 75
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0078G	46.01	74.00	-27.99	61.49	3	Vertical	237	1.14	-	38.42	12.29	66.19			
AV	10.99799G	35.28	54.00	-18.72	50.79	3	Vertical	237	1.14	-	38.40	12.28	66.19			
PK	16.48884G	46.50	68.20	-21.70	56.56	3	Vertical	14	1.40	-	38.76	14.93	63.75			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 80
02-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.392G	62.87	74.00	-11.13	51.49	3	Vertical	339	2.02	-	33.90	7.73	30.25
AV	5.4028G	51.93	54.00	-2.07	40.55	3	Vertical	339	2.02	-	33.90	7.74	30.26
PK	5.4648G	61.29	68.20	-6.91	49.87	3	Vertical	339	2.02	-	33.93	7.78	30.29
PK	5.5764G	111.26	Inf	-Inf	99.64	3	Vertical	339	2.02	-	34.05	7.85	30.28
AV	5.576G	102.38	Inf	-Inf	90.76	3	Vertical	339	2.02	-	34.05	7.85	30.28
PK	5.7696G	64.28	68.20	-3.92	52.33	3	Vertical	339	2.02	-	34.00	8.16	30.21

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 80
02-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4164G	62.41	74.00	-11.59	51.03	3	Horizontal	52	1.92	-	33.90	7.75	30.27			
PK	5.47G	61.70	68.20	-6.50	50.27	3	Horizontal	52	1.92	-	33.94	7.78	30.29			
AV	5.456G	51.64	54.00	-2.36	40.25	3	Horizontal	52	1.92	-	33.91	7.77	30.29			
PK	5.5828G	113.52	Inf	-Inf	101.92	3	Horizontal	52	1.92	-	34.03	7.85	30.28			
AV	5.5828G	105.01	Inf	-Inf	93.41	3	Horizontal	52	1.92	-	34.03	7.85	30.28			
PK	5.7636G	63.36	68.20	-4.84	51.43	3	Horizontal	52	1.92	-	34.00	8.15	30.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX

EUT_Y_1TX
Setting 80
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.15922G	46.53	74.00	-27.47	61.85	3	Vertical	301	1.20	-	38.50	12.37	66.19			
AV	11.17206G	35.38	54.00	-18.62	50.70	3	Vertical	301	1.20	-	38.50	12.37	66.19			
PK	16.74111G	49.12	68.20	-19.08	58.17	3	Vertical	90	1.51	-	39.98	14.98	64.01			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 80
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.17404G	46.42	74.00	-27.58	61.74	3	Horizontal	254	2.69	-	38.50	12.37	66.19			
AV	11.16729G	35.44	54.00	-18.56	50.76	3	Horizontal	254	2.69	-	38.50	12.37	66.19			
PK	16.72755G	48.89	68.20	-19.31	57.94	3	Horizontal	282	2.22	-	39.96	14.98	63.99			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 63
02-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6966G	107.26	Inf	-Inf	95.47	3	Vertical	344	1.88	-	34.00	8.03	30.24			
AV	5.7034G	97.99	Inf	-Inf	86.19	3	Vertical	344	1.88	-	34.00	8.04	30.24			
PK	5.728G	66.07	68.20	-2.13	54.22	3	Vertical	344	1.88	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 63
02-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.704G	109.87	Inf	-Inf	98.07	3	Horizontal	54	1.78	-	34.00	8.04	30.24			
AV	5.7058G	100.35	Inf	-Inf	88.54	3	Horizontal	54	1.78	-	34.00	8.05	30.24			
PK	5.7256G	67.95	68.20	-0.25	56.10	3	Horizontal	54	1.78	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX

EUT_Y_1TX
Setting 63
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38638G	47.37	74.00	-26.63	62.39	3	Vertical	313	1.80	-	38.70	12.48	66.20			
AV	11.41317G	36.32	54.00	-17.68	51.30	3	Vertical	313	1.80	-	38.73	12.49	66.20			
PK	17.0877G	49.87	68.20	-18.33	57.72	3	Vertical	231	1.80	-	41.38	15.05	64.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX

EUT_Y_1TX
Setting 63
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41092G	46.91	74.00	-27.09	61.90	3	Horizontal	346	2.82	-	38.72	12.49	66.20			
AV	11.38911G	35.65	54.00	-18.35	50.67	3	Horizontal	346	2.82	-	38.70	12.48	66.20			
PK	17.0976G	48.76	68.20	-19.44	56.58	3	Horizontal	230	2.89	-	41.40	15.06	64.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 80
02-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4295G	62.19	74.00	-11.81	50.80	3	Vertical	341	2.05	-	33.90	7.76	30.27			
AV	5.4302G	52.11	54.00	-1.89	40.72	3	Vertical	341	2.05	-	33.90	7.76	30.27			
PK	5.47G	61.78	68.20	-6.42	50.35	3	Vertical	341	2.05	-	33.94	7.78	30.29			
PK	5.7172G	112.25	Inf	-Inf	100.41	3	Vertical	341	2.05	-	34.00	8.07	30.23			
AV	5.7207G	103.18	Inf	-Inf	91.34	3	Vertical	341	2.05	-	34.00	8.07	30.23			
PK	5.8999G	63.39	68.20	-4.81	51.29	3	Vertical	341	2.05	-	34.10	8.17	30.17			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 80
02-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3819G	62.09	74.00	-11.91	50.71	3	Horizontal	45	1.78	-	33.90	7.73	30.25			
AV	5.4162G	51.95	54.00	-2.05	40.57	3	Horizontal	45	1.78	-	33.90	7.75	30.27			
PK	5.4666G	61.31	68.20	-6.89	49.89	3	Horizontal	45	1.78	-	33.93	7.78	30.29			
PK	5.7193G	113.61	Inf	-Inf	101.77	3	Horizontal	45	1.78	-	34.00	8.07	30.23			
AV	5.7263G	105.03	Inf	-Inf	93.18	3	Horizontal	45	1.78	-	34.00	8.08	30.23			
PK	5.9797G	63.23	68.20	-4.97	50.98	3	Horizontal	45	1.78	-	34.26	8.13	30.14			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 80
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44417G	46.87	74.00	-27.13	61.77	3	Vertical	187	1.75	-	38.79	12.51	66.20			
AV	11.4538G	36.08	54.00	-17.92	50.95	3	Vertical	187	1.75	-	38.82	12.51	66.20			
PK	17.16048G	50.42	68.20	-17.78	57.99	3	Vertical	264	2.20	-	41.64	15.07	64.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 80
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4256G	47.15	74.00	-26.85	62.10	3	Horizontal	218	2.29	-	38.75	12.50	66.20			
AV	11.44093G	35.91	54.00	-18.09	50.82	3	Horizontal	218	2.29	-	38.78	12.51	66.20			
PK	17.16486G	49.86	68.20	-18.34	57.41	3	Horizontal	7	1.20	-	41.66	15.07	64.28			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_V_1TX
Setting 80
04-E-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5385G	55.94	68.20	-12.26	59.24	3	Vertical	36	1.80	-	31.72	8.64	43.66			
PK	5.7465G	108.89	Inf	-Inf	111.40	3	Vertical	36	1.80	-	32.09	8.85	43.45			
AV	5.7435G	100.44	Inf	-Inf	102.96	3	Vertical	36	1.80	-	32.09	8.85	43.46			
PK	5.9935G	57.78	68.20	-10.42	59.47	3	Vertical	36	1.80	-	32.39	9.13	43.21			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 80
04-E-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.618G	56.39	68.20	-11.81	59.58	3	Horizontal	52	1.80	-	31.67	8.72	43.58			
PK	5.748G	111.65	Inf	-Inf	114.14	3	Horizontal	52	1.80	-	32.10	8.86	43.45			
AV	5.7465G	102.42	Inf	-Inf	104.93	3	Horizontal	52	1.80	-	32.09	8.85	43.45			
PK	5.9655G	56.99	68.20	-11.21	58.79	3	Horizontal	52	1.80	-	32.33	9.10	43.23			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX


EUT Y_1TX
Setting 80
04-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.4905G	57.83	74.00	-16.17	47.36	3	Vertical	182	2.12	-	39.98	13.23	42.74				
AV	11.49996G	47.04	54.00	-6.96	36.55	3	Vertical	182	2.12	-	40.00	13.23	42.74				
PK	17.23954G	61.60	68.20	-6.60	47.43	3	Vertical	95	2.80	-	40.60	16.34	42.77				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT Y_1TX
Setting 80
04-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.49794G	58.51	74.00	-15.49	48.02	3	Horizontal	219	2.90	-	40.00	13.23	42.74				
AV	11.49828G	47.79	54.00	-6.21	37.30	3	Horizontal	219	2.90	-	40.00	13.23	42.74				
PK	17.24016G	62.78	68.20	-5.42	48.61	3	Horizontal	36	2.40	-	40.60	16.34	42.77				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Y_1TX
Setting 80
02-D-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6425G	62.79	68.20	-5.41	51.12	3	Vertical	352	2.71	-	34.00	7.93	30.26				
PK	5.7845G	110.96	Inf	-Inf	98.99	3	Vertical	352	2.71	-	34.00	8.18	30.21				
AV	5.7785G	101.99	Inf	-Inf	90.03	3	Vertical	352	2.71	-	34.00	8.17	30.21				
PK	6.0185G	63.30	68.20	-4.90	50.99	3	Vertical	352	2.71	-	34.34	8.11	30.14				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Y_1TX
Setting 80
02-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.596G	62.64	68.20	-5.56	51.05	3	Horizontal	50	1.93	-	34.01	7.86	30.28			
PK	5.7815G	113.98	Inf	-Inf	102.01	3	Horizontal	50	1.93	-	34.00	8.18	30.21			
AV	5.7865G	104.94	Inf	-Inf	92.96	3	Horizontal	50	1.93	-	34.00	8.19	30.21			
PK	5.9985G	63.63	68.20	-4.57	51.34	3	Horizontal	50	1.93	-	34.30	8.12	30.13			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Y_1TX
Setting 80
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.58146G	47.81	74.00	-26.19	62.20	3	Vertical	300	1.80	-	39.16	12.58	66.13			
AV	11.55557G	36.84	54.00	-17.16	51.31	3	Vertical	300	1.80	-	39.11	12.57	66.15			
PK	17.34801G	52.23	68.20	-15.97	58.51	3	Vertical	-0	1.80	-	42.88	15.11	64.27			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Y_1TX
Setting 80
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57075G	47.52	74.00	-26.48	61.95	3	Horizontal	360	1.80	-	39.14	12.57	66.14			
AV	11.56922G	36.69	54.00	-17.31	51.12	3	Horizontal	360	1.80	-	39.14	12.57	66.14			
PK	17.35389G	52.49	68.20	-15.71	58.73	3	Horizontal	268	1.59	-	42.92	15.11	64.27			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 80
04-E-5-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6365G	56.01	68.20	-12.19	59.08	3	Vertical	351	1.80	-	31.75	8.74	43.56				
PK	5.8215G	108.90	Inf	-Inf	111.25	3	Vertical	351	1.80	-	32.10	8.93	43.38				
AV	5.821G	99.90	Inf	-Inf	102.25	3	Vertical	351	1.80	-	32.10	8.93	43.38				
PK	5.931G	57.52	68.20	-10.68	59.43	3	Vertical	351	1.80	-	32.30	9.06	43.27				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 80
04-E-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6035G	55.73	68.20	-12.47	59.02	3	Horizontal	50	1.80	-	31.61	8.70	43.60			
PK	5.8275G	111.68	Inf	-Inf	114.01	3	Horizontal	50	1.80	-	32.10	8.94	43.37			
AV	5.8285G	102.26	Inf	-Inf	104.59	3	Horizontal	50	1.80	-	32.10	8.94	43.37			
PK	5.9835G	57.82	68.20	-10.38	59.55	3	Horizontal	50	1.80	-	32.37	9.12	43.22			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 80
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.64409G	47.86	74.00	-26.14	62.03	3	Vertical	55	1.10	-	39.29	12.61	66.07			
AV	11.63716G	36.61	54.00	-17.39	50.81	3	Vertical	55	1.10	-	39.27	12.61	66.08			
PK	17.4717G	52.24	68.20	-15.96	57.70	3	Vertical	18	1.80	-	43.67	15.13	64.26			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX



EUT Y_1TX
Setting 80
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64931G	48.02	74.00	-25.98	62.08	3	Horizontal	131	1.80	-	39.30	12.61	65.97			
AV	11.65381G	36.81	54.00	-17.19	50.85	3	Horizontal	131	1.80	-	39.31	12.62	65.97			
PK	17.48952G	54.08	68.20	-14.12	58.37	3	Horizontal	259	1.80	-	43.82	15.14	63.25			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.4675G	68.07	68.20	-0.13	3	Horizontal	4	1.80	59

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Y_2TX
SET 59
20\59\78\69\65\63\62\61\60\59
9.77\1.55\15.93\8.33\4.94\4.49\1.73\0.42\0.11\0.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.143G	73.46	74.00	-0.54	76.99	3	Vertical	349	1.79	59	31.96	8.39	43.88			
AV	5.1455G	50.40	54.00	-3.60	53.92	3	Vertical	349	1.79	59	31.97	8.39	43.88			
PK	5.193G	106.02	Inf	-Inf	109.71	3	Vertical	349	1.79	59	31.74	8.42	43.85			
AV	5.2005G	94.95	Inf	-Inf	98.68	3	Vertical	349	1.79	59	31.70	8.42	43.85			
PK	5.3645G	56.84	74.00	-17.16	60.73	3	Vertical	349	1.79	59	31.40	8.48	43.77			
AV	5.356G	44.90	54.00	-9.10	48.80	3	Vertical	349	1.79	59	31.40	8.47	43.77			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT Y_2TX
SET 59
59
0.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	73.22	74.00	-0.78	76.73	3	Horizontal	346	1.80	59	31.98	8.39	43.88			
AV	5.15G	51.08	54.00	-2.92	54.56	3	Horizontal	346	1.80	59	32.00	8.39	43.87			
PK	5.205G	107.43	Inf	-Inf	111.19	3	Horizontal	346	1.80	59	31.67	8.42	43.85			
AV	5.1975G	96.03	Inf	-Inf	99.74	3	Horizontal	346	1.80	59	31.72	8.42	43.85			
PK	5.3635G	58.80	74.00	-15.20	62.69	3	Horizontal	346	1.80	59	31.40	8.48	43.77			
AV	5.351G	44.91	54.00	-9.09	48.81	3	Horizontal	346	1.80	59	31.40	8.47	43.77			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT Y_2TX
SET 59
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51894G	57.73	68.20	-10.47	49.01	3	Vertical	74	1.79	59	39.40	12.53	43.21			
PK	15.55264G	59.55	74.00	-14.45	47.76	3	Vertical	243	2.25	59	37.88	16.17	42.26			
AV	15.70305G	47.86	54.00	-6.14	36.45	3	Vertical	243	2.25	59	37.61	16.18	42.38			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_Y_2TX
SET 59
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48649G	57.83	68.20	-10.37	49.16	3	Horizontal	17.5	1.80	59	39.37	12.51	43.21			
PK	15.63G	0.00	74.00	-74.00	-11.28	3	Horizontal	82	2.93	-	37.42	16.18	42.32			
PK	15.63096G	59.72	74.00	-14.28	48.45	3	Horizontal	17.5	1.80	-	37.41	16.18	42.32			
AV	15.63351G	47.58	54.00	-6.42	36.32	3	Horizontal	17.5	1.80	-	37.40	16.18	42.32			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




EUT Y_2TX
SET 68
70\67\68
-0.64\2.08\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1485G	58.85	74.00	-15.15	62.35	3	Vertical	352	1.80	68	31.99	8.39	43.88			
AV	5.15G	45.39	54.00	-8.61	48.87	3	Vertical	352	1.80	68	32.00	8.39	43.87			
PK	5.2955G	106.63	Inf	-Inf	110.76	3	Vertical	352	1.80	68	31.22	8.45	43.80			
AV	5.298G	95.02	Inf	-Inf	99.16	3	Vertical	352	1.80	68	31.21	8.45	43.80			
PK	5.3635G	73.68	74.00	-0.32	77.57	3	Vertical	352	1.80	68	31.40	8.48	43.77			
AV	5.361G	49.24	54.00	-4.76	53.13	3	Vertical	352	1.80	68	31.40	8.48	43.77			
PK	5.4655G	57.49	68.20	-10.71	60.99	3	Vertical	352	1.80	68	31.66	8.56	43.72			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




EUT Y_2TX
SET 68
68
1.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	60.62	74.00	-13.38	63.95	3	Horizontal	350	1.80	68	32.00	8.39	43.72			
AV	5.147G	45.74	54.00	-8.26	49.09	3	Horizontal	350	1.80	68	31.98	8.39	43.72			
PK	5.263G	108.23	Inf	-Inf	112.02	3	Horizontal	350	1.80	68	31.35	8.44	43.58			
AV	5.258G	96.17	Inf	-Inf	99.95	3	Horizontal	350	1.80	68	31.37	8.44	43.59			
PK	5.3565G	72.46	74.00	-1.54	76.07	3	Horizontal	350	1.80	68	31.40	8.47	43.48			
AV	5.366G	49.98	54.00	-4.02	53.57	3	Horizontal	350	1.80	68	31.40	8.48	43.47			
PK	5.479G	57.03	68.20	-11.17	60.07	3	Horizontal	350	1.80	68	31.72	8.57	43.33			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




EUT Y_2TX
SET 68
04-W-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59407G	57.41	68.20	-10.79	48.59	3	Vertical	53	1.74	-	39.40	12.58	43.16			
PK	15.87504G	57.84	74.00	-16.16	46.91	3	Vertical	97	1.28	-	37.25	16.19	42.51			
AV	15.86124G	47.12	54.00	-6.88	36.21	3	Vertical	97	1.28	-	37.22	16.19	42.50			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




EUT Y_2TX
SET 68
04-W-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57094G	56.91	68.20	-11.29	48.12	3	Horizontal	106	1.61	-	39.40	12.57	43.18			
PK	15.87753G	57.97	74.00	-16.03	47.03	3	Horizontal	298	1.11	-	37.26	16.19	42.51			
AV	15.86262G	47.18	54.00	-6.82	36.26	3	Horizontal	298	1.11	-	37.23	16.19	42.50			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Y_2TX
SET 63
70\43\74\59\66\63
-6.53\9.73\ -9.61\4.64\ -5.25\0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3395G	55.88	68.20	-12.32	59.83	3	Vertical	316	1.80	63	31.36	8.47	43.78			
AV	5.35G	43.58	54.00	-10.42	47.49	3	Vertical	316	1.80	63	31.40	8.47	43.78			
PK	5.4485G	64.15	74.00	-9.85	67.75	3	Vertical	316	1.80	63	31.59	8.54	43.73			
PK	5.463G	67.76	68.20	-0.44	71.27	3	Vertical	316	1.80	63	31.65	8.56	43.72			
AV	5.4585G	47.84	54.00	-6.16	51.38	3	Vertical	316	1.80	63	31.63	8.55	43.72			
PK	5.499G	104.33	Inf	-Inf	107.64	3	Vertical	316	1.80	63	31.80	8.59	43.70			
AV	5.5165G	93.09	Inf	-Inf	96.39	3	Vertical	316	1.80	63	31.77	8.61	43.68			
PK	5.779G	56.81	68.20	-11.39	59.24	3	Vertical	316	1.80	63	32.10	8.89	43.42			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT Y_2TX
SET 59
63\50\62\56\59\60\59
-0.13\8.78\2.04\7.97\3.36\4.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3275G	56.23	68.20	-11.97	59.97	3	Horizontal	4	1.80	-	31.31	8.46	43.51
AV	5.35G	44.30	54.00	-9.70	47.91	3	Horizontal	4	1.80	-	31.40	8.47	43.48
PK	5.45G	66.26	74.00	-7.74	69.49	3	Horizontal	4	1.80	-	31.60	8.54	43.37
AV	5.453G	48.37	54.00	-5.63	51.57	3	Horizontal	4	1.80	-	31.61	8.55	43.36
PK	5.4675G	68.07	68.20	-0.13	71.19	3	Horizontal	4	1.80	-	31.67	8.56	43.35
PK	5.558G	105.80	Inf	-Inf	108.74	3	Horizontal	4	1.80	-	31.68	8.66	43.28
AV	5.518G	94.84	Inf	-Inf	97.77	3	Horizontal	4	1.80	-	31.76	8.61	43.30
PK	5.74G	57.28	68.20	-10.92	59.53	3	Horizontal	4	1.80	-	32.08	8.85	43.18

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX

EUT Y_2TX
SET 62
04-W-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07041G	58.59	74.00	-15.41	48.73	3	Vertical	318	1.00	-	39.82	12.93	42.89			
AV	11.07044G	47.10	54.00	-6.90	37.24	3	Vertical	318	1.00	-	39.82	12.93	42.89			
PK	16.58031G	61.14	68.20	-7.06	48.11	3	Vertical	316	1.49	-	38.94	16.26	42.17			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX

EUT_Y_2TX
SET 62
04-W-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05436G	58.34	74.00	-15.66	48.44	3	Horizontal	337	2.65	-	39.88	12.91	42.89			
AV	11.07446G	47.13	54.00	-6.87	37.28	3	Horizontal	337	2.65	-	39.80	12.93	42.88			
PK	16.6002G	61.01	68.20	-7.19	48.02	3	Horizontal	278	2.55	-	38.90	16.27	42.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5610MHz_TX




EUT Y_2TX
SET 72
70\75\73\72
1.34\ -2.11\ -0.43\0.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.443G	61.24	74.00	-12.76	64.86	3	Vertical	324	2.76	72	31.57	8.54	43.73			
PK	5.464G	61.56	68.20	-6.64	65.06	3	Vertical	324	2.76	72	31.66	8.56	43.72			
AV	5.4595G	45.28	54.00	-8.72	48.81	3	Vertical	324	2.76	72	31.64	8.55	43.72			
PK	5.584G	107.56	Inf	-Inf	110.87	3	Vertical	324	2.76	72	31.63	8.68	43.62			
AV	5.5795G	95.58	Inf	-Inf	98.88	3	Vertical	324	2.76	72	31.64	8.68	43.62			
PK	5.7275G	67.82	68.20	-0.38	70.41	3	Vertical	324	2.76	72	32.05	8.83	43.47			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5610MHz_TX




EUT Y_2TX
SET 71
72\71
-0.03\0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4435G	60.51	74.00	-13.49	63.78	3	Horizontal	321	2.75	71	31.57	8.54	43.38			
PK	5.468G	60.14	68.20	-8.06	63.26	3	Horizontal	321	2.75	71	31.67	8.56	43.35			
AV	5.459G	45.83	54.00	-8.17	49.00	3	Horizontal	321	2.75	71	31.64	8.55	43.36			
PK	5.612G	106.45	Inf	-Inf	109.34	3	Horizontal	321	2.75	71	31.65	8.71	43.25			
AV	5.579G	95.90	Inf	-Inf	98.85	3	Horizontal	321	2.75	71	31.64	8.68	43.27			
PK	5.733G	67.72	68.20	-0.48	69.99	3	Horizontal	321	2.75	71	32.07	8.84	43.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5610MHz_TX

EUT Y_2TX
SET 71
04-W-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.20713G	58.86	74.00	-15.14	49.27	3	Vertical	131	2.45	-	39.41	13.02	42.84			
AV	11.22786G	46.93	54.00	-7.07	37.26	3	Vertical	131	2.45	-	39.46	13.04	42.83			
PK	16.8177G	61.16	68.20	-7.04	47.13	3	Vertical	0	2.64	-	40.04	16.29	42.30			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5610MHz_TX

EUT Y_2TX
SET 71
04-W-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23107G	58.02	74.00	-15.98	48.35	3	Horizontal	135	1.34	-	39.46	13.04	42.83			
AV	11.23425G	46.97	54.00	-7.03	37.29	3	Horizontal	135	1.34	-	39.47	13.04	42.83			
PK	16.83684G	61.25	68.20	-6.95	47.08	3	Horizontal	287	2.23	-	40.19	16.29	42.31			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 80
70\80
9.80\8.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4356G	56.20	74.00	-17.80	59.86	3	Vertical	352	1.80	80	31.54	8.53	43.73			
PK	5.4656G	58.30	68.20	-9.90	61.80	3	Vertical	352	1.80	80	31.66	8.56	43.72			
AV	5.46G	44.72	54.00	-9.28	48.25	3	Vertical	352	1.80	80	31.64	8.55	43.72			
PK	5.7002G	108.58	Inf	-Inf	111.27	3	Vertical	352	1.80	80	32.00	8.81	43.50			
AV	5.7002G	97.56	Inf	-Inf	100.25	3	Vertical	352	1.80	80	32.00	8.81	43.50			
PK	5.85G	59.37	68.20	-8.83	61.65	3	Vertical	352	1.80	80	32.10	8.97	43.35			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
SET 80
80
5.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4506G	57.25	74.00	-16.75	60.48	3	Horizontal	62	1.80	80	31.60	8.54	43.37			
PK	5.4668G	56.99	68.20	-11.21	60.11	3	Horizontal	62	1.80	80	31.67	8.56	43.35			
AV	5.4596G	45.37	54.00	-8.63	48.54	3	Horizontal	62	1.80	80	31.64	8.55	43.36			
PK	5.72G	110.45	Inf	-Inf	112.77	3	Horizontal	62	1.80	80	32.04	8.83	43.19			
AV	5.7002G	99.91	Inf	-Inf	102.30	3	Horizontal	62	1.80	80	32.00	8.81	43.20			
PK	5.85G	62.91	68.20	-5.29	64.95	3	Horizontal	62	1.80	80	32.10	8.97	43.11			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
SET 80
04-W-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.374G	58.90	74.00	-15.10	48.69	3	Vertical	342	1.77	-	39.85	13.14	42.78			
AV	11.39152G	47.63	54.00	-6.37	37.38	3	Vertical	342	1.77	-	39.88	13.15	42.78			
PK	17.07447G	61.08	68.20	-7.12	47.22	3	Vertical	321	2.96	-	40.05	16.32	42.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
SET 80
04-W-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38459G	59.11	74.00	-14.89	48.87	3	Horizontal	109	2.78	-	39.87	13.15	42.78			
AV	11.38867G	47.48	54.00	-6.52	37.23	3	Horizontal	109	2.78	-	39.88	13.15	42.78			
PK	17.08476G	62.09	68.20	-6.11	48.26	3	Horizontal	58	1.71	-	40.03	16.32	42.52			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5775MHz_TX




EUT Y_2TX
SET 71
70\80\66\73\71
2.84\ -4.73\4.28\ -0.88\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6256G	67.88	68.20	-0.32	71.02	3	Vertical	356	1.80	71	31.70	8.73	43.57			
PK	5.748G	105.26	Inf	-Inf	107.75	3	Vertical	356	1.80	71	32.10	8.86	43.45			
AV	5.7378G	94.90	Inf	-Inf	97.44	3	Vertical	356	1.80	71	32.08	8.84	43.46			
PK	6.033G	57.61	68.20	-10.59	59.24	3	Vertical	356	1.80	71	32.40	9.16	43.19			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5775MHz_TX

EUT Y_2TX
SET 71
71
0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6502G	68.20	68.35	-0.15	70.88	3	Horizontal	61	1.80	71	31.80	8.75	43.23			
PK	5.7828G	109.09	Inf	-Inf	111.25	3	Horizontal	61	1.80	71	32.10	8.89	43.15			
AV	5.7504G	98.28	Inf	-Inf	100.49	3	Horizontal	61	1.80	71	32.10	8.86	43.17			
PK	6.0402G	58.06	68.20	-10.14	59.51	3	Horizontal	61	1.80	71	32.40	9.17	43.02			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5775MHz_TX

EUT Y_2TX
SET 71
04-W-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54658G	58.56	74.00	-15.44	48.19	3	Vertical	147	2.89	-	39.91	13.27	42.81			
AV	11.53623G	47.40	54.00	-6.60	37.00	3	Vertical	147	2.89	-	39.93	13.26	42.79			
PK	17.33388G	61.23	68.20	-6.97	46.69	3	Vertical	147	1.57	-	41.11	16.35	42.92			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5775MHz_TX

EUT Y_2TX
SET 71
04-W-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.53605G	58.06	74.00	-15.94	47.66	3	Horizontal	321	1.59	-	39.93	13.26	42.79			
AV	11.53728G	47.37	54.00	-6.63	36.97	3	Horizontal	321	1.59	-	39.93	13.26	42.79			
PK	17.32767G	61.93	68.20	-6.27	47.46	3	Horizontal	282	2.12	-	41.03	16.35	42.91			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_2TX
SET 73
73\77\69\73
1.03\4.82\4.24\0.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	70.27	74.00	-3.73	73.76	3	Vertical	349	1.80	73	32.00	8.39	43.88			
AV	5.15G	53.06	54.00	-0.94	56.54	3	Vertical	349	1.80	73	32.00	8.39	43.87			
PK	5.22144G	104.16	Inf	-Inf	108.00	3	Vertical	349	1.80	73	31.57	8.43	43.84			
AV	5.22564G	92.40	Inf	-Inf	96.26	3	Vertical	349	1.80	73	31.55	8.43	43.84			
PK	5.3508G	70.35	74.00	-3.65	74.25	3	Vertical	349	1.80	73	31.40	8.47	43.77			
AV	5.3508G	51.68	54.00	-2.32	55.58	3	Vertical	349	1.80	73	31.40	8.47	43.77			
PK	5.46336G	58.90	68.20	-9.30	62.41	3	Vertical	349	1.80	73	31.65	8.56	43.72			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_2TX
SET 72
73\72
-0.09\1.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	69.90	74.00	-4.10	73.23	3	Horizontal	344	1.80	72	32.00	8.39	43.72			
AV	5.1492G	52.32	54.00	-1.68	55.65	3	Horizontal	344	1.80	72	32.00	8.39	43.72			
PK	5.21304G	105.36	Inf	-Inf	108.96	3	Horizontal	344	1.80	72	31.62	8.42	43.64			
AV	5.2248G	94.21	Inf	-Inf	97.86	3	Horizontal	344	1.80	72	31.55	8.43	43.63			
PK	5.35332G	69.58	74.00	-4.42	73.19	3	Horizontal	344	1.80	72	31.40	8.47	43.48			
AV	5.3508G	52.28	54.00	-1.72	55.89	3	Horizontal	344	1.80	72	31.40	8.47	43.48			
PK	5.4642G	58.80	68.20	-9.40	61.93	3	Horizontal	344	1.80	72	31.66	8.56	43.35			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 1_2TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT Y_2TX
SET 72
04-W-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50279G	57.08	68.20	-11.12	48.38	3	Vertical	337	2.03	-	39.40	12.52	43.22			
PK	15.75378G	59.35	74.00	-14.65	47.90	3	Vertical	173	1.30	-	37.68	16.19	42.42			
AV	15.76356G	47.88	54.00	-6.12	36.47	3	Vertical	173	1.30	-	37.65	16.19	42.43			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 1_2TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_Y_2TX
SET 72
04-W-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48749G	57.23	68.20	-10.97	48.56	3	Horizontal	221	2.35	-	39.37	12.51	43.21			
PK	15.75363G	58.71	74.00	-15.29	47.25	3	Horizontal	327	2.66	-	37.69	16.19	42.42			
AV	15.73779G	47.88	54.00	-6.12	36.43	3	Horizontal	327	2.66	-	37.68	16.18	42.41			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
SET 70
70\73\72\71\70
0.82\ -2.75\ -1.38\ -0.03\ 1.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	72.39	74.00	-1.61	75.88	3	Vertical	346	1.80	70	32.00	8.39	43.88			
AV	5.1498G	52.95	54.00	-1.05	56.44	3	Vertical	346	1.80	70	32.00	8.39	43.88			
PK	5.2302G	105.18	Inf	-Inf	109.06	3	Vertical	346	1.80	70	31.52	8.43	43.83			
AV	5.2254G	92.63	Inf	-Inf	96.49	3	Vertical	346	1.80	70	31.55	8.43	43.84			
PK	5.3508G	67.09	74.00	-6.91	70.99	3	Vertical	346	1.80	70	31.40	8.47	43.77			
AV	5.3508G	49.99	54.00	-4.01	53.89	3	Vertical	346	1.80	70	31.40	8.47	43.77			
PK	5.5002G	56.53	68.20	-11.67	59.83	3	Vertical	346	1.80	70	31.80	8.60	43.70			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 68
70\67\68
-0.71\0.77\0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1474G	73.58	74.00	-0.42	76.93	3	Horizontal	347	1.80	68	31.98	8.39	43.72			
AV	5.145G	52.63	54.00	-1.37	55.99	3	Horizontal	347	1.80	68	31.97	8.39	43.72			
PK	5.2332G	106.31	Inf	-Inf	110.00	3	Horizontal	347	1.80	68	31.50	8.43	43.62			
AV	5.2248G	94.12	Inf	-Inf	97.77	3	Horizontal	347	1.80	68	31.55	8.43	43.63			
PK	5.3514G	66.88	74.00	-7.12	70.49	3	Horizontal	347	1.80	68	31.40	8.47	43.48			
AV	5.3508G	49.52	54.00	-4.48	53.13	3	Horizontal	347	1.80	68	31.40	8.47	43.48			
PK	5.4654G	58.24	68.20	-9.96	61.37	3	Horizontal	347	1.80	68	31.66	8.56	43.35			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT Y_2TX
SET 68
04-W-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5078G	58.63	68.20	-9.57	49.93	3	Vertical	11	1.31	-	39.40	12.52	43.22			
PK	15.75417G	59.60	74.00	-14.40	48.15	3	Vertical	20	2.44	-	37.68	16.19	42.42			
AV	15.75048G	47.82	54.00	-6.18	36.35	3	Vertical	20	2.44	-	37.70	16.19	42.42			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT Y_2TX
SET 68
04-W-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50576G	57.17	68.20	-11.03	48.47	3	Horizontal	204	2.08	-	39.40	12.52	43.22			
PK	15.74865G	58.72	74.00	-15.28	47.25	3	Horizontal	298	2.36	-	37.70	16.18	42.41			
AV	15.73884G	47.77	54.00	-6.23	36.32	3	Horizontal	298	2.36	-	37.68	16.18	42.41			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX

5570MHz_TX




EUT Y_2TX
SET 75
70\80\66\73\76\75
3.67\4.25\7.32\0.72\0.01\1.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3492G	56.27	68.20	-11.93	60.18	3	Vertical	314	2.80	75	31.40	8.47	43.78			
PK	5.4572G	66.40	74.00	-7.60	69.94	3	Vertical	314	2.80	75	31.63	8.55	43.72			
AV	5.459G	51.88	54.00	-2.12	55.41	3	Vertical	314	2.80	75	31.64	8.55	43.72			
PK	5.4686G	66.44	68.20	-1.76	69.93	3	Vertical	314	2.80	75	31.67	8.56	43.72			
PK	5.5292G	104.33	Inf	-Inf	107.63	3	Vertical	314	2.80	75	31.74	8.63	43.67			
AV	5.5442G	92.57	Inf	-Inf	95.88	3	Vertical	314	2.80	75	31.71	8.64	43.66			
PK	5.7314G	65.13	68.20	-3.07	67.70	3	Vertical	314	2.80	75	32.06	8.84	43.47			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX

5570MHz_TX




EUT Y_2TX
SET 72
75\69\72\73\72
-1.27\3.52\1.18\0.06\1.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3408G	57.98	68.20	-10.22	61.64	3	Horizontal	-0	1.80	72	31.36	8.47	43.49			
PK	5.4554G	66.49	74.00	-7.51	69.68	3	Horizontal	-0	1.80	72	31.62	8.55	43.36			
AV	5.46G	50.13	54.00	-3.87	53.30	3	Horizontal	-0	1.80	72	31.64	8.55	43.36			
PK	5.4668G	66.79	68.20	-1.41	69.91	3	Horizontal	-0	1.80	72	31.67	8.56	43.35			
PK	5.558G	104.26	Inf	-Inf	107.20	3	Horizontal	-0	1.80	72	31.68	8.66	43.28			
AV	5.5952G	92.81	Inf	-Inf	95.77	3	Horizontal	-0	1.80	72	31.61	8.69	43.26			
PK	5.7254G	65.09	68.20	-3.11	67.39	3	Horizontal	-0	1.80	72	32.05	8.83	43.18			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX


5570MHz_TX

EUT Y_2TX
SET 72
04-W-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14273G	57.68	74.00	-16.32	48.03	3	Vertical	215	2.19	-	39.53	12.98	42.86			
AV	11.14471G	46.95	54.00	-7.05	37.31	3	Vertical	215	2.19	-	39.52	12.98	42.86			
PK	16.71951G	60.59	68.20	-7.61	47.23	3	Vertical	72	2.47	-	39.32	16.28	42.24			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX


5570MHz_TX

EUT Y_2TX
SET 72
04-W-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12971G	58.02	74.00	-15.98	48.34	3	Horizontal	278	1.65	-	39.58	12.97	42.87			
AV	11.15374G	47.01	54.00	-6.99	37.40	3	Horizontal	278	1.65	-	39.49	12.98	42.86			
PK	16.69863G	60.64	68.20	-7.56	47.39	3	Horizontal	90	1.85	-	39.20	16.28	42.23			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX

5570MHz_TX




EUT Y_2TX
SET 72
70\76\73\72
1.50\ -3.23\ -2.30\ 0.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3378G	56.06	68.20	-12.14	60.02	3	Vertical	305	1.80	72	31.35	8.47	43.78			
PK	5.4584G	69.67	74.00	-4.33	73.21	3	Vertical	305	1.80	72	31.63	8.55	43.72			
AV	5.4584G	51.76	54.00	-2.24	55.30	3	Vertical	305	1.80	72	31.63	8.55	43.72			
PK	5.4668G	67.62	68.20	-0.58	71.11	3	Vertical	305	1.80	72	31.67	8.56	43.72			
PK	5.5436G	103.52	Inf	-Inf	106.83	3	Vertical	305	1.80	72	31.71	8.64	43.66			
AV	5.546G	92.14	Inf	-Inf	95.44	3	Vertical	305	1.80	72	31.71	8.64	43.65			
PK	5.7272G	59.27	68.20	-8.93	61.86	3	Vertical	305	1.80	72	32.05	8.83	43.47			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX

5570MHz_TX




EUT Y_2TX
SET 68
72\58\71\65\68
-3.47\8.51\ -1.61\3.27\0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.342G	56.72	68.20	-11.48	60.37	3	Horizontal	3	1.80	68	31.37	8.47	43.49			
PK	5.4482G	65.99	74.00	-8.01	69.23	3	Horizontal	3	1.80	68	31.59	8.54	43.37			
AV	5.4512G	49.41	54.00	-4.59	52.64	3	Horizontal	3	1.80	68	31.60	8.54	43.37			
PK	5.4638G	67.80	68.20	-0.40	70.93	3	Horizontal	3	1.80	68	31.66	8.56	43.35			
PK	5.558G	104.62	Inf	-Inf	107.56	3	Horizontal	3	1.80	68	31.68	8.66	43.28			
AV	5.5952G	92.99	Inf	-Inf	95.95	3	Horizontal	3	1.80	68	31.61	8.69	43.26			
PK	5.7266G	60.23	68.20	-7.97	62.53	3	Horizontal	3	1.80	68	32.05	8.83	43.18			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX


5570MHz_TX

EUT Y_2TX
SET 68
04-W-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13475G	58.43	74.00	-15.57	48.76	3	Vertical	303	1.80	-	39.56	12.97	42.86			
AV	11.14192G	46.86	54.00	-7.14	37.21	3	Vertical	303	1.80	-	39.53	12.98	42.86			
PK	16.71273G	60.63	68.20	-7.57	47.31	3	Vertical	276	2.39	-	39.28	16.28	42.24			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX

5570MHz_TX

EUT Y_2TX
SET 68
04-W-S-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1448G	58.34	74.00	-15.66	48.70	3	Horizontal	219	3.00	-	39.52	12.98	42.86			
AV	11.13046G	47.00	54.00	-7.00	37.32	3	Horizontal	219	3.00	-	39.58	12.97	42.87			
PK	16.71486G	60.15	68.20	-8.05	46.82	3	Horizontal	143	1.79	-	39.29	16.28	42.24			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	AV	1.19156G	44.65	54.00	-9.35	Horizontal


Mode 2



Mode 2



Mode 2



Mode 2

