

**Summary**

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5.925-6.425GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11ax HEW20_Nss1,(MCS0)_1TX  | Pass   | AV   | 12.38142G    | 44.09             | 54.00             | -9.91          | 3           | Vertical   | 342            | 1.50          |
| 802.11ax HEW40_Nss1,(MCS0)_1TX  | Pass   | AV   | 5.9245G      | 66.85             | 68.20             | -1.35          | 3           | Horizontal | 60             | 2.73          |
| 802.11ax HEW80_Nss1,(MCS0)_1TX  | Pass   | AV   | 5.9225G      | 64.04             | 68.20             | -4.16          | 3           | Horizontal | 60             | 2.79          |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | Pass   | AV   | 5.924G       | 67.37             | 68.20             | -0.83          | 3           | Horizontal | 54             | 2.62          |
| 6.425-6.525GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11ax HEW20_Nss1,(MCS0)_1TX  | Pass   | AV   | 12.94913G    | 45.39             | 68.20             | -22.81         | 3           | Vertical   | 178            | 1.50          |
| 802.11ax HEW40_Nss1,(MCS0)_1TX  | Pass   | AV   | 13.03938G    | 45.69             | 68.20             | -22.51         | 3           | Vertical   | 248            | 2.66          |
| 802.11ax HEW80_Nss1,(MCS0)_1TX  | Pass   | AV   | 13.039G      | 45.73             | 68.20             | -22.47         | 3           | Vertical   | 49             | 1.22          |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | Pass   | AV   | 13.0376G     | 45.69             | 68.20             | -22.51         | 3           | Horizontal | 189            | 1.50          |
| 6.525-6.875GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11ax HEW20_Nss1,(MCS0)_1TX  | Pass   | AV   | 13.39884G    | 45.52             | 54.00             | -8.48          | 3           | Horizontal | 137            | 1.50          |
| 802.11ax HEW40_Nss1,(MCS0)_1TX  | Pass   | AV   | 13.39466G    | 45.17             | 54.00             | -8.83          | 3           | Horizontal | 109            | 1.50          |
| 802.11ax HEW80_Nss1,(MCS0)_1TX  | Pass   | AV   | 13.55308G    | 45.87             | 68.20             | -22.33         | 3           | Vertical   | 180            | 1.50          |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | Pass   | PK   | 13.336G      | 57.74             | 74.00             | -16.26         | 3           | Horizontal | 167            | 1.50          |

Result

| Mode                           | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 802.11ax HEW20_Nss1,(MCS0)_1TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5955MHz                        | Pass   | AV   | 5.925G    | 56.11          | 68.20          | -12.09      | 3        | Vertical   | 342         | 1.08       |
| 5955MHz                        | Pass   | AV   | 5.9577G   | 100.71         | Inf            | -Inf        | 3        | Vertical   | 342         | 1.08       |
| 5955MHz                        | Pass   | PK   | 5.9232G   | 71.23          | 88.20          | -16.97      | 3        | Vertical   | 342         | 1.08       |
| 5955MHz                        | Pass   | PK   | 5.952G    | 112.70         | Inf            | -Inf        | 3        | Vertical   | 342         | 1.08       |
| 5955MHz                        | Pass   | AV   | 5.925G    | 57.87          | 68.20          | -10.33      | 3        | Horizontal | 53          | 2.63       |
| 5955MHz                        | Pass   | AV   | 5.9535G   | 102.46         | Inf            | -Inf        | 3        | Horizontal | 53          | 2.63       |
| 5955MHz                        | Pass   | PK   | 5.9232G   | 73.14          | 88.20          | -15.06      | 3        | Horizontal | 53          | 2.63       |
| 5955MHz                        | Pass   | PK   | 5.952G    | 114.87         | Inf            | -Inf        | 3        | Horizontal | 53          | 2.63       |
| 5955MHz                        | Pass   | AV   | 11.89848G | 43.64          | 54.00          | -10.36      | 3        | Vertical   | 237         | 1.50       |
| 5955MHz                        | Pass   | PK   | 11.92311G | 56.74          | 74.00          | -17.26      | 3        | Vertical   | 237         | 1.50       |
| 5955MHz                        | Pass   | AV   | 11.89845G | 43.65          | 54.00          | -10.35      | 3        | Horizontal | 250         | 1.50       |
| 5955MHz                        | Pass   | PK   | 11.89641G | 56.55          | 74.00          | -17.45      | 3        | Horizontal | 250         | 1.50       |
| 6195MHz                        | Pass   | AV   | 12.38142G | 44.09          | 54.00          | -9.91       | 3        | Vertical   | 342         | 1.50       |
| 6195MHz                        | Pass   | PK   | 12.40161G | 57.39          | 74.00          | -16.61      | 3        | Vertical   | 342         | 1.50       |
| 6195MHz                        | Pass   | AV   | 12.38181G | 44.07          | 54.00          | -9.93       | 3        | Horizontal | 289         | 3.00       |
| 6195MHz                        | Pass   | PK   | 12.39228G | 57.11          | 74.00          | -16.89      | 3        | Horizontal | 289         | 3.00       |
| 6415MHz                        | Pass   | AV   | 12.82577G | 44.85          | 68.20          | -23.35      | 3        | Vertical   | 28          | 1.50       |
| 6415MHz                        | Pass   | PK   | 12.82484G | 58.53          | 88.20          | -29.67      | 3        | Vertical   | 28          | 1.50       |
| 6415MHz                        | Pass   | AV   | 12.82655G | 44.84          | 68.20          | -23.36      | 3        | Horizontal | 69          | 1.50       |
| 6415MHz                        | Pass   | PK   | 12.8273G  | 57.63          | 88.20          | -30.57      | 3        | Horizontal | 69          | 1.50       |
| 6435MHz                        | Pass   | AV   | 12.86535G | 45.06          | 68.20          | -23.14      | 3        | Vertical   | 128         | 1.50       |
| 6435MHz                        | Pass   | PK   | 12.88098G | 58.32          | 88.20          | -29.88      | 3        | Vertical   | 128         | 1.50       |
| 6435MHz                        | Pass   | AV   | 12.86526G | 45.07          | 68.20          | -23.13      | 3        | Horizontal | 198         | 1.50       |
| 6435MHz                        | Pass   | PK   | 12.86268G | 58.09          | 88.20          | -30.11      | 3        | Horizontal | 198         | 1.50       |
| 6475MHz                        | Pass   | AV   | 12.94913G | 45.39          | 68.20          | -22.81      | 3        | Vertical   | 178         | 1.50       |
| 6475MHz                        | Pass   | PK   | 12.96107G | 58.58          | 88.20          | -29.62      | 3        | Vertical   | 178         | 1.50       |
| 6475MHz                        | Pass   | AV   | 12.94832G | 45.38          | 68.20          | -22.82      | 3        | Horizontal | 189         | 2.44       |
| 6475MHz                        | Pass   | PK   | 12.9407G  | 58.81          | 88.20          | -29.39      | 3        | Horizontal | 189         | 2.44       |
| 6515MHz                        | Pass   | AV   | 13.03926G | 45.35          | 68.20          | -22.85      | 3        | Vertical   | 271         | 1.50       |
| 6515MHz                        | Pass   | PK   | 13.03814G | 57.80          | 88.20          | -30.40      | 3        | Vertical   | 271         | 1.50       |
| 6515MHz                        | Pass   | AV   | 13.03816G | 45.36          | 68.20          | -22.84      | 3        | Horizontal | 223         | 1.50       |
| 6515MHz                        | Pass   | PK   | 13.02382G | 57.51          | 88.20          | -30.69      | 3        | Horizontal | 223         | 1.50       |
| 6535MHz                        | Pass   | AV   | 13.07072G | 45.36          | 68.20          | -22.84      | 3        | Vertical   | 87          | 1.50       |
| 6535MHz                        | Pass   | PK   | 13.07708G | 58.43          | 88.20          | -29.77      | 3        | Vertical   | 87          | 1.50       |
| 6535MHz                        | Pass   | AV   | 13.0709G  | 45.37          | 68.20          | -22.83      | 3        | Horizontal | 111         | 1.50       |
| 6535MHz                        | Pass   | PK   | 13.07536G | 57.99          | 88.20          | -30.21      | 3        | Horizontal | 111         | 1.50       |
| 6695MHz                        | Pass   | AV   | 13.39874G | 45.51          | 54.00          | -8.49       | 3        | Vertical   | 250         | 1.50       |
| 6695MHz                        | Pass   | PK   | 13.39024G | 58.17          | 74.00          | -15.83      | 3        | Vertical   | 250         | 1.50       |
| 6695MHz                        | Pass   | AV   | 13.39884G | 45.52          | 54.00          | -8.48       | 3        | Horizontal | 137         | 1.50       |
| 6695MHz                        | Pass   | PK   | 13.3912G  | 57.76          | 74.00          | -16.24      | 3        | Horizontal | 137         | 1.50       |
| 6855MHz                        | Pass   | AV   | 13.716G   | 45.92          | 68.20          | -22.28      | 3        | Vertical   | 129         | 2.82       |
| 6855MHz                        | Pass   | PK   | 13.703G   | 58.38          | 88.20          | -29.82      | 3        | Vertical   | 129         | 2.82       |
| 6855MHz                        | Pass   | AV   | 13.7156G  | 45.91          | 68.20          | -22.29      | 3        | Horizontal | 114         | 2.20       |
| 6855MHz                        | Pass   | PK   | 13.70204G | 58.76          | 88.20          | -29.44      | 3        | Horizontal | 114         | 2.20       |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5965MHz                        | Pass   | AV   | 5.9245G   | 65.20          | 68.20          | -3.00       | 3        | Vertical   | 341         | 1.11       |
| 5965MHz                        | Pass   | AV   | 5.971G    | 98.83          | Inf            | -Inf        | 3        | Vertical   | 341         | 1.11       |
| 5965MHz                        | Pass   | PK   | 5.9248G   | 79.25          | 88.20          | -8.95       | 3        | Vertical   | 341         | 1.11       |
| 5965MHz                        | Pass   | PK   | 5.9602G   | 109.72         | Inf            | -Inf        | 3        | Vertical   | 341         | 1.11       |
| 5965MHz                        | Pass   | AV   | 5.9245G   | 66.85          | 68.20          | -1.35       | 3        | Horizontal | 60          | 2.73       |
| 5965MHz                        | Pass   | AV   | 5.9614G   | 100.44         | Inf            | -Inf        | 3        | Horizontal | 60          | 2.73       |
| 5965MHz                        | Pass   | PK   | 5.9233G   | 80.40          | 88.20          | -7.80       | 3        | Horizontal | 60          | 2.73       |
| 5965MHz                        | Pass   | PK   | 5.9599G   | 112.15         | Inf            | -Inf        | 3        | Horizontal | 60          | 2.73       |
| 5965MHz                        | Pass   | AV   | 11.90384G | 44.75          | 54.00          | -9.25       | 3        | Vertical   | 206         | 1.50       |
| 5965MHz                        | Pass   | PK   | 11.93636G | 56.45          | 74.00          | -17.55      | 3        | Vertical   | 206         | 1.50       |
| 5965MHz                        | Pass   | AV   | 11.9006G  | 44.77          | 54.00          | -9.23       | 3        | Horizontal | 338         | 1.50       |
| 5965MHz                        | Pass   | PK   | 11.93966G | 56.97          | 74.00          | -17.03      | 3        | Horizontal | 338         | 1.50       |
| 6205MHz                        | Pass   | AV   | 12.43322G | 44.42          | 54.00          | -9.58       | 3        | Vertical   | 148         | 1.50       |
| 6205MHz                        | Pass   | PK   | 12.43268G | 57.67          | 74.00          | -16.33      | 3        | Vertical   | 148         | 1.50       |
| 6205MHz                        | Pass   | AV   | 12.4316G  | 44.43          | 54.00          | -9.57       | 3        | Horizontal | 7           | 1.50       |

| Mode                           | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 6205MHz                        | Pass   | PK   | 12.39284G | 57.58          | 74.00          | -16.42      | 3        | Horizontal | 7           | 1.50       |
| 6405MHz                        | Pass   | AV   | 12.78432G | 44.58          | 68.20          | -23.62      | 3        | Vertical   | 80          | 2.14       |
| 6405MHz                        | Pass   | PK   | 12.81984G | 57.92          | 88.20          | -30.28      | 3        | Vertical   | 80          | 2.14       |
| 6405MHz                        | Pass   | AV   | 12.78432G | 44.58          | 68.20          | -23.62      | 3        | Horizontal | 33          | 1.42       |
| 6405MHz                        | Pass   | PK   | 12.816G   | 57.69          | 88.20          | -30.51      | 3        | Horizontal | 33          | 1.42       |
| 6445MHz                        | Pass   | AV   | 12.91862G | 44.61          | 68.20          | -23.59      | 3        | Vertical   | 107         | 2.02       |
| 6445MHz                        | Pass   | PK   | 12.8909G  | 58.31          | 88.20          | -29.89      | 3        | Vertical   | 107         | 2.02       |
| 6445MHz                        | Pass   | AV   | 12.9161G  | 44.60          | 68.20          | -23.60      | 3        | Horizontal | 289         | 1.50       |
| 6445MHz                        | Pass   | PK   | 12.91268G | 57.77          | 88.20          | -30.43      | 3        | Horizontal | 289         | 1.50       |
| 6485MHz                        | Pass   | AV   | 12.9994G  | 45.52          | 68.20          | -22.68      | 3        | Vertical   | 191         | 1.50       |
| 6485MHz                        | Pass   | PK   | 12.94534G | 59.26          | 88.20          | -28.94      | 3        | Vertical   | 191         | 1.50       |
| 6485MHz                        | Pass   | AV   | 12.99646G | 45.54          | 68.20          | -22.66      | 3        | Horizontal | 221         | 1.50       |
| 6485MHz                        | Pass   | PK   | 12.96616G | 58.53          | 88.20          | -29.67      | 3        | Horizontal | 221         | 1.50       |
| 6525MHz                        | Pass   | AV   | 13.03938G | 45.69          | 68.20          | -22.51      | 3        | Vertical   | 248         | 2.66       |
| 6525MHz                        | Pass   | PK   | 13.02546G | 59.48          | 88.20          | -28.72      | 3        | Vertical   | 248         | 2.66       |
| 6525MHz                        | Pass   | AV   | 13.03854G | 45.68          | 68.20          | -22.52      | 3        | Horizontal | 301         | 2.64       |
| 6525MHz                        | Pass   | PK   | 13.06356G | 58.94          | 88.20          | -29.26      | 3        | Horizontal | 301         | 2.64       |
| 6565MHz                        | Pass   | AV   | 13.12172G | 45.43          | 68.20          | -22.77      | 3        | Vertical   | 118         | 2.26       |
| 6565MHz                        | Pass   | PK   | 13.14842G | 58.81          | 88.20          | -29.39      | 3        | Vertical   | 118         | 2.26       |
| 6565MHz                        | Pass   | AV   | 13.15106G | 45.43          | 68.20          | -22.77      | 3        | Horizontal | 0           | 1.50       |
| 6565MHz                        | Pass   | PK   | 13.1297G  | 58.06          | 88.20          | -30.14      | 3        | Horizontal | 0           | 1.50       |
| 6685MHz                        | Pass   | AV   | 13.3976G  | 45.16          | 54.00          | -8.84       | 3        | Vertical   | 27          | 1.97       |
| 6685MHz                        | Pass   | PK   | 13.35308G | 58.35          | 74.00          | -15.65      | 3        | Vertical   | 27          | 1.97       |
| 6685MHz                        | Pass   | AV   | 13.39466G | 45.17          | 54.00          | -8.83       | 3        | Horizontal | 109         | 1.50       |
| 6685MHz                        | Pass   | PK   | 13.36844G | 58.00          | 74.00          | -16.00      | 3        | Horizontal | 109         | 1.50       |
| 6845MHz                        | Pass   | AV   | 13.7092G  | 45.97          | 68.20          | -22.23      | 3        | Vertical   | 210         | 1.79       |
| 6845MHz                        | Pass   | PK   | 13.66774G | 59.25          | 88.20          | -28.95      | 3        | Vertical   | 210         | 1.79       |
| 6845MHz                        | Pass   | AV   | 13.7053G  | 45.95          | 68.20          | -22.25      | 3        | Horizontal | 121         | 2.44       |
| 6845MHz                        | Pass   | PK   | 13.69288G | 59.06          | 88.20          | -29.14      | 3        | Horizontal | 121         | 2.44       |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5985MHz                        | Pass   | AV   | 5.922G    | 62.67          | 68.20          | -5.53       | 3        | Vertical   | 342         | 1.09       |
| 5985MHz                        | Pass   | AV   | 5.999G    | 96.04          | Inf            | -Inf        | 3        | Vertical   | 342         | 1.09       |
| 5985MHz                        | Pass   | PK   | 5.9205G   | 78.42          | 88.20          | -9.78       | 3        | Vertical   | 342         | 1.09       |
| 5985MHz                        | Pass   | PK   | 5.9985G   | 107.26         | Inf            | -Inf        | 3        | Vertical   | 342         | 1.09       |
| 5985MHz                        | Pass   | AV   | 5.9225G   | 64.04          | 68.20          | -4.16       | 3        | Horizontal | 60          | 2.79       |
| 5985MHz                        | Pass   | AV   | 5.9745G   | 96.77          | Inf            | -Inf        | 3        | Horizontal | 60          | 2.79       |
| 5985MHz                        | Pass   | PK   | 5.9205G   | 79.91          | 88.20          | -8.29       | 3        | Horizontal | 60          | 2.79       |
| 5985MHz                        | Pass   | PK   | 5.975G    | 107.63         | Inf            | -Inf        | 3        | Horizontal | 60          | 2.79       |
| 5985MHz                        | Pass   | AV   | 12.02772G | 44.92          | 54.00          | -9.08       | 3        | Vertical   | 201         | 1.50       |
| 5985MHz                        | Pass   | PK   | 11.93052G | 56.40          | 74.00          | -17.60      | 3        | Vertical   | 201         | 1.50       |
| 5985MHz                        | Pass   | AV   | 11.92236G | 45.14          | 54.00          | -8.86       | 3        | Horizontal | 153         | 1.50       |
| 5985MHz                        | Pass   | PK   | 12.02376G | 55.98          | 74.00          | -18.02      | 3        | Horizontal | 153         | 1.50       |
| 6225MHz                        | Pass   | AV   | 12.47076G | 44.72          | 54.00          | -9.28       | 3        | Vertical   | 221         | 1.50       |
| 6225MHz                        | Pass   | PK   | 12.468G   | 57.72          | 74.00          | -16.28      | 3        | Vertical   | 221         | 1.50       |
| 6225MHz                        | Pass   | AV   | 12.468G   | 44.72          | 54.00          | -9.28       | 3        | Horizontal | 190         | 1.50       |
| 6225MHz                        | Pass   | PK   | 12.4656G  | 57.54          | 74.00          | -16.46      | 3        | Horizontal | 190         | 1.50       |
| 6385MHz                        | Pass   | AV   | 12.71G    | 44.45          | 68.20          | -23.75      | 3        | Vertical   | 29          | 1.50       |
| 6385MHz                        | Pass   | PK   | 12.7838G  | 57.35          | 88.20          | -30.85      | 3        | Vertical   | 29          | 1.50       |
| 6385MHz                        | Pass   | AV   | 12.71048G | 44.46          | 68.20          | -23.74      | 3        | Horizontal | 75          | 1.50       |
| 6385MHz                        | Pass   | PK   | 12.71204G | 57.61          | 88.20          | -30.59      | 3        | Horizontal | 75          | 1.50       |
| 6465MHz                        | Pass   | AV   | 12.98928G | 45.41          | 68.20          | -22.79      | 3        | Vertical   | 166         | 1.62       |
| 6465MHz                        | Pass   | PK   | 12.97608G | 58.12          | 88.20          | -30.08      | 3        | Vertical   | 166         | 1.62       |
| 6465MHz                        | Pass   | AV   | 12.98904G | 45.42          | 68.20          | -22.78      | 3        | Horizontal | 346         | 3.00       |
| 6465MHz                        | Pass   | PK   | 12.97788G | 58.00          | 88.20          | -30.20      | 3        | Horizontal | 346         | 3.00       |
| 6545MHz                        | Pass   | AV   | 13.039G   | 45.73          | 68.20          | -22.47      | 3        | Vertical   | 49          | 1.22       |
| 6545MHz                        | Pass   | PK   | 13.10788G | 58.53          | 88.20          | -29.67      | 3        | Vertical   | 49          | 1.22       |
| 6545MHz                        | Pass   | AV   | 13.057G   | 45.70          | 68.20          | -22.50      | 3        | Horizontal | 208         | 2.80       |
| 6545MHz                        | Pass   | PK   | 13.04464G | 58.73          | 88.20          | -29.47      | 3        | Horizontal | 208         | 2.80       |
| 6625MHz                        | Pass   | AV   | 13.19228G | 45.11          | 68.20          | -23.09      | 3        | Vertical   | 47          | 2.23       |
| 6625MHz                        | Pass   | PK   | 13.19156G | 58.54          | 88.20          | -29.66      | 3        | Vertical   | 47          | 2.23       |
| 6625MHz                        | Pass   | AV   | 13.19216G | 45.10          | 68.20          | -23.10      | 3        | Horizontal | 89          | 1.50       |
| 6625MHz                        | Pass   | PK   | 13.19732G | 57.84          | 88.20          | -30.36      | 3        | Horizontal | 89          | 1.50       |




## RSE TX above 1GHz\_Non-Beamforming\_Radio 2

## Appendix E.6

| Mode                            | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 6705MHz                         | Pass   | AV   | 13.425G   | 45.39          | 68.20          | -22.81      | 3        | Vertical   | 79          | 1.42       |
| 6705MHz                         | Pass   | PK   | 13.43952G | 58.41          | 88.20          | -29.79      | 3        | Vertical   | 79          | 1.42       |
| 6705MHz                         | Pass   | AV   | 13.43328G | 45.42          | 68.20          | -22.78      | 3        | Horizontal | 232         | 3.00       |
| 6705MHz                         | Pass   | PK   | 13.43736G | 58.50          | 88.20          | -29.70      | 3        | Horizontal | 232         | 3.00       |
| 6785MHz                         | Pass   | AV   | 13.55308G | 45.87          | 68.20          | -22.33      | 3        | Vertical   | 180         | 1.50       |
| 6785MHz                         | Pass   | PK   | 13.62376G | 58.94          | 88.20          | -29.26      | 3        | Vertical   | 180         | 1.50       |
| 6785MHz                         | Pass   | AV   | 13.56172G | 45.85          | 68.20          | -22.35      | 3        | Horizontal | 299         | 1.50       |
| 6785MHz                         | Pass   | PK   | 13.5568G  | 58.96          | 88.20          | -29.24      | 3        | Horizontal | 299         | 1.50       |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6025MHz                         | Pass   | AV   | 5.9125G   | 64.73          | 68.20          | -3.47       | 3        | Vertical   | 339         | 1.03       |
| 6025MHz                         | Pass   | AV   | 6.047G    | 94.06          | Inf            | -Inf        | 3        | Vertical   | 339         | 1.03       |
| 6025MHz                         | Pass   | PK   | 5.908G    | 77.94          | 88.20          | -10.26      | 3        | Vertical   | 339         | 1.03       |
| 6025MHz                         | Pass   | PK   | 6.0105G   | 104.46         | Inf            | -Inf        | 3        | Vertical   | 339         | 1.03       |
| 6025MHz                         | Pass   | AV   | 5.924G    | 67.37          | 68.20          | -0.83       | 3        | Horizontal | 54          | 2.62       |
| 6025MHz                         | Pass   | AV   | 5.9615G   | 94.31          | Inf            | -Inf        | 3        | Horizontal | 54          | 2.62       |
| 6025MHz                         | Pass   | PK   | 5.908G    | 80.48          | 88.20          | -7.72       | 3        | Horizontal | 54          | 2.62       |
| 6025MHz                         | Pass   | PK   | 5.961G    | 104.73         | Inf            | -Inf        | 3        | Horizontal | 54          | 2.62       |
| 6025MHz                         | Pass   | AV   | 12.11624G | 46.34          | 54.00          | -7.66       | 3        | Vertical   | 122         | 1.50       |
| 6025MHz                         | Pass   | PK   | 12.12896G | 56.79          | 74.00          | -17.21      | 3        | Vertical   | 122         | 1.50       |
| 6025MHz                         | Pass   | AV   | 12.11384G | 46.17          | 54.00          | -7.83       | 3        | Horizontal | 246         | 1.19       |
| 6025MHz                         | Pass   | PK   | 12.0728G  | 56.69          | 74.00          | -17.31      | 3        | Horizontal | 246         | 1.19       |
| 6185MHz                         | Pass   | AV   | 12.46792G | 44.44          | 54.00          | -9.56       | 3        | Vertical   | 56          | 1.50       |
| 6185MHz                         | Pass   | PK   | 12.472G   | 57.73          | 74.00          | -16.27      | 3        | Vertical   | 56          | 1.50       |
| 6185MHz                         | Pass   | AV   | 12.46672G | 44.38          | 54.00          | -9.62       | 3        | Horizontal | 346         | 1.26       |
| 6185MHz                         | Pass   | PK   | 12.46888G | 57.71          | 74.00          | -16.29      | 3        | Horizontal | 346         | 1.26       |
| 6345MHz                         | Pass   | AV   | 12.70584G | 44.50          | 68.20          | -23.70      | 3        | Vertical   | 203         | 1.50       |
| 6345MHz                         | Pass   | PK   | 12.66024G | 57.54          | 74.00          | -16.46      | 3        | Vertical   | 203         | 1.50       |
| 6345MHz                         | Pass   | AV   | 12.70584G | 44.48          | 68.20          | -23.72      | 3        | Horizontal | 300         | 2.89       |
| 6345MHz                         | Pass   | PK   | 12.7128G  | 58.19          | 88.20          | -30.01      | 3        | Horizontal | 300         | 2.89       |
| 6505MHz                         | Pass   | AV   | 13.04024G | 45.68          | 68.20          | -22.52      | 3        | Vertical   | 103         | 2.00       |
| 6505MHz                         | Pass   | PK   | 13.058G   | 58.63          | 88.20          | -29.57      | 3        | Vertical   | 103         | 2.00       |
| 6505MHz                         | Pass   | AV   | 13.0376G  | 45.69          | 68.20          | -22.51      | 3        | Horizontal | 189         | 1.50       |
| 6505MHz                         | Pass   | PK   | 13.03856G | 59.06          | 88.20          | -29.14      | 3        | Horizontal | 189         | 1.50       |
| 6665MHz                         | Pass   | AV   | 13.43416G | 44.96          | 68.20          | -23.24      | 3        | Vertical   | 83          | 1.66       |
| 6665MHz                         | Pass   | PK   | 13.40104G | 58.06          | 88.20          | -30.14      | 3        | Vertical   | 83          | 1.66       |
| 6665MHz                         | Pass   | AV   | 13.43104G | 44.97          | 68.20          | -23.23      | 3        | Horizontal | 167         | 1.50       |
| 6665MHz                         | Pass   | PK   | 13.336G   | 57.74          | 74.00          | -16.26      | 3        | Horizontal | 167         | 1.50       |


5.925-6.425GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

6195MHz\_TX




5.925-6.425GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_1TX

6195MHz\_TX




5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6475MHz\_TX




6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6475MHz\_TX




6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6525MHz\_TX




6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6525MHz\_TX




6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6545MHz\_TX




6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6545MHz\_TX




6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6505MHz\_TX




6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6505MHz\_TX




6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6685MHz\_TX




6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6685MHz\_TX




6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6785MHz\_TX




6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6785MHz\_TX




6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6665MHz\_TX



6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6665MHz\_TX



**Summary**

| Mode    | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Condition  |
|---------|--------|------|--------------|-------------------|-------------------|----------------|------------|
| Mode 1  | Pass   | AV   | 7.3852G      | 47.42             | 54.00             | -6.58          | Vertical   |
| Mode 2  | Pass   | AV   | 15.6254G     | 39.12             | 54.00             | -14.88         | Horizontal |
| Mode 3  | Pass   | AV   | 7.31168G     | 43.87             | 54.00             | -10.13         | Horizontal |
| Mode 4  | Pass   | AV   | 4.92396G     | 45.07             | 54.00             | -8.93          | Horizontal |
| Mode 5  | Pass   | AV   | 13.36034G    | 39.69             | 54.00             | -14.31         | Horizontal |
| Mode 6  | Pass   | AV   | 13.36214G    | 40.72             | 54.00             | -13.28         | Horizontal |
| Mode 7  | Pass   | AV   | 7.38664G     | 48.00             | 54.00             | -6.00          | Vertical   |
| Mode 8  | Pass   | AV   | 15.62904G    | 39.51             | 54.00             | -14.49         | Vertical   |
| Mode 9  | Pass   | AV   | 13.34G       | 40.57             | 54.00             | -13.43         | Vertical   |
| Mode 10 | Pass   | AV   | 7.38668G     | 45.61             | 54.00             | -8.39          | Vertical   |
| Mode 11 | Pass   | AV   | 13.36044G    | 38.87             | 54.00             | -15.13         | Horizontal |
| Mode 12 | Pass   | AV   | 13.34252G    | 42.91             | 54.00             | -11.09         | Horizontal |
| Mode 13 | Pass   | AV   | 7.38672G     | 46.39             | 54.00             | -7.61          | Vertical   |
| Mode 14 | Pass   | AV   | 15.62642G    | 39.48             | 54.00             | -14.52         | Horizontal |
| Mode 15 | Pass   | AV   | 7.31052G     | 43.14             | 54.00             | -10.86         | Horizontal |
| Mode 16 | Pass   | AV   | 7.3852G      | 43.40             | 54.00             | -10.60         | Horizontal |
| Mode 17 | Pass   | AV   | 13.3472G     | 40.38             | 54.00             | -13.62         | Vertical   |
| Mode 18 | Pass   | AV   | 13.32724G    | 40.82             | 54.00             | -13.18         | Horizontal |

Result

| Mode   | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comments |
|--------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| Mode 1 | Pass   | AV   | 4.87318G  | 37.40          | 54.00          | -16.60      | 3        | Vertical   | 349         | 2.20       | -        |
| Mode 1 | Pass   | AV   | 4.92395G  | 45.34          | 54.00          | -8.66       | 3        | Vertical   | 346         | 2.31       | -        |
| Mode 1 | Pass   | AV   | 4.96158G  | 31.33          | 54.00          | -22.67      | 3        | Vertical   | 281         | 2.82       | -        |
| Mode 1 | Pass   | AV   | 7.3132G   | 43.11          | 54.00          | -10.89      | 3        | Vertical   | 342         | 1.50       | -        |
| Mode 1 | Pass   | AV   | 7.3852G   | 47.42          | 54.00          | -6.58       | 3        | Vertical   | 289         | 1.85       | -        |
| Mode 1 | Pass   | AV   | 10.426G   | 38.57          | 68.20          | -29.63      | 3        | Vertical   | 19          | 1.56       | -        |
| Mode 1 | Pass   | AV   | 15.62252G | 38.97          | 54.00          | -15.03      | 3        | Vertical   | 154         | 2.10       | -        |
| Mode 1 | Pass   | PK   | 4.87395G  | 49.76          | 74.00          | -24.24      | 3        | Vertical   | 349         | 2.20       | -        |
| Mode 1 | Pass   | PK   | 4.92394G  | 49.30          | 74.00          | -24.70      | 3        | Vertical   | 346         | 2.31       | -        |
| Mode 1 | Pass   | PK   | 4.958G    | 42.98          | 74.00          | -31.02      | 3        | Vertical   | 281         | 2.82       | -        |
| Mode 1 | Pass   | PK   | 7.31582G  | 56.56          | 74.00          | -17.44      | 3        | Vertical   | 342         | 1.50       | -        |
| Mode 1 | Pass   | PK   | 7.38512G  | 53.70          | 74.00          | -20.30      | 3        | Vertical   | 289         | 1.85       | -        |
| Mode 1 | Pass   | PK   | 10.4245G  | 51.05          | 68.20          | -17.15      | 3        | Vertical   | 19          | 1.56       | -        |
| Mode 1 | Pass   | PK   | 15.6219G  | 51.84          | 74.00          | -22.16      | 3        | Vertical   | 154         | 2.10       | -        |
| Mode 1 | Pass   | AV   | 4.87357G  | 38.74          | 54.00          | -15.26      | 3        | Horizontal | 63          | 2.63       | -        |
| Mode 1 | Pass   | AV   | 4.92392G  | 45.85          | 54.00          | -8.15       | 3        | Horizontal | 360         | 1.74       | -        |
| Mode 1 | Pass   | AV   | 4.96244G  | 31.49          | 54.00          | -22.51      | 3        | Horizontal | 314         | 1.19       | -        |
| Mode 1 | Pass   | AV   | 7.31206G  | 45.77          | 54.00          | -8.23       | 3        | Horizontal | 44          | 2.30       | -        |
| Mode 1 | Pass   | AV   | 7.3868G   | 45.15          | 54.00          | -8.85       | 3        | Horizontal | 56          | 1.65       | -        |
| Mode 1 | Pass   | AV   | 10.42068G | 38.77          | 68.20          | -29.43      | 3        | Horizontal | 232         | 2.49       | -        |
| Mode 1 | Pass   | AV   | 15.62802G | 38.98          | 54.00          | -15.02      | 3        | Horizontal | 257         | 1.50       | -        |
| Mode 1 | Pass   | PK   | 4.87392G  | 50.11          | 74.00          | -23.89      | 3        | Horizontal | 63          | 2.63       | -        |
| Mode 1 | Pass   | PK   | 4.92389G  | 50.38          | 74.00          | -23.62      | 3        | Horizontal | 360         | 1.74       | -        |
| Mode 1 | Pass   | PK   | 4.96135G  | 43.83          | 74.00          | -30.17      | 3        | Horizontal | 314         | 1.19       | -        |
| Mode 1 | Pass   | PK   | 7.30208G  | 58.01          | 74.00          | -15.99      | 3        | Horizontal | 44          | 2.30       | -        |
| Mode 1 | Pass   | PK   | 7.38434G  | 52.46          | 74.00          | -21.54      | 3        | Horizontal | 56          | 1.65       | -        |
| Mode 1 | Pass   | PK   | 10.41904G | 51.33          | 68.20          | -16.87      | 3        | Horizontal | 232         | 2.49       | -        |
| Mode 1 | Pass   | PK   | 15.63504G | 51.67          | 74.00          | -22.33      | 3        | Horizontal | 257         | 1.50       | -        |
| Mode 2 | Pass   | AV   | 4.8754G   | 32.64          | 54.00          | -21.36      | 3        | Vertical   | 346         | 1.79       | -        |
| Mode 2 | Pass   | AV   | 4.96898G  | 33.86          | 54.00          | -20.14      | 3        | Vertical   | 341         | 2.24       | -        |
| Mode 2 | Pass   | AV   | 10.38112G | 38.73          | 68.20          | -29.47      | 3        | Vertical   | 253         | 2.02       | -        |
| Mode 2 | Pass   | AV   | 10.42334G | 38.64          | 68.20          | -29.56      | 3        | Vertical   | 215         | 1.50       | -        |
| Mode 2 | Pass   | AV   | 15.57822G | 38.97          | 54.00          | -15.03      | 3        | Vertical   | 360         | 1.50       | -        |
| Mode 2 | Pass   | AV   | 15.62204G | 38.93          | 54.00          | -15.07      | 3        | Vertical   | 351         | 1.52       | -        |
| Mode 2 | Pass   | PK   | 4.87518G  | 44.83          | 74.00          | -29.17      | 3        | Vertical   | 346         | 1.79       | -        |
| Mode 2 | Pass   | PK   | 4.96186G  | 46.30          | 74.00          | -27.70      | 3        | Vertical   | 341         | 2.24       | -        |
| Mode 2 | Pass   | PK   | 10.38144G | 51.13          | 68.20          | -17.07      | 3        | Vertical   | 253         | 2.02       | -        |
| Mode 2 | Pass   | PK   | 10.4292G  | 50.45          | 68.20          | -17.75      | 3        | Vertical   | 215         | 1.50       | -        |
| Mode 2 | Pass   | PK   | 15.5653G  | 51.33          | 74.00          | -22.67      | 3        | Vertical   | 360         | 1.50       | -        |
| Mode 2 | Pass   | PK   | 15.6329G  | 52.00          | 74.00          | -22.00      | 3        | Vertical   | 351         | 1.52       | -        |
| Mode 2 | Pass   | AV   | 4.87356G  | 34.57          | 54.00          | -19.43      | 3        | Horizontal | 68          | 2.40       | -        |
| Mode 2 | Pass   | AV   | 4.96532G  | 35.53          | 54.00          | -18.47      | 3        | Horizontal | 19          | 1.50       | -        |
| Mode 2 | Pass   | AV   | 10.38462G | 38.67          | 68.20          | -29.53      | 3        | Horizontal | 230         | 1.50       | -        |
| Mode 2 | Pass   | AV   | 10.42172G | 38.69          | 68.20          | -29.51      | 3        | Horizontal | 291         | 2.90       | -        |
| Mode 2 | Pass   | AV   | 15.56004G | 38.97          | 54.00          | -15.03      | 3        | Horizontal | 58          | 1.50       | -        |
| Mode 2 | Pass   | AV   | 15.6254G  | 39.12          | 54.00          | -14.88      | 3        | Horizontal | 179         | 1.26       | -        |
| Mode 2 | Pass   | PK   | 4.8758G   | 46.90          | 74.00          | -27.10      | 3        | Horizontal | 68          | 2.40       | -        |
| Mode 2 | Pass   | PK   | 4.96342G  | 48.16          | 74.00          | -25.84      | 3        | Horizontal | 19          | 1.50       | -        |
| Mode 2 | Pass   | PK   | 10.38158G | 51.32          | 68.20          | -16.88      | 3        | Horizontal | 230         | 1.50       | -        |
| Mode 2 | Pass   | PK   | 10.42706G | 51.02          | 68.20          | -17.18      | 3        | Horizontal | 291         | 2.90       | -        |

| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| Mode 2 | Pass   | PK   | 15.57828G    | 50.99             | 74.00             | -23.01         | 3           | Horizontal | 58             | 1.50          | -        |
| Mode 2 | Pass   | PK   | 15.63894G    | 51.87             | 74.00             | -22.13         | 3           | Horizontal | 179            | 1.26          | -        |
| Mode 3 | Pass   | AV   | 4.87118G     | 32.44             | 54.00             | -21.56         | 3           | Vertical   | 17             | 3.00          | -        |
| Mode 3 | Pass   | AV   | 4.96914G     | 32.18             | 54.00             | -21.82         | 3           | Vertical   | 0              | 3.00          | -        |
| Mode 3 | Pass   | AV   | 7.31778G     | 41.98             | 54.00             | -12.02         | 3           | Vertical   | 348            | 1.00          | -        |
| Mode 3 | Pass   | AV   | 10.4231G     | 38.73             | 68.20             | -29.47         | 3           | Vertical   | 238            | 2.42          | -        |
| Mode 3 | Pass   | AV   | 13.32176G    | 40.51             | 54.00             | -13.49         | 3           | Vertical   | 293            | 1.71          | -        |
| Mode 3 | Pass   | AV   | 15.6305G     | 39.09             | 54.00             | -14.91         | 3           | Vertical   | 276            | 2.78          | -        |
| Mode 3 | Pass   | PK   | 4.87318G     | 45.15             | 74.00             | -28.85         | 3           | Vertical   | 17             | 3.00          | -        |
| Mode 3 | Pass   | PK   | 4.96658G     | 44.52             | 74.00             | -29.48         | 3           | Vertical   | 0              | 3.00          | -        |
| Mode 3 | Pass   | PK   | 7.31802G     | 54.94             | 74.00             | -19.06         | 3           | Vertical   | 348            | 1.00          | -        |
| Mode 3 | Pass   | PK   | 10.4276G     | 50.86             | 88.20             | -37.34         | 3           | Vertical   | 238            | 2.42          | -        |
| Mode 3 | Pass   | PK   | 13.32346G    | 53.07             | 74.00             | -20.93         | 3           | Vertical   | 293            | 1.71          | -        |
| Mode 3 | Pass   | PK   | 15.62848G    | 51.96             | 74.00             | -22.04         | 3           | Vertical   | 276            | 2.78          | -        |
| Mode 3 | Pass   | AV   | 4.87534G     | 33.60             | 54.00             | -20.40         | 3           | Horizontal | 59             | 2.16          | -        |
| Mode 3 | Pass   | AV   | 4.96468G     | 36.01             | 54.00             | -17.99         | 3           | Horizontal | 50             | 2.34          | -        |
| Mode 3 | Pass   | AV   | 7.31168G     | 43.87             | 54.00             | -10.13         | 3           | Horizontal | 31             | 2.33          | -        |
| Mode 3 | Pass   | AV   | 10.41936G    | 38.68             | 68.20             | -29.52         | 3           | Horizontal | 130            | 1.50          | -        |
| Mode 3 | Pass   | AV   | 13.32124G    | 40.57             | 54.00             | -13.43         | 3           | Horizontal | 33             | 1.50          | -        |
| Mode 3 | Pass   | AV   | 15.62686G    | 39.17             | 54.00             | -14.83         | 3           | Horizontal | 157            | 2.03          | -        |
| Mode 3 | Pass   | PK   | 4.87576G     | 46.50             | 74.00             | -27.50         | 3           | Horizontal | 59             | 2.16          | -        |
| Mode 3 | Pass   | PK   | 4.96368G     | 47.98             | 74.00             | -26.02         | 3           | Horizontal | 50             | 2.34          | -        |
| Mode 3 | Pass   | PK   | 7.31882G     | 56.03             | 74.00             | -17.97         | 3           | Horizontal | 31             | 2.33          | -        |
| Mode 3 | Pass   | PK   | 10.42704G    | 51.15             | 88.20             | -37.05         | 3           | Horizontal | 130            | 1.50          | -        |
| Mode 3 | Pass   | PK   | 13.32062G    | 53.07             | 74.00             | -20.93         | 3           | Horizontal | 33             | 1.50          | -        |
| Mode 3 | Pass   | PK   | 15.62442G    | 51.36             | 74.00             | -22.64         | 3           | Horizontal | 157            | 2.03          | -        |
| Mode 4 | Pass   | AV   | 4.92396G     | 44.39             | 54.00             | -9.61          | 3           | Vertical   | 338            | 2.88          | -        |
| Mode 4 | Pass   | AV   | 4.95898G     | 36.25             | 54.00             | -17.75         | 3           | Vertical   | 334            | 2.22          | -        |
| Mode 4 | Pass   | AV   | 7.38672G     | 44.85             | 54.00             | -9.15          | 3           | Vertical   | 293            | 2.29          | -        |
| Mode 4 | Pass   | AV   | 10.42536G    | 38.68             | 68.20             | -29.52         | 3           | Vertical   | 100            | 2.69          | -        |
| Mode 4 | Pass   | AV   | 13.36068G    | 40.28             | 54.00             | -13.72         | 3           | Vertical   | 145            | 1.50          | -        |
| Mode 4 | Pass   | AV   | 15.62194G    | 39.07             | 54.00             | -14.93         | 3           | Vertical   | 203            | 2.80          | -        |
| Mode 4 | Pass   | PK   | 4.92394G     | 48.53             | 74.00             | -25.47         | 3           | Vertical   | 338            | 2.88          | -        |
| Mode 4 | Pass   | PK   | 4.96104G     | 46.24             | 74.00             | -27.76         | 3           | Vertical   | 346            | 2.22          | -        |
| Mode 4 | Pass   | PK   | 7.38644G     | 52.98             | 74.00             | -21.02         | 3           | Vertical   | 293            | 2.29          | -        |
| Mode 4 | Pass   | PK   | 10.41492G    | 50.72             | 88.20             | -37.48         | 3           | Vertical   | 100            | 2.69          | -        |
| Mode 4 | Pass   | PK   | 13.36088G    | 52.65             | 74.00             | -21.35         | 3           | Vertical   | 145            | 1.50          | -        |
| Mode 4 | Pass   | PK   | 15.62772G    | 52.06             | 74.00             | -21.94         | 3           | Vertical   | 203            | 2.80          | -        |
| Mode 4 | Pass   | AV   | 4.92396G     | 45.07             | 54.00             | -8.93          | 3           | Horizontal | 0              | 1.50          | -        |
| Mode 4 | Pass   | AV   | 4.959G       | 37.73             | 54.00             | -16.27         | 3           | Horizontal | 13             | 1.50          | -        |
| Mode 4 | Pass   | AV   | 7.38664G     | 42.29             | 54.00             | -11.71         | 3           | Horizontal | 55             | 2.66          | -        |
| Mode 4 | Pass   | AV   | 10.4246G     | 38.60             | 68.20             | -29.60         | 3           | Horizontal | 100            | 2.77          | -        |
| Mode 4 | Pass   | AV   | 13.36524G    | 40.33             | 54.00             | -13.67         | 3           | Horizontal | 80             | 2.50          | -        |
| Mode 4 | Pass   | AV   | 15.63044G    | 39.09             | 54.00             | -14.91         | 3           | Horizontal | 340            | 1.50          | -        |
| Mode 4 | Pass   | PK   | 4.92384G     | 49.41             | 74.00             | -24.59         | 3           | Horizontal | 0              | 1.50          | -        |
| Mode 4 | Pass   | PK   | 4.96116G     | 47.30             | 74.00             | -26.70         | 3           | Horizontal | 13             | 1.50          | -        |
| Mode 4 | Pass   | PK   | 7.38714G     | 51.27             | 74.00             | -22.73         | 3           | Horizontal | 55             | 2.66          | -        |
| Mode 4 | Pass   | PK   | 10.42288G    | 50.46             | 88.20             | -37.74         | 3           | Horizontal | 100            | 2.77          | -        |
| Mode 4 | Pass   | PK   | 13.36978G    | 51.83             | 74.00             | -22.17         | 3           | Horizontal | 80             | 2.50          | -        |
| Mode 4 | Pass   | PK   | 15.62148G    | 51.11             | 74.00             | -22.89         | 3           | Horizontal | 340            | 1.50          | -        |

| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| Mode 5 | Pass   | AV   | 4.96974G     | 35.37             | 54.00             | -18.63         | 3           | Vertical   | 345            | 2.25          | -        |
| Mode 5 | Pass   | AV   | 10.38122G    | 38.62             | 68.20             | -29.58         | 3           | Vertical   | 48             | 1.33          | -        |
| Mode 5 | Pass   | AV   | 10.42856G    | 38.69             | 68.20             | -29.51         | 3           | Vertical   | 15             | 1.50          | -        |
| Mode 5 | Pass   | AV   | 13.36412G    | 39.55             | 54.00             | -14.45         | 3           | Vertical   | 284            | 2.55          | -        |
| Mode 5 | Pass   | AV   | 15.57934G    | 37.80             | 54.00             | -16.20         | 3           | Vertical   | 317            | 1.50          | -        |
| Mode 5 | Pass   | AV   | 15.62006G    | 37.94             | 54.00             | -16.06         | 3           | Vertical   | 28             | 1.81          | -        |
| Mode 5 | Pass   | PK   | 4.96884G     | 47.96             | 74.00             | -26.04         | 3           | Vertical   | 345            | 2.25          | -        |
| Mode 5 | Pass   | PK   | 10.38196G    | 51.44             | 88.20             | -36.76         | 3           | Vertical   | 48             | 1.33          | -        |
| Mode 5 | Pass   | PK   | 10.42836G    | 51.02             | 88.20             | -37.18         | 3           | Vertical   | 15             | 1.50          | -        |
| Mode 5 | Pass   | PK   | 13.36252G    | 51.36             | 74.00             | -22.64         | 3           | Vertical   | 284            | 2.55          | -        |
| Mode 5 | Pass   | PK   | 15.57154G    | 49.73             | 74.00             | -24.27         | 3           | Vertical   | 317            | 1.50          | -        |
| Mode 5 | Pass   | PK   | 15.62492G    | 50.00             | 74.00             | -24.00         | 3           | Vertical   | 28             | 1.81          | -        |
| Mode 5 | Pass   | AV   | 4.9645G      | 37.23             | 54.00             | -16.77         | 3           | Horizontal | 13             | 1.69          | -        |
| Mode 5 | Pass   | AV   | 10.38114G    | 38.63             | 68.20             | -29.57         | 3           | Horizontal | 360            | 1.50          | -        |
| Mode 5 | Pass   | AV   | 10.42538G    | 38.89             | 68.20             | -29.31         | 3           | Horizontal | 259            | 2.53          | -        |
| Mode 5 | Pass   | AV   | 13.36034G    | 39.69             | 54.00             | -14.31         | 3           | Horizontal | 82             | 1.50          | -        |
| Mode 5 | Pass   | AV   | 15.57904G    | 37.74             | 54.00             | -16.26         | 3           | Horizontal | 110            | 1.32          | -        |
| Mode 5 | Pass   | AV   | 15.63314G    | 38.07             | 54.00             | -15.93         | 3           | Horizontal | 111            | 1.55          | -        |
| Mode 5 | Pass   | PK   | 4.96772G     | 49.46             | 74.00             | -24.54         | 3           | Horizontal | 13             | 1.96          | -        |
| Mode 5 | Pass   | PK   | 10.3798G     | 50.32             | 88.20             | -37.88         | 3           | Horizontal | 360            | 1.50          | -        |
| Mode 5 | Pass   | PK   | 10.4266G     | 51.22             | 88.20             | -36.98         | 3           | Horizontal | 259            | 2.53          | -        |
| Mode 5 | Pass   | PK   | 13.36916G    | 51.48             | 74.00             | -22.52         | 3           | Horizontal | 82             | 1.50          | -        |
| Mode 5 | Pass   | PK   | 15.5612G     | 49.57             | 74.00             | -24.43         | 3           | Horizontal | 110            | 1.32          | -        |
| Mode 5 | Pass   | PK   | 15.6275G     | 50.53             | 74.00             | -23.47         | 3           | Horizontal | 111            | 1.55          | -        |
| Mode 6 | Pass   | AV   | 4.96253G     | 35.93             | 54.00             | -18.07         | 3           | Vertical   | 245            | 2.12          | -        |
| Mode 6 | Pass   | AV   | 10.4257G     | 39.87             | 68.20             | -28.33         | 3           | Vertical   | 32             | 1.25          | -        |
| Mode 6 | Pass   | AV   | 13.35214G    | 40.42             | 54.00             | -13.58         | 3           | Vertical   | 321            | 2.58          | -        |
| Mode 6 | Pass   | AV   | 13.43234G    | 38.36             | 68.20             | -29.84         | 3           | Vertical   | 124            | 1.58          | -        |
| Mode 6 | Pass   | AV   | 15.61957G    | 39.45             | 54.00             | -14.55         | 3           | Vertical   | 72             | 1.81          | -        |
| Mode 6 | Pass   | PK   | 4.96768G     | 49.02             | 74.00             | -24.98         | 3           | Vertical   | 245            | 2.12          | -        |
| Mode 6 | Pass   | PK   | 10.43258G    | 50.86             | 88.20             | -37.34         | 3           | Vertical   | 32             | 1.25          | -        |
| Mode 6 | Pass   | PK   | 13.35782G    | 52.91             | 74.00             | -21.09         | 3           | Vertical   | 321            | 2.58          | -        |
| Mode 6 | Pass   | PK   | 13.42047G    | 50.57             | 88.20             | -37.63         | 3           | Vertical   | 124            | 1.58          | -        |
| Mode 6 | Pass   | PK   | 15.62954G    | 50.41             | 74.00             | -23.59         | 3           | Vertical   | 72             | 1.81          | -        |
| Mode 6 | Pass   | AV   | 4.9637G      | 38.11             | 54.00             | -15.89         | 3           | Horizontal | 32             | 1.25          | -        |
| Mode 6 | Pass   | AV   | 10.42461G    | 38.39             | 68.20             | -29.81         | 3           | Horizontal | 258            | 2.80          | -        |
| Mode 6 | Pass   | AV   | 13.36214G    | 40.72             | 54.00             | -13.28         | 3           | Horizontal | 123            | 1.62          | -        |
| Mode 6 | Pass   | AV   | 13.42334G    | 40.37             | 68.20             | -27.83         | 3           | Horizontal | 121            | 1.47          | -        |
| Mode 6 | Pass   | AV   | 15.63514G    | 39.35             | 54.00             | -14.65         | 3           | Horizontal | 210            | 2.25          | -        |
| Mode 6 | Pass   | PK   | 4.96657G     | 50.92             | 74.00             | -23.08         | 3           | Horizontal | 32             | 1.25          | -        |
| Mode 6 | Pass   | PK   | 10.42725G    | 51.84             | 88.20             | -36.36         | 3           | Horizontal | 258            | 2.80          | -        |
| Mode 6 | Pass   | PK   | 13.36894G    | 50.34             | 74.00             | -23.66         | 3           | Horizontal | 123            | 1.62          | -        |
| Mode 6 | Pass   | PK   | 13.41544G    | 50.42             | 88.20             | -37.78         | 3           | Horizontal | 121            | 1.47          | -        |
| Mode 6 | Pass   | PK   | 15.62375G    | 51.47             | 74.00             | -22.53         | 3           | Horizontal | 210            | 22.5          | -        |
| Mode 7 | Pass   | AV   | 4.80902G     | 34.55             | 54.00             | -19.45         | 3           | Vertical   | 360            | 1.50          | -        |
| Mode 7 | Pass   | AV   | 4.87132G     | 36.13             | 54.00             | -17.87         | 3           | Vertical   | 355            | 1.50          | -        |
| Mode 7 | Pass   | AV   | 4.92394G     | 46.36             | 54.00             | -7.64          | 3           | Vertical   | 355            | 1.00          | -        |
| Mode 7 | Pass   | AV   | 7.31078G     | 39.22             | 54.00             | -14.78         | 3           | Vertical   | 356            | 1.50          | -        |
| Mode 7 | Pass   | AV   | 7.38664G     | 48.00             | 54.00             | -6.00          | 3           | Vertical   | 65             | 1.00          | -        |
| Mode 7 | Pass   | AV   | 10.42328G    | 37.83             | 68.20             | -30.37         | 3           | Vertical   | 46             | 1.12          | -        |

| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| Mode 7 | Pass   | AV   | 15.62349G    | 39.04             | 54.00             | -14.96         | 3           | Vertical   | 261            | 1.50          | -        |
| Mode 7 | Pass   | PK   | 4.80024G     | 47.19             | 74.00             | -26.81         | 3           | Vertical   | 360            | 1.50          | -        |
| Mode 7 | Pass   | PK   | 4.86868G     | 48.28             | 74.00             | -25.72         | 3           | Vertical   | 355            | 1.50          | -        |
| Mode 7 | Pass   | PK   | 4.924G       | 50.10             | 74.00             | -23.90         | 3           | Vertical   | 355            | 1.00          | -        |
| Mode 7 | Pass   | PK   | 7.30852G     | 51.91             | 74.00             | -22.09         | 3           | Vertical   | 356            | 1.50          | -        |
| Mode 7 | Pass   | PK   | 7.38694G     | 54.11             | 74.00             | -19.89         | 3           | Vertical   | 65             | 1.00          | -        |
| Mode 7 | Pass   | PK   | 10.41264G    | 50.84             | 68.20             | -17.36         | 3           | Vertical   | 46             | 1.12          | -        |
| Mode 7 | Pass   | PK   | 15.62151G    | 51.12             | 74.00             | -22.88         | 3           | Vertical   | 261            | 1.50          | -        |
| Mode 7 | Pass   | AV   | 4.80888G     | 35.56             | 54.00             | -18.44         | 3           | Horizontal | 58             | 2.28          | -        |
| Mode 7 | Pass   | AV   | 4.87394G     | 41.47             | 54.00             | -12.53         | 3           | Horizontal | 13             | 1.87          | -        |
| Mode 7 | Pass   | AV   | 4.92398G     | 46.89             | 54.00             | -7.11          | 3           | Horizontal | 39             | 2.20          | -        |
| Mode 7 | Pass   | AV   | 7.31002G     | 39.22             | 54.00             | -14.78         | 3           | Horizontal | 0              | 1.00          | -        |
| Mode 7 | Pass   | AV   | 7.38516G     | 45.83             | 54.00             | -8.17          | 3           | Horizontal | 12             | 2.77          | -        |
| Mode 7 | Pass   | AV   | 10.42204G    | 37.82             | 68.20             | -30.38         | 3           | Horizontal | 329            | 2.32          | -        |
| Mode 7 | Pass   | AV   | 15.62318G    | 39.21             | 54.00             | -14.79         | 3           | Horizontal | 94             | 1.64          | -        |
| Mode 7 | Pass   | PK   | 4.8088G      | 46.38             | 74.00             | -27.62         | 3           | Horizontal | 58             | 2.28          | -        |
| Mode 7 | Pass   | PK   | 4.87222G     | 51.82             | 74.00             | -22.18         | 3           | Horizontal | 13             | 1.87          | -        |
| Mode 7 | Pass   | PK   | 4.92386G     | 50.52             | 74.00             | -23.48         | 3           | Horizontal | 39             | 2.20          | -        |
| Mode 7 | Pass   | PK   | 7.30212G     | 51.52             | 74.00             | -22.48         | 3           | Horizontal | 0              | 1.00          | -        |
| Mode 7 | Pass   | PK   | 7.38496G     | 52.96             | 74.00             | -21.04         | 3           | Horizontal | 12             | 2.77          | -        |
| Mode 7 | Pass   | PK   | 10.42632G    | 50.59             | 68.20             | -17.61         | 3           | Horizontal | 329            | 2.32          | -        |
| Mode 7 | Pass   | PK   | 15.61448G    | 51.43             | 74.00             | -22.57         | 3           | Horizontal | 94             | 1.64          | -        |
| Mode 8 | Pass   | AV   | 4.81822G     | 32.29             | 54.00             | -21.71         | 3           | Vertical   | 360            | 1.50          | -        |
| Mode 8 | Pass   | AV   | 4.87648G     | 38.64             | 54.00             | -15.36         | 3           | Vertical   | 42             | 1.00          | -        |
| Mode 8 | Pass   | AV   | 7.3106G      | 38.68             | 54.00             | -15.32         | 3           | Vertical   | 360            | 1.50          | -        |
| Mode 8 | Pass   | AV   | 10.387G      | 37.81             | 68.20             | -30.39         | 3           | Vertical   | 335            | 1.66          | -        |
| Mode 8 | Pass   | AV   | 10.42364G    | 37.82             | 68.20             | -30.38         | 3           | Vertical   | 291            | 2.84          | -        |
| Mode 8 | Pass   | AV   | 15.5797G     | 39.44             | 54.00             | -14.56         | 3           | Vertical   | 329            | 1.50          | -        |
| Mode 8 | Pass   | AV   | 15.62904G    | 39.51             | 54.00             | -14.49         | 3           | Vertical   | 123            | 1.50          | -        |
| Mode 8 | Pass   | PK   | 4.81296G     | 44.92             | 74.00             | -29.08         | 3           | Vertical   | 360            | 1.50          | -        |
| Mode 8 | Pass   | PK   | 4.87574G     | 51.51             | 74.00             | -22.49         | 3           | Vertical   | 46             | 1.00          | -        |
| Mode 8 | Pass   | PK   | 7.31786G     | 51.17             | 74.00             | -22.83         | 3           | Vertical   | 360            | 1.50          | -        |
| Mode 8 | Pass   | PK   | 10.37384G    | 49.80             | 68.20             | -18.40         | 3           | Vertical   | 335            | 1.66          | -        |
| Mode 8 | Pass   | PK   | 10.41756G    | 50.22             | 68.20             | -17.98         | 3           | Vertical   | 291            | 2.84          | -        |
| Mode 8 | Pass   | PK   | 15.56574G    | 51.98             | 74.00             | -22.02         | 3           | Vertical   | 329            | 1.50          | -        |
| Mode 8 | Pass   | PK   | 15.62884G    | 51.81             | 74.00             | -22.19         | 3           | Vertical   | 123            | 1.50          | -        |
| Mode 8 | Pass   | AV   | 4.81952G     | 36.18             | 54.00             | -17.82         | 3           | Horizontal | 50             | 1.00          | -        |
| Mode 8 | Pass   | AV   | 4.86908G     | 37.81             | 54.00             | -16.19         | 3           | Horizontal | 14             | 2.58          | -        |
| Mode 8 | Pass   | AV   | 7.31248G     | 38.54             | 54.00             | -15.46         | 3           | Horizontal | 0              | 1.00          | -        |
| Mode 8 | Pass   | AV   | 10.38024G    | 37.83             | 68.20             | -30.37         | 3           | Horizontal | 93             | 2.84          | -        |
| Mode 8 | Pass   | AV   | 10.42104G    | 37.77             | 68.20             | -30.43         | 3           | Horizontal | 180            | 1.06          | -        |
| Mode 8 | Pass   | AV   | 15.5777G     | 39.49             | 54.00             | -14.51         | 3           | Horizontal | 338            | 1.15          | -        |
| Mode 8 | Pass   | AV   | 15.62914G    | 39.42             | 54.00             | -14.58         | 3           | Horizontal | 347            | 1.50          | -        |
| Mode 8 | Pass   | PK   | 4.8047G      | 49.69             | 74.00             | -24.31         | 3           | Horizontal | 50             | 1.00          | -        |
| Mode 8 | Pass   | PK   | 4.87212G     | 51.21             | 74.00             | -22.79         | 3           | Horizontal | 14             | 2.58          | -        |
| Mode 8 | Pass   | PK   | 7.31528G     | 50.82             | 74.00             | -23.18         | 3           | Horizontal | 0              | 1.00          | -        |
| Mode 8 | Pass   | PK   | 10.38748G    | 50.27             | 68.20             | -17.93         | 3           | Horizontal | 93             | 2.84          | -        |
| Mode 8 | Pass   | PK   | 10.4294G     | 49.67             | 68.20             | -18.53         | 3           | Horizontal | 180            | 1.06          | -        |
| Mode 8 | Pass   | PK   | 15.5603G     | 52.29             | 74.00             | -21.71         | 3           | Horizontal | 338            | 1.15          | -        |
| Mode 8 | Pass   | PK   | 15.63712G    | 51.73             | 74.00             | -22.27         | 3           | Horizontal | 347            | 1.50          | -        |

| Mode    | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| Mode 9  | Pass   | AV   | 4.81954G  | 31.78          | 54.00          | -22.22      | 3        | Vertical   | 46          | 1.00       | -        |
| Mode 9  | Pass   | AV   | 4.87088G  | 38.01          | 54.00          | -15.99      | 3        | Vertical   | 43          | 1.06       | -        |
| Mode 9  | Pass   | AV   | 7.30936G  | 38.54          | 54.00          | -15.46      | 3        | Vertical   | 357         | 1.50       | -        |
| Mode 9  | Pass   | AV   | 10.42192G | 37.80          | 68.20          | -30.40      | 3        | Vertical   | 159         | 1.38       | -        |
| Mode 9  | Pass   | AV   | 13.34G    | 40.57          | 54.00          | -13.43      | 3        | Vertical   | 83          | 2.11       | -        |
| Mode 9  | Pass   | AV   | 15.63576G | 39.38          | 54.00          | -14.62      | 3        | Vertical   | 29          | 1.50       | -        |
| Mode 9  | Pass   | PK   | 4.8138G   | 43.71          | 74.00          | -30.29      | 3        | Vertical   | 46          | 1.00       | -        |
| Mode 9  | Pass   | PK   | 4.8684G   | 51.20          | 74.00          | -22.80      | 3        | Vertical   | 43          | 1.06       | -        |
| Mode 9  | Pass   | PK   | 7.3022G   | 51.37          | 74.00          | -22.63      | 3        | Vertical   | 357         | 1.50       | -        |
| Mode 9  | Pass   | PK   | 10.42656G | 50.37          | 88.20          | -37.83      | 3        | Vertical   | 159         | 1.38       | -        |
| Mode 9  | Pass   | PK   | 13.33136G | 53.17          | 74.00          | -20.83      | 3        | Vertical   | 83          | 2.11       | -        |
| Mode 9  | Pass   | PK   | 15.62844G | 51.68          | 74.00          | -22.32      | 3        | Vertical   | 29          | 1.50       | -        |
| Mode 9  | Pass   | AV   | 4.8194G   | 32.34          | 54.00          | -21.66      | 3        | Horizontal | 360         | 1.00       | -        |
| Mode 9  | Pass   | AV   | 4.86752G  | 38.68          | 54.00          | -15.32      | 3        | Horizontal | 16          | 2.59       | -        |
| Mode 9  | Pass   | AV   | 7.3113G   | 38.49          | 54.00          | -15.51      | 3        | Horizontal | 360         | 2.09       | -        |
| Mode 9  | Pass   | AV   | 10.42332G | 37.83          | 68.20          | -30.37      | 3        | Horizontal | 140         | 1.66       | -        |
| Mode 9  | Pass   | AV   | 13.33988G | 40.48          | 54.00          | -13.52      | 3        | Horizontal | 322         | 1.50       | -        |
| Mode 9  | Pass   | AV   | 15.63762G | 39.54          | 54.00          | -14.46      | 3        | Horizontal | 110         | 1.00       | -        |
| Mode 9  | Pass   | PK   | 4.81648G  | 44.85          | 74.00          | -29.15      | 3        | Horizontal | 360         | 1.00       | -        |
| Mode 9  | Pass   | PK   | 4.8721G   | 51.36          | 74.00          | -22.64      | 3        | Horizontal | 16          | 2.59       | -        |
| Mode 9  | Pass   | PK   | 7.31802G  | 50.58          | 74.00          | -23.42      | 3        | Horizontal | 360         | 2.09       | -        |
| Mode 9  | Pass   | PK   | 10.42776G | 50.36          | 88.20          | -37.84      | 3        | Horizontal | 140         | 1.66       | -        |
| Mode 9  | Pass   | PK   | 13.33516G | 52.80          | 74.00          | -21.20      | 3        | Horizontal | 322         | 1.50       | -        |
| Mode 9  | Pass   | PK   | 15.62406G | 51.68          | 74.00          | -22.32      | 3        | Horizontal | 110         | 1.00       | -        |
| Mode 10 | Pass   | AV   | 4.811G    | 30.84          | 54.00          | -23.16      | 3        | Vertical   | 53          | 2.00       | -        |
| Mode 10 | Pass   | AV   | 4.92392G  | 43.55          | 54.00          | -10.45      | 3        | Vertical   | 1           | 1.00       | -        |
| Mode 10 | Pass   | AV   | 7.38668G  | 45.61          | 54.00          | -8.39       | 3        | Vertical   | 353         | 2.05       | -        |
| Mode 10 | Pass   | AV   | 10.4228G  | 37.88          | 68.20          | -30.32      | 3        | Vertical   | 313         | 1.53       | -        |
| Mode 10 | Pass   | AV   | 13.36004G | 38.86          | 54.00          | -15.14      | 3        | Vertical   | 277         | 1.50       | -        |
| Mode 10 | Pass   | AV   | 15.63016G | 36.89          | 54.00          | -17.11      | 3        | Vertical   | 80          | 1.37       | -        |
| Mode 10 | Pass   | PK   | 4.80908G  | 43.24          | 74.00          | -30.76      | 3        | Vertical   | 53          | 2.00       | -        |
| Mode 10 | Pass   | PK   | 4.9238G   | 49.66          | 74.00          | -24.34      | 3        | Vertical   | 1           | 1.00       | -        |
| Mode 10 | Pass   | PK   | 7.38532G  | 52.57          | 74.00          | -21.43      | 3        | Vertical   | 353         | 2.05       | -        |
| Mode 10 | Pass   | PK   | 10.42132G | 50.44          | 88.20          | -37.76      | 3        | Vertical   | 313         | 1.53       | -        |
| Mode 10 | Pass   | PK   | 13.36836G | 51.25          | 74.00          | -22.75      | 3        | Vertical   | 277         | 1.50       | -        |
| Mode 10 | Pass   | PK   | 15.62768G | 50.04          | 74.00          | -23.96      | 3        | Vertical   | 80          | 1.37       | -        |
| Mode 10 | Pass   | AV   | 4.81096G  | 32.25          | 54.00          | -21.75      | 3        | Horizontal | 328         | 1.50       | -        |
| Mode 10 | Pass   | AV   | 4.92396G  | 44.31          | 54.00          | -9.69       | 3        | Horizontal | 356         | 2.43       | -        |
| Mode 10 | Pass   | AV   | 7.38508G  | 45.10          | 54.00          | -8.90       | 3        | Horizontal | 9           | 1.83       | -        |
| Mode 10 | Pass   | AV   | 10.42488G | 37.86          | 68.20          | -30.34      | 3        | Horizontal | 57          | 1.50       | -        |
| Mode 10 | Pass   | AV   | 13.36G    | 38.82          | 54.00          | -15.18      | 3        | Horizontal | 262         | 1.50       | -        |
| Mode 10 | Pass   | AV   | 15.62888G | 36.90          | 54.00          | -17.10      | 3        | Horizontal | 121         | 2.74       | -        |
| Mode 10 | Pass   | PK   | 4.81104G  | 44.22          | 74.00          | -29.78      | 3        | Horizontal | 328         | 1.50       | -        |
| Mode 10 | Pass   | PK   | 4.92404G  | 48.69          | 74.00          | -25.31      | 3        | Horizontal | 356         | 2.43       | -        |
| Mode 10 | Pass   | PK   | 7.38456G  | 52.45          | 74.00          | -21.55      | 3        | Horizontal | 9           | 1.83       | -        |
| Mode 10 | Pass   | PK   | 10.42264G | 50.67          | 88.20          | -37.53      | 3        | Horizontal | 57          | 1.50       | -        |
| Mode 10 | Pass   | PK   | 13.36312G | 51.18          | 74.00          | -22.82      | 3        | Horizontal | 262         | 1.50       | -        |
| Mode 10 | Pass   | PK   | 15.63504G | 50.03          | 74.00          | -23.97      | 3        | Horizontal | 121         | 2.74       | -        |
| Mode 11 | Pass   | AV   | 4.80904G  | 31.49          | 54.00          | -22.51      | 3        | Vertical   | 5           | 1.23       | -        |
| Mode 11 | Pass   | AV   | 10.38864G | 38.08          | 68.20          | -30.12      | 3        | Vertical   | 61          | 2.41       | -        |


| Mode    | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|---------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| Mode 11 | Pass   | AV   | 10.42656G    | 37.82             | 68.20             | -30.38         | 3           | Vertical   | 104            | 1.50          | -        |
| Mode 11 | Pass   | AV   | 13.36024G    | 38.82             | 54.00             | -15.18         | 3           | Vertical   | 223            | 1.50          | -        |
| Mode 11 | Pass   | AV   | 15.57968G    | 36.82             | 54.00             | -17.18         | 3           | Vertical   | 147            | 1.50          | -        |
| Mode 11 | Pass   | AV   | 15.63008G    | 37.25             | 54.00             | -16.75         | 3           | Vertical   | 268            | 1.50          | -        |
| Mode 11 | Pass   | PK   | 4.80348G     | 44.41             | 74.00             | -29.59         | 3           | Vertical   | 5              | 1.23          | -        |
| Mode 11 | Pass   | PK   | 10.3832G     | 50.73             | 88.20             | -37.47         | 3           | Vertical   | 61             | 2.41          | -        |
| Mode 11 | Pass   | PK   | 10.42128G    | 50.52             | 88.20             | -37.68         | 3           | Vertical   | 104            | 1.50          | -        |
| Mode 11 | Pass   | PK   | 13.36528G    | 51.03             | 74.00             | -22.97         | 3           | Vertical   | 223            | 1.50          | -        |
| Mode 11 | Pass   | PK   | 15.5762G     | 49.91             | 74.00             | -24.09         | 3           | Vertical   | 147            | 1.50          | -        |
| Mode 11 | Pass   | PK   | 15.62552G    | 50.26             | 74.00             | -23.74         | 3           | Vertical   | 268            | 1.50          | -        |
| Mode 11 | Pass   | AV   | 4.81088G     | 31.31             | 54.00             | -22.69         | 3           | Horizontal | 318            | 1.01          | -        |
| Mode 11 | Pass   | AV   | 10.38772G    | 38.04             | 68.20             | -30.16         | 3           | Horizontal | 184            | 1.50          | -        |
| Mode 11 | Pass   | AV   | 10.42084G    | 37.87             | 68.20             | -30.33         | 3           | Horizontal | 314            | 1.50          | -        |
| Mode 11 | Pass   | AV   | 13.36044G    | 38.87             | 54.00             | -15.13         | 3           | Horizontal | 38             | 2.95          | -        |
| Mode 11 | Pass   | AV   | 15.57964G    | 36.70             | 54.00             | -17.30         | 3           | Horizontal | 291            | 1.42          | -        |
| Mode 11 | Pass   | AV   | 15.63044G    | 37.04             | 54.00             | -16.96         | 3           | Horizontal | 121            | 1.50          | -        |
| Mode 11 | Pass   | PK   | 4.8092G      | 43.40             | 74.00             | -30.60         | 3           | Horizontal | 318            | 1.01          | -        |
| Mode 11 | Pass   | PK   | 10.38928G    | 50.98             | 88.20             | -37.22         | 3           | Horizontal | 184            | 1.50          | -        |
| Mode 11 | Pass   | PK   | 10.41736G    | 50.94             | 88.20             | -37.26         | 3           | Horizontal | 314            | 1.50          | -        |
| Mode 11 | Pass   | PK   | 13.37876G    | 51.06             | 74.00             | -22.94         | 3           | Horizontal | 38             | 2.95          | -        |
| Mode 11 | Pass   | PK   | 15.57596G    | 49.90             | 74.00             | -24.10         | 3           | Horizontal | 291            | 1.42          | -        |
| Mode 11 | Pass   | PK   | 15.63756G    | 49.62             | 74.00             | -24.38         | 3           | Horizontal | 121            | 1.50          | -        |
| Mode 12 | Pass   | AV   | 4.80927G     | 31.49             | 54.00             | -22.51         | 3           | Vertical   | 12             | 1.25          | -        |
| Mode 12 | Pass   | AV   | 10.43153G    | 37.81             | 68.20             | -30.39         | 3           | Vertical   | 25             | 1.62          | -        |
| Mode 12 | Pass   | AV   | 13.36758G    | 38.81             | 54.00             | -15.19         | 3           | Vertical   | 120            | 1.50          | -        |
| Mode 12 | Pass   | AV   | 15.63008G    | 37.25             | 54.00             | -16.75         | 3           | Vertical   | 320            | 1.82          | -        |
| Mode 12 | Pass   | PK   | 4.80374G     | 44.41             | 74.00             | -29.59         | 3           | Vertical   | 12             | 1.25          | -        |
| Mode 12 | Pass   | PK   | 10.43588G    | 50.50             | 88.20             | -37.70         | 3           | Vertical   | 25             | 1.62          | -        |
| Mode 12 | Pass   | PK   | 13.36279G    | 51.03             | 74.00             | -22.97         | 3           | Vertical   | 120            | 1.50          | -        |
| Mode 12 | Pass   | PK   | 15.62512G    | 50.26             | 74.00             | -23.74         | 3           | Vertical   | 320            | 1.50          | -        |
| Mode 12 | Pass   | AV   | 13.33477G    | 42.01             | 54.00             | -11.99         | 3           | Vertical   | 123            | 1.71          | -        |
| Mode 12 | Pass   | PK   | 13.42585G    | 52.37             | 88.20             | -35.83         | 3           | Vertical   | 123            | 1.71          | -        |
| Mode 12 | Pass   | AV   | 13.34252G    | 42.91             | 54.00             | -11.09         | 3           | Horizontal | 100            | 1.50          | -        |
| Mode 12 | Pass   | PK   | 13.33875G    | 52.85             | 74.00             | -21.15         | 3           | Horizontal | 100            | 1.50          | -        |
| Mode 12 | Pass   | AV   | 4.80895G     | 32.03             | 54.00             | -21.97         | 3           | Horizontal | 318            | 1.01          | -        |
| Mode 12 | Pass   | AV   | 10.42147G    | 38.88             | 68.20             | -29.32         | 3           | Horizontal | 314            | 1.50          | -        |
| Mode 12 | Pass   | AV   | 13.36132G    | 39.31             | 54.00             | -14.69         | 3           | Horizontal | 38             | 2.95          | -        |
| Mode 12 | Pass   | AV   | 15.63213G    | 37.22             | 54.00             | -16.78         | 3           | Horizontal | 121            | 1.50          | -        |
| Mode 12 | Pass   | PK   | 4.80957G     | 44.03             | 74.00             | -29.97         | 3           | Horizontal | 318            | 1.01          | -        |
| Mode 12 | Pass   | PK   | 10.42354G    | 51.97             | 88.20             | -36.23         | 3           | Horizontal | 314            | 1.50          | -        |
| Mode 12 | Pass   | PK   | 13.37764G    | 51.41             | 74.00             | -22.59         | 3           | Horizontal | 38             | 2.95          | -        |
| Mode 12 | Pass   | PK   | 15.63288G    | 50.73             | 74.00             | -23.27         | 3           | Horizontal | 121            | 1.50          | -        |
| Mode 13 | Pass   | AV   | 4.87192G     | 38.11             | 54.00             | -15.89         | 3           | Vertical   | 343            | 2.93          | -        |
| Mode 13 | Pass   | AV   | 4.87416G     | 37.59             | 54.00             | -16.41         | 3           | Vertical   | 346            | 2.05          | -        |
| Mode 13 | Pass   | AV   | 4.92394G     | 44.91             | 54.00             | -9.09          | 3           | Vertical   | 0              | 2.14          | -        |
| Mode 13 | Pass   | AV   | 7.31164G     | 39.18             | 54.00             | -14.82         | 3           | Vertical   | 330            | 1.50          | -        |
| Mode 13 | Pass   | AV   | 7.38672G     | 46.39             | 54.00             | -7.61          | 3           | Vertical   | 293            | 2.33          | -        |
| Mode 13 | Pass   | AV   | 10.42222G    | 39.28             | 68.20             | -28.92         | 3           | Vertical   | 96             | 2.41          | -        |
| Mode 13 | Pass   | AV   | 15.6245G     | 39.42             | 54.00             | -14.58         | 3           | Vertical   | 32             | 1.50          | -        |
| Mode 13 | Pass   | PK   | 4.85912G     | 47.65             | 74.00             | -26.35         | 3           | Vertical   | 343            | 2.93          | -        |

| Mode    | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|---------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| Mode 13 | Pass   | PK   | 4.87424G     | 48.91             | 74.00             | -25.09         | 3           | Vertical   | 346            | 2.05          | -        |
| Mode 13 | Pass   | PK   | 4.92408G     | 49.04             | 74.00             | -24.96         | 3           | Vertical   | 0              | 2.14          | -        |
| Mode 13 | Pass   | PK   | 7.31874G     | 50.80             | 74.00             | -23.20         | 3           | Vertical   | 330            | 1.50          | -        |
| Mode 13 | Pass   | PK   | 7.38546G     | 52.69             | 74.00             | -21.31         | 3           | Vertical   | 293            | 2.33          | -        |
| Mode 13 | Pass   | PK   | 10.41198G    | 50.30             | 68.20             | -17.90         | 3           | Vertical   | 96             | 2.41          | -        |
| Mode 13 | Pass   | PK   | 15.63254G    | 50.79             | 74.00             | -23.21         | 3           | Vertical   | 32             | 1.50          | -        |
| Mode 13 | Pass   | AV   | 4.8768G      | 36.97             | 54.00             | -17.03         | 3           | Horizontal | 347            | 1.50          | -        |
| Mode 13 | Pass   | AV   | 4.87912G     | 38.61             | 54.00             | -15.39         | 3           | Horizontal | 349            | 1.66          | -        |
| Mode 13 | Pass   | AV   | 4.92398G     | 45.76             | 54.00             | -8.24          | 3           | Horizontal | 353            | 1.50          | -        |
| Mode 13 | Pass   | AV   | 7.3108G      | 40.54             | 54.00             | -13.46         | 3           | Horizontal | 81             | 1.58          | -        |
| Mode 13 | Pass   | AV   | 7.38676G     | 45.94             | 54.00             | -8.06          | 3           | Horizontal | 60             | 2.90          | -        |
| Mode 13 | Pass   | AV   | 10.42242G    | 39.16             | 68.20             | -29.04         | 3           | Horizontal | 237            | 1.07          | -        |
| Mode 13 | Pass   | AV   | 15.62502G    | 39.34             | 54.00             | -14.66         | 3           | Horizontal | 0              | 2.12          | -        |
| Mode 13 | Pass   | PK   | 4.87528G     | 46.62             | 74.00             | -27.38         | 3           | Horizontal | 347            | 1.50          | -        |
| Mode 13 | Pass   | PK   | 4.8796G      | 49.33             | 74.00             | -24.67         | 3           | Horizontal | 349            | 1.66          | -        |
| Mode 13 | Pass   | PK   | 4.92382G     | 49.87             | 74.00             | -24.13         | 3           | Horizontal | 353            | 1.50          | -        |
| Mode 13 | Pass   | PK   | 7.31834G     | 52.29             | 74.00             | -21.71         | 3           | Horizontal | 81             | 1.58          | -        |
| Mode 13 | Pass   | PK   | 7.38688G     | 52.73             | 74.00             | -21.27         | 3           | Horizontal | 60             | 2.90          | -        |
| Mode 13 | Pass   | PK   | 10.42736G    | 51.06             | 68.20             | -17.14         | 3           | Horizontal | 237            | 1.07          | -        |
| Mode 13 | Pass   | PK   | 15.63924G    | 51.18             | 74.00             | -22.82         | 3           | Horizontal | 0              | 2.12          | -        |
| Mode 14 | Pass   | AV   | 4.87158G     | 33.99             | 54.00             | -20.01         | 3           | Vertical   | 328            | 2.95          | -        |
| Mode 14 | Pass   | AV   | 4.87176G     | 33.89             | 54.00             | -20.11         | 3           | Vertical   | 322            | 2.90          | -        |
| Mode 14 | Pass   | AV   | 7.38124G     | 36.08             | 54.00             | -17.92         | 3           | Vertical   | 177            | 2.03          | -        |
| Mode 14 | Pass   | AV   | 10.38658G    | 39.16             | 68.20             | -29.04         | 3           | Vertical   | 165            | 1.50          | -        |
| Mode 14 | Pass   | AV   | 10.42298G    | 39.29             | 68.20             | -28.91         | 3           | Vertical   | 100            | 1.50          | -        |
| Mode 14 | Pass   | AV   | 15.57976G    | 39.28             | 54.00             | -14.72         | 3           | Vertical   | 286            | 1.50          | -        |
| Mode 14 | Pass   | AV   | 15.62834G    | 39.35             | 54.00             | -14.65         | 3           | Vertical   | 124            | 1.50          | -        |
| Mode 14 | Pass   | PK   | 4.87194G     | 47.78             | 74.00             | -26.22         | 3           | Vertical   | 328            | 2.95          | -        |
| Mode 14 | Pass   | PK   | 4.87212G     | 46.40             | 74.00             | -27.60         | 3           | Vertical   | 322            | 2.90          | -        |
| Mode 14 | Pass   | PK   | 7.38088G     | 48.22             | 74.00             | -25.78         | 3           | Vertical   | 177            | 2.03          | -        |
| Mode 14 | Pass   | PK   | 10.38704G    | 50.71             | 68.20             | -17.49         | 3           | Vertical   | 165            | 1.50          | -        |
| Mode 14 | Pass   | PK   | 10.41478G    | 50.92             | 68.20             | -17.28         | 3           | Vertical   | 100            | 1.50          | -        |
| Mode 14 | Pass   | PK   | 15.56776G    | 51.39             | 74.00             | -22.61         | 3           | Vertical   | 286            | 1.50          | -        |
| Mode 14 | Pass   | PK   | 15.6351G     | 50.74             | 74.00             | -23.26         | 3           | Vertical   | 124            | 1.50          | -        |
| Mode 14 | Pass   | AV   | 4.87166G     | 33.90             | 54.00             | -20.10         | 3           | Horizontal | 339            | 2.17          | -        |
| Mode 14 | Pass   | AV   | 4.87204G     | 33.83             | 54.00             | -20.17         | 3           | Horizontal | 339            | 1.50          | -        |
| Mode 14 | Pass   | AV   | 7.37994G     | 36.02             | 54.00             | -17.98         | 3           | Horizontal | 72             | 1.50          | -        |
| Mode 14 | Pass   | AV   | 10.3898G     | 39.09             | 68.20             | -29.11         | 3           | Horizontal | 171            | 1.61          | -        |
| Mode 14 | Pass   | AV   | 10.42104G    | 39.23             | 68.20             | -28.97         | 3           | Horizontal | 189            | 1.28          | -        |
| Mode 14 | Pass   | AV   | 15.57918G    | 39.36             | 54.00             | -14.64         | 3           | Horizontal | 108            | 1.45          | -        |
| Mode 14 | Pass   | AV   | 15.62642G    | 39.48             | 54.00             | -14.52         | 3           | Horizontal | 195            | 2.94          | -        |
| Mode 14 | Pass   | PK   | 4.87182G     | 46.91             | 74.00             | -27.09         | 3           | Horizontal | 339            | 2.17          | -        |
| Mode 14 | Pass   | PK   | 4.87624G     | 47.09             | 74.00             | -26.91         | 3           | Horizontal | 339            | 1.50          | -        |
| Mode 14 | Pass   | PK   | 7.38656G     | 47.91             | 74.00             | -26.09         | 3           | Horizontal | 72             | 1.50          | -        |
| Mode 14 | Pass   | PK   | 10.38352G    | 51.31             | 68.20             | -16.89         | 3           | Horizontal | 171            | 1.61          | -        |
| Mode 14 | Pass   | PK   | 10.42482G    | 50.86             | 68.20             | -17.34         | 3           | Horizontal | 189            | 1.28          | -        |
| Mode 14 | Pass   | PK   | 15.56226G    | 50.86             | 74.00             | -23.14         | 3           | Horizontal | 108            | 1.45          | -        |
| Mode 14 | Pass   | PK   | 15.6265G     | 50.63             | 74.00             | -23.37         | 3           | Horizontal | 195            | 2.94          | -        |
| Mode 15 | Pass   | AV   | 4.87112G     | 32.23             | 54.00             | -21.77         | 3           | Vertical   | 324            | 2.90          | -        |
| Mode 15 | Pass   | AV   | 4.87394G     | 33.00             | 54.00             | -21.00         | 3           | Vertical   | 304            | 2.10          | -        |

| Mode    | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|---------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| Mode 15 | Pass   | AV   | 7.31056G     | 40.49             | 54.00             | -13.51         | 3           | Vertical   | 316            | 2.44          | -        |
| Mode 15 | Pass   | AV   | 10.44385G    | 38.94             | 68.20             | -29.26         | 3           | Vertical   | 54             | 1.78          | -        |
| Mode 15 | Pass   | AV   | 13.3205G     | 40.44             | 54.00             | -13.56         | 3           | Vertical   | 356            | 2.00          | -        |
| Mode 15 | Pass   | AV   | 15.63155G    | 38.74             | 54.00             | -15.26         | 3           | Vertical   | 20             | 1.58          | -        |
| Mode 15 | Pass   | PK   | 4.87402G     | 45.97             | 74.00             | -28.03         | 3           | Vertical   | 324            | 2.90          | -        |
| Mode 15 | Pass   | PK   | 4.87552G     | 44.71             | 74.00             | -29.29         | 3           | Vertical   | 304            | 2.10          | -        |
| Mode 15 | Pass   | PK   | 7.31822G     | 53.31             | 74.00             | -20.69         | 3           | Vertical   | 316            | 2.44          | -        |
| Mode 15 | Pass   | PK   | 10.43065G    | 50.47             | 88.20             | -37.73         | 3           | Vertical   | 54             | 1.78          | -        |
| Mode 15 | Pass   | PK   | 13.3411G     | 52.30             | 74.00             | -21.70         | 3           | Vertical   | 356            | 2.00          | -        |
| Mode 15 | Pass   | PK   | 15.64195G    | 49.87             | 74.00             | -24.13         | 3           | Vertical   | 20             | 1.58          | -        |
| Mode 15 | Pass   | AV   | 4.87058G     | 34.31             | 54.00             | -19.69         | 3           | Horizontal | 335            | 3.00          | -        |
| Mode 15 | Pass   | AV   | 4.87254G     | 34.31             | 54.00             | -19.69         | 3           | Horizontal | 323            | 2.33          | -        |
| Mode 15 | Pass   | AV   | 7.31052G     | 43.14             | 54.00             | -10.86         | 3           | Horizontal | 318            | 2.45          | -        |
| Mode 15 | Pass   | AV   | 10.425G      | 38.92             | 68.20             | -29.28         | 3           | Horizontal | 86             | 1.50          | -        |
| Mode 15 | Pass   | AV   | 13.31615G    | 40.46             | 54.00             | -13.54         | 3           | Horizontal | 33             | 1.50          | -        |
| Mode 15 | Pass   | AV   | 15.62415G    | 38.61             | 54.00             | -15.39         | 3           | Horizontal | 87             | 2.78          | -        |
| Mode 15 | Pass   | PK   | 4.86994G     | 46.94             | 74.00             | -27.06         | 3           | Horizontal | 335            | 3.00          | -        |
| Mode 15 | Pass   | PK   | 4.87202G     | 47.77             | 74.00             | -26.23         | 3           | Horizontal | 323            | 2.33          | -        |
| Mode 15 | Pass   | PK   | 7.30808G     | 55.38             | 74.00             | -18.62         | 3           | Horizontal | 318            | 2.45          | -        |
| Mode 15 | Pass   | PK   | 10.39595G    | 50.72             | 88.20             | -37.48         | 3           | Horizontal | 86             | 1.50          | -        |
| Mode 15 | Pass   | PK   | 13.315G      | 51.73             | 74.00             | -22.27         | 3           | Horizontal | 33             | 1.50          | -        |
| Mode 15 | Pass   | PK   | 15.6549G     | 50.35             | 74.00             | -23.65         | 3           | Horizontal | 87             | 2.78          | -        |
| Mode 16 | Pass   | AV   | 4.8915G      | 27.54             | 54.00             | -26.46         | 3           | Vertical   | 137            | 1.50          | -        |
| Mode 16 | Pass   | AV   | 4.94465G     | 27.84             | 54.00             | -26.16         | 3           | Vertical   | 118            | 1.50          | -        |
| Mode 16 | Pass   | AV   | 7.3867G      | 38.98             | 54.00             | -15.02         | 3           | Vertical   | 347            | 1.09          | -        |
| Mode 16 | Pass   | AV   | 10.42355G    | 38.98             | 68.20             | -29.22         | 3           | Vertical   | 105            | 1.32          | -        |
| Mode 16 | Pass   | AV   | 13.35335G    | 40.21             | 54.00             | -13.79         | 3           | Vertical   | 151            | 1.50          | -        |
| Mode 16 | Pass   | AV   | 15.633G      | 38.69             | 54.00             | -15.31         | 3           | Vertical   | 339            | 1.50          | -        |
| Mode 16 | Pass   | PK   | 4.8598G      | 39.39             | 74.00             | -34.61         | 3           | Vertical   | 137            | 1.50          | -        |
| Mode 16 | Pass   | PK   | 4.93235G     | 39.62             | 74.00             | -34.38         | 3           | Vertical   | 118            | 1.50          | -        |
| Mode 16 | Pass   | PK   | 7.38495G     | 47.96             | 74.00             | -26.04         | 3           | Vertical   | 347            | 1.09          | -        |
| Mode 16 | Pass   | PK   | 10.41085G    | 50.37             | 88.20             | -37.83         | 3           | Vertical   | 105            | 1.32          | -        |
| Mode 16 | Pass   | PK   | 13.35385G    | 51.82             | 74.00             | -22.18         | 3           | Vertical   | 151            | 1.50          | -        |
| Mode 16 | Pass   | PK   | 15.621G      | 50.13             | 74.00             | -23.87         | 3           | Vertical   | 339            | 1.50          | -        |
| Mode 16 | Pass   | AV   | 4.8944G      | 27.69             | 54.00             | -26.31         | 3           | Horizontal | 294            | 1.00          | -        |
| Mode 16 | Pass   | AV   | 4.9295G      | 27.97             | 54.00             | -26.03         | 3           | Horizontal | 209            | 1.50          | -        |
| Mode 16 | Pass   | AV   | 7.3852G      | 43.40             | 54.00             | -10.60         | 3           | Horizontal | 66             | 1.80          | -        |
| Mode 16 | Pass   | AV   | 10.42595G    | 38.85             | 68.20             | -29.35         | 3           | Horizontal | 42             | 1.50          | -        |
| Mode 16 | Pass   | AV   | 13.35735G    | 40.26             | 54.00             | -13.74         | 3           | Horizontal | 82             | 1.30          | -        |
| Mode 16 | Pass   | AV   | 15.6225G     | 38.68             | 54.00             | -15.32         | 3           | Horizontal | 282            | 2.32          | -        |
| Mode 16 | Pass   | PK   | 4.8927G      | 39.35             | 74.00             | -34.65         | 3           | Horizontal | 294            | 1.00          | -        |
| Mode 16 | Pass   | PK   | 4.9008G      | 39.42             | 74.00             | -34.58         | 3           | Horizontal | 209            | 1.50          | -        |
| Mode 16 | Pass   | PK   | 7.38585G     | 47.03             | 74.00             | -26.97         | 3           | Horizontal | 66             | 1.80          | -        |
| Mode 16 | Pass   | PK   | 10.41355G    | 50.83             | 88.20             | -37.37         | 3           | Horizontal | 42             | 1.50          | -        |
| Mode 16 | Pass   | PK   | 13.393G      | 52.15             | 74.00             | -21.85         | 3           | Horizontal | 82             | 1.30          | -        |
| Mode 16 | Pass   | PK   | 15.62255G    | 50.10             | 74.00             | -23.90         | 3           | Horizontal | 282            | 2.32          | -        |
| Mode 17 | Pass   | AV   | 4.88955G     | 33.48             | 54.00             | -20.52         | 3           | Vertical   | 341            | 2.81          | -        |
| Mode 17 | Pass   | AV   | 10.38965G    | 38.57             | 68.20             | -29.63         | 3           | Vertical   | 253            | 1.50          | -        |
| Mode 17 | Pass   | AV   | 10.43245G    | 38.78             | 68.20             | -29.42         | 3           | Vertical   | 161            | 1.50          | -        |
| Mode 17 | Pass   | AV   | 13.3472G     | 40.38             | 54.00             | -13.62         | 3           | Vertical   | 15             | 1.50          | -        |


| Mode    | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|---------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| Mode 17 | Pass   | AV   | 15.5473G     | 37.71             | 54.00             | -16.29         | 3           | Vertical   | 8              | 1.87          | -        |
| Mode 17 | Pass   | AV   | 15.6286G     | 37.67             | 54.00             | -16.33         | 3           | Vertical   | 249            | 2.78          | -        |
| Mode 17 | Pass   | PK   | 4.8909G      | 45.86             | 74.00             | -28.14         | 3           | Vertical   | 341            | 2.81          | -        |
| Mode 17 | Pass   | PK   | 10.391G      | 50.86             | 88.20             | -37.34         | 3           | Vertical   | 253            | 1.50          | -        |
| Mode 17 | Pass   | PK   | 10.4424G     | 50.12             | 88.20             | -38.08         | 3           | Vertical   | 161            | 1.50          | -        |
| Mode 17 | Pass   | PK   | 13.3507G     | 51.89             | 74.00             | -22.11         | 3           | Vertical   | 15             | 1.50          | -        |
| Mode 17 | Pass   | PK   | 15.57355G    | 49.96             | 74.00             | -24.04         | 3           | Vertical   | 8              | 1.87          | -        |
| Mode 17 | Pass   | PK   | 15.62705G    | 48.90             | 74.00             | -25.10         | 3           | Vertical   | 249            | 2.78          | -        |
| Mode 17 | Pass   | AV   | 4.9008G      | 33.07             | 54.00             | -20.93         | 3           | Horizontal | 16             | 1.50          | -        |
| Mode 17 | Pass   | AV   | 10.35635G    | 38.65             | 68.20             | -29.55         | 3           | Horizontal | 12             | 2.46          | -        |
| Mode 17 | Pass   | AV   | 10.42175G    | 38.64             | 68.20             | -29.56         | 3           | Horizontal | 159            | 1.31          | -        |
| Mode 17 | Pass   | AV   | 13.34555G    | 40.29             | 54.00             | -13.71         | 3           | Horizontal | 139            | 1.50          | -        |
| Mode 17 | Pass   | AV   | 15.5516G     | 37.63             | 54.00             | -16.37         | 3           | Horizontal | 292            | 1.00          | -        |
| Mode 17 | Pass   | AV   | 15.6285G     | 37.69             | 54.00             | -16.31         | 3           | Horizontal | 100            | 1.50          | -        |
| Mode 17 | Pass   | PK   | 4.9045G      | 44.58             | 74.00             | -29.42         | 3           | Horizontal | 16             | 1.50          | -        |
| Mode 17 | Pass   | PK   | 10.375G      | 50.71             | 88.20             | -37.49         | 3           | Horizontal | 12             | 2.46          | -        |
| Mode 17 | Pass   | PK   | 10.42955G    | 49.82             | 88.20             | -38.38         | 3           | Horizontal | 159            | 1.31          | -        |
| Mode 17 | Pass   | PK   | 13.34595G    | 51.63             | 74.00             | -22.37         | 3           | Horizontal | 139            | 1.50          | -        |
| Mode 17 | Pass   | PK   | 15.5611G     | 49.85             | 74.00             | -24.15         | 3           | Horizontal | 292            | 1.00          | -        |
| Mode 17 | Pass   | PK   | 15.64185G    | 48.91             | 74.00             | -25.09         | 3           | Horizontal | 100            | 1.50          | -        |
| Mode 18 | Pass   | AV   | 4.8899G      | 30.98             | 54.00             | -23.02         | 3           | Vertical   | 360            | 2.48          | -        |
| Mode 18 | Pass   | AV   | 10.42648G    | 38.98             | 68.20             | -29.22         | 3           | Vertical   | 253            | 1.52          | -        |
| Mode 18 | Pass   | AV   | 13.33516G    | 40.68             | 54.00             | -13.32         | 3           | Vertical   | 151            | 1.38          | -        |
| Mode 18 | Pass   | AV   | 13.36114G    | 40.55             | 54.00             | -13.45         | 3           | Vertical   | 90             | 1.50          | -        |
| Mode 18 | Pass   | AV   | 15.62558G    | 39.01             | 54.00             | -14.99         | 3           | Vertical   | 161            | 1.50          | -        |
| Mode 18 | Pass   | PK   | 4.87026G     | 42.82             | 74.00             | -31.18         | 3           | Vertical   | 360            | 2.48          | -        |
| Mode 18 | Pass   | PK   | 10.42268G    | 50.95             | 88.20             | -37.25         | 3           | Vertical   | 253            | 1.52          | -        |
| Mode 18 | Pass   | PK   | 13.3219G     | 53.24             | 74.00             | -20.76         | 3           | Vertical   | 151            | 1.38          | -        |
| Mode 18 | Pass   | PK   | 13.36842G    | 53.50             | 74.00             | -20.50         | 3           | Vertical   | 90             | 1.50          | -        |
| Mode 18 | Pass   | PK   | 15.63776G    | 50.39             | 74.00             | -23.61         | 3           | Vertical   | 161            | 1.50          | -        |
| Mode 18 | Pass   | AV   | 4.87796G     | 31.13             | 54.00             | -22.87         | 3           | Horizontal | 51             | 1.53          | -        |
| Mode 18 | Pass   | AV   | 10.42288G    | 38.89             | 68.20             | -29.31         | 3           | Horizontal | 125            | 1.50          | -        |
| Mode 18 | Pass   | AV   | 13.32724G    | 40.82             | 54.00             | -13.18         | 3           | Horizontal | 7              | 1.50          | -        |
| Mode 18 | Pass   | AV   | 13.36258G    | 40.57             | 54.00             | -13.43         | 3           | Horizontal | 196            | 2.37          | -        |
| Mode 18 | Pass   | AV   | 15.6364G     | 38.92             | 54.00             | -15.08         | 3           | Horizontal | 272            | 1.51          | -        |
| Mode 18 | Pass   | PK   | 4.882G       | 43.08             | 74.00             | -30.92         | 3           | Horizontal | 51             | 1.53          | -        |
| Mode 18 | Pass   | PK   | 10.41164G    | 50.58             | 88.20             | -37.62         | 3           | Horizontal | 125            | 1.50          | -        |
| Mode 18 | Pass   | PK   | 13.32568G    | 52.17             | 74.00             | -21.83         | 3           | Horizontal | 7              | 1.50          | -        |
| Mode 18 | Pass   | PK   | 13.3644G     | 52.05             | 74.00             | -21.95         | 3           | Horizontal | 196            | 2.37          | -        |
| Mode 18 | Pass   | PK   | 15.62352G    | 50.54             | 74.00             | -23.46         | 3           | Horizontal | 272            | 1.51          | -        |

## Radiated Emissions above 1GHz\_Mode 1




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV/m) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------|-----------------|--------------|------------|------------|
| AV   | 4.87318G     | 37.40             | 54.00             | -16.60         | -5.05            | 3           | Vertical  | 349            | 2.20          | -       | 42.45           | 32.69        | 6.38       | 44.12      |
| AV   | 4.92395G     | 45.34             | 54.00             | -8.66          | -4.58            | 3           | Vertical  | 346            | 2.31          | -       | 49.92           | 33.09        | 6.44       | 44.11      |
| AV   | 4.96158G     | 31.33             | 54.00             | -22.67         | -4.26            | 3           | Vertical  | 281            | 2.82          | -       | 35.59           | 33.37        | 6.48       | 44.11      |
| AV   | 7.3132G      | 43.11             | 54.00             | -10.89         | 0.94             | 3           | Vertical  | 342            | 1.50          | -       | 42.17           | 37.20        | 7.60       | 43.86      |
| AV   | 7.3852G      | 47.42             | 54.00             | -6.58          | 0.74             | 3           | Vertical  | 289            | 1.85          | -       | 46.68           | 36.92        | 7.58       | 43.76      |
| AV   | 10.426G      | 38.57             | 68.20             | -29.63         | 5.62             | 3           | Vertical  | 19             | 1.56          | -       | 32.95           | 38.75        | 9.41       | 42.54      |
| AV   | 15.62252G    | 38.97             | 54.00             | -15.03         | 5.18             | 3           | Vertical  | 154            | 2.10          | -       | 33.79           | 38.52        | 10.36      | 43.70      |
| PK   | 4.87395G     | 49.76             | 74.00             | -24.24         | -5.05            | 3           | Vertical  | 349            | 2.20          | -       | 54.81           | 32.69        | 6.38       | 44.12      |
| PK   | 4.92394G     | 49.30             | 74.00             | -24.70         | -4.58            | 3           | Vertical  | 346            | 2.31          | -       | 53.88           | 33.09        | 6.44       | 44.11      |
| PK   | 4.958G       | 42.98             | 74.00             | -31.02         | -4.28            | 3           | Vertical  | 281            | 2.82          | -       | 47.26           | 33.35        | 6.48       | 44.11      |
| PK   | 7.31582G     | 56.56             | 74.00             | -17.44         | 0.94             | 3           | Vertical  | 342            | 1.50          | -       | 55.62           | 37.20        | 7.60       | 43.86      |
| PK   | 7.38512G     | 53.70             | 74.00             | -20.30         | 0.74             | 3           | Vertical  | 289            | 1.85          | -       | 52.96           | 36.92        | 7.58       | 43.76      |
| PK   | 10.4245G     | 51.05             | 68.20             | -17.15         | 5.62             | 3           | Vertical  | 19             | 1.56          | -       | 45.43           | 38.75        | 9.41       | 42.54      |
| PK   | 15.6219G     | 51.84             | 74.00             | -22.16         | 5.18             | 3           | Vertical  | 154            | 2.10          | -       | 46.66           | 38.52        | 10.36      | 43.70      |

## Radiated Emissions above 1GHz\_Mode 1




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV/m) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------|-----------------|--------------|------------|------------|
| AV   | 4.87357G     | 38.74             | 54.00             | -15.26         | -5.05            | 3           | Horizontal | 63             | 2.63          | -       | 43.79           | 32.69        | 6.38       | 44.12      |
| AV   | 4.92392G     | 45.85             | 54.00             | -8.15          | -4.58            | 3           | Horizontal | 360            | 1.74          | -       | 50.43           | 33.09        | 6.44       | 44.11      |
| AV   | 4.96244G     | 31.49             | 54.00             | -22.51         | -4.26            | 3           | Horizontal | 314            | 1.19          | -       | 35.75           | 33.37        | 6.48       | 44.11      |
| AV   | 7.31206G     | 45.77             | 54.00             | -8.23          | 0.94             | 3           | Horizontal | 44             | 2.30          | -       | 44.83           | 37.20        | 7.60       | 43.86      |
| AV   | 7.3868G      | 45.15             | 54.00             | -8.85          | 0.74             | 3           | Horizontal | 56             | 1.65          | -       | 44.41           | 36.91        | 7.58       | 43.75      |
| AV   | 10.42068G    | 38.77             | 68.20             | -29.43         | 5.63             | 3           | Horizontal | 232            | 2.49          | -       | 33.14           | 38.76        | 9.41       | 42.54      |
| AV   | 15.62802G    | 38.98             | 54.00             | -15.02         | 5.14             | 3           | Horizontal | 257            | 1.50          | -       | 33.84           | 38.48        | 10.36      | 43.70      |
| PK   | 4.87392G     | 50.11             | 74.00             | -23.89         | -5.05            | 3           | Horizontal | 63             | 2.63          | -       | 55.16           | 32.69        | 6.38       | 44.12      |
| PK   | 4.92389G     | 50.38             | 74.00             | -23.62         | -4.58            | 3           | Horizontal | 360            | 1.74          | -       | 54.96           | 33.09        | 6.44       | 44.11      |
| PK   | 4.96135G     | 43.83             | 74.00             | -30.17         | -4.26            | 3           | Horizontal | 314            | 1.19          | -       | 48.09           | 33.37        | 6.48       | 44.11      |
| PK   | 7.30208G     | 58.01             | 74.00             | -15.99         | 0.92             | 3           | Horizontal | 44             | 2.30          | -       | 57.09           | 37.20        | 7.60       | 43.88      |
| PK   | 7.38434G     | 52.46             | 74.00             | -21.54         | 0.75             | 3           | Horizontal | 56             | 1.65          | -       | 51.71           | 36.93        | 7.58       | 43.76      |
| PK   | 10.41904G    | 51.33             | 68.20             | -16.87         | 5.63             | 3           | Horizontal | 232            | 2.49          | -       | 45.70           | 38.76        | 9.41       | 42.54      |
| PK   | 15.63504G    | 51.67             | 74.00             | -22.33         | 5.09             | 3           | Horizontal | 257            | 1.50          | -       | 46.58           | 38.42        | 10.37      | 43.70      |

### Radiated Emissions above 1GHz\_Mode 2




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.8754G   | 32.64          | 54.00          | -21.36      | -5.04         | 3        | Vertical  | 346         | 1.79       | -       | 37.68        | 32.70     | 6.38    | 44.12   |
| AV   | 4.96898G  | 33.86          | 54.00          | -20.14      | -4.20         | 3        | Vertical  | 341         | 2.24       | -       | 38.06        | 33.41     | 6.49    | 44.10   |
| AV   | 10.38112G | 38.73          | 68.20          | -29.47      | 5.66          | 3        | Vertical  | 253         | 2.02       | -       | 33.07        | 38.80     | 9.41    | 42.55   |
| AV   | 10.42334G | 38.64          | 68.20          | -29.56      | 5.62          | 3        | Vertical  | 215         | 1.50       | -       | 33.02        | 38.75     | 9.41    | 42.54   |
| AV   | 15.57822G | 38.97          | 54.00          | -15.03      | 5.35          | 3        | Vertical  | 360         | 1.50       | -       | 33.62        | 38.70     | 10.35   | 43.70   |
| AV   | 15.62204G | 38.93          | 54.00          | -15.07      | 5.18          | 3        | Vertical  | 351         | 1.52       | -       | 33.75        | 38.52     | 10.36   | 43.70   |
| PK   | 4.87518G  | 44.83          | 74.00          | -29.17      | -5.04         | 3        | Vertical  | 346         | 1.79       | -       | 49.87        | 32.70     | 6.38    | 44.12   |
| PK   | 4.96186G  | 46.30          | 74.00          | -27.70      | -4.26         | 3        | Vertical  | 341         | 2.24       | -       | 50.56        | 33.37     | 6.48    | 44.11   |
| PK   | 10.38144G | 51.13          | 68.20          | -17.07      | 5.66          | 3        | Vertical  | 253         | 2.02       | -       | 45.47        | 38.80     | 9.41    | 42.55   |
| PK   | 10.4292G  | 50.45          | 68.20          | -17.75      | 5.61          | 3        | Vertical  | 215         | 1.50       | -       | 44.84        | 38.74     | 9.41    | 42.54   |
| PK   | 15.5653G  | 51.33          | 74.00          | -22.67      | 5.34          | 3        | Vertical  | 360         | 1.50       | -       | 45.99        | 38.70     | 10.34   | 43.70   |
| PK   | 15.6329G  | 52.00          | 74.00          | -22.00      | 5.11          | 3        | Vertical  | 351         | 1.52       | -       | 46.89        | 38.44     | 10.37   | 43.70   |

### Radiated Emissions above 1GHz\_Mode 2




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.87356G  | 34.57          | 54.00          | -19.43      | -5.05         | 3        | Horizontal | 68          | 2.40       | -       | 39.62        | 32.69     | 6.38    | 44.12   |
| AV   | 4.96532G  | 35.53          | 54.00          | -18.47      | -4.22         | 3        | Horizontal | 19          | 1.50       | -       | 39.75        | 33.39     | 6.49    | 44.10   |
| AV   | 10.38462G | 38.67          | 68.20          | -29.53      | 5.66          | 3        | Horizontal | 230         | 1.50       | -       | 33.01        | 38.80     | 9.41    | 42.55   |
| AV   | 10.42172G | 38.69          | 68.20          | -29.51      | 5.63          | 3        | Horizontal | 291         | 2.90       | -       | 33.06        | 38.76     | 9.41    | 42.54   |
| AV   | 15.56004G | 38.97          | 54.00          | -15.03      | 5.34          | 3        | Horizontal | 58          | 1.50       | -       | 33.63        | 38.70     | 10.34   | 43.70   |
| AV   | 15.6254G  | 39.12          | 54.00          | -14.88      | 5.16          | 3        | Horizontal | 179         | 1.26       | -       | 33.96        | 38.50     | 10.36   | 43.70   |
| PK   | 4.8758G   | 46.90          | 74.00          | -27.10      | -5.03         | 3        | Horizontal | 68          | 2.40       | -       | 51.93        | 32.71     | 6.38    | 44.12   |
| PK   | 4.96342G  | 48.16          | 74.00          | -25.84      | -4.24         | 3        | Horizontal | 19          | 1.50       | -       | 52.40        | 33.38     | 6.49    | 44.11   |
| PK   | 10.38158G | 51.32          | 68.20          | -16.88      | 5.66          | 3        | Horizontal | 230         | 1.50       | -       | 45.66        | 38.80     | 9.41    | 42.55   |
| PK   | 10.42706G | 51.02          | 68.20          | -17.18      | 5.62          | 3        | Horizontal | 291         | 2.90       | -       | 45.40        | 38.75     | 9.41    | 42.54   |
| PK   | 15.57828G | 50.99          | 74.00          | -23.01      | 5.35          | 3        | Horizontal | 58          | 1.50       | -       | 45.64        | 38.70     | 10.35   | 43.70   |
| PK   | 15.63894G | 51.87          | 74.00          | -22.13      | 5.06          | 3        | Horizontal | 179         | 1.26       | -       | 46.81        | 38.39     | 10.37   | 43.70   |

### Radiated Emissions above 1GHz\_Mode 3




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.87118G  | 32.44          | 54.00          | -21.56      | -5.07         | 3        | Vertical  | 17          | 3.00       | -       | 37.51        | 32.67     | 6.38    | 44.12   |
| AV   | 4.96914G  | 32.18          | 54.00          | -21.82      | -4.20         | 3        | Vertical  | 0           | 3.00       | -       | 36.38        | 33.41     | 6.49    | 44.10   |
| AV   | 7.31778G  | 41.98          | 54.00          | -12.02      | 0.95          | 3        | Vertical  | 348         | 1.00       | -       | 41.03        | 37.20     | 7.60    | 43.85   |
| AV   | 10.4231G  | 38.73          | 68.20          | -29.47      | 5.62          | 3        | Vertical  | 238         | 2.42       | -       | 33.11        | 38.75     | 9.41    | 42.54   |
| AV   | 13.32176G | 40.51          | 54.00          | -13.49      | 7.14          | 3        | Vertical  | 293         | 1.71       | -       | 33.37        | 40.14     | 9.67    | 42.67   |
| AV   | 15.6305G  | 39.09          | 54.00          | -14.91      | 5.13          | 3        | Vertical  | 276         | 2.78       | -       | 33.96        | 38.46     | 10.37   | 43.70   |
| PK   | 4.87318G  | 45.15          | 74.00          | -28.85      | -5.05         | 3        | Vertical  | 17          | 3.00       | -       | 50.20        | 32.69     | 6.38    | 44.12   |
| PK   | 4.96658G  | 44.52          | 74.00          | -29.48      | -4.21         | 3        | Vertical  | 0           | 3.00       | -       | 48.73        | 33.40     | 6.49    | 44.10   |
| PK   | 7.31802G  | 54.94          | 74.00          | -19.06      | 0.95          | 3        | Vertical  | 348         | 1.00       | -       | 53.99        | 37.20     | 7.60    | 43.85   |
| PK   | 10.4276G  | 50.86          | 88.20          | -37.34      | 5.61          | 3        | Vertical  | 238         | 2.42       | -       | 45.25        | 38.74     | 9.41    | 42.54   |
| PK   | 13.32346G | 53.07          | 74.00          | -20.93      | 7.15          | 3        | Vertical  | 293         | 1.71       | -       | 45.92        | 40.15     | 9.67    | 42.67   |
| PK   | 15.62848G | 51.96          | 74.00          | -22.04      | 5.14          | 3        | Vertical  | 276         | 2.78       | -       | 46.82        | 38.47     | 10.37   | 43.70   |

### Radiated Emissions above 1GHz\_Mode 3




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.87534G  | 33.60          | 54.00          | -20.40      | -5.04         | 3        | Horizontal | 59          | 2.16       | -       | 38.64        | 32.70     | 6.38    | 44.12   |
| AV   | 4.96468G  | 36.01          | 54.00          | -17.99      | -4.22         | 3        | Horizontal | 50          | 2.34       | -       | 40.23        | 33.39     | 6.49    | 44.10   |
| AV   | 7.31168G  | 43.87          | 54.00          | -10.13      | 0.94          | 3        | Horizontal | 31          | 2.33       | -       | 42.93        | 37.20     | 7.60    | 43.86   |
| AV   | 10.41936G | 38.68          | 68.20          | -29.52      | 5.63          | 3        | Horizontal | 130         | 1.50       | -       | 33.05        | 38.76     | 9.41    | 42.54   |
| AV   | 13.32124G | 40.57          | 54.00          | -13.43      | 7.14          | 3        | Horizontal | 33          | 1.50       | -       | 33.43        | 40.14     | 9.67    | 42.67   |
| AV   | 15.62686G | 39.17          | 54.00          | -14.83      | 5.15          | 3        | Horizontal | 157         | 2.03       | -       | 34.02        | 38.49     | 10.36   | 43.70   |
| PK   | 4.87576G  | 46.50          | 74.00          | -27.50      | -5.03         | 3        | Horizontal | 59          | 2.16       | -       | 51.53        | 32.71     | 6.38    | 44.12   |
| PK   | 4.96368G  | 47.98          | 74.00          | -26.02      | -4.24         | 3        | Horizontal | 50          | 2.34       | -       | 52.22        | 33.38     | 6.49    | 44.11   |
| PK   | 7.31882G  | 56.03          | 74.00          | -17.97      | 0.95          | 3        | Horizontal | 31          | 2.33       | -       | 55.08        | 37.20     | 7.60    | 43.85   |
| PK   | 10.42704G | 51.15          | 88.20          | -37.05      | 5.62          | 3        | Horizontal | 130         | 1.50       | -       | 45.53        | 38.75     | 9.41    | 42.54   |
| PK   | 13.32062G | 53.07          | 74.00          | -20.93      | 7.14          | 3        | Horizontal | 33          | 1.50       | -       | 45.93        | 40.14     | 9.67    | 42.67   |
| PK   | 15.62442G | 51.36          | 74.00          | -22.64      | 5.16          | 3        | Horizontal | 157         | 2.03       | -       | 46.20        | 38.50     | 10.36   | 43.70   |

## Radiated Emissions above 1GHz\_Mode 4




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.92396G  | 44.39          | 54.00          | -9.61       | -4.58         | 3        | Vertical  | 338         | 2.88       | -       | 48.97        | 33.09     | 6.44    | 44.11   |
| AV   | 4.95898G  | 36.25          | 54.00          | -17.75      | -4.28         | 3        | Vertical  | 334         | 2.22       | -       | 40.53        | 33.35     | 6.48    | 44.11   |
| AV   | 7.38672G  | 44.85          | 54.00          | -9.15       | 0.74          | 3        | Vertical  | 293         | 2.29       | -       | 44.11        | 36.91     | 7.58    | 43.75   |
| AV   | 10.42536G | 38.68          | 68.20          | -29.52      | 5.62          | 3        | Vertical  | 100         | 2.69       | -       | 33.06        | 38.75     | 9.41    | 42.54   |
| AV   | 13.36068G | 40.28          | 54.00          | -13.72      | 7.18          | 3        | Vertical  | 145         | 1.50       | -       | 33.10        | 40.20     | 9.68    | 42.70   |
| AV   | 15.62194G | 39.07          | 54.00          | -14.93      | 5.18          | 3        | Vertical  | 203         | 2.80       | -       | 33.89        | 38.52     | 10.36   | 43.70   |
| PK   | 4.92394G  | 48.53          | 74.00          | -25.47      | -4.58         | 3        | Vertical  | 338         | 2.88       | -       | 53.11        | 33.09     | 6.44    | 44.11   |
| PK   | 4.96104G  | 46.24          | 74.00          | -27.76      | -4.26         | 3        | Vertical  | 346         | 2.22       | -       | 50.50        | 33.37     | 6.48    | 44.11   |
| PK   | 7.38644G  | 52.98          | 74.00          | -21.02      | 0.74          | 3        | Vertical  | 293         | 2.29       | -       | 52.24        | 36.91     | 7.58    | 43.75   |
| PK   | 10.41492G | 50.72          | 88.20          | -37.48      | 5.64          | 3        | Vertical  | 100         | 2.69       | -       | 45.08        | 38.77     | 9.41    | 42.54   |
| PK   | 13.36088G | 52.65          | 74.00          | -21.35      | 7.18          | 3        | Vertical  | 145         | 1.50       | -       | 45.47        | 40.20     | 9.68    | 42.70   |
| PK   | 15.62772G | 52.06          | 74.00          | -21.94      | 5.14          | 3        | Vertical  | 203         | 2.80       | -       | 46.92        | 38.48     | 10.36   | 43.70   |

## Radiated Emissions above 1GHz\_Mode 4




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.92396G  | 45.07          | 54.00          | -8.93       | -4.58         | 3        | Horizontal | 0           | 1.50       | -       | 49.65        | 33.09     | 6.44    | 44.11   |
| AV   | 4.959G    | 37.73          | 54.00          | -16.27      | -4.28         | 3        | Horizontal | 13          | 1.50       | -       | 42.01        | 33.35     | 6.48    | 44.11   |
| AV   | 7.38664G  | 42.29          | 54.00          | -11.71      | 0.74          | 3        | Horizontal | 55          | 2.66       | -       | 41.55        | 36.91     | 7.58    | 43.75   |
| AV   | 10.4246G  | 38.60          | 68.20          | -29.60      | 5.62          | 3        | Horizontal | 100         | 2.77       | -       | 32.98        | 38.75     | 9.41    | 42.54   |
| AV   | 13.36524G | 40.33          | 54.00          | -13.67      | 7.17          | 3        | Horizontal | 80          | 2.50       | -       | 33.16        | 40.20     | 9.68    | 42.71   |
| AV   | 15.63044G | 39.09          | 54.00          | -14.91      | 5.13          | 3        | Horizontal | 340         | 1.50       | -       | 33.96        | 38.46     | 10.37   | 43.70   |
| PK   | 4.92384G  | 49.41          | 74.00          | -24.59      | -4.58         | 3        | Horizontal | 0           | 1.50       | -       | 53.99        | 33.09     | 6.44    | 44.11   |
| PK   | 4.96116G  | 47.30          | 74.00          | -26.70      | -4.26         | 3        | Horizontal | 13          | 1.50       | -       | 51.56        | 33.37     | 6.48    | 44.11   |
| PK   | 7.38714G  | 51.27          | 74.00          | -22.73      | 0.73          | 3        | Horizontal | 55          | 2.66       | -       | 50.54        | 36.90     | 7.58    | 43.75   |
| PK   | 10.42288G | 50.46          | 88.20          | -37.74      | 5.62          | 3        | Horizontal | 100         | 2.77       | -       | 44.84        | 38.75     | 9.41    | 42.54   |
| PK   | 13.36978G | 51.83          | 74.00          | -22.17      | 7.17          | 3        | Horizontal | 80          | 2.50       | -       | 44.66        | 40.20     | 9.68    | 42.71   |
| PK   | 15.62148G | 51.11          | 74.00          | -22.89      | 5.19          | 3        | Horizontal | 340         | 1.50       | -       | 45.92        | 38.53     | 10.36   | 43.70   |

### Radiated Emissions above 1GHz\_Mode 5




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.96974G  | 35.37          | 54.00          | -18.63      | -4.19         | 3        | Vertical  | 345         | 2.25       | -       | 39.56        | 33.42     | 6.49    | 44.10   |
| AV   | 10.38122G | 38.62          | 68.20          | -29.58      | 5.66          | 3        | Vertical  | 48          | 1.33       | -       | 32.96        | 38.80     | 9.41    | 42.55   |
| AV   | 10.42856G | 38.69          | 68.20          | -29.51      | 5.61          | 3        | Vertical  | 15          | 1.50       | -       | 33.08        | 38.74     | 9.41    | 42.54   |
| AV   | 13.36412G | 39.55          | 54.00          | -14.45      | 7.17          | 3        | Vertical  | 284         | 2.55       | -       | 32.38        | 40.20     | 9.68    | 42.71   |
| AV   | 15.57934G | 37.80          | 54.00          | -16.20      | 5.35          | 3        | Vertical  | 317         | 1.50       | -       | 32.45        | 38.70     | 10.35   | 43.70   |
| AV   | 15.62006G | 37.94          | 54.00          | -16.06      | 5.20          | 3        | Vertical  | 28          | 1.81       | -       | 32.74        | 38.54     | 10.36   | 43.70   |
| PK   | 4.96884G  | 47.96          | 74.00          | -26.04      | -4.20         | 3        | Vertical  | 345         | 2.25       | -       | 52.16        | 33.41     | 6.49    | 44.10   |
| PK   | 10.38196G | 51.44          | 88.20          | -36.76      | 5.66          | 3        | Vertical  | 48          | 1.33       | -       | 45.78        | 38.80     | 9.41    | 42.55   |
| PK   | 10.42836G | 51.02          | 88.20          | -37.18      | 5.61          | 3        | Vertical  | 15          | 1.50       | -       | 45.41        | 38.74     | 9.41    | 42.54   |
| PK   | 13.36252G | 51.36          | 74.00          | -22.64      | 7.17          | 3        | Vertical  | 284         | 2.55       | -       | 44.19        | 40.20     | 9.68    | 42.71   |
| PK   | 15.57154G | 49.73          | 74.00          | -24.27      | 5.34          | 3        | Vertical  | 317         | 1.50       | -       | 44.39        | 38.70     | 10.34   | 43.70   |
| PK   | 15.62492G | 50.00          | 74.00          | -24.00      | 5.16          | 3        | Vertical  | 28          | 1.81       | -       | 44.84        | 38.50     | 10.36   | 43.70   |

### Radiated Emissions above 1GHz\_Mode 5




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.9645G   | 37.23          | 54.00          | -16.77      | -4.22         | 3        | Horizontal | 13          | 1.69       | -       | 41.45        | 33.39     | 6.49    | 44.10   |
| AV   | 10.38114G | 38.63          | 68.20          | -29.57      | 5.66          | 3        | Horizontal | 360         | 1.50       | -       | 32.97        | 38.80     | 9.41    | 42.55   |
| AV   | 10.42538G | 38.89          | 68.20          | -29.31      | 5.62          | 3        | Horizontal | 259         | 2.53       | -       | 33.27        | 38.75     | 9.41    | 42.54   |
| AV   | 13.36034G | 39.69          | 54.00          | -14.31      | 7.18          | 3        | Horizontal | 82          | 1.50       | -       | 32.51        | 40.20     | 9.68    | 42.70   |
| AV   | 15.57904G | 37.74          | 54.00          | -16.26      | 5.35          | 3        | Horizontal | 110         | 1.32       | -       | 32.39        | 38.70     | 10.35   | 43.70   |
| AV   | 15.63314G | 38.07          | 54.00          | -15.93      | 5.10          | 3        | Horizontal | 111         | 1.55       | -       | 32.97        | 38.43     | 10.37   | 43.70   |
| PK   | 4.96772G  | 49.46          | 74.00          | -24.54      | -4.20         | 3        | Horizontal | 13          | 1.96       | -       | 53.66        | 33.41     | 6.49    | 44.10   |
| PK   | 10.3798G  | 50.32          | 88.20          | -37.88      | 5.66          | 3        | Horizontal | 360         | 1.50       | -       | 44.66        | 38.80     | 9.41    | 42.55   |
| PK   | 10.4266G  | 51.22          | 88.20          | -36.98      | 5.62          | 3        | Horizontal | 259         | 2.53       | -       | 45.60        | 38.75     | 9.41    | 42.54   |
| PK   | 13.36916G | 51.48          | 74.00          | -22.52      | 7.17          | 3        | Horizontal | 82          | 1.50       | -       | 44.31        | 40.20     | 9.68    | 42.71   |
| PK   | 15.5612G  | 49.57          | 74.00          | -24.43      | 5.34          | 3        | Horizontal | 110         | 1.32       | -       | 44.23        | 38.70     | 10.34   | 43.70   |
| PK   | 15.6275G  | 50.53          | 74.00          | -23.47      | 5.14          | 3        | Horizontal | 111         | 1.55       | -       | 45.39        | 38.48     | 10.36   | 43.70   |

### Radiated Emissions above 1GHz\_Mode 6




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV/m) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------|-----------------|--------------|------------|------------|
| AV   | 4.96253G     | 35.93             | 54.00             | -18.07         | -4.24            | 3           | Vertical  | 245            | 2.12          | -       | 40.17           | 33.38        | 6.49       | 44.11      |
| AV   | 10.4257G     | 39.87             | 68.20             | -28.33         | 5.62             | 3           | Vertical  | 32             | 1.25          | -       | 34.25           | 38.75        | 9.41       | 42.54      |
| AV   | 13.35214G    | 40.42             | 54.00             | -13.58         | 7.17             | 3           | Vertical  | 321            | 2.58          | -       | 33.25           | 40.20        | 9.67       | 42.70      |
| AV   | 13.43234G    | 38.36             | 68.20             | -29.84         | 7.11             | 3           | Vertical  | 124            | 1.58          | -       | 31.25           | 40.20        | 9.68       | 42.77      |
| AV   | 15.61957G    | 39.45             | 54.00             | -14.55         | 5.20             | 3           | Vertical  | 72             | 1.81          | -       | 34.25           | 38.54        | 10.36      | 43.70      |
| PK   | 4.96768G     | 49.02             | 74.00             | -24.98         | -4.20            | 3           | Vertical  | 245            | 2.12          | -       | 53.22           | 33.41        | 6.49       | 44.10      |
| PK   | 10.43258G    | 50.86             | 88.20             | -37.34         | 5.61             | 3           | Vertical  | 32             | 1.25          | -       | 45.25           | 38.73        | 9.41       | 42.53      |
| PK   | 13.35782G    | 52.91             | 74.00             | -21.09         | 7.18             | 3           | Vertical  | 321            | 2.58          | -       | 45.73           | 40.20        | 9.68       | 42.70      |
| PK   | 13.42047G    | 50.57             | 88.20             | -37.63         | 7.12             | 3           | Vertical  | 124            | 1.58          | -       | 43.45           | 40.20        | 9.68       | 42.76      |
| PK   | 15.62954G    | 50.41             | 74.00             | -23.59         | 5.13             | 3           | Vertical  | 72             | 1.81          | -       | 45.28           | 38.46        | 10.37      | 43.70      |

### Radiated Emissions above 1GHz\_Mode 6




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV/m) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------|-----------------|--------------|------------|------------|
| AV   | 4.9637G      | 38.11             | 54.00             | -15.89         | -4.24            | 3           | Horizontal | 32             | 1.25          | -       | 42.35           | 33.38        | 6.49       | 44.11      |
| AV   | 10.42461G    | 38.39             | 68.20             | -29.81         | 5.62             | 3           | Horizontal | 258            | 2.80          | -       | 32.77           | 38.75        | 9.41       | 42.54      |
| AV   | 13.36214G    | 40.72             | 54.00             | -13.28         | 7.17             | 3           | Horizontal | 123            | 1.62          | -       | 33.55           | 40.20        | 9.68       | 42.71      |
| AV   | 13.42334G    | 40.37             | 68.20             | -27.83         | 7.12             | 3           | Horizontal | 121            | 1.47          | -       | 33.25           | 40.20        | 9.68       | 42.76      |
| AV   | 15.63514G    | 39.35             | 54.00             | -14.65         | 5.09             | 3           | Horizontal | 210            | 2.25          | -       | 34.26           | 38.42        | 10.37      | 43.70      |
| PK   | 4.96657G     | 50.92             | 74.00             | -23.08         | -4.21            | 3           | Horizontal | 32             | 1.25          | -       | 55.13           | 33.40        | 6.49       | 44.10      |
| PK   | 10.42725G    | 51.84             | 88.20             | -36.36         | 5.62             | 3           | Horizontal | 258            | 2.80          | -       | 46.22           | 38.75        | 9.41       | 42.54      |
| PK   | 13.36894G    | 50.34             | 74.00             | -23.66         | 7.17             | 3           | Horizontal | 123            | 1.62          | -       | 43.17           | 40.20        | 9.68       | 42.71      |
| PK   | 13.41544G    | 50.42             | 88.20             | -37.78         | 7.13             | 3           | Horizontal | 121            | 1.47          | -       | 43.29           | 40.20        | 9.68       | 42.75      |
| PK   | 15.62375G    | 51.47             | 74.00             | -22.53         | 5.17             | 3           | Horizontal | 210            | 2.25          | -       | 46.30           | 38.51        | 10.36      | 43.70      |

## Radiated Emissions above 1GHz\_Mode 7




| Type | Freq      | Level    | Limit    | Margin | Factor | Dist | Condition | Azimuth | Height | Comment | Raw      | AF     | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|----------|--------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dB/m) | (m)  |           | (°)     | (m)    |         | (dBuV/m) | (dB/m) | (dB)  | (dB)  |
| AV   | 4.80902G  | 34.55    | 54.00    | -19.45 | -5.49  | 3    | Vertical  | 360     | 1.50   | -       | 40.04    | 32.34  | 6.30  | 44.13 |
| AV   | 4.87132G  | 36.13    | 54.00    | -17.87 | -5.07  | 3    | Vertical  | 355     | 1.50   | -       | 41.20    | 32.67  | 6.38  | 44.12 |
| AV   | 4.92394G  | 46.36    | 54.00    | -7.64  | -4.58  | 3    | Vertical  | 355     | 1.00   | -       | 50.94    | 33.09  | 6.44  | 44.11 |
| AV   | 7.31078G  | 39.22    | 54.00    | -14.78 | 0.94   | 3    | Vertical  | 356     | 1.50   | -       | 38.28    | 37.20  | 7.60  | 43.86 |
| AV   | 7.38664G  | 48.00    | 54.00    | -6.00  | 0.74   | 3    | Vertical  | 65      | 1.00   | -       | 47.26    | 36.91  | 7.58  | 43.75 |
| AV   | 10.42328G | 37.83    | 68.20    | -30.37 | 5.62   | 3    | Vertical  | 46      | 1.12   | -       | 32.21    | 38.75  | 9.41  | 42.54 |
| AV   | 15.62349G | 39.04    | 54.00    | -14.96 | 5.17   | 3    | Vertical  | 261     | 1.50   | -       | 33.87    | 38.51  | 10.36 | 43.70 |
| PK   | 4.80024G  | 47.19    | 74.00    | -26.81 | -5.54  | 3    | Vertical  | 360     | 1.50   | -       | 52.73    | 32.30  | 6.29  | 44.13 |
| PK   | 4.86868G  | 48.28    | 74.00    | -25.72 | -5.10  | 3    | Vertical  | 355     | 1.50   | -       | 53.38    | 32.65  | 6.37  | 44.12 |
| PK   | 4.924G    | 50.10    | 74.00    | -23.90 | -4.58  | 3    | Vertical  | 355     | 1.00   | -       | 54.68    | 33.09  | 6.44  | 44.11 |
| PK   | 7.30852G  | 51.91    | 74.00    | -22.09 | 0.93   | 3    | Vertical  | 356     | 1.50   | -       | 50.98    | 37.20  | 7.60  | 43.87 |
| PK   | 7.38694G  | 54.11    | 74.00    | -19.89 | 0.73   | 3    | Vertical  | 65      | 1.00   | -       | 53.38    | 36.90  | 7.58  | 43.75 |
| PK   | 10.41264G | 50.84    | 68.20    | -17.36 | 5.64   | 3    | Vertical  | 46      | 1.12   | -       | 45.20    | 38.77  | 9.41  | 42.54 |
| PK   | 15.62151G | 51.12    | 74.00    | -22.88 | 5.19   | 3    | Vertical  | 261     | 1.50   | -       | 45.93    | 38.53  | 10.36 | 43.70 |

## Radiated Emissions above 1GHz\_Mode 7




| Type | Freq      | Level    | Limit    | Margin | Factor | Dist | Condition  | Azimuth | Height | Comment | Raw      | AF     | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|----------|--------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dB/m) | (m)  |            | (°)     | (m)    |         | (dBuV/m) | (dB/m) | (dB)  | (dB)  |
| AV   | 4.80888G  | 35.56    | 54.00    | -18.44 | -5.49  | 3    | Horizontal | 58      | 2.28   | -       | 41.05    | 32.34  | 6.30  | 44.13 |
| AV   | 4.87394G  | 41.47    | 54.00    | -12.53 | -5.05  | 3    | Horizontal | 13      | 1.87   | -       | 46.52    | 32.69  | 6.38  | 44.12 |
| AV   | 4.92398G  | 46.89    | 54.00    | -7.11  | -4.58  | 3    | Horizontal | 39      | 2.20   | -       | 51.47    | 33.09  | 6.44  | 44.11 |
| AV   | 7.31002G  | 39.22    | 54.00    | -14.78 | 0.94   | 3    | Horizontal | 0       | 1.00   | -       | 38.28    | 37.20  | 7.60  | 43.86 |
| AV   | 7.38516G  | 45.83    | 54.00    | -8.17  | 0.74   | 3    | Horizontal | 12      | 2.77   | -       | 45.09    | 36.92  | 7.58  | 43.76 |
| AV   | 10.42204G | 37.82    | 68.20    | -30.38 | 5.63   | 3    | Horizontal | 329     | 2.32   | -       | 32.19    | 38.76  | 9.41  | 42.54 |
| AV   | 15.62318G | 39.21    | 54.00    | -14.79 | 5.17   | 3    | Horizontal | 94      | 1.64   | -       | 34.04    | 38.51  | 10.36 | 43.70 |
| PK   | 4.8088G   | 46.38    | 74.00    | -27.62 | -5.49  | 3    | Horizontal | 58      | 2.28   | -       | 51.87    | 32.34  | 6.30  | 44.13 |
| PK   | 4.87222G  | 51.82    | 74.00    | -22.18 | -5.06  | 3    | Horizontal | 13      | 1.87   | -       | 56.88    | 32.68  | 6.38  | 44.12 |
| PK   | 4.92386G  | 50.52    | 74.00    | -23.48 | -4.58  | 3    | Horizontal | 39      | 2.20   | -       | 55.10    | 33.09  | 6.44  | 44.11 |
| PK   | 7.30212G  | 51.52    | 74.00    | -22.48 | 0.93   | 3    | Horizontal | 0       | 1.00   | -       | 50.59    | 37.20  | 7.60  | 43.87 |
| PK   | 7.38496G  | 52.96    | 74.00    | -21.04 | 0.74   | 3    | Horizontal | 12      | 2.77   | -       | 52.22    | 36.92  | 7.58  | 43.76 |
| PK   | 10.42632G | 50.59    | 68.20    | -17.61 | 5.62   | 3    | Horizontal | 329     | 2.32   | -       | 44.97    | 38.75  | 9.41  | 42.54 |
| PK   | 15.61448G | 51.43    | 74.00    | -22.57 | 5.24   | 3    | Horizontal | 94      | 1.64   | -       | 46.19    | 38.58  | 10.36 | 43.70 |

### Radiated Emissions above 1GHz\_Mode 8




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.81822G  | 32.29          | 54.00          | -21.71      | -5.45         | 3        | Vertical  | 360         | 1.50       | -       | 37.74        | 32.37     | 6.31    | 44.13   |
| AV   | 4.87648G  | 38.64          | 54.00          | -15.36      | -5.03         | 3        | Vertical  | 42          | 1.00       | -       | 43.67        | 32.71     | 6.38    | 44.12   |
| AV   | 7.3106G   | 38.68          | 54.00          | -15.32      | 0.94          | 3        | Vertical  | 360         | 1.50       | -       | 37.74        | 37.20     | 7.60    | 43.86   |
| AV   | 10.387G   | 37.81          | 68.20          | -30.39      | 5.67          | 3        | Vertical  | 335         | 1.66       | -       | 32.14        | 38.80     | 9.41    | 42.54   |
| AV   | 10.42364G | 37.82          | 68.20          | -30.38      | 5.62          | 3        | Vertical  | 291         | 2.84       | -       | 32.20        | 38.75     | 9.41    | 42.54   |
| AV   | 15.5797G  | 39.44          | 54.00          | -14.56      | 5.35          | 3        | Vertical  | 329         | 1.50       | -       | 34.09        | 38.70     | 10.35   | 43.70   |
| AV   | 15.62904G | 39.51          | 54.00          | -14.49      | 5.14          | 3        | Vertical  | 123         | 1.50       | -       | 34.37        | 38.47     | 10.37   | 43.70   |
| PK   | 4.81296G  | 44.92          | 74.00          | -29.08      | -5.47         | 3        | Vertical  | 360         | 1.50       | -       | 50.39        | 32.35     | 6.31    | 44.13   |
| PK   | 4.87574G  | 51.51          | 74.00          | -22.49      | -5.03         | 3        | Vertical  | 46          | 1.00       | -       | 56.54        | 32.71     | 6.38    | 44.12   |
| PK   | 7.31786G  | 51.17          | 74.00          | -22.83      | 0.95          | 3        | Vertical  | 360         | 1.50       | -       | 50.22        | 37.20     | 7.60    | 43.85   |
| PK   | 10.37384G | 49.80          | 68.20          | -18.40      | 5.66          | 3        | Vertical  | 335         | 1.66       | -       | 44.14        | 38.80     | 9.41    | 42.55   |
| PK   | 10.41756G | 50.22          | 68.20          | -17.98      | 5.63          | 3        | Vertical  | 291         | 2.84       | -       | 44.59        | 38.76     | 9.41    | 42.54   |
| PK   | 15.56574G | 51.98          | 74.00          | -22.02      | 5.34          | 3        | Vertical  | 329         | 1.50       | -       | 46.64        | 38.70     | 10.34   | 43.70   |
| PK   | 15.62884G | 51.81          | 74.00          | -22.19      | 5.14          | 3        | Vertical  | 123         | 1.50       | -       | 46.67        | 38.47     | 10.37   | 43.70   |

### Radiated Emissions above 1GHz\_Mode 8




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.81952G  | 36.18          | 54.00          | -17.82      | -5.44         | 3        | Horizontal | 50          | 1.00       | -       | 41.62        | 32.38     | 6.31    | 44.13   |
| AV   | 4.86908G  | 37.81          | 54.00          | -16.19      | -5.10         | 3        | Horizontal | 14          | 2.58       | -       | 42.91        | 32.65     | 6.37    | 44.12   |
| AV   | 7.31248G  | 38.54          | 54.00          | -15.46      | 0.94          | 3        | Horizontal | 0           | 1.00       | -       | 37.60        | 37.20     | 7.60    | 43.86   |
| AV   | 10.38024G | 37.83          | 68.20          | -30.37      | 5.66          | 3        | Horizontal | 93          | 2.84       | -       | 32.17        | 38.80     | 9.41    | 42.55   |
| AV   | 10.42104G | 37.77          | 68.20          | -30.43      | 5.63          | 3        | Horizontal | 180         | 1.06       | -       | 32.14        | 38.76     | 9.41    | 42.54   |
| AV   | 15.5777G  | 39.49          | 54.00          | -14.51      | 5.35          | 3        | Horizontal | 338         | 1.15       | -       | 34.14        | 38.70     | 10.35   | 43.70   |
| AV   | 15.62914G | 39.42          | 54.00          | -14.58      | 5.14          | 3        | Horizontal | 347         | 1.50       | -       | 34.28        | 38.47     | 10.37   | 43.70   |
| PK   | 4.8047G   | 49.69          | 74.00          | -24.31      | -5.51         | 3        | Horizontal | 50          | 1.00       | -       | 55.20        | 32.32     | 6.30    | 44.13   |
| PK   | 4.87212G  | 51.21          | 74.00          | -22.79      | -5.06         | 3        | Horizontal | 14          | 2.58       | -       | 56.27        | 32.68     | 6.38    | 44.12   |
| PK   | 7.31528G  | 50.82          | 74.00          | -23.18      | 0.94          | 3        | Horizontal | 0           | 1.00       | -       | 49.88        | 37.20     | 7.60    | 43.86   |
| PK   | 10.38748G | 50.27          | 68.20          | -17.93      | 5.67          | 3        | Horizontal | 93          | 2.84       | -       | 44.60        | 38.80     | 9.41    | 42.54   |
| PK   | 10.4294G  | 49.67          | 68.20          | -18.53      | 5.61          | 3        | Horizontal | 180         | 1.06       | -       | 44.06        | 38.74     | 9.41    | 42.54   |
| PK   | 15.5603G  | 52.29          | 74.00          | -21.71      | 5.34          | 3        | Horizontal | 338         | 1.15       | -       | 46.95        | 38.70     | 10.34   | 43.70   |
| PK   | 15.63712G | 51.73          | 74.00          | -22.27      | 5.07          | 3        | Horizontal | 347         | 1.50       | -       | 46.66        | 38.40     | 10.37   | 43.70   |

### Radiated Emissions above 1GHz\_Mode 9




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.81954G  | 31.78          | 54.00          | -22.22      | -5.44         | 3        | Vertical  | 46          | 1.00       | -       | 37.22        | 32.38     | 6.31    | 44.13   |
| AV   | 4.87088G  | 38.01          | 54.00          | -15.99      | -5.07         | 3        | Vertical  | 43          | 1.06       | -       | 43.08        | 32.67     | 6.38    | 44.12   |
| AV   | 7.30936G  | 38.54          | 54.00          | -15.46      | 0.94          | 3        | Vertical  | 357         | 1.50       | -       | 37.60        | 37.20     | 7.60    | 43.86   |
| AV   | 10.42192G | 37.80          | 68.20          | -30.40      | 5.63          | 3        | Vertical  | 159         | 1.38       | -       | 32.17        | 38.76     | 9.41    | 42.54   |
| AV   | 13.34G    | 40.57          | 54.00          | -13.43      | 7.16          | 3        | Vertical  | 83          | 2.11       | -       | 33.41        | 40.18     | 9.67    | 42.69   |
| AV   | 15.63576G | 39.38          | 54.00          | -14.62      | 5.08          | 3        | Vertical  | 29          | 1.50       | -       | 34.30        | 38.41     | 10.37   | 43.70   |
| PK   | 4.8138G   | 43.71          | 74.00          | -30.29      | -5.46         | 3        | Vertical  | 46          | 1.00       | -       | 49.17        | 32.36     | 6.31    | 44.13   |
| PK   | 4.8684G   | 51.20          | 74.00          | -22.80      | -5.10         | 3        | Vertical  | 43          | 1.06       | -       | 56.30        | 32.65     | 6.37    | 44.12   |
| PK   | 7.3022G   | 51.37          | 74.00          | -22.63      | 0.93          | 3        | Vertical  | 357         | 1.50       | -       | 50.44        | 37.20     | 7.60    | 43.87   |
| PK   | 10.42656G | 50.37          | 88.20          | -37.83      | 5.62          | 3        | Vertical  | 159         | 1.38       | -       | 44.75        | 38.75     | 9.41    | 42.54   |
| PK   | 13.33136G | 53.17          | 74.00          | -20.83      | 7.15          | 3        | Vertical  | 83          | 2.11       | -       | 46.02        | 40.16     | 9.67    | 42.68   |
| PK   | 15.62844G | 51.68          | 74.00          | -22.32      | 5.14          | 3        | Vertical  | 29          | 1.50       | -       | 46.54        | 38.47     | 10.37   | 43.70   |

### Radiated Emissions above 1GHz\_Mode 9




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.8194G   | 32.34          | 54.00          | -21.66      | -5.44         | 3        | Horizontal | 360         | 1.00       | -       | 37.78        | 32.38     | 6.31    | 44.13   |
| AV   | 4.86752G  | 38.68          | 54.00          | -15.32      | -5.11         | 3        | Horizontal | 16          | 2.59       | -       | 43.79        | 32.64     | 6.37    | 44.12   |
| AV   | 7.3113G   | 38.49          | 54.00          | -15.51      | 0.94          | 3        | Horizontal | 360         | 2.09       | -       | 37.55        | 37.20     | 7.60    | 43.86   |
| AV   | 10.42332G | 37.83          | 68.20          | -30.37      | 5.62          | 3        | Horizontal | 140         | 1.66       | -       | 32.21        | 38.75     | 9.41    | 42.54   |
| AV   | 13.33988G | 40.48          | 54.00          | -13.52      | 7.16          | 3        | Horizontal | 322         | 1.50       | -       | 33.32        | 40.18     | 9.67    | 42.69   |
| AV   | 15.63762G | 39.54          | 54.00          | -14.46      | 5.07          | 3        | Horizontal | 110         | 1.00       | -       | 34.47        | 38.40     | 10.37   | 43.70   |
| PK   | 4.81648G  | 44.85          | 74.00          | -29.15      | -5.45         | 3        | Horizontal | 360         | 1.00       | -       | 50.30        | 32.37     | 6.31    | 44.13   |
| PK   | 4.8721G   | 51.36          | 74.00          | -22.64      | -5.06         | 3        | Horizontal | 16          | 2.59       | -       | 56.42        | 32.68     | 6.38    | 44.12   |
| PK   | 7.31802G  | 50.58          | 74.00          | -23.42      | 0.95          | 3        | Horizontal | 360         | 2.09       | -       | 49.63        | 37.20     | 7.60    | 43.85   |
| PK   | 10.42776G | 50.36          | 88.20          | -37.84      | 5.61          | 3        | Horizontal | 140         | 1.66       | -       | 44.75        | 38.74     | 9.41    | 42.54   |
| PK   | 13.33516G | 52.80          | 74.00          | -21.20      | 7.16          | 3        | Horizontal | 322         | 1.50       | -       | 45.64        | 40.17     | 9.67    | 42.68   |
| PK   | 15.62406G | 51.68          | 74.00          | -22.32      | 5.17          | 3        | Horizontal | 110         | 1.00       | -       | 46.51        | 38.51     | 10.36   | 43.70   |

### Radiated Emissions above 1GHz\_Mode 10




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV   | 4.811G    | 30.84          | 54.00          | -23.16      | -5.49       | 3        | Vertical  | 53          | 2.00       | -       | 36.33      | 32.34   | 6.30    | 44.13   |
| AV   | 4.92392G  | 43.55          | 54.00          | -10.45      | -4.58       | 3        | Vertical  | 1           | 1.00       | -       | 48.13      | 33.09   | 6.44    | 44.11   |
| AV   | 7.38668G  | 45.61          | 54.00          | -8.39       | 0.74        | 3        | Vertical  | 353         | 2.05       | -       | 44.87      | 36.91   | 7.58    | 43.75   |
| AV   | 10.4228G  | 37.88          | 68.20          | -30.32      | 5.62        | 3        | Vertical  | 313         | 1.53       | -       | 32.26      | 38.75   | 9.41    | 42.54   |
| AV   | 13.36004G | 38.86          | 54.00          | -15.14      | 7.18        | 3        | Vertical  | 277         | 1.50       | -       | 31.68      | 40.20   | 9.68    | 42.70   |
| AV   | 15.63016G | 36.89          | 54.00          | -17.11      | 5.13        | 3        | Vertical  | 80          | 1.37       | -       | 31.76      | 38.46   | 10.37   | 43.70   |
| PK   | 4.80908G  | 43.24          | 74.00          | -30.76      | -5.49       | 3        | Vertical  | 53          | 2.00       | -       | 48.73      | 32.34   | 6.30    | 44.13   |
| PK   | 4.9238G   | 49.66          | 74.00          | -24.34      | -4.58       | 3        | Vertical  | 1           | 1.00       | -       | 54.24      | 33.09   | 6.44    | 44.11   |
| PK   | 7.38532G  | 52.57          | 74.00          | -21.43      | 0.74        | 3        | Vertical  | 353         | 2.05       | -       | 51.83      | 36.92   | 7.58    | 43.76   |
| PK   | 10.42132G | 50.44          | 88.20          | -37.76      | 5.63        | 3        | Vertical  | 313         | 1.53       | -       | 44.81      | 38.76   | 9.41    | 42.54   |
| PK   | 13.36836G | 51.25          | 74.00          | -22.75      | 7.17        | 3        | Vertical  | 277         | 1.50       | -       | 44.08      | 40.20   | 9.68    | 42.71   |
| PK   | 15.62768G | 50.04          | 74.00          | -23.96      | 5.14        | 3        | Vertical  | 80          | 1.37       | -       | 44.90      | 38.48   | 10.36   | 43.70   |

### Radiated Emissions above 1GHz\_Mode 10




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV   | 4.81096G  | 32.25          | 54.00          | -21.75      | -5.49       | 3        | Horizontal | 328         | 1.50       | -       | 37.74      | 32.34   | 6.30    | 44.13   |
| AV   | 4.92396G  | 44.31          | 54.00          | -9.69       | -4.58       | 3        | Horizontal | 356         | 2.43       | -       | 48.89      | 33.09   | 6.44    | 44.11   |
| AV   | 7.38508G  | 45.10          | 54.00          | -8.90       | 0.74        | 3        | Horizontal | 9           | 1.83       | -       | 44.36      | 36.92   | 7.58    | 43.76   |
| AV   | 10.42488G | 37.86          | 68.20          | -30.34      | 5.62        | 3        | Horizontal | 57          | 1.50       | -       | 32.24      | 38.75   | 9.41    | 42.54   |
| AV   | 13.36G    | 38.82          | 54.00          | -15.18      | 7.18        | 3        | Horizontal | 262         | 1.50       | -       | 31.64      | 40.20   | 9.68    | 42.70   |
| AV   | 15.62888G | 36.90          | 54.00          | -17.10      | 5.14        | 3        | Horizontal | 121         | 2.74       | -       | 31.76      | 38.47   | 10.37   | 43.70   |
| PK   | 4.81104G  | 44.22          | 74.00          | -29.78      | -5.49       | 3        | Horizontal | 328         | 1.50       | -       | 49.71      | 32.34   | 6.30    | 44.13   |
| PK   | 4.92404G  | 48.69          | 74.00          | -25.31      | -4.58       | 3        | Horizontal | 356         | 2.43       | -       | 53.27      | 33.09   | 6.44    | 44.11   |
| PK   | 7.38456G  | 52.45          | 74.00          | -21.55      | 0.74        | 3        | Horizontal | 9           | 1.83       | -       | 51.71      | 36.92   | 7.58    | 43.76   |
| PK   | 10.42264G | 50.67          | 88.20          | -37.53      | 5.62        | 3        | Horizontal | 57          | 1.50       | -       | 45.05      | 38.75   | 9.41    | 42.54   |
| PK   | 13.36312G | 51.18          | 74.00          | -22.82      | 7.17        | 3        | Horizontal | 262         | 1.50       | -       | 44.01      | 40.20   | 9.68    | 42.71   |
| PK   | 15.63504G | 50.03          | 74.00          | -23.97      | 5.09        | 3        | Horizontal | 121         | 2.74       | -       | 44.94      | 38.42   | 10.37   | 43.70   |

## Radiated Emissions above 1GHz\_Mode 11




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV   | 4.80904G  | 31.49          | 54.00          | -22.51      | -5.49       | 3        | Vertical  | 5           | 1.23       | -       | 36.98      | 32.34   | 6.30    | 44.13   |
| AV   | 10.38864G | 38.08          | 68.20          | -30.12      | 5.67        | 3        | Vertical  | 61          | 2.41       | -       | 32.41      | 38.80   | 9.41    | 42.54   |
| AV   | 10.42656G | 37.82          | 68.20          | -30.38      | 5.62        | 3        | Vertical  | 104         | 1.50       | -       | 32.20      | 38.75   | 9.41    | 42.54   |
| AV   | 13.36024G | 38.82          | 54.00          | -15.18      | 7.18        | 3        | Vertical  | 223         | 1.50       | -       | 31.64      | 40.20   | 9.68    | 42.70   |
| AV   | 15.57968G | 36.82          | 54.00          | -17.18      | 5.35        | 3        | Vertical  | 147         | 1.50       | -       | 31.47      | 38.70   | 10.35   | 43.70   |
| AV   | 15.63008G | 37.25          | 54.00          | -16.75      | 5.13        | 3        | Vertical  | 268         | 1.50       | -       | 32.12      | 38.46   | 10.37   | 43.70   |
| PK   | 4.80348G  | 44.41          | 74.00          | -29.59      | -5.53       | 3        | Vertical  | 5           | 1.23       | -       | 49.94      | 32.31   | 6.29    | 44.13   |
| PK   | 10.3832G  | 50.73          | 88.20          | -37.47      | 5.66        | 3        | Vertical  | 61          | 2.41       | -       | 45.07      | 38.80   | 9.41    | 42.55   |
| PK   | 10.42128G | 50.52          | 88.20          | -37.68      | 5.63        | 3        | Vertical  | 104         | 1.50       | -       | 44.89      | 38.76   | 9.41    | 42.54   |
| PK   | 13.36528G | 51.03          | 74.00          | -22.97      | 7.17        | 3        | Vertical  | 223         | 1.50       | -       | 43.86      | 40.20   | 9.68    | 42.71   |
| PK   | 15.5762G  | 49.91          | 74.00          | -24.09      | 5.34        | 3        | Vertical  | 147         | 1.50       | -       | 44.57      | 38.70   | 10.34   | 43.70   |
| PK   | 15.62552G | 50.26          | 74.00          | -23.74      | 5.16        | 3        | Vertical  | 268         | 1.50       | -       | 45.10      | 38.50   | 10.36   | 43.70   |

## Radiated Emissions above 1GHz\_Mode 11




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV   | 4.81088G  | 31.31          | 54.00          | -22.69      | -5.49       | 3        | Horizontal | 318         | 1.01       | -       | 36.80      | 32.34   | 6.30    | 44.13   |
| AV   | 10.38772G | 38.04          | 68.20          | -30.16      | 5.67        | 3        | Horizontal | 184         | 1.50       | -       | 32.37      | 38.80   | 9.41    | 42.54   |
| AV   | 10.42084G | 37.87          | 68.20          | -30.33      | 5.63        | 3        | Horizontal | 314         | 1.50       | -       | 32.24      | 38.76   | 9.41    | 42.54   |
| AV   | 13.36044G | 38.87          | 54.00          | -15.13      | 7.18        | 3        | Horizontal | 38          | 2.95       | -       | 31.69      | 40.20   | 9.68    | 42.70   |
| AV   | 15.57964G | 36.70          | 54.00          | -17.30      | 5.35        | 3        | Horizontal | 291         | 1.42       | -       | 31.35      | 38.70   | 10.35   | 43.70   |
| AV   | 15.63044G | 37.04          | 54.00          | -16.96      | 5.13        | 3        | Horizontal | 121         | 1.50       | -       | 31.91      | 38.46   | 10.37   | 43.70   |
| PK   | 4.8092G   | 43.40          | 74.00          | -30.60      | -5.49       | 3        | Horizontal | 318         | 1.01       | -       | 48.89      | 32.34   | 6.30    | 44.13   |
| PK   | 10.38928G | 50.98          | 88.20          | -37.22      | 5.67        | 3        | Horizontal | 184         | 1.50       | -       | 45.31      | 38.80   | 9.41    | 42.54   |
| PK   | 10.41736G | 50.94          | 88.20          | -37.26      | 5.64        | 3        | Horizontal | 314         | 1.50       | -       | 45.30      | 38.77   | 9.41    | 42.54   |
| PK   | 13.37876G | 51.06          | 74.00          | -22.94      | 7.16        | 3        | Horizontal | 38          | 2.95       | -       | 43.90      | 40.20   | 9.68    | 42.72   |
| PK   | 15.57596G | 49.90          | 74.00          | -24.10      | 5.34        | 3        | Horizontal | 291         | 1.42       | -       | 44.56      | 38.70   | 10.34   | 43.70   |
| PK   | 15.63756G | 49.62          | 74.00          | -24.38      | 5.07        | 3        | Horizontal | 121         | 1.50       | -       | 44.55      | 38.40   | 10.37   | 43.70   |

## Radiated Emissions above 1GHz\_Mode 12




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV   | 4.80927G  | 31.49          | 54.00          | -22.51      | -5.49       | 3        | Vertical  | 12          | 1.25       | -       | 36.98      | 32.34   | 6.30    | 44.13   |
| AV   | 10.43153G | 37.81          | 68.20          | -30.39      | 5.61        | 3        | Vertical  | 25          | 1.62       | -       | 32.20      | 38.74   | 9.41    | 42.54   |
| AV   | 13.36758G | 38.81          | 54.00          | -15.19      | 7.17        | 3        | Vertical  | 120         | 1.50       | -       | 31.64      | 40.20   | 9.68    | 42.71   |
| AV   | 15.63008G | 37.25          | 54.00          | -16.75      | 5.13        | 3        | Vertical  | 320         | 1.82       | -       | 32.12      | 38.46   | 10.37   | 43.70   |
| PK   | 4.80374G  | 44.41          | 74.00          | -29.59      | -5.53       | 3        | Vertical  | 12          | 1.25       | -       | 49.94      | 32.31   | 6.29    | 44.13   |
| PK   | 10.43588G | 50.50          | 88.20          | -37.70      | 5.61        | 3        | Vertical  | 25          | 1.62       | -       | 44.89      | 38.73   | 9.41    | 42.53   |
| PK   | 13.36279G | 51.03          | 74.00          | -22.97      | 7.17        | 3        | Vertical  | 120         | 1.50       | -       | 43.86      | 40.20   | 9.68    | 42.71   |
| PK   | 15.62512G | 50.26          | 74.00          | -23.74      | 5.16        | 3        | Vertical  | 320         | 1.50       | -       | 45.10      | 38.50   | 10.36   | 43.70   |
| AV   | 13.33477G | 42.01          | 54.00          | -11.99      | 7.16        | 3        | Vertical  | 123         | 1.71       | -       | 34.85      | 40.17   | 9.67    | 42.68   |
| PK   | 13.42585G | 52.37          | 88.20          | -35.83      | 7.12        | 3        | Vertical  | 123         | 1.71       | -       | 45.25      | 40.20   | 9.68    | 42.76   |

## Radiated Emissions above 1GHz\_Mode 12




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV   | 13.34252G | 42.91          | 54.00          | -11.09      | 7.17        | 3        | Horizontal | 100         | 1.50       | -       | 35.74      | 40.19   | 9.67    | 42.69   |
| PK   | 13.33875G | 52.85          | 74.00          | -21.15      | 7.17        | 3        | Horizontal | 100         | 1.50       | -       | 45.68      | 40.18   | 9.67    | 42.68   |
| AV   | 4.80895G  | 32.03          | 54.00          | -21.97      | -5.49       | 3        | Horizontal | 318         | 1.01       | -       | 37.52      | 32.34   | 6.30    | 44.13   |
| AV   | 10.42147G | 38.88          | 68.20          | -29.32      | 5.63        | 3        | Horizontal | 314         | 1.50       | -       | 33.25      | 38.76   | 9.41    | 42.54   |
| AV   | 13.36132G | 39.31          | 54.00          | -14.69      | 7.17        | 3        | Horizontal | 38          | 2.95       | -       | 32.14      | 40.20   | 9.68    | 42.71   |
| AV   | 15.63213G | 37.22          | 54.00          | -16.78      | 5.11        | 3        | Horizontal | 121         | 1.50       | -       | 32.11      | 38.44   | 10.37   | 43.70   |
| PK   | 4.80957G  | 44.03          | 74.00          | -29.97      | -5.49       | 3        | Horizontal | 318         | 1.01       | -       | 49.52      | 32.34   | 6.30    | 44.13   |
| PK   | 10.42354G | 51.97          | 88.20          | -36.23      | 5.62        | 3        | Horizontal | 314         | 1.50       | -       | 46.35      | 38.75   | 9.41    | 42.54   |
| PK   | 13.37764G | 51.41          | 74.00          | -22.59      | 7.16        | 3        | Horizontal | 38          | 2.95       | -       | 44.25      | 40.20   | 9.68    | 42.72   |
| PK   | 15.63288G | 50.73          | 74.00          | -23.27      | 5.11        | 3        | Horizontal | 121         | 1.50       | -       | 45.62      | 38.44   | 10.37   | 43.70   |

## Radiated Emissions above 1GHz\_Mode 13




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV/m) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------|-----------------|--------------|------------|------------|
| AV   | 4.87192G     | 38.11             | 54.00             | -15.89         | -5.06            | 3           | Vertical  | 343            | 2.93          | -       | 43.17           | 32.68        | 6.38       | 44.12      |
| AV   | 4.87416G     | 37.59             | 54.00             | -16.41         | -5.05            | 3           | Vertical  | 346            | 2.05          | -       | 42.64           | 32.69        | 6.38       | 44.12      |
| AV   | 4.92394G     | 44.91             | 54.00             | -9.09          | -4.58            | 3           | Vertical  | 0              | 2.14          | -       | 49.49           | 33.09        | 6.44       | 44.11      |
| AV   | 7.31164G     | 39.18             | 54.00             | -14.82         | 0.94             | 3           | Vertical  | 330            | 1.50          | -       | 38.24           | 37.20        | 7.60       | 43.86      |
| AV   | 7.38672G     | 46.39             | 54.00             | -7.61          | 0.74             | 3           | Vertical  | 293            | 2.33          | -       | 45.65           | 36.91        | 7.58       | 43.75      |
| AV   | 10.42222G    | 39.28             | 68.20             | -28.92         | 5.63             | 3           | Vertical  | 96             | 2.41          | -       | 33.65           | 38.76        | 9.41       | 42.54      |
| AV   | 15.6245G     | 39.42             | 54.00             | -14.58         | 5.16             | 3           | Vertical  | 32             | 1.50          | -       | 34.26           | 38.50        | 10.36      | 43.70      |
| PK   | 4.85912G     | 47.65             | 74.00             | -26.35         | -5.19            | 3           | Vertical  | 343            | 2.93          | -       | 52.84           | 32.57        | 6.36       | 44.12      |
| PK   | 4.87424G     | 48.91             | 74.00             | -25.09         | -5.05            | 3           | Vertical  | 346            | 2.05          | -       | 53.96           | 32.69        | 6.38       | 44.12      |
| PK   | 4.92408G     | 49.04             | 74.00             | -24.96         | -4.58            | 3           | Vertical  | 0              | 2.14          | -       | 53.62           | 33.09        | 6.44       | 44.11      |
| PK   | 7.31874G     | 50.80             | 74.00             | -23.20         | 0.95             | 3           | Vertical  | 330            | 1.50          | -       | 49.85           | 37.20        | 7.60       | 43.85      |
| PK   | 7.38546G     | 52.69             | 74.00             | -21.31         | 0.75             | 3           | Vertical  | 293            | 2.33          | -       | 51.94           | 36.92        | 7.58       | 43.75      |
| PK   | 10.41198G    | 50.30             | 68.20             | -17.90         | 5.65             | 3           | Vertical  | 96             | 2.41          | -       | 44.65           | 38.78        | 9.41       | 42.54      |
| PK   | 15.63254G    | 50.79             | 74.00             | -23.21         | 5.11             | 3           | Vertical  | 32             | 1.50          | -       | 45.68           | 38.44        | 10.37      | 43.70      |

## Radiated Emissions above 1GHz\_Mode 13




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV/m) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------|-----------------|--------------|------------|------------|
| AV   | 4.8768G      | 36.97             | 54.00             | -17.03         | -5.03            | 3           | Horizontal | 347            | 1.50          | -       | 42.00           | 32.71        | 6.38       | 44.12      |
| AV   | 4.87912G     | 38.61             | 54.00             | -15.39         | -5.01            | 3           | Horizontal | 349            | 1.66          | -       | 43.62           | 32.73        | 6.38       | 44.12      |
| AV   | 4.92398G     | 45.76             | 54.00             | -8.24          | -4.58            | 3           | Horizontal | 353            | 1.50          | -       | 50.34           | 33.09        | 6.44       | 44.11      |
| AV   | 7.3108G      | 40.54             | 54.00             | -13.46         | 0.94             | 3           | Horizontal | 81             | 1.58          | -       | 39.60           | 37.20        | 7.60       | 43.86      |
| AV   | 7.38676G     | 45.94             | 54.00             | -8.06          | 0.74             | 3           | Horizontal | 60             | 2.90          | -       | 45.20           | 36.91        | 7.58       | 43.75      |
| AV   | 10.42242G    | 39.16             | 68.20             | -29.04         | 5.63             | 3           | Horizontal | 237            | 1.07          | -       | 33.53           | 38.76        | 9.41       | 42.54      |
| AV   | 15.62502G    | 39.34             | 54.00             | -14.66         | 5.16             | 3           | Horizontal | 0              | 2.12          | -       | 34.18           | 38.50        | 10.36      | 43.70      |
| PK   | 4.87528G     | 46.62             | 74.00             | -27.38         | -5.04            | 3           | Horizontal | 347            | 1.50          | -       | 51.66           | 32.70        | 6.38       | 44.12      |
| PK   | 4.8796G      | 49.33             | 74.00             | -24.67         | -4.99            | 3           | Horizontal | 349            | 1.66          | -       | 54.32           | 32.74        | 6.39       | 44.12      |
| PK   | 4.92382G     | 49.87             | 74.00             | -24.13         | -4.58            | 3           | Horizontal | 353            | 1.50          | -       | 54.45           | 33.09        | 6.44       | 44.11      |
| PK   | 7.31834G     | 52.29             | 74.00             | -21.71         | 0.95             | 3           | Horizontal | 81             | 1.58          | -       | 51.34           | 37.20        | 7.60       | 43.85      |
| PK   | 7.38688G     | 52.73             | 74.00             | -21.27         | 0.73             | 3           | Horizontal | 60             | 2.90          | -       | 52.00           | 36.90        | 7.58       | 43.75      |
| PK   | 10.42736G    | 51.06             | 68.20             | -17.14         | 5.62             | 3           | Horizontal | 237            | 1.07          | -       | 45.44           | 38.75        | 9.41       | 42.54      |
| PK   | 15.63924G    | 51.18             | 74.00             | -22.82         | 5.06             | 3           | Horizontal | 0              | 2.12          | -       | 46.12           | 38.39        | 10.37      | 43.70      |

## Radiated Emissions above 1GHz\_Mode 14




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.87158G  | 33.99          | 54.00          | -20.01      | -5.07         | 3        | Vertical  | 328         | 2.95       | -       | 39.06        | 32.67     | 6.38    | 44.12   |
| AV   | 4.87176G  | 33.89          | 54.00          | -20.11      | -5.07         | 3        | Vertical  | 322         | 2.90       | -       | 38.96        | 32.67     | 6.38    | 44.12   |
| AV   | 7.38124G  | 36.08          | 54.00          | -17.92      | 0.77          | 3        | Vertical  | 177         | 2.03       | -       | 35.31        | 36.95     | 7.58    | 43.76   |
| AV   | 10.38658G | 39.16          | 68.20          | -29.04      | 5.67          | 3        | Vertical  | 165         | 1.50       | -       | 33.49        | 38.80     | 9.41    | 42.54   |
| AV   | 10.42298G | 39.29          | 68.20          | -28.91      | 5.62          | 3        | Vertical  | 100         | 1.50       | -       | 33.67        | 38.75     | 9.41    | 42.54   |
| AV   | 15.57976G | 39.28          | 54.00          | -14.72      | 5.35          | 3        | Vertical  | 286         | 1.50       | -       | 33.93        | 38.70     | 10.35   | 43.70   |
| AV   | 15.62834G | 39.35          | 54.00          | -14.65      | 5.14          | 3        | Vertical  | 124         | 1.50       | -       | 34.21        | 38.47     | 10.37   | 43.70   |
| PK   | 4.87194G  | 47.78          | 74.00          | -26.22      | -5.06         | 3        | Vertical  | 328         | 2.95       | -       | 52.84        | 32.68     | 6.38    | 44.12   |
| PK   | 4.87212G  | 46.40          | 74.00          | -27.60      | -5.06         | 3        | Vertical  | 322         | 2.90       | -       | 51.46        | 32.68     | 6.38    | 44.12   |
| PK   | 7.38088G  | 48.22          | 74.00          | -25.78      | 0.77          | 3        | Vertical  | 177         | 2.03       | -       | 47.45        | 36.95     | 7.58    | 43.76   |
| PK   | 10.38704G | 50.71          | 68.20          | -17.49      | 5.67          | 3        | Vertical  | 165         | 1.50       | -       | 45.04        | 38.80     | 9.41    | 42.54   |
| PK   | 10.41478G | 50.92          | 68.20          | -17.28      | 5.64          | 3        | Vertical  | 100         | 1.50       | -       | 45.28        | 38.77     | 9.41    | 42.54   |
| PK   | 15.56776G | 51.39          | 74.00          | -22.61      | 5.34          | 3        | Vertical  | 286         | 1.50       | -       | 46.05        | 38.70     | 10.34   | 43.70   |
| PK   | 15.6351G  | 50.74          | 74.00          | -23.26      | 5.09          | 3        | Vertical  | 124         | 1.50       | -       | 45.65        | 38.42     | 10.37   | 43.70   |

## Radiated Emissions above 1GHz\_Mode 14




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.87166G  | 33.90          | 54.00          | -20.10      | -5.07         | 3        | Horizontal | 339         | 2.17       | -       | 38.97        | 32.67     | 6.38    | 44.12   |
| AV   | 4.87204G  | 33.83          | 54.00          | -20.17      | -5.06         | 3        | Horizontal | 339         | 1.50       | -       | 38.89        | 32.68     | 6.38    | 44.12   |
| AV   | 7.37994G  | 36.02          | 54.00          | -17.98      | 0.79          | 3        | Horizontal | 72          | 1.50       | -       | 35.23        | 36.96     | 7.59    | 43.76   |
| AV   | 10.3898G  | 39.09          | 68.20          | -29.11      | 5.67          | 3        | Horizontal | 171         | 1.61       | -       | 33.42        | 38.80     | 9.41    | 42.54   |
| AV   | 10.42104G | 39.23          | 68.20          | -28.97      | 5.63          | 3        | Horizontal | 189         | 1.28       | -       | 33.60        | 38.76     | 9.41    | 42.54   |
| AV   | 15.57918G | 39.36          | 54.00          | -14.64      | 5.35          | 3        | Horizontal | 108         | 1.45       | -       | 34.01        | 38.70     | 10.35   | 43.70   |
| AV   | 15.62642G | 39.48          | 54.00          | -14.52      | 5.15          | 3        | Horizontal | 195         | 2.94       | -       | 34.33        | 38.49     | 10.36   | 43.70   |
| PK   | 4.87182G  | 46.91          | 74.00          | -27.09      | -5.07         | 3        | Horizontal | 339         | 2.17       | -       | 51.98        | 32.67     | 6.38    | 44.12   |
| PK   | 4.87624G  | 47.09          | 74.00          | -26.91      | -5.03         | 3        | Horizontal | 339         | 1.50       | -       | 52.12        | 32.71     | 6.38    | 44.12   |
| PK   | 7.38656G  | 47.91          | 74.00          | -26.09      | 0.74          | 3        | Horizontal | 72          | 1.50       | -       | 47.17        | 36.91     | 7.58    | 43.75   |
| PK   | 10.38352G | 51.31          | 68.20          | -16.89      | 5.66          | 3        | Horizontal | 171         | 1.61       | -       | 45.65        | 38.80     | 9.41    | 42.55   |
| PK   | 10.42482G | 50.86          | 68.20          | -17.34      | 5.62          | 3        | Horizontal | 189         | 1.28       | -       | 45.24        | 38.75     | 9.41    | 42.54   |
| PK   | 15.56226G | 50.86          | 74.00          | -23.14      | 5.34          | 3        | Horizontal | 108         | 1.45       | -       | 45.52        | 38.70     | 10.34   | 43.70   |
| PK   | 15.6265G  | 50.63          | 74.00          | -23.37      | 5.15          | 3        | Horizontal | 195         | 2.94       | -       | 45.48        | 38.49     | 10.36   | 43.70   |

### Radiated Emissions above 1GHz\_Mode 15




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.87112G  | 32.23          | 54.00          | -21.77      | -5.07         | 3        | Vertical  | 324         | 2.90       | -       | 37.30        | 32.67     | 6.38    | 44.12   |
| AV   | 4.87394G  | 33.00          | 54.00          | -21.00      | -5.05         | 3        | Vertical  | 304         | 2.10       | -       | 38.05        | 32.69     | 6.38    | 44.12   |
| AV   | 7.31056G  | 40.49          | 54.00          | -13.51      | 0.94          | 3        | Vertical  | 316         | 2.44       | -       | 39.55        | 37.20     | 7.60    | 43.86   |
| AV   | 10.44385G | 38.94          | 68.20          | -29.26      | 5.59          | 3        | Vertical  | 54          | 1.78       | -       | 33.35        | 38.71     | 9.41    | 42.53   |
| AV   | 13.3205G  | 40.44          | 54.00          | -13.56      | 7.14          | 3        | Vertical  | 356         | 2.00       | -       | 33.30        | 40.14     | 9.67    | 42.67   |
| AV   | 15.63155G | 38.74          | 54.00          | -15.26      | 5.12          | 3        | Vertical  | 20          | 1.58       | -       | 33.62        | 38.45     | 10.37   | 43.70   |
| PK   | 4.87402G  | 45.97          | 74.00          | -28.03      | -5.05         | 3        | Vertical  | 324         | 2.90       | -       | 51.02        | 32.69     | 6.38    | 44.12   |
| PK   | 4.87552G  | 44.71          | 74.00          | -29.29      | -5.04         | 3        | Vertical  | 304         | 2.10       | -       | 49.75        | 32.70     | 6.38    | 44.12   |
| PK   | 7.31822G  | 53.31          | 74.00          | -20.69      | 0.95          | 3        | Vertical  | 316         | 2.44       | -       | 52.36        | 37.20     | 7.60    | 43.85   |
| PK   | 10.43065G | 50.47          | 88.20          | -37.73      | 5.61          | 3        | Vertical  | 54          | 1.78       | -       | 44.86        | 38.74     | 9.41    | 42.54   |
| PK   | 13.3411G  | 52.30          | 74.00          | -21.70      | 7.16          | 3        | Vertical  | 356         | 2.00       | -       | 45.14        | 40.18     | 9.67    | 42.69   |
| PK   | 15.64195G | 49.87          | 74.00          | -24.13      | 5.03          | 3        | Vertical  | 20          | 1.58       | -       | 44.84        | 38.36     | 10.37   | 43.70   |

### Radiated Emissions above 1GHz\_Mode 15




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.87058G  | 34.31          | 54.00          | -19.69      | -5.09         | 3        | Horizontal | 335         | 3.00       | -       | 39.40        | 32.66     | 6.37    | 44.12   |
| AV   | 4.87254G  | 34.31          | 54.00          | -19.69      | -5.06         | 3        | Horizontal | 323         | 2.33       | -       | 39.37        | 32.68     | 6.38    | 44.12   |
| AV   | 7.31052G  | 43.14          | 54.00          | -10.86      | 0.94          | 3        | Horizontal | 318         | 2.45       | -       | 42.20        | 37.20     | 7.60    | 43.86   |
| AV   | 10.425G   | 38.92          | 68.20          | -29.28      | 5.62          | 3        | Horizontal | 86          | 1.50       | -       | 33.30        | 38.75     | 9.41    | 42.54   |
| AV   | 13.31615G | 40.46          | 54.00          | -13.54      | 7.14          | 3        | Horizontal | 33          | 1.50       | -       | 33.32        | 40.13     | 9.67    | 42.66   |
| AV   | 15.62415G | 38.61          | 54.00          | -15.39      | 5.17          | 3        | Horizontal | 87          | 2.78       | -       | 33.44        | 38.51     | 10.36   | 43.70   |
| PK   | 4.86994G  | 46.94          | 74.00          | -27.06      | -5.09         | 3        | Horizontal | 335         | 3.00       | -       | 52.03        | 32.66     | 6.37    | 44.12   |
| PK   | 4.87202G  | 47.77          | 74.00          | -26.23      | -5.06         | 3        | Horizontal | 323         | 2.33       | -       | 52.83        | 32.68     | 6.38    | 44.12   |
| PK   | 7.30808G  | 55.38          | 74.00          | -18.62      | 0.93          | 3        | Horizontal | 318         | 2.45       | -       | 54.45        | 37.20     | 7.60    | 43.87   |
| PK   | 10.39595G | 50.72          | 88.20          | -37.48      | 5.67          | 3        | Horizontal | 86          | 1.50       | -       | 45.05        | 38.80     | 9.41    | 42.54   |
| PK   | 13.315G   | 51.73          | 74.00          | -22.27      | 7.14          | 3        | Horizontal | 33          | 1.50       | -       | 44.59        | 40.13     | 9.67    | 42.66   |
| PK   | 15.6549G  | 50.35          | 74.00          | -23.65      | 4.97          | 3        | Horizontal | 87          | 2.78       | -       | 45.38        | 38.29     | 10.38   | 43.70   |

## Radiated Emissions above 1GHz\_Mode 16




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV/m) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------|-----------------|--------------|------------|------------|
| AV   | 4.8915G      | 27.54             | 54.00             | -26.46         | -4.89            | 3           | Vertical  | 137            | 1.50          | -       | 32.43           | 32.83        | 6.40       | 44.12      |
| AV   | 4.94465G     | 27.84             | 54.00             | -26.16         | -4.39            | 3           | Vertical  | 118            | 1.50          | -       | 32.23           | 33.26        | 6.46       | 44.11      |
| AV   | 7.3867G      | 38.98             | 54.00             | -15.02         | 0.74             | 3           | Vertical  | 347            | 1.09          | -       | 38.24           | 36.91        | 7.58       | 43.75      |
| AV   | 10.42355G    | 38.98             | 68.20             | -29.22         | 5.62             | 3           | Vertical  | 105            | 1.32          | -       | 33.36           | 38.75        | 9.41       | 42.54      |
| AV   | 13.35335G    | 40.21             | 54.00             | -13.79         | 7.18             | 3           | Vertical  | 151            | 1.50          | -       | 33.03           | 40.20        | 9.68       | 42.70      |
| AV   | 15.633G      | 38.69             | 54.00             | -15.31         | 5.11             | 3           | Vertical  | 339            | 1.50          | -       | 33.58           | 38.44        | 10.37      | 43.70      |
| PK   | 4.8598G      | 39.39             | 74.00             | -34.61         | -5.18            | 3           | Vertical  | 137            | 1.50          | -       | 44.57           | 32.58        | 6.36       | 44.12      |
| PK   | 4.93235G     | 39.62             | 74.00             | -34.38         | -4.50            | 3           | Vertical  | 118            | 1.50          | -       | 44.12           | 33.16        | 6.45       | 44.11      |
| PK   | 7.38495G     | 47.96             | 74.00             | -26.04         | 0.74             | 3           | Vertical  | 347            | 1.09          | -       | 47.22           | 36.92        | 7.58       | 43.76      |
| PK   | 10.41085G    | 50.37             | 88.20             | -37.83         | 5.65             | 3           | Vertical  | 105            | 1.32          | -       | 44.72           | 38.78        | 9.41       | 42.54      |
| PK   | 13.35385G    | 51.82             | 74.00             | -22.18         | 7.18             | 3           | Vertical  | 151            | 1.50          | -       | 44.64           | 40.20        | 9.68       | 42.70      |
| PK   | 15.621G      | 50.13             | 74.00             | -23.87         | 5.19             | 3           | Vertical  | 339            | 1.50          | -       | 44.94           | 38.53        | 10.36      | 43.70      |

## Radiated Emissions above 1GHz\_Mode 16




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV/m) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------|-----------------|--------------|------------|------------|
| AV   | 4.8944G      | 27.69             | 54.00             | -26.31         | -4.85            | 3           | Horizontal | 294            | 1.00          | -       | 32.54           | 32.86        | 6.40       | 44.11      |
| AV   | 4.9295G      | 27.97             | 54.00             | -26.03         | -4.52            | 3           | Horizontal | 209            | 1.50          | -       | 32.49           | 33.14        | 6.45       | 44.11      |
| AV   | 7.3852G      | 43.40             | 54.00             | -10.60         | 0.74             | 3           | Horizontal | 66             | 1.80          | -       | 42.66           | 36.92        | 7.58       | 43.76      |
| AV   | 10.42595G    | 38.85             | 68.20             | -29.35         | 5.62             | 3           | Horizontal | 42             | 1.50          | -       | 33.23           | 38.75        | 9.41       | 42.54      |
| AV   | 13.35735G    | 40.26             | 54.00             | -13.74         | 7.18             | 3           | Horizontal | 82             | 1.30          | -       | 33.08           | 40.20        | 9.68       | 42.70      |
| AV   | 15.6225G     | 38.68             | 54.00             | -15.32         | 5.18             | 3           | Horizontal | 282            | 2.32          | -       | 33.50           | 38.52        | 10.36      | 43.70      |
| PK   | 4.8927G      | 39.35             | 74.00             | -34.65         | -4.88            | 3           | Horizontal | 294            | 1.00          | -       | 44.23           | 32.84        | 6.40       | 44.12      |
| PK   | 4.9008G      | 39.42             | 74.00             | -34.58         | -4.79            | 3           | Horizontal | 209            | 1.50          | -       | 44.21           | 32.91        | 6.41       | 44.11      |
| PK   | 7.38585G     | 47.03             | 74.00             | -26.97         | 0.74             | 3           | Horizontal | 66             | 1.80          | -       | 46.29           | 36.91        | 7.58       | 43.75      |
| PK   | 10.41355G    | 50.83             | 88.20             | -37.37         | 5.64             | 3           | Horizontal | 42             | 1.50          | -       | 45.19           | 38.77        | 9.41       | 42.54      |
| PK   | 13.399G      | 52.15             | 74.00             | -21.85         | 7.15             | 3           | Horizontal | 82             | 1.30          | -       | 45.00           | 40.20        | 9.68       | 42.73      |
| PK   | 15.62255G    | 50.10             | 74.00             | -23.90         | 5.18             | 3           | Horizontal | 282            | 2.32          | -       | 44.92           | 38.52        | 10.36      | 43.70      |

### Radiated Emissions above 1GHz\_Mode 17




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.88955G  | 33.48          | 54.00          | -20.52      | -4.90         | 3        | Vertical  | 341         | 2.81       | -       | 38.38        | 32.82     | 6.40    | 44.12   |
| AV   | 10.38965G | 38.57          | 68.20          | -29.63      | 5.67          | 3        | Vertical  | 253         | 1.50       | -       | 32.90        | 38.80     | 9.41    | 42.54   |
| AV   | 10.43245G | 38.78          | 68.20          | -29.42      | 5.62          | 3        | Vertical  | 161         | 1.50       | -       | 33.16        | 38.74     | 9.41    | 42.53   |
| AV   | 13.3472G  | 40.38          | 54.00          | -13.62      | 7.17          | 3        | Vertical  | 15          | 1.50       | -       | 33.21        | 40.19     | 9.67    | 42.69   |
| AV   | 15.5473G  | 37.71          | 54.00          | -16.29      | 5.33          | 3        | Vertical  | 8           | 1.87       | -       | 32.38        | 38.70     | 10.33   | 43.70   |
| AV   | 15.6286G  | 37.67          | 54.00          | -16.33      | 5.14          | 3        | Vertical  | 249         | 2.78       | -       | 32.53        | 38.47     | 10.37   | 43.70   |
| PK   | 4.8909G   | 45.86          | 74.00          | -28.14      | -4.89         | 3        | Vertical  | 341         | 2.81       | -       | 50.75        | 32.83     | 6.40    | 44.12   |
| PK   | 10.391G   | 50.86          | 88.20          | -37.34      | 5.67          | 3        | Vertical  | 253         | 1.50       | -       | 45.19        | 38.80     | 9.41    | 42.54   |
| PK   | 10.4424G  | 50.12          | 88.20          | -38.08      | 5.60          | 3        | Vertical  | 161         | 1.50       | -       | 44.52        | 38.72     | 9.41    | 42.53   |
| PK   | 13.3507G  | 51.89          | 74.00          | -22.11      | 7.17          | 3        | Vertical  | 15          | 1.50       | -       | 44.72        | 40.20     | 9.67    | 42.70   |
| PK   | 15.57355G | 49.96          | 74.00          | -24.04      | 5.34          | 3        | Vertical  | 8           | 1.87       | -       | 44.62        | 38.70     | 10.34   | 43.70   |
| PK   | 15.62705G | 48.90          | 74.00          | -25.10      | 5.14          | 3        | Vertical  | 249         | 2.78       | -       | 43.76        | 38.48     | 10.36   | 43.70   |

### Radiated Emissions above 1GHz\_Mode 17




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.9008G   | 33.07          | 54.00          | -20.93      | -4.79         | 3        | Horizontal | 16          | 1.50       | -       | 37.86        | 32.91     | 6.41    | 44.11   |
| AV   | 10.35635G | 38.65          | 68.20          | -29.55      | 5.65          | 3        | Horizontal | 12          | 2.46       | -       | 33.00        | 38.80     | 9.40    | 42.55   |
| AV   | 10.42175G | 38.64          | 68.20          | -29.56      | 5.63          | 3        | Horizontal | 159         | 1.31       | -       | 33.01        | 38.76     | 9.41    | 42.54   |
| AV   | 13.34555G | 40.29          | 54.00          | -13.71      | 7.17          | 3        | Horizontal | 139         | 1.50       | -       | 33.12        | 40.19     | 9.67    | 42.69   |
| AV   | 15.5516G  | 37.63          | 54.00          | -16.37      | 5.34          | 3        | Horizontal | 292         | 1.00       | -       | 32.29        | 38.70     | 10.34   | 43.70   |
| AV   | 15.6285G  | 37.69          | 54.00          | -16.31      | 5.14          | 3        | Horizontal | 100         | 1.50       | -       | 32.55        | 38.47     | 10.37   | 43.70   |
| PK   | 4.9045G   | 44.58          | 74.00          | -29.42      | -4.75         | 3        | Horizontal | 16          | 1.50       | -       | 49.33        | 32.94     | 6.42    | 44.11   |
| PK   | 10.375G   | 50.71          | 88.20          | -37.49      | 5.66          | 3        | Horizontal | 12          | 2.46       | -       | 45.05        | 38.80     | 9.41    | 42.55   |
| PK   | 10.42955G | 49.82          | 88.20          | -38.38      | 5.61          | 3        | Horizontal | 159         | 1.31       | -       | 44.21        | 38.74     | 9.41    | 42.54   |
| PK   | 13.34595G | 51.63          | 74.00          | -22.37      | 7.17          | 3        | Horizontal | 139         | 1.50       | -       | 44.46        | 40.19     | 9.67    | 42.69   |
| PK   | 15.5611G  | 49.85          | 74.00          | -24.15      | 5.34          | 3        | Horizontal | 292         | 1.00       | -       | 44.51        | 38.70     | 10.34   | 43.70   |
| PK   | 15.64185G | 48.91          | 74.00          | -25.09      | 5.04          | 3        | Horizontal | 100         | 1.50       | -       | 43.87        | 38.37     | 10.37   | 43.70   |

## Radiated Emissions above 1GHz\_Mode 18



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.8899G   | 30.98          | 54.00          | -23.02      | -4.90         | 3        | Vertical  | 360         | 2.48       | -       | 35.88        | 32.82     | 6.40    | 44.12   |
| AV   | 10.42648G | 38.98          | 68.20          | -29.22      | 5.62          | 3        | Vertical  | 253         | 1.52       | -       | 33.36        | 38.75     | 9.41    | 42.54   |
| AV   | 13.33516G | 40.68          | 54.00          | -13.32      | 7.16          | 3        | Vertical  | 151         | 1.38       | -       | 33.52        | 40.17     | 9.67    | 42.68   |
| AV   | 13.36114G | 40.55          | 54.00          | -13.45      | 7.17          | 3        | Vertical  | 90          | 1.50       | -       | 33.38        | 40.20     | 9.68    | 42.71   |
| AV   | 15.62558G | 39.01          | 54.00          | -14.99      | 5.16          | 3        | Vertical  | 161         | 1.50       | -       | 33.85        | 38.50     | 10.36   | 43.70   |
| PK   | 4.87026G  | 42.82          | 74.00          | -31.18      | -5.09         | 3        | Vertical  | 360         | 2.48       | -       | 47.91        | 32.66     | 6.37    | 44.12   |
| PK   | 10.42268G | 50.95          | 88.20          | -37.25      | 5.62          | 3        | Vertical  | 253         | 1.52       | -       | 45.33        | 38.75     | 9.41    | 42.54   |
| PK   | 13.3219G  | 53.24          | 74.00          | -20.76      | 7.14          | 3        | Vertical  | 151         | 1.38       | -       | 46.10        | 40.14     | 9.67    | 42.67   |
| PK   | 13.36842G | 53.50          | 74.00          | -20.50      | 7.17          | 3        | Vertical  | 90          | 1.50       | -       | 46.33        | 40.20     | 9.68    | 42.71   |
| PK   | 15.63776G | 50.39          | 74.00          | -23.61      | 5.07          | 3        | Vertical  | 161         | 1.50       | -       | 45.32        | 38.40     | 10.37   | 43.70   |

## Radiated Emissions above 1GHz\_Mode 18



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV   | 4.87796G  | 31.13          | 54.00          | -22.87      | -5.02         | 3        | Horizontal | 51          | 1.53       | -       | 36.15        | 32.72     | 6.38    | 44.12   |
| AV   | 10.42288G | 38.89          | 68.20          | -29.31      | 5.62          | 3        | Horizontal | 125         | 1.50       | -       | 33.27        | 38.75     | 9.41    | 42.54   |
| AV   | 13.32724G | 40.82          | 54.00          | -13.18      | 7.15          | 3        | Horizontal | 7           | 1.50       | -       | 33.67        | 40.15     | 9.67    | 42.67   |
| AV   | 13.36258G | 40.57          | 54.00          | -13.43      | 7.17          | 3        | Horizontal | 196         | 2.37       | -       | 33.40        | 40.20     | 9.68    | 42.71   |
| AV   | 15.6364G  | 38.92          | 54.00          | -15.08      | 5.08          | 3        | Horizontal | 272         | 1.51       | -       | 33.84        | 38.41     | 10.37   | 43.70   |
| PK   | 4.882G    | 43.08          | 74.00          | -30.92      | -4.97         | 3        | Horizontal | 51          | 1.53       | -       | 48.05        | 32.76     | 6.39    | 44.12   |
| PK   | 10.41164G | 50.58          | 88.20          | -37.62      | 5.65          | 3        | Horizontal | 125         | 1.50       | -       | 44.93        | 38.78     | 9.41    | 42.54   |
| PK   | 13.32568G | 52.17          | 74.00          | -21.83      | 7.15          | 3        | Horizontal | 7           | 1.50       | -       | 45.02        | 40.15     | 9.67    | 42.67   |
| PK   | 13.3644G  | 52.05          | 74.00          | -21.95      | 7.17          | 3        | Horizontal | 196         | 2.37       | -       | 44.88        | 40.20     | 9.68    | 42.71   |
| PK   | 15.62352G | 50.54          | 74.00          | -23.46      | 5.17          | 3        | Horizontal | 272         | 1.51       | -       | 45.37        | 38.51     | 10.36   | 43.70   |