


2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
SET 62
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.9272G	51.97	74.00	-22.03	54.76	3	Vertical	195	1.80	62	32.95	8.23	43.97				
AV	4.9228G	39.00	54.00	-15.00	41.79	3	Vertical	195	1.80	62	32.95	8.23	43.97				
PK	7.37329G	55.06	74.00	-18.94	49.54	3	Vertical	352	1.07	62	37.60	10.44	42.52				
AV	7.40466G	42.65	54.00	-11.35	37.09	3	Vertical	352	1.07	62	37.60	10.46	42.50				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
SET 62
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92224G	49.11	74.00	-24.89	51.91	3	Horizontal	177	1.80	62	32.94	8.23	43.97				
AV	4.92248G	37.16	54.00	-16.84	39.96	3	Horizontal	177	1.80	62	32.94	8.23	43.97				
PK	7.39963G	55.24	74.00	-18.76	49.68	3	Horizontal	62	1.84	62	37.60	10.46	42.50				
AV	7.37721G	42.56	54.00	-11.44	37.03	3	Horizontal	62	1.84	62	37.60	10.44	42.51				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 62
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	64.18	74.00	-9.82	31.05	3	Vertical	3	2.70	-	27.50	5.63	-			
AV	2.3894G	51.45	54.00	-2.55	18.32	3	Vertical	3	2.70	-	27.50	5.63	-			
PK	2.4146G	112.50	Inf	-Inf	79.35	3	Vertical	3	2.70	-	27.50	5.65	-			
AV	2.4144G	101.10	Inf	-Inf	67.95	3	Vertical	3	2.70	-	27.50	5.65	-			
PK	2.4836G	61.62	74.00	-12.38	28.34	3	Vertical	3	2.70	-	27.57	5.71	-			
AV	2.4902G	47.64	54.00	-6.36	14.22	3	Vertical	3	2.70	-	27.70	5.72	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 62
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3878G	65.97	74.00	-8.03	32.84	3	Horizontal	345	1.80	-	27.50	5.63	-			
AV	2.3898G	53.84	54.00	-0.16	20.71	3	Horizontal	345	1.80	-	27.50	5.63	-			
PK	2.4108G	115.45	Inf	-Inf	82.30	3	Horizontal	345	1.80	-	27.50	5.65	-			
AV	2.4056G	103.25	Inf	-Inf	70.11	3	Horizontal	345	1.80	-	27.50	5.64	-			
PK	2.487G	60.75	74.00	-13.25	27.40	3	Horizontal	345	1.80	-	27.64	5.71	-			
AV	2.4892G	48.36	54.00	-5.64	14.96	3	Horizontal	345	1.80	-	27.68	5.72	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
SET 62
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.828G	49.29	74.00	-24.71	53.87	3	Vertical	106	2.08	62	31.30	8.13	44.01			
AV	4.82344G	38.33	54.00	-15.67	42.92	3	Vertical	106	2.08	62	31.30	8.12	44.01			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
SET 62
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.83607G	49.45	74.00	-24.55	54.01	3	Horizontal	88	2.95	62	31.30	8.14	44.00				
AV	4.82316G	38.23	54.00	-15.77	42.82	3	Horizontal	88	2.95	62	31.30	8.12	44.01				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_Z_2TX
SET 73
61\69\73
4.13\1.82\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3897G	67.65	74.00	-6.35	34.42	3	Vertical	2	1.99	73	27.60	5.63	-			
AV	2.39G	53.59	54.00	-0.41	20.36	3	Vertical	2	1.99	73	27.60	5.63	-			
PK	2.4156G	116.26	Inf	-Inf	82.91	3	Vertical	2	1.99	73	27.70	5.65	-			
AV	2.4132G	104.68	Inf	-Inf	71.33	3	Vertical	2	1.99	73	27.70	5.65	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_Z_2TX
SET 70
73\70\71\72\71\70
-1.20\0.64\0.61\0.29\0.15\0.58

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.3895G	67.71	74.00	-6.29	34.49	3	Horizontal	4	1.80	70	27.59	5.63	-			
AV	2.39G	53.42	54.00	-0.58	20.19	3	Horizontal	4	1.80	70	27.60	5.63	-			
PK	2.421G	116.64	Inf	-Inf	83.28	3	Horizontal	4	1.80	70	27.70	5.66	-			
AV	2.4104G	105.51	Inf	-Inf	72.16	3	Horizontal	4	1.80	70	27.70	5.65	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 80
61\69\73\75\76\77\78\79\80
4.19\3.27\2.69\2.05\1.75\1.74\1.04\1.07\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3882G	64.61	74.00	-9.39	31.40	3	Vertical	1	1.80	80	27.58	5.63	-			
AV	2.38788G	51.76	54.00	-2.24	18.55	3	Vertical	1	1.80	80	27.58	5.63	-			
PK	2.43828G	116.99	Inf	-Inf	83.62	3	Vertical	1	1.80	80	27.70	5.67	-			
AV	2.4354G	105.27	Inf	-Inf	71.90	3	Vertical	1	1.80	80	27.70	5.67	-			
PK	2.48484G	65.69	74.00	-8.31	32.03	3	Vertical	1	1.80	80	27.95	5.71	-			
AV	2.4835G	53.55	54.00	-0.45	19.91	3	Vertical	1	1.80	80	27.93	5.71	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 78
80\77\78\79\78
-1.34\1.28\0.59\0.55\0.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38964G	65.04	74.00	-8.96	31.81	3	Horizontal	1	1.80	78	27.60	5.63	-			
AV	2.38996G	52.58	54.00	-1.42	19.35	3	Horizontal	1	1.80	78	27.60	5.63	-			
PK	2.44308G	118.65	Inf	-Inf	85.27	3	Horizontal	1	1.80	78	27.70	5.68	-			
AV	2.44004G	106.69	Inf	-Inf	73.32	3	Horizontal	1	1.80	78	27.70	5.67	-			
PK	2.48868G	65.12	74.00	-8.88	31.41	3	Horizontal	1	1.80	78	27.99	5.72	-			
AV	2.4835G	53.33	54.00	-0.67	19.69	3	Horizontal	1	1.80	78	27.93	5.71	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 78
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87088G	52.84	74.00	-21.16	55.88	3	Vertical	105	1.80	78	32.78	8.17	43.99				
AV	4.8732G	41.20	54.00	-12.80	44.22	3	Vertical	105	1.80	78	32.79	8.18	43.99				
PK	7.3068G	55.22	74.00	-18.78	49.80	3	Vertical	163	1.80	78	37.60	10.38	42.56				
AV	7.31112G	43.07	54.00	-10.93	37.64	3	Vertical	163	1.80	78	37.60	10.38	42.55				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 78
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86585G	52.22	74.00	-21.78	55.28	3	Horizontal	84	1.17	78	32.76	8.17	43.99				
AV	4.87328G	40.29	54.00	-13.71	43.31	3	Horizontal	84	1.17	78	32.79	8.18	43.99				
PK	7.31288G	54.45	74.00	-19.55	49.02	3	Horizontal	314	1.80	78	37.60	10.38	42.55				
AV	7.32135G	42.53	54.00	-11.47	37.09	3	Horizontal	314	1.80	78	37.60	10.39	42.55				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_Z_2TX
SET 71
61\68\71\72\71
3.91\1.77\0.68\1.25\0.83

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4636G	115.10	Inf	-Inf	81.67	3	Vertical	8	1.80	71	27.74	5.69	-				
AV	2.4657G	104.42	Inf	-Inf	70.96	3	Vertical	8	1.80	71	27.76	5.70	-				
PK	2.4836G	65.63	74.00	-8.37	31.98	3	Vertical	8	1.80	71	27.94	5.71	-				
AV	2.4835G	53.17	54.00	-0.83	19.53	3	Vertical	8	1.80	71	27.93	5.71	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_Z_2TX
SET 65
71\60\65
-5.22\3.92\0.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4604G	115.11	Inf	-Inf	81.72	3	Horizontal	3	1.80	65	27.70	5.69	-			
AV	2.4601G	103.85	Inf	-Inf	70.46	3	Horizontal	3	1.80	65	27.70	5.69	-			
PK	2.4837G	65.82	74.00	-8.18	32.17	3	Horizontal	3	1.80	65	27.94	5.71	-			
AV	2.4835G	53.53	54.00	-0.47	19.89	3	Horizontal	3	1.80	65	27.93	5.71	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
 Setting 61
 04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3864G	60.10	74.00	-13.90	26.97	3	Vertical	9	1.80	-	27.50	5.63	-			
AV	2.374G	47.25	54.00	-6.75	14.07	3	Vertical	9	1.80	-	27.56	5.62	-			
PK	2.4662G	113.24	Inf	-Inf	80.10	3	Vertical	9	1.80	-	27.44	5.70	-			
AV	2.466G	101.97	Inf	-Inf	68.83	3	Vertical	9	1.80	-	27.44	5.70	-			
PK	2.4835G	65.63	74.00	-8.37	32.35	3	Vertical	9	1.80	-	27.57	5.71	-			
AV	2.4835G	53.37	54.00	-0.63	20.09	3	Vertical	9	1.80	-	27.57	5.71	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
 Setting 61
 04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3848G	59.02	74.00	-14.98	25.89	3	Horizontal	346	1.80	-	27.50	5.63	-			
AV	2.3866G	47.29	54.00	-6.71	14.16	3	Horizontal	346	1.80	-	27.50	5.63	-			
PK	2.4642G	113.27	Inf	-Inf	80.12	3	Horizontal	346	1.80	-	27.46	5.69	-			
AV	2.4604G	101.86	Inf	-Inf	68.67	3	Horizontal	346	1.80	-	27.50	5.69	-			
PK	2.4858G	65.67	74.00	-8.33	32.34	3	Horizontal	346	1.80	-	27.62	5.71	-			
AV	2.4835G	53.80	54.00	-0.20	20.52	3	Horizontal	346	1.80	-	27.57	5.71	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
SET 61
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.923G	48.05	74.00	-25.95	52.44	3	Vertical	194	2.52	61	31.35	8.23	43.97				
AV	4.92572G	36.83	54.00	-17.17	41.22	3	Vertical	194	2.52	61	31.35	8.23	43.97				
PK	7.39479G	52.83	74.00	-21.17	48.76	3	Vertical	203	2.09	61	36.11	10.46	42.50				
AV	7.3832G	40.99	54.00	-13.01	36.93	3	Vertical	203	2.09	61	36.13	10.44	42.51				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
SET 61
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.93875G	46.95	74.00	-27.05	51.29	3	Horizontal	173	1.80	61	31.38	8.25	43.97			
AV	4.9258G	35.66	54.00	-18.34	40.05	3	Horizontal	173	1.80	61	31.35	8.23	43.97			
PK	7.39931G	53.70	74.00	-20.30	49.64	3	Horizontal	263	1.80	61	36.10	10.46	42.50			
AV	7.39703G	41.61	54.00	-12.39	37.54	3	Horizontal	263	1.80	61	36.11	10.46	42.50			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
Setting 57
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.388G	63.76	74.00	-10.24	30.63	3	Vertical	0	3.00	-	27.50	5.63	-			
AV	2.3844G	52.17	54.00	-1.83	19.04	3	Vertical	0	3.00	-	27.50	5.63	-			
PK	2.4356G	110.55	Inf	-Inf	77.38	3	Vertical	0	3.00	-	27.50	5.67	-			
AV	2.4304G	99.07	Inf	-Inf	65.90	3	Vertical	0	3.00	-	27.50	5.67	-			
PK	2.4894G	60.35	74.00	-13.65	26.94	3	Vertical	0	3.00	-	27.69	5.72	-			
AV	2.496G	48.89	54.00	-5.11	15.53	3	Vertical	0	3.00	-	27.64	5.72	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
Setting 57
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3888G	66.41	74.00	-7.59	33.28	3	Horizontal	344	1.80	-	27.50	5.63	-			
AV	2.3844G	53.90	54.00	-0.10	20.77	3	Horizontal	344	1.80	-	27.50	5.63	-			
PK	2.4138G	111.28	Inf	-Inf	78.13	3	Horizontal	344	1.80	-	27.50	5.65	-			
AV	2.4084G	99.23	Inf	-Inf	66.08	3	Horizontal	344	1.80	-	27.50	5.65	-			
PK	2.4846G	60.77	74.00	-13.23	27.47	3	Horizontal	344	1.80	-	27.59	5.71	-			
AV	2.4878G	49.55	54.00	-4.45	16.18	3	Horizontal	344	1.80	-	27.66	5.71	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
SET 57
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.84328G	47.35	74.00	-26.65	51.90	3	Vertical	105	2.29	57	31.30	8.15	44.00				
AV	4.84312G	36.51	54.00	-17.49	41.06	3	Vertical	105	2.29	57	31.30	8.15	44.00				
PK	7.29997G	54.10	74.00	-19.90	50.09	3	Vertical	321	1.80	57	36.20	10.37	42.56				
AV	7.2839G	42.11	54.00	-11.89	38.12	3	Vertical	321	1.80	57	36.20	10.36	42.57				

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
SET 57
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.84544G	48.49	74.00	-25.51	53.04	3	Horizontal	90	2.24	57	31.30	8.15	44.00				
AV	4.84584G	37.50	54.00	-16.50	42.05	3	Horizontal	90	2.24	57	31.30	8.15	44.00				
PK	7.25401G	52.83	74.00	-21.17	48.89	3	Horizontal	137	1.80	57	36.20	10.33	42.59				

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 56
57\56
-0.09\0.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38916G	67.81	74.00	-6.19	34.59	3	Vertical	15	1.80	56	27.59	5.63	-			
AV	2.38948G	51.93	54.00	-2.07	18.71	3	Vertical	15	1.80	56	27.59	5.63	-			
PK	2.45364G	111.03	Inf	-Inf	77.64	3	Vertical	15	1.80	56	27.70	5.69	-			
AV	2.45108G	98.84	Inf	-Inf	65.46	3	Vertical	15	1.80	56	27.70	5.68	-			
PK	2.485G	68.88	74.00	-5.12	35.22	3	Vertical	15	1.80	56	27.95	5.71	-			
AV	2.48404G	53.16	54.00	-0.84	19.51	3	Vertical	15	1.80	56	27.94	5.71	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 56
56
0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38996G	66.85	74.00	-7.15	33.62	3	Horizontal	0	1.98	56	27.60	5.63	-			
AV	2.38756G	52.74	54.00	-1.26	19.53	3	Horizontal	0	1.98	56	27.58	5.63	-			
PK	2.45236G	112.54	Inf	-Inf	79.16	3	Horizontal	0	1.98	56	27.70	5.68	-			
AV	2.45268G	100.62	Inf	-Inf	67.24	3	Horizontal	0	1.98	56	27.70	5.68	-			
PK	2.4858G	71.98	74.00	-2.02	38.31	3	Horizontal	0	1.98	56	27.96	5.71	-			
AV	2.48436G	53.96	54.00	-0.04	20.31	3	Horizontal	0	1.98	56	27.94	5.71	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 56
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86849G	50.12	74.00	-23.88	53.17	3	Vertical	199	1.80	56	32.77	8.17	43.99				
AV	4.86569G	38.18	54.00	-15.82	41.24	3	Vertical	199	1.80	56	32.76	8.17	43.99				
PK	7.32051G	54.89	74.00	-19.11	49.45	3	Vertical	356	2.94	56	37.60	10.39	42.55				
AV	7.32762G	43.22	54.00	-10.78	37.77	3	Vertical	356	2.94	56	37.60	10.39	42.54				

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 56
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86113G	49.08	74.00	-24.92	52.17	3	Horizontal	89	2.20	56	32.74	8.16	43.99				
AV	4.8708G	38.05	54.00	-15.95	41.09	3	Horizontal	89	2.20	56	32.78	8.17	43.99				
PK	7.29142G	54.86	74.00	-19.14	49.50	3	Horizontal	215	2.01	56	37.57	10.36	42.57				
AV	7.27424G	42.79	54.00	-11.21	37.52	3	Horizontal	215	2.01	56	37.50	10.35	42.58				

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
Setting 59
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3792G	60.16	74.00	-13.84	27.03	3	Vertical	7	1.80	-	27.51	5.62	-			
AV	2.381G	48.23	54.00	-5.77	15.11	3	Vertical	7	1.80	-	27.50	5.62	-			
PK	2.459G	110.45	Inf	-Inf	77.26	3	Vertical	7	1.80	-	27.50	5.69	-			
AV	2.4664G	99.16	Inf	-Inf	66.02	3	Vertical	7	1.80	-	27.44	5.70	-			
PK	2.4838G	64.23	74.00	-9.77	30.94	3	Vertical	7	1.80	-	27.58	5.71	-			
AV	2.4844G	52.65	54.00	-1.35	19.35	3	Vertical	7	1.80	-	27.59	5.71	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
Setting 59
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3648G	59.90	74.00	-14.10	26.69	3	Horizontal	343	1.80	-	27.60	5.61	-			
AV	2.3836G	48.80	54.00	-5.20	15.67	3	Horizontal	343	1.80	-	27.50	5.63	-			
PK	2.4456G	110.91	Inf	-Inf	77.73	3	Horizontal	343	1.80	-	27.50	5.68	-			
AV	2.4582G	99.47	Inf	-Inf	66.28	3	Horizontal	343	1.80	-	27.50	5.69	-			
PK	2.488G	64.90	74.00	-9.10	31.53	3	Horizontal	343	1.80	-	27.66	5.71	-			
AV	2.4856G	53.77	54.00	-0.23	20.45	3	Horizontal	343	1.80	-	27.61	5.71	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
SET 59
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.90872G	46.62	74.00	-27.38	51.07	3	Vertical	188	1.80	59	31.32	8.21	43.98				
AV	4.91575G	35.58	54.00	-18.42	40.01	3	Vertical	188	1.80	59	31.33	8.22	43.98				
PK	7.3345G	53.31	74.00	-20.69	49.25	3	Vertical	90	2.65	59	36.20	10.40	42.54				
AV	7.33834G	41.89	54.00	-12.11	37.83	3	Vertical	90	2.65	59	36.20	10.40	42.54				

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2452MHz_TX



EUT_Z_2TX
SET 59
04-W-G-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.90999G	45.68	74.00	-28.32	50.12	3	Horizontal	101	1.80	59	31.32	8.22	43.98			
AV	4.91823G	34.67	54.00	-19.33	39.09	3	Horizontal	101	1.80	59	31.34	8.22	43.98			
PK	7.33826G	53.47	74.00	-20.53	49.41	3	Horizontal	222	1.80	59	36.20	10.40	42.54			
AV	7.3783G	41.60	54.00	-12.40	37.53	3	Horizontal	222	1.80	59	36.14	10.44	42.51			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	AV	4.87418G	50.74	54.00	-3.26	Vertical

Mode 2



Mode 2

