

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5240MHz

06/02/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.31	8.31	8.31

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5260MHz

06/02/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.50	8.50	8.50

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5300MHz

06/02/2026

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.46	8.46	8.46

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5320MHz

27/12/2025

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.567

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.15	4.15	4.15

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5500MHz

06/02/2026

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.63	7.63	7.63

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5580MHz

06/02/2026

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.09	9.09	9.09

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5700MHz

06/02/2026




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

06/02/2026




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

06/02/2026




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5745MHz

06/02/2026



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5785MHz

06/02/2026

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.89	6.89	6.89

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5825MHz

06/02/2026

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.72	6.72	6.72

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_2TX	10.61
802.11be EHT20_Nss1,(MCS0)_2TX	10.13
802.11be EHT40_Nss1,(MCS0)_2TX	7.11
802.11be EHT80_Nss1,(MCS0)_2TX	1.18
802.11be EHT160_Nss1,(MCS0)_2TX	-2.27
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	7.37
802.11be EHT20_Nss1,(MCS0)_2TX	6.38
802.11be EHT40_Nss1,(MCS0)_2TX	3.70
802.11be EHT80_Nss1,(MCS0)_2TX	1.06
802.11be EHT160_Nss1,(MCS0)_2TX	-1.70
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_2TX	7.34
802.11be EHT20_Nss1,(MCS0)_2TX	6.85
802.11be EHT40_Nss1,(MCS0)_2TX	4.25
802.11be EHT80_Nss1,(MCS0)_2TX	1.14
802.11be EHT160_Nss1,(MCS0)_2TX	-1.59
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	10.47
802.11be EHT20_Nss1,(MCS0)_2TX	9.92
802.11be EHT40_Nss1,(MCS0)_2TX	6.02
802.11be EHT80_Nss1,(MCS0)_2TX	3.36

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	9.50	7.39	7.44	10.26	13.50
5200MHz	Pass	9.50	7.56	7.47	10.35	13.50
5240MHz	Pass	9.50	7.74	7.86	10.61	13.50
5260MHz	Pass	9.40	4.23	4.40	7.15	7.60
5300MHz	Pass	9.40	4.17	4.31	7.10	7.60
5320MHz	Pass	9.40	4.40	4.36	7.37	7.60
5500MHz	Pass	9.40	4.21	4.33	7.14	7.60
5580MHz	Pass	9.40	4.44	4.48	7.34	7.60
5700MHz	Pass	9.40	2.26	1.69	4.92	7.60
5720MHz Straddle 5.47-5.725GHz	Pass	9.40	4.45	4.20	7.17	7.60
5720MHz Straddle 5.725-5.85GHz	Pass	9.40	2.99	2.45	5.57	26.60
5745MHz	Pass	9.40	7.41	7.57	10.47	26.60
5785MHz	Pass	9.40	7.05	7.25	10.08	26.60
5825MHz	Pass	9.40	6.00	6.02	8.98	26.60
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	9.50	6.52	6.73	9.61	13.50
5200MHz	Pass	9.50	6.67	6.93	9.71	13.50
5240MHz	Pass	9.50	7.14	7.26	10.13	13.50
5260MHz	Pass	9.40	3.26	3.45	6.33	7.60
5300MHz	Pass	9.40	3.43	3.39	6.38	7.60
5320MHz	Pass	9.40	3.38	3.41	6.37	7.60
5500MHz	Pass	9.40	1.95	1.88	4.89	7.60
5580MHz	Pass	9.40	3.39	3.35	6.31	7.60
5700MHz	Pass	9.40	1.41	0.97	4.19	7.60
5720MHz Straddle 5.47-5.725GHz	Pass	9.40	3.97	3.74	6.85	7.60
5720MHz Straddle 5.725-5.85GHz	Pass	9.40	2.41	2.14	5.26	26.60
5745MHz	Pass	9.40	6.86	7.03	9.92	26.60
5785MHz	Pass	9.40	6.44	6.75	9.50	26.60
5825MHz	Pass	9.40	5.65	5.47	8.54	26.60
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	9.50	0.82	1.17	3.96	13.50
5230MHz	Pass	9.50	4.13	4.27	7.11	13.50
5270MHz	Pass	9.40	0.43	0.89	3.63	7.60
5310MHz	Pass	9.40	0.47	0.99	3.70	7.60
5510MHz	Pass	9.40	0.47	0.71	3.56	7.60
5550MHz	Pass	9.40	0.35	0.63	3.45	7.60
5670MHz	Pass	9.40	0.86	0.72	3.77	7.60
5710MHz Straddle 5.47-5.725GHz	Pass	9.40	1.23	1.26	4.25	7.60
5710MHz Straddle 5.725-5.85GHz	Pass	9.40	-0.63	-0.62	2.33	26.60
5755MHz	Pass	9.40	2.93	3.13	6.02	26.60
5795MHz	Pass	9.40	2.71	2.91	5.73	26.60
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	9.50	-1.90	-1.69	1.18	13.50
5290MHz	Pass	9.40	-2.08	-1.81	1.06	7.60
5530MHz	Pass	9.40	-2.31	-2.10	0.80	7.60
5610MHz	Pass	9.40	-1.92	-2.19	0.93	7.60
5690MHz Straddle 5.47-5.725GHz	Pass	9.40	-1.80	-1.86	1.14	7.60
5690MHz Straddle 5.725-5.85GHz	Pass	9.40	-4.11	-4.35	-1.26	26.60
5775MHz	Pass	9.40	0.47	0.29	3.36	26.60
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	9.50	-5.17	-5.30	-2.27	13.50
5250MHz Straddle 5.25-5.35GHz	Pass	9.40	-4.72	-4.70	-1.70	7.60
5570MHz	Pass	9.40	-4.54	-4.63	-1.59	7.60



PSD_Test Mode: Mode 3

Appendix D.3

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

29/12/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.805

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.26	10.26	7.39	7.44

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

29/12/2025

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.805

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.35	10.35	7.56	7.47

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

29/12/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.805

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.61	10.61	7.74	7.86

Sum ☐

Port 1 ☐

Port 2 ☐

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5260MHz

29/12/2025

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.805

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.15	7.15	4.23	4.40

Sum ☐

Port 1 ☐

Port 2 ☐

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5300MHz

29/12/2025

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.805

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.10	7.10	4.17	4.31

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5320MHz

29/12/2025

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.805

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.37	7.37	4.40	4.36

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5500MHz

29/12/2025

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.805

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.14	7.14	4.21	4.33

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5580MHz

29/12/2025

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.805

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.34	7.34	4.44	4.48

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5700MHz

29/12/2025

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.805

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.92	4.92	2.26	1.69

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

29/12/2025

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.805

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.17	7.17	4.45	4.20

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

29/12/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.57	5.57	2.99	2.45

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5745MHz

29/12/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.47	10.47	7.41	7.57

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5785MHz

29/12/2025

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
21.805

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.08	10.08	7.05	7.25

Sum ☒

Port 1 ☐

Port 2 ☐

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5825MHz

29/12/2025

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
21.805

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.98	8.98	6.00	6.02

Sum ☒

Port 1 ☐

Port 2 ☐


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5180MHz

29/12/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
15.327
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.61	9.61	6.52	6.73


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5200MHz

29/12/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
15.327
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.71	9.71	6.67	6.93

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5240MHz

29/12/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
15.327

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.13	10.13	7.14	7.26

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5260MHz

29/12/2025

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
15.327

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.33	6.33	3.26	3.45


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5300MHz

29/12/2025

CF (Hz)
5.3G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
15.327
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.38	6.38	3.43	3.39


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5320MHz

29/12/2025

CF (Hz)
5.32G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
15.327
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.37	6.37	3.38	3.41


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5500MHz

29/12/2025

CF (Hz)
5.5G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
15.327
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.89	4.89	1.95	1.88

Sum
Port 1
Port 2


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5580MHz

29/12/2025

CF (Hz)
5.58G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
15.327
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.31	6.31	3.39	3.35

Sum
Port 1
Port 2


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5700MHz

29/12/2025

CF (Hz)
5.7G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
15.327
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.19	4.19	1.41	0.97

Sum
Port 1
Port 2


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

29/12/2025

CF (Hz)
5.71G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
15.327
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.85	6.85	3.97	3.74


Sum
Port 1
Port 2

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

29/12/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.26	5.26	2.41	2.14

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5745MHz

29/12/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.92	9.92	6.86	7.03


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5785MHz

29/12/2025

CF (Hz)
5.785G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
15.327
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.50	9.50	6.44	6.75


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5825MHz

29/12/2025

CF (Hz)
5.825G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
15.327
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.54	8.54	5.65	5.47

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5190MHz

29/12/2025

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
8.133

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.96	3.96	0.82	1.17

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5230MHz

29/12/2025

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
8.133

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.11	7.11	4.13	4.27

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5270MHz

29/12/2025

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
8.133

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.63	3.63	0.43	0.89

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5310MHz

29/12/2025

CF (Hz)
5.31G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
8.133

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.70	3.70	0.47	0.99

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5510MHz

29/12/2025

CF (Hz)
5.51G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
8.133

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.56	3.56	0.47	0.71

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5550MHz

29/12/2025

CF (Hz)
5.55G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
8.133

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.45	3.45	0.35	0.63

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5670MHz

29/12/2025

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
8.133

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.77	3.77	0.86	0.72

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

29/12/2025

CF (Hz)
5.69G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
8.133

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.25	4.25	1.23	1.26

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

29/12/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.33	2.33	-0.63	-0.62

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5755MHz

29/12/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.02	6.02	2.93	3.13


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5795MHz

29/12/2025

CF (Hz)
5.795G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
8.133
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.73	5.73	2.71	2.91

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5210MHz

29/12/2025

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.41
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.18	1.18	-1.90	-1.69

Sum
Port 1
Port 2

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5290MHz

29/12/2025

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.41

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.06	1.06	-2.08	-1.81

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5530MHz

29/12/2025

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.41

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.80	0.80	-2.31	-2.10

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5610MHz

29/12/2025

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.41

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.93	0.93	-1.92	-2.19

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

29/12/2025

CF (Hz)
5.65G


Span (Hz)
300M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.41

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.14	1.14	-1.80	-1.86

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

29/12/2025

CF (Hz)
5.735G


Span (Hz)
40M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
4.41

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.26	-1.26	-4.11	-4.35

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5775MHz

29/12/2025

CF (Hz)
5.775G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
4.41

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.36	3.36	0.47	0.29

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

29/12/2025



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.27	-2.27	-5.17	-5.30

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.70	-1.70	-4.72	-4.70

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5570MHz

30/12/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.59	-1.59	-4.54	-4.63

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT80_Nss1,(MCS0)_2TX	2.21
802.11be EHT160_Nss1,(MCS0)_2TX	-2.29
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS0)_2TX	2.81
802.11be EHT160_Nss1,(MCS0)_2TX	-2.05
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS0)_2TX	4.29
802.11be EHT160_Nss1,(MCS0)_2TX	-0.83
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS0)_2TX	2.49

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5210MHz	Pass	5.58	-0.72	-0.85	2.21	17.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-
5290MHz	Pass	5.59	-0.15	-0.20	2.81	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5530MHz	Pass	5.98	-2.41	-2.16	0.65	11.00
5610MHz	Pass	5.98	0.67	0.65	3.65	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	5.98	1.52	1.13	4.29	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.92	-0.99	-1.33	1.85	30.00
5775MHz	Pass	5.92	-0.50	-0.47	2.49	30.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.58	-5.17	-5.64	-2.40	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	5.59	-4.77	-5.31	-2.05	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.58	-5.08	-5.50	-2.29	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	5.59	-5.11	-5.40	-2.24	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-	-	-	-
5570MHz	Pass	5.98	-4.00	-3.80	-0.89	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX	-	-	-	-	-	-
5570MHz	Pass	5.98	-4.06	-3.56	-0.83	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5210MHz

24/03/2026

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.21	2.21	-0.72	-0.85

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

PSD

5290MHz

24/03/2026

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.81	2.81	-0.15	-0.20

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5530MHz

24/03/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.65	0.65	-2.41	-2.16

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5610MHz

24/03/2026

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.65	3.65	0.67	0.65

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

24/03/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

24/03/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

PSD

5775MHz

24/03/2026




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

24/03/2026



5150-5250MHz


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.05	-2.05	-4.77	-5.31

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

24/03/2026



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.29	-2.29	-5.08	-5.50

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.24	-2.24	-5.11	-5.40

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX

PSD

5570MHz

24/03/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.89	-0.89	-4.00	-3.80


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX

PSD

5570MHz

24/03/2026

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.83	-0.83	-4.06	-3.56



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-0.11
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_2TX	-2.37
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	0.25
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-1.83
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	0.99
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-1.98
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	1.53

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5210MHz	Pass	9.50	-3.28	-2.92	-0.11	13.50
5290MHz	Pass	9.40	-2.73	-2.72	0.25	7.60
5530MHz	Pass	9.40	-3.10	-2.97	-0.06	7.60
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-
5610MHz	Pass	9.40	-2.86	-2.73	0.18	7.60
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	9.40	-2.26	-1.80	0.99	7.60
5690MHz Straddle 5.725-5.85GHz	Pass	9.40	-5.24	-4.62	-1.91	26.60
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-
5775MHz	Pass	9.40	-1.61	-1.29	1.53	26.60
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	9.50	-5.36	-5.41	-2.37	13.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	9.50	-5.63	-5.45	-2.56	13.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_2TX	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	9.40	-5.13	-5.23	-2.19	7.60
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	9.40	-4.78	-4.82	-1.83	7.60
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX	-	-	-	-	-	-
5570MHz	Pass	9.40	-5.74	-5.50	-2.65	7.60
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-	-	-	-	-	-
5570MHz	Pass	9.40	-5.06	-4.86	-1.98	7.60

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5210MHz

24/03/2026

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
10.332
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.11	-0.11	-3.28	-2.92


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5290MHz

24/03/2026

CF (Hz)
5.29G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
10.332
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.25	0.25	-2.73	-2.72

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5530MHz

24/03/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
10.332

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.06	-0.06	-3.10	-2.97

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

PSD

5610MHz

24/03/2026

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
10.235

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.18	0.18	-2.86	-2.73

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

24/03/2026



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.99	0.99	-2.26	-1.80

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

24/03/2026



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.91	-1.91	-5.24	-4.62


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

PSD

5775MHz

24/03/2026

CF (Hz)
5.775G
Span (Hz)
120M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
10.235
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.53	1.53	-1.61	-1.29


5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

24/03/2026

CF (Hz)
5.25G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
10.332
Detector Type
RMS



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.37	-2.37	-5.36	-5.41

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.19	-2.19	-5.13	-5.23

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

24/03/2026



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.56	-2.56	-5.63	-5.45

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.83	-1.83	-4.78	-4.82

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

PSD

5570MHz

24/03/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.65	-2.65	-5.74	-5.50

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

PSD

5570MHz

24/03/2026






Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 6	Pass	PK	51.34M	36.21	40.00	-3.79	Vertical

Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	51.34M	36.21	40.00	-3.79	-34.18	3	Vertical	21	2.00	"Worst"	70.39	19.58	0.37	54.13		
PK	83.35M	26.88	40.00	-13.12	-39.15	3	Vertical	229	1.00	-	66.03	14.07	0.63	53.85		
PK	243.4M	28.66	46.00	-17.34	-34.32	3	Vertical	97	1.00	-	62.98	17.43	1.86	53.61		
PK	431.1M	32.97	46.00	-13.03	-28.65	3	Vertical	139	2.00	-	61.62	22.53	2.48	53.66		
PK	591.63M	33.24	46.00	-12.76	-24.17	3	Vertical	286	2.00	-	57.41	25.45	3.36	52.98		
PK	777.39M	28.81	46.00	-17.19	-20.00	3	Vertical	130	3.00	-	48.81	28.11	3.94	52.05		

Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	52.8M	29.29	40.00	-10.71	-34.17	3	Horizontal	193	1.00	"Worst"	63.46	19.53	0.39	54.09		
PK	191.99M	29.79	43.50	-13.71	-36.12	3	Horizontal	185	2.00	-	65.91	16.02	1.62	53.76		
PK	325.37M	33.00	46.00	-13.00	-31.57	3	Horizontal	23	1.00	-	64.57	20.00	2.24	53.81		
PK	431.1M	31.44	46.00	-14.56	-28.65	3	Horizontal	220	1.00	-	60.09	22.53	2.48	53.66		
PK	800.18M	28.78	46.00	-17.22	-19.74	3	Horizontal	5	3.00	-	48.52	28.09	4.04	51.87		
PK	965.08M	28.80	54.00	-25.20	-17.44	3	Horizontal	112	4.00	-	46.24	29.72	4.54	51.70		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1.(MCS0)_2TX	Pass	PK	5.725G	67.99	68.20	-0.21	3	Vertical	240	2.95	58

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 80
04-E-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	61.75	74.00	-12.25	65.23	3	Vertical	218	3.00	-	32.00	8.39	43.87			
AV	5.1496G	49.02	54.00	-4.98	52.51	3	Vertical	218	3.00	-	32.00	8.39	43.88			
PK	5.1836G	114.58	Inf	-Inf	118.23	3	Vertical	218	3.00	-	31.80	8.41	43.86			
AV	5.184G	106.51	Inf	-Inf	110.16	3	Vertical	218	3.00	-	31.80	8.41	43.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 80
04-E-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	60.66	74.00	-13.34	64.17	3	Horizontal	187.4	2.97	-	31.98	8.39	43.88			
AV	5.1478G	47.46	54.00	-6.54	50.96	3	Horizontal	187.4	2.97	-	31.99	8.39	43.88			
PK	5.1814G	113.55	Inf	-Inf	117.19	3	Horizontal	187.4	2.97	-	31.81	8.41	43.86			
AV	5.1864G	105.00	Inf	-Inf	108.67	3	Horizontal	187.4	2.97	-	31.78	8.41	43.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 80
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3539G	56.88	68.20	-11.32	48.43	3	Vertical	155	2.39	-	39.11	12.41	43.07			
PK	15.53156G	59.37	74.00	-14.63	47.47	3	Vertical	96	1.53	-	37.97	16.17	42.24			
AV	15.53164G	47.28	54.00	-6.72	35.38	3	Vertical	96	1.53	-	37.97	16.17	42.24			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 80
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35216G	56.62	68.20	-11.58	48.18	3	Horizontal	360	1.77	-	39.10	12.41	43.07			
PK	15.5483G	59.83	74.00	-14.17	48.01	3	Horizontal	1	1.70	-	37.91	16.17	42.26			
AV	15.5347G	47.26	54.00	-6.74	35.38	3	Horizontal	1	1.70	-	37.96	16.17	42.25			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
SET 80
80
5.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1498G	59.53	74.00	-14.47	53.31	3	Vertical	218	2.86	80	33.10	8.23	35.11				
AV	5.1486G	48.60	54.00	-5.40	42.38	3	Vertical	218	2.86	80	33.10	8.23	35.11				
PK	5.1986G	117.49	Inf	-Inf	111.23	3	Vertical	218	2.86	80	33.10	8.25	35.09				
AV	5.1934G	108.90	Inf	-Inf	102.64	3	Vertical	218	2.86	80	33.10	8.25	35.09				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
SET 80
80
6.86

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1428G	59.59	74.00	-14.41	53.38	3	Horizontal	68	2.77	80	33.09	8.23	35.11				
AV	5.149G	47.14	54.00	-6.86	40.92	3	Horizontal	68	2.77	80	33.10	8.23	35.11				
PK	5.2032G	110.23	Inf	-Inf	103.98	3	Horizontal	68	2.77	80	33.09	8.25	35.09				
AV	5.2028G	101.66	Inf	-Inf	95.41	3	Horizontal	68	2.77	80	33.09	8.25	35.09				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4052G	58.70	68.20	-9.50	41.84	3	Vertical	238.1	1.80	80	38.90	11.73	33.77			
PK	15.61606G	58.92	74.00	-15.08	38.82	3	Vertical	334	1.80	80	38.17	14.47	32.54			
AV	15.61882G	46.29	54.00	-7.71	26.20	3	Vertical	334	1.80	80	38.15	14.47	32.53			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40919G	58.09	68.20	-10.11	41.23	3	Horizontal	161	2.25	80	38.90	11.73	33.77			
PK	15.61331G	58.65	74.00	-15.35	38.53	3	Horizontal	1	1.80	80	38.19	14.47	32.54			
AV	15.59712G	46.56	54.00	-7.44	26.35	3	Horizontal	1	1.80	80	38.31	14.46	32.56			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
SET 80
80
5.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	59.58	74.00	-14.42	53.37	3	Vertical	214	2.95	80	33.09	8.23	35.11			
AV	5.1476G	47.84	54.00	-6.16	41.62	3	Vertical	214	2.95	80	33.10	8.23	35.11			
PK	5.2436G	118.45	Inf	-Inf	112.22	3	Vertical	214	2.95	80	33.01	8.29	35.07			
AV	5.2385G	109.86	Inf	-Inf	103.63	3	Vertical	214	2.95	80	33.02	8.28	35.07			
PK	5.3762G	61.03	74.00	-12.97	54.75	3	Vertical	214	2.95	80	32.90	8.40	35.02			
AV	5.3714G	48.79	54.00	-5.21	42.52	3	Vertical	214	2.95	80	32.90	8.40	35.03			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
SET 80
80
6.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.099G	59.27	74.00	-14.73	53.18	3	Horizontal	66	2.86	80	33.00	8.21	35.12			
AV	5.1482G	47.20	54.00	-6.80	40.98	3	Horizontal	66	2.86	80	33.10	8.23	35.11			
PK	5.2376G	110.42	Inf	-Inf	104.19	3	Horizontal	66	2.86	80	33.02	8.28	35.07			
AV	5.2427G	101.75	Inf	-Inf	95.52	3	Horizontal	66	2.86	80	33.01	8.29	35.07			
PK	5.3795G	59.92	74.00	-14.08	53.64	3	Horizontal	66	2.86	80	32.90	8.40	35.02			
AV	5.3543G	47.85	54.00	-6.15	41.60	3	Horizontal	66	2.86	80	32.90	8.38	35.03			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48048G	58.20	68.20	-10.00	41.48	3	Vertical	152	2.89	80	38.84	11.78	33.90			
PK	15.7174G	61.05	74.00	-12.95	40.93	3	Vertical	336	1.80	80	38.03	14.51	32.42			
AV	15.73491G	47.60	54.00	-6.40	27.41	3	Vertical	336	1.80	80	38.07	14.52	32.40			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48599G	58.24	68.20	-9.96	41.54	3	Horizontal	239	1.80	80	38.83	11.78	33.91			
PK	15.71337G	60.55	74.00	-13.45	40.43	3	Horizontal	218	2.21	80	38.03	14.51	32.42			
AV	15.73918G	47.67	54.00	-6.33	27.46	3	Horizontal	218	2.21	80	38.08	14.52	32.39			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 80
80
5.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	59.40	74.00	-14.60	53.19	3	Vertical	212	2.95	80	33.09	8.23	35.11			
AV	5.1463G	47.81	54.00	-6.19	41.60	3	Vertical	212	2.95	80	33.09	8.23	35.11			
PK	5.2627G	117.69	Inf	-Inf	111.49	3	Vertical	212	2.95	80	32.97	8.30	35.07			
AV	5.2585G	109.15	Inf	-Inf	102.94	3	Vertical	212	2.95	80	32.98	8.30	35.07			
PK	5.3905G	61.19	74.00	-12.81	54.90	3	Vertical	212	2.95	80	32.90	8.41	35.02			
AV	5.3629G	48.90	54.00	-5.10	42.64	3	Vertical	212	2.95	80	32.90	8.39	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 80
80
6.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1367G	59.90	74.00	-14.10	53.72	3	Horizontal	217	2.87	80	33.07	8.22	35.11			
AV	5.1496G	47.40	54.00	-6.60	41.18	3	Horizontal	217	2.87	80	33.10	8.23	35.11			
PK	5.2645G	107.85	Inf	-Inf	101.64	3	Horizontal	217	2.87	80	32.97	8.30	35.06			
AV	5.2648G	99.45	Inf	-Inf	93.23	3	Horizontal	217	2.87	80	32.97	8.31	35.06			
PK	5.359G	60.03	74.00	-13.97	53.77	3	Horizontal	217	2.87	80	32.90	8.39	35.03			
AV	5.3644G	48.00	54.00	-6.00	41.74	3	Horizontal	217	2.87	80	32.90	8.39	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.5039G	58.48	68.20	-9.72	41.81	3	Vertical	136	1.80	80	38.81	11.80	33.94			
PK	15.79694G	60.09	74.00	-13.91	39.96	3	Vertical	260	1.80	80	37.91	14.55	32.33			
AV	15.76526G	48.12	54.00	-5.88	27.90	3	Vertical	260	1.80	80	38.04	14.54	32.36			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52412G	57.52	68.20	-10.68	40.78	3	Horizontal	329	1.80	80	38.85	11.81	33.92			
PK	15.78056G	60.43	74.00	-13.57	40.25	3	Horizontal	268	1.80	80	37.98	14.54	32.34			
AV	15.76825G	48.09	54.00	-5.91	27.88	3	Horizontal	268	1.80	80	38.03	14.54	32.36			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 80
80
4.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.297G	116.78	Inf	-Inf	110.59	3	Vertical	225	2.95	80	32.91	8.33	35.05				
AV	5.3022G	107.89	Inf	-Inf	101.70	3	Vertical	225	2.95	80	32.90	8.34	35.05				
PK	5.356G	61.21	74.00	-12.79	54.96	3	Vertical	225	2.95	80	32.90	8.38	35.03				
AV	5.3526G	49.46	54.00	-4.54	43.21	3	Vertical	225	2.95	80	32.90	8.38	35.03				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 80
80
6.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2994G	109.07	Inf	-Inf	102.89	3	Horizontal	218	2.85	80	32.90	8.33	35.05				
AV	5.299G	100.66	Inf	-Inf	94.48	3	Horizontal	218	2.85	80	32.90	8.33	35.05				
PK	5.3632G	59.76	74.00	-14.24	53.50	3	Horizontal	218	2.85	80	32.90	8.39	35.03				
AV	5.3546G	47.93	54.00	-6.07	41.68	3	Horizontal	218	2.85	80	32.90	8.38	35.03				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61814G	58.71	74.00	-15.29	41.39	3	Vertical	155	1.80	80	39.27	11.87	33.82			
AV	10.61774G	46.40	54.00	-7.60	29.08	3	Vertical	155	1.80	80	39.27	11.87	33.82			
PK	15.91566G	61.15	74.00	-12.85	40.83	3	Vertical	312.1	1.80	80	37.91	14.60	32.19			
AV	15.90464G	48.74	54.00	-5.26	28.37	3	Vertical	312.1	1.80	80	37.97	14.60	32.20			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61758G	59.87	74.00	-14.13	42.55	3	Horizontal	150	1.80	80	39.27	11.87	33.82			
AV	10.61642G	46.42	54.00	-7.58	29.10	3	Horizontal	150	1.80	80	39.27	11.87	33.82			
PK	15.90615G	60.69	74.00	-13.31	40.33	3	Horizontal	5	1.80	80	37.96	14.60	32.20			
AV	15.90368G	48.80	54.00	-5.20	28.42	3	Horizontal	5	1.80	80	37.98	14.60	32.20			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
SET 80
80
2.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3255G	116.65	Inf	-Inf	110.43	3	Vertical	241	2.57	80	32.90	8.36	35.04			
AV	5.3253G	108.24	Inf	-Inf	102.02	3	Vertical	241	2.57	80	32.90	8.36	35.04			
PK	5.3597G	64.20	74.00	-9.80	57.94	3	Vertical	241	2.57	80	32.90	8.39	35.03			
AV	5.3606G	51.82	54.00	-2.18	45.56	3	Vertical	241	2.57	80	32.90	8.39	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
SET 80
80
5.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.324G	109.04	Inf	-Inf	102.82	3	Horizontal	219	2.80	80	32.90	8.36	35.04			
AV	5.3241G	100.68	Inf	-Inf	94.46	3	Horizontal	219	2.80	80	32.90	8.36	35.04			
PK	5.3607G	60.76	74.00	-13.24	54.50	3	Horizontal	219	2.80	80	32.90	8.39	35.03			
AV	5.3597G	48.43	54.00	-5.57	42.17	3	Horizontal	219	2.80	80	32.90	8.39	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.62877G	59.89	74.00	-14.11	42.50	3	Vertical	360.1	1.80	80	39.32	11.88	33.81				
AV	10.64667G	47.00	54.00	-7.00	29.51	3	Vertical	360.1	1.80	80	39.39	11.89	33.79				
PK	15.95832G	60.46	74.00	-13.54	40.31	3	Vertical	221	1.38	80	37.67	14.62	32.14				
AV	15.97682G	48.35	54.00	-5.65	28.25	3	Vertical	221	1.38	80	37.59	14.63	32.12				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63349G	59.27	74.00	-14.73	41.87	3	Horizontal	160	1.80	80	39.33	11.88	33.81			
AV	10.63385G	46.96	54.00	-7.04	29.55	3	Horizontal	160	1.80	80	39.34	11.88	33.81			
PK	15.94174G	60.47	74.00	-13.53	40.27	3	Horizontal	153	1.80	80	37.75	14.61	32.16			
AV	15.9795G	48.22	54.00	-5.78	28.12	3	Horizontal	153	1.80	80	37.58	14.63	32.11			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
SET 80
80
5.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4578G	60.91	74.00	-13.09	54.53	3	Vertical	345	2.87	80	32.92	8.46	35.00				
AV	5.4569G	48.70	54.00	-5.30	42.33	3	Vertical	345	2.87	80	32.91	8.46	35.00				
PK	5.4654G	60.17	68.20	-8.03	53.76	3	Vertical	345	2.87	80	32.93	8.47	34.99				
PK	5.5062G	110.59	Inf	-Inf	104.07	3	Vertical	345	2.87	80	33.00	8.50	34.98				
AV	5.5065G	102.23	Inf	-Inf	95.71	3	Vertical	345	2.87	80	33.00	8.50	34.98				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
SET 80
80
5.52

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4566G	60.32	74.00	-13.68	53.95	3	Horizontal	345	2.87	80	32.91	8.46	35.00			
AV	5.4563G	48.48	54.00	-5.52	42.11	3	Horizontal	345	2.87	80	32.91	8.46	35.00			
PK	5.462G	60.26	68.20	-7.94	53.86	3	Horizontal	345	2.87	80	32.92	8.47	34.99			
PK	5.5062G	110.71	Inf	-Inf	104.19	3	Horizontal	345	2.87	80	33.00	8.50	34.98			
AV	5.5064G	102.08	Inf	-Inf	95.56	3	Horizontal	345	2.87	80	33.00	8.50	34.98			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01416G	58.43	74.00	-15.57	40.78	3	Vertical	351	1.89	-	38.93	12.14	33.42			
AV	10.98506G	46.62	54.00	-7.38	29.02	3	Vertical	351	1.89	-	38.93	12.12	33.45			
PK	16.50687G	60.57	68.20	-7.63	40.09	3	Vertical	72	1.90	-	38.59	14.89	33.00			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00354G	58.25	74.00	-15.75	40.64	3	Horizontal	297	1.86	-	38.91	12.14	33.44			
AV	10.9853G	46.79	54.00	-7.21	29.19	3	Horizontal	297	1.86	-	38.93	12.12	33.45			
PK	16.51218G	61.00	68.20	-7.20	40.52	3	Horizontal	121	1.40	-	38.58	14.89	32.99			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
SET 80
80
5.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4405G	60.28	74.00	-13.72	53.93	3	Vertical	225	2.95	80	32.90	8.45	35.00			
PK	5.4609G	60.91	68.20	-7.29	54.51	3	Vertical	225	2.95	80	32.92	8.47	34.99			
AV	5.4591G	48.45	54.00	-5.55	42.06	3	Vertical	225	2.95	80	32.92	8.46	34.99			
PK	5.5758G	117.41	Inf	-Inf	110.85	3	Vertical	225	2.95	80	32.95	8.55	34.94			
AV	5.5761G	108.88	Inf	-Inf	102.32	3	Vertical	225	2.95	80	32.95	8.55	34.94			
PK	5.7291G	59.49	68.20	-8.71	52.12	3	Vertical	225	2.95	80	33.52	8.72	34.87			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
SET 80
80
6.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4315G	60.10	74.00	-13.90	53.76	3	Horizontal	116	1.06	80	32.90	8.44	35.00			
PK	5.4648G	60.09	68.20	-8.11	53.68	3	Horizontal	116	1.06	80	32.93	8.47	34.99			
AV	5.4522G	47.57	54.00	-6.43	41.21	3	Horizontal	116	1.06	80	32.90	8.46	35.00			
PK	5.5731G	107.43	Inf	-Inf	100.87	3	Horizontal	116	1.06	80	32.95	8.55	34.94			
AV	5.5734G	99.33	Inf	-Inf	92.77	3	Horizontal	116	1.06	80	32.95	8.55	34.94			
PK	5.7258G	59.10	68.20	-9.10	51.76	3	Horizontal	116	1.06	80	33.50	8.71	34.87			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16072G	58.06	74.00	-15.94	40.08	3	Vertical	137	1.65	-	39.00	12.25	33.27			
AV	11.16528G	47.06	54.00	-6.94	29.07	3	Vertical	137	1.65	-	39.00	12.25	33.26			
PK	16.73742G	58.96	68.20	-9.24	38.61	3	Vertical	164	1.47	-	38.23	15.00	32.88			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.17374G	58.22	74.00	-15.78	40.22	3	Horizontal	266	1.63	-	39.00	12.25	33.25			
AV	11.1609G	47.26	54.00	-6.74	29.28	3	Horizontal	266	1.63	-	39.00	12.25	33.27			
PK	16.74276G	59.32	68.20	-8.88	38.98	3	Horizontal	225	1.93	-	38.21	15.00	32.87			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
SET 63
80\40\71\56\63\66\65\64\63
-13.29\7.92\7.50\7.13\4.44\2.36\0.55\0.14\4.02

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6944G	113.54	Inf	-Inf	106.39	3	Vertical	234	2.92	63	33.36	8.68	34.89			
AV	5.7044G	104.54	Inf	-Inf	97.31	3	Vertical	234	2.92	63	33.42	8.69	34.88			
PK	5.725G	64.18	68.20	-4.02	56.84	3	Vertical	234	2.92	63	33.50	8.71	34.87			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
SET 63
63
8.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.698G	104.60	Inf	-Inf	97.42	3	Horizontal	112	1.05	63	33.38	8.68	34.88			
AV	5.698G	95.05	Inf	-Inf	87.87	3	Horizontal	112	1.05	63	33.38	8.68	34.88			
PK	5.7656G	60.08	68.20	-8.12	52.51	3	Horizontal	112	1.05	63	33.66	8.76	34.85			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 63
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3922G	58.06	74.00	-15.94	39.58	3	Vertical	357	1.25	-	39.10	12.40	33.02			
AV	11.40018G	47.25	54.00	-6.75	28.75	3	Vertical	357	1.25	-	39.10	12.41	33.01			
PK	17.10828G	59.49	68.20	-8.71	38.66	3	Vertical	303	1.84	-	38.33	15.18	32.68			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 63
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3898G	58.41	74.00	-15.59	39.93	3	Horizontal	306	1.57	-	39.10	12.40	33.02			
AV	11.40234G	47.36	54.00	-6.64	28.86	3	Horizontal	306	1.57	-	39.10	12.41	33.01			
PK	17.11116G	59.83	68.20	-8.37	38.99	3	Horizontal	321	1.98	-	38.34	15.18	32.68			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 80
80
5.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4338G	59.51	74.00	-14.49	53.16	3	Vertical	314	2.95	80	32.90	8.45	35.00			
PK	5.4608G	59.83	68.20	-8.37	53.43	3	Vertical	314	2.95	80	32.92	8.47	34.99			
AV	5.4572G	48.44	54.00	-5.56	42.07	3	Vertical	314	2.95	80	32.91	8.46	35.00			
PK	5.7152G	116.70	Inf	-Inf	109.42	3	Vertical	314	2.95	80	33.46	8.70	34.88			
AV	5.7158G	108.34	Inf	-Inf	101.06	3	Vertical	314	2.95	80	33.46	8.70	34.88			
PK	5.9462G	61.26	68.20	-6.94	52.87	3	Vertical	314	2.95	80	34.19	8.97	34.77			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 80
80
6.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4428G	59.29	74.00	-14.71	52.94	3	Horizontal	111	1.08	80	32.90	8.45	35.00			
AV	5.45G	47.70	54.00	-6.30	41.34	3	Horizontal	111	1.08	80	32.90	8.46	35.00			
PK	5.462G	58.77	68.20	-9.43	52.37	3	Horizontal	111	1.08	80	32.92	8.47	34.99			
PK	5.7188G	106.85	Inf	-Inf	99.53	3	Horizontal	111	1.08	80	33.48	8.71	34.87			
AV	5.7134G	98.57	Inf	-Inf	91.30	3	Horizontal	111	1.08	80	33.45	8.70	34.88			
PK	5.9288G	60.25	68.20	-7.95	51.91	3	Horizontal	111	1.08	80	34.16	8.95	34.77			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42536G	58.02	74.00	-15.98	39.47	3	Vertical	115	1.31	-	39.10	12.43	32.98			
AV	11.42638G	47.46	54.00	-6.54	28.91	3	Vertical	115	1.31	-	39.10	12.43	32.98			
PK	17.15286G	60.33	68.20	-7.87	39.27	3	Vertical	126	1.47	-	38.52	15.20	32.66			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44906G	59.01	74.00	-14.99	40.43	3	Horizontal	351	1.83	-	39.10	12.44	32.96			
AV	11.425G	47.26	54.00	-6.74	28.71	3	Horizontal	351	1.83	-	39.10	12.43	32.98			
PK	17.17332G	60.05	68.20	-8.15	38.85	3	Horizontal	151	1.39	-	38.64	15.21	32.65			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
SET 80
80
5.53

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5908G	60.45	68.20	-7.75	53.91	3	Vertical	241	2.90	80	32.92	8.56	34.94				
AV	5.457G	48.47	54.00	-5.53	42.10	3	Vertical	241	2.90	80	32.91	8.46	35.00				
PK	5.739G	118.10	Inf	-Inf	110.68	3	Vertical	241	2.90	80	33.56	8.73	34.87				
AV	5.7384G	109.52	Inf	-Inf	102.11	3	Vertical	241	2.90	80	33.55	8.73	34.87				
PK	6.0078G	60.42	68.20	-7.78	51.92	3	Vertical	241	2.90	80	34.20	9.03	34.73				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
SET 80
80
6.37

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.5872G	60.30	68.20	-7.90	53.75	3	Horizontal	64	2.95	80	32.93	8.56	34.94			
AV	5.4492G	47.63	54.00	-6.37	41.27	3	Horizontal	64	2.95	80	32.90	8.46	35.00			
PK	5.7522G	111.53	Inf	-Inf	104.03	3	Horizontal	64	2.95	80	33.61	8.75	34.86			
AV	5.7474G	103.05	Inf	-Inf	95.58	3	Horizontal	64	2.95	80	33.59	8.74	34.86			
PK	5.9394G	60.65	68.20	-7.55	52.28	3	Horizontal	64	2.95	80	34.18	8.96	34.77			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50158G	58.32	74.00	-15.68	39.65	3	Vertical	117	1.30	-	39.09	12.48	32.90			
AV	11.50404G	47.37	54.00	-6.63	28.72	3	Vertical	117	1.30	-	39.08	12.48	32.91			
PK	17.24142G	58.72	68.20	-9.48	37.29	3	Vertical	11	1.28	-	38.80	15.24	32.61			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.50398G	58.17	74.00	-15.83	39.52	3	Horizontal	96	1.92	-	39.08	12.48	32.91				
AV	11.50488G	47.43	54.00	-6.57	28.79	3	Horizontal	96	1.92	-	39.07	12.48	32.91				
PK	17.22438G	59.10	68.20	-9.10	37.69	3	Horizontal	86	1.25	-	38.80	15.23	32.62				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
SET 80
80
6.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.52477G	61.37	68.20	-6.83	54.83	3	Vertical	238	2.49	80	33.00	8.51	34.97				
PK	5.77887G	117.32	Inf	-Inf	109.67	3	Vertical	238	2.49	80	33.72	8.78	34.85				
AV	5.77887G	109.08	Inf	-Inf	101.43	3	Vertical	238	2.49	80	33.72	8.78	34.85				
PK	6.05838G	60.62	68.20	-7.58	52.08	3	Vertical	238	2.49	80	34.18	9.06	34.70				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
SET 80
80
7.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.63065G	59.64	68.20	-8.56	52.99	3	Horizontal	111	1.06	80	32.96	8.61	34.92					
PK	5.78311G	107.16	Inf	-Inf	99.49	3	Horizontal	111	1.06	80	33.73	8.78	34.84					
AV	5.78311G	98.64	Inf	-Inf	90.97	3	Horizontal	111	1.06	80	33.73	8.78	34.84					
PK	5.97671G	61.19	68.20	-7.01	52.74	3	Horizontal	111	1.06	80	34.20	9.00	34.75					

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55554G	58.18	74.00	-15.82	39.84	3	Vertical	181	1.49	-	38.79	12.52	32.97			
AV	11.55878G	47.36	54.00	-6.64	29.04	3	Vertical	181	1.49	-	38.78	12.52	32.98			
PK	17.35026G	60.89	68.20	-7.31	39.25	3	Vertical	196	1.88	-	38.90	15.29	32.55			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57198G	57.94	74.00	-16.06	39.65	3	Horizontal	114	1.69	-	38.76	12.53	33.00			
AV	11.55722G	47.26	54.00	-6.74	28.93	3	Horizontal	114	1.69	-	38.79	12.52	32.98			
PK	17.35764G	60.84	68.20	-7.36	39.16	3	Horizontal	76	1.38	-	38.93	15.30	32.55			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 80
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5895G	62.15	68.20	-6.05	55.36	3	Vertical	327	2.36	-	34.34	7.34	34.89			
PK	5.8295G	117.81	Inf	-Inf	111.00	3	Vertical	327	2.36	-	34.26	7.51	34.96			
AV	5.82G	108.04	Inf	-Inf	101.25	3	Vertical	327	2.36	-	34.24	7.51	34.96			
PK	6.0525G	61.70	68.20	-6.50	54.32	3	Vertical	327	2.36	-	34.81	7.59	35.02			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 80
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6325G	61.64	68.20	-6.56	54.86	3	Horizontal	73	2.79	-	34.30	7.38	34.90				
PK	5.8175G	111.06	Inf	-Inf	104.27	3	Horizontal	73	2.79	-	34.24	7.51	34.96				
AV	5.8175G	101.28	Inf	-Inf	94.49	3	Horizontal	73	2.79	-	34.24	7.51	34.96				
PK	5.9945G	62.73	68.20	-5.47	55.51	3	Horizontal	73	2.79	-	34.70	7.53	35.01				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 80
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6582G	57.96	74.00	-16.04	48.09	3	Vertical	302	2.77	-	39.48	13.35	42.96			
AV	11.65608G	45.73	54.00	-8.27	35.86	3	Vertical	302	2.77	-	39.49	13.34	42.96			
PK	17.47382G	62.75	68.20	-5.45	47.34	3	Vertical	210	2.36	-	42.19	16.36	43.14			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 80
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64938G	58.29	74.00	-15.71	48.40	3	Horizontal	62	1.80	-	39.50	13.34	42.95			
AV	11.65744G	45.86	54.00	-8.14	35.98	3	Horizontal	62	1.80	-	39.49	13.35	42.96			
PK	17.47264G	62.53	68.20	-5.67	47.13	3	Horizontal	360	1.80	-	42.18	16.36	43.14			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 80
04-E-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1394G	59.47	74.00	-14.53	63.02	3	Vertical	270	2.99	-	31.94	8.39	43.88			
AV	5.15G	47.48	54.00	-6.52	50.96	3	Vertical	270	2.99	-	32.00	8.39	43.87			
PK	5.185G	114.12	Inf	-Inf	117.78	3	Vertical	270	2.99	-	31.79	8.41	43.86			
AV	5.1824G	103.07	Inf	-Inf	106.71	3	Vertical	270	2.99	-	31.81	8.41	43.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 80
04-E-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1478G	56.98	74.00	-17.02	60.48	3	Horizontal	73	3.00	-	31.99	8.39	43.88			
AV	5.1488G	45.28	54.00	-8.72	48.78	3	Horizontal	73	3.00	-	31.99	8.39	43.88			
PK	5.1718G	109.18	Inf	-Inf	112.77	3	Horizontal	73	3.00	-	31.87	8.40	43.86			
AV	5.1716G	98.10	Inf	-Inf	101.69	3	Horizontal	73	3.00	-	31.87	8.40	43.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 80
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35796G	49.35	68.20	-18.85	40.89	3	Vertical	137	1.56	-	39.12	12.42	43.08			
PK	15.52593G	51.79	74.00	-22.21	39.86	3	Vertical	320	1.25	-	38.00	16.17	42.24			
AV	15.52512G	40.09	54.00	-13.91	28.16	3	Vertical	320	1.25	-	38.00	16.17	42.24			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 80
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36477G	49.38	68.20	-18.82	40.91	3	Horizontal	231	1.86	-	39.13	12.42	43.08			
PK	15.52563G	52.26	74.00	-21.74	40.33	3	Horizontal	328	1.82	-	38.00	16.17	42.24			
AV	15.52536G	39.98	54.00	-14.02	28.05	3	Horizontal	328	1.82	-	38.00	16.17	42.24			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 80
80
4.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1494G	60.95	74.00	-13.05	54.73	3	Vertical	215	2.67	80	33.10	8.23	35.11			
AV	5.1494G	49.41	54.00	-4.59	43.19	3	Vertical	215	2.67	80	33.10	8.23	35.11			
PK	5.1944G	120.54	Inf	-Inf	114.28	3	Vertical	215	2.67	80	33.10	8.25	35.09			
AV	5.1944G	108.72	Inf	-Inf	102.46	3	Vertical	215	2.67	80	33.10	8.25	35.09			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 80
80
6.29

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.134G	59.08	74.00	-14.92	52.90	3	Horizontal	221	2.14	80	33.07	8.22	35.11				
AV	5.1474G	47.71	54.00	-6.29	41.50	3	Horizontal	221	2.14	80	33.09	8.23	35.11				
PK	5.1918G	109.46	Inf	-Inf	103.20	3	Horizontal	221	2.14	80	33.10	8.25	35.09				
AV	5.1922G	97.85	Inf	-Inf	91.59	3	Horizontal	221	2.14	80	33.10	8.25	35.09				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.41722G	58.57	68.20	-9.63	41.72	3	Vertical	349	1.80	80	38.90	11.74	33.79			
PK	15.59125G	58.81	74.00	-15.19	38.57	3	Vertical	293	1.80	80	38.34	14.46	32.56			
AV	15.60108G	47.19	54.00	-6.81	26.99	3	Vertical	293	1.80	80	38.29	14.46	32.55			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41275G	57.85	68.20	-10.35	41.00	3	Horizontal	40	2.95	80	38.90	11.73	33.78			
PK	15.61171G	59.05	74.00	-14.95	38.91	3	Horizontal	360.1	1.80	80	38.21	14.47	32.54			
AV	15.5847G	47.17	54.00	-6.83	26.92	3	Horizontal	360.1	1.80	80	38.36	14.46	32.57			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 80
80
4.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	60.58	74.00	-13.42	54.36	3	Vertical	214	2.88	80	33.10	8.23	35.11			
AV	5.1452G	48.37	54.00	-5.63	42.16	3	Vertical	214	2.88	80	33.09	8.23	35.11			
PK	5.2469G	120.64	Inf	-Inf	114.41	3	Vertical	214	2.88	80	33.01	8.29	35.07			
AV	5.2343G	109.47	Inf	-Inf	103.24	3	Vertical	214	2.88	80	33.03	8.28	35.08			
PK	5.3534G	60.94	74.00	-13.06	54.69	3	Vertical	214	2.88	80	32.90	8.38	35.03			
AV	5.3552G	49.36	54.00	-4.64	43.11	3	Vertical	214	2.88	80	32.90	8.38	35.03			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 80
80
5.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1473G	59.68	74.00	-14.32	53.47	3	Horizontal	65	2.85	80	33.09	8.23	35.11				
AV	5.1497G	47.75	54.00	-6.25	41.53	3	Horizontal	65	2.85	80	33.10	8.23	35.11				
PK	5.2412G	112.64	Inf	-Inf	106.40	3	Horizontal	65	2.85	80	33.02	8.29	35.07				
AV	5.2439G	101.49	Inf	-Inf	95.26	3	Horizontal	65	2.85	80	33.01	8.29	35.07				
PK	5.3537G	60.26	74.00	-13.74	54.01	3	Horizontal	65	2.85	80	32.90	8.38	35.03				
AV	5.3894G	48.20	54.00	-5.80	41.91	3	Horizontal	65	2.85	80	32.90	8.41	35.02				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47381G	58.41	68.20	-9.79	41.68	3	Vertical	151	1.80	80	38.85	11.77	33.89			
PK	15.70058G	60.50	74.00	-13.50	40.43	3	Vertical	1	1.31	80	38.00	14.51	32.44			
AV	15.73986G	48.09	54.00	-5.91	27.88	3	Vertical	1	1.31	80	38.08	14.52	32.39			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46809G	58.45	68.20	-9.75	41.70	3	Horizontal	229	1.08	80	38.86	11.77	33.88			
PK	15.73574G	59.71	74.00	-14.29	39.52	3	Horizontal	165	1.80	80	38.07	14.52	32.40			
AV	15.73826G	48.12	54.00	-5.88	27.91	3	Horizontal	165	1.80	80	38.08	14.52	32.39			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 80
80
4.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1436G	59.90	74.00	-14.10	53.69	3	Vertical	214	2.95	80	33.09	8.23	35.11			
AV	5.1499G	48.10	54.00	-5.90	41.88	3	Vertical	214	2.95	80	33.10	8.23	35.11			
PK	5.2615G	118.96	Inf	-Inf	112.75	3	Vertical	214	2.95	80	32.98	8.30	35.07			
AV	5.2564G	108.49	Inf	-Inf	102.27	3	Vertical	214	2.95	80	32.99	8.30	35.07			
PK	5.359G	60.75	74.00	-13.25	54.49	3	Vertical	214	2.95	80	32.90	8.39	35.03			
AV	5.3578G	49.34	54.00	-4.66	43.09	3	Vertical	214	2.95	80	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 80
80
5.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1403G	58.73	74.00	-15.27	52.53	3	Horizontal	208	2.87	80	33.08	8.23	35.11			
AV	5.149G	47.53	54.00	-6.47	41.31	3	Horizontal	208	2.87	80	33.10	8.23	35.11			
PK	5.2678G	110.16	Inf	-Inf	103.95	3	Horizontal	208	2.87	80	32.96	8.31	35.06			
AV	5.2678G	98.81	Inf	-Inf	92.60	3	Horizontal	208	2.87	80	32.96	8.31	35.06			
PK	5.3662G	59.86	74.00	-14.14	53.60	3	Horizontal	208	2.87	80	32.90	8.39	35.03			
AV	5.377G	48.21	54.00	-5.79	41.93	3	Horizontal	208	2.87	80	32.90	8.40	35.02			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5260MHz_TX

EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53746G	57.47	68.20	-10.73	40.68	3	Vertical	60	1.91	80	38.87	11.82	33.90			
PK	15.78887G	60.77	74.00	-13.23	40.61	3	Vertical	322	1.80	80	37.94	14.55	32.33			
AV	15.77121G	48.28	54.00	-5.72	28.08	3	Vertical	322	1.80	80	38.02	14.54	32.36			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50442G	57.26	68.20	-10.94	40.59	3	Horizontal	6	1.80	80	38.81	11.80	33.94			
PK	15.76817G	60.28	74.00	-13.72	40.07	3	Horizontal	292.1	1.80	80	38.03	14.54	32.36			
AV	15.76581G	48.59	54.00	-5.41	28.37	3	Horizontal	292.1	1.80	80	38.04	14.54	32.36			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 80
80
4.07

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2988G	118.18	Inf	-Inf	112.00	3	Vertical	227	2.95	80	32.90	8.33	35.05				
AV	5.2984G	106.74	Inf	-Inf	100.56	3	Vertical	227	2.95	80	32.90	8.33	35.05				
PK	5.3534G	62.27	74.00	-11.73	56.02	3	Vertical	227	2.95	80	32.90	8.38	35.03				
AV	5.3512G	49.93	54.00	-4.07	43.68	3	Vertical	227	2.95	80	32.90	8.38	35.03				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 80
80
5.80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3022G	110.74	Inf	-Inf	104.55	3	Horizontal	219	2.86	80	32.90	8.34	35.05				
AV	5.302G	99.21	Inf	-Inf	93.02	3	Horizontal	219	2.86	80	32.90	8.34	35.05				
PK	5.39G	59.73	74.00	-14.27	53.44	3	Horizontal	219	2.86	80	32.90	8.41	35.02				
AV	5.3614G	48.20	54.00	-5.80	41.94	3	Horizontal	219	2.86	80	32.90	8.39	35.03				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61021G	58.55	74.00	-15.45	41.27	3	Vertical	137	1.80	80	39.24	11.87	33.83			
AV	10.61802G	46.72	54.00	-7.28	29.40	3	Vertical	137	1.80	80	39.27	11.87	33.82			
PK	15.89944G	61.31	74.00	-12.69	40.92	3	Vertical	1	1.27	80	38.00	14.60	32.21			
AV	15.89984G	49.17	54.00	-4.83	28.78	3	Vertical	1	1.27	80	38.00	14.60	32.21			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61554G	59.07	74.00	-14.93	41.76	3	Horizontal	98	1.80	80	39.26	11.87	33.82			
AV	10.6187G	46.79	54.00	-7.21	29.47	3	Horizontal	98	1.80	80	39.27	11.87	33.82			
PK	15.91483G	61.49	74.00	-12.51	41.17	3	Horizontal	360	1.80	80	37.91	14.60	32.19			
AV	15.89924G	49.19	54.00	-4.81	28.80	3	Horizontal	360	1.80	80	38.00	14.60	32.21			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 80
04-E-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.327G	115.67	Inf	-Inf	119.69	3	Vertical	274	2.90	-	31.31	8.46	43.79			
AV	5.3168G	104.24	Inf	-Inf	108.30	3	Vertical	274	2.90	-	31.27	8.46	43.79			
PK	5.362G	61.02	74.00	-12.98	64.91	3	Vertical	274	2.90	-	31.40	8.48	43.77			
AV	5.3614G	48.96	54.00	-5.04	52.85	3	Vertical	274	2.90	-	31.40	8.48	43.77			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 80
04-E-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3236G	108.04	Inf	-Inf	112.08	3	Horizontal	154	2.97	-	31.29	8.46	43.79			
AV	5.3138G	97.47	Inf	-Inf	101.54	3	Horizontal	154	2.97	-	31.26	8.46	43.79			
PK	5.36G	57.18	74.00	-16.82	61.07	3	Horizontal	154	2.97	-	31.40	8.48	43.77			
AV	5.3614G	45.74	54.00	-8.26	49.63	3	Horizontal	154	2.97	-	31.40	8.48	43.77			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6634G	59.09	74.00	-14.91	41.57	3	Vertical	136	1.67	-	39.40	11.90	33.78			
AV	10.64912G	47.39	54.00	-6.61	29.89	3	Vertical	136	1.67	-	39.40	11.89	33.79			
PK	15.98622G	60.06	74.00	-13.94	39.98	3	Vertical	87	1.65	-	37.56	14.63	32.11			
AV	15.98322G	48.74	54.00	-5.26	28.65	3	Vertical	87	1.65	-	37.57	14.63	32.11			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.664G	59.05	74.00	-14.95	41.53	3	Horizontal	305	1.28	-	39.40	11.90	33.78				
AV	10.64894G	47.25	54.00	-6.75	29.75	3	Horizontal	305	1.28	-	39.40	11.89	33.79				
PK	15.97104G	60.25	74.00	-13.75	40.12	3	Horizontal	105	1.89	-	37.62	14.63	32.12				
AV	15.98952G	48.59	54.00	-5.41	28.51	3	Horizontal	105	1.89	-	37.54	14.64	32.10				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 80
04-E-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	62.00	74.00	-12.00	65.53	3	Vertical	255	3.00	-	31.64	8.55	43.72			
AV	5.4596G	49.65	54.00	-4.35	53.18	3	Vertical	255	3.00	-	31.64	8.55	43.72			
PK	5.4694G	66.74	68.20	-1.46	70.22	3	Vertical	255	3.00	-	31.68	8.56	43.72			
PK	5.4946G	117.10	Inf	-Inf	120.43	3	Vertical	255	3.00	-	31.78	8.59	43.70			
AV	5.4922G	105.38	Inf	-Inf	108.72	3	Vertical	255	3.00	-	31.77	8.59	43.70			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 80
04-E-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4518G	56.84	74.00	-17.16	60.41	3	Horizontal	76	3.00	-	31.61	8.54	43.72			
PK	5.4638G	56.28	68.20	-11.92	59.78	3	Horizontal	76	3.00	-	31.66	8.56	43.72			
AV	5.4596G	45.63	54.00	-8.37	49.16	3	Horizontal	76	3.00	-	31.64	8.55	43.72			
PK	5.4968G	110.33	Inf	-Inf	113.65	3	Horizontal	76	3.00	-	31.79	8.59	43.70			
AV	5.4992G	98.93	Inf	-Inf	102.24	3	Horizontal	76	3.00	-	31.80	8.59	43.70			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.97552G	58.80	74.00	-15.20	41.19	3	Vertical	347	1.42	-	38.95	12.12	33.46			
AV	10.9733G	47.22	54.00	-6.78	29.62	3	Vertical	347	1.42	-	38.95	12.12	33.47			
PK	16.49736G	61.44	68.20	-6.76	40.97	3	Vertical	69	1.35	-	38.59	14.88	33.00			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99442G	58.27	74.00	-15.73	40.68	3	Horizontal	157	1.94	-	38.91	12.13	33.45			
AV	10.97492G	47.28	54.00	-6.72	29.68	3	Horizontal	157	1.94	-	38.95	12.12	33.47			
PK	16.50672G	61.28	68.20	-6.92	40.80	3	Horizontal	79	2.03	-	38.59	14.89	33.00			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
SET 80
80
5.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4558G	59.91	74.00	-14.09	53.54	3	Vertical	244	2.52	80	32.91	8.46	35.00			
AV	5.4567G	48.74	54.00	-5.26	42.37	3	Vertical	244	2.52	80	32.91	8.46	35.00			
PK	5.4687G	59.99	68.20	-8.21	53.57	3	Vertical	244	2.52	80	32.94	8.47	34.99			
PK	5.5767G	119.65	Inf	-Inf	113.09	3	Vertical	244	2.52	80	32.95	8.55	34.94			
AV	5.5719G	108.71	Inf	-Inf	102.15	3	Vertical	244	2.52	80	32.96	8.55	34.95			
PK	5.7285G	59.66	68.20	-8.54	52.30	3	Vertical	244	2.52	80	33.51	8.72	34.87			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
SET 80
80
6.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4525G	59.52	74.00	-14.48	53.15	3	Horizontal	115	1.05	80	32.91	8.46	35.00			
AV	5.4513G	47.96	54.00	-6.04	41.60	3	Horizontal	115	1.05	80	32.90	8.46	35.00			
PK	5.4648G	58.96	68.20	-9.24	52.55	3	Horizontal	115	1.05	80	32.93	8.47	34.99			
PK	5.5719G	109.48	Inf	-Inf	102.92	3	Horizontal	115	1.05	80	32.96	8.55	34.95			
AV	5.5767G	98.83	Inf	-Inf	92.27	3	Horizontal	115	1.05	80	32.95	8.55	34.94			
PK	5.727G	59.46	68.20	-8.74	52.10	3	Horizontal	115	1.05	80	33.51	8.72	34.87			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16816G	58.58	74.00	-15.42	40.59	3	Vertical	51	1.28	-	39.00	12.25	33.26			
AV	11.1834G	47.59	54.00	-6.41	29.57	3	Vertical	51	1.28	-	39.00	12.26	33.24			
PK	16.74144G	59.68	68.20	-8.52	39.33	3	Vertical	211	1.95	-	38.22	15.00	32.87			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.18496G	58.59	74.00	-15.41	40.57	3	Horizontal	35	1.46	-	39.00	12.26	33.24			
AV	11.1888G	47.74	54.00	-6.26	29.72	3	Horizontal	35	1.46	-	39.00	12.26	33.24			
PK	16.7688G	60.42	68.20	-7.78	40.03	3	Horizontal	123	1.65	-	38.24	15.01	32.86			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
SET 58
80\40\71\56\63\60\59\58
-13.46\7.93\7.58\2.72\2.83\2.09\0.63\0.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7068G	114.35	Inf	-Inf	107.11	3	Vertical	240	2.95	58	33.43	8.69	34.88			
AV	5.702G	102.72	Inf	-Inf	95.50	3	Vertical	240	2.95	58	33.41	8.69	34.88			
PK	5.725G	67.99	68.20	-0.21	60.65	3	Vertical	240	2.95	58	33.50	8.71	34.87			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
SET 58
58
7.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6936G	104.15	Inf	-Inf	97.01	3	Horizontal	113	1.06	58	33.35	8.68	34.89			
AV	5.699G	92.87	Inf	-Inf	85.68	3	Horizontal	113	1.06	58	33.39	8.68	34.88			
PK	5.7288G	61.12	68.20	-7.08	53.75	3	Horizontal	113	1.06	58	33.52	8.72	34.87			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 58
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40204G	58.01	74.00	-15.99	39.51	3	Vertical	17	2.04	-	39.10	12.41	33.01			
AV	11.40888G	47.65	54.00	-6.35	29.13	3	Vertical	17	2.04	-	39.10	12.42	33.00			
PK	17.12868G	59.32	68.20	-8.88	38.39	3	Vertical	132	1.92	-	38.41	15.19	32.67			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 58
05-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.424G	59.08	74.00	-14.92	40.53	3	Horizontal	261	1.29	-	39.10	12.43	32.98			
AV	11.42892G	47.63	54.00	-6.37	29.08	3	Horizontal	261	1.29	-	39.10	12.43	32.98			
PK	17.0724G	60.14	68.20	-8.06	39.32	3	Horizontal	86	1.39	-	38.36	15.16	32.70			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 80
80
5.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4314G	60.25	74.00	-13.75	53.91	3	Vertical	310	2.95	80	32.90	8.44	35.00			
PK	5.4644G	59.36	68.20	-8.84	52.95	3	Vertical	310	2.95	80	32.93	8.47	34.99			
AV	5.46G	48.69	54.00	-5.31	42.30	3	Vertical	310	2.95	80	32.92	8.46	34.99			
PK	5.7176G	118.03	Inf	-Inf	110.73	3	Vertical	310	2.95	80	33.47	8.71	34.88			
AV	5.7254G	107.48	Inf	-Inf	100.14	3	Vertical	310	2.95	80	33.50	8.71	34.87			
PK	5.9072G	60.32	68.20	-7.88	52.07	3	Vertical	310	2.95	80	34.11	8.92	34.78			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 80
80
6.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4248G	59.23	74.00	-14.77	52.90	3	Horizontal	114	1.06	80	32.90	8.44	35.01			
AV	5.4374G	47.86	54.00	-6.14	41.51	3	Horizontal	114	1.06	80	32.90	8.45	35.00			
PK	5.4668G	59.07	68.20	-9.13	52.66	3	Horizontal	114	1.06	80	32.93	8.47	34.99			
PK	5.7236G	107.92	Inf	-Inf	100.59	3	Horizontal	114	1.06	80	33.49	8.71	34.87			
AV	5.7164G	97.10	Inf	-Inf	89.81	3	Horizontal	114	1.06	80	33.47	8.70	34.88			
PK	5.9438G	61.08	68.20	-7.12	52.69	3	Horizontal	114	1.06	80	34.19	8.97	34.77			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41156G	58.23	74.00	-15.77	39.71	3	Vertical	317	1.73	-	39.10	12.42	33.00			
AV	11.4208G	47.51	54.00	-6.49	28.98	3	Vertical	317	1.73	-	39.10	12.42	32.99			
PK	17.15832G	60.06	68.20	-8.14	38.96	3	Vertical	128	1.94	-	38.55	15.20	32.65			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43604G	58.05	74.00	-15.95	39.49	3	Horizontal	208	1.25	-	39.10	12.43	32.97			
AV	11.43604G	47.51	54.00	-6.49	28.95	3	Horizontal	208	1.25	-	39.10	12.43	32.97			
PK	17.13588G	61.30	68.20	-6.90	40.34	3	Horizontal	151	2.04	-	38.44	15.19	32.67			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 80
04-E-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.498G	57.63	68.20	-10.57	60.95	3	Vertical	328	3.00	-	31.79	8.59	43.70				
PK	5.7525G	118.47	Inf	-Inf	120.96	3	Vertical	328	3.00	-	32.10	8.86	43.45				
AV	5.7425G	106.86	Inf	-Inf	109.38	3	Vertical	328	3.00	-	32.09	8.85	43.46				
PK	5.9815G	56.65	68.20	-11.55	58.39	3	Vertical	328	3.00	-	32.36	9.12	43.22				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 80
04-E-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.567G	56.29	68.20	-11.91	59.58	3	Horizontal	76	3.00	-	31.67	8.67	43.63			
PK	5.736G	112.15	Inf	-Inf	114.70	3	Horizontal	76	3.00	-	32.07	8.84	43.46			
AV	5.7515G	101.79	Inf	-Inf	104.28	3	Horizontal	76	3.00	-	32.10	8.86	43.45			
PK	5.945G	58.14	68.20	-10.06	60.02	3	Horizontal	76	3.00	-	32.30	9.08	43.26			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5745MHz_TX

EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50896G	60.26	74.00	-13.74	41.64	3	Vertical	32	1.50	-	39.05	12.48	32.91			
AV	11.51214G	48.33	54.00	-5.67	29.73	3	Vertical	32	1.50	-	39.03	12.49	32.92			
PK	17.21712G	60.10	68.20	-8.10	38.69	3	Vertical	126	1.72	-	38.80	15.23	32.62			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50578G	59.88	74.00	-14.12	41.24	3	Horizontal	336	1.65	-	39.07	12.48	32.91			
AV	11.50404G	48.30	54.00	-5.70	29.65	3	Horizontal	336	1.65	-	39.08	12.48	32.91			
PK	17.21394G	60.52	68.20	-7.68	39.11	3	Horizontal	201	2.02	-	38.80	15.23	32.62			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET 80
80
7.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.62762G	60.93	68.20	-7.27	54.29	3	Vertical	317	2.95	80	32.96	8.60	34.92				
PK	5.79037G	118.16	Inf	-Inf	110.45	3	Vertical	317	2.95	80	33.76	8.79	34.84				
AV	5.77766G	108.14	Inf	-Inf	100.51	3	Vertical	317	2.95	80	33.71	8.77	34.85				
PK	5.97066G	60.55	68.20	-7.65	52.10	3	Vertical	317	2.95	80	34.20	9.00	34.75				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET 80
80
7.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.49271G	59.86	68.20	-8.34	53.36	3	Horizontal	110	1.05	80	32.99	8.49	34.98			
PK	5.78674G	108.40	Inf	-Inf	100.71	3	Horizontal	110	1.05	80	33.75	8.78	34.84			
AV	5.7819G	97.98	Inf	-Inf	90.31	3	Horizontal	110	1.05	80	33.73	8.78	34.84			
PK	5.96884G	60.64	68.20	-7.56	52.20	3	Horizontal	110	1.05	80	34.20	8.99	34.75			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57756G	58.74	74.00	-15.26	40.47	3	Vertical	81	1.90	-	38.74	12.53	33.00			
AV	11.55032G	47.65	54.00	-6.35	29.31	3	Vertical	81	1.90	-	38.80	12.51	32.97			
PK	17.38356G	61.52	68.20	-6.68	39.71	3	Vertical	97	1.87	-	39.03	15.31	32.53			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5785MHz_TX

EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57708G	58.86	74.00	-15.14	40.58	3	Horizontal	39	2.08	-	38.75	12.53	33.00			
AV	11.54132G	47.75	54.00	-6.25	29.35	3	Horizontal	39	2.08	-	38.85	12.51	32.96			
PK	17.35716G	60.31	68.20	-7.89	38.63	3	Horizontal	333	1.31	-	38.93	15.30	32.55			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 80
04-E-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	56.34	68.20	-11.86	59.46	3	Vertical	76	3.00	-	31.72	8.73	43.57
PK	5.8165G	111.09	Inf	-Inf	113.44	3	Vertical	76	3.00	-	32.10	8.93	43.38
AV	5.829G	100.45	Inf	-Inf	102.78	3	Vertical	76	3.00	-	32.10	8.94	43.37
PK	6.038G	57.13	68.20	-11.07	58.76	3	Vertical	76	3.00	-	32.40	9.16	43.19

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 80
04-E-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.646G	55.92	68.20	-12.28	58.94	3	Horizontal	79	3.00	-	31.78	8.75	43.55			
PK	5.8215G	109.81	Inf	-Inf	112.16	3	Horizontal	79	3.00	-	32.10	8.93	43.38			
AV	5.8165G	99.17	Inf	-Inf	101.52	3	Horizontal	79	3.00	-	32.10	8.93	43.38			
PK	6.067G	57.40	68.20	-10.80	58.97	3	Horizontal	79	3.00	-	32.43	9.18	43.18			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65396G	59.23	74.00	-14.77	41.26	3	Vertical	352	2.03	-	38.50	12.58	33.11			
AV	11.64046G	46.84	54.00	-7.16	28.82	3	Vertical	352	2.03	-	38.54	12.57	33.09			
PK	17.50428G	61.64	68.20	-6.56	39.52	3	Vertical	323	1.82	-	39.23	15.37	32.48			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.63806G	58.25	74.00	-15.75	40.22	3	Horizontal	196	1.31	-	38.55	12.57	33.09			
AV	11.66584G	46.68	54.00	-7.32	28.71	3	Horizontal	196	1.31	-	38.50	12.59	33.12			
PK	17.49888G	61.82	68.20	-6.38	39.72	3	Horizontal	279	1.62	-	39.20	15.37	32.47			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 79
80\79
-0.08\1.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1462G	64.56	74.00	-9.44	58.35	3	Vertical	212	2.83	79	33.09	8.23	35.11			
AV	5.1484G	52.89	54.00	-1.11	46.67	3	Vertical	212	2.83	79	33.10	8.23	35.11			
PK	5.1998G	116.98	Inf	-Inf	110.72	3	Vertical	212	2.83	79	33.10	8.25	35.09			
AV	5.197G	105.64	Inf	-Inf	99.38	3	Vertical	212	2.83	79	33.10	8.25	35.09			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX

EUT_Z_2TX
SET 79
79
4.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1458G	61.02	74.00	-12.98	54.81	3	Horizontal	219	2.83	79	33.09	8.23	35.11			
AV	5.1486G	49.28	54.00	-4.72	43.06	3	Horizontal	219	2.83	79	33.10	8.23	35.11			
PK	5.18G	107.31	Inf	-Inf	101.07	3	Horizontal	219	2.83	79	33.10	8.24	35.10			
AV	5.1848G	97.20	Inf	-Inf	90.95	3	Horizontal	219	2.83	79	33.10	8.24	35.09			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 79
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36785G	57.67	68.20	-10.53	40.77	3	Vertical	110	2.78	79	38.90	11.70	33.70			
PK	15.58886G	59.96	74.00	-14.04	39.73	3	Vertical	24	1.80	79	38.34	14.46	32.57			
AV	15.53516G	48.62	54.00	-5.38	28.32	3	Vertical	24	1.80	79	38.50	14.43	32.63			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 79
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38975G	57.93	68.20	-10.27	41.05	3	Horizontal	226	1.70	79	38.90	11.72	33.74			
PK	15.55162G	59.86	74.00	-14.14	39.54	3	Horizontal	4	1.80	79	38.49	14.44	32.61			
AV	15.54051G	48.55	54.00	-5.45	28.23	3	Horizontal	4	1.80	79	38.50	14.44	32.62			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 80
80
3.76

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1494G	60.90	74.00	-13.10	54.68	3	Vertical	213	2.95	80	33.10	8.23	35.11				
AV	5.1492G	50.24	54.00	-3.76	44.02	3	Vertical	213	2.95	80	33.10	8.23	35.11				
PK	5.2268G	118.07	Inf	-Inf	111.83	3	Vertical	213	2.95	80	33.05	8.27	35.08				
AV	5.2318G	106.33	Inf	-Inf	100.09	3	Vertical	213	2.95	80	33.04	8.28	35.08				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 80
80
5.94

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.137G	59.31	74.00	-14.69	53.13	3	Horizontal	206	2.74	80	33.07	8.22	35.11				
AV	5.1348G	48.06	54.00	-5.94	41.88	3	Horizontal	206	2.74	80	33.07	8.22	35.11				
PK	5.2376G	108.02	Inf	-Inf	101.79	3	Horizontal	206	2.74	80	33.02	8.28	35.07				
AV	5.2354G	96.74	Inf	-Inf	90.51	3	Horizontal	206	2.74	80	33.03	8.28	35.08				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45409G	58.87	68.20	-9.33	42.08	3	Vertical	342.1	1.80	80	38.89	11.76	33.86			
PK	15.68017G	61.09	74.00	-12.91	41.09	3	Vertical	155	1.80	80	37.96	14.50	32.46			
AV	15.67785G	49.03	54.00	-4.97	29.03	3	Vertical	155	1.80	80	37.96	14.50	32.46			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46751G	58.36	68.20	-9.84	41.61	3	Horizontal	75	1.80	80	38.86	11.77	33.88			
PK	15.67857G	60.14	74.00	-13.86	40.14	3	Horizontal	50	1.29	80	37.96	14.50	32.46			
AV	15.67274G	48.53	54.00	-5.47	28.56	3	Horizontal	50	1.29	80	37.95	14.49	32.47			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 80
80
3.09

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2542G	117.20	Inf	-Inf	110.98	3	Vertical	210	2.91	80	32.99	8.30	35.07				
AV	5.2766G	105.99	Inf	-Inf	99.78	3	Vertical	210	2.91	80	32.95	8.32	35.06				
PK	5.3514G	62.05	74.00	-11.95	55.80	3	Vertical	210	2.91	80	32.90	8.38	35.03				
AV	5.3518G	50.91	54.00	-3.09	44.66	3	Vertical	210	2.91	80	32.90	8.38	35.03				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 80
80
5.00

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2796G	108.55	Inf	-Inf	102.35	3	Horizontal	214	2.74	80	32.94	8.32	35.06				
AV	5.2548G	96.63	Inf	-Inf	90.41	3	Horizontal	214	2.74	80	32.99	8.30	35.07				
PK	5.3602G	59.90	74.00	-14.10	53.64	3	Horizontal	214	2.74	80	32.90	8.39	35.03				
AV	5.3502G	49.00	54.00	-5.00	42.75	3	Horizontal	214	2.74	80	32.90	8.38	35.03				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50971G	57.67	68.20	-10.53	40.98	3	Vertical	118	1.80	80	38.82	11.80	33.93			
PK	15.80704G	60.44	74.00	-13.56	40.31	3	Vertical	1	1.80	80	37.89	14.55	32.31			
AV	15.78251G	48.69	54.00	-5.31	28.52	3	Vertical	1	1.80	80	37.97	14.54	32.34			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5364G	57.54	68.20	-10.66	40.75	3	Horizontal	192	1.28	80	38.87	11.82	33.90			
PK	15.78267G	60.85	74.00	-13.15	40.68	3	Horizontal	195	1.80	80	37.97	14.54	32.34			
AV	15.79474G	48.81	54.00	-5.19	28.67	3	Horizontal	195	1.80	80	37.92	14.55	32.33			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 80
80
0.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3058G	115.78	Inf	-Inf	109.59	3	Vertical	224	2.90	80	32.90	8.34	35.05			
AV	5.311G	104.66	Inf	-Inf	98.47	3	Vertical	224	2.90	80	32.90	8.34	35.05			
PK	5.3528G	64.92	74.00	-9.08	58.67	3	Vertical	224	2.90	80	32.90	8.38	35.03			
AV	5.3506G	53.27	54.00	-0.73	47.02	3	Vertical	224	2.90	80	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 80
80
4.55

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3196G	108.44	Inf	-Inf	102.23	3	Horizontal	214	2.71	80	32.90	8.35	35.04				
AV	5.3144G	97.46	Inf	-Inf	91.26	3	Horizontal	214	2.71	80	32.90	8.35	35.05				
PK	5.354G	60.64	74.00	-13.36	54.39	3	Horizontal	214	2.71	80	32.90	8.38	35.03				
AV	5.3544G	49.45	54.00	-4.55	43.20	3	Horizontal	214	2.71	80	32.90	8.38	35.03				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX

EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.60186G	58.75	74.00	-15.25	41.52	3	Vertical	138	1.41	80	39.21	11.86	33.84				
AV	10.64997G	47.92	54.00	-6.08	30.41	3	Vertical	138	1.41	80	39.40	11.90	33.79				
PK	15.90794G	61.02	74.00	-12.98	40.67	3	Vertical	253	2.80	80	37.95	14.60	32.20				
AV	15.90075G	49.66	54.00	-4.34	29.27	3	Vertical	253	2.80	80	38.00	14.60	32.21				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64573G	59.71	74.00	-14.29	42.23	3	Horizontal	346	1.77	80	39.38	11.89	33.79			
AV	10.62807G	47.75	54.00	-6.25	30.37	3	Horizontal	346	1.77	80	39.31	11.88	33.81			
PK	15.89116G	61.83	74.00	-12.17	41.50	3	Horizontal	130	1.80	80	37.96	14.59	32.22			
AV	15.90075G	49.50	54.00	-4.50	29.11	3	Horizontal	130	1.80	80	38.00	14.60	32.21			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
SET 79
80\78\79
-0.26\1.09\0.60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4598G	66.36	74.00	-7.64	59.97	3	Vertical	243	2.58	79	32.92	8.46	34.99			
AV	5.46G	53.35	54.00	-0.65	46.96	3	Vertical	243	2.58	79	32.92	8.46	34.99			
PK	5.4698G	67.60	68.20	-0.60	61.18	3	Vertical	243	2.58	79	32.94	8.47	34.99			
PK	5.5072G	116.85	Inf	-Inf	110.33	3	Vertical	243	2.58	79	33.00	8.50	34.98			
AV	5.5044G	105.52	Inf	-Inf	99.00	3	Vertical	243	2.58	79	33.00	8.50	34.98			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
SET 79
79
5.23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4592G	60.03	74.00	-13.97	53.64	3	Horizontal	114	1.05	79	32.92	8.46	34.99			
AV	5.4592G	48.77	54.00	-5.23	42.38	3	Horizontal	114	1.05	79	32.92	8.46	34.99			
PK	5.469G	60.42	68.20	-7.78	54.00	3	Horizontal	114	1.05	79	32.94	8.47	34.99			
PK	5.5118G	106.53	Inf	-Inf	100.00	3	Horizontal	114	1.05	79	33.00	8.50	34.97			
AV	5.5068G	95.58	Inf	-Inf	89.06	3	Horizontal	114	1.05	79	33.00	8.50	34.98			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 79
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.04352G	58.69	74.00	-15.31	40.93	3	Vertical	202	2.00	-	38.99	12.16	33.39			
AV	11.03608G	48.00	54.00	-6.00	30.27	3	Vertical	202	2.00	-	38.97	12.16	33.40			
PK	16.52136G	60.17	68.20	-8.03	39.71	3	Vertical	229	1.91	-	38.56	14.89	32.99			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 79
05-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.0116G	58.37	74.00	-15.63	40.74	3	Horizontal	241	1.93	-	38.92	12.14	33.43				
AV	11.04856G	48.17	54.00	-5.83	30.39	3	Horizontal	241	1.93	-	39.00	12.17	33.39				
PK	16.52148G	60.12	68.20	-8.08	39.66	3	Horizontal	146	1.72	-	38.56	14.89	32.99				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
SET 80
80
3.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	61.40	74.00	-12.60	55.01	3	Vertical	312	2.59	80	32.92	8.46	34.99			
AV	5.458G	50.62	54.00	-3.38	44.24	3	Vertical	312	2.59	80	32.92	8.46	35.00			
PK	5.4608G	62.54	68.20	-5.66	56.14	3	Vertical	312	2.59	80	32.92	8.47	34.99			
PK	5.5532G	118.02	Inf	-Inf	111.45	3	Vertical	312	2.59	80	32.99	8.53	34.95			
AV	5.553G	106.31	Inf	-Inf	99.74	3	Vertical	312	2.59	80	32.99	8.53	34.95			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
SET 80
80
5.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.454G	60.13	74.00	-13.87	53.76	3	Horizontal	114	1.08	80	32.91	8.46	35.00			
AV	5.4548G	48.73	54.00	-5.27	42.36	3	Horizontal	114	1.08	80	32.91	8.46	35.00			
PK	5.4646G	59.31	68.20	-8.89	52.90	3	Horizontal	114	1.08	80	32.93	8.47	34.99			
PK	5.5594G	107.31	Inf	-Inf	100.74	3	Horizontal	114	1.08	80	32.98	8.54	34.95			
AV	5.5542G	95.71	Inf	-Inf	89.13	3	Horizontal	114	1.08	80	32.99	8.54	34.95			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.0946G	58.89	74.00	-15.11	40.94	3	Vertical	211	1.69	-	39.09	12.20	33.34			
AV	11.07684G	47.86	54.00	-6.14	29.98	3	Vertical	211	1.69	-	39.05	12.19	33.36			
PK	16.63128G	58.85	68.20	-9.35	38.43	3	Vertical	324	1.44	-	38.40	14.95	32.93			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.11044G	58.57	74.00	-15.43	40.60	3	Horizontal	155	1.63	-	39.08	12.21	33.32			
AV	11.10132G	47.90	54.00	-6.10	29.93	3	Horizontal	155	1.63	-	39.10	12.20	33.33			
PK	16.64124G	59.26	68.20	-8.94	38.84	3	Horizontal	124	1.69	-	38.40	14.95	32.93			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX


EUT_Z_2TX
SET 80
80
1.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6868G	115.79	Inf	-Inf	108.72	3	Vertical	247	2.95	80	33.29	8.67	34.89			
AV	5.6643G	105.06	Inf	-Inf	98.21	3	Vertical	247	2.95	80	33.11	8.64	34.90			
PK	5.7318G	66.89	68.20	-1.31	59.51	3	Vertical	247	2.95	80	33.53	8.72	34.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
SET 80
80
7.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6667G	106.72	Inf	-Inf	99.84	3	Horizontal	110	1.06	80	33.13	8.65	34.90			
AV	5.664G	95.87	Inf	-Inf	89.02	3	Horizontal	110	1.06	80	33.11	8.64	34.90			
PK	5.7288G	60.77	68.20	-7.43	53.40	3	Horizontal	110	1.06	80	33.52	8.72	34.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.31504G	58.98	74.00	-15.02	40.63	3	Vertical	40	2.01	-	39.10	12.35	33.10			
AV	11.32248G	48.04	54.00	-5.96	29.67	3	Vertical	40	2.01	-	39.10	12.36	33.09			
PK	17.03604G	59.46	68.20	-8.74	38.70	3	Vertical	42	1.50	-	38.34	15.14	32.72			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.36556G	58.67	74.00	-15.33	40.23	3	Horizontal	52	1.97	-	39.10	12.39	33.05			
AV	11.31048G	48.25	54.00	-5.75	29.90	3	Horizontal	52	1.97	-	39.10	12.35	33.10			
PK	17.02956G	59.76	68.20	-8.44	39.02	3	Horizontal	140	1.74	-	38.32	15.14	32.72			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 80
80
4.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4418G	59.93	74.00	-14.07	53.58	3	Vertical	315	2.90	80	32.90	8.45	35.00			
AV	5.4502G	49.21	54.00	-4.79	42.85	3	Vertical	315	2.90	80	32.90	8.46	35.00			
PK	5.4664G	59.56	68.20	-8.64	53.15	3	Vertical	315	2.90	80	32.93	8.47	34.99			
PK	5.7052G	116.15	Inf	-Inf	108.92	3	Vertical	315	2.90	80	33.42	8.69	34.88			
AV	5.7004G	105.35	Inf	-Inf	98.14	3	Vertical	315	2.90	80	33.40	8.69	34.88			
PK	5.8942G	60.60	68.20	-7.60	52.40	3	Vertical	315	2.90	80	34.08	8.91	34.79			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 80
80
5.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.419G	59.21	74.00	-14.79	52.89	3	Horizontal	114	1.07	80	32.90	8.43	35.01			
AV	5.4388G	48.31	54.00	-5.69	41.96	3	Horizontal	114	1.07	80	32.90	8.45	35.00			
PK	5.4604G	58.84	68.20	-9.36	52.44	3	Horizontal	114	1.07	80	32.92	8.47	34.99			
PK	5.719G	106.31	Inf	-Inf	98.99	3	Horizontal	114	1.07	80	33.48	8.71	34.87			
AV	5.704G	95.01	Inf	-Inf	87.78	3	Horizontal	114	1.07	80	33.42	8.69	34.88			
PK	5.9836G	60.35	68.20	-7.85	51.89	3	Horizontal	114	1.07	80	34.20	9.01	34.75			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.44484G	58.08	74.00	-15.92	39.50	3	Vertical	101	1.41	-	39.10	12.44	32.96			
AV	11.42336G	48.24	54.00	-5.76	29.69	3	Vertical	101	1.41	-	39.10	12.43	32.98			
PK	17.145G	60.38	68.20	-7.82	39.36	3	Vertical	286	1.43	-	38.48	15.20	32.66			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44772G	58.51	74.00	-15.49	39.93	3	Horizontal	121	1.81	-	39.10	12.44	32.96			
AV	11.41316G	47.96	54.00	-6.04	29.43	3	Horizontal	121	1.81	-	39.10	12.42	32.99			
PK	17.15448G	59.62	68.20	-8.58	38.55	3	Horizontal	261	2.03	-	38.53	15.20	32.66			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
SET 80
80
4.75

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.458G	49.25	54.00	-4.75	42.87	3	Vertical	315	2.95	80	32.92	8.46	35.00				
PK	5.6452G	61.96	68.20	-6.24	55.26	3	Vertical	315	2.95	80	32.99	8.62	34.91				
PK	5.7604G	116.27	Inf	-Inf	108.74	3	Vertical	315	2.95	80	33.64	8.75	34.86				
AV	5.7526G	105.42	Inf	-Inf	97.92	3	Vertical	315	2.95	80	33.61	8.75	34.86				
PK	6.043G	60.02	68.20	-8.18	51.48	3	Vertical	315	2.95	80	34.20	9.05	34.71				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
SET 80
80
5.92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.5792G	60.29	68.20	-7.91	53.74	3	Horizontal	62	2.95	80	32.94	8.55	34.94			
AV	5.4574G	48.08	54.00	-5.92	41.71	3	Horizontal	62	2.95	80	32.91	8.46	35.00			
PK	5.746G	109.01	Inf	-Inf	101.55	3	Horizontal	62	2.95	80	33.58	8.74	34.86			
AV	5.7514G	98.91	Inf	-Inf	91.42	3	Horizontal	62	2.95	80	33.61	8.74	34.86			
PK	6.0118G	60.75	68.20	-7.45	52.24	3	Horizontal	62	2.95	80	34.20	9.04	34.73			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50076G	59.08	74.00	-14.92	40.40	3	Vertical	297	1.81	-	39.10	12.48	32.90			
AV	11.52044G	48.40	54.00	-5.60	29.86	3	Vertical	297	1.81	-	38.98	12.49	32.93			
PK	17.26572G	60.39	68.20	-7.81	38.94	3	Vertical	190	1.31	-	38.80	15.25	32.60			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50088G	58.99	74.00	-15.01	40.32	3	Horizontal	313	1.35	-	39.09	12.48	32.90			
AV	11.51672G	48.58	54.00	-5.42	30.01	3	Horizontal	313	1.35	-	39.00	12.49	32.92			
PK	17.28672G	60.10	68.20	-8.10	38.63	3	Horizontal	344	2.09	-	38.80	15.26	32.59			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
SET 80
80
7.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5592G	60.75	68.20	-7.45	54.18	3	Vertical	312	2.92	80	32.98	8.54	34.95			
PK	5.7896G	115.14	Inf	-Inf	107.43	3	Vertical	312	2.92	80	33.76	8.79	34.84			
AV	5.7776G	104.49	Inf	-Inf	96.86	3	Vertical	312	2.92	80	33.71	8.77	34.85			
PK	6.0758G	60.84	68.20	-7.36	52.32	3	Vertical	312	2.92	80	34.15	9.06	34.69			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
SET 80
80
6.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6486G	59.69	68.20	-8.51	52.97	3	Horizontal	63	2.95	80	33.00	8.63	34.91				
PK	5.7932G	108.18	Inf	-Inf	100.46	3	Horizontal	63	2.95	80	33.77	8.79	34.84				
AV	5.7812G	97.41	Inf	-Inf	89.76	3	Horizontal	63	2.95	80	33.72	8.78	34.85				
PK	5.9684G	61.63	68.20	-6.57	53.20	3	Horizontal	63	2.95	80	34.20	8.99	34.76				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56528G	58.62	74.00	-15.38	40.32	3	Vertical	214	1.93	-	38.77	12.52	32.99			
AV	11.56516G	47.94	54.00	-6.06	29.64	3	Vertical	214	1.93	-	38.77	12.52	32.99			
PK	17.38932G	60.81	68.20	-7.39	38.97	3	Vertical	268	1.85	-	39.06	15.31	32.53			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5714G	58.51	74.00	-15.49	40.22	3	Horizontal	275	1.72	-	38.76	12.53	33.00			
AV	11.56528G	47.80	54.00	-6.20	29.50	3	Horizontal	275	1.72	-	38.77	12.52	32.99			
PK	17.37528G	60.47	68.20	-7.73	38.70	3	Horizontal	203	1.63	-	39.00	15.31	32.54			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 75
80\72\76\74\75
-1.99\1.74\0.29\0.83\0.32

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1465G	63.81	74.00	-10.19	57.60	3	Vertical	212	2.69	75	33.09	8.23	35.11			
AV	5.149G	53.68	54.00	-0.32	47.46	3	Vertical	212	2.69	75	33.10	8.23	35.11			
PK	5.197G	113.54	Inf	-Inf	107.28	3	Vertical	212	2.69	75	33.10	8.25	35.09			
AV	5.197G	102.60	Inf	-Inf	96.34	3	Vertical	212	2.69	75	33.10	8.25	35.09			
PK	5.412G	62.30	74.00	-11.70	55.98	3	Vertical	212	2.69	75	32.90	8.43	35.01			
AV	5.3545G	50.46	54.00	-3.54	44.21	3	Vertical	212	2.69	75	32.90	8.38	35.03			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 75
75
4.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	59.90	74.00	-14.10	53.69	3	Horizontal	214	2.80	75	33.09	8.23	35.11			
AV	5.139G	49.20	54.00	-4.80	43.00	3	Horizontal	214	2.80	75	33.08	8.23	35.11			
PK	5.195G	105.13	Inf	-Inf	98.87	3	Horizontal	214	2.80	75	33.10	8.25	35.09			
AV	5.2G	93.37	Inf	-Inf	87.11	3	Horizontal	214	2.80	75	33.10	8.25	35.09			
PK	5.36G	60.92	74.00	-13.08	54.66	3	Horizontal	214	2.80	75	32.90	8.39	35.03			
AV	5.4385G	49.40	54.00	-4.60	43.05	3	Horizontal	214	2.80	75	32.90	8.45	35.00			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 75
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43439G	58.98	68.20	-9.22	42.15	3	Vertical	211	2.12	75	38.90	11.75	33.82			
PK	15.65142G	59.86	74.00	-14.14	39.97	3	Vertical	65	2.20	75	37.90	14.48	32.49			
AV	15.67348G	48.80	54.00	-5.20	28.83	3	Vertical	65	2.20	75	37.95	14.49	32.47			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 75
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43518G	58.25	68.20	-9.95	41.42	3	Horizontal	167	1.72	75	38.90	11.75	33.82			
PK	15.66277G	59.90	74.00	-14.10	39.96	3	Horizontal	38	1.80	75	37.93	14.49	32.48			
AV	15.70944G	49.04	54.00	-4.96	28.94	3	Horizontal	38	1.80	75	38.02	14.51	32.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_TX


EUT_Z_2TX
SET 75
80\73\76\75
-1.61\1.35\0.41\0.66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1485G	59.83	74.00	-14.17	53.61	3	Vertical	316	2.95	75	33.10	8.23	35.11			
AV	5.1475G	49.28	54.00	-4.72	43.07	3	Vertical	316	2.95	75	33.09	8.23	35.11			
PK	5.276G	113.38	Inf	-Inf	107.18	3	Vertical	316	2.95	75	32.95	8.31	35.06			
AV	5.279G	101.96	Inf	-Inf	95.76	3	Vertical	316	2.95	75	32.94	8.32	35.06			
PK	5.374G	64.96	74.00	-9.04	58.69	3	Vertical	316	2.95	75	32.90	8.40	35.03			
AV	5.354G	53.34	54.00	-0.66	47.09	3	Vertical	316	2.95	75	32.90	8.38	35.03			
PK	5.484G	62.31	68.20	-5.89	55.85	3	Vertical	316	2.95	75	32.97	8.48	34.99			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_TX


EUT_Z_2TX
SET 75
75
4.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1345G	59.81	74.00	-14.19	53.63	3	Horizontal	209	2.87	75	33.07	8.22	35.11				
AV	5.1495G	48.46	54.00	-5.54	42.24	3	Horizontal	209	2.87	75	33.10	8.23	35.11				
PK	5.2775G	104.71	Inf	-Inf	98.50	3	Horizontal	209	2.87	75	32.95	8.32	35.06				
AV	5.275G	92.98	Inf	-Inf	86.78	3	Horizontal	209	2.87	75	32.95	8.31	35.06				
PK	5.368G	61.26	74.00	-12.74	55.00	3	Horizontal	209	2.87	75	32.90	8.39	35.03				
AV	5.3555G	49.61	54.00	-4.39	43.36	3	Horizontal	209	2.87	75	32.90	8.38	35.03				
PK	5.53G	60.05	68.20	-8.15	53.50	3	Horizontal	209	2.87	75	33.00	8.52	34.97				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
SET 75
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.61756G	59.38	74.00	-14.62	42.06	3	Vertical	240	1.80	75	39.27	11.87	33.82				
AV	10.64937G	48.19	54.00	-5.81	30.69	3	Vertical	240	1.80	75	39.40	11.89	33.79				
PK	15.91683G	60.58	74.00	-13.42	40.27	3	Vertical	190	1.07	75	37.90	14.60	32.19				
AV	15.90037G	49.93	54.00	-4.07	29.54	3	Vertical	190	1.07	75	38.00	14.60	32.21				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_TX

EUT_Z_2TX
SET 75
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57377G	58.86	68.20	-9.34	41.85	3	Horizontal	149	1.05	75	39.04	11.84	33.87			
AV	10.62492G	48.32	54.00	-5.68	30.96	3	Horizontal	149	1.05	75	39.30	11.88	33.82			
PK	15.87822G	60.08	74.00	-13.92	39.81	3	Horizontal	118	1.89	-	37.91	14.59	32.23			
AV	15.88104G	48.98	54.00	-5.02	28.70	3	Horizontal	118	1.89	-	37.92	14.59	32.23			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
SET 78
80\78
-0.47\0.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3295G	60.21	68.20	-7.99	53.99	3	Vertical	238	2.95	78	32.90	8.36	35.04				
PK	5.4525G	64.14	74.00	-9.86	57.77	3	Vertical	238	2.95	78	32.91	8.46	35.00				
AV	5.457G	53.62	54.00	-0.38	47.25	3	Vertical	238	2.95	78	32.91	8.46	35.00				
PK	5.47G	64.14	68.20	-4.06	57.72	3	Vertical	238	2.95	78	32.94	8.47	34.99				
PK	5.5525G	113.50	Inf	-Inf	106.93	3	Vertical	238	2.95	78	32.99	8.53	34.95				
AV	5.545G	102.13	Inf	-Inf	95.56	3	Vertical	238	2.95	78	33.00	8.53	34.96				
PK	5.7415G	60.08	68.20	-8.12	52.64	3	Vertical	238	2.95	78	33.57	8.73	34.86				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
SET 78
78
4.63

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3195G	60.03	68.20	-8.17	53.82	3	Horizontal	116	1.06	78	32.90	8.35	35.04					
PK	5.449G	60.19	74.00	-13.81	53.83	3	Horizontal	116	1.06	78	32.90	8.46	35.00					
PK	5.462G	59.11	68.20	-9.09	52.71	3	Horizontal	116	1.06	78	32.92	8.47	34.99					
AV	5.459G	49.37	54.00	-4.63	42.98	3	Horizontal	116	1.06	78	32.92	8.46	34.99					
PK	5.517G	103.05	Inf	-Inf	96.51	3	Horizontal	116	1.06	78	33.00	8.51	34.97					
AV	5.544G	92.15	Inf	-Inf	85.58	3	Horizontal	116	1.06	78	33.00	8.53	34.96					
PK	5.7745G	59.79	68.20	-8.41	52.17	3	Horizontal	116	1.06	78	33.70	8.77	34.85					

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 78
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.04764G	59.01	74.00	-14.99	41.23	3	Vertical	192	1.56	-	39.00	12.17	33.39			
AV	11.03528G	48.37	54.00	-5.63	30.64	3	Vertical	192	1.56	-	38.97	12.16	33.40			
PK	16.57308G	60.67	68.20	-7.53	40.26	3	Vertical	188	1.89	-	38.45	14.92	32.96			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 78
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0828G	58.36	74.00	-15.64	40.45	3	Horizontal	340	1.33	-	39.07	12.19	33.35			
AV	11.04956G	48.34	54.00	-5.66	30.56	3	Horizontal	340	1.33	-	39.00	12.17	33.39			
PK	16.5786G	60.69	68.20	-7.51	40.29	3	Horizontal	179	1.49	-	38.44	14.92	32.96			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
SET 79
80\75\77\78\79
-1.02\3.45\3.27\3.12\3.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4435G	61.86	74.00	-12.14	55.51	3	Vertical	313	2.95	79	32.90	8.45	35.00			
PK	5.4685G	62.07	68.20	-6.13	55.65	3	Vertical	313	2.95	79	32.94	8.47	34.99			
AV	5.4585G	50.98	54.00	-3.02	44.59	3	Vertical	313	2.95	79	32.92	8.46	34.99			
PK	5.583G	113.86	Inf	-Inf	107.31	3	Vertical	313	2.95	79	32.93	8.56	34.94			
AV	5.598G	103.09	Inf	-Inf	96.55	3	Vertical	313	2.95	79	32.90	8.57	34.93			
PK	5.733G	62.53	68.20	-5.67	55.15	3	Vertical	313	2.95	79	33.53	8.72	34.87			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
SET 79
79
4.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3815G	59.66	74.00	-14.34	53.38	3	Horizontal	112	1.07	79	32.90	8.40	35.02			
PK	5.4695G	59.52	68.20	-8.68	53.10	3	Horizontal	112	1.07	79	32.94	8.47	34.99			
AV	5.4475G	49.14	54.00	-4.86	42.78	3	Horizontal	112	1.07	79	32.90	8.46	35.00			
PK	5.639G	103.40	Inf	-Inf	96.72	3	Horizontal	112	1.07	79	32.98	8.61	34.91			
AV	5.599G	92.71	Inf	-Inf	86.17	3	Horizontal	112	1.07	79	32.90	8.57	34.93			
PK	5.8455G	60.23	68.20	-7.97	52.30	3	Horizontal	112	1.07	79	33.89	8.85	34.81			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Z_2TX
Setting 79
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.24976G	58.94	74.00	-15.06	40.80	3	Vertical	129	1.72	-	39.00	12.31	33.17			
AV	11.23368G	48.21	54.00	-5.79	30.10	3	Vertical	129	1.72	-	39.00	12.30	33.19			
PK	16.82892G	59.61	68.20	-8.59	39.04	3	Vertical	36	2.09	-	38.36	15.04	32.83			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 79
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2392G	59.36	74.00	-14.64	41.24	3	Horizontal	76	1.49	-	39.00	12.30	33.18			
AV	11.23404G	48.62	54.00	-5.38	30.51	3	Horizontal	76	1.49	-	39.00	12.30	33.19			
PK	16.83876G	59.43	68.20	-8.77	38.82	3	Horizontal	258	1.94	-	38.38	15.05	32.82			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 80
80
4.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4086G	60.37	74.00	-13.63	54.05	3	Vertical	229	2.95	80	32.90	8.43	35.01			
PK	5.4602G	60.18	68.20	-8.02	53.78	3	Vertical	229	2.95	80	32.92	8.47	34.99			
AV	5.4434G	49.82	54.00	-4.18	43.47	3	Vertical	229	2.95	80	32.90	8.45	35.00			
PK	5.6996G	112.60	Inf	-Inf	105.40	3	Vertical	229	2.95	80	33.40	8.68	34.88			
AV	5.6798G	101.91	Inf	-Inf	94.90	3	Vertical	229	2.95	80	33.24	8.66	34.89			
PK	5.882G	61.60	68.20	-6.60	53.48	3	Vertical	229	2.95	80	34.03	8.89	34.80			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 80
80
5.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3966G	59.49	74.00	-14.51	53.19	3	Horizontal	111	1.06	80	32.90	8.42	35.02			
AV	5.4296G	48.67	54.00	-5.33	42.34	3	Horizontal	111	1.06	80	32.90	8.44	35.01			
PK	5.465G	59.76	68.20	-8.44	53.35	3	Horizontal	111	1.06	80	32.93	8.47	34.99			
PK	5.6768G	103.61	Inf	-Inf	96.64	3	Horizontal	111	1.06	80	33.21	8.66	34.90			
AV	5.699G	92.55	Inf	-Inf	85.36	3	Horizontal	111	1.06	80	33.39	8.68	34.88			
PK	5.9798G	60.70	68.20	-7.50	52.24	3	Horizontal	111	1.06	80	34.20	9.01	34.75			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38612G	58.16	74.00	-15.84	39.68	3	Vertical	120	1.54	-	39.10	12.40	33.02			
AV	11.40904G	48.52	54.00	-5.48	30.00	3	Vertical	120	1.54	-	39.10	12.42	33.00			
PK	17.06736G	59.92	68.20	-8.28	39.09	3	Vertical	246	1.50	-	38.37	15.16	32.70			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39788G	58.64	74.00	-15.36	40.14	3	Horizontal	287	1.40	-	39.10	12.41	33.01			
AV	11.40928G	48.35	54.00	-5.65	29.83	3	Horizontal	287	1.40	-	39.10	12.42	33.00			
PK	17.05056G	59.82	68.20	-8.38	38.98	3	Horizontal	28	1.48	-	38.40	15.15	32.71			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
SET 80
80
4.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6448G	63.65	68.20	-4.55	56.95	3	Vertical	240	2.92	80	32.99	8.62	34.91			
PK	5.7372G	112.75	Inf	-Inf	105.34	3	Vertical	240	2.92	80	33.55	8.73	34.87			
AV	5.7444G	101.61	Inf	-Inf	94.15	3	Vertical	240	2.92	80	33.58	8.74	34.86			
PK	5.9634G	60.96	68.20	-7.24	52.53	3	Vertical	240	2.92	80	34.20	8.99	34.76			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
SET 80
80
7.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6112G	60.42	68.20	-7.78	53.85	3	Horizontal	62	2.95	80	32.92	8.58	34.93				
PK	5.7486G	106.58	Inf	-Inf	99.11	3	Horizontal	62	2.95	80	33.59	8.74	34.86				
AV	5.7612G	95.80	Inf	-Inf	88.25	3	Horizontal	62	2.95	80	33.64	8.76	34.85				
PK	5.9658G	60.90	68.20	-7.30	52.47	3	Horizontal	62	2.95	80	34.20	8.99	34.76				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.53128G	59.18	74.00	-14.82	40.71	3	Vertical	165	1.59	-	38.91	12.50	32.94			
AV	11.52348G	48.78	54.00	-5.22	30.26	3	Vertical	165	1.59	-	38.96	12.49	32.93			
PK	17.33232G	60.03	68.20	-8.17	38.44	3	Vertical	18	1.33	-	38.86	15.29	32.56			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX

EUT_Z_2TX
Setting 80
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.553G	59.22	74.00	-14.78	40.89	3	Horizontal	113	1.59	-	38.79	12.51	32.97			
AV	11.54388G	48.68	54.00	-5.32	30.29	3	Horizontal	113	1.59	-	38.84	12.51	32.96			
PK	17.35488G	59.65	68.20	-8.55	37.98	3	Horizontal	186	1.76	-	38.92	15.30	32.55			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
SET 65
80\40\57\65
-15.04\4.27\3.26\0.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.14416G	70.58	74.00	-3.42	64.37	3	Vertical	214	2.95	65	33.09	8.23	35.11					
AV	5.14416G	52.90	54.00	-1.10	46.69	3	Vertical	214	2.95	65	33.09	8.23	35.11					
PK	5.27184G	107.86	Inf	-Inf	101.65	3	Vertical	214	2.95	65	32.96	8.31	35.06					
AV	5.22984G	96.92	Inf	-Inf	90.68	3	Vertical	214	2.95	65	33.04	8.28	35.08					
PK	5.35332G	71.51	74.00	-2.49	65.26	3	Vertical	214	2.95	65	32.90	8.38	35.03					
AV	5.35332G	53.54	54.00	-0.46	47.29	3	Vertical	214	2.95	65	32.90	8.38	35.03					
PK	5.4684G	61.84	68.20	-6.36	55.42	3	Vertical	214	2.95	65	32.94	8.47	34.99					

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
SET 65
65
3.72

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.145G	64.51	74.00	-9.49	58.30	3	Horizontal	220	2.72	65	33.09	8.23	35.11					
AV	5.14416G	49.65	54.00	-4.35	43.44	3	Horizontal	220	2.72	65	33.09	8.23	35.11					
PK	5.27268G	99.07	Inf	-Inf	92.87	3	Horizontal	220	2.72	65	32.95	8.31	35.06					
PK	5.35G	64.97	74.00	-9.03	58.72	3	Horizontal	220	2.72	65	32.90	8.38	35.03					
AV	5.32728G	87.74	Inf	-Inf	81.52	3	Horizontal	220	2.72	65	32.90	8.36	35.04					
AV	5.35332G	50.28	54.00	-3.72	44.03	3	Horizontal	220	2.72	65	32.90	8.38	35.03					
PK	5.65656G	60.76	68.20	-7.44	53.97	3	Horizontal	220	2.72	65	33.05	8.64	34.90					

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
SET 65
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.62787G	58.71	74.00	-15.29	41.33	3	Vertical	83	1.75	65	39.31	11.88	33.81				
AV	10.64641G	48.46	54.00	-5.54	30.97	3	Vertical	83	1.75	65	39.39	11.89	33.79				
PK	15.77302G	60.57	74.00	-13.43	40.37	3	Vertical	221	1.80	65	38.01	14.54	32.35				
AV	15.89354G	50.01	54.00	-3.99	29.66	3	Vertical	221	1.80	65	37.97	14.59	32.21				

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
SET 65
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6423G	58.85	74.00	-15.15	41.39	3	Horizontal	174	1.76	65	39.37	11.89	33.80			
AV	10.64418G	48.58	54.00	-5.42	31.11	3	Horizontal	174	1.76	65	39.38	11.89	33.80			
PK	15.90185G	60.98	74.00	-13.02	40.59	3	Horizontal	1	1.36	65	37.99	14.60	32.20			
AV	15.90249G	50.16	54.00	-3.84	29.77	3	Horizontal	1	1.36	65	37.99	14.60	32.20			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 69
04-E-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3468G	60.53	68.20	-7.67	64.45	3	Vertical	319	3.00	-	31.39	8.47	43.78			
PK	5.4564G	65.82	74.00	-8.18	69.36	3	Vertical	319	3.00	-	31.63	8.55	43.72			
AV	5.4476G	49.18	54.00	-4.82	52.78	3	Vertical	319	3.00	-	31.59	8.54	43.73			
PK	5.466G	67.24	68.20	-0.96	70.74	3	Vertical	319	3.00	-	31.66	8.56	43.72			
PK	5.6028G	106.24	Inf	-Inf	109.53	3	Vertical	319	3.00	-	31.61	8.70	43.60			
AV	5.5436G	95.97	Inf	-Inf	99.28	3	Vertical	319	3.00	-	31.71	8.64	43.66			
PK	5.7308G	67.94	68.20	-0.26	70.51	3	Vertical	319	3.00	-	32.06	8.84	43.47			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 69
04-E-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3436G	55.47	68.20	-12.73	59.41	3	Horizontal	78	3.00	-	31.37	8.47	43.78			
PK	5.454G	58.98	74.00	-15.02	62.53	3	Horizontal	78	3.00	-	31.62	8.55	43.72			
AV	5.4532G	46.29	54.00	-7.71	49.85	3	Horizontal	78	3.00	-	31.61	8.55	43.72			
PK	5.4636G	59.88	68.20	-8.32	63.39	3	Horizontal	78	3.00	-	31.65	8.56	43.72			
PK	5.5988G	98.37	Inf	-Inf	101.67	3	Horizontal	78	3.00	-	31.60	8.70	43.60			
AV	5.5892G	87.94	Inf	-Inf	91.24	3	Horizontal	78	3.00	-	31.62	8.69	43.61			
PK	5.7284G	62.31	68.20	-5.89	64.89	3	Horizontal	78	3.00	-	32.06	8.83	43.47			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 69
05-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.1445G	59.65	74.00	-14.35	41.69	3	Vertical	281	1.68	-	39.01	12.23	33.28				
AV	11.12788G	48.59	54.00	-5.41	30.63	3	Vertical	281	1.68	-	39.04	12.22	33.30				
PK	16.73088G	60.97	68.20	-7.23	40.62	3	Vertical	19	1.37	-	38.24	14.99	32.88				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX


EUT_Z_2TX
Setting 69
05-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15614G	59.14	74.00	-14.86	41.17	3	Horizontal	88	1.62	-	39.00	12.24	33.27			
AV	11.16616G	48.64	54.00	-5.36	30.65	3	Horizontal	88	1.62	-	39.00	12.25	33.26			
PK	16.73376G	59.85	68.20	-8.35	39.50	3	Horizontal	101	1.97	-	38.23	15.00	32.88			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_1TX	Pass	AV	5.15G	53.94	54.00	-0.06	3	Horizontal	13	1.80	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT Y_1TX
Setting 72
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1474G	63.03	74.00	-10.97	66.54	3	Vertical	37	1.80	-	31.98	8.39	43.88			
AV	5.1484G	50.26	54.00	-3.74	53.76	3	Vertical	37	1.80	-	31.99	8.39	43.88			
PK	5.1828G	103.29	Inf	-Inf	106.94	3	Vertical	37	1.80	-	31.80	8.41	43.86			
AV	5.1744G	95.70	Inf	-Inf	99.30	3	Vertical	37	1.80	-	31.85	8.41	43.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 72
04-W-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1478G	68.88	74.00	-5.12	72.38	3	Horizontal	13	1.80	-	31.99	8.39	43.88			
AV	5.15G	53.94	54.00	-0.06	57.42	3	Horizontal	13	1.80	-	32.00	8.39	43.87			
PK	5.1828G	109.17	Inf	-Inf	112.82	3	Horizontal	13	1.80	-	31.80	8.41	43.86			
AV	5.1866G	101.34	Inf	-Inf	105.01	3	Horizontal	13	1.80	-	31.78	8.41	43.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT Y_1TX
Setting 72
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35062G	57.92	68.20	-10.28	49.48	3	Vertical	27	1.47	-	39.10	12.41	43.07			
PK	15.53382G	60.74	74.00	-13.26	48.86	3	Vertical	0	1.80	-	37.96	16.17	42.25			
AV	15.53694G	47.49	54.00	-6.51	35.62	3	Vertical	0	1.80	-	37.95	16.17	42.25			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 72
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35066G	57.16	68.20	-11.04	48.72	3	Horizontal	52	1.61	-	39.10	12.41	43.07			
PK	15.53836G	59.83	74.00	-14.17	47.96	3	Horizontal	360	2.75	-	37.95	16.17	42.25			
AV	15.5319G	47.70	54.00	-6.30	35.80	3	Horizontal	360	2.75	-	37.97	16.17	42.24			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 80
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1496G	60.90	74.00	-13.10	54.68	3	Vertical	208	2.68	-	33.10	8.23	35.11				
AV	5.1464G	49.59	54.00	-4.41	43.38	3	Vertical	208	2.68	-	33.09	8.23	35.11				
PK	5.1928G	106.46	Inf	-Inf	100.20	3	Vertical	208	2.68	-	33.10	8.25	35.09				
AV	5.1928G	98.82	Inf	-Inf	92.56	3	Vertical	208	2.68	-	33.10	8.25	35.09				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX

EUT_Y_1TX
Setting 80
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	66.75	74.00	-7.25	60.54	3	Horizontal	187	1.80	-	33.09	8.23	35.11			
AV	5.1484G	51.64	54.00	-2.36	45.42	3	Horizontal	187	1.80	-	33.10	8.23	35.11			
PK	5.204G	113.22	Inf	-Inf	106.97	3	Horizontal	187	1.80	-	33.09	8.25	35.09			
AV	5.1952G	105.39	Inf	-Inf	99.13	3	Horizontal	187	1.80	-	33.10	8.25	35.09			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX

EUT_Y_1TX
Setting 80
02-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38962G	58.00	68.20	-10.20	38.52	3	Vertical	47	1.92	-	38.32	11.98	30.82			