


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 80
02-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3931G	58.22	68.20	-9.98	38.75	3	Horizontal	162	1.87	-	38.31	11.98	30.82			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 80
02-D-K-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0632G	57.53	74.00	-16.47	46.62	3	Vertical	43	2.73	-	33.43	7.56	30.08			
AV	5.1424G	47.27	54.00	-6.73	36.23	3	Vertical	43	2.73	-	33.58	7.58	30.12			
PK	5.2332G	105.88	Inf	-Inf	94.74	3	Vertical	43	2.73	-	33.70	7.61	30.17			
AV	5.236G	97.09	Inf	-Inf	85.94	3	Vertical	43	2.73	-	33.70	7.62	30.17			
PK	5.3592G	57.67	74.00	-16.33	46.30	3	Vertical	43	2.73	-	33.90	7.71	30.24			
AV	5.4276G	47.71	54.00	-6.29	36.32	3	Vertical	43	2.73	-	33.90	7.76	30.27			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT Y_1TX
Setting 80
02-D-K-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.0756G	57.87	74.00	-16.13	46.94	3	Horizontal	14	1.94	-	33.45	7.57	30.09			
AV	5.0752G	47.47	54.00	-6.53	36.54	3	Horizontal	14	1.94	-	33.45	7.57	30.09			
PK	5.2428G	111.48	Inf	-Inf	100.34	3	Horizontal	14	1.94	-	33.70	7.62	30.18			
AV	5.2428G	103.23	Inf	-Inf	92.09	3	Horizontal	14	1.94	-	33.70	7.62	30.18			
PK	5.3808G	58.15	74.00	-15.85	46.77	3	Horizontal	14	1.94	-	33.90	7.73	30.25			
AV	5.4016G	47.93	54.00	-6.07	36.55	3	Horizontal	14	1.94	-	33.90	7.74	30.26			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_V_1TX
Setting 80
02-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49437G	58.09	68.20	-10.11	38.59	3	Vertical	144	2.03	-	38.29	12.03	30.82			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_V_1TX
Setting 80
02-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47367G	58.07	68.20	-10.13	38.62	3	Horizontal	170	2.06	-	38.25	12.02	30.82			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 80
02-D-K-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1464G	57.35	74.00	-16.65	46.31	3	Vertical	28	2.96	-	33.59	7.58	30.13			
AV	5.0816G	47.49	54.00	-6.51	36.55	3	Vertical	28	2.96	-	33.46	7.57	30.09			
PK	5.2628G	108.79	Inf	-Inf	97.61	3	Vertical	28	2.96	-	33.73	7.64	30.19			
AV	5.2628G	99.58	Inf	-Inf	88.40	3	Vertical	28	2.96	-	33.73	7.64	30.19			
PK	5.402G	58.19	74.00	-15.81	46.81	3	Vertical	28	2.96	-	33.90	7.74	30.26			
AV	5.402G	47.63	54.00	-6.37	36.25	3	Vertical	28	2.96	-	33.90	7.74	30.26			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 80
02-D-K-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1024G	57.96	74.00	-16.04	46.99	3	Horizontal	13	2.04	-	33.50	7.57	30.10			
AV	5.082G	47.48	54.00	-6.52	36.54	3	Horizontal	13	2.04	-	33.46	7.57	30.09			
PK	5.254G	113.41	Inf	-Inf	102.25	3	Horizontal	13	2.04	-	33.71	7.63	30.18			
AV	5.258G	104.36	Inf	-Inf	93.19	3	Horizontal	13	2.04	-	33.72	7.63	30.18			
PK	5.3576G	57.94	74.00	-16.06	46.57	3	Horizontal	13	2.04	-	33.90	7.71	30.24			
AV	5.366G	47.77	54.00	-6.23	36.40	3	Horizontal	13	2.04	-	33.90	7.71	30.24			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 80
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.53428G	58.69	68.20	-9.51	39.15	3	Vertical	50	1.93	-	38.30	12.05	30.81				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 80
02-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.53395G	58.07	68.20	-10.13	38.53	3	Horizontal	69	1.78	-	38.30	12.05	30.81				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT Y_1TX
Setting 80
02-D-K-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2952G	108.58	Inf	-Inf	97.33	3	Vertical	34	2.78	-	33.79	7.66	30.20				
AV	5.2958G	99.89	Inf	-Inf	88.64	3	Vertical	34	2.78	-	33.79	7.66	30.20				
PK	5.3867G	58.05	74.00	-15.95	46.67	3	Vertical	34	2.78	-	33.90	7.73	30.25				
AV	5.3924G	47.91	54.00	-6.09	36.53	3	Vertical	34	2.78	-	33.90	7.73	30.25				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT Y_1TX
Setting 80
02-D-K-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3054G	111.58	Inf	-Inf	100.31	3	Horizontal	5	1.35	-	33.81	7.67	30.21			
AV	5.3009G	102.94	Inf	-Inf	91.68	3	Horizontal	5	1.35	-	33.80	7.67	30.21			
PK	5.3534G	64.26	74.00	-9.74	52.88	3	Horizontal	5	1.35	-	33.90	7.71	30.23			
AV	5.3534G	49.21	54.00	-4.79	37.83	3	Horizontal	5	1.35	-	33.90	7.71	30.23			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 80
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.5919G	57.99	68.20	-10.21	38.32	3	Vertical	236	1.62	-	38.38	12.08	30.79				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 80
02-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59004G	57.69	68.20	-10.51	38.02	3	Horizontal	303	1.62	-	38.38	12.08	30.79			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT Y_1TX
Setting 67
04-W-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3258G	102.63	Inf	-Inf	106.66	3	Vertical	33	1.80	-	31.30	8.46	43.79			
AV	5.3264G	94.64	Inf	-Inf	98.66	3	Vertical	33	1.80	-	31.31	8.46	43.79			
PK	5.3504G	62.87	74.00	-11.13	66.77	3	Vertical	33	1.80	-	31.40	8.47	43.77			
AV	5.3512G	48.38	54.00	-5.62	52.28	3	Vertical	33	1.80	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT Y_1TX
Setting 67
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.323G	108.88	Inf	-Inf	112.92	3	Horizontal	9	1.80	-	31.29	8.46	43.79			
AV	5.3188G	101.29	Inf	-Inf	105.34	3	Horizontal	9	1.80	-	31.28	8.46	43.79			
PK	5.3554G	65.56	74.00	-8.44	69.46	3	Horizontal	9	1.80	-	31.40	8.47	43.77			
AV	5.35G	53.84	54.00	-0.16	57.75	3	Horizontal	9	1.80	-	31.40	8.47	43.78			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_V_1TX
Setting 67
02-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64133G	57.56	74.00	-16.44	37.83	3	Vertical	289	1.77	-	38.40	12.10	30.77			
AV	10.64011G	47.66	54.00	-6.34	27.93	3	Vertical	289	1.77	-	38.40	12.10	30.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_V_1TX
Setting 67
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.64119G	58.36	74.00	-15.64	38.63	3	Horizontal	232	1.62	-	38.40	12.10	30.77			
AV	10.64044G	48.23	54.00	-5.77	28.50	3	Horizontal	232	1.62	-	38.40	12.10	30.77			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT Y_1TX
Setting 74
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	57.85	74.00	-16.15	61.38	3	Vertical	35	2.94	-	31.64	8.55	43.72			
AV	5.46G	46.84	54.00	-7.16	50.37	3	Vertical	35	2.94	-	31.64	8.55	43.72			
PK	5.4674G	61.64	68.20	-6.56	65.13	3	Vertical	35	2.94	-	31.67	8.56	43.72			
PK	5.4978G	103.92	Inf	-Inf	107.24	3	Vertical	35	2.94	-	31.79	8.59	43.70			
AV	5.5008G	96.63	Inf	-Inf	99.93	3	Vertical	35	2.94	-	31.80	8.60	43.70			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT Y_1TX
Setting 74
04-W-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4598G	63.23	74.00	-10.77	66.76	3	Horizontal	6	1.80	-	31.64	8.55	43.72			
AV	5.4592G	48.81	54.00	-5.19	52.34	3	Horizontal	6	1.80	-	31.64	8.55	43.72			
PK	5.468G	67.97	68.20	-0.23	71.46	3	Horizontal	6	1.80	-	31.67	8.56	43.72			
PK	5.5022G	109.29	Inf	-Inf	112.59	3	Horizontal	6	1.80	-	31.80	8.60	43.70			
AV	5.498G	101.67	Inf	-Inf	104.99	3	Horizontal	6	1.80	-	31.79	8.59	43.70			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
Setting 74
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.00125G	58.32	74.00	-15.68	38.27	3	Vertical	217	1.33	-	38.40	12.29	30.64			
AV	11.00127G	47.91	54.00	-6.09	27.86	3	Vertical	217	1.33	-	38.40	12.29	30.64			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT Y_1TX
Setting 74
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.00148G	58.56	74.00	-15.44	38.51	3	Horizontal	29	1.57	-	38.40	12.29	30.64			
AV	10.99938G	47.80	54.00	-6.20	27.76	3	Horizontal	29	1.57	-	38.40	12.28	30.64			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 80
02-D-K-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4428G	57.34	74.00	-16.66	45.95	3	Vertical	27	2.92	-	33.90	7.77	30.28			
AV	5.3984G	48.13	54.00	-5.87	36.75	3	Vertical	27	2.92	-	33.90	7.74	30.26			
PK	5.464G	57.28	68.20	-10.92	45.86	3	Vertical	27	2.92	-	33.93	7.78	30.29			
PK	5.5792G	111.81	Inf	-Inf	100.20	3	Vertical	27	2.92	-	34.04	7.85	30.28			
AV	5.5868G	102.39	Inf	-Inf	90.79	3	Vertical	27	2.92	-	34.03	7.85	30.28			
PK	5.7704G	58.78	68.20	-9.42	46.83	3	Vertical	27	2.92	-	34.00	8.16	30.21			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 80
02-D-K-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.412G	58.18	74.00	-15.82	46.79	3	Horizontal	6	2.93	-	33.90	7.75	30.26			
PK	5.4632G	57.83	68.20	-10.37	46.41	3	Horizontal	6	2.93	-	33.93	7.78	30.29			
AV	5.4408G	47.73	54.00	-6.27	36.35	3	Horizontal	6	2.93	-	33.90	7.76	30.28			
PK	5.5784G	111.65	Inf	-Inf	100.04	3	Horizontal	6	2.93	-	34.04	7.85	30.28			
AV	5.5764G	103.44	Inf	-Inf	91.82	3	Horizontal	6	2.93	-	34.05	7.85	30.28			
PK	5.762G	59.08	68.20	-9.12	47.16	3	Horizontal	6	2.93	-	34.00	8.14	30.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_V_1TX
Setting 80
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.15941G	60.19	74.00	-13.81	40.06	3	Vertical	345	1.50	-	38.50	12.37	30.74			
AV	11.15993G	48.19	54.00	-5.81	28.06	3	Vertical	345	1.50	-	38.50	12.37	30.74			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_V_1TX
Setting 80
02-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15933G	58.94	74.00	-15.06	38.81	3	Horizontal	227	1.45	-	38.50	12.37	30.74			
AV	11.16025G	48.12	54.00	-5.88	27.99	3	Horizontal	227	1.45	-	38.50	12.37	30.74			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 68
02-D-K-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7024G	105.46	Inf	-Inf	93.66	3	Vertical	35	2.82	-	34.00	8.04	30.24			
AV	5.7008G	97.51	Inf	-Inf	85.71	3	Vertical	35	2.82	-	34.00	8.04	30.24			
PK	5.7282G	61.78	68.20	-6.42	49.93	3	Vertical	35	2.82	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 68
02-D-K-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7042G	110.30	Inf	-Inf	98.50	3	Horizontal	9	2.93	-	34.00	8.04	30.24			
AV	5.7016G	100.48	Inf	-Inf	88.68	3	Horizontal	9	2.93	-	34.00	8.04	30.24			
PK	5.7284G	68.05	68.20	-0.15	56.20	3	Horizontal	9	2.93	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_V_1TX
Setting 68
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.40102G	58.79	74.00	-15.21	38.50	3	Vertical	112	1.96	-	38.70	12.49	30.90			
AV	11.40133G	48.58	54.00	-5.42	28.29	3	Vertical	112	1.96	-	38.70	12.49	30.90			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_V_1TX
Setting 68
02-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40056G	59.13	74.00	-14.87	38.84	3	Horizontal	276	1.69	-	38.70	12.49	30.90			
AV	11.40121G	48.19	54.00	-5.81	27.90	3	Horizontal	276	1.69	-	38.70	12.49	30.90			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 80
02-D-K-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.7176G	109.28	Inf	-Inf	97.44	3	Vertical	35	2.94	-	34.00	8.07	30.23				
AV	5.7228G	99.91	Inf	-Inf	88.07	3	Vertical	35	2.94	-	34.00	8.07	30.23				
PK	5.8504G	58.72	68.20	-9.48	46.81	3	Vertical	35	2.94	-	33.90	8.19	30.18				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 80
02-D-K-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.724G	112.03	Inf	-Inf	100.18	3	Horizontal	7	2.93	-	34.00	8.08	30.23			
AV	5.7208G	103.41	Inf	-Inf	91.57	3	Horizontal	7	2.93	-	34.00	8.07	30.23			
PK	5.8996G	59.04	68.20	-9.16	46.94	3	Horizontal	7	2.93	-	34.10	8.17	30.17			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
Setting 80
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.44017G	59.43	74.00	-14.57	39.06	3	Vertical	5	1.39	-	38.78	12.51	30.92			
AV	11.43851G	48.60	54.00	-5.40	28.23	3	Vertical	5	1.39	-	38.78	12.51	30.92			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
Setting 80
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.44038G	59.20	74.00	-14.80	38.83	3	Horizontal	9	1.38	-	38.78	12.51	30.92			
AV	11.44126G	48.71	54.00	-5.29	28.34	3	Horizontal	9	1.38	-	38.78	12.51	30.92			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 80
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6425G	56.02	68.20	-12.18	59.07	3	Vertical	25	3.00	-	31.77	8.74	43.56			
PK	5.742G	108.25	Inf	-Inf	110.78	3	Vertical	25	3.00	-	32.08	8.85	43.46			
AV	5.7475G	100.64	Inf	-Inf	103.15	3	Vertical	25	3.00	-	32.09	8.85	43.45			
PK	5.9545G	57.53	68.20	-10.67	59.38	3	Vertical	25	3.00	-	32.31	9.09	43.25			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 80
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.506G	56.27	68.20	-11.93	59.57	3	Horizontal	10	1.80	-	31.79	8.60	43.69			
PK	5.748G	109.51	Inf	-Inf	112.00	3	Horizontal	10	1.80	-	32.10	8.86	43.45			
AV	5.747G	102.27	Inf	-Inf	104.78	3	Horizontal	10	1.80	-	32.09	8.85	43.45			
PK	5.963G	57.29	68.20	-10.91	59.10	3	Horizontal	10	1.80	-	32.33	9.10	43.24			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT Y_1TX
Setting 80
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4898G	58.20	74.00	-15.80	47.73	3	Vertical	156	1.44	-	39.98	13.23	42.74			
AV	11.48724G	49.65	54.00	-4.35	39.20	3	Vertical	156	1.44	-	39.97	13.22	42.74			
PK	17.23242G	62.25	68.20	-5.95	48.07	3	Vertical	1	2.33	-	40.60	16.34	42.76			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX

EUT_Y_1TX
Setting 80
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49994G	59.06	74.00	-14.94	48.57	3	Horizontal	225	1.40	-	40.00	13.23	42.74			
AV	11.48148G	50.29	54.00	-3.71	39.86	3	Horizontal	225	1.40	-	39.96	13.22	42.75			
PK	17.23102G	62.37	68.20	-5.83	48.19	3	Horizontal	294	1.20	-	40.60	16.34	42.76			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Y_1TX
Setting 80
02-D-K-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5958G	58.18	68.20	-10.02	46.59	3	Vertical	21	2.89	-	34.01	7.86	30.28				
PK	5.7818G	109.42	Inf	-Inf	97.45	3	Vertical	21	2.89	-	34.00	8.18	30.21				
AV	5.7814G	101.07	Inf	-Inf	89.10	3	Vertical	21	2.89	-	34.00	8.18	30.21				
PK	5.9538G	59.11	68.20	-9.09	46.91	3	Vertical	21	2.89	-	34.21	8.14	30.15				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Y_1TX
Setting 80
02-D-K-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6466G	58.05	68.20	-10.15	46.37	3	Horizontal	286	1.80	-	34.00	7.94	30.26			
PK	5.7886G	111.82	Inf	-Inf	99.84	3	Horizontal	286	1.80	-	34.00	8.19	30.21			
AV	5.7834G	103.32	Inf	-Inf	91.35	3	Horizontal	286	1.80	-	34.00	8.18	30.21			
PK	5.9454G	58.88	68.20	-9.32	46.70	3	Horizontal	286	1.80	-	34.19	8.14	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_V_1TX
Setting 80
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.57049G	59.62	74.00	-14.38	38.94	3	Vertical	67	1.51	-	39.14	12.57	31.03			
AV	11.56893G	49.46	54.00	-4.54	28.78	3	Vertical	67	1.51	-	39.14	12.57	31.03			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_V_1TX
Setting 80
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.57125G	59.30	74.00	-14.70	38.62	3	Horizontal	74	1.71	-	39.14	12.57	31.03			
AV	11.5705G	49.24	54.00	-4.76	28.56	3	Horizontal	74	1.71	-	39.14	12.57	31.03			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 80
04-W-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.598G	55.54	68.20	-12.66	58.84	3	Vertical	25	2.94	-	31.60	8.70	43.60				
PK	5.8215G	107.08	Inf	-Inf	109.43	3	Vertical	25	2.94	-	32.10	8.93	43.38				
AV	5.8215G	99.48	Inf	-Inf	101.83	3	Vertical	25	2.94	-	32.10	8.93	43.38				
PK	5.9665G	57.73	68.20	-10.47	59.53	3	Vertical	25	2.94	-	32.33	9.10	43.23				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 80
04-W-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.598G	55.92	68.20	-12.28	59.22	3	Horizontal	2	3.00	-	31.60	8.70	43.60				
PK	5.828G	111.24	Inf	-Inf	113.57	3	Horizontal	2	3.00	-	32.10	8.94	43.37				
AV	5.822G	103.76	Inf	-Inf	106.10	3	Horizontal	2	3.00	-	32.10	8.94	43.38				
PK	5.986G	57.33	68.20	-10.87	59.05	3	Horizontal	2	3.00	-	32.37	9.12	43.21				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_V_1TX
Setting 80
04-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.6487G	59.14	74.00	-14.86	38.33	3	Vertical	25	1.74	-	39.30	12.61	31.10			
AV	11.64955G	48.73	54.00	-5.27	27.92	3	Vertical	25	1.74	-	39.30	12.61	31.10			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX



EUT_Y_1TX
Setting 80
04-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.64857G	59.00	74.00	-15.00	38.19	3	Horizontal	188	2.01	-	39.30	12.61	31.10			
AV	11.65002G	48.87	54.00	-5.13	28.06	3	Horizontal	188	2.01	-	39.30	12.61	31.10			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.86	54.00	-0.14	3	Vertical	13	1.80	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
 SET 80
 80
 13.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1471G	55.38	74.00	-18.62	58.89	3	Vertical	2	1.80	80	31.98	8.39	43.88			
AV	5.1499G	40.74	54.00	-13.26	44.23	3	Vertical	2	1.80	80	32.00	8.39	43.88			
PK	5.1857G	109.22	Inf	-Inf	112.88	3	Vertical	2	1.80	80	31.79	8.41	43.86			
AV	5.1856G	98.29	Inf	-Inf	101.95	3	Vertical	2	1.80	80	31.79	8.41	43.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
SET 80
80
12.61

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1493G	55.98	74.00	-18.02	59.47	3	Horizontal	359	1.80	80	32.00	8.39	43.88				
AV	5.1495G	41.39	54.00	-12.61	44.88	3	Horizontal	359	1.80	80	32.00	8.39	43.88				
PK	5.1787G	109.12	Inf	-Inf	112.74	3	Horizontal	359	1.80	80	31.83	8.41	43.86				
AV	5.1833G	97.50	Inf	-Inf	101.15	3	Horizontal	359	1.80	80	31.80	8.41	43.86				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT Y_2TX
Setting 80
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3556G	57.61	68.20	-10.59	49.16	3	Vertical	35	1.80	-	39.11	12.41	43.07			
PK	15.53238G	59.93	74.00	-14.07	48.04	3	Vertical	44	1.01	-	37.97	16.17	42.25			
AV	15.544G	47.54	54.00	-6.46	35.70	3	Vertical	44	1.01	-	37.92	16.17	42.25			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT Y_2TX
Setting 80
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3557G	56.75	68.20	-11.45	48.30	3	Horizontal	0	1.80	-	39.11	12.41	43.07			
PK	15.5324G	59.55	74.00	-14.45	47.66	3	Horizontal	168	1.91	-	37.97	16.17	42.25			
AV	15.53238G	47.52	54.00	-6.48	35.63	3	Horizontal	168	1.91	-	37.97	16.17	42.25			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
SET 80
80
4.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1466G	61.90	74.00	-12.10	55.69	3	Vertical	6	1.80	80	33.09	8.23	35.11				
AV	5.1494G	49.12	54.00	-4.88	42.90	3	Vertical	6	1.80	80	33.10	8.23	35.11				
PK	5.2014G	119.53	Inf	-Inf	113.27	3	Vertical	6	1.80	80	33.10	8.25	35.09				
AV	5.2016G	108.88	Inf	-Inf	102.62	3	Vertical	6	1.80	80	33.10	8.25	35.09				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
SET 80
80
5.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1478G	61.81	74.00	-12.19	55.59	3	Horizontal	360.1	1.80	80	33.10	8.23	35.11				
AV	5.1496G	48.72	54.00	-5.28	42.50	3	Horizontal	360.1	1.80	80	33.10	8.23	35.11				
PK	5.1976G	118.85	Inf	-Inf	112.59	3	Horizontal	360.1	1.80	80	33.10	8.25	35.09				
AV	5.1942G	106.95	Inf	-Inf	100.69	3	Horizontal	360.1	1.80	80	33.10	8.25	35.09				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39057G	57.86	68.20	-10.34	40.98	3	Vertical	304	1.80	80	38.90	11.72	33.74			
PK	15.61858G	60.73	74.00	-13.27	40.64	3	Vertical	136	1.80	80	38.15	14.47	32.53			
AV	15.59796G	46.77	54.00	-7.23	26.56	3	Vertical	136	1.80	80	38.31	14.46	32.56			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40835G	57.38	68.20	-10.82	40.52	3	Horizontal	0	2.41	80	38.90	11.73	33.77			
PK	15.60711G	58.63	74.00	-15.37	38.47	3	Horizontal	299	2.32	80	38.24	14.47	32.55			
AV	15.58534G	46.96	54.00	-7.04	26.71	3	Horizontal	299	2.32	80	38.36	14.46	32.57			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_V_2TX
SET 80
80
5.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1416G	60.16	74.00	-13.84	53.96	3	Vertical	2	1.80	80	33.08	8.23	35.11			
AV	5.1485G	47.38	54.00	-6.62	41.16	3	Vertical	2	1.80	80	33.10	8.23	35.11			
PK	5.2346G	118.67	Inf	-Inf	112.44	3	Vertical	2	1.80	80	33.03	8.28	35.08			
AV	5.2355G	108.57	Inf	-Inf	102.34	3	Vertical	2	1.80	80	33.03	8.28	35.08			
PK	5.3705G	61.31	74.00	-12.69	55.05	3	Vertical	2	1.80	80	32.90	8.39	35.03			
AV	5.357G	48.09	54.00	-5.91	41.84	3	Vertical	2	1.80	80	32.90	8.38	35.03			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_V_2TX
SET 80
80
5.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1482G	59.87	74.00	-14.13	53.65	3	Horizontal	360.1	1.80	80	33.10	8.23	35.11			
AV	5.1467G	47.37	54.00	-6.63	41.16	3	Horizontal	360.1	1.80	80	33.09	8.23	35.11			
PK	5.2376G	119.55	Inf	-Inf	113.32	3	Horizontal	360.1	1.80	80	33.02	8.28	35.07			
AV	5.2433G	107.85	Inf	-Inf	101.62	3	Horizontal	360.1	1.80	80	33.01	8.29	35.07			
PK	5.3684G	61.53	74.00	-12.47	55.27	3	Horizontal	360.1	1.80	80	32.90	8.39	35.03			
AV	5.3543G	48.25	54.00	-5.75	42.00	3	Horizontal	360.1	1.80	80	32.90	8.38	35.03			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49774G	57.95	68.20	-10.25	41.30	3	Vertical	47	1.80	80	38.80	11.79	33.94			
PK	15.71353G	60.78	74.00	-13.22	40.66	3	Vertical	76	1.80	80	38.03	14.51	32.42			
AV	15.71489G	47.49	54.00	-6.51	27.37	3	Vertical	76	1.80	80	38.03	14.51	32.42			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47584G	58.69	68.20	-9.51	41.96	3	Horizontal	134	2.32	80	38.85	11.78	33.90			
PK	15.71137G	59.83	74.00	-14.17	39.72	3	Horizontal	337	1.10	80	38.02	14.51	32.42			
AV	15.71273G	47.53	54.00	-6.47	27.41	3	Horizontal	337	1.10	80	38.03	14.51	32.42			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT V_2TX
Setting 80
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	71.23	74.00	-2.77	74.71	3	Vertical	14	1.80	-	32.00	8.39	43.87			
AV	5.15G	53.24	54.00	-0.76	56.72	3	Vertical	14	1.80	-	32.00	8.39	43.87			
PK	5.184G	117.81	Inf	-Inf	121.46	3	Vertical	14	1.80	-	31.80	8.41	43.86			
AV	5.1848G	106.63	Inf	-Inf	110.29	3	Vertical	14	1.80	-	31.79	8.41	43.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_V_2TX
Setting 80
04-W-5-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	73.04	74.00	-0.96	76.52	3	Horizontal	9	1.80	-	32.00	8.39	43.87			
AV	5.15G	51.83	54.00	-2.17	55.31	3	Horizontal	9	1.80	-	32.00	8.39	43.87			
PK	5.189G	117.32	Inf	-Inf	121.00	3	Horizontal	9	1.80	-	31.77	8.41	43.86			
AV	5.1876G	106.02	Inf	-Inf	109.70	3	Horizontal	9	1.80	-	31.77	8.41	43.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT Y_2TX
SET 80
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34981G	48.95	68.20	-19.25	40.51	3	Vertical	138	1.26	80	39.10	12.41	43.07			
PK	15.52909G	50.55	74.00	-23.45	38.64	3	Vertical	233.1	1.80	80	37.98	16.17	42.24			
AV	15.52102G	39.26	54.00	-14.74	27.31	3	Vertical	233.1	1.80	80	38.02	16.17	42.24			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT Y_2TX
SET 80
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34338G	48.89	68.20	-19.31	40.49	3	Horizontal	360	1.64	80	39.05	12.41	43.06			
PK	15.52286G	51.26	74.00	-22.74	39.32	3	Horizontal	52	1.80	80	38.01	16.17	42.24			
AV	15.52178G	39.39	54.00	-14.61	27.45	3	Horizontal	52	1.80	80	38.01	16.17	42.24			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
SET 80
80
4.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1462G	62.83	74.00	-11.17	56.62	3	Vertical	4	1.80	80	33.09	8.23	35.11			
AV	5.1498G	49.65	54.00	-4.35	43.43	3	Vertical	4	1.80	80	33.10	8.23	35.11			
PK	5.1984G	120.95	Inf	-Inf	114.69	3	Vertical	4	1.80	80	33.10	8.25	35.09			
AV	5.195G	108.40	Inf	-Inf	102.14	3	Vertical	4	1.80	80	33.10	8.25	35.09			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
SET 80
80
4.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1498G	61.98	74.00	-12.02	55.76	3	Horizontal	360.1	1.80	80	33.10	8.23	35.11				
AV	5.1484G	49.01	54.00	-4.99	42.79	3	Horizontal	360.1	1.80	80	33.10	8.23	35.11				
PK	5.2032G	120.00	Inf	-Inf	113.75	3	Horizontal	360.1	1.80	80	33.09	8.25	35.09				
AV	5.1922G	106.89	Inf	-Inf	100.63	3	Horizontal	360.1	1.80	80	33.10	8.25	35.09				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40707G	57.67	68.20	-10.53	40.81	3	Vertical	336.1	1.80	80	38.90	11.73	33.77			
PK	15.61622G	59.45	74.00	-14.55	39.35	3	Vertical	9	1.81	80	38.17	14.47	32.54			
AV	15.58773G	47.46	54.00	-6.54	27.22	3	Vertical	9	1.81	80	38.35	14.46	32.57			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41918G	57.72	68.20	-10.48	40.87	3	Horizontal	16	1.09	80	38.90	11.74	33.79			
PK	15.60016G	59.78	74.00	-14.22	39.57	3	Horizontal	351	1.80	80	38.30	14.46	32.55			
AV	15.58805G	47.36	54.00	-6.64	27.12	3	Horizontal	351	1.80	80	38.35	14.46	32.57			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
SET 80
80
5.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1467G	60.51	74.00	-13.49	54.30	3	Vertical	2	1.80	80	33.09	8.23	35.11
AV	5.1482G	47.81	54.00	-6.19	41.59	3	Vertical	2	1.80	80	33.10	8.23	35.11
PK	5.2433G	121.16	Inf	-Inf	114.93	3	Vertical	2	1.80	80	33.01	8.29	35.07
AV	5.2319G	108.45	Inf	-Inf	102.21	3	Vertical	2	1.80	80	33.04	8.28	35.08
PK	5.3549G	61.66	74.00	-12.34	55.41	3	Vertical	2	1.80	80	32.90	8.38	35.03
AV	5.3552G	48.45	54.00	-5.55	42.20	3	Vertical	2	1.80	80	32.90	8.38	35.03

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_V_2TX
SET 80
80
5.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1458G	62.12	74.00	-11.88	55.91	3	Horizontal	360.1	1.80	80	33.09	8.23	35.11			
AV	5.1473G	47.70	54.00	-6.30	41.49	3	Horizontal	360.1	1.80	80	33.09	8.23	35.11			
PK	5.2439G	120.63	Inf	-Inf	114.40	3	Horizontal	360.1	1.80	80	33.01	8.29	35.07			
AV	5.2463G	107.71	Inf	-Inf	101.48	3	Horizontal	360.1	1.80	80	33.01	8.29	35.07			
PK	5.3717G	61.37	74.00	-12.63	55.10	3	Horizontal	360.1	1.80	80	32.90	8.40	35.03			
AV	5.351G	48.46	54.00	-5.54	42.21	3	Horizontal	360.1	1.80	80	32.90	8.38	35.03			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47816G	57.36	68.20	-10.84	40.64	3	Vertical	292	1.80	80	38.84	11.78	33.90			
PK	15.73842G	60.19	74.00	-13.81	39.98	3	Vertical	30	2.60	80	38.08	14.52	32.39			
AV	15.71792G	47.82	54.00	-6.18	27.69	3	Vertical	30	2.60	80	38.04	14.51	32.42			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47493G	57.93	68.20	-10.27	41.19	3	Horizontal	23.1	1.80	80	38.85	11.78	33.89			
PK	15.70474G	60.01	74.00	-13.99	39.92	3	Horizontal	32	1.80	80	38.01	14.51	32.43			
AV	15.71556G	47.97	54.00	-6.03	27.85	3	Horizontal	32	1.80	80	38.03	14.51	32.42			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 69
80\58\76\67\71\69
-5.41\4.65\ -2.24\1.23\ -0.34\0.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1496G	67.78	74.00	-6.22	61.56	3	Vertical	6	1.80	69	33.10	8.23	35.11			
AV	5.15G	53.67	54.00	-0.33	47.45	3	Vertical	6	1.80	69	33.10	8.23	35.11			
PK	5.1976G	116.03	Inf	-Inf	109.77	3	Vertical	6	1.80	69	33.10	8.25	35.09			
AV	5.1954G	103.20	Inf	-Inf	96.94	3	Vertical	6	1.80	69	33.10	8.25	35.09			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 69
69
4.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	61.51	74.00	-12.49	55.29	3	Horizontal	360	1.80	69	33.10	8.23	35.11			
AV	5.1488G	49.16	54.00	-4.84	42.94	3	Horizontal	360	1.80	69	33.10	8.23	35.11			
PK	5.1916G	114.96	Inf	-Inf	108.70	3	Horizontal	360	1.80	69	33.10	8.25	35.09			
AV	5.1914G	101.02	Inf	-Inf	94.76	3	Horizontal	360	1.80	69	33.10	8.25	35.09			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
SET 70
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37433G	57.10	68.20	-11.10	40.20	3	Vertical	1	1.69	70	38.90	11.71	33.71			
PK	15.56521G	59.14	74.00	-14.86	38.84	3	Vertical	323	1.39	70	38.44	14.45	32.59			
AV	15.58255G	47.95	54.00	-6.05	27.70	3	Vertical	323	1.39	70	38.37	14.45	32.57			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
SET 70
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37537G	57.39	68.20	-10.81	40.49	3	Horizontal	63	2.13	70	38.90	11.71	33.71			
PK	15.60197G	59.07	74.00	-14.93	38.88	3	Horizontal	43	2.91	70	38.28	14.46	32.55			
AV	15.58487G	47.99	54.00	-6.01	27.74	3	Horizontal	43	2.91	70	38.36	14.46	32.57			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
SET 80
80
3.95

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1466G	62.78	74.00	-11.22	56.57	3	Vertical	6	1.80	80	33.09	8.23	35.11				
AV	5.1498G	50.05	54.00	-3.95	43.83	3	Vertical	6	1.80	80	33.10	8.23	35.11				
PK	5.2332G	118.99	Inf	-Inf	112.76	3	Vertical	6	1.80	80	33.03	8.28	35.08				
AV	5.225G	106.02	Inf	-Inf	99.78	3	Vertical	6	1.80	80	33.05	8.27	35.08				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
SET 80
80
3.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	62.47	74.00	-11.53	56.25	3	Horizontal	360.1	1.80	80	33.10	8.23	35.11			
AV	5.1498G	50.37	54.00	-3.63	44.15	3	Horizontal	360.1	1.80	80	33.10	8.23	35.11			
PK	5.2164G	117.45	Inf	-Inf	111.20	3	Horizontal	360.1	1.80	80	33.07	8.26	35.08			
AV	5.2368G	104.70	Inf	-Inf	98.46	3	Horizontal	360.1	1.80	80	33.03	8.28	35.07			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 80
05-E-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.42412G	58.60	68.20	-9.60	41.76	3	Vertical	6	1.78	80	38.90	11.74	33.80				
PK	15.69559G	59.90	74.00	-14.10	39.85	3	Vertical	206	1.80	80	37.99	14.50	32.44				
AV	15.70063G	48.46	54.00	-5.54	28.39	3	Vertical	206	1.80	80	38.00	14.51	32.44				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45185G	58.24	68.20	-9.96	41.43	3	Horizontal	137	1.80	80	38.90	11.76	33.85			
PK	15.72804G	59.67	74.00	-14.33	39.50	3	Horizontal	81	1.80	80	38.06	14.52	32.41			
AV	15.70487G	48.34	54.00	-5.66	28.25	3	Horizontal	81	1.80	80	38.01	14.51	32.43			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
SET 67
80\55\75\65\70\68\67
-6.09\5.07\ -3.32\1.37\ -0.56\ -0.35\0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	65.82	74.00	-8.18	59.60	3	Vertical	5	1.80	67	33.10	8.23	35.11
AV	5.15G	53.38	54.00	-0.62	47.16	3	Vertical	5	1.80	67	33.10	8.23	35.11
PK	5.2025G	112.77	Inf	-Inf	106.52	3	Vertical	5	1.80	67	33.09	8.25	35.09
AV	5.2005G	100.49	Inf	-Inf	94.23	3	Vertical	5	1.80	67	33.10	8.25	35.09
PK	5.367G	61.54	74.00	-12.46	55.28	3	Vertical	5	1.80	67	32.90	8.39	35.03
AV	5.3585G	49.61	54.00	-4.39	43.36	3	Vertical	5	1.80	67	32.90	8.38	35.03

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
 SET 67
 67
 2.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.149G	64.28	74.00	-9.72	58.06	3	Horizontal	360.1	1.80	67	33.10	8.23	35.11				
AV	5.149G	51.96	54.00	-2.04	45.74	3	Horizontal	360.1	1.80	67	33.10	8.23	35.11				
PK	5.239G	111.74	Inf	-Inf	105.51	3	Horizontal	360.1	1.80	67	33.02	8.28	35.07				
AV	5.239G	98.59	Inf	-Inf	92.36	3	Horizontal	360.1	1.80	67	33.02	8.28	35.07				
PK	5.352G	61.51	74.00	-12.49	55.26	3	Horizontal	360.1	1.80	67	32.90	8.38	35.03				
AV	5.3915G	49.22	54.00	-4.78	42.93	3	Horizontal	360.1	1.80	67	32.90	8.41	35.02				

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
SET 67
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46236G	57.49	68.20	-10.71	40.71	3	Vertical	206	2.36	67	38.88	11.77	33.87			
PK	15.57805G	59.44	74.00	-14.56	39.18	3	Vertical	256	2.89	67	38.39	14.45	32.58			
AV	15.69969G	48.64	54.00	-5.36	28.57	3	Vertical	256	2.89	67	38.00	14.51	32.44			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX

EUT_Y_2TX
SET 67
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47307G	57.49	68.20	-10.71	40.76	3	Horizontal	253	1.80	67	38.85	11.77	33.89			
PK	15.58253G	59.84	74.00	-14.16	39.59	3	Horizontal	358	1.80	67	38.37	14.45	32.57			
AV	15.7072G	48.45	54.00	-5.55	28.36	3	Horizontal	358	1.80	67	38.01	14.51	32.43			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
SET 80
80
5.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	59.87	74.00	-14.13	53.65	3	Vertical	6	1.80	80	33.10	8.23	35.11			
AV	5.1496G	47.28	54.00	-6.72	41.06	3	Vertical	6	1.80	80	33.10	8.23	35.11			
PK	5.266G	119.88	Inf	-Inf	113.66	3	Vertical	6	1.80	80	32.97	8.31	35.06			
AV	5.2657G	108.99	Inf	-Inf	102.77	3	Vertical	6	1.80	80	32.97	8.31	35.06			
PK	5.3728G	61.24	74.00	-12.76	54.97	3	Vertical	6	1.80	80	32.90	8.40	35.03			
AV	5.3578G	48.60	54.00	-5.40	42.35	3	Vertical	6	1.80	80	32.90	8.38	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_V_2TX
SET 80
80
5.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1442G	59.70	74.00	-14.30	53.49	3	Horizontal	360	1.80	80	33.09	8.23	35.11			
AV	5.1493G	47.02	54.00	-6.98	40.80	3	Horizontal	360	1.80	80	33.10	8.23	35.11			
PK	5.2636G	119.87	Inf	-Inf	113.67	3	Horizontal	360	1.80	80	32.97	8.30	35.07			
AV	5.2579G	107.71	Inf	-Inf	101.50	3	Horizontal	360	1.80	80	32.98	8.30	35.07			
PK	5.3998G	61.64	74.00	-12.36	55.34	3	Horizontal	360	1.80	80	32.90	8.42	35.02			
AV	5.3527G	48.30	54.00	-5.70	42.05	3	Horizontal	360	1.80	80	32.90	8.38	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX


EUT Y_2TX
SET 80
05-E-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.50002G	57.16	68.20	-11.04	40.51	3	Vertical	312	1.80	80	38.80	11.79	33.94			
PK	15.79419G	59.88	74.00	-14.12	39.74	3	Vertical	175	1.80	80	37.92	14.55	32.33			
AV	15.7967G	47.46	54.00	-6.54	27.33	3	Vertical	175	1.80	80	37.91	14.55	32.33			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5242G	57.29	68.20	-10.91	40.55	3	Horizontal	199.1	1.80	80	38.85	11.81	33.92			
PK	15.77433G	59.81	74.00	-14.19	39.62	3	Horizontal	184	1.80	80	38.00	14.54	32.35			
AV	15.78052G	47.45	54.00	-6.55	27.27	3	Horizontal	184	1.80	80	37.98	14.54	32.34			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 80
80
3.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2976G	119.67	Inf	-Inf	113.49	3	Vertical	6	1.80	80	32.90	8.33	35.05				
AV	5.2946G	108.83	Inf	-Inf	102.64	3	Vertical	6	1.80	80	32.91	8.33	35.05				
PK	5.3576G	63.82	74.00	-10.18	57.57	3	Vertical	6	1.80	80	32.90	8.38	35.03				
AV	5.3518G	50.30	54.00	-3.70	44.05	3	Vertical	6	1.80	80	32.90	8.38	35.03				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 80
80
3.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.303G	119.58	Inf	-Inf	113.39	3	Horizontal	0	1.80	80	32.90	8.34	35.05				
AV	5.3022G	107.97	Inf	-Inf	101.78	3	Horizontal	0	1.80	80	32.90	8.34	35.05				
PK	5.3516G	63.69	74.00	-10.31	57.44	3	Horizontal	0	1.80	80	32.90	8.38	35.03				
AV	5.351G	50.69	54.00	-3.31	44.44	3	Horizontal	0	1.80	80	32.90	8.38	35.03				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX


EUT_Y_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.61167G	58.55	74.00	-15.45	41.26	3	Vertical	281	1.17	80	39.25	11.87	33.83				
AV	10.61874G	46.12	54.00	-7.88	28.80	3	Vertical	281	1.17	80	39.27	11.87	33.82				
PK	15.8966G	60.60	74.00	-13.40	40.23	3	Vertical	164	2.32	80	37.99	14.59	32.21				
AV	15.90024G	48.28	54.00	-5.72	27.89	3	Vertical	164	2.32	80	38.00	14.60	32.21				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.61083G	58.20	74.00	-15.80	40.92	3	Horizontal	43	2.45	80	39.24	11.87	33.83				
AV	10.6163G	46.12	54.00	-7.88	28.80	3	Horizontal	43	2.45	80	39.27	11.87	33.82				
PK	15.9008G	60.52	74.00	-13.48	40.13	3	Horizontal	327	1.06	80	38.00	14.60	32.21				
AV	15.91255G	48.30	54.00	-5.70	27.97	3	Horizontal	327	1.06	80	37.92	14.60	32.19				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX


EUT_Y_2TX
SET 80
80
1.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3197G	119.22	Inf	-Inf	113.01	3	Vertical	357	1.80	80	32.90	8.35	35.04				
AV	5.3247G	108.36	Inf	-Inf	102.14	3	Vertical	357	1.80	80	32.90	8.36	35.04				
PK	5.3596G	67.00	74.00	-7.00	60.74	3	Vertical	357	1.80	80	32.90	8.39	35.03				
AV	5.3502G	52.50	54.00	-1.50	46.25	3	Vertical	357	1.80	80	32.90	8.38	35.03				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 80
80
2.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3243G	119.53	Inf	-Inf	113.31	3	Horizontal	0	1.80	80	32.90	8.36	35.04			
AV	5.3272G	107.62	Inf	-Inf	101.40	3	Horizontal	0	1.80	80	32.90	8.36	35.04			
PK	5.3604G	66.90	74.00	-7.10	60.64	3	Horizontal	0	1.80	80	32.90	8.39	35.03			
AV	5.3605G	51.18	54.00	-2.82	44.92	3	Horizontal	0	1.80	80	32.90	8.39	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64524G	58.80	74.00	-15.20	41.32	3	Vertical	43	2.94	80	39.38	11.89	33.79			
AV	10.64867G	46.73	54.00	-7.27	29.24	3	Vertical	43	2.94	80	39.39	11.89	33.79			
PK	15.97746G	60.47	74.00	-13.53	40.37	3	Vertical	360.1	1.80	80	37.59	14.63	32.12			
AV	15.97335G	48.05	54.00	-5.95	27.93	3	Vertical	360.1	1.80	80	37.61	14.63	32.12			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63505G	59.58	74.00	-14.42	42.15	3	Horizontal	88	2.44	80	39.34	11.89	33.80			
AV	10.63513G	46.54	54.00	-7.46	29.11	3	Horizontal	88	2.44	80	39.34	11.89	33.80			
PK	15.96855G	60.98	74.00	-13.02	40.85	3	Horizontal	360.1	1.80	80	37.63	14.63	32.13			
AV	15.97543G	48.19	54.00	-5.81	28.08	3	Horizontal	360.1	1.80	80	37.60	14.63	32.12			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_V_2TX
SET 80
80
4.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1487G	60.03	74.00	-13.97	53.81	3	Vertical	3	1.80	80	33.10	8.23	35.11			
AV	5.1478G	47.59	54.00	-6.41	41.37	3	Vertical	3	1.80	80	33.10	8.23	35.11			
PK	5.2543G	121.29	Inf	-Inf	115.07	3	Vertical	3	1.80	80	32.99	8.30	35.07			
AV	5.2651G	108.85	Inf	-Inf	102.63	3	Vertical	3	1.80	80	32.97	8.31	35.06			
PK	5.3908G	61.68	74.00	-12.32	55.39	3	Vertical	3	1.80	80	32.90	8.41	35.02			
AV	5.3566G	49.16	54.00	-4.84	42.91	3	Vertical	3	1.80	80	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
SET 80
80
5.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.143G	59.41	74.00	-14.59	53.20	3	Horizontal	0	1.80	80	33.09	8.23	35.11			
AV	5.1454G	47.09	54.00	-6.91	40.88	3	Horizontal	0	1.80	80	33.09	8.23	35.11			
PK	5.2636G	120.15	Inf	-Inf	113.95	3	Horizontal	0	1.80	80	32.97	8.30	35.07			
AV	5.2663G	107.59	Inf	-Inf	101.37	3	Horizontal	0	1.80	80	32.97	8.31	35.06			
PK	5.3845G	61.41	74.00	-12.59	55.12	3	Horizontal	0	1.80	80	32.90	8.41	35.02			
AV	5.3545G	48.33	54.00	-5.67	42.08	3	Horizontal	0	1.80	80	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5260MHz_TX

EUT Y_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51357G	57.19	68.20	-11.01	40.49	3	Vertical	298	1.80	80	38.83	11.80	33.93			
PK	15.79043G	59.47	74.00	-14.53	39.31	3	Vertical	117	1.80	80	37.94	14.55	32.33			
AV	15.77688G	47.87	54.00	-6.13	27.69	3	Vertical	117	1.80	80	37.99	14.54	32.35			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5031G	58.36	68.20	-9.84	41.70	3	Horizontal	332	2.95	80	38.81	11.79	33.94			
PK	15.78212G	59.50	74.00	-14.50	39.33	3	Horizontal	28	1.80	80	37.97	14.54	32.34			
AV	15.79874G	47.79	54.00	-6.21	27.65	3	Horizontal	28	1.80	80	37.91	14.55	32.32			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
SET 80
80
3.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2954G	121.08	Inf	-Inf	114.89	3	Vertical	5	1.80	80	32.91	8.33	35.05				
AV	5.2924G	108.43	Inf	-Inf	102.23	3	Vertical	5	1.80	80	32.92	8.33	35.05				
PK	5.3518G	64.17	74.00	-9.83	57.92	3	Vertical	5	1.80	80	32.90	8.38	35.03				
AV	5.3536G	50.90	54.00	-3.10	44.65	3	Vertical	5	1.80	80	32.90	8.38	35.03				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
SET 80
80
2.51

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2984G	120.71	Inf	-Inf	114.53	3	Horizontal	359.1	1.80	80	32.90	8.33	35.05			
AV	5.3038G	107.70	Inf	-Inf	101.51	3	Horizontal	359.1	1.80	80	32.90	8.34	35.05			
PK	5.354G	63.97	74.00	-10.03	57.72	3	Horizontal	359.1	1.80	80	32.90	8.38	35.03			
AV	5.3508G	51.49	54.00	-2.51	45.24	3	Horizontal	359.1	1.80	80	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.58909G	58.16	68.20	-10.04	41.03	3	Vertical	169	2.69	80	39.13	11.85	33.85				
AV	10.61942G	46.44	54.00	-7.56	29.11	3	Vertical	169	2.69	80	39.28	11.87	33.82				
PK	15.91371G	60.72	74.00	-13.28	40.39	3	Vertical	103.1	1.80	80	37.92	14.60	32.19				
AV	15.90863G	48.67	54.00	-5.33	28.32	3	Vertical	103.1	1.80	80	37.95	14.60	32.20				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60831G	58.14	74.00	-15.86	40.87	3	Horizontal	242	1.80	80	39.23	11.87	33.83			
AV	10.61746G	46.46	54.00	-7.54	29.14	3	Horizontal	242	1.80	80	39.27	11.87	33.82			
PK	15.88286G	59.99	74.00	-14.01	39.70	3	Horizontal	360.1	2.25	80	37.93	14.59	32.23			
AV	15.89852G	48.77	54.00	-5.23	28.40	3	Horizontal	360.1	2.25	80	37.99	14.59	32.21			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT V_2TX
Setting 75
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.324G	116.43	Inf	-Inf	120.46	3	Vertical	10	1.80	-	31.30	8.46	43.79			
AV	5.3272G	105.28	Inf	-Inf	109.30	3	Vertical	10	1.80	-	31.31	8.46	43.79			
PK	5.3504G	73.77	74.00	-0.23	77.67	3	Vertical	10	1.80	-	31.40	8.47	43.77			
AV	5.35G	50.92	54.00	-3.08	54.83	3	Vertical	10	1.80	-	31.40	8.47	43.78			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT V_2TX
Setting 75
04-W-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3246G	116.17	Inf	-Inf	120.20	3	Horizontal	6	1.80	-	31.30	8.46	43.79			
AV	5.3226G	104.77	Inf	-Inf	108.81	3	Horizontal	6	1.80	-	31.29	8.46	43.79			
PK	5.3598G	63.73	74.00	-10.27	67.62	3	Horizontal	6	1.80	-	31.40	8.48	43.77			
AV	5.3604G	50.94	54.00	-3.06	54.83	3	Horizontal	6	1.80	-	31.40	8.48	43.77			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 75
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62617G	50.23	74.00	-23.77	41.31	3	Vertical	186	1.80	75	39.45	12.61	43.14			
AV	10.64264G	38.55	54.00	-15.45	29.57	3	Vertical	186	1.80	75	39.49	12.62	43.13			
PK	15.97307G	50.58	74.00	-23.42	39.96	3	Vertical	68	1.80	75	37.01	16.20	42.59			
AV	15.97363G	38.97	54.00	-15.03	28.35	3	Vertical	68	1.80	75	37.01	16.20	42.59			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5320MHz_TX

EUT_Y_2TX
SET 75
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64883G	50.92	74.00	-23.08	41.93	3	Horizontal	281	1.72	75	39.50	12.62	43.13			
AV	10.63217G	38.41	54.00	-15.59	29.48	3	Horizontal	281	1.72	75	39.46	12.61	43.14			
PK	15.96356G	50.69	74.00	-23.31	40.02	3	Horizontal	0	1.80	75	37.05	16.20	42.58			
AV	15.97263G	38.74	54.00	-15.26	28.12	3	Horizontal	0	1.80	75	37.01	16.20	42.59			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 80
80
2.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2826G	118.88	Inf	-Inf	112.69	3	Vertical	5	1.80	80	32.93	8.32	35.06			
AV	5.265G	106.58	Inf	-Inf	100.36	3	Vertical	5	1.80	80	32.97	8.31	35.06			
PK	5.3568G	64.19	74.00	-9.81	57.94	3	Vertical	5	1.80	80	32.90	8.38	35.03			
AV	5.3534G	51.71	54.00	-2.29	45.46	3	Vertical	5	1.80	80	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 80
80
2.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2624G	117.76	Inf	-Inf	111.55	3	Horizontal	3	1.80	80	32.98	8.30	35.07			
AV	5.2666G	105.27	Inf	-Inf	99.05	3	Horizontal	3	1.80	80	32.97	8.31	35.06			
PK	5.3518G	63.50	74.00	-10.50	57.25	3	Horizontal	3	1.80	80	32.90	8.38	35.03			
AV	5.3546G	51.25	54.00	-2.75	45.00	3	Horizontal	3	1.80	80	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53944G	57.30	68.20	-10.90	40.50	3	Vertical	330	1.36	80	38.88	11.82	33.90			
PK	15.77156G	59.81	74.00	-14.19	39.61	3	Vertical	267	1.80	80	38.01	14.54	32.35			
AV	15.83637G	48.22	54.00	-5.78	28.10	3	Vertical	267	1.80	80	37.83	14.57	32.28			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5270MHz_TX

EUT_Y_2TX
SET80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.53033G	57.61	68.20	-10.59	40.85	3	Horizontal	8	1.80	80	38.86	11.81	33.91				
PK	15.83901G	59.40	74.00	-14.60	39.29	3	Horizontal	208.7	1.80	80	37.82	14.57	32.28				
AV	15.83542G	48.35	54.00	-5.65	28.23	3	Horizontal	208.7	1.80	80	37.83	14.57	32.28				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 77
80\77
-0.52\0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.292G	118.23	Inf	-Inf	112.03	3	Vertical	360.1	1.80	77	32.92	8.33	35.05			
AV	5.3144G	105.26	Inf	-Inf	99.06	3	Vertical	360.1	1.80	77	32.90	8.35	35.05			
PK	5.354G	65.76	74.00	-8.24	59.51	3	Vertical	360.1	1.80	77	32.90	8.38	35.03			
AV	5.3506G	53.50	54.00	-0.50	47.25	3	Vertical	360.1	1.80	77	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
 SET 73
 77.73
 -0.89\0.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3114G	116.17	Inf	-Inf	109.98	3	Horizontal	0	1.80	73	32.90	8.34	35.05			
AV	5.3238G	103.35	Inf	-Inf	97.13	3	Horizontal	0	1.80	73	32.90	8.36	35.04			
PK	5.3512G	70.69	74.00	-3.31	64.44	3	Horizontal	0	1.80	73	32.90	8.38	35.03			
AV	5.3504G	53.65	54.00	-0.35	47.40	3	Horizontal	0	1.80	73	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 73
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65421G	59.30	74.00	-14.70	41.79	3	Vertical	97	1.80	73	39.40	11.90	33.79			
AV	10.65684G	48.04	54.00	-5.96	30.52	3	Vertical	97	1.80	73	39.40	11.90	33.78			
PK	15.96836G	58.68	74.00	-15.32	38.55	3	Vertical	191	1.80	73	37.63	14.63	32.13			
AV	15.95302G	47.37	54.00	-6.63	27.20	3	Vertical	191	1.80	73	37.69	14.62	32.14			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX

EUT_Y_2TX
SET 73
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.60026G	58.84	74.00	-15.16	41.62	3	Horizontal	-0	1.80	73	39.20	11.86	33.84				
AV	10.65197G	47.91	54.00	-6.09	30.40	3	Horizontal	-0	1.80	73	39.40	11.90	33.79				
PK	15.89843G	58.51	74.00	-15.49	38.14	3	Horizontal	326	1.80	73	37.99	14.59	32.21				
AV	15.90547G	47.53	54.00	-6.47	27.16	3	Horizontal	326	1.80	73	37.97	14.60	32.20				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
SET 66
80\52\73\63\68\66
-6.78\5.28\3.96\2.10\0.22\0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	59.74	74.00	-14.26	53.53	3	Vertical	4	1.80	66	33.09	8.23	35.11			
AV	5.1495G	48.19	54.00	-5.81	41.97	3	Vertical	4	1.80	66	33.10	8.23	35.11			
PK	5.292G	112.31	Inf	-Inf	106.11	3	Vertical	4	1.80	66	32.92	8.33	35.05			
AV	5.2775G	100.20	Inf	-Inf	93.99	3	Vertical	4	1.80	66	32.95	8.32	35.06			
PK	5.3595G	65.12	74.00	-8.88	58.86	3	Vertical	4	1.80	66	32.90	8.39	35.03			
AV	5.3535G	53.50	54.00	-0.50	47.25	3	Vertical	4	1.80	66	32.90	8.38	35.03			
PK	5.5205G	61.44	68.20	-6.76	54.90	3	Vertical	4	1.80	66	33.00	8.51	34.97			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_V_2TX
SET 66
66
1.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.148G	61.21	74.00	-12.79	54.99	3	Horizontal	360	1.80	66	33.10	8.23	35.11				
AV	5.1455G	48.32	54.00	-5.68	42.11	3	Horizontal	360	1.80	66	33.09	8.23	35.11				
PK	5.262G	111.37	Inf	-Inf	105.16	3	Horizontal	360	1.80	66	32.98	8.30	35.07				
AV	5.259G	98.66	Inf	-Inf	92.45	3	Horizontal	360	1.80	66	32.98	8.30	35.07				
PK	5.3505G	63.82	74.00	-10.18	57.57	3	Horizontal	360	1.80	66	32.90	8.38	35.03				
AV	5.35G	52.52	54.00	-1.48	46.27	3	Horizontal	360	1.80	66	32.90	8.38	35.03				
PK	5.471G	61.65	68.20	-6.55	55.23	3	Horizontal	360	1.80	66	32.94	8.47	34.99				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
SET 66
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.563G	47.13	68.20	-21.07	40.80	3	Vertical	300	1.80	66	39.20	12.56	45.43			
PK	15.80814G	49.73	74.00	-24.27	37.93	3	Vertical	3	1.80	66	39.12	16.19	43.51			
AV	15.90964G	37.87	54.00	-16.13	26.34	3	Vertical	3	1.80	66	39.06	16.19	43.72			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
SET 66
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.56226G	47.58	68.20	-20.62	41.25	3	Horizontal	1	1.80	66	39.20	12.56	45.43			
PK	15.8505G	49.34	74.00	-24.66	37.55	3	Horizontal	150	1.80	66	39.20	16.19	43.60			
AV	15.94481G	37.88	54.00	-16.12	26.56	3	Horizontal	150	1.80	66	38.92	16.20	43.80			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_2TX
Setting 66
04-W-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.15G	65.37	74.00	-8.63	68.85	3	Vertical	13	1.80	-	32.00	8.39	43.87					
AV	5.15G	53.86	54.00	-0.14	57.34	3	Vertical	13	1.80	-	32.00	8.39	43.87					
PK	5.1868G	107.33	Inf	-Inf	111.00	3	Vertical	13	1.80	-	31.78	8.41	43.86					
PK	5.3516G	67.41	74.00	-6.59	71.31	3	Vertical	13	1.80	-	31.40	8.47	43.77					
AV	5.2748G	96.30	Inf	-Inf	100.36	3	Vertical	13	1.80	-	31.30	8.45	43.81					
AV	5.35G	52.13	54.00	-1.87	56.04	3	Vertical	13	1.80	-	31.40	8.47	43.78					
PK	5.4932G	58.20	68.20	-10.00	61.54	3	Vertical	13	1.80	-	31.77	8.59	43.70					

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_2TX
Setting 66
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1436G	66.24	74.00	-7.76	69.77	3	Horizontal	8	1.80	-	31.96	8.39	43.88			
AV	5.15G	53.86	54.00	-0.14	57.34	3	Horizontal	8	1.80	-	32.00	8.39	43.87			
PK	5.274G	106.39	Inf	-Inf	110.45	3	Horizontal	8	1.80	-	31.30	8.45	43.81			
AV	5.274G	95.25	Inf	-Inf	99.31	3	Horizontal	8	1.80	-	31.30	8.45	43.81			
PK	5.35G	66.24	74.00	-7.76	70.15	3	Horizontal	8	1.80	-	31.40	8.47	43.78			
AV	5.35G	52.41	54.00	-1.59	56.32	3	Horizontal	8	1.80	-	31.40	8.47	43.78			
PK	5.4948G	58.68	68.20	-9.52	62.01	3	Horizontal	8	1.80	-	31.78	8.59	43.70			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 66
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.64027G	50.66	74.00	-23.34	41.69	3	Vertical	7	1.80	66	39.48	12.62	43.13				
AV	10.64705G	39.56	54.00	-14.44	30.58	3	Vertical	7	1.80	66	39.49	12.62	43.13				
PK	15.71867G	50.91	74.00	-23.09	39.48	3	Vertical	359.1	1.80	66	37.64	16.18	42.39				
AV	15.90473G	40.27	54.00	-13.73	29.34	3	Vertical	359.1	1.80	66	37.28	16.19	42.54				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
SET 66
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65888G	50.22	74.00	-23.78	41.23	3	Horizontal	294	1.80	66	39.48	12.63	43.12			
AV	10.65536G	39.67	54.00	-14.33	30.67	3	Horizontal	294	1.80	66	39.49	12.63	43.12			
PK	15.72411G	50.99	74.00	-23.01	39.55	3	Horizontal	50	1.80	66	37.65	16.18	42.39			
AV	15.90473G	40.06	54.00	-13.94	29.13	3	Horizontal	50	1.80	66	37.28	16.19	42.54			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
SET 80
80
2.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4593G	67.70	74.00	-6.30	61.31	3	Vertical	7	1.80	80	32.92	8.46	34.99				
AV	5.4587G	51.30	54.00	-2.70	44.91	3	Vertical	7	1.80	80	32.92	8.46	34.99				
PK	5.4605G	65.77	68.20	-2.43	59.37	3	Vertical	7	1.80	80	32.92	8.47	34.99				
PK	5.5G	118.72	Inf	-Inf	112.20	3	Vertical	7	1.80	80	33.00	8.50	34.98				
AV	5.4951G	108.42	Inf	-Inf	101.92	3	Vertical	7	1.80	80	32.99	8.49	34.98				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX



EUT_Y_2TX
SET 80
80
1.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4582G	67.96	74.00	-6.04	61.58	3	Horizontal	353	1.80	80	32.92	8.46	35.00			
PK	5.4601G	66.48	68.20	-1.72	60.08	3	Horizontal	353	1.80	80	32.92	8.47	34.99			
AV	5.4592G	52.06	54.00	-1.94	45.67	3	Horizontal	353	1.80	80	32.92	8.46	34.99			
PK	5.4943G	119.77	Inf	-Inf	113.27	3	Horizontal	353	1.80	80	32.99	8.49	34.98			
AV	5.4965G	108.58	Inf	-Inf	102.08	3	Horizontal	353	1.80	80	32.99	8.49	34.98			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
SET 80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.9849G	47.44	74.00	-26.56	41.57	3	Vertical	36	1.80	80	39.23	12.86	46.22			
AV	10.98534G	35.23	54.00	-18.77	29.36	3	Vertical	36	1.80	80	39.23	12.86	46.22			
PK	16.50899G	48.34	68.20	-19.86	38.22	3	Vertical	46	1.80	80	38.42	16.26	44.56			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
SET 80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00004G	48.73	74.00	-25.27	42.90	3	Horizontal	351	1.80	80	39.20	12.88	46.25			
AV	11.00312G	35.12	54.00	-18.88	29.29	3	Horizontal	351	1.80	80	39.20	12.88	46.25			
PK	16.50583G	48.22	68.20	-19.98	38.10	3	Horizontal	3	1.80	80	38.41	16.26	44.55			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_V_2TX
SET 80
80
6.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4423G	61.25	74.00	-12.75	54.90	3	Vertical	2	1.80	80	32.90	8.45	35.00
PK	5.4687G	60.76	68.20	-7.44	54.34	3	Vertical	2	1.80	80	32.94	8.47	34.99
AV	5.4567G	47.80	54.00	-6.20	41.43	3	Vertical	2	1.80	80	32.91	8.46	35.00
PK	5.5785G	118.72	Inf	-Inf	112.17	3	Vertical	2	1.80	80	32.94	8.55	34.94
AV	5.5746G	108.19	Inf	-Inf	101.63	3	Vertical	2	1.80	80	32.95	8.55	34.94
PK	5.7264G	59.69	68.20	-8.51	52.33	3	Vertical	2	1.80	80	33.51	8.72	34.87

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_V_2TX
SET 80
80
6.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4318G	61.03	74.00	-12.97	54.69	3	Horizontal	356	1.80	80	32.90	8.44	35.00			
PK	5.466G	61.18	68.20	-7.02	54.77	3	Horizontal	356	1.80	80	32.93	8.47	34.99			
AV	5.4576G	47.88	54.00	-6.12	41.50	3	Horizontal	356	1.80	80	32.92	8.46	35.00			
PK	5.5782G	120.04	Inf	-Inf	113.49	3	Horizontal	356	1.80	80	32.94	8.55	34.94			
AV	5.5761G	108.22	Inf	-Inf	101.66	3	Horizontal	356	1.80	80	32.95	8.55	34.94			
PK	5.7273G	61.00	68.20	-7.20	53.64	3	Horizontal	356	1.80	80	33.51	8.72	34.87			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX



EUT Y_2TX
SET 80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14338G	47.07	74.00	-26.93	41.28	3	Vertical	-0	1.80	80	38.93	12.98	46.12			
AV	11.17295G	35.13	54.00	-18.87	29.32	3	Vertical	-0	1.80	80	38.90	13.00	46.09			
PK	16.7444G	47.77	68.20	-20.43	37.65	3	Vertical	228	1.80	80	38.57	16.28	44.73			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
SET 80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16204G	47.12	74.00	-26.88	41.33	3	Horizontal	4	1.80	80	38.90	12.99	46.10			
AV	11.17618G	34.94	54.00	-19.06	29.13	3	Horizontal	4	1.80	80	38.90	13.00	46.09			
PK	16.75962G	47.64	68.20	-20.56	37.48	3	Horizontal	311	1.80	80	38.62	16.28	44.74			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
SET 59
80\40\69\55\62\65\64\52\58\61\60\48\54\57\62\61\60\59
-13.04\7.35\4.25\2.56\2.18\2.99\4.33\7.22\0.63\1.39\4.09\7.62\5.56\4.19\3.33\1.95\4.73\0.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.698G	114.62	Inf	-Inf	107.44	3	Vertical	0	1.80	59	33.38	8.68	34.88			
AV	5.7016G	103.28	Inf	-Inf	96.06	3	Vertical	0	1.80	59	33.41	8.69	34.88			
PK	5.7284G	67.31	68.20	-0.89	59.95	3	Vertical	0	1.80	59	33.51	8.72	34.87			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
SET 56
59\55\57\56
-0.77\0.76\ -0.96\1.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7056G	115.60	Inf	-Inf	108.37	3	Horizontal	355	1.80	56	33.42	8.69	34.88			
AV	5.7014G	103.17	Inf	-Inf	95.95	3	Horizontal	355	1.80	56	33.41	8.69	34.88			
PK	5.7252G	66.76	68.20	-1.44	59.42	3	Horizontal	355	1.80	56	33.50	8.71	34.87			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX



EUT_Y_2TX
SET 56
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40276G	47.65	74.00	-26.35	41.28	3	Vertical	57	1.80	56	39.10	13.16	45.89			
AV	11.39373G	35.20	54.00	-18.80	28.83	3	Vertical	57	1.80	56	39.11	13.16	45.90			
PK	17.08082G	48.03	68.20	-20.17	37.58	3	Vertical	199	1.80	56	39.10	16.32	44.97			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
SET 56
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41954G	47.54	74.00	-26.46	41.14	3	Horizontal	256	1.80	56	39.10	13.17	45.87			
AV	11.39481G	35.46	54.00	-18.54	29.08	3	Horizontal	256	1.80	56	39.11	13.16	45.89			
PK	17.11503G	48.18	68.20	-20.02	37.67	3	Horizontal	58	1.80	56	39.19	16.32	45.00			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 80
80
6.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4404G	61.91	74.00	-12.09	55.56	3	Vertical	0	1.80	80	32.90	8.45	35.00			
AV	5.4362G	47.27	54.00	-6.73	40.92	3	Vertical	0	1.80	80	32.90	8.45	35.00			
PK	5.4614G	59.95	68.20	-8.25	53.55	3	Vertical	0	1.80	80	32.92	8.47	34.99			
PK	5.723G	117.92	Inf	-Inf	110.59	3	Vertical	0	1.80	80	33.49	8.71	34.87			
AV	5.7218G	107.91	Inf	-Inf	100.58	3	Vertical	0	1.80	80	33.49	8.71	34.87			
PK	5.951G	60.37	68.20	-7.83	51.96	3	Vertical	0	1.80	80	34.20	8.97	34.76			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



EUT_V_2TX
SET 80
80
6.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.456G	60.72	74.00	-13.28	54.35	3	Horizontal	360.1	1.80	80	32.91	8.46	35.00			
AV	5.4362G	47.33	54.00	-6.67	40.98	3	Horizontal	360.1	1.80	80	32.90	8.45	35.00			
PK	5.462G	60.46	68.20	-7.74	54.06	3	Horizontal	360.1	1.80	80	32.92	8.47	34.99			
PK	5.7176G	119.97	Inf	-Inf	112.67	3	Horizontal	360.1	1.80	80	33.47	8.71	34.88			
AV	5.7164G	108.26	Inf	-Inf	100.97	3	Horizontal	360.1	1.80	80	33.47	8.70	34.88			
PK	5.8862G	60.61	68.20	-7.59	52.46	3	Horizontal	360.1	1.80	80	34.04	8.90	34.79			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 80
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.42641G	47.49	74.00	-26.51	41.08	3	Vertical	333	1.80	80	39.10	13.18	45.87				
AV	11.44735G	35.42	54.00	-18.58	28.98	3	Vertical	333	1.80	80	39.10	13.19	45.85				
PK	17.15992G	48.01	68.20	-20.19	37.26	3	Vertical	124	1.80	80	39.46	16.33	45.04				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
SET 80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43924G	47.92	74.00	-26.08	41.48	3	Horizontal	322	1.80	80	39.10	13.19	45.85			
AV	11.45083G	35.46	54.00	-18.54	29.00	3	Horizontal	322	1.80	80	39.10	13.20	45.84			
PK	17.15317G	48.00	68.20	-20.20	37.28	3	Horizontal	251	1.80	80	39.42	16.33	45.03			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT V_2TX
Setting 59
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4584G	59.63	74.00	-14.37	63.17	3	Vertical	356	2.09	-	31.63	8.55	43.72			
AV	5.4586G	48.43	54.00	-5.57	51.97	3	Vertical	356	2.09	-	31.63	8.55	43.72			
PK	5.4602G	58.75	68.20	-9.45	62.28	3	Vertical	356	2.09	-	31.64	8.55	43.72			
PK	5.499G	113.62	Inf	-Inf	116.93	3	Vertical	356	2.09	-	31.80	8.59	43.70			
AV	5.5028G	102.53	Inf	-Inf	105.84	3	Vertical	356	2.09	-	31.79	8.60	43.70			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX



EUT V_2TX
Setting 59
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	61.29	74.00	-12.71	64.82	3	Horizontal	358	2.09	-	31.64	8.55	43.72			
AV	5.4594G	48.47	54.00	-5.53	52.00	3	Horizontal	358	2.09	-	31.64	8.55	43.72			
PK	5.4698G	67.99	68.20	-0.21	71.47	3	Horizontal	358	2.09	-	31.68	8.56	43.72			
PK	5.5076G	114.34	Inf	-Inf	117.65	3	Horizontal	358	2.09	-	31.78	8.60	43.69			
AV	5.4978G	103.35	Inf	-Inf	106.67	3	Horizontal	358	2.09	-	31.79	8.59	43.70			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
SET 59
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.98318G	47.14	74.00	-26.86	41.27	3	Vertical	232	1.06	59	39.23	12.86	46.22			
AV	10.99221G	35.19	54.00	-18.81	29.34	3	Vertical	232	1.06	59	39.22	12.87	46.24			
PK	16.50959G	47.72	68.20	-20.48	37.60	3	Vertical	-0	1.80	59	38.42	16.26	44.56			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
SET 59
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01954G	47.12	74.00	-26.88	41.26	3	Horizontal	325	1.80	59	39.20	12.89	46.23			
AV	10.99305G	35.17	54.00	-18.83	29.33	3	Horizontal	325	1.80	59	39.21	12.87	46.24			
PK	16.49401G	47.53	68.20	-20.67	37.42	3	Horizontal	4	1.80	59	38.40	16.25	44.54			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_V_2TX
SET 80
80
6.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4543G	61.07	74.00	-12.93	54.70	3	Vertical	2	1.80	80	32.91	8.46	35.00
AV	5.4339G	47.97	54.00	-6.03	41.62	3	Vertical	2	1.80	80	32.90	8.45	35.00
PK	5.4693G	60.94	68.20	-7.26	54.52	3	Vertical	2	1.80	80	32.94	8.47	34.99
PK	5.574G	120.93	Inf	-Inf	114.37	3	Vertical	2	1.80	80	32.95	8.55	34.94
AV	5.5722G	108.16	Inf	-Inf	101.60	3	Vertical	2	1.80	80	32.96	8.55	34.95
PK	5.7288G	59.95	68.20	-8.25	52.58	3	Vertical	2	1.80	80	33.52	8.72	34.87

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_V_2TX
SET 80
80
5.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4462G	61.07	74.00	-12.93	54.72	3	Horizontal	356	1.80	80	32.90	8.45	35.00			
PK	5.4687G	60.80	68.20	-7.40	54.38	3	Horizontal	356	1.80	80	32.94	8.47	34.99			
AV	5.46G	48.29	54.00	-5.71	41.90	3	Horizontal	356	1.80	80	32.92	8.46	34.99			
PK	5.5842G	120.78	Inf	-Inf	114.23	3	Horizontal	356	1.80	80	32.93	8.56	34.94			
AV	5.5731G	108.18	Inf	-Inf	101.62	3	Horizontal	356	1.80	80	32.95	8.55	34.94			
PK	5.7294G	60.03	68.20	-8.17	52.66	3	Horizontal	356	1.80	80	33.52	8.72	34.87			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX



EUT Y_2TX
SET 80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16476G	46.73	74.00	-27.27	40.94	3	Vertical	62	1.80	80	38.90	12.99	46.10			
AV	11.15752G	34.80	54.00	-19.20	29.02	3	Vertical	62	1.80	80	38.90	12.99	46.11			
PK	16.75954G	48.10	68.20	-20.10	37.94	3	Vertical	360	1.80	80	38.62	16.28	44.74			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5580MHz_TX

EUT_Y_2TX
SET 80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.17838G	48.03	74.00	-25.97	42.22	3	Horizontal	27	1.80	80	38.90	13.00	46.09			
AV	11.17443G	34.98	54.00	-19.02	29.17	3	Horizontal	27	1.80	80	38.90	13.00	46.09			
PK	16.72813G	47.14	68.20	-21.06	37.10	3	Horizontal	178	1.80	80	38.47	16.28	44.71			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
SET 56
80\40\65\53\59\56\57\56
-17.52\6.41\4.42\6.75\2.50\0.84\1.97\1.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7056G	114.84	Inf	-Inf	107.61	3	Vertical	0	1.80	56	33.42	8.69	34.88			
AV	5.6934G	102.15	Inf	-Inf	95.01	3	Vertical	0	1.80	56	33.35	8.68	34.89			
PK	5.7264G	66.90	68.20	-1.30	59.54	3	Vertical	0	1.80	56	33.51	8.72	34.87			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
SET 55
56\49\55
-1.71\6.02\0.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6962G	116.31	Inf	-Inf	109.15	3	Horizontal	356	1.80	55	33.37	8.68	34.89			
AV	5.6932G	102.65	Inf	-Inf	95.51	3	Horizontal	356	1.80	55	33.35	8.68	34.89			
PK	5.7264G	67.82	68.20	-0.38	60.46	3	Horizontal	356	1.80	55	33.51	8.72	34.87			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT Y_2TX
SET 55
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39493G	47.36	74.00	-26.64	40.98	3	Vertical	148	1.80	55	39.11	13.16	45.89			
AV	11.4163G	35.37	54.00	-18.63	28.98	3	Vertical	148	1.80	55	39.10	13.17	45.88			
PK	17.09081G	47.59	68.20	-20.61	37.15	3	Vertical	360	1.80	55	39.10	16.32	44.98			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT Y_2TX
SET 55
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41706G	47.30	74.00	-26.70	40.90	3	Horizontal	70	1.80	55	39.10	13.17	45.87			
AV	11.38382G	35.45	54.00	-18.55	29.07	3	Horizontal	70	1.80	55	39.13	13.15	45.90			
PK	17.08066G	47.38	68.20	-20.82	36.93	3	Horizontal	212	1.80	55	39.10	16.32	44.97			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
SET 80
80
6.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4374G	61.52	74.00	-12.48	55.17	3	Vertical	0	1.80	80	32.90	8.45	35.00			
AV	5.4356G	47.45	54.00	-6.55	41.10	3	Vertical	0	1.80	80	32.90	8.45	35.00			
PK	5.468G	59.82	68.20	-8.38	53.40	3	Vertical	0	1.80	80	32.94	8.47	34.99			
PK	5.7164G	119.54	Inf	-Inf	112.25	3	Vertical	0	1.80	80	33.47	8.70	34.88			
AV	5.7182G	107.40	Inf	-Inf	100.10	3	Vertical	0	1.80	80	33.47	8.71	34.88			
PK	5.882G	60.69	68.20	-7.51	52.57	3	Vertical	0	1.80	80	34.03	8.89	34.80			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



EUT V_2TX
SET 80
80
6.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4434G	61.33	74.00	-12.67	54.98	3	Horizontal	353	1.80	80	32.90	8.45	35.00			
AV	5.4482G	47.69	54.00	-6.31	41.33	3	Horizontal	353	1.80	80	32.90	8.46	35.00			
PK	5.4602G	61.15	68.20	-7.05	54.75	3	Horizontal	353	1.80	80	32.92	8.47	34.99			
PK	5.7146G	120.60	Inf	-Inf	113.32	3	Horizontal	353	1.80	80	33.46	8.70	34.88			
AV	5.726G	108.30	Inf	-Inf	100.96	3	Horizontal	353	1.80	80	33.50	8.71	34.87			
PK	5.8616G	60.67	68.20	-7.53	52.66	3	Horizontal	353	1.80	80	33.95	8.87	34.81			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 80
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.44847G	47.48	74.00	-26.52	41.03	3	Vertical	45	1.80	80	39.10	13.20	45.85				
AV	11.44488G	35.64	54.00	-18.36	29.20	3	Vertical	45	1.80	80	39.10	13.19	45.85				
PK	17.14749G	47.44	68.20	-20.76	36.76	3	Vertical	358	1.80	80	39.38	16.33	45.03				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
SET 80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.45431G	47.69	74.00	-26.31	41.23	3	Horizontal	109	1.80	80	39.10	13.20	45.84			
AV	11.43964G	35.63	54.00	-18.37	29.19	3	Horizontal	109	1.80	80	39.10	13.19	45.85			
PK	17.16811G	47.70	68.20	-20.50	36.90	3	Horizontal	360	1.80	80	39.51	16.33	45.04			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 77
80\75\77\78\77
-1.19\1.79\1.08\0.55\1.03

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.445G	63.98	74.00	-10.02	57.63	3	Vertical	4	1.80	77	32.90	8.45	35.00				
PK	5.4676G	67.17	68.20	-1.03	60.75	3	Vertical	4	1.80	77	32.94	8.47	34.99				
AV	5.459G	51.39	54.00	-2.61	45.00	3	Vertical	4	1.80	77	32.92	8.46	34.99				
PK	5.502G	118.00	Inf	-Inf	111.48	3	Vertical	4	1.80	77	33.00	8.50	34.98				
AV	5.5G	105.15	Inf	-Inf	98.63	3	Vertical	4	1.80	77	33.00	8.50	34.98				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 66
77\60\68\64\66\67\66
-4.18\3.32\ -1.01\2.06\1.50\ -1.80\0.61

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4596G	65.69	74.00	-8.31	59.30	3	Horizontal	355	1.80	66	32.92	8.46	34.99			
AV	5.4594G	51.68	54.00	-2.32	45.29	3	Horizontal	355	1.80	66	32.92	8.46	34.99			
PK	5.4688G	67.59	68.20	-0.61	61.17	3	Horizontal	355	1.80	66	32.94	8.47	34.99			
PK	5.496G	115.72	Inf	-Inf	109.22	3	Horizontal	355	1.80	66	32.99	8.49	34.98			
AV	5.5008G	102.27	Inf	-Inf	95.75	3	Horizontal	355	1.80	66	33.00	8.50	34.98			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX

EUT_Y_2TX
SET 66
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99586G	47.02	74.00	-26.98	41.18	3	Vertical	62	1.80	66	39.21	12.87	46.24			
AV	11.04422G	35.33	54.00	-18.67	29.43	3	Vertical	62	1.80	66	39.20	12.91	46.21			
PK	16.50155G	47.84	68.20	-20.36	37.73	3	Vertical	344	1.80	66	38.40	16.26	44.55			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 66
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.98755G	46.89	74.00	-27.11	41.03	3	Horizontal	95	1.80	66	39.22	12.87	46.23				
AV	11.05828G	35.34	54.00	-18.66	29.44	3	Horizontal	95	1.80	66	39.18	12.92	46.20				
PK	16.56636G	47.86	68.20	-20.34	37.60	3	Horizontal	156	1.80	66	38.60	16.26	44.60				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
SET 80
80
3.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	62.93	74.00	-11.07	56.54	3	Vertical	0	1.80	80	32.92	8.46	34.99			
AV	5.4574G	50.67	54.00	-3.33	44.30	3	Vertical	0	1.80	80	32.91	8.46	35.00			
PK	5.4686G	64.46	68.20	-3.74	58.04	3	Vertical	0	1.80	80	32.94	8.47	34.99			
PK	5.5468G	119.16	Inf	-Inf	112.59	3	Vertical	0	1.80	80	33.00	8.53	34.96			
AV	5.547G	106.02	Inf	-Inf	99.45	3	Vertical	0	1.80	80	33.00	8.53	34.96			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
SET 80
80
3.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	62.77	74.00	-11.23	56.38	3	Horizontal	356	1.80	80	32.92	8.46	34.99			
AV	5.458G	50.52	54.00	-3.48	44.14	3	Horizontal	356	1.80	80	32.92	8.46	35.00			
PK	5.4662G	64.41	68.20	-3.79	58.00	3	Horizontal	356	1.80	80	32.93	8.47	34.99			
PK	5.5514G	119.45	Inf	-Inf	112.88	3	Horizontal	356	1.80	80	33.00	8.53	34.96			
AV	5.5512G	105.67	Inf	-Inf	99.10	3	Horizontal	356	1.80	80	33.00	8.53	34.96			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
SET 80
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.10136G	46.48	74.00	-27.52	40.60	3	Vertical	259	1.80	80	39.09	12.95	46.16			
AV	11.1183G	35.15	54.00	-18.85	29.30	3	Vertical	259	1.80	80	39.03	12.96	46.14			
PK	16.64656G	48.00	68.20	-20.20	37.78	3	Vertical	86	1.80	80	38.61	16.27	44.66			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
SET80
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.09497G	46.97	74.00	-27.03	41.08	3	Horizontal	241	1.80	80	39.11	12.94	46.16				
AV	11.09009G	35.41	54.00	-18.59	29.52	3	Horizontal	241	1.80	80	39.12	12.94	46.17				
PK	16.61268G	47.17	68.20	-21.03	36.78	3	Horizontal	111	1.80	80	38.75	16.27	44.63				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 70
80\66\73\70
-3.44\2.15\1.03\0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6637G	116.39	Inf	-Inf	109.54	3	Vertical	1	1.80	70	33.11	8.64	34.90			
AV	5.6646G	103.49	Inf	-Inf	96.63	3	Vertical	1	1.80	70	33.12	8.64	34.90			
PK	5.7261G	67.86	68.20	-0.34	60.51	3	Vertical	1	1.80	70	33.50	8.72	34.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX



EUT_Y_2TX
SET 70
70
1.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6682G	116.88	Inf	-Inf	109.98	3	Horizontal	354	1.80	70	33.15	8.65	34.90			
AV	5.6655G	103.75	Inf	-Inf	96.88	3	Horizontal	354	1.80	70	33.12	8.65	34.90			
PK	5.7255G	67.13	68.20	-1.07	59.79	3	Horizontal	354	1.80	70	33.50	8.71	34.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX

EUT_Y_2TX
SET 70
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34424G	47.25	74.00	-26.75	40.88	3	Vertical	156	1.80	70	39.19	13.12	45.94			
AV	11.3651G	35.51	54.00	-18.49	29.12	3	Vertical	156	1.80	70	39.17	13.14	45.92			
PK	17.04485G	47.25	68.20	-20.95	36.78	3	Vertical	258	1.80	70	39.11	16.31	44.95			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
SET 70
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.31451G	46.65	74.00	-27.35	40.39	3	Horizontal	84	1.80	70	39.13	13.10	45.97			
AV	11.36334G	35.93	54.00	-18.07	29.55	3	Horizontal	84	1.80	70	39.17	13.13	45.92			
PK	17.02774G	47.79	68.20	-20.41	37.27	3	Horizontal	28	1.80	70	39.14	16.31	44.93			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 80
80
5.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4406G	60.65	74.00	-13.35	54.30	3	Vertical	0	1.80	80	32.90	8.45	35.00			
AV	5.452G	48.54	54.00	-5.46	42.18	3	Vertical	0	1.80	80	32.90	8.46	35.00			
PK	5.4646G	59.71	68.20	-8.49	53.30	3	Vertical	0	1.80	80	32.93	8.47	34.99			
PK	5.7166G	118.04	Inf	-Inf	110.75	3	Vertical	0	1.80	80	33.47	8.70	34.88			
AV	5.7058G	105.28	Inf	-Inf	98.05	3	Vertical	0	1.80	80	33.42	8.69	34.88			
PK	5.8732G	60.30	68.20	-7.90	52.23	3	Vertical	0	1.80	80	33.99	8.88	34.80			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



EUT_Y_2TX
SET 80
80
5.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4346G	61.19	74.00	-12.81	54.84	3	Horizontal	355	1.80	80	32.90	8.45	35.00			
PK	5.4628G	60.30	68.20	-7.90	53.89	3	Horizontal	355	1.80	80	32.93	8.47	34.99			
AV	5.4526G	48.61	54.00	-5.39	42.24	3	Horizontal	355	1.80	80	32.91	8.46	35.00			
PK	5.7178G	118.29	Inf	-Inf	110.99	3	Horizontal	355	1.80	80	33.47	8.71	34.88			
AV	5.716G	106.13	Inf	-Inf	98.85	3	Horizontal	355	1.80	80	33.46	8.70	34.88			
PK	5.8618G	60.52	68.20	-7.68	52.51	3	Horizontal	355	1.80	80	33.95	8.87	34.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 80
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.4451G	47.52	74.00	-26.48	41.08	3	Vertical	2	1.08	80	39.10	13.19	45.85				
AV	11.44845G	35.95	54.00	-18.05	29.50	3	Vertical	2	1.08	80	39.10	13.20	45.85				
PK	17.14726G	47.36	68.20	-20.84	36.68	3	Vertical	358	1.80	80	39.38	16.33	45.03				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
SET80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.45556G	47.17	74.00	-26.83	40.71	3	Horizontal	162	1.80	80	39.10	13.20	45.84			
AV	11.4184G	35.76	54.00	-18.24	29.36	3	Horizontal	162	1.80	80	39.10	13.17	45.87			
PK	17.14015G	47.41	68.20	-20.79	36.76	3	Horizontal	354	1.80	80	39.34	16.33	45.02			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 65
80\55\67\61\64\65
-6.15\3.96\0.37\2.02\1.09\0.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3425G	60.65	68.20	-7.55	54.42	3	Vertical	2	1.80	65	32.90	8.37	35.04			
AV	5.35G	48.84	54.00	-5.16	42.59	3	Vertical	2	1.80	65	32.90	8.38	35.03			
PK	5.454G	65.51	74.00	-8.49	59.14	3	Vertical	2	1.80	65	32.91	8.46	35.00			
AV	5.46G	53.81	54.00	-0.19	47.42	3	Vertical	2	1.80	65	32.92	8.46	34.99			
PK	5.47G	66.49	68.20	-1.71	60.07	3	Vertical	2	1.80	65	32.94	8.47	34.99			
PK	5.534G	112.63	Inf	-Inf	106.07	3	Vertical	2	1.80	65	33.00	8.52	34.96			
AV	5.5445G	99.57	Inf	-Inf	93.00	3	Vertical	2	1.80	65	33.00	8.53	34.96			
PK	5.7635G	60.38	68.20	-7.82	52.82	3	Vertical	2	1.80	65	33.65	8.76	34.85			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 65
65
0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.339G	60.74	68.20	-7.46	54.51	3	Horizontal	355	1.80	65	32.90	8.37	35.04
AV	5.35G	47.98	54.00	-6.02	41.73	3	Horizontal	355	1.80	65	32.90	8.38	35.03
PK	5.4595G	65.49	74.00	-8.51	59.10	3	Horizontal	355	1.80	65	32.92	8.46	34.99
AV	5.4575G	53.52	54.00	-0.48	47.15	3	Horizontal	355	1.80	65	32.91	8.46	35.00
PK	5.4695G	66.80	68.20	-1.40	60.38	3	Horizontal	355	1.80	65	32.94	8.47	34.99
PK	5.5375G	112.15	Inf	-Inf	105.59	3	Horizontal	355	1.80	65	33.00	8.52	34.96
AV	5.5465G	98.99	Inf	-Inf	92.42	3	Horizontal	355	1.80	65	33.00	8.53	34.96
PK	5.741G	60.33	68.20	-7.87	52.90	3	Horizontal	355	1.80	65	33.56	8.73	34.86

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 65
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10907G	47.11	74.00	-26.89	41.25	3	Vertical	-0	1.80	65	39.06	12.95	46.15			
AV	11.10571G	35.48	54.00	-18.52	29.60	3	Vertical	-0	1.80	65	39.08	12.95	46.15			
PK	16.51232G	47.23	68.20	-20.97	37.11	3	Vertical	128	1.80	65	38.42	16.26	44.56			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 65
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00358G	46.61	74.00	-27.39	40.78	3	Horizontal	127	1.80	65	39.20	12.88	46.25			
AV	11.05856G	35.82	54.00	-18.18	29.92	3	Horizontal	127	1.80	65	39.18	12.92	46.20			
PK	16.52079G	47.92	68.20	-20.28	37.78	3	Horizontal	256	1.80	65	38.44	16.26	44.56			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 80
80
3.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4365G	62.94	74.00	-11.06	56.59	3	Vertical	0	1.35	80	32.90	8.45	35.00
PK	5.4635G	62.56	68.20	-5.64	56.15	3	Vertical	0	1.35	80	32.93	8.47	34.99
AV	5.4565G	50.48	54.00	-3.52	44.11	3	Vertical	0	1.35	80	32.91	8.46	35.00
PK	5.5995G	114.58	Inf	-Inf	108.04	3	Vertical	0	1.35	80	32.90	8.57	34.93
AV	5.6015G	101.19	Inf	-Inf	94.65	3	Vertical	0	1.35	80	32.90	8.57	34.93
PK	5.7265G	62.73	68.20	-5.47	55.37	3	Vertical	0	1.35	80	33.51	8.72	34.87

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 80
80
1.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4475G	63.31	74.00	-10.69	56.95	3	Horizontal	353	1.80	80	32.90	8.46	35.00			
PK	5.465G	63.76	68.20	-4.44	57.35	3	Horizontal	353	1.80	80	32.93	8.47	34.99			
AV	5.4575G	51.49	54.00	-2.51	45.12	3	Horizontal	353	1.80	80	32.91	8.46	35.00			
PK	5.596G	116.47	Inf	-Inf	109.92	3	Horizontal	353	1.80	80	32.91	8.57	34.93			
AV	5.5955G	102.77	Inf	-Inf	96.22	3	Horizontal	353	1.80	80	32.91	8.57	34.93			
PK	5.731G	66.98	68.20	-1.22	59.61	3	Horizontal	353	1.80	80	33.52	8.72	34.87			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.17157G	47.34	74.00	-26.66	41.54	3	Vertical	231	1.80	80	38.90	13.00	46.10			
AV	11.1647G	35.37	54.00	-18.63	29.58	3	Vertical	231	1.80	80	38.90	12.99	46.10			
PK	16.80666G	47.54	68.20	-20.66	37.31	3	Vertical	48	1.80	80	38.71	16.29	44.77			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Y_2TX
SET80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23982G	47.36	74.00	-26.64	41.36	3	Horizontal	298	1.80	80	38.98	13.05	46.03			
AV	11.16294G	35.94	54.00	-18.06	30.15	3	Horizontal	298	1.80	80	38.90	12.99	46.10			
PK	16.85126G	48.28	68.20	-19.92	37.98	3	Horizontal	357	1.80	80	38.81	16.29	44.80			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 80
80
4.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4398G	61.55	74.00	-12.45	55.20	3	Vertical	4	1.80	80	32.90	8.45	35.00			
PK	5.462G	61.00	68.20	-7.20	54.60	3	Vertical	4	1.80	80	32.92	8.47	34.99			
AV	5.4572G	49.51	54.00	-4.49	43.14	3	Vertical	4	1.80	80	32.91	8.46	35.00			
PK	5.6624G	114.84	Inf	-Inf	108.00	3	Vertical	4	1.80	80	33.10	8.64	34.90			
AV	5.681G	102.36	Inf	-Inf	95.34	3	Vertical	4	1.80	80	33.25	8.66	34.89			
PK	5.8622G	61.39	68.20	-6.81	53.38	3	Vertical	4	1.80	80	33.95	8.87	34.81			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Y_2TX
SET 80
80
4.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4416G	61.57	74.00	-12.43	55.22	3	Horizontal	354	1.80	80	32.90	8.45	35.00			
PK	5.4674G	61.35	68.20	-6.85	54.94	3	Horizontal	354	1.80	80	32.93	8.47	34.99			
AV	5.4566G	49.41	54.00	-4.59	43.04	3	Horizontal	354	1.80	80	32.91	8.46	35.00			
PK	5.6786G	116.40	Inf	-Inf	109.40	3	Horizontal	354	1.80	80	33.23	8.66	34.89			
AV	5.6804G	103.03	Inf	-Inf	96.02	3	Horizontal	354	1.80	80	33.24	8.66	34.89			
PK	5.864G	61.32	68.20	-6.88	53.30	3	Horizontal	354	1.80	80	33.96	8.87	34.81			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET80
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.4425G	46.80	74.00	-27.20	40.36	3	Vertical	4	1.80	80	39.10	13.19	45.85				
AV	11.44889G	36.48	54.00	-17.52	30.03	3	Vertical	4	1.80	80	39.10	13.20	45.85				
PK	17.0107G	47.24	68.20	-20.96	36.67	3	Vertical	79	1.80	80	39.18	16.31	44.92				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
SET80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41357G	47.29	74.00	-26.71	40.90	3	Horizontal	147	1.80	80	39.10	13.17	45.88			
AV	11.35411G	36.30	54.00	-17.70	29.91	3	Horizontal	147	1.80	80	39.19	13.13	45.93			
PK	17.07943G	47.25	68.20	-20.95	36.80	3	Horizontal	350	1.80	80	39.10	16.32	44.97			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 67
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3388G	56.85	68.20	-11.35	60.80	3	Vertical	11	1.80	-	31.36	8.47	43.78			
PK	5.4436G	64.16	74.00	-9.84	67.78	3	Vertical	11	1.80	-	31.57	8.54	43.73			
AV	5.4444G	49.35	54.00	-4.65	52.96	3	Vertical	11	1.80	-	31.58	8.54	43.73			
PK	5.4628G	64.58	68.20	-3.62	68.09	3	Vertical	11	1.80	-	31.65	8.56	43.72			
AV	5.546G	95.73	Inf	-Inf	99.03	3	Vertical	11	1.80	-	31.71	8.64	43.65			
PK	5.6372G	106.62	Inf	-Inf	109.69	3	Vertical	11	1.80	-	31.75	8.74	43.56			
PK	5.7292G	64.00	68.20	-4.20	66.57	3	Vertical	11	1.80	-	32.06	8.84	43.47			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_Y_2TX
Setting 67
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3276G	58.51	68.20	-9.69	62.53	3	Horizontal	2	1.80	-	31.31	8.46	43.79			
PK	5.4564G	67.51	74.00	-6.49	71.05	3	Horizontal	2	1.80	-	31.63	8.55	43.72			
AV	5.4572G	51.19	54.00	-2.81	54.73	3	Horizontal	2	1.80	-	31.63	8.55	43.72			
PK	5.4692G	67.99	68.20	-0.21	71.47	3	Horizontal	2	1.80	-	31.68	8.56	43.72			
PK	5.6468G	108.01	Inf	-Inf	111.02	3	Horizontal	2	1.80	-	31.79	8.75	43.55			
AV	5.5996G	96.77	Inf	-Inf	100.07	3	Horizontal	2	1.80	-	31.60	8.70	43.60			
PK	5.726G	65.16	68.20	-3.04	67.75	3	Horizontal	2	1.80	-	32.05	8.83	43.47			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
SET 67
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.11155G	46.80	74.00	-27.20	40.95	3	Vertical	-0	1.80	67	39.05	12.95	46.15				
AV	11.26468G	36.72	54.00	-17.28	30.64	3	Vertical	-0	1.80	67	39.03	13.06	46.01				
PK	16.57062G	47.36	68.20	-20.84	37.08	3	Vertical	329	1.80	67	38.62	16.26	44.60				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX

EUT_Y_2TX
SET 67
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.1611G	46.63	74.00	-27.37	40.85	3	Horizontal	54	1.80	67	38.90	12.99	46.11				
AV	11.16525G	36.43	54.00	-17.57	30.64	3	Horizontal	54	1.80	67	38.90	12.99	46.10				
PK	16.74964G	47.58	68.20	-20.62	37.43	3	Horizontal	36	1.80	67	38.60	16.28	44.73				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT Y_2TX
SET 80
80
6.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
AV	5.4558G	47.49	54.00	-6.51	41.12	3	Vertical	0	1.80	80	32.91	8.46	35.00				
PK	5.6262G	61.74	68.20	-6.46	55.11	3	Vertical	0	1.80	80	32.95	8.60	34.92				
PK	5.7468G	118.48	Inf	-Inf	111.01	3	Vertical	0	1.80	80	33.59	8.74	34.86				
AV	5.751G	108.23	Inf	-Inf	100.75	3	Vertical	0	1.80	80	33.60	8.74	34.86				
PK	5.9484G	60.32	68.20	-7.88	51.91	3	Vertical	0	1.80	80	34.20	8.97	34.76				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX



EUT_V_2TX
SET 80
80
5.55

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.4594G	47.58	54.00	-6.42	41.19	3	Horizontal	356	1.80	80	32.92	8.46	34.99				
PK	5.6364G	62.65	68.20	-5.55	55.98	3	Horizontal	356	1.80	80	32.97	8.61	34.91				
PK	5.7492G	120.59	Inf	-Inf	113.11	3	Horizontal	356	1.80	80	33.60	8.74	34.86				
AV	5.7462G	109.26	Inf	-Inf	101.80	3	Horizontal	356	1.80	80	33.58	8.74	34.86				
PK	5.9742G	60.31	68.20	-7.89	51.86	3	Horizontal	356	1.80	80	34.20	9.00	34.75				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX

EUT Y_2TX
SET 80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4874G	47.25	74.00	-26.75	40.74	3	Vertical	96	1.80	80	39.10	13.22	45.81			
AV	11.47042G	34.79	54.00	-19.21	28.31	3	Vertical	96	1.80	80	39.10	13.21	45.83			
PK	17.21654G	47.97	68.20	-20.23	37.02	3	Vertical	360	1.80	80	39.70	16.33	45.08			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT Y_2TX
SET 80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48588G	47.23	74.00	-26.77	40.72	3	Horizontal	70	1.80	80	39.10	13.22	45.81			
AV	11.47278G	34.88	54.00	-19.12	28.39	3	Horizontal	70	1.80	80	39.10	13.21	45.82			
PK	17.2308G	48.01	68.20	-20.19	37.06	3	Horizontal	264	1.80	80	39.70	16.34	45.09			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
SET 80
80
6.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.54897G	62.00	68.20	-6.20	55.43	3	Vertical	0	1.80	80	33.00	8.53	34.96			
PK	5.79097G	118.12	Inf	-Inf	110.41	3	Vertical	0	1.80	80	33.76	8.79	34.84			
AV	5.78129G	107.89	Inf	-Inf	100.22	3	Vertical	0	1.80	80	33.73	8.78	34.84			
PK	5.92468G	60.82	68.44	-7.62	52.51	3	Vertical	0	1.80	80	34.15	8.94	34.78			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX



EUT_Y_2TX
SET 80
80
6.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.62278G	61.46	68.20	-6.74	54.83	3	Horizontal	355	1.80	80	32.95	8.60	34.92				
PK	5.78129G	120.13	Inf	-Inf	112.46	3	Horizontal	355	1.80	80	33.73	8.78	34.84				
AV	5.78129G	108.96	Inf	-Inf	101.29	3	Horizontal	355	1.80	80	33.73	8.78	34.84				
PK	6.06988G	60.74	68.20	-7.46	52.21	3	Horizontal	355	1.80	80	34.16	9.06	34.69				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX

EUT_Y_2TX
SET80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56844G	47.02	74.00	-26.98	40.46	3	Vertical	62	1.80	80	39.10	13.28	45.82			
AV	11.5519G	34.61	54.00	-19.39	28.06	3	Vertical	62	1.80	80	39.10	13.27	45.82			
PK	17.33854G	47.94	68.20	-20.26	36.99	3	Vertical	273	1.80	80	39.78	16.35	45.18			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
SET 80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55845G	46.97	74.00	-27.03	40.42	3	Horizontal	15	1.80	80	39.10	13.27	45.82			
AV	11.55609G	34.84	54.00	-19.16	28.29	3	Horizontal	15	1.80	80	39.10	13.27	45.82			
PK	17.36371G	48.17	68.20	-20.03	37.19	3	Horizontal	360	1.80	80	39.83	16.35	45.20			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
SET 80
80
16.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.603G	51.48	68.20	-16.72	54.77	3	Vertical	358	1.80	80	31.61	8.70	43.60			
PK	5.8226G	107.33	Inf	-Inf	109.67	3	Vertical	358	1.80	80	32.10	8.94	43.38			
AV	5.831G	96.26	Inf	-Inf	98.58	3	Vertical	358	1.80	80	32.10	8.95	43.37			
PK	6.0716G	50.32	68.20	-17.88	51.87	3	Vertical	358	1.80	80	32.44	9.19	43.18			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
SET 80
80
16.50

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5706G	51.70	68.20	-16.50	55.00	3	Horizontal	349	1.80	80	31.66	8.67	43.63				
PK	5.8286G	109.02	Inf	-Inf	111.35	3	Horizontal	349	1.80	80	32.10	8.94	43.37				
AV	5.8268G	97.62	Inf	-Inf	99.95	3	Horizontal	349	1.80	80	32.10	8.94	43.37				
PK	6.1118G	50.96	68.20	-17.24	52.39	3	Horizontal	349	1.80	80	32.52	9.21	43.16				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 80
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.645G	58.89	74.00	-15.11	48.98	3	Vertical	158	2.36	-	39.52	13.34	42.95			
AV	11.65816G	46.40	54.00	-7.60	36.53	3	Vertical	158	2.36	-	39.48	13.35	42.96			
PK	17.48332G	62.66	68.20	-5.54	47.18	3	Vertical	319	1.79	-	42.27	16.36	43.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 80
04-W-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65618G	58.45	74.00	-15.55	48.58	3	Horizontal	81	2.38	-	39.49	13.34	42.96			
AV	11.65688G	46.27	54.00	-7.73	36.40	3	Horizontal	81	2.38	-	39.49	13.34	42.96			
PK	17.46558G	62.71	68.20	-5.49	47.36	3	Horizontal	321	1.56	-	42.12	16.36	43.13			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 80
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	59.78	68.20	-8.42	62.78	3	Vertical	10	1.80	-	31.80	8.75	43.55			
PK	5.736G	118.12	Inf	-Inf	120.67	3	Vertical	10	1.80	-	32.07	8.84	43.46			
AV	5.7515G	107.59	Inf	-Inf	110.08	3	Vertical	10	1.80	-	32.10	8.86	43.45			
PK	5.995G	57.43	68.20	-10.77	59.12	3	Vertical	10	1.80	-	32.39	9.13	43.21			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX



EUT_Y_2TX
Setting 80
04-W-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.646G	59.09	68.20	-9.11	62.11	3	Horizontal	357	1.80	-	31.78	8.75	43.55			
PK	5.74G	118.21	Inf	-Inf	120.74	3	Horizontal	357	1.80	-	32.08	8.85	43.46			
AV	5.7475G	107.28	Inf	-Inf	109.79	3	Horizontal	357	1.80	-	32.09	8.85	43.45			
PK	5.9875G	57.70	68.20	-10.50	59.41	3	Horizontal	357	1.80	-	32.37	9.13	43.21			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX



EUT_Y_2TX
SET80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.47078G	47.17	74.00	-26.83	40.69	3	Vertical	81	1.80	80	39.10	13.21	45.83				
AV	11.47314G	35.27	54.00	-18.73	28.78	3	Vertical	81	1.80	80	39.10	13.21	45.82				
PK	17.23952G	48.83	68.20	-19.37	37.89	3	Vertical	360	1.80	80	39.70	16.34	45.10				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5745MHz_TX

EUT_Y_2TX
SET80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49719G	47.99	74.00	-26.01	41.46	3	Horizontal	18	1.80	80	39.10	13.23	45.80			
AV	11.47773G	35.17	54.00	-18.83	28.67	3	Horizontal	18	1.80	80	39.10	13.22	45.82			
PK	17.25086G	48.01	68.20	-20.19	37.08	3	Horizontal	113	1.80	80	39.70	16.34	45.11			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
SET 80
80
6.89

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.58164G	61.31	68.20	-6.89	54.75	3	Vertical	2	1.80	80	32.94	8.56	34.94				
PK	5.7819G	120.43	Inf	-Inf	112.76	3	Vertical	2	1.80	80	33.73	8.78	34.84				
AV	5.77766G	107.71	Inf	-Inf	100.08	3	Vertical	2	1.80	80	33.71	8.77	34.85				
PK	5.98094G	60.18	68.20	-8.02	51.72	3	Vertical	2	1.80	80	34.20	9.01	34.75				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
SET 80
80
6.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.53324G	61.86	68.20	-6.34	55.30	3	Horizontal	354	1.80	80	33.00	8.52	34.96			
PK	5.77827G	121.02	Inf	-Inf	113.38	3	Horizontal	354	1.80	80	33.71	8.78	34.85			
AV	5.77827G	108.62	Inf	-Inf	100.98	3	Horizontal	354	1.80	80	33.71	8.78	34.85			
PK	5.98155G	60.98	68.20	-7.22	52.52	3	Horizontal	354	1.80	80	34.20	9.01	34.75			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
SET 80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55817G	46.50	74.00	-27.50	39.95	3	Vertical	164	1.80	80	39.10	13.27	45.82			
AV	11.5501G	34.93	54.00	-19.07	28.38	3	Vertical	164	1.80	80	39.10	13.27	45.82			
PK	17.34405G	48.02	68.20	-20.18	37.07	3	Vertical	283	1.80	80	39.79	16.35	45.19			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
SET80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55613G	46.93	74.00	-27.07	40.38	3	Horizontal	152	1.80	80	39.10	13.27	45.82			
AV	11.55394G	35.09	54.00	-18.91	28.54	3	Horizontal	152	1.80	80	39.10	13.27	45.82			
PK	17.34453G	48.47	68.20	-19.73	37.52	3	Horizontal	306	1.80	80	39.79	16.35	45.19			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 80
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6025G	60.60	68.20	-7.60	63.89	3	Vertical	8	1.80	-	31.61	8.70	43.60			
PK	5.8205G	117.97	Inf	-Inf	120.32	3	Vertical	8	1.80	-	32.10	8.93	43.38			
AV	5.8285G	107.19	Inf	-Inf	109.52	3	Vertical	8	1.80	-	32.10	8.94	43.37			
PK	6.014G	57.28	68.20	-10.92	58.93	3	Vertical	8	1.80	-	32.40	9.15	43.20			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 80
04-W-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.5765G	58.48	68.20	-9.72	61.77	3	Horizontal	14	1.80	-	31.65	8.68	43.62			
PK	5.8285G	119.09	Inf	-Inf	121.42	3	Horizontal	14	1.80	-	32.10	8.94	43.37			
AV	5.8285G	107.37	Inf	-Inf	109.70	3	Horizontal	14	1.80	-	32.10	8.94	43.37			
PK	5.9995G	57.55	68.20	-10.65	59.21	3	Horizontal	14	1.80	-	32.40	9.14	43.20			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
SET 80
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.63629G	46.81	74.00	-27.19	40.30	3	Vertical	221	1.80	80	39.03	13.33	45.85				
AV	11.64325G	34.84	54.00	-19.16	28.35	3	Vertical	221	1.80	80	39.01	13.33	45.85				
PK	17.49062G	48.47	68.20	-19.73	37.15	3	Vertical	98	1.80	80	40.26	16.36	45.30				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
SET 80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64361G	47.46	74.00	-26.54	40.96	3	Horizontal	337	1.80	80	39.01	13.34	45.85			
AV	11.64541G	35.31	54.00	-18.69	28.81	3	Horizontal	337	1.80	80	39.01	13.34	45.85			
PK	17.46997G	48.82	68.20	-19.38	37.57	3	Horizontal	10	1.80	80	40.18	16.36	45.29			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
SET 80
80
5.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
AV	5.455G	47.92	54.00	-6.08	41.55	3	Vertical	2	1.80	80	32.91	8.46	35.00				
PK	5.6464G	62.50	68.20	-5.70	55.80	3	Vertical	2	1.80	80	32.99	8.62	34.91				
PK	5.7568G	117.81	Inf	-Inf	110.29	3	Vertical	2	1.80	80	33.63	8.75	34.86				
AV	5.7526G	104.78	Inf	-Inf	97.28	3	Vertical	2	1.80	80	33.61	8.75	34.86				
PK	5.9986G	60.50	68.20	-7.70	52.01	3	Vertical	2	1.80	80	34.20	9.03	34.74				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX



EUT_Y_2TX
SET 80
80
5.54

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.4568G	48.16	54.00	-5.84	41.79	3	Horizontal	352	1.80	80	32.91	8.46	35.00				
PK	5.641G	62.66	68.20	-5.54	55.97	3	Horizontal	352	1.80	80	32.98	8.62	34.91				
PK	5.7412G	118.99	Inf	-Inf	111.56	3	Horizontal	352	1.80	80	33.56	8.73	34.86				
AV	5.7508G	105.84	Inf	-Inf	98.36	3	Horizontal	352	1.80	80	33.60	8.74	34.86				
PK	5.9704G	60.19	68.20	-8.01	51.74	3	Horizontal	352	1.80	80	34.20	9.00	34.75				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX

EUT_Y_2TX
SET80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50321G	47.24	74.00	-26.76	40.71	3	Vertical	236	1.80	80	39.10	13.23	45.80			
AV	11.47268G	35.43	54.00	-18.57	28.94	3	Vertical	236	1.80	80	39.10	13.21	45.82			
PK	17.25973G	47.92	68.20	-20.28	37.00	3	Vertical	98	1.80	80	39.70	16.34	45.12			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
SET 80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49721G	47.40	74.00	-26.60	40.87	3	Horizontal	360	1.80	80	39.10	13.23	45.80			
AV	11.50081G	35.45	54.00	-18.55	28.92	3	Horizontal	360	1.80	80	39.10	13.23	45.80			
PK	17.25725G	48.26	68.20	-19.94	37.34	3	Horizontal	148	1.80	80	39.70	16.34	45.12			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
SET 80
80
6.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4543G	61.07	74.00	-12.93	54.70	3	Vertical	2	1.80	80	32.91	8.46	35.00
AV	5.4339G	47.97	54.00	-6.03	41.62	3	Vertical	2	1.80	80	32.90	8.45	35.00
PK	5.4693G	60.94	68.20	-7.26	54.52	3	Vertical	2	1.80	80	32.94	8.47	34.99
PK	5.574G	120.93	Inf	-Inf	114.37	3	Vertical	2	1.80	80	32.95	8.55	34.94
AV	5.5722G	108.16	Inf	-Inf	101.60	3	Vertical	2	1.80	80	32.96	8.55	34.95
PK	5.7288G	59.95	68.20	-8.25	52.58	3	Vertical	2	1.80	80	33.52	8.72	34.87

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
SET 80
80
5.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4462G	61.07	74.00	-12.93	54.72	3	Horizontal	356	1.80	80	32.90	8.45	35.00
PK	5.4687G	60.80	68.20	-7.40	54.38	3	Horizontal	356	1.80	80	32.94	8.47	34.99
AV	5.46G	48.29	54.00	-5.71	41.90	3	Horizontal	356	1.80	80	32.92	8.46	34.99
PK	5.5842G	120.78	Inf	-Inf	114.23	3	Horizontal	356	1.80	80	32.93	8.56	34.94
AV	5.5731G	108.18	Inf	-Inf	101.62	3	Horizontal	356	1.80	80	32.95	8.55	34.94
PK	5.7294G	60.03	68.20	-8.17	52.66	3	Horizontal	356	1.80	80	33.52	8.72	34.87

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX



EUT_Y_2TX
SET80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.57617G	46.84	74.00	-27.16	40.28	3	Vertical	360	1.80	80	39.10	13.29	45.83				
AV	11.55635G	35.46	54.00	-18.54	28.91	3	Vertical	360	1.80	80	39.10	13.27	45.82				
PK	17.35479G	48.20	68.20	-20.00	37.23	3	Vertical	90	1.80	80	39.81	16.35	45.19				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
SET 80
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6274G	46.88	74.00	-27.12	40.35	3	Horizontal	353	1.80	80	39.05	13.32	45.84			
AV	11.55979G	35.59	54.00	-18.41	29.03	3	Horizontal	353	1.80	80	39.10	13.28	45.82			
PK	17.40058G	48.33	68.20	-19.87	37.31	3	Horizontal	350	1.80	80	39.90	16.35	45.23			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
SET 80
80
2.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2826G	118.88	Inf	-Inf	112.69	3	Vertical	5	1.80	80	32.93	8.32	35.06				
AV	5.265G	106.58	Inf	-Inf	100.36	3	Vertical	5	1.80	80	32.97	8.31	35.06				
PK	5.3568G	64.19	74.00	-9.81	57.94	3	Vertical	5	1.80	80	32.90	8.38	35.03				
AV	5.3534G	51.71	54.00	-2.29	45.46	3	Vertical	5	1.80	80	32.90	8.38	35.03				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX

EUT_Y_2TX
SET 80
80
2.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2624G	117.76	Inf	-Inf	111.55	3	Horizontal	3	1.80	80	32.98	8.30	35.07			
AV	5.2666G	105.27	Inf	-Inf	99.05	3	Horizontal	3	1.80	80	32.97	8.31	35.06			
PK	5.3518G	63.50	74.00	-10.50	57.25	3	Horizontal	3	1.80	80	32.90	8.38	35.03			
AV	5.3546G	51.25	54.00	-2.75	45.00	3	Horizontal	3	1.80	80	32.90	8.38	35.03			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
SET80
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53944G	57.30	68.20	-10.90	40.50	3	Vertical	330	1.36	80	38.88	11.82	33.90			
PK	15.77156G	59.81	74.00	-14.19	39.61	3	Vertical	267	1.80	80	38.01	14.54	32.35			
AV	15.83637G	48.22	54.00	-5.78	28.10	3	Vertical	267	1.80	80	37.83	14.57	32.28			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX

EUT_Y_2TX
SET80
05-E-R-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53033G	57.61	68.20	-10.59	40.85	3	Horizontal	8	1.80	80	38.86	11.81	33.91			
PK	15.83901G	59.40	74.00	-14.60	39.29	3	Horizontal	208.7	1.80	80	37.82	14.57	32.28			
AV	15.83542G	48.35	54.00	-5.65	28.23	3	Horizontal	208.7	1.80	80	37.83	14.57	32.28			

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.1415G	73.91	74.00	-0.09	3	Vertical	216	2.82	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	Pass	AV	5.3652G	53.69	54.00	-0.31	3	Vertical	248	2.97	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	Pass	AV	5.355G	53.37	54.00	-0.63	3	Vertical	331	2.95	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.736G	68.03	68.20	-0.17	3	Vertical	256	2.93	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX	Pass	AV	5.4532G	53.60	54.00	-0.40	3	Vertical	252	2.97	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	Pass	PK	5.6405G	68.15	68.20	-0.05	3	Vertical	255	2.94	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Z_2TX
Setting 67
04-R-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1415G	73.91	74.00	-0.09	77.32	3	Vertical	216	2.82	-	32.05	8.39	43.85			
AV	5.141G	52.14	54.00	-1.86	55.55	3	Vertical	216	2.82	-	32.05	8.39	43.85			
PK	5.2035G	108.79	Inf	-Inf	112.42	3	Vertical	216	2.82	-	31.78	8.42	43.83			
AV	5.236G	98.53	Inf	-Inf	102.34	3	Vertical	216	2.82	-	31.58	8.43	43.82			
PK	5.3815G	60.83	74.00	-13.17	64.73	3	Vertical	216	2.82	-	31.40	8.48	43.78			
AV	5.363G	46.78	54.00	-7.22	50.68	3	Vertical	216	2.82	-	31.40	8.48	43.78			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Z_2TX
Setting 67
04-R-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1475G	65.04	74.00	-8.96	68.41	3	Horizontal	224	1.09	-	32.09	8.39	43.85			
AV	5.138G	47.30	54.00	-6.70	50.74	3	Horizontal	224	1.09	-	32.03	8.39	43.86			
PK	5.2315G	99.25	Inf	-Inf	103.04	3	Horizontal	224	1.09	-	31.61	8.43	43.83			
AV	5.239G	88.76	Inf	-Inf	92.58	3	Horizontal	224	1.09	-	31.57	8.43	43.82			
PK	5.431G	55.91	74.00	-18.09	59.56	3	Horizontal	224	1.09	-	31.59	8.52	43.76			
AV	5.4495G	44.88	54.00	-9.12	48.40	3	Horizontal	224	1.09	-	31.70	8.54	43.76			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




EUT_Z_2TX
Setting 67
04-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.136G	57.19	74.00	-16.81	60.65	3	Vertical	331	2.95	-	32.02	8.38	43.86
AV	5.147G	46.02	54.00	-7.98	49.40	3	Vertical	331	2.95	-	32.08	8.39	43.85
PK	5.295G	110.11	Inf	-Inf	114.15	3	Vertical	331	2.95	-	31.32	8.45	43.81
AV	5.2775G	99.30	Inf	-Inf	103.27	3	Vertical	331	2.95	-	31.39	8.45	43.81
PK	5.3645G	73.05	74.00	-0.95	76.95	3	Vertical	331	2.95	-	31.40	8.48	43.78
AV	5.355G	53.37	54.00	-0.63	57.29	3	Vertical	331	2.95	-	31.40	8.47	43.79
PK	5.485G	57.96	68.20	-10.24	61.35	3	Vertical	331	2.95	-	31.77	8.58	43.74

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




EUT_Z_2TX
Setting 67
04-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	56.33	74.00	-17.67	59.74	3	Horizontal	224	1.00	-	32.05	8.39	43.85			
AV	5.1345G	45.04	54.00	-8.96	48.51	3	Horizontal	224	1.00	-	32.01	8.38	43.86			
PK	5.299G	99.40	Inf	-Inf	103.45	3	Horizontal	224	1.00	-	31.30	8.45	43.80			
AV	5.2815G	89.03	Inf	-Inf	93.02	3	Horizontal	224	1.00	-	31.37	8.45	43.81			
PK	5.3675G	62.24	74.00	-11.76	66.14	3	Horizontal	224	1.00	-	31.40	8.48	43.78			
AV	5.3525G	46.47	54.00	-7.53	50.39	3	Horizontal	224	1.00	-	31.40	8.47	43.79			
PK	5.509G	56.09	68.20	-12.11	59.44	3	Horizontal	224	1.00	-	31.78	8.60	43.73			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Z_2TX
Setting 60
04-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.329G	55.64	68.20	-12.56	59.60	3	Vertical	253	2.86	-	31.36	8.47	43.79			
AV	5.35G	45.09	54.00	-8.91	49.01	3	Vertical	253	2.86	-	31.40	8.47	43.79			
PK	5.456G	66.68	74.00	-7.32	70.17	3	Vertical	253	2.86	-	31.71	8.55	43.75			
AV	5.4585G	51.49	54.00	-2.51	54.97	3	Vertical	253	2.86	-	31.72	8.55	43.75			
PK	5.4615G	65.88	68.20	-2.32	69.36	3	Vertical	253	2.86	-	31.72	8.55	43.75			
PK	5.516G	108.53	Inf	-Inf	111.88	3	Vertical	253	2.86	-	31.77	8.61	43.73			
AV	5.5185G	98.41	Inf	-Inf	101.77	3	Vertical	253	2.86	-	31.76	8.61	43.73			
PK	5.7295G	57.36	68.20	-10.84	60.08	3	Vertical	253	2.86	-	32.00	8.84	43.56			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX


EUT_Z_2TX
Setting 60
04-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.32G	55.43	68.20	-12.77	59.43	3	Horizontal	360	3.00	-	31.34	8.46	43.80
AV	5.35G	43.80	54.00	-10.20	47.72	3	Horizontal	360	3.00	-	31.40	8.47	43.79
PK	5.4535G	57.24	74.00	-16.76	60.73	3	Horizontal	360	3.00	-	31.71	8.55	43.75
PK	5.462G	57.29	68.20	-10.91	60.76	3	Horizontal	360	3.00	-	31.72	8.56	43.75
AV	5.4595G	45.96	54.00	-8.04	49.44	3	Horizontal	360	3.00	-	31.72	8.55	43.75
PK	5.5215G	99.96	Inf	-Inf	103.30	3	Horizontal	360	3.00	-	31.76	8.62	43.72
AV	5.5265G	88.83	Inf	-Inf	92.18	3	Horizontal	360	3.00	-	31.75	8.62	43.72
PK	5.7605G	57.46	68.20	-10.74	60.10	3	Horizontal	360	3.00	-	32.02	8.87	43.53

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_Z_2TX
Setting 72
04-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	66.10	74.00	-7.90	69.59	3	Vertical	256	2.93	-	31.71	8.55	43.75
AV	5.456G	48.84	54.00	-5.16	52.33	3	Vertical	256	2.93	-	31.71	8.55	43.75
PK	5.4625G	63.77	68.20	-4.43	67.23	3	Vertical	256	2.93	-	31.73	8.56	43.75
PK	5.578G	111.74	Inf	-Inf	115.10	3	Vertical	256	2.93	-	31.64	8.68	43.68
AV	5.598G	100.42	Inf	-Inf	103.78	3	Vertical	256	2.93	-	31.60	8.70	43.66
PK	5.736G	68.03	68.20	-0.17	70.74	3	Vertical	256	2.93	-	32.00	8.84	43.55

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_Z_2TX
Setting 72
04-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.442G	59.94	74.00	-14.06	63.52	3	Horizontal	35	3.00	-	31.65	8.53	43.76
AV	5.4465G	45.66	54.00	-8.34	49.20	3	Horizontal	35	3.00	-	31.68	8.54	43.76
PK	5.4615G	59.54	68.20	-8.66	63.02	3	Horizontal	35	3.00	-	31.72	8.55	43.75
PK	5.5985G	104.97	Inf	-Inf	108.33	3	Horizontal	35	3.00	-	31.60	8.70	43.66
AV	5.601G	93.86	Inf	-Inf	97.22	3	Horizontal	35	3.00	-	31.60	8.70	43.66
PK	5.7305G	61.76	68.20	-6.44	64.48	3	Horizontal	35	3.00	-	32.00	8.84	43.56

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 83
04-R-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.4455G	61.25	74.00	-12.75	64.80	3	Vertical	256	2.96	-	31.67	8.54	43.76
AV	5.453G	47.81	54.00	-6.19	51.31	3	Vertical	256	2.96	-	31.71	8.55	43.76
PK	5.468G	59.96	68.20	-8.24	63.41	3	Vertical	256	2.96	-	31.74	8.56	43.75
PK	5.6955G	114.10	Inf	-Inf	116.90	3	Vertical	256	2.96	-	31.98	8.80	43.58
AV	5.7005G	102.56	Inf	-Inf	105.33	3	Vertical	256	2.96	-	32.00	8.81	43.58
PK	5.8505G	67.84	68.20	-0.36	70.13	3	Vertical	256	2.96	-	32.20	8.97	43.46

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 83
04-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4515G	56.62	74.00	-17.38	60.14	3	Horizontal	71	3.00	-	31.70	8.54	43.76			
AV	5.455G	45.24	54.00	-8.76	48.73	3	Horizontal	71	3.00	-	31.71	8.55	43.75			
PK	5.4695G	56.02	68.20	-12.18	59.47	3	Horizontal	71	3.00	-	31.74	8.56	43.75			
PK	5.657G	107.25	Inf	-Inf	110.27	3	Horizontal	71	3.00	-	31.83	8.76	43.61			
AV	5.7045G	96.57	Inf	-Inf	99.34	3	Horizontal	71	3.00	-	32.00	8.81	43.58			
PK	5.85G	62.65	68.20	-5.55	64.94	3	Horizontal	71	3.00	-	32.20	8.97	43.46			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5775MHz_TX




EUT_Z_2TX
Setting 75
04-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6405G	68.15	68.20	-0.05	71.28	3	Vertical	255	2.94	-	31.76	8.74	43.63
PK	5.748G	112.39	Inf	-Inf	115.07	3	Vertical	255	2.94	-	32.00	8.86	43.54
AV	5.7455G	100.73	Inf	-Inf	103.42	3	Vertical	255	2.94	-	32.00	8.85	43.54
PK	5.987G	57.18	68.20	-11.02	59.00	3	Vertical	255	2.94	-	32.40	9.13	43.35

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5775MHz_TX




EUT_Z_2TX
Setting 75
04-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.638G	62.33	68.20	-5.87	65.47	3	Horizontal	37	2.96	-	31.75	8.74	43.63			
PK	5.7435G	104.71	Inf	-Inf	107.41	3	Horizontal	37	2.96	-	32.00	8.85	43.55			
AV	5.748G	94.32	Inf	-Inf	97.00	3	Horizontal	37	2.96	-	32.00	8.86	43.54			
PK	5.971G	57.28	68.20	-10.92	59.13	3	Horizontal	37	2.96	-	32.40	9.11	43.36			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 72
04-R-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1468G	63.94	74.00	-10.06	67.32	3	Vertical	248	2.97	-	32.08	8.39	43.85			
AV	5.1484G	51.54	54.00	-2.46	54.91	3	Vertical	248	2.97	-	32.09	8.39	43.85			
PK	5.254G	105.89	Inf	-Inf	109.79	3	Vertical	248	2.97	-	31.48	8.44	43.82			
AV	5.274G	95.23	Inf	-Inf	99.19	3	Vertical	248	2.97	-	31.40	8.45	43.81			
PK	5.3588G	69.15	74.00	-4.85	73.06	3	Vertical	248	2.97	-	31.40	8.48	43.79			
AV	5.3652G	53.69	54.00	-0.31	57.59	3	Vertical	248	2.97	-	31.40	8.48	43.78			
PK	5.4716G	61.48	68.20	-6.72	64.92	3	Vertical	248	2.97	-	31.74	8.57	43.75			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 72
04-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1436G	60.35	74.00	-13.65	63.75	3	Horizontal	32	2.97	-	32.06	8.39	43.85			
AV	5.146G	46.89	54.00	-7.11	50.27	3	Horizontal	32	2.97	-	32.08	8.39	43.85			
PK	5.326G	99.00	Inf	-Inf	102.99	3	Horizontal	32	2.97	-	31.35	8.46	43.80			
AV	5.326G	88.27	Inf	-Inf	92.26	3	Horizontal	32	2.97	-	31.35	8.46	43.80			
PK	5.3612G	65.03	74.00	-8.97	68.93	3	Horizontal	32	2.97	-	31.40	8.48	43.78			
AV	5.3724G	47.06	54.00	-6.94	50.96	3	Horizontal	32	2.97	-	31.40	8.48	43.78			
PK	5.4708G	57.04	68.20	-11.16	60.49	3	Horizontal	32	2.97	-	31.74	8.56	43.75			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 72
04-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49832G	55.92	68.20	-12.28	47.58	3	Vertical	43	2.93	-	39.40	12.52	43.58			
PK	15.74692G	58.10	74.00	-15.90	47.38	3	Vertical	214	1.28	-	37.69	16.18	43.15			
AV	15.7419G	47.00	54.00	-7.00	36.29	3	Vertical	214	1.28	-	37.68	16.18	43.15			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 72
04-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49316G	56.43	68.20	-11.77	48.09	3	Horizontal	1	2.99	-	39.40	12.51	43.57			
PK	15.75702G	57.76	74.00	-16.24	47.06	3	Horizontal	39	2.52	-	37.66	16.19	43.15			
AV	15.74318G	47.04	54.00	-6.96	36.32	3	Horizontal	39	2.52	-	37.69	16.18	43.15			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 71
04-R-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1468G	66.00	74.00	-8.00	69.38	3	Vertical	247	2.92	-	32.08	8.39	43.85			
AV	5.1484G	52.97	54.00	-1.03	56.34	3	Vertical	247	2.92	-	32.09	8.39	43.85			
PK	5.2268G	106.08	Inf	-Inf	109.84	3	Vertical	247	2.92	-	31.64	8.43	43.83			
AV	5.3116G	95.96	Inf	-Inf	99.98	3	Vertical	247	2.92	-	31.32	8.46	43.80			
PK	5.414G	67.52	74.00	-6.48	71.31	3	Vertical	247	2.92	-	31.48	8.50	43.77			
AV	5.4252G	53.65	54.00	-0.35	57.34	3	Vertical	247	2.92	-	31.55	8.52	43.76			
PK	5.4716G	61.61	68.20	-6.59	65.05	3	Vertical	247	2.92	-	31.74	8.57	43.75			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 71
04-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	58.80	74.00	-15.20	62.16	3	Horizontal	44	1.05	-	32.10	8.39	43.85
AV	5.1492G	47.24	54.00	-6.76	50.60	3	Horizontal	44	1.05	-	32.10	8.39	43.85
PK	5.23G	98.05	Inf	-Inf	101.83	3	Horizontal	44	1.05	-	31.62	8.43	43.83
AV	5.2276G	86.36	Inf	-Inf	90.13	3	Horizontal	44	1.05	-	31.63	8.43	43.83
PK	5.3724G	60.93	74.00	-13.07	64.83	3	Horizontal	44	1.05	-	31.40	8.48	43.78
AV	5.366G	45.91	54.00	-8.09	49.81	3	Horizontal	44	1.05	-	31.40	8.48	43.78
PK	5.6284G	56.34	68.20	-11.86	59.54	3	Horizontal	44	1.05	-	31.71	8.73	43.64

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX


5250MHz Straddle 5.15-5.25GHz_TX


EUT_Z_2TX
Setting 71
04-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49254G	56.28	68.20	-11.92	47.94	3	Vertical	85	1.52	-	39.40	12.51	43.57			
PK	15.74938G	58.04	74.00	-15.96	47.31	3	Vertical	202	1.32	-	37.70	16.18	43.15			
AV	15.74386G	46.76	54.00	-7.24	36.04	3	Vertical	202	1.32	-	37.69	16.18	43.15			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 71
04-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49448G	56.40	68.20	-11.80	48.06	3	Horizontal	233	1.19	-	39.40	12.51	43.57			
PK	15.74124G	58.00	74.00	-16.00	47.29	3	Horizontal	26	2.08	-	37.68	16.18	43.15			
AV	15.74054G	46.77	54.00	-7.23	36.06	3	Horizontal	26	2.08	-	37.68	16.18	43.15			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




EUT_Z_2TX
Setting 71
04-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3484G	56.77	68.20	-11.43	60.69	3	Vertical	252	2.97	-	31.40	8.47	43.79			
AV	5.35G	45.37	54.00	-8.63	49.29	3	Vertical	252	2.97	-	31.40	8.47	43.79			
PK	5.4388G	66.25	74.00	-7.75	69.85	3	Vertical	252	2.97	-	31.63	8.53	43.76			
PK	5.4604G	67.11	68.20	-1.09	70.59	3	Vertical	252	2.97	-	31.72	8.55	43.75			
AV	5.4532G	53.60	54.00	-0.40	57.09	3	Vertical	252	2.97	-	31.71	8.55	43.75			
PK	5.6036G	106.17	Inf	-Inf	109.52	3	Vertical	252	2.97	-	31.61	8.70	43.66			
AV	5.5508G	95.85	Inf	-Inf	99.20	3	Vertical	252	2.97	-	31.70	8.65	43.70			
PK	5.7252G	64.96	68.20	-3.24	67.69	3	Vertical	252	2.97	-	32.00	8.83	43.56			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




EUT_Z_2TX
Setting 71
04-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1924G	56.45	68.20	-11.75	60.02	3	Horizontal	35	3.00	-	31.85	8.42	43.84			
PK	5.4188G	61.27	74.00	-12.73	65.02	3	Horizontal	35	3.00	-	31.51	8.51	43.77			
AV	5.35G	43.91	54.00	-10.09	47.83	3	Horizontal	35	3.00	-	31.40	8.47	43.79			
PK	5.4684G	60.33	68.20	-7.87	63.78	3	Horizontal	35	3.00	-	31.74	8.56	43.75			
AV	5.4556G	47.02	54.00	-6.98	50.51	3	Horizontal	35	3.00	-	31.71	8.55	43.75			
PK	5.5516G	100.62	Inf	-Inf	103.97	3	Horizontal	35	3.00	-	31.70	8.65	43.70			
AV	5.5884G	89.45	Inf	-Inf	92.81	3	Horizontal	35	3.00	-	31.62	8.69	43.67			
PK	5.726G	59.44	68.20	-8.76	62.17	3	Horizontal	35	3.00	-	32.00	8.83	43.56			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




EUT_Z_2TX
Setting 71
04-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14266G	56.06	74.00	-17.94	46.89	3	Vertical	79	1.00	-	39.61	12.98	43.42			
AV	11.14844G	45.26	54.00	-8.74	36.09	3	Vertical	79	1.00	-	39.60	12.98	43.41			
PK	16.71318G	59.85	68.20	-8.35	47.29	3	Vertical	283	2.29	-	39.28	16.28	43.00			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




EUT_Z_2TX
Setting 71
04-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14214G	56.86	74.00	-17.14	47.68	3	Horizontal	276	1.95	-	39.62	12.98	43.42			
AV	11.13076G	45.46	54.00	-8.54	36.28	3	Horizontal	276	1.95	-	39.64	12.97	43.43			
PK	16.709G	60.19	68.20	-8.01	47.66	3	Horizontal	297	1.77	-	39.25	16.28	43.00			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX

5570MHz_TX




EUT_Z_2TX
Setting 68
04-R-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3492G	57.72	68.20	-10.48	61.64	3	Vertical	250	2.97	-	31.40	8.47	43.79			
AV	5.35G	44.81	54.00	-9.19	48.73	3	Vertical	250	2.97	-	31.40	8.47	43.79			
PK	5.4588G	67.10	74.00	-6.90	70.58	3	Vertical	250	2.97	-	31.72	8.55	43.75			
AV	5.4556G	53.08	54.00	-0.92	56.57	3	Vertical	250	2.97	-	31.71	8.55	43.75			
PK	5.4652G	64.47	68.20	-3.73	67.93	3	Vertical	250	2.97	-	31.73	8.56	43.75			
PK	5.546G	107.33	Inf	-Inf	110.68	3	Vertical	250	2.97	-	31.71	8.64	43.70			
AV	5.546G	96.09	Inf	-Inf	99.44	3	Vertical	250	2.97	-	31.71	8.64	43.70			
PK	5.7268G	61.51	68.20	-6.69	64.24	3	Vertical	250	2.97	-	32.00	8.83	43.56			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX

5570MHz_TX




EUT_Z_2TX
Setting 68
04-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1708G	56.11	68.20	-12.09	59.58	3	Horizontal	36	3.00	-	31.98	8.40	43.85
PK	5.458G	59.59	74.00	-14.41	63.07	3	Horizontal	36	3.00	-	31.72	8.55	43.75
AV	5.35G	43.69	54.00	-10.31	47.61	3	Horizontal	36	3.00	-	31.40	8.47	43.79
AV	5.4532G	46.67	54.00	-7.33	50.16	3	Horizontal	36	3.00	-	31.71	8.55	43.75
PK	5.4628G	59.26	68.20	-8.94	62.72	3	Horizontal	36	3.00	-	31.73	8.56	43.75
PK	5.5388G	100.83	Inf	-Inf	104.18	3	Horizontal	36	3.00	-	31.72	8.64	43.71
AV	5.5484G	89.39	Inf	-Inf	92.74	3	Horizontal	36	3.00	-	31.70	8.65	43.70
PK	5.8244G	57.89	68.20	-10.31	60.28	3	Horizontal	36	3.00	-	32.15	8.94	43.48

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX


5570MHz_TX

EUT_Z_2TX
Setting 68
04-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14378G	56.89	74.00	-17.11	47.72	3	Vertical	323	1.22	-	39.61	12.98	43.42			
AV	11.14174G	45.37	54.00	-8.63	36.19	3	Vertical	323	1.22	-	39.62	12.98	43.42			
PK	16.70518G	59.43	68.20	-8.77	46.91	3	Vertical	298	2.92	-	39.23	16.28	42.99			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX

5570MHz_TX

EUT_Z_2TX
Setting 68
04-R-A-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1403G	57.04	74.00	-16.96	47.86	3	Horizontal	148	2.47	-	39.62	12.98	43.42			
AV	11.14862G	45.29	54.00	-8.71	36.12	3	Horizontal	148	2.47	-	39.60	12.98	43.41			
PK	16.7145G	59.58	68.20	-8.62	47.01	3	Horizontal	3	1.77	-	39.29	16.28	43.00			

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.15G	73.77	74.00	-0.23	3	Horizontal	7	1.80	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_2TX	Pass	AV	5.1484G	53.98	54.00	-0.02	3	Horizontal	10	1.80	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.35G	73.92	74.00	-0.08	3	Vertical	12	1.80	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.4585G	53.98	54.00	-0.02	3	Horizontal	359	1.80	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	Pass	PK	5.7308G	67.99	68.20	-0.21	3	Vertical	4	1.80	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	Pass	PK	5.6305G	67.76	68.20	-0.44	3	Horizontal	3	1.07	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT V_2TX
Setting 59
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.74	74.00	-4.26	73.10	3	Vertical	9	1.79	-	32.10	8.39	43.85
AV	5.15G	52.11	54.00	-1.89	55.47	3	Vertical	9	1.79	-	32.10	8.39	43.85
PK	5.2075G	110.93	Inf	-Inf	114.59	3	Vertical	9	1.79	-	31.75	8.42	43.83
AV	5.1999G	98.78	Inf	-Inf	102.39	3	Vertical	9	1.79	-	31.81	8.42	43.84
PK	5.357G	60.21	74.00	-13.79	64.13	3	Vertical	9	1.79	-	31.40	8.47	43.79
AV	5.359G	46.36	54.00	-7.64	50.27	3	Vertical	9	1.79	-	31.40	8.48	43.79

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT V_2TX
Setting 59
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.77	74.00	-0.23	77.13	3	Horizontal	7	1.80	-	32.10	8.39	43.85
AV	5.15G	50.79	54.00	-3.21	54.15	3	Horizontal	7	1.80	-	32.10	8.39	43.85
PK	5.203G	110.32	Inf	-Inf	113.96	3	Horizontal	7	1.80	-	31.78	8.42	43.84
AV	5.201G	97.86	Inf	-Inf	101.49	3	Horizontal	7	1.80	-	31.79	8.42	43.84
PK	5.36G	60.33	74.00	-13.67	64.23	3	Horizontal	7	1.80	-	31.40	8.48	43.78
AV	5.352G	46.39	54.00	-7.61	50.31	3	Horizontal	7	1.80	-	31.40	8.47	43.79

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_V_2TX
Setting 62
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	59.37	74.00	-14.63	62.75	3	Vertical	12	1.80	-	32.08	8.39	43.85
AV	5.15G	45.05	54.00	-8.95	48.41	3	Vertical	12	1.80	-	32.10	8.39	43.85
PK	5.278G	110.55	Inf	-Inf	114.52	3	Vertical	12	1.80	-	31.39	8.45	43.81
AV	5.284G	98.33	Inf	-Inf	102.33	3	Vertical	12	1.80	-	31.36	8.45	43.81
PK	5.35G	73.92	74.00	-0.08	77.84	3	Vertical	12	1.80	-	31.40	8.47	43.79
AV	5.367G	50.77	54.00	-3.23	54.67	3	Vertical	12	1.80	-	31.40	8.48	43.78
PK	5.508G	57.90	68.20	-10.30	61.25	3	Vertical	12	1.80	-	31.78	8.60	43.73

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_V_2TX
Setting 62
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	57.50	74.00	-16.50	60.87	3	Horizontal	12	1.80	-	32.09	8.39	43.85
AV	5.1485G	46.04	54.00	-7.96	49.41	3	Horizontal	12	1.80	-	32.09	8.39	43.85
PK	5.271G	108.65	Inf	-Inf	112.60	3	Horizontal	12	1.80	-	31.42	8.44	43.81
AV	5.261G	96.83	Inf	-Inf	100.75	3	Horizontal	12	1.80	-	31.46	8.44	43.82
PK	5.3645G	67.27	74.00	-6.73	71.17	3	Horizontal	12	1.80	-	31.40	8.48	43.78
AV	5.35G	48.55	54.00	-5.45	52.47	3	Horizontal	12	1.80	-	31.40	8.47	43.79
PK	5.4715G	56.95	68.20	-11.25	60.39	3	Horizontal	12	1.80	-	31.74	8.57	43.75

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_V_2TX
Setting 61
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2965G	56.81	68.20	-11.39	60.86	3	Vertical	349	1.80	-	31.31	8.45	43.81
PK	5.456G	68.88	74.00	-5.12	72.37	3	Vertical	349	1.80	-	31.71	8.55	43.75
AV	5.4585G	53.81	54.00	-0.19	57.29	3	Vertical	349	1.80	-	31.72	8.55	43.75
PK	5.4675G	67.76	68.20	-0.44	71.22	3	Vertical	349	1.80	-	31.73	8.56	43.75
PK	5.5185G	109.44	Inf	-Inf	112.80	3	Vertical	349	1.80	-	31.76	8.61	43.73
AV	5.516G	98.49	Inf	-Inf	101.84	3	Vertical	349	1.80	-	31.77	8.61	43.73
PK	5.7385G	57.77	68.20	-10.43	60.47	3	Vertical	349	1.80	-	32.00	8.85	43.55

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_V_2TX
Setting 61
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3385G	56.73	68.20	-11.47	60.67	3	Horizontal	359	1.80	-	31.38	8.47	43.79
PK	5.456G	67.79	74.00	-6.21	71.28	3	Horizontal	359	1.80	-	31.71	8.55	43.75
AV	5.4585G	53.98	54.00	-0.02	57.46	3	Horizontal	359	1.80	-	31.72	8.55	43.75
PK	5.467G	67.44	68.20	-0.76	70.90	3	Horizontal	359	1.80	-	31.73	8.56	43.75
PK	5.512G	110.63	Inf	-Inf	113.97	3	Horizontal	359	1.80	-	31.78	8.61	43.73
AV	5.5185G	98.28	Inf	-Inf	101.64	3	Horizontal	359	1.80	-	31.76	8.61	43.73
PK	5.779G	58.02	68.20	-10.18	60.59	3	Horizontal	359	1.80	-	32.06	8.89	43.52

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5610MHz_TX




EUT V_2TX
Setting 62
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4465G	57.93	74.00	-16.07	61.47	3	Vertical	3	1.80	-	31.68	8.54	43.76
AV	5.442G	46.33	54.00	-7.67	49.91	3	Vertical	3	1.80	-	31.65	8.53	43.76
PK	5.461G	58.07	68.20	-10.13	61.55	3	Vertical	3	1.80	-	31.72	8.55	43.75
PK	5.643G	111.66	Inf	-Inf	114.77	3	Vertical	3	1.80	-	31.77	8.75	43.63
AV	5.6235G	99.63	Inf	-Inf	102.86	3	Vertical	3	1.80	-	31.69	8.72	43.64
PK	5.7445G	62.31	68.20	-5.89	65.00	3	Vertical	3	1.80	-	32.00	8.85	43.54

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5610MHz_TX




EUT_V_2TX
Setting 62
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4585G	61.50	74.00	-12.50	64.98	3	Horizontal	2	1.80	-	31.72	8.55	43.75
AV	5.458G	46.78	54.00	-7.22	50.26	3	Horizontal	2	1.80	-	31.72	8.55	43.75
PK	5.463G	62.19	68.20	-6.01	65.65	3	Horizontal	2	1.80	-	31.73	8.56	43.75
PK	5.622G	110.51	Inf	-Inf	113.74	3	Horizontal	2	1.80	-	31.69	8.72	43.64
AV	5.618G	99.40	Inf	-Inf	102.66	3	Horizontal	2	1.80	-	31.67	8.72	43.65
PK	5.7445G	67.96	68.20	-0.24	70.65	3	Horizontal	2	1.80	-	32.00	8.85	43.54

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX



EUT_V_2TX
Setting 78
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	65.38	74.00	-8.62	68.86	3	Vertical	4	1.80	-	31.72	8.55	43.75
AV	5.459G	48.79	54.00	-5.21	52.27	3	Vertical	4	1.80	-	31.72	8.55	43.75
PK	5.4698G	65.59	68.20	-2.61	69.04	3	Vertical	4	1.80	-	31.74	8.56	43.75
PK	5.6768G	116.22	Inf	-Inf	119.13	3	Vertical	4	1.80	-	31.91	8.78	43.60
AV	5.6762G	104.27	Inf	-Inf	107.19	3	Vertical	4	1.80	-	31.90	8.78	43.60
PK	5.85G	68.18	68.20	-0.02	70.47	3	Vertical	4	1.80	-	32.20	8.97	43.46