


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
Setting 78
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.40	74.00	-10.60	66.88	3	Horizontal	357	1.80	-	31.72	8.55	43.75
AV	5.4584G	48.65	54.00	-5.35	52.13	3	Horizontal	357	1.80	-	31.72	8.55	43.75
PK	5.462G	63.68	68.20	-4.52	67.15	3	Horizontal	357	1.80	-	31.72	8.56	43.75
PK	5.657G	114.67	Inf	-Inf	117.69	3	Horizontal	357	1.80	-	31.83	8.76	43.61
AV	5.678G	103.90	Inf	-Inf	106.81	3	Horizontal	357	1.80	-	31.91	8.78	43.60
PK	5.85G	66.86	68.20	-1.34	69.15	3	Horizontal	357	1.80	-	32.20	8.97	43.46

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5775MHz_TX




EUT Y_2TX
Setting 71
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	65.70	68.20	-2.50	68.77	3	Vertical	4	1.80	-	31.80	8.75	43.62			
PK	5.7845G	111.62	Inf	-Inf	114.17	3	Vertical	4	1.80	-	32.07	8.89	43.51			
AV	5.784G	100.64	Inf	-Inf	103.19	3	Vertical	4	1.80	-	32.07	8.89	43.51			
PK	6.005G	57.56	68.20	-10.64	59.35	3	Vertical	4	1.80	-	32.41	9.14	43.34			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5775MHz_TX




EUT V_2TX
Setting 71
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6305G	67.76	68.20	-0.44	70.95	3	Horizontal	3	1.07	-	31.72	8.73	43.64
PK	5.747G	114.43	Inf	-Inf	117.12	3	Horizontal	3	1.07	-	32.00	8.85	43.54
AV	5.745G	102.29	Inf	-Inf	104.98	3	Horizontal	3	1.07	-	32.00	8.85	43.54
PK	6.0205G	57.93	68.20	-10.27	59.67	3	Horizontal	3	1.07	-	32.44	9.15	43.33

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_V_2TX
Setting 67
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1396G	66.95	74.00	-7.05	70.38	3	Vertical	9	1.80	-	32.04	8.39	43.86			
AV	5.1492G	51.65	54.00	-2.35	55.01	3	Vertical	9	1.80	-	32.10	8.39	43.85			
PK	5.2988G	108.19	Inf	-Inf	112.24	3	Vertical	9	1.80	-	31.30	8.45	43.80			
AV	5.278G	97.22	Inf	-Inf	101.19	3	Vertical	9	1.80	-	31.39	8.45	43.81			
PK	5.3532G	70.00	74.00	-4.00	73.92	3	Vertical	9	1.80	-	31.40	8.47	43.79			
AV	5.3564G	51.06	54.00	-2.94	54.98	3	Vertical	9	1.80	-	31.40	8.47	43.79			
PK	5.4636G	61.26	68.20	-6.94	64.72	3	Vertical	9	1.80	-	31.73	8.56	43.75			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_V_2TX
Setting 67
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	68.74	74.00	-5.26	72.10	3	Horizontal	10	1.80	-	32.10	8.39	43.85			
AV	5.1484G	53.98	54.00	-0.02	57.35	3	Horizontal	10	1.80	-	32.09	8.39	43.85			
PK	5.258G	108.20	Inf	-Inf	112.11	3	Horizontal	10	1.80	-	31.47	8.44	43.82			
PK	5.3532G	69.42	74.00	-4.58	73.34	3	Horizontal	10	1.80	-	31.40	8.47	43.79			
AV	5.3252G	96.43	Inf	-Inf	100.42	3	Horizontal	10	1.80	-	31.35	8.46	43.80			
AV	5.3508G	53.06	54.00	-0.94	56.98	3	Horizontal	10	1.80	-	31.40	8.47	43.79			
PK	5.4636G	63.89	68.20	-4.31	67.35	3	Horizontal	10	1.80	-	31.73	8.56	43.75			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_2TX
Setting 67
04-R-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.49234G	56.80	68.20	-11.40	48.46	3	Vertical	232	2.15	-	39.40	12.51	43.57			
PK	15.74322G	58.50	74.00	-15.50	47.78	3	Vertical	292	2.67	-	37.69	16.18	43.15			
AV	15.74666G	47.68	54.00	-6.32	36.96	3	Vertical	292	2.67	-	37.69	16.18	43.15			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_2TX
Setting 67
04-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49586G	56.74	68.20	-11.46	48.41	3	Horizontal	234	1.35	-	39.40	12.51	43.58			
PK	15.74478G	59.07	74.00	-14.93	48.35	3	Horizontal	195	1.39	-	37.69	16.18	43.15			
AV	15.74578G	47.33	54.00	-6.67	36.61	3	Horizontal	195	1.39	-	37.69	16.18	43.15			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_V_2TX
Setting 67
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.36	74.00	-6.64	70.72	3	Vertical	9	1.80	-	32.10	8.39	43.85
AV	5.15G	49.96	54.00	-4.04	53.32	3	Vertical	9	1.80	-	32.10	8.39	43.85
PK	5.2788G	108.50	Inf	-Inf	112.48	3	Vertical	9	1.80	-	31.38	8.45	43.81
AV	5.278G	97.51	Inf	-Inf	101.48	3	Vertical	9	1.80	-	31.39	8.45	43.81
PK	5.3756G	69.39	74.00	-4.61	73.29	3	Vertical	9	1.80	-	31.40	8.48	43.78
AV	5.358G	49.87	54.00	-4.13	53.78	3	Vertical	9	1.80	-	31.40	8.48	43.79
PK	5.47G	61.07	68.20	-7.13	64.52	3	Vertical	9	1.80	-	31.74	8.56	43.75

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_V_2TX
Setting 67
04-R-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1412G	68.66	74.00	-5.34	72.07	3	Horizontal	9	1.80	-	32.05	8.39	43.85			
AV	5.15G	53.76	54.00	-0.24	57.12	3	Horizontal	9	1.80	-	32.10	8.39	43.85			
PK	5.2556G	108.24	Inf	-Inf	112.14	3	Horizontal	9	1.80	-	31.48	8.44	43.82			
AV	5.27G	96.79	Inf	-Inf	100.74	3	Horizontal	9	1.80	-	31.42	8.44	43.81			
PK	5.3508G	69.03	74.00	-4.97	72.95	3	Horizontal	9	1.80	-	31.40	8.47	43.79			
AV	5.3676G	52.32	54.00	-1.68	56.22	3	Horizontal	9	1.80	-	31.40	8.48	43.78			
PK	5.4684G	62.65	68.20	-5.55	66.10	3	Horizontal	9	1.80	-	31.74	8.56	43.75			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT Y_2TX
Setting 67
04-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49554G	56.94	68.20	-11.26	48.60	3	Vertical	295	1.36	-	39.40	12.51	43.57			
PK	15.74734G	59.06	74.00	-14.94	48.34	3	Vertical	48	2.80	-	37.69	16.18	43.15			
AV	15.75844G	47.29	54.00	-6.71	36.60	3	Vertical	48	2.80	-	37.65	16.19	43.15			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_2TX
Setting 67
04-R-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.50674G	56.39	68.20	-11.81	48.06	3	Horizontal	90	2.40	-	39.39	12.52	43.58				
PK	15.7401G	58.76	74.00	-15.24	48.05	3	Horizontal	334	2.37	-	37.68	16.18	43.15				
AV	15.7432G	47.24	54.00	-6.76	36.52	3	Horizontal	334	2.37	-	37.69	16.18	43.15				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

5570MHz_TX




EUT_V_2TX
Setting 64
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.326G	60.23	68.20	-7.97	64.22	3	Vertical	6	1.80	-	31.35	8.46	43.80
PK	5.4556G	66.90	74.00	-7.10	70.39	3	Vertical	6	1.80	-	31.71	8.55	43.75
AV	5.4452G	50.45	54.00	-3.55	54.00	3	Vertical	6	1.80	-	31.67	8.54	43.76
PK	5.462G	66.89	68.20	-1.31	70.36	3	Vertical	6	1.80	-	31.72	8.56	43.75
PK	5.6332G	108.43	Inf	-Inf	111.60	3	Vertical	6	1.80	-	31.73	8.73	43.63
AV	5.6324G	96.78	Inf	-Inf	99.95	3	Vertical	6	1.80	-	31.73	8.73	43.63
PK	5.7372G	67.96	68.20	-0.25	70.66	3	Vertical	6	1.80	-	32.00	8.84	43.55

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

5570MHz_TX




EUT_V_2TX
Setting 64
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.334G	59.06	68.20	-9.14	63.01	3	Horizontal	357	1.80	-	31.37	8.47	43.79
PK	5.4596G	68.23	74.00	-5.77	71.71	3	Horizontal	357	1.80	-	31.72	8.55	43.75
AV	5.4572G	50.74	54.00	-3.26	54.23	3	Horizontal	357	1.80	-	31.71	8.55	43.75
PK	5.466G	67.43	68.20	-0.77	70.89	3	Horizontal	357	1.80	-	31.73	8.56	43.75
PK	5.5428G	108.29	Inf	-Inf	111.65	3	Horizontal	357	1.80	-	31.71	8.64	43.71
AV	5.5484G	96.89	Inf	-Inf	100.24	3	Horizontal	357	1.80	-	31.70	8.65	43.70
PK	5.7268G	66.62	68.20	-1.58	69.35	3	Horizontal	357	1.80	-	32.00	8.83	43.56

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

5570MHz_TX




EUT Y_2TX
Setting 64
04-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13628G	57.52	74.00	-16.48	48.35	3	Vertical	180	1.15	-	39.63	12.97	43.43			
AV	11.1441G	45.72	54.00	-8.28	36.55	3	Vertical	180	1.15	-	39.61	12.98	43.42			
PK	16.7167G	60.15	68.20	-8.05	47.58	3	Vertical	324	2.41	-	39.30	16.28	43.01			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

5570MHz_TX




EUT Y_2TX
Setting 64
04-R-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.1353G	57.29	74.00	-16.71	48.12	3	Horizontal	11	1.75	-	39.63	12.97	43.43				
AV	11.14242G	45.72	54.00	-8.28	36.54	3	Horizontal	11	1.75	-	39.62	12.98	43.42				
PK	16.71516G	60.22	68.20	-7.98	47.65	3	Horizontal	112	1.51	-	39.29	16.28	43.00				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




EUT V_2TX
Setting 65
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3468G	59.53	68.20	-8.67	63.46	3	Vertical	4	1.80	-	31.39	8.47	43.79
PK	5.442G	68.05	74.00	-5.95	71.63	3	Vertical	4	1.80	-	31.65	8.53	43.76
AV	5.4548G	50.68	54.00	-3.32	54.17	3	Vertical	4	1.80	-	31.71	8.55	43.75
PK	5.4684G	66.92	68.20	-1.28	70.37	3	Vertical	4	1.80	-	31.74	8.56	43.75
PK	5.646G	108.71	Inf	-Inf	111.80	3	Vertical	4	1.80	-	31.78	8.75	43.62
AV	5.6324G	97.35	Inf	-Inf	100.52	3	Vertical	4	1.80	-	31.73	8.73	43.63
PK	5.7308G	67.99	68.20	-0.21	70.71	3	Vertical	4	1.80	-	32.00	8.84	43.56

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




EUT_V_2TX
Setting 64
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3388G	60.04	68.20	-8.16	63.98	3	Horizontal	360	1.80	-	31.38	8.47	43.79
PK	5.4508G	67.76	74.00	-6.24	71.28	3	Horizontal	360	1.80	-	31.70	8.54	43.76
AV	5.4596G	50.42	54.00	-3.58	53.90	3	Horizontal	360	1.80	-	31.72	8.55	43.75
PK	5.47G	67.75	68.20	-0.45	71.20	3	Horizontal	360	1.80	-	31.74	8.56	43.75
AV	5.546G	97.27	Inf	-Inf	100.62	3	Horizontal	360	1.80	-	31.71	8.64	43.70
PK	5.6236G	109.12	Inf	-Inf	112.35	3	Horizontal	360	1.80	-	31.69	8.72	43.64
PK	5.7412G	67.48	68.20	-0.72	70.18	3	Horizontal	360	1.80	-	32.00	8.85	43.55

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX


5570MHz_TX

EUT Y_2TX
Setting 64
04-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14836G	57.22	74.00	-16.78	48.05	3	Vertical	208	2.32	-	39.60	12.98	43.41			
AV	11.1484G	45.88	54.00	-8.12	36.71	3	Vertical	208	2.32	-	39.60	12.98	43.41			
PK	16.70516G	60.06	68.20	-8.14	47.54	3	Vertical	63	1.19	-	39.23	16.28	42.99			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX



EUT Y_2TX
Setting 64
04-R-A-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1484G	56.81	74.00	-17.19	47.64	3	Horizontal	7	1.87	-	39.60	12.98	43.41			
AV	11.14504G	45.71	54.00	-8.29	36.53	3	Horizontal	7	1.87	-	39.61	12.98	43.41			
PK	16.71186G	61.20	68.20	-7.00	48.65	3	Horizontal	169	2.08	-	39.27	16.28	43.00			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	AV	4.87418G	50.74	54.00	-3.26	Vertical

Mode 2



Mode 2

