


5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_X_1TX
SET 45
80\60\50\55\53\45
-11.64\ -5.15\1.53\ -2.44\ -1.48\0.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6974G	99.29	Inf	-Inf	91.23	3	Vertical	86	1.64	52	34.19	7.70	33.83			
AV	5.6978G	84.71	Inf	-Inf	76.64	3	Vertical	86	1.64	52	34.20	7.70	33.83			
PK	5.7262G	67.45	68.20	-0.75	59.35	3	Vertical	86	1.64	52	34.20	7.72	33.82			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT X_1TX
SET 45
52\45
-3.31\0.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7064G	101.67	Inf	-Inf	93.59	3	Horizontal	312	1.00	-	34.20	7.71	33.83			
AV	5.7012G	87.49	Inf	-Inf	79.41	3	Horizontal	312	1.00	-	34.20	7.71	33.83			
PK	5.7264G	67.23	68.20	-0.97	59.13	3	Horizontal	312	1.00	-	34.20	7.72	33.82			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX

EUT X_1TX
SET 45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4032G	57.13	74.00	-16.87	41.45	3	Vertical	0	1.80	50	39.10	11.30	34.72			
AV	11.38384G	43.30	54.00	-10.70	27.59	3	Vertical	0	1.80	50	39.13	11.28	34.70			
PK	17.09628G	62.22	68.20	-5.98	42.00	3	Vertical	211	2.76	50	41.19	13.71	34.68			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX

EUT X_1TX
SET 45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39596G	57.00	74.00	-17.00	41.31	3	Horizontal	315	1.80	50	39.11	11.29	34.71			
AV	11.3832G	43.29	54.00	-10.71	27.58	3	Horizontal	315	1.80	50	39.13	11.28	34.70			
PK	17.10816G	62.30	68.20	-5.90	42.04	3	Horizontal	252	1.80	50	41.22	13.71	34.67			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_1TX
SET 98
80\91\98
5.71\6.22\1.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4278G	59.20	74.00	-14.80	52.02	3	Vertical	87	1.63	108	33.51	7.58	33.91			
PK	5.4644G	59.46	68.20	-8.74	52.08	3	Vertical	87	1.63	108	33.69	7.60	33.91			
AV	5.4506G	46.59	54.00	-7.41	39.31	3	Vertical	87	1.63	108	33.60	7.59	33.91			
PK	5.723G	110.91	Inf	-Inf	102.82	3	Vertical	87	1.63	108	34.20	7.72	33.83			
AV	5.7224G	97.58	Inf	-Inf	89.49	3	Vertical	87	1.63	108	34.20	7.72	33.83			
PK	5.8778G	66.57	68.20	-1.63	57.72	3	Vertical	87	1.63	108	34.82	7.80	33.77			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_1TX
SET 98
108\105\104\103\102\101\100\99\98
-1.10\ -0.72\ -0.31\ -0.24\ -2.06\ -1.45\ -0.49\ -0.62\ 0.08

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4584G	59.48	74.00	-14.52	52.14	3	Horizontal	81	1.79	98	33.65	7.60	33.91			
AV	5.4584G	46.74	54.00	-7.26	39.40	3	Horizontal	81	1.79	98	33.65	7.60	33.91			
PK	5.4698G	61.13	68.20	-7.07	53.72	3	Horizontal	81	1.79	98	33.72	7.60	33.91			
PK	5.7278G	114.79	Inf	-Inf	106.69	3	Horizontal	81	1.79	98	34.20	7.72	33.82			
AV	5.7164G	101.48	Inf	-Inf	93.40	3	Horizontal	81	1.79	98	34.20	7.71	33.83			
PK	5.8598G	68.12	68.20	-0.08	59.42	3	Horizontal	81	1.79	98	34.68	7.79	33.77			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT X_1TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44532G	65.10	74.00	-8.90	49.44	3	Vertical	40	1.40	98	39.10	11.33	34.77			
AV	11.44112G	51.68	54.00	-2.32	36.02	3	Vertical	40	1.40	98	39.10	11.32	34.76			
PK	17.15148G	62.68	68.20	-5.52	42.26	3	Vertical	69	1.80	98	41.30	13.74	34.62			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT X_1TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4438G	64.36	74.00	-9.64	48.70	3	Horizontal	92	1.80	98	39.10	11.33	34.77			
AV	11.44072G	50.77	54.00	-3.23	35.11	3	Horizontal	92	1.80	98	39.10	11.32	34.76			
PK	17.1598G	62.53	68.20	-5.67	42.08	3	Horizontal	64	1.87	98	41.32	13.74	34.61			

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_X_1TX
SET 95
80\93\108\101\98\97\96\95
6.64\6.49\0.42\0.62\0.88\2.18\0.20\5.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.55G	60.53	68.20	-7.67	52.78	3	Vertical	85	1.60	95	34.00	7.64	33.89
AV	5.4474G	46.52	54.00	-7.48	39.25	3	Vertical	85	1.60	95	33.59	7.59	33.91
PK	5.7402G	107.11	Inf	-Inf	99.01	3	Vertical	85	1.60	95	34.20	7.72	33.82
AV	5.7414G	93.49	Inf	-Inf	85.39	3	Vertical	85	1.60	95	34.20	7.72	33.82
PK	6.0288G	62.87	68.20	-5.33	53.29	3	Vertical	85	1.60	95	35.42	7.89	33.73

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_X_1TX
SET 95
95
6.53

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5038G	60.88	68.20	-7.32	53.26	3	Horizontal	81	1.88	95	33.91	7.62	33.91				
AV	5.4582G	46.61	54.00	-7.39	39.27	3	Horizontal	81	1.88	95	33.65	7.60	33.91				
PK	5.7438G	111.17	Inf	-Inf	103.07	3	Horizontal	81	1.88	95	34.20	7.72	33.82				
AV	5.7462G	98.11	Inf	-Inf	90.00	3	Horizontal	81	1.88	95	34.20	7.73	33.82				
PK	5.9586G	61.67	68.20	-6.53	52.34	3	Horizontal	81	1.88	95	35.22	7.85	33.74				

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX

EUT X_1TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48944G	61.15	74.00	-12.85	45.51	3	Vertical	38	2.10	95	39.10	11.36	34.82			
AV	11.48908G	47.64	54.00	-6.36	32.00	3	Vertical	38	2.10	95	39.10	11.36	34.82			
PK	17.23204G	63.90	68.20	-4.30	43.07	3	Vertical	79	1.80	95	41.59	13.78	34.54			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX

EUT X_1TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48912G	61.66	74.00	-12.34	46.02	3	Horizontal	92	1.79	95	39.10	11.36	34.82			
AV	11.49092G	48.20	54.00	-5.80	32.56	3	Horizontal	92	1.79	95	39.10	11.36	34.82			
PK	17.24376G	64.02	68.20	-4.18	43.10	3	Horizontal	84	2.69	95	41.66	13.79	34.53			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT X_1TX
SET 108
80\93\108
6.53\6.16\3.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6488G	63.93	68.20	-4.27	56.00	3	Vertical	84	1.63	108	34.10	7.68	33.85				
PK	5.78129G	109.71	Inf	-Inf	101.51	3	Vertical	84	1.63	108	34.26	7.74	33.80				
AV	5.7825G	96.39	Inf	-Inf	88.19	3	Vertical	84	1.63	108	34.26	7.74	33.80				
PK	5.93133G	64.25	68.20	-3.95	55.03	3	Vertical	84	1.63	108	35.13	7.84	33.75				

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_X_1TX
SET 108
108
0.53

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.64275G	67.67	68.20	-0.53	59.76	3	Horizontal	81	1.84	108	34.09	7.68	33.86				
PK	5.78855G	113.68	Inf	-Inf	105.46	3	Horizontal	81	1.84	108	34.28	7.74	33.80				
AV	5.7819G	100.28	Inf	-Inf	92.08	3	Horizontal	81	1.84	108	34.26	7.74	33.80				
PK	5.9392G	66.71	68.20	-1.49	57.45	3	Horizontal	81	1.84	108	35.16	7.84	33.74				

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5785MHz_TX

EUT X_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56844G	61.70	74.00	-12.30	46.02	3	Vertical	42	1.34	108	39.10	11.41	34.83			
AV	11.56848G	47.96	54.00	-6.04	32.28	3	Vertical	42	1.34	108	39.10	11.41	34.83			
PK	17.3652G	64.60	68.20	-3.60	43.18	3	Vertical	15	1.80	108	41.96	13.86	34.40			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX

EUT X_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57252G	61.56	74.00	-12.44	45.87	3	Horizontal	95	1.75	108	39.10	11.42	34.83			
AV	11.56904G	47.20	54.00	-6.80	31.52	3	Horizontal	95	1.75	108	39.10	11.41	34.83			
PK	17.37236G	64.40	68.20	-3.80	42.93	3	Horizontal	294	1.68	108	41.99	13.87	34.39			

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_X_1TX
SET 95
80\92\95
6.21\5.59\0.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.621G	61.46	68.20	-6.74	53.61	3	Vertical	90	1.59	108	34.04	7.67	33.86			
PK	5.8268G	108.02	Inf	-Inf	99.58	3	Vertical	90	1.59	108	34.46	7.77	33.79			
AV	5.8238G	95.60	Inf	-Inf	87.18	3	Vertical	90	1.59	108	34.44	7.77	33.79			
PK	5.9234G	68.57	69.38	-0.81	59.40	3	Vertical	90	1.59	108	35.09	7.83	33.75			

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_X_1TX
SET 95
108\100\81\90\94\96\97\96\95
-3.57\ -4.87\6.45\5.35\6.18\5.71\ -4.73\ -2.70\5.64

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.5952G	61.42	68.20	-6.78	53.63	3	Horizontal	82	1.80	95	34.00	7.66	33.87			
PK	5.8196G	110.04	Inf	-Inf	101.65	3	Horizontal	82	1.80	95	34.42	7.76	33.79			
AV	5.8292G	96.56	Inf	-Inf	88.09	3	Horizontal	82	1.80	95	34.48	7.77	33.78			
PK	6.053G	62.56	68.20	-5.64	52.91	3	Horizontal	82	1.80	95	35.49	7.90	33.74			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX

EUT X_1TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64396G	57.25	74.00	-16.75	41.61	3	Vertical	40	1.95	95	39.01	11.46	34.83			
AV	11.64776G	44.12	54.00	-9.88	28.48	3	Vertical	40	1.95	95	39.00	11.47	34.83			
PK	17.46064G	64.59	68.20	-3.61	42.89	3	Vertical	0	1.80	95	42.08	13.92	34.30			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX

EUT_X_1TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65788G	57.44	74.00	-16.56	41.80	3	Horizontal	64	1.80	95	39.00	11.47	34.83			
AV	11.65052G	43.91	54.00	-10.09	28.27	3	Horizontal	64	1.80	95	39.00	11.47	34.83			
PK	17.46168G	64.70	68.20	-3.50	43.00	3	Horizontal	11	2.04	95	42.08	13.92	34.30			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT X_1TX
SET 53
80\60\50\55\53
-14.05\ -4.80\4.15\ -1.24\0.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1494G	66.81	74.00	-7.19	60.37	3	Vertical	342	1.51	53	32.90	7.47	33.93			
AV	5.1498G	53.55	54.00	-0.45	47.11	3	Vertical	342	1.51	53	32.90	7.47	33.93			
PK	5.1966G	95.41	Inf	-Inf	88.97	3	Vertical	342	1.51	53	32.90	7.47	33.93			
AV	5.1852G	82.92	Inf	-Inf	76.48	3	Vertical	342	1.51	53	32.90	7.47	33.93			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_X_1TX
SET 52
53\51\52
-0.73\2.10\0.79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.149G	66.76	74.00	-7.24	60.32	3	Horizontal	68	2.36	52	32.90	7.47	33.93			
AV	5.15G	53.21	54.00	-0.79	46.77	3	Horizontal	68	2.36	52	32.90	7.47	33.93			
PK	5.184G	96.85	Inf	-Inf	90.41	3	Horizontal	68	2.36	52	32.90	7.47	33.93			
AV	5.1834G	83.83	Inf	-Inf	77.39	3	Horizontal	68	2.36	52	32.90	7.47	33.93			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5190MHz_TX

EUT X_1TX
SET 52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41096G	56.90	68.20	-11.30	41.51	3	Vertical	311	1.80	52	38.90	10.61	34.12			
PK	15.60576G	59.50	74.00	-14.50	42.59	3	Vertical	207	1.76	52	38.47	12.94	34.50			
AV	15.60936G	46.30	54.00	-7.70	29.42	3	Vertical	207	1.76	52	38.44	12.94	34.50			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5190MHz_TX

EUT_X_1TX
SET 52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3768G	56.56	68.20	-11.64	41.18	3	Horizontal	143	2.30	52	38.90	10.59	34.11			
PK	15.59496G	59.50	74.00	-14.50	42.56	3	Horizontal	343	2.84	52	38.52	12.93	34.51			
AV	15.60568G	46.36	54.00	-7.64	29.45	3	Horizontal	343	2.84	52	38.47	12.94	34.50			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT X_1TX
SET 83
80\83
1.89\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	68.77	74.00	-5.23	62.33	3	Vertical	342	1.50	83	32.90	7.47	33.93			
AV	5.1498G	53.83	54.00	-0.17	47.39	3	Vertical	342	1.50	83	32.90	7.47	33.93			
PK	5.2276G	103.89	Inf	-Inf	97.33	3	Vertical	342	1.50	83	33.01	7.48	33.93			
AV	5.2228G	89.94	Inf	-Inf	83.40	3	Vertical	342	1.50	83	32.99	7.48	33.93			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_X_1TX
SET 80
83\80
-1.46\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	68.65	74.00	-5.35	62.21	3	Horizontal	69	2.31	80	32.90	7.47	33.93			
AV	5.1498G	53.51	54.00	-0.49	47.07	3	Horizontal	69	2.31	80	32.90	7.47	33.93			
PK	5.2374G	103.09	Inf	-Inf	96.48	3	Horizontal	69	2.31	80	33.05	7.49	33.93			
AV	5.2184G	90.71	Inf	-Inf	84.19	3	Horizontal	69	2.31	80	32.97	7.48	33.93			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5230MHz_TX

EUT_X_1TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45592G	55.99	68.20	-12.21	40.55	3	Vertical	360.6	2.28	80	38.92	10.64	34.12			
PK	15.69896G	59.90	74.00	-14.10	43.04	3	Vertical	71	1.80	80	38.30	12.97	34.41			
AV	15.69744G	46.59	54.00	-7.41	29.74	3	Vertical	71	1.80	80	38.29	12.97	34.41			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_X_1TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4964G	56.02	68.20	-12.18	40.39	3	Horizontal	355	1.80	80	39.09	10.67	34.13			
PK	15.6916G	60.69	74.00	-13.31	43.86	3	Horizontal	258	1.58	80	38.28	12.97	34.42			
AV	15.69088G	47.00	54.00	-7.00	30.17	3	Horizontal	258	1.58	80	38.28	12.97	34.42			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_X_1TX
SET 83
80\83
1.93\0.41

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2738G	102.07	Inf	-Inf	95.33	3	Vertical	11	1.78	83	33.15	7.51	33.92				
AV	5.2744G	89.03	Inf	-Inf	82.29	3	Vertical	11	1.78	83	33.15	7.51	33.92				
PK	5.3558G	69.22	74.00	-4.78	62.28	3	Vertical	11	1.78	83	33.31	7.55	33.92				
AV	5.3502G	53.59	54.00	-0.41	46.66	3	Vertical	11	1.78	83	33.30	7.55	33.92				

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_X_1TX
SET 77
83\76\79\78\77
-3.25\0.93\0.65\0.02\0.22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.2854G	102.87	Inf	-Inf	96.11	3	Horizontal	75	2.27	77	33.17	7.51	33.92
AV	5.2868G	89.84	Inf	-Inf	83.08	3	Horizontal	75	2.27	77	33.17	7.51	33.92
PK	5.3502G	68.64	74.00	-5.36	61.71	3	Horizontal	75	2.27	77	33.30	7.55	33.92
AV	5.35G	53.78	54.00	-0.22	46.86	3	Horizontal	75	2.27	77	33.30	7.54	33.92

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5270MHz_TX

EUT X_1TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5304G	56.49	68.20	-11.71	40.77	3	Vertical	353	1.80	77	39.16	10.70	34.14			
PK	15.79296G	60.12	74.00	-13.88	43.04	3	Vertical	39	1.80	77	38.40	13.00	34.32			
AV	15.78472G	46.90	54.00	-7.10	29.83	3	Vertical	39	1.80	77	38.40	13.00	34.33			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5270MHz_TX

EUT X_1TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54096G	56.52	68.20	-11.68	40.78	3	Horizontal	76	1.80	77	39.18	10.70	34.14			
PK	15.77792G	60.07	74.00	-13.93	43.01	3	Horizontal	122	1.80	77	38.40	13.00	34.34			
AV	15.7792G	46.69	54.00	-7.31	29.63	3	Horizontal	122	1.80	77	38.40	13.00	34.34			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_X_1TX
SET 55
80\60\50\55
-13.37\3.68\3.76\0.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3256G	94.00	Inf	-Inf	87.14	3	Vertical	75	1.80	55	33.25	7.53	33.92				
AV	5.3164G	81.04	Inf	-Inf	74.20	3	Vertical	75	1.80	55	33.23	7.53	33.92				
PK	5.3506G	67.11	74.00	-6.89	60.18	3	Vertical	75	1.80	55	33.30	7.55	33.92				
AV	5.3502G	53.54	54.00	-0.46	46.61	3	Vertical	75	1.80	55	33.30	7.55	33.92				

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_X_1TX
SET 51
55\50\52\51
-2.82\1.66\0.17\1.41

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3242G	96.04	Inf	-Inf	89.18	3	Horizontal	73	2.31	51	33.25	7.53	33.92			
AV	5.3194G	83.41	Inf	-Inf	76.56	3	Horizontal	73	2.31	51	33.24	7.53	33.92			
PK	5.3514G	65.66	74.00	-8.34	58.73	3	Horizontal	73	2.31	51	33.30	7.55	33.92			
AV	5.35G	52.59	54.00	-1.41	45.67	3	Horizontal	73	2.31	51	33.30	7.54	33.92			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_X_1TX
SET 51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.61296G	56.75	74.00	-17.25	40.93	3	Vertical	339	1.80	51	39.23	10.75	34.16				
AV	10.60954G	43.93	54.00	-10.07	28.12	3	Vertical	339	1.80	51	39.22	10.75	34.16				
PK	15.90344G	59.88	74.00	-14.12	42.27	3	Vertical	312	1.27	51	38.79	13.04	34.22				
AV	15.9016G	46.70	54.00	-7.30	29.09	3	Vertical	312	1.27	51	38.79	13.04	34.22				

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5310MHz_TX

EUT_X_1TX
SET 51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.6272G	56.13	74.00	-17.87	40.28	3	Horizontal	150	1.80	51	39.25	10.76	34.16				
AV	10.60904G	43.50	54.00	-10.50	27.69	3	Horizontal	150	1.80	51	39.22	10.75	34.16				
PK	15.96488G	59.44	74.00	-14.56	42.03	3	Horizontal	108	2.81	51	38.51	13.06	34.16				
AV	15.92392G	46.76	54.00	-7.24	29.22	3	Horizontal	108	2.81	51	38.70	13.04	34.20				

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_X_1TX
SET 60
80\60
-12.15\0.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.46G	63.99	74.00	-10.01	56.64	3	Vertical	78	1.65	60	33.66	7.60	33.91				
AV	5.46G	49.87	54.00	-4.13	42.52	3	Vertical	78	1.65	60	33.66	7.60	33.91				
PK	5.469G	68.01	68.20	-0.19	60.61	3	Vertical	78	1.65	60	33.71	7.60	33.91				
PK	5.4972G	97.39	Inf	-Inf	89.81	3	Vertical	78	1.65	60	33.88	7.61	33.91				
AV	5.5056G	84.68	Inf	-Inf	77.06	3	Vertical	78	1.65	60	33.91	7.62	33.91				

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_X_1TX
SET 55
60\52\56\54\55
-3.75\1.80\0.56\2.01\0.09

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4596G	66.40	74.00	-7.60	59.05	3	Horizontal	79	2.18	55	33.66	7.60	33.91			
AV	5.46G	50.01	54.00	-3.99	42.66	3	Horizontal	79	2.18	55	33.66	7.60	33.91			
PK	5.4666G	68.11	68.20	-0.09	60.72	3	Horizontal	79	2.18	55	33.70	7.60	33.91			
PK	5.4974G	100.37	Inf	-Inf	92.79	3	Horizontal	79	2.18	55	33.88	7.61	33.91			
AV	5.5138G	87.83	Inf	-Inf	80.18	3	Horizontal	79	2.18	55	33.93	7.62	33.90			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5510MHz_TX

EUT X_1TX
SET 55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.98496G	56.35	74.00	-17.65	40.37	3	Vertical	360.1	1.80	55	39.23	11.01	34.26			
AV	10.98072G	43.82	54.00	-10.18	27.82	3	Vertical	360.1	1.80	55	39.24	11.01	34.25			
PK	16.55984G	59.98	68.20	-8.22	41.75	3	Vertical	164	1.38	55	39.70	13.39	34.86			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5510MHz_TX

EUT X_1TX
SET 55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.98312G	57.10	74.00	-16.90	41.12	3	Horizontal	360.1	1.80	55	39.23	11.01	34.26			
AV	10.98808G	43.81	54.00	-10.19	27.84	3	Horizontal	360.1	1.80	55	39.22	11.01	34.26			
PK	16.49216G	60.58	68.20	-7.62	42.43	3	Horizontal	239	1.80	55	39.65	13.36	34.86			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_X_1TX
SET 85
80\87\84\85\86\85
3.55\ -0.75\0.56\0.87\ -0.23\0.17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4534G	65.48	74.00	-8.52	58.18	3	Vertical	80	1.65	85	33.62	7.59	33.91			
AV	5.4588G	50.08	54.00	-3.92	42.74	3	Vertical	80	1.65	85	33.65	7.60	33.91			
PK	5.468G	68.03	68.20	-0.17	60.63	3	Vertical	80	1.65	85	33.71	7.60	33.91			
PK	5.5524G	102.62	Inf	-Inf	94.87	3	Vertical	80	1.65	85	34.00	7.64	33.89			
AV	5.5538G	90.50	Inf	-Inf	82.75	3	Vertical	80	1.65	85	34.00	7.64	33.89			

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_X_1TX
SET 78
85\75\80\78
-4.69\3.30\ -1.18\0.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4586G	63.72	74.00	-10.28	56.38	3	Horizontal	79	1.78	78	33.65	7.60	33.91			
AV	5.46G	49.52	54.00	-4.48	42.17	3	Horizontal	79	1.78	78	33.66	7.60	33.91			
PK	5.4696G	67.85	68.20	-0.35	60.44	3	Horizontal	79	1.78	78	33.72	7.60	33.91			
PK	5.5332G	105.25	Inf	-Inf	97.50	3	Horizontal	79	1.78	78	34.00	7.64	33.89			
AV	5.5432G	92.74	Inf	-Inf	85.01	3	Horizontal	79	1.78	78	33.99	7.63	33.89			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX

EUT X_1TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10808G	56.32	74.00	-17.68	40.54	3	Vertical	4	1.80	78	39.07	11.09	34.38			
AV	11.09432G	43.82	54.00	-10.18	27.99	3	Vertical	4	1.80	78	39.11	11.09	34.37			
PK	16.65792G	60.68	68.20	-7.52	42.25	3	Vertical	63	1.80	78	39.82	13.45	34.84			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_X_1TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.08656G	56.52	74.00	-17.48	40.67	3	Horizontal	82	1.80	78	39.13	11.08	34.36				
AV	11.10072G	43.78	54.00	-10.22	27.96	3	Horizontal	82	1.80	78	39.10	11.09	34.37				
PK	16.62944G	61.07	68.20	-7.13	42.72	3	Horizontal	235	1.80	78	39.76	13.44	34.85				

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_X_1TX
SET 69
80\70\65\67\68\69
-4.89\ -0.67\2.26\2.00\0.83\0.54

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6568G	98.71	Inf	-Inf	90.76	3	Vertical	83	1.57	69	34.11	7.69	33.85			
AV	5.6664G	86.38	Inf	-Inf	78.41	3	Vertical	83	1.57	69	34.13	7.69	33.85			
PK	5.7255G	67.66	68.20	-0.54	59.56	3	Vertical	83	1.57	69	34.20	7.72	33.82			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_X_1TX
SET 64
69\61\65\63\64
-3.51\2.57\0.17\0.83\0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6883G	102.10	Inf	-Inf	94.06	3	Horizontal	77	1.78	64	34.18	7.70	33.84			
AV	5.685G	88.78	Inf	-Inf	80.75	3	Horizontal	77	1.78	64	34.17	7.70	33.84			
PK	5.7258G	68.12	68.20	-0.08	60.02	3	Horizontal	77	1.78	64	34.20	7.72	33.82			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX

EUT X_1TX
SET 64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.32304G	56.50	74.00	-17.50	40.74	3	Vertical	88	1.80	64	39.15	11.24	34.63			
AV	11.3548G	44.24	54.00	-9.76	28.45	3	Vertical	88	1.80	64	39.19	11.26	34.66			
PK	16.98984G	61.80	68.20	-6.40	42.16	3	Vertical	312	1.80	64	40.78	13.64	34.78			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT X_1TX
SET 64

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.36944G	57.25	74.00	-16.75	41.50	3	Horizontal	232	1.80	64	39.16	11.27	34.68				
AV	11.36624G	44.12	54.00	-9.88	28.36	3	Horizontal	232	1.80	64	39.17	11.27	34.68				
PK	16.97992G	61.04	68.20	-7.16	41.42	3	Horizontal	360	1.74	64	40.76	13.64	34.78				

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_1TX
SET 93
80\93\108\101\98\97\96\84\90\93
6.63\6.83\2.75\2.73\3.01\2.63\3.15\6.07\6.28\6.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4484G	60.20	74.00	-13.80	52.93	3	Vertical	81	1.61	93	33.59	7.59	33.91			
AV	5.4268G	47.48	54.00	-6.52	40.30	3	Vertical	81	1.61	93	33.51	7.58	33.91			
PK	5.4694G	58.70	68.20	-9.50	51.29	3	Vertical	81	1.61	93	33.72	7.60	33.91			
PK	5.7244G	104.51	Inf	-Inf	96.41	3	Vertical	81	1.61	93	34.20	7.72	33.82			
AV	5.725G	91.75	Inf	-Inf	83.65	3	Vertical	81	1.61	93	34.20	7.72	33.82			
PK	5.9236G	61.74	68.20	-6.46	52.57	3	Vertical	81	1.61	93	35.09	7.83	33.75			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_1TX
SET 93
93
1.99

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4232G	59.48	74.00	-14.52	52.32	3	Horizontal	81	1.75	93	33.49	7.58	33.91			
PK	5.461G	59.18	68.20	-9.02	51.82	3	Horizontal	81	1.75	93	33.67	7.60	33.91			
AV	5.4538G	47.48	54.00	-6.52	40.18	3	Horizontal	81	1.75	93	33.62	7.59	33.91			
PK	5.7154G	109.09	Inf	-Inf	101.01	3	Horizontal	81	1.75	93	34.20	7.71	33.83			
AV	5.7166G	96.61	Inf	-Inf	88.53	3	Horizontal	81	1.75	93	34.20	7.71	33.83			
PK	5.857G	66.21	68.20	-1.99	57.53	3	Horizontal	81	1.75	93	34.66	7.79	33.77			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_1TX
SET 93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42368G	60.65	74.00	-13.35	44.98	3	Vertical	33	1.48	93	39.10	11.31	34.74			
AV	11.42072G	47.35	54.00	-6.65	31.68	3	Vertical	33	1.48	93	39.10	11.31	34.74			
PK	17.1504G	61.42	68.20	-6.78	41.00	3	Vertical	151	1.80	93	41.30	13.74	34.62			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_1TX
SET 93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42048G	60.39	74.00	-13.61	44.72	3	Horizontal	91	1.80	93	39.10	11.31	34.74			
AV	11.41928G	47.92	54.00	-6.08	32.25	3	Horizontal	91	1.80	93	39.10	11.31	34.74			
PK	17.09424G	62.74	68.20	-5.46	42.54	3	Horizontal	0	1.27	93	41.18	13.70	34.68			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_X_1TX
SET 95
80\93\99\96\95
6.69\3.51\6.73\6.92\2.58

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.4568G	47.14	54.00	-6.86	39.81	3	Vertical	84	1.62	95	33.64	7.60	33.91				
PK	5.6506G	66.06	68.64	-2.58	58.13	3	Vertical	84	1.62	95	34.10	7.68	33.85				
PK	5.7682G	104.22	Inf	-Inf	96.05	3	Vertical	84	1.62	95	34.24	7.74	33.81				
AV	5.7514G	92.17	Inf	-Inf	84.05	3	Vertical	84	1.62	95	34.20	7.73	33.81				
PK	6.0334G	62.37	68.20	-5.83	52.77	3	Vertical	84	1.62	95	35.43	7.90	33.73				

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_X_1TX
SET 95
95
0.63

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4586G	47.18	54.00	-6.82	39.84	3	Horizontal	80	1.84	95	33.65	7.60	33.91			
PK	5.6518G	68.90	69.53	-0.63	60.97	3	Horizontal	80	1.84	95	34.10	7.68	33.85			
PK	5.7592G	109.10	Inf	-Inf	100.96	3	Horizontal	80	1.84	95	34.22	7.73	33.81			
AV	5.7616G	96.78	Inf	-Inf	88.64	3	Horizontal	80	1.84	95	34.22	7.73	33.81			
PK	6.0538G	61.97	68.20	-6.23	52.32	3	Horizontal	80	1.84	95	35.49	7.90	33.74			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX

EUT X_1TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50688G	61.03	74.00	-12.97	45.39	3	Vertical	42	1.38	95	39.10	11.37	34.83			
AV	11.50496G	47.92	54.00	-6.08	32.28	3	Vertical	42	1.38	95	39.10	11.37	34.83			
PK	17.24892G	63.47	68.20	-4.73	42.51	3	Vertical	0	2.76	95	41.69	13.79	34.52			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX

EUT X_1TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51144G	60.08	74.00	-13.92	44.44	3	Horizontal	92	1.80	95	39.10	11.37	34.83			
AV	11.50864G	47.37	54.00	-6.63	31.73	3	Horizontal	92	1.80	95	39.10	11.37	34.83			
PK	17.2726G	63.57	68.20	-4.63	42.47	3	Horizontal	93	1.80	95	41.79	13.81	34.50			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_X_1TX
SET 95
80\92\108\100\96\94\95
6.21\6.05\2.50\3.10\2.80\5.84\5.92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.6444G	60.48	68.20	-7.72	52.57	3	Vertical	85	1.59	95	34.09	7.68	33.86
PK	5.8082G	103.89	Inf	-Inf	95.57	3	Vertical	85	1.59	95	34.35	7.76	33.79
AV	5.7956G	91.61	Inf	-Inf	83.37	3	Vertical	85	1.59	95	34.29	7.75	33.80
PK	5.9348G	62.28	68.20	-5.92	53.04	3	Vertical	85	1.59	95	35.14	7.84	33.74

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_X_1TX
SET 95
95
3.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.648G	62.24	68.20	-5.96	54.31	3	Horizontal	81	1.86	95	34.10	7.68	33.85			
PK	5.7824G	108.26	Inf	-Inf	100.06	3	Horizontal	81	1.86	95	34.26	7.74	33.80			
AV	5.7968G	95.37	Inf	-Inf	87.13	3	Horizontal	81	1.86	95	34.29	7.75	33.80			
PK	5.9258G	64.32	68.20	-3.88	55.14	3	Horizontal	81	1.86	95	35.10	7.83	33.75			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX

EUT X_1TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58552G	58.93	74.00	-15.07	43.24	3	Vertical	44	1.29	95	39.10	11.42	34.83			
AV	11.5836G	46.00	54.00	-8.00	30.31	3	Vertical	44	1.29	95	39.10	11.42	34.83			
PK	17.383G	64.69	68.20	-3.51	43.17	3	Vertical	110	2.94	95	42.03	13.87	34.38			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX

EUT_X_1TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59728G	58.40	74.00	-15.60	42.70	3	Horizontal	78	2.72	95	39.10	11.43	34.83			
AV	11.59424G	45.69	54.00	-8.31	29.99	3	Horizontal	78	2.72	95	39.10	11.43	34.83			
PK	17.40244G	64.98	68.20	-3.22	43.36	3	Horizontal	360.1	1.80	95	42.10	13.88	34.36			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_X_1TX
SET 53
80\60\50\55\53\54\53
-14.18\5.47\3.45\1.59\1.25\0.38\1.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	65.01	74.00	-8.99	58.57	3	Vertical	346	1.72	53	32.90	7.47	33.93			
AV	5.147G	52.70	54.00	-1.30	46.27	3	Vertical	346	1.72	53	32.89	7.47	33.93			
PK	5.2G	93.14	Inf	-Inf	86.70	3	Vertical	346	1.72	53	32.90	7.47	33.93			
AV	5.197G	79.09	Inf	-Inf	72.65	3	Vertical	346	1.72	53	32.90	7.47	33.93			
PK	5.371G	59.38	74.00	-14.62	52.40	3	Vertical	346	1.72	53	33.34	7.56	33.92			
AV	5.426G	47.03	54.00	-6.97	39.86	3	Vertical	346	1.72	53	33.50	7.58	33.91			

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_X_1TX
SET 53
53
0.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1455G	65.23	74.00	-8.77	58.80	3	Horizontal	68	1.64	53	32.89	7.47	33.93			
AV	5.15G	53.03	54.00	-0.97	46.59	3	Horizontal	68	1.64	53	32.90	7.47	33.93			
PK	5.198G	93.56	Inf	-Inf	87.12	3	Horizontal	68	1.64	53	32.90	7.47	33.93			
AV	5.2025G	80.61	Inf	-Inf	74.16	3	Horizontal	68	1.64	53	32.91	7.47	33.93			
PK	5.4005G	59.84	74.00	-14.16	52.79	3	Horizontal	68	1.64	53	33.40	7.57	33.92			
AV	5.43G	47.17	54.00	-6.83	39.98	3	Horizontal	68	1.64	53	33.52	7.58	33.91			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT X_1TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4992G	56.44	68.20	-11.76	40.80	3	Vertical	140	1.80	53	39.10	10.67	34.13			
PK	15.69624G	59.34	74.00	-14.66	42.50	3	Vertical	276.1	1.80	53	38.29	12.97	34.42			
AV	15.69144G	46.66	54.00	-7.34	29.83	3	Vertical	276.1	1.80	53	38.28	12.97	34.42			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5210MHz_TX

EUT X_1TX
SET 53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.416G	56.08	68.20	-12.12	40.68	3	Horizontal	149	2.00	53	38.90	10.62	34.12			
PK	15.61464G	59.00	74.00	-15.00	42.14	3	Horizontal	176	1.05	53	38.41	12.94	34.49			
AV	15.6908G	46.75	54.00	-7.25	29.92	3	Horizontal	176	1.05	53	38.28	12.97	34.42			

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_X_1TX
SET 55
80\60\50\55
-12.65\4.80\3.88\0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.096G	59.42	74.00	-14.58	53.07	3	Vertical	11	1.68	55	32.82	7.46	33.93			
AV	5.1045G	46.41	54.00	-7.59	40.06	3	Vertical	11	1.68	55	32.81	7.47	33.93			
PK	5.278G	90.77	Inf	-Inf	84.02	3	Vertical	11	1.68	55	33.16	7.51	33.92			
AV	5.303G	78.03	Inf	-Inf	71.22	3	Vertical	11	1.68	55	33.21	7.52	33.92			
PK	5.3515G	66.09	74.00	-7.91	59.16	3	Vertical	11	1.68	55	33.30	7.55	33.92			
AV	5.3505G	53.87	54.00	-0.13	46.94	3	Vertical	11	1.68	55	33.30	7.55	33.92			
PK	5.4995G	59.77	68.20	-8.43	52.17	3	Vertical	11	1.68	55	33.90	7.61	33.91			

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_X_1TX
SET 51
55\50\52\51
-3.03\1.08\1.05\0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.0435G	59.24	74.00	-14.76	52.72	3	Horizontal	75	2.32	51	33.00	7.46	33.94			
AV	5.093G	46.43	54.00	-7.57	40.07	3	Horizontal	75	2.32	51	32.83	7.46	33.93			
PK	5.2925G	93.35	Inf	-Inf	86.56	3	Horizontal	75	2.32	51	33.19	7.52	33.92			
AV	5.3045G	80.27	Inf	-Inf	73.46	3	Horizontal	75	2.32	51	33.21	7.52	33.92			
PK	5.3505G	66.44	74.00	-7.56	59.51	3	Horizontal	75	2.32	51	33.30	7.55	33.92			
AV	5.3525G	53.86	54.00	-0.14	46.93	3	Horizontal	75	2.32	51	33.30	7.55	33.92			
PK	5.501G	60.35	68.20	-7.85	52.74	3	Horizontal	75	2.32	51	33.90	7.62	33.91			

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_X_1TX
SET 51

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.572G	56.10	68.20	-12.10	40.33	3	Vertical	183	1.90	51	39.20	10.72	34.15				
PK	15.81G	60.28	74.00	-13.72	43.16	3	Vertical	252	1.80	51	38.42	13.01	34.31				
AV	15.83816G	46.90	54.00	-7.10	29.68	3	Vertical	252	1.80	51	38.48	13.02	34.28				

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX

EUT X_1TX
SET 51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53444G	56.50	68.20	-11.70	40.77	3	Horizontal	1	1.80	51	39.17	10.70	34.14			
PK	15.8388G	59.39	74.00	-14.61	42.17	3	Horizontal	228	2.72	51	38.48	13.02	34.28			
AV	15.82104G	46.95	54.00	-7.05	29.80	3	Horizontal	228	2.72	51	38.44	13.01	34.30			

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_X_1TX
SET 60
80\60\70\65\63\62\61\60
-10.97\0.65\6.03\3.00\1.48\0.71\0.26\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3215G	58.94	68.20	-9.26	52.09	3	Vertical	82	1.72	60	33.24	7.53	33.92
AV	5.35G	46.56	54.00	-7.44	39.64	3	Vertical	82	1.72	60	33.30	7.54	33.92
PK	5.46G	66.04	74.00	-7.96	58.69	3	Vertical	82	1.72	60	33.66	7.60	33.91
AV	5.459G	53.68	54.00	-0.32	46.34	3	Vertical	82	1.72	60	33.65	7.60	33.91
PK	5.4665G	67.61	68.20	-0.59	60.22	3	Vertical	82	1.72	60	33.70	7.60	33.91
PK	5.5195G	95.73	Inf	-Inf	88.07	3	Vertical	82	1.72	60	33.94	7.62	33.90
AV	5.5215G	81.38	Inf	-Inf	73.72	3	Vertical	82	1.72	60	33.94	7.62	33.90
PK	5.728G	60.70	68.20	-7.50	52.60	3	Vertical	82	1.72	60	34.20	7.72	33.82

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_X_1TX
SET 56
60\52\56\58\57\56
-3.54\3.73\1.07\0.75\0.16\1.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3295G	58.89	68.20	-9.31	52.02	3	Horizontal	77	2.19	56	33.26	7.53	33.92
AV	5.35G	46.66	54.00	-7.34	39.74	3	Horizontal	77	2.19	56	33.30	7.54	33.92
PK	5.448G	64.47	74.00	-9.53	57.20	3	Horizontal	77	2.19	56	33.59	7.59	33.91
PK	5.4685G	66.01	68.20	-2.19	58.61	3	Horizontal	77	2.19	56	33.71	7.60	33.91
AV	5.46G	52.81	54.00	-1.19	45.46	3	Horizontal	77	2.19	56	33.66	7.60	33.91
PK	5.5455G	97.19	Inf	-Inf	89.45	3	Horizontal	77	2.19	56	33.99	7.64	33.89
AV	5.5175G	84.41	Inf	-Inf	76.76	3	Horizontal	77	2.19	56	33.93	7.62	33.90
PK	5.768G	60.98	68.20	-7.22	52.81	3	Horizontal	77	2.19	56	34.24	7.74	33.81

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_X_1TX
SET 56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.05008G	56.84	74.00	-17.16	40.91	3	Vertical	1	1.80	56	39.20	11.05	34.32				
AV	11.04048G	43.74	54.00	-10.26	27.80	3	Vertical	1	1.80	56	39.20	11.05	34.31				
PK	16.64264G	61.05	68.20	-7.15	42.66	3	Vertical	318.1	1.80	56	39.79	13.44	34.84				

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX

EUT X_1TX
SET 56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12256G	55.95	74.00	-18.05	40.24	3	Horizontal	259	1.05	56	39.01	11.10	34.40			
AV	10.98736G	43.85	54.00	-10.15	27.87	3	Horizontal	259	1.05	56	39.23	11.01	34.26			
PK	16.59928G	61.00	68.20	-7.20	42.73	3	Horizontal	177	1.80	56	39.70	13.42	34.85			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_X_1TX
SET 79
80\76\78\79
-1.88\2.70\1.70\1.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4565G	63.99	74.00	-10.01	56.66	3	Vertical	85	1.70	79	33.64	7.60	33.91			
AV	5.46G	50.27	54.00	-3.73	42.92	3	Vertical	85	1.70	79	33.66	7.60	33.91			
PK	5.4675G	65.33	68.20	-2.87	57.94	3	Vertical	85	1.70	79	33.70	7.60	33.91			
PK	5.5825G	99.46	Inf	-Inf	91.69	3	Vertical	85	1.70	79	34.00	7.65	33.88			
AV	5.599G	85.70	Inf	-Inf	77.91	3	Vertical	85	1.70	79	34.00	7.66	33.87			
PK	5.733G	67.13	68.20	-1.07	59.03	3	Vertical	85	1.70	79	34.20	7.72	33.82			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_X_1TX
SET 73
79\70\74\72\73
-4.39\1.66\0.85\0.57\0.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4575G	63.76	74.00	-10.24	56.42	3	Horizontal	80	1.94	73	33.65	7.60	33.91			
AV	5.46G	49.62	54.00	-4.38	42.27	3	Horizontal	80	1.94	73	33.66	7.60	33.91			
PK	5.4675G	64.43	68.20	-3.77	57.04	3	Horizontal	80	1.94	73	33.70	7.60	33.91			
PK	5.588G	100.74	Inf	-Inf	92.97	3	Horizontal	80	1.94	73	34.00	7.65	33.88			
AV	5.5785G	87.81	Inf	-Inf	80.04	3	Horizontal	80	1.94	73	34.00	7.65	33.88			
PK	5.725G	67.75	68.20	-0.45	59.65	3	Horizontal	80	1.94	73	34.20	7.72	33.82			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TX

EUT X_1TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.26592G	56.28	74.00	-17.72	40.61	3	Vertical	37	1.80	73	39.03	11.20	34.56			
AV	11.25456G	43.78	54.00	-10.22	28.12	3	Vertical	37	1.80	73	39.01	11.20	34.55			
PK	16.762G	61.97	68.20	-6.23	43.13	3	Vertical	189	1.07	73	40.15	13.51	34.82			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TX

EUT X_1TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22688G	56.97	74.00	-17.03	41.36	3	Horizontal	105	1.39	73	38.95	11.18	34.52			
AV	11.26928G	43.46	54.00	-10.54	27.78	3	Horizontal	105	1.39	73	39.04	11.21	34.57			
PK	16.86328G	62.88	68.20	-5.32	43.56	3	Horizontal	339	1.80	73	40.55	13.57	34.80			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_1TX
SET 92
80\89\93\91\92
4.97\1.03\0.81\0.57\0.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.4524G	61.20	74.00	-12.80	53.91	3	Vertical	81	1.65	92	33.61	7.59	33.91					
PK	5.4632G	63.33	68.20	-4.87	55.96	3	Vertical	81	1.65	92	33.68	7.60	33.91					
AV	5.4584G	48.99	54.00	-5.01	41.65	3	Vertical	81	1.65	92	33.65	7.60	33.91					
PK	5.708G	102.30	Inf	-Inf	94.22	3	Vertical	81	1.65	92	34.20	7.71	33.83					
AV	5.7056G	88.94	Inf	-Inf	80.86	3	Vertical	81	1.65	92	34.20	7.71	33.83					
PK	5.8634G	67.99	68.20	-0.21	59.26	3	Vertical	81	1.65	92	34.71	7.79	33.77					

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_1TX
SET 82
92\84\80\82
-3.89\ -1.25\2.47\0.05

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4548G	59.96	74.00	-14.04	52.65	3	Horizontal	78	1.80	82	33.63	7.59	33.91			
AV	5.4566G	48.00	54.00	-6.00	40.67	3	Horizontal	78	1.80	82	33.64	7.60	33.91			
PK	5.4674G	60.73	68.20	-7.47	53.34	3	Horizontal	78	1.80	82	33.70	7.60	33.91			
PK	5.6744G	104.17	Inf	-Inf	96.17	3	Horizontal	78	1.80	82	34.15	7.69	33.84			
AV	5.7164G	90.69	Inf	-Inf	82.61	3	Horizontal	78	1.80	82	34.20	7.71	33.83			
PK	5.85G	68.15	68.20	-0.05	59.55	3	Horizontal	78	1.80	82	34.60	7.78	33.78			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_1TX
SET 82

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.36736G	57.17	74.00	-16.83	41.41	3	Vertical	0	1.80	82	39.17	11.27	34.68				
AV	11.37216G	44.47	54.00	-9.53	28.71	3	Vertical	0	1.80	82	39.16	11.28	34.68				
PK	16.99112G	61.24	68.20	-6.96	41.60	3	Vertical	313	1.80	82	40.78	13.64	34.78				

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT X_1TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.36928G	57.55	74.00	-16.45	41.80	3	Horizontal	78	2.20	82	39.16	11.27	34.68			
AV	11.376G	45.00	54.00	-9.00	29.26	3	Horizontal	78	2.20	82	39.15	11.28	34.69			
PK	17.13976G	62.03	68.20	-6.17	41.65	3	Horizontal	163	1.80	82	41.28	13.73	34.63			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_X_1TX
SET 84
80\85\83\84
2.90\ -0.47\1.03\0.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6454G	67.89	68.20	-0.31	59.97	3	Vertical	88	1.63	84	34.09	7.68	33.85				
PK	5.778G	100.00	Inf	-Inf	91.80	3	Vertical	88	1.63	84	34.26	7.74	33.80				
AV	5.7852G	86.52	Inf	-Inf	78.31	3	Vertical	88	1.63	84	34.27	7.74	33.80				
PK	5.9256G	65.90	68.20	-2.30	56.72	3	Vertical	88	1.63	84	35.10	7.83	33.75				

5.725-5.85GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_X_1TX
SET 78
84\78
-2.85\0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6466G	68.16	68.20	-0.04	60.24	3	Horizontal	77	1.84	78	34.09	7.68	33.85				
PK	5.7684G	102.59	Inf	-Inf	94.42	3	Horizontal	77	1.84	78	34.24	7.74	33.81				
AV	5.763G	89.43	Inf	-Inf	81.28	3	Horizontal	77	1.84	78	34.23	7.73	33.81				
PK	5.9256G	64.88	68.20	-3.32	55.70	3	Horizontal	77	1.84	78	35.10	7.83	33.75				

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5775MHz_TX

EUT_X_1TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50408G	56.54	74.00	-17.46	40.90	3	Vertical	236	1.76	78	39.10	11.37	34.83			
AV	11.48008G	44.19	54.00	-9.81	28.55	3	Vertical	236	1.76	78	39.10	11.35	34.81			
PK	17.38292G	64.38	68.20	-3.82	42.86	3	Vertical	337	2.92	78	42.03	13.87	34.38			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX

EUT_X_1TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58808G	56.39	74.00	-17.61	40.69	3	Horizontal	338	1.80	78	39.10	11.43	34.83			
AV	11.49512G	44.16	54.00	-9.84	28.52	3	Horizontal	338	1.80	78	39.10	11.36	34.82			
PK	17.301G	64.71	68.20	-3.49	43.46	3	Horizontal	65	1.80	78	41.90	13.82	34.47			