


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 91
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55379G	43.50	83.54	-40.04	38.81	1	Horizontal	11	1.80	-	37.81	16.56	49.68			
AV	18.55285G	31.49	63.54	-32.05	26.80	1	Horizontal	11	1.80	-	37.81	16.56	49.68			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 91
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69459G	57.62	74.00	-16.38	37.68	3	Vertical	295	1.91	-	39.09	12.74	31.89			
AV	12.69552G	46.14	54.00	-7.86	26.19	3	Vertical	295	1.91	-	39.09	12.74	31.88			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 91
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.67533G	57.39	74.00	-16.61	37.51	3	Horizontal	61	1.42	-	39.05	12.73	31.90			
AV	12.67842G	46.35	54.00	-7.65	26.46	3	Horizontal	61	1.42	-	39.06	12.73	31.90			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 91
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03938G	43.91	83.54	-39.63	38.37	1	Vertical	-0	1.81	-	38.06	16.81	49.33			
AV	19.03316G	31.50	63.54	-32.04	25.99	1	Vertical	-0	1.81	-	38.03	16.81	49.33			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX


EUT_Z_2TX
Setting 91
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03684G	44.03	83.54	-39.51	38.50	1	Horizontal	132	1.80	-	38.05	16.81	49.33			
AV	19.0318G	31.54	63.54	-32.00	26.03	1	Horizontal	132	1.80	-	38.03	16.81	49.33			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 91
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32343G	58.86	74.00	-15.14	36.86	3	Vertical	191	1.43	-	40.15	13.08	31.23			
AV	13.33267G	47.77	54.00	-6.23	25.73	3	Vertical	191	1.43	-	40.17	13.09	31.22			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 91
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33567G	59.54	74.00	-14.46	37.50	3	Horizontal	229	1.54	-	40.17	13.09	31.22			
AV	13.34296G	48.47	54.00	-5.53	26.40	3	Horizontal	229	1.54	-	40.19	13.09	31.21			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 91
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99658G	45.52	83.54	-38.02	39.42	1	Vertical	12	1.80	-	37.99	17.37	49.26			
AV	19.99842G	33.27	63.54	-30.27	27.17	1	Vertical	12	1.80	-	37.99	17.37	49.26			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 91
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99912G	44.84	83.54	-38.70	38.73	1	Horizontal	135	1.80	-	38.00	17.37	49.26			
AV	19.99794G	33.12	63.54	-30.42	27.02	1	Horizontal	135	1.80	-	37.99	17.37	49.26			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
 Setting 100
 01-U-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	82.50	88.20	-5.70	75.20	3	Vertical	233	2.33	-	32.30	7.44	32.44			
RMS	5.9244G	66.66	68.20	-1.54	59.36	3	Vertical	233	2.33	-	32.30	7.44	32.44			
PK	5.9512G	121.86	Inf	-Inf	114.54	3	Vertical	233	2.33	-	32.30	7.46	32.44			
RMS	5.9506G	109.25	Inf	-Inf	101.93	3	Vertical	233	2.33	-	32.30	7.46	32.44			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 100
01-U-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9212G	74.48	88.20	-13.72	67.18	3	Horizontal	296	2.57	-	32.30	7.44	32.44			
RMS	5.9246G	59.51	68.20	-8.69	52.21	3	Horizontal	296	2.57	-	32.30	7.44	32.44			
PK	5.9536G	114.49	Inf	-Inf	107.15	3	Horizontal	296	2.57	-	32.31	7.47	32.44			
RMS	5.9572G	101.93	Inf	-Inf	94.59	3	Horizontal	296	2.57	-	32.31	7.47	32.44			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Z_2TX
Setting 100
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91957G	57.20	74.00	-16.80	38.92	3	Vertical	72	2.23	-	38.76	12.28	32.76			
AV	11.89581G	44.32	54.00	-9.68	26.01	3	Vertical	72	2.23	-	38.81	12.25	32.75			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Z_2TX
Setting 100
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9172G	57.80	74.00	-16.20	39.51	3	Horizontal	353	1.73	-	38.77	12.28	32.76			
AV	11.89605G	44.39	54.00	-9.61	26.08	3	Horizontal	353	1.73	-	38.81	12.25	32.75			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Z_2TX
Setting 100
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81548G	51.75	83.54	-31.79	41.89	1	Vertical	145	2.20	-	38.87	18.13	47.14			
AV	23.82056G	37.63	63.54	-25.91	27.78	1	Vertical	145	2.20	-	38.86	18.13	47.14			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 100
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81984G	51.60	83.54	-31.94	41.75	1	Horizontal	90	1.39	-	38.86	18.13	47.14			
AV	23.82228G	37.62	63.54	-25.92	27.77	1	Horizontal	90	1.39	-	38.86	18.13	47.14			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 108
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40071G	57.50	74.00	-16.50	38.54	3	Vertical	305	1.50	-	38.60	12.58	32.22			
AV	12.39435G	44.59	54.00	-9.41	25.66	3	Vertical	305	1.50	-	38.59	12.57	32.23			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6195MHz_TX


EUT_Z_2TX
Setting 108
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38613G	58.81	74.00	-15.19	39.91	3	Horizontal	350	1.40	-	38.57	12.57	32.24			
AV	12.37782G	44.56	54.00	-9.44	25.69	3	Horizontal	350	1.40	-	38.56	12.57	32.26			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 108
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58904G	46.69	83.54	-36.85	42.75	1	Vertical	335	1.86	-	37.88	15.71	49.65			
AV	18.58172G	33.18	63.54	-30.36	29.26	1	Vertical	335	1.86	-	37.86	15.71	49.65			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6195MHz_TX

EUT_Z_2TX
Setting 108
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58142G	45.91	83.54	-37.63	41.99	1	Horizontal	231	1.98	-	37.86	15.71	49.65			
AV	18.58774G	33.07	63.54	-30.47	29.13	1	Horizontal	231	1.98	-	37.88	15.71	49.65			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6415MHz_TX

EUT_Z_2TX
Setting 101
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82193G	58.95	88.20	-29.25	38.61	3	Vertical	10	1.61	-	39.29	12.81	31.76			
RMS	12.84425G	45.25	68.20	-22.95	24.79	3	Vertical	10	1.61	-	39.38	12.82	31.74			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6415MHz_TX


EUT_Z_2TX
Setting 101
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83264G	58.59	88.20	-29.61	38.20	3	Horizontal	199	1.65	-	39.33	12.81	31.75			
RMS	12.84479G	45.29	68.20	-22.91	24.83	3	Horizontal	199	1.65	-	39.38	12.82	31.74			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 101
03-C-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24758G	46.52	83.54	-37.02	42.06	1	Vertical	44	1.30	-	37.90	16.01	49.45			
AV	19.24496G	33.02	63.54	-30.52	28.56	1	Vertical	44	1.30	-	37.90	16.01	49.45			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 101
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2455G	46.05	83.54	-37.49	41.59	1	Horizontal	291	2.55	-	37.90	16.01	49.45			
AV	19.2419G	33.06	63.54	-30.48	28.60	1	Horizontal	291	2.55	-	37.90	16.01	49.45			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 102
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06766G	59.21	88.20	-28.99	38.14	3	Vertical	160	1.63	-	39.64	12.94	31.51			
RMS	13.07384G	46.13	68.20	-22.07	25.03	3	Vertical	160	1.63	-	39.65	12.95	31.50			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 102
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07069G	59.16	88.20	-29.04	38.08	3	Horizontal	106	1.92	-	39.64	12.94	31.50			
RMS	13.06145G	46.19	68.20	-22.01	25.14	3	Horizontal	106	1.92	-	39.62	12.94	31.51			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 102
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6086G	46.60	83.54	-36.94	42.15	1	Vertical	8	2.17	-	37.88	16.10	49.53			
AV	19.6052G	33.44	63.54	-30.10	28.98	1	Vertical	8	2.17	-	37.89	16.10	49.53			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 102
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.60442G	46.72	83.54	-36.82	42.26	1	Horizontal	337	1.93	-	37.89	16.10	49.53				
AV	19.60184G	33.45	63.54	-30.09	28.99	1	Horizontal	337	1.93	-	37.90	16.09	49.53				

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 108
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39195G	58.63	74.00	-15.37	36.47	3	Vertical	189	1.41	-	40.20	13.12	31.16			
AV	13.37506G	45.61	54.00	-8.39	23.47	3	Vertical	189	1.41	-	40.20	13.11	31.17			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 108
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38604G	58.82	74.00	-15.18	36.66	3	Horizontal	5	1.90	-	40.20	13.12	31.16			
AV	13.3939G	45.70	54.00	-8.30	23.53	3	Horizontal	5	1.90	-	40.20	13.12	31.15			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 108
03-C-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0865G	46.18	83.54	-37.36	41.29	1	Vertical	291	1.56	-	37.87	16.27	49.25			
AV	20.08862G	33.38	63.54	-30.16	28.47	1	Vertical	291	1.56	-	37.88	16.28	49.25			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6695MHz_TX


EUT_Z_2TX
Setting 108
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08468G	46.67	83.54	-36.87	41.78	1	Horizontal	360	2.32	-	37.87	16.27	49.25			
AV	20.08834G	33.33	63.54	-30.21	28.42	1	Horizontal	360	2.32	-	37.88	16.28	49.25			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 104
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72203G	59.29	88.20	-28.91	36.69	3	Vertical	86	1.87	-	40.44	13.30	31.14			
RMS	13.69728G	47.27	68.20	-20.93	24.72	3	Vertical	86	1.87	-	40.39	13.29	31.13			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 104
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69788G	59.30	88.20	-28.90	36.74	3	Horizontal	52	1.60	-	40.40	13.29	31.13			
RMS	13.7025G	47.44	68.20	-20.76	24.87	3	Horizontal	52	1.60	-	40.41	13.29	31.13			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 104
03-C-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56664G	47.74	83.54	-35.80	42.53	1	Vertical	337	2.94	-	37.93	16.48	49.20			
AV	20.56734G	34.75	63.54	-28.79	29.53	1	Vertical	337	2.94	-	37.93	16.48	49.19			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 104
03-C-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56976G	47.91	83.54	-35.63	42.68	1	Horizontal	245	2.56	-	37.94	16.48	49.19			
AV	20.56474G	34.81	63.54	-28.73	29.60	1	Horizontal	245	2.56	-	37.93	16.48	49.20			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 82
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9228G	82.30	88.20	-5.90	72.36	3	Vertical	56	2.21	-	34.94	7.44	32.44			
RMS	5.925G	67.98	68.20	-0.22	58.03	3	Vertical	56	2.21	-	34.95	7.44	32.44			
PK	5.978G	114.75	Inf	-Inf	104.50	3	Vertical	56	2.21	-	35.21	7.48	32.44			
RMS	5.9784G	104.31	Inf	-Inf	94.06	3	Vertical	56	2.21	-	35.21	7.48	32.44			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 82
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	75.16	88.20	-13.04	65.22	3	Horizontal	295	2.63	-	34.94	7.44	32.44			
RMS	5.925G	59.46	68.20	-8.74	49.51	3	Horizontal	295	2.63	-	34.95	7.44	32.44			
PK	5.9628G	107.76	Inf	-Inf	97.58	3	Horizontal	295	2.63	-	35.15	7.47	32.44			
RMS	5.9678G	96.82	Inf	-Inf	86.61	3	Horizontal	295	2.63	-	35.17	7.48	32.44			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Z_2TX
Setting 82
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.94284G	56.13	74.00	-17.87	37.89	3	Vertical	277	1.49	-	38.71	12.30	32.77			
AV	11.94389G	43.72	54.00	-10.28	25.49	3	Vertical	277	1.49	-	38.71	12.30	32.78			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Z_2TX
Setting 82
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93897G	56.57	74.00	-17.43	38.32	3	Horizontal	0	1.80	-	38.72	12.30	32.77			
AV	11.94383G	43.80	54.00	-10.20	25.57	3	Horizontal	0	1.80	-	38.71	12.30	32.78			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Z_2TX
Setting 82
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85844G	50.61	83.54	-32.93	40.79	1	Vertical	53	1.61	-	38.82	18.13	47.13			
AV	23.85978G	37.38	63.54	-26.16	27.55	1	Vertical	53	1.61	-	38.82	18.13	47.12			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Z_2TX
Setting 82
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86192G	50.80	83.54	-32.74	40.96	1	Horizontal	29	1.61	-	38.82	18.14	47.12			
AV	23.85532G	37.41	63.54	-26.13	27.60	1	Horizontal	29	1.61	-	38.81	18.13	47.13			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 108
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41201G	57.18	74.00	-16.82	38.19	3	Vertical	250	1.39	-	38.62	12.58	32.21			
AV	12.40142G	44.10	54.00	-9.90	25.14	3	Vertical	250	1.39	-	38.60	12.58	32.22			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 108
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.42245G	57.60	74.00	-16.40	38.56	3	Horizontal	324	1.51	-	38.64	12.59	32.19			
AV	12.40214G	44.13	54.00	-9.87	25.17	3	Horizontal	324	1.51	-	38.60	12.58	32.22			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 108
03-C-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61372G	46.25	83.54	-37.29	42.22	1	Vertical	147	2.22	-	37.93	15.73	49.63			
AV	18.61846G	33.48	63.54	-30.06	29.43	1	Vertical	147	2.22	-	37.94	15.73	49.62			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6205MHz_TX

EUT_Z_2TX
Setting 108
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61904G	46.66	83.54	-36.88	42.61	1	Horizontal	230	2.07	-	37.94	15.73	49.62			
AV	18.6182G	33.36	63.54	-30.18	29.31	1	Horizontal	230	2.07	-	37.94	15.73	49.62			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6405MHz_TX

EUT_Z_2TX
Setting 99
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81015G	58.77	88.20	-29.43	38.50	3	Vertical	230	1.98	-	39.24	12.80	31.77			
RMS	12.8235G	44.69	68.20	-23.51	24.35	3	Vertical	230	1.98	-	39.29	12.81	31.76			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6405MHz_TX

EUT_Z_2TX
Setting 99
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80535G	59.84	88.20	-28.36	39.59	3	Horizontal	334	1.61	-	39.22	12.80	31.77			
RMS	12.82173G	44.67	68.20	-23.53	24.33	3	Horizontal	334	1.61	-	39.29	12.81	31.76			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6405MHz_TX

EUT_Z_2TX
Setting 99
03-C-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21548G	45.46	83.54	-38.08	40.99	1	Vertical	338	2.04	-	37.90	16.00	49.43			
AV	19.21424G	32.78	63.54	-30.76	28.31	1	Vertical	338	2.04	-	37.90	16.00	49.43			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 99
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21784G	45.63	83.54	-37.91	41.17	1	Horizontal	346	1.28	-	37.90	16.00	49.44			
AV	19.21434G	32.69	63.54	-30.85	28.22	1	Horizontal	346	1.28	-	37.90	16.00	49.43			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 108
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1213G	58.55	88.20	-29.65	37.29	3	Vertical	340	1.44	-	39.74	12.97	31.45			
RMS	13.11776G	45.57	68.20	-22.63	24.31	3	Vertical	340	1.44	-	39.74	12.97	31.45			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 108
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05795G	59.04	88.20	-29.16	38.00	3	Horizontal	277	1.35	-	39.62	12.94	31.52			
RMS	13.05258G	45.34	68.20	-22.86	24.32	3	Horizontal	277	1.35	-	39.61	12.93	31.52			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 108
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69582G	47.62	83.54	-35.92	43.16	1	Vertical	46	1.32	-	37.80	16.13	49.47			
AV	19.69194G	33.79	63.54	-29.75	29.33	1	Vertical	46	1.32	-	37.80	16.13	49.47			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 108
03-C-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69322G	46.99	83.54	-36.55	42.53	1	Horizontal	118	1.88	-	37.80	16.13	49.47			
AV	19.6919G	33.78	63.54	-29.76	29.32	1	Horizontal	118	1.88	-	37.80	16.13	49.47			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 108
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37027G	59.50	74.00	-14.50	37.37	3	Vertical	269	1.56	-	40.20	13.11	31.18			
AV	13.35506G	45.77	54.00	-8.23	23.67	3	Vertical	269	1.56	-	40.20	13.10	31.20			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 108
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36721G	58.87	74.00	-15.13	36.74	3	Horizontal	289	1.88	-	40.20	13.11	31.18			
AV	13.3565G	45.66	54.00	-8.34	23.55	3	Horizontal	289	1.88	-	40.20	13.10	31.19			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 108
03-C-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05376G	45.89	83.54	-37.65	41.08	1	Vertical	145	1.82	-	37.81	16.26	49.26			
AV	20.05314G	33.04	63.54	-30.50	28.23	1	Vertical	145	1.82	-	37.81	16.26	49.26			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6685MHz_TX


EUT_Z_2TX
Setting 108
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05498G	46.07	83.54	-37.47	41.26	1	Horizontal	35	2.31	-	37.81	16.26	49.26			
AV	20.05872G	33.02	63.54	-30.52	28.20	1	Horizontal	35	2.31	-	37.82	16.26	49.26			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 105
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69356G	59.34	88.20	-28.86	36.80	3	Vertical	294	1.47	-	40.39	13.28	31.13			
RMS	13.68404G	46.66	68.20	-21.54	24.13	3	Vertical	294	1.47	-	40.37	13.28	31.12			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 105
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68072G	58.56	88.20	-29.64	36.04	3	Horizontal	218	1.64	-	40.36	13.28	31.12			
RMS	13.68124G	46.76	68.20	-21.44	24.24	3	Horizontal	218	1.64	-	40.36	13.28	31.12			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 105
03-C-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53874G	48.22	83.54	-35.32	43.03	1	Vertical	48	2.09	-	37.92	16.48	49.21			
AV	20.5328G	34.62	63.54	-28.92	29.41	1	Vertical	48	2.09	-	37.93	16.49	49.21			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 105
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.53894G	47.40	83.54	-36.14	42.21	1	Horizontal	228	2.22	-	37.92	16.48	49.21				
AV	20.53672G	34.56	63.54	-28.98	29.36	1	Horizontal	228	2.22	-	37.93	16.48	49.21				

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 74
01-U-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.923G	80.33	88.20	-7.87	70.39	3	Vertical	50	2.12	-	34.94	7.44	32.44			
RMS	5.925G	68.11	68.20	-0.09	58.16	3	Vertical	50	2.12	-	34.95	7.44	32.44			
PK	5.9994G	114.72	Inf	-Inf	104.36	3	Vertical	50	2.12	-	35.30	7.50	32.44			
RMS	5.9954G	102.60	Inf	-Inf	92.26	3	Vertical	50	2.12	-	35.28	7.50	32.44			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Z_2TX
Setting 74
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	71.61	88.20	-16.59	61.66	3	Horizontal	12	2.25	-	34.95	7.44	32.44			
RMS	5.925G	59.09	68.20	-9.11	49.14	3	Horizontal	12	2.25	-	34.95	7.44	32.44			
PK	5.9958G	104.03	Inf	-Inf	93.69	3	Horizontal	12	2.25	-	35.28	7.50	32.44			
RMS	5.9794G	93.56	Inf	-Inf	83.30	3	Horizontal	12	2.25	-	35.22	7.48	32.44			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Z_2TX
Setting 74
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.96748G	57.62	74.00	-16.38	39.38	3	Vertical	326	1.13	-	38.70	12.33	32.79			
AV	11.95932G	43.65	54.00	-10.35	25.41	3	Vertical	326	1.13	-	38.70	12.32	32.78			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Z_2TX
Setting 74
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97852G	57.43	74.00	-16.57	39.18	3	Horizontal	6	1.53	-	38.70	12.34	32.79			
AV	11.95884G	43.58	54.00	-10.42	25.34	3	Horizontal	6	1.53	-	38.70	12.32	32.78			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 74
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94014G	51.99	83.54	-31.55	41.95	1	Vertical	181	1.80	-	38.98	18.15	47.09			
AV	23.94034G	37.36	63.54	-26.18	27.32	1	Vertical	181	1.80	-	38.98	18.15	47.09			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 74
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94056G	50.39	83.54	-33.15	40.35	1	Horizontal	339	2.14	-	38.98	18.15	47.09			
AV	23.94314G	37.45	63.54	-26.09	27.40	1	Horizontal	339	2.14	-	38.99	18.15	47.09			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 104
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44512G	58.16	74.00	-15.84	39.03	3	Vertical	69	1.93	-	38.69	12.60	32.16			
AV	12.4536G	44.39	54.00	-9.61	25.22	3	Vertical	69	1.93	-	38.71	12.61	32.15			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Z_2TX
Setting 104
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.46192G	57.96	74.00	-16.04	38.76	3	Horizontal	358	1.50	-	38.72	12.61	32.13			
AV	12.46896G	44.35	54.00	-9.65	25.11	3	Horizontal	358	1.50	-	38.74	12.62	32.12			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 104
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67812G	47.10	83.54	-36.44	43.01	1	Vertical	7	2.46	-	37.89	15.77	49.57			
AV	18.67388G	33.74	63.54	-29.80	29.66	1	Vertical	7	2.46	-	37.90	15.76	49.58			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6225MHz_TX


EUT_Z_2TX
Setting 104
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6788G	47.17	83.54	-36.37	43.09	1	Horizontal	130	2.04	-	37.88	15.77	49.57			
AV	18.6769G	33.84	63.54	-29.70	29.75	1	Horizontal	130	2.04	-	37.89	15.77	49.57			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Z_2TX
Setting 101
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78644G	56.92	88.20	-31.28	36.75	3	Vertical	11	1.76	-	39.17	12.79	31.79			
RMS	12.79G	44.35	68.20	-23.85	24.17	3	Vertical	11	1.76	-	39.18	12.79	31.79			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Z_2TX
Setting 101
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.7836G	57.20	88.20	-31.00	37.04	3	Horizontal	333	1.56	-	39.17	12.79	31.80			
RMS	12.78796G	44.46	68.20	-23.74	24.28	3	Horizontal	333	1.56	-	39.18	12.79	31.79			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6385MHz_TX


EUT_Z_2TX
Setting 101
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1518G	46.53	83.54	-37.01	42.04	1	Vertical	232	1.50	-	37.90	15.99	49.40			
AV	19.15282G	32.78	63.54	-30.76	28.29	1	Vertical	232	1.50	-	37.90	15.99	49.40			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 101
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15628G	45.85	83.54	-37.69	41.36	1	Horizontal	119	1.55	-	37.90	15.99	49.40			
AV	19.15558G	32.80	63.54	-30.74	28.31	1	Horizontal	119	1.55	-	37.90	15.99	49.40			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 106
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08868G	59.34	88.20	-28.86	38.19	3	Vertical	177	1.61	-	39.68	12.95	31.48			
RMS	13.07448G	45.62	68.20	-22.58	24.52	3	Vertical	177	1.61	-	39.65	12.95	31.50			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 106
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2342G	58.27	88.20	-29.93	36.60	3	Horizontal	225	1.52	-	39.97	13.03	31.33			
RMS	13.23016G	45.34	68.20	-22.86	23.68	3	Horizontal	225	1.52	-	39.96	13.03	31.33			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 106
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87778G	46.39	83.54	-37.15	41.64	1	Vertical	297	1.82	-	37.90	16.19	49.34			
AV	19.87882G	32.96	63.54	-30.58	28.21	1	Vertical	297	1.82	-	37.90	16.19	49.34			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6625MHz_TX


EUT_Z_2TX
Setting 106
03-C-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87562G	46.11	83.54	-37.43	41.36	1	Horizontal	175	2.45	-	37.90	16.19	49.34			
AV	19.87152G	32.93	63.54	-30.61	28.19	1	Horizontal	175	2.45	-	37.90	16.19	49.35			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 106
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41264G	58.52	88.20	-29.68	36.32	3	Vertical	326	1.86	-	40.20	13.13	31.13			
RMS	13.42724G	46.32	68.20	-21.88	24.10	3	Vertical	326	1.86	-	40.20	13.14	31.12			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 106
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41676G	59.07	88.20	-29.13	36.87	3	Horizontal	190	1.71	-	40.20	13.13	31.13			
RMS	13.42864G	46.31	68.20	-21.89	24.09	3	Horizontal	190	1.71	-	40.20	13.14	31.12			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 106
03-C-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11648G	47.48	83.54	-36.06	42.54	1	Vertical	9	1.02	-	37.90	16.29	49.25			
AV	20.11474G	34.02	63.54	-29.52	29.08	1	Vertical	9	1.02	-	37.90	16.29	49.25			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 106
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1152G	47.47	83.54	-36.07	42.53	1	Horizontal	296	2.17	-	37.90	16.29	49.25			
AV	20.11306G	34.17	63.54	-29.37	29.23	1	Horizontal	296	2.17	-	37.90	16.29	49.25			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 106
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57996G	59.80	88.20	-28.40	37.32	3	Vertical	270	1.41	-	40.34	13.22	31.08			
RMS	13.55056G	46.68	68.20	-21.52	24.13	3	Vertical	270	1.41	-	40.40	13.21	31.06			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 106
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.55612G	60.09	88.20	-28.11	37.55	3	Horizontal	322	1.55	-	40.39	13.21	31.06			
RMS	13.56008G	46.74	68.20	-21.46	24.22	3	Horizontal	322	1.55	-	40.38	13.21	31.07			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 106
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35934G	50.63	83.54	-32.91	44.45	1	Vertical	1	2.51	-	38.00	17.42	49.24			
AV	20.35802G	35.99	63.54	-27.55	29.81	1	Vertical	1	2.51	-	38.00	17.42	49.24			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 106
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35214G	49.77	83.54	-33.77	43.59	1	Horizontal	182	2.89	-	38.00	17.42	49.24			
AV	20.35552G	36.07	63.54	-27.47	29.89	1	Horizontal	182	2.89	-	38.00	17.42	49.24			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 87
01-U-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.908G	83.68	88.20	-4.52	73.84	3	Vertical	52	1.80	-	34.85	7.43	32.44			
RMS	5.9235G	67.55	68.20	-0.65	57.61	3	Vertical	52	1.80	-	34.94	7.44	32.44			
PK	6.0775G	108.86	Inf	-Inf	98.36	3	Vertical	52	1.80	-	35.40	7.53	32.43			
RMS	6.0675G	97.88	Inf	-Inf	87.38	3	Vertical	52	1.80	-	35.40	7.53	32.43			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 87
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.911G	75.99	88.20	-12.21	66.13	3	Horizontal	3	2.46	-	34.87	7.43	32.44			
RMS	5.9235G	62.38	68.20	-5.82	52.44	3	Horizontal	3	2.46	-	34.94	7.44	32.44			
PK	6.042G	102.99	Inf	-Inf	92.52	3	Horizontal	3	2.46	-	35.38	7.52	32.43			
RMS	6.047G	92.13	Inf	-Inf	81.65	3	Horizontal	3	2.46	-	35.39	7.52	32.43			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 87
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04132G	57.08	74.00	-16.92	38.82	3	Vertical	14	1.82	-	38.62	12.38	32.74			
AV	12.03204G	43.80	54.00	-10.20	25.53	3	Vertical	14	1.82	-	38.64	12.38	32.75			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 87
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0616G	57.16	74.00	-16.84	38.86	3	Horizontal	232	1.90	-	38.62	12.39	32.71			
AV	12.0334G	43.84	54.00	-10.16	25.58	3	Horizontal	232	1.90	-	38.63	12.38	32.75			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 87
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07668G	47.21	83.54	-36.33	42.86	1	Vertical	80	2.66	-	37.56	16.32	49.53			
AV	18.07858G	33.86	63.54	-29.68	29.50	1	Vertical	80	2.66	-	37.57	16.32	49.53			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 87
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07548G	47.35	83.54	-36.19	43.00	1	Horizontal	45	2.11	-	37.55	16.32	49.52			
AV	18.07172G	33.81	63.54	-29.73	29.48	1	Horizontal	45	2.11	-	37.53	16.32	49.52			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 91
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.35648G	56.97	74.00	-17.03	38.20	3	Vertical	257	1.71	-	38.51	12.55	32.29			
AV	12.38352G	44.29	54.00	-9.71	25.40	3	Vertical	257	1.71	-	38.57	12.57	32.25			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 91
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38016G	56.11	74.00	-17.89	37.23	3	Horizontal	299	1.87	-	38.56	12.57	32.25			
AV	12.38452G	44.23	54.00	-9.77	25.34	3	Horizontal	299	1.87	-	38.57	12.57	32.25			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 91
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55606G	47.15	83.54	-36.39	42.45	1	Vertical	325	2.16	-	37.81	16.56	49.67			
AV	18.55692G	33.50	63.54	-30.04	28.80	1	Vertical	325	2.16	-	37.81	16.56	49.67			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 91
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55578G	46.99	83.54	-36.55	42.29	1	Horizontal	315	2.49	-	37.81	16.56	49.67			
AV	18.55444G	33.53	63.54	-30.01	28.84	1	Horizontal	315	2.49	-	37.81	16.56	49.68			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 91
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.71228G	58.37	88.20	-29.83	38.39	3	Vertical	177	1.35	-	39.10	12.75	31.87			
RMS	12.70244G	44.63	68.20	-23.57	24.67	3	Vertical	177	1.35	-	39.10	12.74	31.88			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 91
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.70536G	56.95	88.20	-31.25	36.98	3	Horizontal	3	1.84	-	39.10	12.74	31.87			
RMS	12.70912G	44.65	68.20	-23.55	24.67	3	Horizontal	3	1.84	-	39.10	12.75	31.87			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 91
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03704G	46.48	83.54	-37.06	40.95	1	Vertical	58	1.41	-	38.05	16.81	49.33			
AV	19.03856G	33.45	63.54	-30.09	27.92	1	Vertical	58	1.41	-	38.05	16.81	49.33			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 91
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03458G	46.63	83.54	-36.91	41.11	1	Horizontal	144	1.10	-	38.04	16.81	49.33			
AV	19.03008G	33.66	63.54	-29.88	28.16	1	Horizontal	144	1.10	-	38.02	16.81	49.33			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 91
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.34364G	59.25	74.00	-14.75	37.18	3	Vertical	9	1.98	-	40.19	13.09	31.21			
AV	13.3484G	46.30	54.00	-7.70	24.21	3	Vertical	9	1.98	-	40.20	13.09	31.20			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 91
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32744G	59.28	74.00	-14.72	37.28	3	Horizontal	78	1.84	-	40.15	13.08	31.23			
AV	13.34904G	46.54	54.00	-7.46	24.44	3	Horizontal	78	1.84	-	40.20	13.10	31.20			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 91
03-C-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99782G	47.40	83.54	-36.14	41.30	1	Vertical	11	1.96	-	37.99	17.37	49.26			
AV	19.9927G	34.04	63.54	-29.50	27.96	1	Vertical	11	1.96	-	37.97	17.37	49.26			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



EUT_Z_2TX
Setting 91
03-C-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99746G	48.19	83.54	-35.35	42.09	1	Horizontal	221	1.77	-	37.99	17.37	49.26			
AV	19.99848G	33.97	63.54	-29.57	27.87	1	Horizontal	221	1.77	-	37.99	17.37	49.26			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	RMS	5.9234G	68.16	68.20	-0.04	3	Horizontal	111	2.27	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
Setting 95
01-U-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	75.21	88.20	-12.99	65.26	3	Vertical	193	1.00	-	34.95	7.44	32.44			
RMS	5.9249G	61.17	68.20	-7.03	51.22	3	Vertical	193	1.00	-	34.95	7.44	32.44			
PK	5.9622G	112.40	Inf	-Inf	102.22	3	Vertical	193	1.00	-	35.15	7.47	32.44			
RMS	5.9572G	101.97	Inf	-Inf	91.81	3	Vertical	193	1.00	-	35.13	7.47	32.44			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
Setting 95
01-U-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9244G	80.93	88.20	-7.27	70.98	3	Horizontal	111	2.26	-	34.95	7.44	32.44			
RMS	5.9247G	67.77	68.20	-0.43	57.82	3	Horizontal	111	2.26	-	34.95	7.44	32.44			
PK	5.9506G	119.61	Inf	-Inf	109.49	3	Horizontal	111	2.26	-	35.10	7.46	32.44			
RMS	5.9563G	108.36	Inf	-Inf	98.20	3	Horizontal	111	2.26	-	35.13	7.47	32.44			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
Setting 95
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.90895G	61.95	74.00	-12.05	43.66	3	Vertical	151	1.80	-	38.78	12.27	32.76			
AV	11.90976G	47.63	54.00	-6.37	29.34	3	Vertical	151	1.80	-	38.78	12.27	32.76			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
Setting 95
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91819G	61.38	74.00	-12.62	43.10	3	Horizontal	146	1.80	-	38.76	12.28	32.76			
AV	11.90856G	47.40	54.00	-6.60	29.11	3	Horizontal	146	1.80	-	38.78	12.27	32.76			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
Setting 95
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82G	50.63	83.54	-32.91	40.15	1	Vertical	174	1.80	-	38.86	18.76	47.14			
AV	23.82191G	37.44	63.54	-26.10	26.96	1	Vertical	174	1.80	-	38.86	18.76	47.14			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
Setting 95
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81915G	50.88	83.54	-32.66	40.40	1	Horizontal	177	1.80	-	38.86	18.76	47.14			
AV	23.81953G	37.43	63.54	-26.11	26.95	1	Horizontal	177	1.80	-	38.86	18.76	47.14			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_X_1TX
Setting 108
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38856G	63.26	74.00	-10.74	44.35	3	Vertical	148	1.80	-	38.58	12.57	32.24			
AV	12.39081G	49.28	54.00	-4.72	30.37	3	Vertical	148	1.80	-	38.58	12.57	32.24			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_X_1TX
Setting 108
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38238G	61.31	74.00	-12.69	42.43	3	Horizontal	142	1.80	-	38.56	12.57	32.25			
AV	12.38928G	47.67	54.00	-6.33	28.76	3	Horizontal	142	1.80	-	38.58	12.57	32.24			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58371G	45.07	83.54	-38.47	40.27	1	Vertical	232	1.80	-	37.87	16.58	49.65			
AV	18.58478G	30.76	63.54	-32.78	25.96	1	Vertical	232	1.80	-	37.87	16.58	49.65			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58528G	44.61	83.54	-38.93	39.81	1	Horizontal	32	1.05	-	37.87	16.58	49.65			
AV	18.58182G	30.80	63.54	-32.74	26.01	1	Horizontal	32	1.05	-	37.86	16.58	49.65			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_X_1TX
Setting 108
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84356G	60.40	88.20	-27.80	39.95	3	Vertical	145	1.80	-	39.37	12.82	31.74			
RMS	12.82973G	46.21	68.20	-21.99	25.83	3	Vertical	145	1.80	-	39.32	12.81	31.75			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_X_1TX
Setting 108
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84419G	59.87	88.20	-28.33	39.41	3	Horizontal	355	1.66	-	39.38	12.82	31.74			
RMS	12.84446G	45.20	68.20	-23.00	24.74	3	Horizontal	355	1.66	-	39.38	12.82	31.74			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24954G	43.85	83.54	-39.69	38.47	1	Vertical	2	2.32	-	37.90	16.93	49.45			
AV	19.24652G	30.73	63.54	-32.81	25.35	1	Vertical	2	2.32	-	37.90	16.93	49.45			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX


EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24666G	43.87	83.54	-39.67	38.49	1	Horizontal	332	1.80	-	37.90	16.93	49.45			
AV	19.24608G	30.87	63.54	-32.67	25.49	1	Horizontal	332	1.80	-	37.90	16.93	49.45			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_X_1TX
Setting 108
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07045G	61.38	88.20	-26.82	40.30	3	Vertical	144	1.80	-	39.64	12.94	31.50			
RMS	13.07021G	47.06	68.20	-21.14	25.98	3	Vertical	144	1.80	-	39.64	12.94	31.50			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_X_1TX
Setting 108
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.079G	59.66	88.20	-28.54	38.54	3	Horizontal	121	1.66	-	39.66	12.95	31.49			
RMS	13.06979G	46.02	68.20	-22.18	24.94	3	Horizontal	121	1.66	-	39.64	12.94	31.50			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.606G	45.51	83.54	-38.03	40.01	1	Vertical	359	1.80	-	37.89	17.14	49.53			
AV	19.60564G	32.07	63.54	-31.47	26.57	1	Vertical	359	1.80	-	37.89	17.14	49.53			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60654G	45.21	83.54	-38.33	39.71	1	Horizontal	6	1.21	-	37.89	17.14	49.53			
AV	19.60128G	31.89	63.54	-31.65	26.38	1	Horizontal	6	1.21	-	37.90	17.14	49.53			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_X_1TX
Setting 108
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40368G	60.45	88.20	-27.75	38.26	3	Vertical	129	1.44	-	40.20	13.13	31.14			
RMS	13.4035G	45.87	68.20	-22.33	23.69	3	Vertical	129	1.44	-	40.20	13.12	31.14			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_X_1TX
Setting 108
01-U-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4042G	59.52	88.20	-28.68	37.33	3	Horizontal	67	1.78	-	40.20	13.13	31.14			
RMS	13.40437G	45.82	68.20	-22.38	23.63	3	Horizontal	67	1.78	-	40.20	13.13	31.14			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08838G	45.72	83.54	-37.82	39.71	1	Vertical	256	1.80	-	37.88	17.38	49.25			
AV	20.08146G	32.43	63.54	-31.11	26.45	1	Vertical	256	1.80	-	37.86	17.38	49.26			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08996G	45.68	83.54	-37.86	39.67	1	Horizontal	196	1.80	-	37.88	17.38	49.25			
AV	20.08598G	32.39	63.54	-31.15	26.39	1	Horizontal	196	1.80	-	37.87	17.38	49.25			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7007G	61.10	88.20	-27.10	38.54	3	Vertical	213	1.73	-	40.40	13.29	31.13			
RMS	13.7016G	46.96	68.20	-21.24	24.40	3	Vertical	213	1.73	-	40.40	13.29	31.13			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7092G	61.90	88.20	-26.30	39.32	3	Horizontal	126	2.50	-	40.42	13.29	31.13			
RMS	13.7089G	47.88	68.20	-20.32	25.30	3	Horizontal	126	2.50	-	40.42	13.29	31.13			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56382G	47.07	83.54	-36.47	40.89	1	Vertical	323	2.22	-	37.93	17.45	49.20			
AV	20.5685G	34.01	63.54	-29.53	27.81	1	Vertical	323	2.22	-	37.94	17.45	49.19			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56994G	47.11	83.54	-36.43	40.91	1	Horizontal	16	1.14	-	37.94	17.45	49.19			
AV	20.5678G	34.37	63.54	-29.17	28.17	1	Horizontal	16	1.14	-	37.94	17.45	49.19			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
Setting 80
01-U-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	74.04	88.20	-14.16	64.10	3	Vertical	194	1.00	-	34.94	7.44	32.44			
RMS	5.9242G	59.64	68.20	-8.56	49.69	3	Vertical	194	1.00	-	34.95	7.44	32.44			
PK	5.9562G	106.25	Inf	-Inf	96.10	3	Vertical	194	1.00	-	35.12	7.47	32.44			
RMS	5.9578G	95.34	Inf	-Inf	85.18	3	Vertical	194	1.00	-	35.13	7.47	32.44			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
Setting 80
01-U-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9244G	81.24	88.20	-6.96	71.29	3	Horizontal	110	2.25	-	34.95	7.44	32.44			
RMS	5.925G	67.77	68.20	-0.43	57.82	3	Horizontal	110	2.25	-	34.95	7.44	32.44			
PK	5.9754G	113.52	Inf	-Inf	103.28	3	Horizontal	110	2.25	-	35.20	7.48	32.44			
RMS	5.9564G	102.61	Inf	-Inf	92.45	3	Horizontal	110	2.25	-	35.13	7.47	32.44			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_X_1TX
Setting 80
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.93969G	59.32	74.00	-14.68	41.07	3	Vertical	148	1.80	-	38.72	12.30	32.77				
AV	11.93078G	46.12	54.00	-7.88	27.86	3	Vertical	148	1.80	-	38.74	12.29	32.77				
PK	17.89572G	60.06	74.00	-13.94	36.02	3	Vertical	2	1.75	-	41.28	14.20	31.44				
AV	17.89182G	47.92	54.00	-6.08	23.90	3	Vertical	2	1.75	-	41.27	14.20	31.45				

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_X_1TX
Setting 80
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92667G	57.99	74.00	-16.01	39.72	3	Horizontal	334	1.51	-	38.75	12.29	32.77			
AV	11.93693G	45.60	54.00	-8.40	27.34	3	Horizontal	334	1.51	-	38.73	12.30	32.77			
PK	17.89919G	59.91	74.00	-14.09	35.85	3	Horizontal	198	1.80	-	41.30	14.20	31.44			
AV	17.89712G	47.00	54.00	-7.00	22.95	3	Horizontal	198	1.80	-	41.29	14.20	31.44			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
Setting 80
03-C-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.86046G	50.05	83.54	-33.49	39.59	1	Vertical	19	1.64	-	38.82	18.76	47.12			
AV	23.8594G	38.36	63.54	-25.18	27.90	1	Vertical	19	1.64	-	38.82	18.76	47.12			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
Setting 80
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86292G	51.10	83.54	-32.44	40.63	1	Horizontal	286	2.91	-	38.83	18.76	47.12			
AV	23.86224G	37.98	63.54	-25.56	27.52	1	Horizontal	286	2.91	-	38.82	18.76	47.12			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.4061G	63.14	74.00	-10.86	44.17	3	Vertical	147	1.80	-	38.61	12.58	32.22			
AV	12.41074G	50.70	54.00	-3.30	31.71	3	Vertical	147	1.80	-	38.62	12.58	32.21			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41382G	63.14	74.00	-10.86	44.12	3	Horizontal	139	1.80	-	38.63	12.59	32.20			
AV	12.40916G	50.38	54.00	-3.62	31.39	3	Horizontal	139	1.80	-	38.62	12.58	32.21			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61612G	44.33	83.54	-39.21	39.43	1	Vertical	87	1.33	-	37.93	16.59	49.62			
AV	18.61846G	32.04	63.54	-31.50	27.12	1	Vertical	87	1.33	-	37.94	16.60	49.62			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6166G	43.96	83.54	-39.58	39.06	1	Horizontal	34	1.59	-	37.93	16.59	49.62			
AV	18.61986G	32.16	63.54	-31.38	27.24	1	Horizontal	34	1.59	-	37.94	16.60	49.62			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81017G	60.73	88.20	-27.47	40.46	3	Vertical	155	2.41	-	39.24	12.80	31.77			
RMS	12.81093G	48.07	68.20	-20.13	27.80	3	Vertical	155	2.41	-	39.24	12.80	31.77			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80984G	60.66	88.20	-27.54	40.39	3	Horizontal	137	1.80	-	39.24	12.80	31.77			
RMS	12.80786G	47.52	68.20	-20.68	27.26	3	Horizontal	137	1.80	-	39.23	12.80	31.77			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21954G	43.56	83.54	-39.98	38.18	1	Vertical	268	2.40	-	37.90	16.92	49.44			
AV	19.21002G	31.44	63.54	-32.10	26.06	1	Vertical	268	2.40	-	37.90	16.91	49.43			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21976G	43.70	83.54	-39.84	38.32	1	Horizontal	315	2.36	-	37.90	16.92	49.44			
AV	19.21716G	31.62	63.54	-31.92	26.24	1	Horizontal	315	2.36	-	37.90	16.92	49.44			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13282G	59.87	88.20	-28.33	38.56	3	Vertical	57	1.80	-	39.77	12.98	31.44			
RMS	13.12764G	47.32	68.20	-20.88	26.03	3	Vertical	57	1.80	-	39.76	12.97	31.44			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12886G	60.31	88.20	-27.89	39.01	3	Horizontal	102	1.47	-	39.76	12.98	31.44			
RMS	13.12136G	47.35	68.20	-20.85	26.09	3	Horizontal	102	1.47	-	39.74	12.97	31.45			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6984G	45.72	83.54	-37.82	40.19	1	Vertical	189	1.17	-	37.80	17.20	49.47			
AV	19.69236G	33.45	63.54	-30.09	27.93	1	Vertical	189	1.17	-	37.80	17.19	49.47			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69132G	45.59	83.54	-37.95	40.07	1	Horizontal	285	2.61	-	37.80	17.19	49.47			
AV	19.69192G	33.47	63.54	-30.07	27.95	1	Horizontal	285	2.61	-	37.80	17.19	49.47			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0582G	44.84	83.54	-38.70	38.90	1	Vertical	56	2.66	-	37.82	17.38	49.26			
AV	20.0503G	33.07	63.54	-30.47	27.15	1	Vertical	56	2.66	-	37.80	17.38	49.26			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05882G	44.94	83.54	-38.60	39.00	1	Horizontal	261	2.21	-	37.82	17.38	49.26			
AV	20.05148G	33.12	63.54	-30.42	27.20	1	Horizontal	261	2.21	-	37.80	17.38	49.26			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5346G	47.54	83.54	-36.00	41.38	1	Vertical	182	1.85	-	37.93	17.44	49.21			
AV	20.5343G	34.72	63.54	-28.82	28.56	1	Vertical	182	1.85	-	37.93	17.44	49.21			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53732G	46.63	83.54	-36.91	40.46	1	Horizontal	175	2.13	-	37.93	17.45	49.21			
AV	20.53546G	34.94	63.54	-28.60	28.78	1	Horizontal	175	2.13	-	37.93	17.44	49.21			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
Setting 78
01-U-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9202G	71.72	88.20	-16.48	61.80	3	Vertical	202	2.17	-	34.92	7.44	32.44			
RMS	5.9246G	60.26	68.20	-7.94	50.31	3	Vertical	202	2.17	-	34.95	7.44	32.44			
PK	5.9762G	103.17	Inf	-Inf	92.93	3	Vertical	202	2.17	-	35.20	7.48	32.44			
RMS	5.9938G	92.74	Inf	-Inf	82.40	3	Vertical	202	2.17	-	35.28	7.50	32.44			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
Setting 78
01-U-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	80.25	88.20	-7.95	70.34	3	Horizontal	111	2.27	-	34.91	7.44	32.44			
RMS	5.9234G	68.16	68.20	-0.04	58.22	3	Horizontal	111	2.27	-	34.94	7.44	32.44			
PK	5.955G	110.55	Inf	-Inf	100.40	3	Horizontal	111	2.27	-	35.12	7.47	32.44			
RMS	5.9562G	98.91	Inf	-Inf	88.76	3	Horizontal	111	2.27	-	35.12	7.47	32.44			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
Setting 78
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96774G	58.76	74.00	-15.24	40.52	3	Vertical	152	2.75	-	38.70	12.33	32.79			
AV	11.96182G	46.89	54.00	-7.11	28.65	3	Vertical	152	2.75	-	38.70	12.32	32.78			
PK	17.95742G	60.75	74.00	-13.25	36.51	3	Vertical	38	2.47	-	41.41	14.22	31.39			
AV	17.95698G	47.53	54.00	-6.47	23.29	3	Vertical	38	2.47	-	41.41	14.22	31.39			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_X_1TX
Setting 78
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.96912G	58.76	74.00	-15.24	40.52	3	Horizontal	268	1.90	-	38.70	12.33	32.79				
AV	11.97856G	46.79	54.00	-7.21	28.54	3	Horizontal	268	1.90	-	38.70	12.34	32.79				
PK	17.95337G	60.52	74.00	-13.48	36.29	3	Horizontal	164	2.30	-	41.41	14.22	31.40				
AV	17.95475G	47.24	54.00	-6.76	23.01	3	Horizontal	164	2.30	-	41.41	14.22	31.40				

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
Setting 78
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93931G	50.79	83.54	-32.75	40.13	1	Vertical	30	1.51	-	38.98	18.77	47.09			
AV	23.94079G	38.11	63.54	-25.43	27.45	1	Vertical	30	1.51	-	38.98	18.77	47.09			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
Setting 78
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93866G	50.16	83.54	-33.38	39.50	1	Horizontal	291	1.72	-	38.98	18.77	47.09			
AV	23.93842G	37.97	63.54	-25.57	27.31	1	Horizontal	291	1.72	-	38.98	18.77	47.09			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44554G	62.73	74.00	-11.27	43.60	3	Vertical	147	1.80	-	38.69	12.60	32.16			
AV	12.44734G	50.04	54.00	-3.96	30.91	3	Vertical	147	1.80	-	38.69	12.60	32.16			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45464G	62.10	74.00	-11.90	42.93	3	Horizontal	138	1.80	-	38.71	12.61	32.15			
AV	12.45168G	49.77	54.00	-4.23	30.61	3	Horizontal	138	1.80	-	38.70	12.61	32.15			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67261G	44.65	83.54	-38.89	39.70	1	Vertical	222	2.34	-	37.91	16.62	49.58			
AV	18.67269G	32.03	63.54	-31.51	27.08	1	Vertical	222	2.34	-	37.91	16.62	49.58			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6768G	44.11	83.54	-39.43	39.17	1	Horizontal	183	2.70	-	37.89	16.63	49.58			
AV	18.6726G	31.98	63.54	-31.56	27.03	1	Horizontal	183	2.70	-	37.91	16.62	49.58			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76746G	59.00	88.20	-29.20	38.90	3	Vertical	308	1.93	-	39.13	12.78	31.81			
RMS	12.77864G	46.98	68.20	-21.22	26.84	3	Vertical	308	1.93	-	39.16	12.78	31.80			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6385MHz_TX

EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76592G	58.94	88.20	-29.26	38.84	3	Horizontal	52	1.58	-	39.13	12.78	31.81			
RMS	12.7686G	47.21	68.20	-20.99	27.10	3	Horizontal	52	1.58	-	39.14	12.78	31.81			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15708G	43.72	83.54	-39.82	38.34	1	Vertical	331	1.54	-	37.90	16.88	49.40			
AV	19.15275G	31.76	63.54	-31.78	26.38	1	Vertical	331	1.54	-	37.90	16.88	49.40			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15263G	43.58	83.54	-39.96	38.20	1	Horizontal	306	1.03	-	37.90	16.88	49.40			
AV	19.15291G	31.17	63.54	-32.37	25.79	1	Horizontal	306	1.03	-	37.90	16.88	49.40			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25824G	60.37	74.00	-13.63	38.60	3	Vertical	354	2.72	-	40.02	13.05	31.30			
AV	13.25884G	47.23	54.00	-6.77	25.46	3	Vertical	354	2.72	-	40.02	13.05	31.30			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25298G	55.97	74.00	-18.03	34.23	3	Horizontal	354	2.72	-	40.01	13.04	31.31			
AV	13.25298G	46.65	54.00	-7.35	24.91	3	Horizontal	354	2.72	-	40.01	13.04	31.31			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87669G	45.69	83.54	-37.85	39.83	1	Vertical	186	2.30	-	37.90	17.30	49.34			
AV	19.8737G	32.93	63.54	-30.61	27.08	1	Vertical	186	2.30	-	37.90	17.30	49.35			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87624G	45.30	83.54	-38.24	39.44	1	Horizontal	76	2.07	-	37.90	17.30	49.34			
AV	19.87303G	33.03	63.54	-30.51	27.18	1	Horizontal	76	2.07	-	37.90	17.30	49.35			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40509G	60.69	88.20	-27.51	38.50	3	Vertical	360	1.44	-	40.20	13.13	31.14			
RMS	13.41413G	48.01	68.20	-20.19	25.81	3	Vertical	360	1.44	-	40.20	13.13	31.13			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40754G	60.25	88.20	-27.95	38.06	3	Horizontal	331	1.96	-	40.20	13.13	31.14			
RMS	13.41399G	47.89	68.20	-20.31	25.69	3	Horizontal	331	1.96	-	40.20	13.13	31.13			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11293G	46.62	83.54	-36.92	40.58	1	Vertical	4	2.15	-	37.90	17.39	49.25			
AV	20.11631G	34.17	63.54	-29.37	28.13	1	Vertical	4	2.15	-	37.90	17.39	49.25			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11709G	46.47	83.54	-37.07	40.43	1	Horizontal	333	1.26	-	37.90	17.39	49.25			
AV	20.11659G	34.37	63.54	-29.17	28.33	1	Horizontal	333	1.26	-	37.90	17.39	49.25			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56656G	60.69	88.20	-27.51	38.18	3	Vertical	54	1.35	-	40.37	13.21	31.07			
RMS	13.56513G	48.16	68.20	-20.04	25.65	3	Vertical	54	1.35	-	40.37	13.21	31.07			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57249G	60.88	88.20	-27.32	38.37	3	Horizontal	312	1.48	-	40.36	13.22	31.07			
RMS	13.57096G	48.48	68.20	-19.72	25.97	3	Horizontal	312	1.48	-	40.36	13.22	31.07			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35256G	48.05	83.54	-35.49	41.87	1	Vertical	26	2.68	-	38.00	17.42	49.24			
AV	20.35535G	35.64	63.54	-27.90	29.46	1	Vertical	26	2.68	-	38.00	17.42	49.24			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35693G	48.29	83.54	-35.25	42.11	1	Horizontal	307	2.90	-	38.00	17.42	49.24			
AV	20.35542G	35.94	63.54	-27.60	29.76	1	Horizontal	307	2.90	-	38.00	17.42	49.24			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
Setting 79
01-U-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.911G	74.48	88.20	-13.72	64.62	3	Vertical	200	2.06	-	34.87	7.43	32.44			
RMS	5.911G	60.13	68.20	-8.07	50.27	3	Vertical	200	2.06	-	34.87	7.43	32.44			
PK	6G	100.90	Inf	-Inf	90.54	3	Vertical	200	2.06	-	35.30	7.50	32.44			
RMS	5.9965G	89.40	Inf	-Inf	79.05	3	Vertical	200	2.06	-	35.29	7.50	32.44			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
Setting 79
01-U-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.911G	82.24	88.20	-5.96	72.38	3	Horizontal	109	2.40	-	34.87	7.43	32.44			
RMS	5.922G	66.99	68.20	-1.21	57.06	3	Horizontal	109	2.40	-	34.93	7.44	32.44			
PK	6.0445G	107.43	Inf	-Inf	96.95	3	Horizontal	109	2.40	-	35.39	7.52	32.43			
RMS	6.0475G	96.59	Inf	-Inf	86.11	3	Horizontal	109	2.40	-	35.39	7.52	32.43			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT_X_1TX
Setting 79
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.0524G	58.48	74.00	-15.52	40.21	3	Vertical	310	1.58	-	38.60	12.39	32.72			
AV	12.04589G	45.54	54.00	-8.46	27.27	3	Vertical	310	1.58	-	38.61	12.39	32.73			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
Setting 79
01-U-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.06386G	57.26	74.00	-16.74	38.95	3	Horizontal	97	1.75	-	38.63	12.39	32.71			
AV	12.06476G	45.72	54.00	-8.28	27.40	3	Horizontal	97	1.75	-	38.63	12.40	32.71			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
Setting 79
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07528G	44.65	83.54	-38.89	40.30	1	Vertical	124	1.81	-	37.55	16.32	49.52			
AV	18.07338G	31.67	63.54	-31.87	27.33	1	Vertical	124	1.81	-	37.54	16.32	49.52			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
Setting 79
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07725G	44.36	83.54	-39.18	40.01	1	Horizontal	251	2.71	-	37.56	16.32	49.53			
AV	18.07631G	31.89	63.54	-31.65	27.54	1	Horizontal	251	2.71	-	37.56	16.32	49.53			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37333G	59.68	74.00	-14.32	40.83	3	Vertical	187	1.56	-	38.55	12.56	32.26			
AV	12.36727G	47.61	54.00	-6.39	28.79	3	Vertical	187	1.56	-	38.53	12.56	32.27			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6185MHz_TX

EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37394G	59.61	74.00	-14.39	40.76	3	Horizontal	278	1.60	-	38.55	12.56	32.26			
AV	12.37402G	48.31	54.00	-5.69	29.46	3	Horizontal	278	1.60	-	38.55	12.56	32.26			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55525G	43.66	83.54	-39.88	38.96	1	Vertical	204	1.63	-	37.81	16.56	49.67			
AV	18.55424G	31.25	63.54	-32.29	26.56	1	Vertical	204	1.63	-	37.81	16.56	49.68			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55621G	43.81	83.54	-39.73	39.11	1	Horizontal	156	2.07	-	37.81	16.56	49.67			
AV	18.55636G	31.62	63.54	-31.92	26.92	1	Horizontal	156	2.07	-	37.81	16.56	49.67			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68931G	58.75	74.00	-15.25	38.82	3	Vertical	122	1.58	-	39.08	12.74	31.89			
AV	12.68958G	46.69	54.00	-7.31	26.76	3	Vertical	122	1.58	-	39.08	12.74	31.89			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68689G	58.50	74.00	-15.50	38.59	3	Horizontal	32	1.69	-	39.07	12.73	31.89			
AV	12.69128G	47.28	54.00	-6.72	27.35	3	Horizontal	32	1.69	-	39.08	12.74	31.89			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03325G	43.39	83.54	-40.15	37.88	1	Vertical	127	2.20	-	38.03	16.81	49.33			
AV	19.03674G	31.65	63.54	-31.89	26.12	1	Vertical	127	2.20	-	38.05	16.81	49.33			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03468G	43.63	83.54	-39.91	38.11	1	Horizontal	237	1.73	-	38.04	16.81	49.33			
AV	19.03413G	31.55	63.54	-31.99	26.03	1	Horizontal	237	1.73	-	38.04	16.81	49.33			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32774G	60.01	74.00	-13.99	38.00	3	Vertical	14	1.85	-	40.16	13.08	31.23			
AV	13.32823G	48.41	54.00	-5.59	26.40	3	Vertical	14	1.85	-	40.16	13.08	31.23			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_X_1TX
Setting 108
01-U-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33365G	59.97	74.00	-14.03	37.93	3	Horizontal	30	1.75	-	40.17	13.09	31.22			
AV	13.32678G	48.27	54.00	-5.73	26.27	3	Horizontal	30	1.75	-	40.15	13.08	31.23			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_X_1TX
Setting 108
03-C-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99621G	45.12	83.54	-38.42	39.03	1	Vertical	112	1.23	-	37.98	17.37	49.26			
AV	19.99695G	32.83	63.54	-30.71	26.73	1	Vertical	112	1.23	-	37.99	17.37	49.26			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX



EUT_X_1TX
Setting 108
03-C-M-1


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99428G	45.29	83.54	-38.25	39.20	1	Horizontal	114	2.53	-	37.98	17.37	49.26			
AV	19.99287G	32.98	63.54	-30.56	26.90	1	Horizontal	114	2.53	-	37.97	17.37	49.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

26/08/2025




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

26/08/2025




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

26/08/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.413675G	5.54	6.39385G	-22.85	-14.72	-8.13	1
6.412326G	5.83	6.394125G	-21.85	-14.26	-7.59	2

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

26/08/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.535775G	5.51	6.556125G	-22.56	-14.57	-7.99	1
6.532526G	5.45	6.512725G	-24.55	-14.59	-9.96	2

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

26/08/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

26/08/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

26/08/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.960051G	1.86	6.0278G	-45.51	-38.14	-7.37	1
5.978747G	1.92	5.9931G	-27.70	-19.70	-8.00	2

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

26/08/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.202001G	9.37	6.15235G	-19.37	-10.66	-8.71	1
6.202901G	8.85	6.15415G	-21.68	-11.17	-10.51	2

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

26/08/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.408749G	7.65	6.36605G	-19.77	-12.36	-7.41	1
6.410199G	7.97	6.36265G	-20.16	-12.06	-8.10	2

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

26/08/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.562551G	8.98	6.61545G	-20.41	-11.04	-9.37	1
6.567649G	9.12	6.51355G	-22.25	-10.88	-11.37	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

26/08/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

26/08/2025



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

26/08/2025

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9971G	2.09	6.1087G	-43.59	-37.91	-5.68	1
6.0011G	2.59	6.1152G	-44.32	-37.41	-6.91	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

26/08/2025

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2118G	8.80	6.1225G	-19.09	-11.22	-7.87	1
6.21G	8.22	6.1364G	-18.34	-11.83	-6.51	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

26/08/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

26/08/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

26/08/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

26/08/2025




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

26/08/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05119G	2.16	6.2988G	-41.49	-37.84	-3.65	1
6.05219G	2.46	6.4056G	-42.42	-37.54	-4.88	2

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

26/08/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15741G	5.20	6.0258G	-23.75	-14.80	-8.95	1
6.16081G	5.05	6.0264G	-24.80	-14.95	-9.85	2

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

26/08/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32221G	5.31	6.1858G	-23.87	-14.69	-9.18	1
6.32101G	5.74	6.5014G	-23.39	-14.31	-9.08	2

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

26/08/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68939G	5.11	6.8242G	-23.75	-14.90	-8.85	1
6.63901G	5.13	6.2656G	-39.75	-32.70	-7.05	2

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

26/08/2025




5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

26/08/2025




5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

26/08/2025




6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

26/08/2025



6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

26/08/2025

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.697399G	10.55	6.6577G	-15.46	-9.51	-5.95	1
6.692201G	10.17	6.669775G	-18.20	-9.84	-8.36	2

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

26/08/2025

CF (Hz)
6.855G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.853025G	9.14	6.827825G	-20.53	-10.95	-9.58	1
6.852626G	9.14	6.830025G	-20.00	-10.76	-9.24	2

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

26/08/2025




5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

26/08/2025



5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

26/08/2025

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.408949G	4.70	6.3669G	-22.42	-15.55	-6.87	1
6.400301G	5.37	6.3661G	-21.02	-14.68	-6.34	2

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

26/08/2025

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.571348G	9.04	6.51345G	-21.39	-11.00	-10.39	1
6.567499G	9.41	6.6164G	-21.45	-10.61	-10.84	2

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

26/08/2025




6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

26/08/2025




5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

26/08/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9975G	-0.12	6.1098G	-45.77	-40.12	-5.65	1
5.9969G	0.56	6.112G	-46.18	-39.44	-6.74	2

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

26/08/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2113G	8.88	6.1232G	-18.41	-11.12	-7.29	1
6.2117G	8.52	6.1332G	-19.32	-11.64	-7.68	2

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

26/08/2025




6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

26/08/2025



6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

26/08/2025

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6945G	9.29	6.8081G	-17.61	-10.71	-6.90	1
6.6924G	8.86	6.801G	-18.77	-11.27	-7.50	2

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

26/08/2025

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7931G	8.74	6.6825G	-19.52	-11.29	-8.23	1
6.7725G	9.05	6.6834G	-18.51	-10.97	-7.54	2

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

26/08/2025




5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

26/08/2025




5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

26/08/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32021G	5.16	6.1874G	-23.22	-14.86	-8.36	1
6.31721G	5.42	6.188G	-24.25	-14.60	-9.65	2

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

26/08/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69039G	5.03	6.8244G	-24.04	-15.06	-8.98	1
6.63941G	5.01	6.2682G	-39.96	-29.52	-10.44	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

27/08/2025




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

27/08/2025




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

27/08/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

27/08/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

27/08/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

27/08/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

27/08/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

27/08/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

27/08/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

27/08/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

27/08/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

27/08/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

27/08/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

27/08/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

27/08/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

27/08/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

27/08/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

27/08/2025




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

27/08/2025




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

27/08/2025




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

27/08/2025



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

27/08/2025

