

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6685MHz

17/12/2025

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.59	9.59	3.69	3.62	3.82	3.32

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6845MHz

17/12/2025

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.49	9.49	3.47	3.37	4.16	3.31

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5985MHz

17/12/2025

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.09	3.09	-2.83	-3.11	-2.63	-2.99

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6225MHz

17/12/2025

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.83	6.83	1.22	1.03	0.92	0.45

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6385MHz

17/12/2025

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Port 3 ☐

Port 4 ☐

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.72	6.72	0.92	0.98	0.74	0.53

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6625MHz

17/12/2025

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Port 3 ☐

Port 4 ☐

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.82	6.82	1.00	0.78	0.83	0.86

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6705MHz

17/12/2025

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.71	6.71	0.74	0.62	0.87	0.88

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6785MHz

17/12/2025

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.07	7.07	1.01	1.29	1.30	1.03

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6025MHz

17/12/2025

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.69	0.69	-5.72	-5.21	-5.25	-4.84

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6185MHz

17/12/2025

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.16	1.16	-4.85	-4.78	-4.72	-4.87

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6345MHz

17/12/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6665MHz

17/12/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6105MHz

17/12/2025

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.01	-2.01	-8.29	-7.83	-7.95	-7.53


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6265MHz

17/12/2025

CF (Hz)
6.265G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.83	-0.83	-6.83	-6.56	-6.44	-6.97

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	9.23	19.23
802.11ax HEW40_Nss1,(MCS0)_1TX	6.28	16.28
802.11ax HEW80_Nss1,(MCS0)_1TX	3.76	13.76
802.11ax HEW160_Nss1,(MCS0)_1TX	-3.01	6.99
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	7.83	17.83
802.11ax HEW40_Nss1,(MCS0)_1TX	5.58	15.58
802.11ax HEW80_Nss1,(MCS0)_1TX	2.50	12.50
802.11ax HEW160_Nss1,(MCS0)_1TX	-3.73	6.27

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	10.00	5.71	5.71	15.71	23.00
6195MHz	Pass	10.00	9.23	9.23	19.23	23.00
6415MHz	Pass	10.00	6.53	6.53	16.53	23.00
6535MHz	Pass	10.00	5.35	5.35	15.35	23.00
6695MHz	Pass	10.00	7.62	7.62	17.62	23.00
6855MHz	Pass	10.00	7.83	7.83	17.83	23.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5965MHz	Pass	10.00	1.49	1.49	11.49	23.00
6205MHz	Pass	10.00	6.28	6.28	16.28	23.00
6405MHz	Pass	10.00	4.20	4.20	14.20	23.00
6565MHz	Pass	10.00	5.58	5.58	15.58	23.00
6685MHz	Pass	10.00	4.89	4.89	14.89	23.00
6845MHz	Pass	10.00	3.44	3.44	13.44	23.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5985MHz	Pass	10.00	-1.87	-1.87	8.13	23.00
6225MHz	Pass	10.00	3.76	3.76	13.76	23.00
6385MHz	Pass	10.00	1.01	1.01	11.01	23.00
6625MHz	Pass	10.00	2.50	2.50	12.50	23.00
6705MHz	Pass	10.00	2.08	2.08	12.08	23.00
6785MHz	Pass	10.00	2.14	2.14	12.14	23.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6025MHz	Pass	10.00	-3.92	-3.92	6.08	23.00
6185MHz	Pass	10.00	-3.01	-3.01	6.99	23.00
6345MHz	Pass	10.00	-3.17	-3.17	6.83	23.00
6665MHz	Pass	10.00	-3.73	-3.73	6.27	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

PSD

5955MHz

22/12/2025

CF (Hz)
5.955G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.71	5.71	5.71

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

PSD

6195MHz

22/12/2025

CF (Hz)
6.195G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.23	9.23	9.23

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6415MHz

22/12/2025

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.53	6.53	6.53

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6535MHz

22/12/2025

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.35	5.35	5.35

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6695MHz

22/12/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6855MHz

22/12/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5965MHz

22/12/2025

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.49	1.49	1.49


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

6205MHz

22/12/2025

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.28	6.28	6.28

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

6405MHz

22/12/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

6565MHz

22/12/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

6685MHz

22/12/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

6845MHz

22/12/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5985MHz

22/12/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6225MHz

22/12/2025



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6385MHz

22/12/2025

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.01	1.01	1.01

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6625MHz

22/12/2025

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.50	2.50	2.50

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6705MHz

22/12/2025

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.08	2.08	2.08

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6785MHz

22/12/2025

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.14	2.14	2.14

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6025MHz

22/12/2025




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6185MHz

22/12/2025




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6345MHz

22/12/2025




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6665MHz

22/12/2025





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX	2.87	15.88
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX	0.63	13.64
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX	-2.04	10.97

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	13.01	-2.57	-3.29	-3.02	-3.34	2.87	15.88	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	13.01	-5.20	-4.87	-5.47	-5.08	0.63	13.64	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	13.01	-5.26	-4.88	-5.76	-5.16	0.60	13.61	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	13.01	-8.22	-7.86	-8.34	-7.88	-2.11	10.90	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	13.01	-7.93	-7.75	-8.46	-7.67	-2.04	10.97	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	13.01	-8.41	-7.95	-8.46	-7.91	-2.23	10.78	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

PSD

5985MHz

28/07/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

PSD

6025MHz

28/07/2026



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_3_4TX

PSD

6025MHz

28/07/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Port 3 ☐

Port 4 ☐

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.60	0.60	-5.26	-4.88	-5.76	-5.16

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU_8_4TX

PSD

6105MHz

28/07/2026

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Port 3 ☐

Port 4 ☐

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.11	-2.11	-8.22	-7.86	-8.34	-7.88

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU_2_4TX

PSD

6105MHz

28/07/2026

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.04	-2.04	-7.93	-7.75	-8.46	-7.67

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU_2_4TX

PSD

6105MHz

28/07/2026

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.23	-2.23	-8.41	-7.95	-8.46	-7.91




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1.(MCS0)_1TX	Pass	RMS	5.925G	68.18	68.20	-0.02	3	Vertical	25	2.25	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 84
03-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9244G	81.24	88.20	-6.96	73.75	3	Vertical	23	2.31	-	34.60	8.09	35.20			
RMS	5.9248G	67.98	68.20	-0.22	60.49	3	Vertical	23	2.31	-	34.60	8.09	35.20			
PK	5.9482G	117.59	Inf	-Inf	109.98	3	Vertical	23	2.31	-	34.69	8.12	35.20			
RMS	5.9576G	107.36	Inf	-Inf	99.72	3	Vertical	23	2.31	-	34.70	8.13	35.19			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 84
03-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9208G	73.17	88.20	-15.03	65.70	3	Horizontal	0	2.27	-	34.58	8.09	35.20			
RMS	5.925G	62.75	68.20	-5.45	55.26	3	Horizontal	0	2.27	-	34.60	8.09	35.20			
PK	5.9472G	111.94	Inf	-Inf	104.34	3	Horizontal	0	2.27	-	34.69	8.11	35.20			
RMS	5.9536G	101.83	Inf	-Inf	94.20	3	Horizontal	0	2.27	-	34.70	8.12	35.19			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 84
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.89902G	46.09	74.00	-27.91	60.84	3	Vertical	271	3.00	-	39.30	11.79	65.84				
AV	11.90058G	35.51	54.00	-18.49	50.26	3	Vertical	271	3.00	-	39.30	11.79	65.84				
PK	17.85942G	54.50	74.00	-19.50	59.60	3	Vertical	38	2.56	-	44.74	14.18	64.02				
AV	17.8725G	43.90	54.00	-10.10	48.93	3	Vertical	38	2.56	-	44.79	14.19	64.01				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Z_1TX
Setting 84
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91192G	45.74	74.00	-28.26	60.50	3	Horizontal	213	1.80	-	39.28	11.79	65.83			
AV	11.90196G	35.59	54.00	-18.41	50.34	3	Horizontal	213	1.80	-	39.30	11.79	65.84			
PK	17.85366G	54.48	74.00	-19.52	59.62	3	Horizontal	165	2.33	-	44.71	14.18	64.03			
AV	17.87694G	44.13	54.00	-9.87	49.14	3	Horizontal	165	2.33	-	44.81	14.19	64.01			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 84
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81439G	57.79	83.54	-25.75	47.94	1	Vertical	25	1.76	-	38.87	18.13	47.15			
AV	23.81901G	46.58	63.54	-16.96	36.73	1	Vertical	25	1.76	-	38.86	18.13	47.14			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Z_1TX
Setting 84
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81721G	52.73	83.54	-30.81	42.87	1	Horizontal	111	1.80	-	38.87	18.13	47.14			
AV	23.82168G	41.85	63.54	-21.69	32.00	1	Horizontal	111	1.80	-	38.86	18.13	47.14			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40491G	45.86	74.00	-28.14	60.86	3	Vertical	222	1.90	-	38.80	11.80	65.60			
AV	12.37758G	35.23	54.00	-18.77	50.24	3	Vertical	222	1.90	-	38.80	11.80	65.61			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39654G	45.77	74.00	-28.23	60.78	3	Horizontal	63	2.61	-	38.80	11.80	65.61			
AV	12.39513G	35.42	54.00	-18.58	50.43	3	Horizontal	63	2.61	-	38.80	11.80	65.61			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.59223G	54.74	83.54	-28.80	50.78	1	Vertical	358	1.80	-	37.88	15.72	49.64			
AV	18.58803G	43.99	63.54	-19.55	40.05	1	Vertical	358	1.80	-	37.88	15.71	49.65			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58821G	49.92	83.54	-33.62	45.98	1	Horizontal	283	2.00	-	37.88	15.71	49.65			
AV	18.58308G	39.99	63.54	-23.55	36.06	1	Horizontal	283	2.00	-	37.87	15.71	49.65			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81584G	45.01	88.20	-43.19	59.24	3	Vertical	134	2.96	-	39.13	11.77	65.13			
RMS	12.81566G	35.09	68.20	-33.11	49.32	3	Vertical	134	2.96	-	39.13	11.77	65.13			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82004G	45.49	88.20	-42.71	59.71	3	Horizontal	258	1.12	-	39.14	11.77	65.13			
RMS	12.82943G	34.71	68.20	-33.49	48.90	3	Horizontal	258	1.12	-	39.16	11.77	65.12			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24182G	59.00	83.54	-24.54	54.54	1	Vertical	194	1.80	-	37.90	16.01	49.45			
AV	19.24833G	48.51	63.54	-15.03	44.05	1	Vertical	194	1.80	-	37.90	16.01	49.45			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2486G	48.64	83.54	-34.90	44.18	1	Horizontal	258	1.64	-	37.90	16.01	49.45			
AV	19.24917G	37.20	63.54	-26.34	32.74	1	Horizontal	258	1.64	-	37.90	16.01	49.45			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08005G	44.81	88.20	-43.39	58.37	3	Vertical	358	1.39	-	39.56	11.75	64.87			
RMS	13.05812G	34.46	68.20	-33.74	48.06	3	Vertical	358	1.39	-	39.52	11.75	64.87			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07789G	45.28	88.20	-42.92	58.84	3	Horizontal	267	1.47	-	39.56	11.75	64.87			
RMS	13.085G	34.39	68.20	-33.81	47.94	3	Horizontal	267	1.47	-	39.57	11.75	64.87			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.61073G	55.87	83.54	-27.67	51.41	1	Vertical	213	1.80	-	37.88	16.10	49.52			
AV	19.60347G	45.11	63.54	-18.43	40.65	1	Vertical	213	1.80	-	37.89	16.10	49.53			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6188G	48.92	83.54	-34.62	44.48	1	Horizontal	177	2.04	-	37.86	16.10	49.52			
AV	19.60806G	38.96	63.54	-24.58	34.51	1	Horizontal	177	2.04	-	37.88	16.10	49.53			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39489G	46.19	74.00	-27.81	59.11	3	Vertical	117	1.54	-	40.19	11.73	64.84			
AV	13.39693G	35.72	54.00	-18.28	48.64	3	Vertical	117	1.54	-	40.19	11.73	64.84			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39957G	45.67	74.00	-28.33	58.58	3	Horizontal	4	1.59	-	40.20	11.73	64.84			
AV	13.38394G	35.43	54.00	-18.57	48.37	3	Horizontal	4	1.59	-	40.17	11.73	64.84			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08983G	54.54	83.54	-29.00	49.63	1	Vertical	287	1.58	-	37.88	16.28	49.25			
AV	20.08473G	45.14	63.54	-18.40	40.25	1	Vertical	287	1.58	-	37.87	16.27	49.25			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.07618G	50.61	83.54	-32.93	45.75	1	Horizontal	235	1.80	-	37.85	16.27	49.26			
AV	20.09037G	41.07	63.54	-22.47	36.16	1	Horizontal	235	1.80	-	37.88	16.28	49.25			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Z_1TX
Setting 108
05-E-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71528G	60.62	88.20	-27.58	39.41	3	Vertical	43	1.56	-	40.57	13.62	32.98			
RMS	13.71276G	52.05	68.20	-16.15	30.84	3	Vertical	43	1.56	-	40.57	13.62	32.98			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Z_1TX
Setting 108
05-E-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69836G	60.35	88.20	-27.85	39.14	3	Horizontal	13	1.35	-	40.60	13.61	33.00			
RMS	13.69506G	51.93	68.20	-16.27	30.71	3	Horizontal	13	1.35	-	40.61	13.61	33.00			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Z_1TX
Setting 108
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.55423G	53.24	83.54	-30.30	47.50	1	Vertical	167	1.90	-	37.52	17.12	48.90			
AV	20.55846G	42.94	63.54	-20.60	37.18	1	Vertical	167	1.90	-	37.53	17.13	48.90			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Z_1TX
Setting 108
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.55978G	47.68	83.54	-35.86	41.91	1	Horizontal	174	1.96	-	37.54	17.13	48.90			
AV	20.57541G	38.35	63.54	-25.19	32.51	1	Horizontal	174	1.96	-	37.60	17.14	48.90			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 74
03-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	79.68	88.20	-8.52	72.19	3	Vertical	25	2.25	-	34.60	8.09	35.20			
RMS	5.925G	68.18	68.20	-0.02	60.69	3	Vertical	25	2.25	-	34.60	8.09	35.20			
PK	5.9758G	112.32	Inf	-Inf	104.67	3	Vertical	25	2.25	-	34.70	8.14	35.19			
RMS	5.969G	102.29	Inf	-Inf	94.64	3	Vertical	25	2.25	-	34.70	8.14	35.19			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 74
03-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9204G	76.60	88.20	-11.60	69.13	3	Horizontal	1	2.36	-	34.58	8.09	35.20			
RMS	5.925G	62.99	68.20	-5.21	55.50	3	Horizontal	1	2.36	-	34.60	8.09	35.20			
PK	5.9644G	106.95	Inf	-Inf	99.31	3	Horizontal	1	2.36	-	34.70	8.13	35.19			
RMS	5.9562G	96.78	Inf	-Inf	89.15	3	Horizontal	1	2.36	-	34.70	8.12	35.19			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Z_1TX
Setting 74
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93885G	45.68	74.00	-28.32	60.46	3	Vertical	321	1.39	-	39.22	11.81	65.81			
AV	11.9159G	35.26	54.00	-18.74	50.02	3	Vertical	321	1.39	-	39.27	11.80	65.83			
PK	17.88582G	53.44	74.00	-20.56	58.42	3	Vertical	286	2.17	-	44.84	14.19	64.01			
AV	17.88417G	43.31	54.00	-10.69	48.29	3	Vertical	286	2.17	-	44.84	14.19	64.01			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Z_1TX
Setting 74
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92175G	45.34	74.00	-28.66	60.10	3	Horizontal	72	2.21	-	39.26	11.80	65.82			
AV	11.93876G	35.09	54.00	-18.91	49.87	3	Horizontal	72	2.21	-	39.22	11.81	65.81			
PK	17.89437G	54.56	74.00	-19.44	59.48	3	Horizontal	164	2.51	-	44.88	14.20	64.00			
AV	17.89473G	44.29	54.00	-9.71	49.21	3	Horizontal	164	2.51	-	44.88	14.20	64.00			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Z_1TX
Setting 74
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86048G	55.51	83.54	-28.03	45.68	1	Vertical	68	1.02	-	38.82	18.13	47.12			
AV	23.86855G	46.06	63.54	-17.48	36.20	1	Vertical	68	1.02	-	38.84	18.14	47.12			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Z_1TX
Setting 74
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85355G	51.70	83.54	-31.84	41.89	1	Horizontal	198	1.80	-	38.81	18.13	47.13			
AV	23.85502G	41.03	63.54	-22.51	31.22	1	Horizontal	198	1.80	-	38.81	18.13	47.13			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39875G	45.47	74.00	-28.53	60.48	3	Vertical	293	1.26	-	38.80	11.80	65.61			
AV	12.41996G	35.07	54.00	-18.93	50.07	3	Vertical	293	1.26	-	38.80	11.80	65.60			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40367G	47.13	74.00	-26.87	62.13	3	Horizontal	72	2.46	-	38.80	11.80	65.60			
AV	12.40397G	36.83	54.00	-17.17	51.83	3	Horizontal	72	2.46	-	38.80	11.80	65.60			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.60012G	51.91	83.54	-31.63	47.93	1	Vertical	358	1.80	-	37.90	15.72	49.64			
AV	18.6075G	41.26	63.54	-22.28	37.26	1	Vertical	358	1.80	-	37.91	15.72	49.63			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60735G	46.85	83.54	-36.69	42.85	1	Horizontal	360	2.15	-	37.91	15.72	49.63			
AV	18.60756G	36.05	63.54	-27.49	32.04	1	Horizontal	360	2.15	-	37.92	15.72	49.63			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6405MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81498G	44.91	88.20	-43.29	59.15	3	Vertical	131	1.94	-	39.13	11.77	65.14			
RMS	12.801G	34.73	68.20	-33.47	49.01	3	Vertical	131	1.94	-	39.10	11.77	65.15			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.79833G	46.68	88.20	-41.52	60.97	3	Horizontal	101	1.44	-	39.10	11.77	65.16			
RMS	12.81546G	35.57	68.20	-32.63	49.80	3	Horizontal	101	1.44	-	39.13	11.77	65.13			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22568G	56.42	83.54	-27.12	51.95	1	Vertical	99	1.85	-	37.90	16.01	49.44			
AV	19.22511G	46.83	63.54	-16.71	42.36	1	Vertical	99	1.85	-	37.90	16.01	49.44			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.22493G	51.11	83.54	-32.43	46.65	1	Horizontal	183	1.97	-	37.90	16.00	49.44			
AV	19.21974G	41.25	63.54	-22.29	36.79	1	Horizontal	183	1.97	-	37.90	16.00	49.44			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.11779G	45.22	88.20	-42.98	58.74	3	Vertical	360	1.59	-	39.60	11.75	64.87			
RMS	13.11521G	34.65	68.20	-33.55	48.17	3	Vertical	360	1.59	-	39.60	11.75	64.87			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12643G	46.57	88.20	-41.63	60.09	3	Horizontal	317	2.30	-	39.60	11.75	64.87			
RMS	13.12208G	36.40	68.20	-31.80	49.92	3	Horizontal	317	2.30	-	39.60	11.75	64.87			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6875G	52.57	83.54	-30.97	48.12	1	Vertical	213	1.76	-	37.80	16.12	49.47			
AV	19.6875G	42.89	63.54	-20.65	38.44	1	Vertical	213	1.76	-	37.80	16.12	49.47			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6565MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.70253G	47.78	83.54	-35.76	43.30	1	Horizontal	116	1.00	-	37.81	16.13	49.46			
AV	19.68747G	38.05	63.54	-25.49	33.60	1	Horizontal	116	1.00	-	37.80	16.12	49.47			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37417G	45.50	74.00	-28.50	58.46	3	Vertical	126	2.36	-	40.15	11.73	64.84			
AV	13.35563G	35.56	54.00	-18.44	48.56	3	Vertical	126	2.36	-	40.11	11.73	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37249G	47.52	74.00	-26.48	60.49	3	Horizontal	222	1.93	-	40.14	11.73	64.84			
AV	13.38104G	37.81	54.00	-16.19	50.76	3	Horizontal	222	1.93	-	40.16	11.73	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05497G	53.89	83.54	-29.65	49.08	1	Vertical	360	1.80	-	37.81	16.26	49.26			
AV	20.06637G	43.15	63.54	-20.39	38.32	1	Vertical	360	1.80	-	37.83	16.26	49.26			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.06493G	48.16	83.54	-35.38	43.33	1	Horizontal	101	2.98	-	37.83	16.26	49.26			
AV	20.06511G	37.99	63.54	-25.55	33.16	1	Horizontal	101	2.98	-	37.83	16.26	49.26			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Z_1TX
Setting 108
05-E-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68673G	60.83	88.20	-27.37	39.61	3	Vertical	160	1.26	-	40.63	13.60	33.01			
RMS	13.69459G	52.26	68.20	-15.94	31.04	3	Vertical	160	1.26	-	40.61	13.61	33.00			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Z_1TX
Setting 108
05-E-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69183G	60.81	88.20	-27.39	39.58	3	Horizontal	162	1.97	-	40.62	13.61	33.00			
RMS	13.69372G	51.81	68.20	-16.39	30.59	3	Horizontal	162	1.97	-	40.61	13.61	33.00			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Z_1TX
Setting 108
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.52936G	53.28	83.54	-30.26	47.54	1	Vertical	24	1.82	-	37.54	17.10	48.90			
AV	20.54643G	43.49	63.54	-20.05	37.76	1	Vertical	24	1.82	-	37.51	17.12	48.90			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6845MHz_TX

EUT_Z_1TX
Setting 108
05-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.54193G	47.99	83.54	-35.55	42.26	1	Horizontal	289	1.63	-	37.52	17.11	48.90			
AV	20.53863G	38.81	63.54	-24.73	33.08	1	Horizontal	289	1.63	-	37.52	17.11	48.90			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 76
03-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9198G	80.10	88.20	-8.10	72.63	3	Vertical	25	2.30	-	34.58	8.09	35.20			
RMS	5.9214G	67.32	68.20	-0.88	59.84	3	Vertical	25	2.30	-	34.59	8.09	35.20			
PK	5.9974G	109.33	Inf	-Inf	101.65	3	Vertical	25	2.30	-	34.70	8.17	35.19			
RMS	5.971G	99.35	Inf	-Inf	91.70	3	Vertical	25	2.30	-	34.70	8.14	35.19			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 76
03-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	74.74	88.20	-13.46	67.26	3	Horizontal	0	2.34	-	34.59	8.09	35.20			
RMS	5.9242G	63.05	68.20	-5.15	55.56	3	Horizontal	0	2.34	-	34.60	8.09	35.20			
PK	5.9798G	103.64	Inf	-Inf	95.98	3	Horizontal	0	2.34	-	34.70	8.15	35.19			
RMS	5.9702G	94.11	Inf	-Inf	86.46	3	Horizontal	0	2.34	-	34.70	8.14	35.19			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_Z_1TX
Setting 76
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95623G	45.83	74.00	-28.17	60.61	3	Vertical	2	1.80	-	39.20	11.81	65.79			
AV	11.97387G	34.77	54.00	-19.23	49.52	3	Vertical	2	1.80	-	39.20	11.82	65.77			
PK	17.94039G	52.35	74.00	-21.65	57.36	3	Vertical	292	1.66	-	44.74	14.22	63.97			
AV	17.96835G	41.75	54.00	-12.25	46.73	3	Vertical	292	1.66	-	44.74	14.23	63.95			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 76
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.97336G	46.08	74.00	-27.92	60.83	3	Horizontal	102	2.96	-	39.20	11.82	65.77				
AV	11.97357G	35.93	54.00	-18.07	50.68	3	Horizontal	102	2.96	-	39.20	11.82	65.77				
PK	17.96823G	52.55	74.00	-21.45	57.53	3	Horizontal	57	2.50	-	44.74	14.23	63.95				
AV	17.96271G	42.74	54.00	-11.26	47.73	3	Horizontal	57	2.50	-	44.73	14.23	63.95				

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 76
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93436G	52.31	83.54	-31.23	42.28	1	Vertical	360	1.80	-	38.97	18.15	47.09			
AV	23.94843G	41.62	63.54	-21.92	31.55	1	Vertical	360	1.80	-	39.00	18.15	47.08			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 76
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93067G	48.44	83.54	-35.10	38.42	1	Horizontal	332	1.91	-	38.96	18.15	47.09			
AV	23.92692G	37.37	63.54	-26.17	27.36	1	Horizontal	332	1.91	-	38.95	18.15	47.09			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.43581G	44.55	74.00	-29.45	59.54	3	Vertical	159	2.95	-	38.80	11.80	65.59			
AV	12.46245G	34.28	54.00	-19.72	49.26	3	Vertical	159	2.95	-	38.80	11.80	65.58			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44214G	45.51	74.00	-28.49	60.50	3	Horizontal	242	1.51	-	38.80	11.80	65.59			
AV	12.45357G	34.96	54.00	-19.04	49.95	3	Horizontal	242	1.51	-	38.80	11.80	65.59			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6225MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67167G	49.44	83.54	-34.10	45.35	1	Vertical	91	1.80	-	37.91	15.76	49.58			
AV	18.66054G	38.75	63.54	-24.79	34.62	1	Vertical	91	1.80	-	37.96	15.76	49.59			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.66594G	44.79	83.54	-38.75	40.67	1	Horizontal	189	1.77	-	37.94	15.76	49.58			
AV	18.6741G	34.59	63.54	-28.95	30.51	1	Horizontal	189	1.77	-	37.90	15.76	49.58			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6385MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77966G	45.46	88.20	-42.74	59.81	3	Vertical	227	1.48	-	39.06	11.77	65.18			
RMS	12.76244G	35.06	68.20	-33.14	49.48	3	Vertical	227	1.48	-	39.02	11.77	65.21			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77645G	45.78	88.20	-42.42	60.15	3	Horizontal	53	2.73	-	39.05	11.77	65.19			
RMS	12.77336G	35.75	68.20	-32.45	50.12	3	Horizontal	53	2.73	-	39.05	11.77	65.19			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16868G	53.99	83.54	-29.55	49.51	1	Vertical	192	1.80	-	37.90	15.99	49.41			
AV	19.16115G	43.27	63.54	-20.27	38.78	1	Vertical	192	1.80	-	37.90	15.99	49.40			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15575G	48.79	83.54	-34.75	44.30	1	Horizontal	233	2.26	-	37.90	15.99	49.40			
AV	19.14273G	38.71	63.54	-24.83	34.21	1	Horizontal	233	2.26	-	37.90	15.99	49.39			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24991G	46.18	88.20	-42.02	59.30	3	Vertical	329	1.80	-	40.00	11.74	64.86			
RMS	13.24328G	34.86	68.20	-33.34	48.01	3	Vertical	329	1.80	-	39.97	11.74	64.86			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.23935G	46.69	88.20	-41.51	59.85	3	Horizontal	16	1.74	-	39.96	11.74	64.86			
RMS	13.24091G	36.38	68.20	-31.82	49.54	3	Horizontal	16	1.74	-	39.96	11.74	64.86			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88781G	48.89	83.54	-34.65	44.14	1	Vertical	212	1.80	-	37.90	16.19	49.34			
AV	19.87974G	37.83	63.54	-25.71	33.08	1	Vertical	212	1.80	-	37.90	16.19	49.34			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86699G	47.69	83.54	-35.85	42.96	1	Horizontal	14	1.91	-	37.90	16.18	49.35			
AV	19.87737G	37.21	63.54	-26.33	32.46	1	Horizontal	14	1.91	-	37.90	16.19	49.34			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41006G	46.39	88.20	-41.81	59.29	3	Vertical	0	1.80	-	40.22	11.72	64.84			
RMS	13.41609G	36.19	68.20	-32.01	49.08	3	Vertical	0	1.80	-	40.23	11.72	64.84			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41924G	47.86	88.20	-40.34	60.74	3	Horizontal	192	2.74	-	40.24	11.72	64.84			
RMS	13.41867G	38.07	68.20	-30.13	50.95	3	Horizontal	192	2.74	-	40.24	11.72	64.84			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.12868G	53.60	83.54	-29.94	48.65	1	Vertical	248	1.80	-	37.90	16.30	49.25			
AV	20.11242G	42.56	63.54	-20.98	37.62	1	Vertical	248	1.80	-	37.90	16.29	49.25			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1081G	51.50	83.54	-32.04	46.56	1	Horizontal	354	1.07	-	37.90	16.29	49.25			
AV	20.12817G	40.54	63.54	-23.00	35.59	1	Horizontal	354	1.07	-	37.90	16.30	49.25			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6785MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57342G	46.40	88.20	-41.80	59.14	3	Vertical	201	1.80	-	40.35	11.71	64.80			
RMS	13.56061G	34.97	68.20	-33.23	47.74	3	Vertical	201	1.80	-	40.32	11.71	64.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56763G	47.54	88.20	-40.66	60.29	3	Horizontal	214	1.23	-	40.34	11.71	64.80			
RMS	13.57183G	36.96	68.20	-31.24	49.71	3	Horizontal	214	1.23	-	40.34	11.71	64.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6785MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.34297G	48.95	83.54	-34.59	43.79	1	Vertical	116	1.80	-	37.99	16.41	49.24			
AV	20.34702G	38.28	63.54	-25.26	33.12	1	Vertical	116	1.80	-	37.99	16.41	49.24			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.36028G	48.72	83.54	-34.82	43.54	1	Horizontal	354	1.97	-	38.00	16.42	49.24			
AV	20.36763G	38.05	63.54	-25.49	32.87	1	Horizontal	354	1.97	-	38.00	16.42	49.24			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT_Z_1TX
Setting 78
03-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9215G	79.35	88.20	-8.85	71.87	3	Vertical	25	2.23	-	34.59	8.09	35.20			
RMS	5.9235G	68.02	68.20	-0.18	60.54	3	Vertical	25	2.23	-	34.59	8.09	35.20			
PK	5.9545G	106.70	Inf	-Inf	99.07	3	Vertical	25	2.23	-	34.70	8.12	35.19			
RMS	5.9675G	97.26	Inf	-Inf	89.61	3	Vertical	25	2.23	-	34.70	8.14	35.19			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 78
03-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.92G	74.99	88.20	-13.21	67.52	3	Horizontal	0	2.34	-	34.58	8.09	35.20			
RMS	5.923G	63.02	68.20	-5.18	55.54	3	Horizontal	0	2.34	-	34.59	8.09	35.20			
PK	5.9635G	101.00	Inf	-Inf	93.36	3	Horizontal	0	2.34	-	34.70	8.13	35.19			
RMS	5.9675G	91.73	Inf	-Inf	84.08	3	Horizontal	0	2.34	-	34.70	8.14	35.19			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 78
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04565G	45.15	74.00	-28.85	59.94	3	Vertical	227	2.05	-	39.11	11.83	65.73			
AV	12.06371G	34.66	54.00	-19.34	49.51	3	Vertical	227	2.05	-	39.05	11.83	65.73			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT_Z_1TX
Setting 78
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04217G	45.01	74.00	-28.99	59.79	3	Horizontal	4	1.53	-	39.12	11.83	65.73			
AV	12.05354G	34.77	54.00	-19.23	49.58	3	Horizontal	4	1.53	-	39.09	11.83	65.73			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT_Z_1TX
Setting 78
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07917G	47.74	83.54	-35.80	44.25	1	Vertical	355	1.80	-	37.58	15.44	49.53			
AV	18.07014G	37.02	63.54	-26.52	33.58	1	Vertical	355	1.80	-	37.52	15.44	49.52			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 78
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07086G	46.67	83.54	-36.87	43.22	1	Horizontal	9	1.99	-	37.53	15.44	49.52			
AV	18.06021G	36.04	63.54	-27.50	32.67	1	Horizontal	9	1.99	-	37.46	15.43	49.52			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6185MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.35866G	45.14	74.00	-28.86	60.16	3	Vertical	288	2.30	-	38.80	11.80	65.62			
AV	12.37951G	35.68	54.00	-18.32	50.69	3	Vertical	288	2.30	-	38.80	11.80	65.61			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37759G	46.10	74.00	-27.90	61.11	3	Horizontal	306	1.96	-	38.80	11.80	65.61			
AV	12.36601G	36.34	54.00	-17.66	51.36	3	Horizontal	306	1.96	-	38.80	11.80	65.62			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.54624G	53.32	83.54	-30.22	43.27	1	Vertical	360	1.80	-	37.80	20.60	48.35			
AV	18.55602G	42.41	63.54	-21.13	32.36	1	Vertical	360	1.80	-	37.80	20.61	48.36			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.56283G	53.18	83.54	-30.36	43.13	1	Horizontal	0	1.80	-	37.80	20.61	48.36			
AV	18.54375G	42.39	63.54	-21.15	32.33	1	Horizontal	0	1.80	-	37.80	20.60	48.34			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69402G	45.11	74.00	-28.89	59.73	3	Vertical	348	1.83	-	38.90	11.78	65.30			
AV	12.6918G	35.01	54.00	-18.99	49.64	3	Vertical	348	1.83	-	38.90	11.78	65.31			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69375G	46.02	74.00	-27.98	60.64	3	Horizontal	230	2.47	-	38.90	11.78	65.30			
AV	12.69708G	34.88	54.00	-19.12	49.50	3	Horizontal	230	2.47	-	38.90	11.78	65.30			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0449G	55.68	83.54	-27.86	45.90	1	Vertical	191	1.80	-	37.91	20.67	48.80			
AV	19.0449G	44.62	63.54	-18.92	34.84	1	Vertical	191	1.80	-	37.91	20.67	48.80			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03482G	53.43	83.54	-30.11	43.63	1	Horizontal	229	1.54	-	37.93	20.67	48.80			
AV	19.03605G	42.72	63.54	-20.82	32.92	1	Horizontal	229	1.54	-	37.93	20.67	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32985G	46.14	74.00	-27.86	59.16	3	Vertical	316	2.67	-	40.10	11.73	64.85			
AV	13.3324G	35.73	54.00	-18.27	48.75	3	Vertical	316	2.67	-	40.10	11.73	64.85			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33315G	47.85	74.00	-26.15	60.87	3	Horizontal	228	1.05	-	40.10	11.73	64.85			
AV	13.31776G	37.37	54.00	-16.63	50.39	3	Horizontal	228	1.05	-	40.10	11.73	64.85			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.98531G	55.10	83.54	-28.44	45.61	1	Vertical	360	1.80	-	37.73	20.56	48.80			
AV	19.99866G	43.91	63.54	-19.63	34.46	1	Vertical	360	1.80	-	37.70	20.55	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX



EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.00862G	53.73	83.54	-29.81	44.24	1	Horizontal	288	1.80	-	37.72	20.57	48.80				
AV	19.9947G	42.99	63.54	-20.55	33.53	1	Horizontal	288	1.80	-	37.71	20.55	48.80				




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1.(MCS0)_4TX	Pass	RMS	5.9217G	68.17	68.20	-0.03	3	Vertical	330	1.80	-

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 86
01-S-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	84.49	88.20	-3.71	74.16	3	Vertical	330	1.80	-	34.10	8.67	32.44			
RMS	5.9217G	68.17	68.20	-0.03	57.84	3	Vertical	330	1.80	-	34.10	8.67	32.44			
PK	5.957G	121.83	Inf	-Inf	111.45	3	Vertical	330	1.80	-	34.10	8.72	32.44			
RMS	5.9516G	111.77	Inf	-Inf	101.40	3	Vertical	330	1.80	-	34.10	8.71	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 86
01-S-R-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9205G	82.66	88.20	-5.54	72.33	3	Horizontal	18	2.99	-	34.10	8.67	32.44			
RMS	5.925G	65.60	68.20	-2.60	55.26	3	Horizontal	18	2.99	-	34.10	8.68	32.44			
PK	5.9506G	121.11	Inf	-Inf	110.74	3	Horizontal	18	2.99	-	34.10	8.71	32.44			
RMS	5.9556G	110.66	Inf	-Inf	100.29	3	Horizontal	18	2.99	-	34.10	8.71	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 74
01-S-R-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9214G	75.50	88.20	-12.70	65.17	3	Vertical	340	1.80	-	34.10	8.67	32.44				
RMS	5.9212G	62.57	68.20	-5.63	52.24	3	Vertical	340	1.80	-	34.10	8.67	32.44				
PK	5.9764G	112.88	Inf	-Inf	102.48	3	Vertical	340	1.80	-	34.10	8.74	32.44				
RMS	5.9762G	103.58	Inf	-Inf	93.18	3	Vertical	340	1.80	-	34.10	8.74	32.44				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 74
01-S-R-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	81.62	88.20	-6.58	71.28	3	Horizontal	12	3.00	-	34.10	8.68	32.44			
RMS	5.925G	67.97	68.20	-0.23	57.63	3	Horizontal	12	3.00	-	34.10	8.68	32.44			
PK	5.9752G	116.63	Inf	-Inf	106.23	3	Horizontal	12	3.00	-	34.10	8.74	32.44			
RMS	5.98G	106.19	Inf	-Inf	95.79	3	Horizontal	12	3.00	-	34.10	8.74	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 77
04-W-R-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9142G	77.46	88.20	-10.74	67.14	3	Vertical	344	1.80	-	34.10	8.66	32.44			
RMS	5.921G	65.24	68.20	-2.96	54.91	3	Vertical	344	1.80	-	34.10	8.67	32.44			
PK	5.9758G	111.71	Inf	-Inf	101.31	3	Vertical	344	1.80	-	34.10	8.74	32.44			
RMS	6.0162G	101.38	Inf	-Inf	90.94	3	Vertical	344	1.80	-	34.10	8.78	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 77
04-W-R-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9234G	80.95	88.20	-7.25	70.62	3	Horizontal	13	1.80	-	34.10	8.67	32.44				
RMS	5.9234G	68.00	68.20	-0.20	57.67	3	Horizontal	13	1.80	-	34.10	8.67	32.44				
PK	5.9934G	112.25	Inf	-Inf	101.83	3	Horizontal	13	1.80	-	34.10	8.76	32.44				
RMS	6.0134G	103.51	Inf	-Inf	93.07	3	Horizontal	13	1.80	-	34.10	8.78	32.44				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 77
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.01907G	58.23	74.00	-15.77	49.14	3	Vertical	85	2.48	80	38.94	13.61	43.46				
AV	11.95785G	47.61	54.00	-6.39	38.62	3	Vertical	85	2.48	80	38.82	13.56	43.39				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 77
04-W-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.03074G	57.82	74.00	-16.18	48.70	3	Horizontal	332	1.80	80	38.96	13.63	43.47			
AV	12.00469G	47.37	54.00	-6.63	38.31	3	Horizontal	332	1.80	80	38.91	13.60	43.45			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 77
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	17.99528G	49.27	83.54	-34.27	44.98	1	Vertical	47	1.81	80	37.49	16.28	49.48				
AV	17.96779G	37.93	63.54	-25.61	33.65	1	Vertical	47	1.81	80	37.43	16.25	49.40				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 77
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	17.94717G	49.09	83.54	-34.45	44.81	1	Horizontal	69	1.80	80	37.39	16.23	49.34				
AV	17.93726G	39.16	63.54	-24.38	34.89	1	Horizontal	69	1.80	80	37.37	16.22	49.32				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
SET 108
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37312G	58.46	74.00	-15.54	49.53	3	Vertical	174	1.30	80	38.61	14.05	43.73			
AV	12.49779G	47.44	54.00	-6.56	38.65	3	Vertical	174	1.30	80	38.40	14.21	43.82			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
SET 108
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.50483G	57.80	74.00	-16.20	49.01	3	Horizontal	255	1.05	80	38.39	14.22	43.82			
AV	12.51777G	47.22	54.00	-6.78	38.44	3	Horizontal	255	1.05	80	38.36	14.23	43.81			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
SET 108
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.70745G	46.38	83.54	-37.16	41.66	1	Vertical	251	1.41	80	37.63	16.64	49.55				
AV	18.64175G	35.96	63.54	-27.58	31.25	1	Vertical	251	1.41	80	37.70	16.61	49.60				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
SET 108
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.68987G	46.45	83.54	-37.09	41.76	1	Horizontal	127	1.42	80	37.62	16.63	49.56				
AV	18.73622G	36.35	63.54	-27.19	31.48	1	Horizontal	127	1.42	80	37.74	16.66	49.53				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
SET 108
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78822G	58.59	88.20	-29.61	48.70	3	Vertical	71	2.86	80	38.93	14.57	43.61			
RMS	12.74427G	47.94	68.20	-20.26	38.36	3	Vertical	71	2.86	80	38.70	14.52	43.64			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
SET 108
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81587G	58.84	88.20	-29.36	48.79	3	Horizontal	79	2.88	80	39.03	14.61	43.59			
RMS	12.84481G	48.62	68.20	-19.58	38.45	3	Horizontal	79	2.88	80	39.09	14.64	43.56			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
SET 108
04-W-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.19752G	47.40	83.54	-36.14	42.21	1	Vertical	154	1.80	80	37.71	16.90	49.42			
AV	19.22341G	36.14	63.54	-27.40	30.87	1	Vertical	154	1.80	80	37.79	16.92	49.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
SET 108
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.11696G	47.01	83.54	-36.53	41.76	1	Horizontal	316	1.80	80	37.77	16.86	49.38			
AV	19.20951G	36.18	63.54	-27.36	30.96	1	Horizontal	316	1.80	80	37.74	16.91	49.43			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
SET 108
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2446G	60.27	88.20	-27.93	49.28	3	Vertical	54	1.80	80	39.19	15.14	43.34			
RMS	13.23803G	49.20	68.20	-19.00	38.24	3	Vertical	54	1.80	80	39.18	15.13	43.35			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
SET 108
04-W-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24569G	60.43	88.20	-27.77	49.44	3	Horizontal	64	1.80	80	39.19	15.14	43.34			
RMS	13.23596G	49.46	68.20	-18.74	38.51	3	Horizontal	64	1.80	80	39.17	15.13	43.35			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
SET 108
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.91496G	51.20	83.54	-32.34	45.57	1	Vertical	357	1.97	80	37.63	17.32	49.32			
AV	19.88907G	40.49	63.54	-23.05	34.90	1	Vertical	357	1.97	80	37.62	17.31	49.34			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
SET 108
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.85502G	55.46	83.54	-28.08	49.84	1	Horizontal	296	1.72	80	37.69	17.29	49.36				
AV	19.88907G	43.10	63.54	-20.44	37.51	1	Horizontal	296	1.72	80	37.62	17.31	49.34				

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
SET 108
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40036G	60.35	88.20	-27.85	48.59	3	Vertical	174	1.80	80	39.70	15.33	43.27			
RMS	13.40936G	50.25	68.20	-17.95	38.42	3	Vertical	174	1.80	80	39.76	15.34	43.27			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
SET 108
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4042G	60.83	88.20	-27.37	49.03	3	Horizontal	206	1.80	80	39.73	15.34	43.27			
RMS	13.41194G	50.19	68.20	-18.01	38.34	3	Horizontal	206	1.80	80	39.77	15.35	43.27			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
SET 108
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08127G	46.99	83.54	-36.55	41.21	1	Vertical	12	1.80	80	37.66	17.38	49.26			
AV	20.12139G	37.30	63.54	-26.24	31.46	1	Vertical	12	1.80	80	37.70	17.39	49.25			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
SET 108
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.14729G	48.38	83.54	-35.16	42.54	1	Horizontal	350	1.48	80	37.70	17.39	49.25			
AV	20.12123G	38.56	63.54	-24.98	32.72	1	Horizontal	350	1.48	80	37.70	17.39	49.25			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
SET 108
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.54267G	61.55	88.20	-26.65	49.02	3	Vertical	47	2.45	80	40.26	15.51	43.24			
RMS	13.58039G	50.88	68.20	-17.32	38.33	3	Vertical	47	2.45	80	40.24	15.56	43.25			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX


EUT Y_4TX
SET 108
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5457G	61.13	88.20	-27.07	48.59	3	Horizontal	32	2.95	80	40.27	15.51	43.24			
RMS	13.5326G	50.49	68.20	-17.71	38.03	3	Horizontal	32	2.95	80	40.20	15.50	43.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
SET 108
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35884G	48.36	83.54	-35.18	42.42	1	Vertical	357	1.56	80	37.76	17.42	49.24			
AV	20.34365G	37.45	63.54	-26.09	31.48	1	Vertical	357	1.56	80	37.79	17.42	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
SET 108
04-W-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.37322G	49.96	83.54	-33.58	44.07	1	Horizontal	332	1.65	80	37.71	17.42	49.24			
AV	20.34301G	39.75	63.54	-23.79	33.78	1	Horizontal	332	1.65	80	37.79	17.42	49.24			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 77
01-S-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	77.03	88.20	-11.17	66.70	3	Vertical	354	1.80	-	34.10	8.67	32.44			
RMS	5.9234G	67.43	68.20	-0.77	57.10	3	Vertical	354	1.80	-	34.10	8.67	32.44			
PK	6.053G	111.78	Inf	-Inf	101.29	3	Vertical	354	1.80	-	34.10	8.82	32.43			
RMS	6.0538G	100.91	Inf	-Inf	90.42	3	Vertical	354	1.80	-	34.10	8.82	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 77
01-S-R-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	79.21	88.20	-8.99	68.87	3	Horizontal	6	3.00	-	34.10	8.68	32.44			
RMS	5.9226G	66.65	68.20	-1.55	56.32	3	Horizontal	6	3.00	-	34.10	8.67	32.44			
PK	6.0482G	112.44	Inf	-Inf	101.96	3	Horizontal	6	3.00	-	34.10	8.81	32.43			
RMS	6.0874G	102.07	Inf	-Inf	91.56	3	Horizontal	6	3.00	-	34.10	8.84	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 80
01-S-R-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.918G	76.56	88.20	-11.64	66.23	3	Vertical	355	1.80	-	34.10	8.67	32.44			
RMS	5.9235G	65.25	68.20	-2.95	54.92	3	Vertical	355	1.80	-	34.10	8.67	32.44			
PK	6.0632G	107.18	Inf	-Inf	96.69	3	Vertical	355	1.80	-	34.10	8.82	32.43			
RMS	6.1336G	97.05	Inf	-Inf	86.42	3	Vertical	355	1.80	-	34.17	8.88	32.42			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX



EUT_Y_4TX
Setting 80
01-S-R-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8872G	79.12	88.20	-9.08	68.88	3	Horizontal	6	2.99	-	34.05	8.63	32.44			
RMS	5.9202G	67.99	68.20	-0.21	57.66	3	Horizontal	6	2.99	-	34.10	8.67	32.44			
PK	6.0676G	109.61	Inf	-Inf	99.11	3	Horizontal	6	2.99	-	34.10	8.83	32.43			
RMS	6.1479G	99.42	Inf	-Inf	88.74	3	Horizontal	6	2.99	-	34.20	8.90	32.42			




Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	Pass	RMS	5.9165G	68.08	68.20	-0.12	3	Vertical	315	2.06	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT Y_4TX
Setting 78
02-D-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9195G	82.18	88.20	-6.02	70.32	3	Vertical	317	2.74	-	34.18	8.48	30.80			
RMS	5.9215G	67.86	68.20	-0.34	55.99	3	Vertical	317	2.74	-	34.19	8.48	30.80			
PK	5.9765G	117.19	Inf	-Inf	105.13	3	Vertical	317	2.74	-	34.30	8.55	30.79			
RMS	5.9965G	107.91	Inf	-Inf	95.82	3	Vertical	317	2.74	-	34.30	8.58	30.79			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX


5985MHz_TX

EUT_Y_4TX
Setting 78
02-D-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.92G	76.67	88.20	-11.53	64.81	3	Horizontal	48	2.64	-	34.18	8.48	30.80			
RMS	5.924G	63.09	68.20	-5.11	51.21	3	Horizontal	48	2.64	-	34.20	8.48	30.80			
PK	5.984G	110.33	Inf	-Inf	98.26	3	Horizontal	48	2.64	-	34.30	8.56	30.79			
RMS	5.999G	101.21	Inf	-Inf	89.12	3	Horizontal	48	2.64	-	34.30	8.58	30.79			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX


5985MHz_TX

EUT_Y_4TX
Setting 78
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.993G	58.26	74.00	-15.74	38.79	3	Vertical	85	2.03	-	39.11	12.67	32.31			
AV	11.9332G	45.46	54.00	-8.54	25.82	3	Vertical	85	2.03	-	39.27	12.63	32.26			
PK	17.9401G	58.72	74.00	-15.28	28.86	3	Vertical	261	1.30	-	46.20	14.98	31.32			
AV	17.95845G	46.18	54.00	-7.82	16.23	3	Vertical	261	1.30	-	46.25	14.99	31.29			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX


5985MHz_TX

EUT_Y_4TX
Setting 78
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9918G	58.30	74.00	-15.70	38.82	3	Horizontal	198	1.40	-	39.12	12.67	32.31			
AV	11.9238G	45.39	54.00	-8.61	25.72	3	Horizontal	198	1.40	-	39.30	12.63	32.26			
PK	17.9517G	59.36	74.00	-14.64	29.46	3	Horizontal	330	1.81	-	46.21	14.99	31.30			
AV	17.94205G	45.17	54.00	-8.83	15.31	3	Horizontal	330	1.81	-	46.20	14.98	31.32			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX


5985MHz_TX

EUT Y_4TX
Setting 78
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9306G	53.31	83.54	-30.23	44.07	1	Vertical	312	1.49	-	38.96	18.18	47.90			
AV	23.9548G	40.28	63.54	-23.26	31.00	1	Vertical	312	1.49	-	38.99	18.19	47.90			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX


5985MHz_TX

EUT Y_4TX
Setting 78
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.918G	52.76	83.54	-30.78	43.55	1	Horizontal	74	2.05	-	38.94	18.17	47.90			
AV	23.9474G	40.24	63.54	-23.30	30.96	1	Horizontal	74	2.05	-	38.99	18.19	47.90			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6025MHz_TX

EUT_Y_4TX
Setting 76
02-D-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9214G	79.39	88.20	-8.81	67.52	3	Vertical	317	2.05	-	34.19	8.48	30.80			
RMS	5.9214G	67.23	68.20	-0.97	55.36	3	Vertical	317	2.05	-	34.19	8.48	30.80			
PK	6.0418G	113.53	Inf	-Inf	101.43	3	Vertical	317	2.05	-	34.38	8.53	30.81			
RMS	6.0467G	104.98	Inf	-Inf	92.87	3	Vertical	317	2.05	-	34.39	8.53	30.81			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6025MHz_TX

EUT_Y_4TX
Setting 76
02-D-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9109G	75.77	88.20	-12.43	63.98	3	Horizontal	20	2.96	-	34.14	8.46	30.81			
RMS	5.9214G	63.18	68.20	-5.02	51.31	3	Horizontal	20	2.96	-	34.19	8.48	30.80			
PK	6.0565G	109.25	Inf	-Inf	97.15	3	Horizontal	20	2.96	-	34.40	8.52	30.82			
RMS	6.0866G	99.74	Inf	-Inf	87.69	3	Horizontal	20	2.96	-	34.40	8.48	30.83			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6025MHz_TX




EUT Y_4TX
Setting 76
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0126G	57.71	74.00	-16.29	38.25	3	Vertical	266	2.05	-	39.10	12.67	32.31			
AV	12.0514G	45.46	54.00	-8.54	25.96	3	Vertical	266	2.05	-	39.10	12.69	32.29			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6025MHz_TX




EUT Y_4TX
Setting 76
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0426G	57.53	74.00	-16.47	38.04	3	Horizontal	181	1.94	-	39.10	12.68	32.29			
AV	12.099G	45.45	54.00	-8.55	26.00	3	Horizontal	181	1.94	-	39.00	12.70	32.25			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6025MHz_TX

EUT Y_4TX
Setting 76
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06545G	47.25	83.54	-36.29	42.96	1	Vertical	19	1.91	-	37.23	15.49	48.43			
AV	18.0562G	33.82	63.54	-29.72	29.54	1	Vertical	19	1.91	-	37.21	15.49	48.42			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6025MHz_TX




EUT Y_4TX
Setting 76
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07145G	47.29	83.54	-36.25	42.99	1	Horizontal	202	1.80	-	37.24	15.49	48.43			
AV	18.0585G	33.85	63.54	-29.69	29.56	1	Horizontal	202	1.80	-	37.22	15.49	48.42			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Y_4TX
Setting 76
02-D-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9214G	80.81	88.20	-7.39	68.94	3	Vertical	315	2.06	-	34.19	8.48	30.80			
RMS	5.9165G	68.08	68.20	-0.12	56.25	3	Vertical	315	2.06	-	34.17	8.47	30.81			
PK	5.9921G	114.81	Inf	-Inf	102.73	3	Vertical	315	2.06	-	34.30	8.57	30.79			
RMS	6.0467G	105.14	Inf	-Inf	93.03	3	Vertical	315	2.06	-	34.39	8.53	30.81			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT_Y_4TX
Setting 76
02-D-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9235G	74.85	88.20	-13.35	62.98	3	Horizontal	28	2.65	-	34.19	8.48	30.80			
RMS	5.9235G	61.85	68.20	-6.35	49.98	3	Horizontal	28	2.65	-	34.19	8.48	30.80			
PK	6.004G	107.98	Inf	-Inf	95.88	3	Horizontal	28	2.65	-	34.31	8.58	30.79			
RMS	6.0439G	99.16	Inf	-Inf	87.05	3	Horizontal	28	2.65	-	34.39	8.53	30.81			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT Y_4TX
Setting 76
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0581G	57.73	74.00	-16.27	38.24	3	Vertical	203	1.73	-	39.08	12.69	32.28			
AV	12.0477G	45.93	54.00	-8.07	26.44	3	Vertical	203	1.73	-	39.10	12.68	32.29			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT Y_4TX
Setting 76
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0235G	58.27	74.00	-15.73	38.79	3	Horizontal	286	1.82	-	39.10	12.68	32.30			
AV	12.0594G	46.41	54.00	-7.59	26.92	3	Horizontal	286	1.82	-	39.08	12.69	32.28			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT Y_4TX
Setting 76
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.05815G	46.55	83.54	-36.99	42.26	1	Vertical	136	1.77	-	37.22	15.49	48.42			
AV	18.0864G	34.40	63.54	-29.14	30.06	1	Vertical	136	1.77	-	37.27	15.50	48.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Y_4TX
Setting 76
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07995G	46.93	83.54	-36.61	42.60	1	Horizontal	131	2.06	-	37.26	15.50	48.43			
AV	18.08725G	34.42	63.54	-29.12	30.08	1	Horizontal	131	2.06	-	37.27	15.50	48.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Y_4TX
Setting 76
02-D-B-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9066G	77.83	88.20	-10.37	66.05	3	Vertical	315	2.02	-	34.13	8.46	30.81			
RMS	5.9218G	66.84	68.20	-1.36	54.97	3	Vertical	315	2.02	-	34.19	8.48	30.80			
PK	6.1266G	110.49	Inf	-Inf	98.46	3	Vertical	315	2.02	-	34.45	8.43	30.85			
RMS	6.0818G	101.27	Inf	-Inf	89.21	3	Vertical	315	2.02	-	34.40	8.49	30.83			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Y_4TX
Setting 76
02-D-B-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9234G	71.27	88.20	-16.93	59.40	3	Horizontal	28	2.60	-	34.19	8.48	30.80			
RMS	5.9234G	60.75	68.20	-7.45	48.88	3	Horizontal	28	2.60	-	34.19	8.48	30.80			
PK	6.189G	105.37	Inf	-Inf	93.39	3	Horizontal	28	2.60	-	34.50	8.36	30.88			
RMS	6.129G	95.83	Inf	-Inf	83.79	3	Horizontal	28	2.60	-	34.46	8.43	30.85			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT Y_4TX
Setting 76
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.184G	60.10	74.00	-13.90	40.76	3	Vertical	210	1.53	-	38.80	12.73	32.19			
AV	12.1839G	45.54	54.00	-8.46	26.20	3	Vertical	210	1.53	-	38.80	12.73	32.19			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT Y_4TX
Setting 76
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1661G	58.12	74.00	-15.88	38.81	3	Horizontal	71	1.78	-	38.80	12.72	32.21			
AV	12.2112G	45.46	54.00	-8.54	26.11	3	Horizontal	71	1.78	-	38.80	12.73	32.18			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT Y_4TX
Setting 76
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3108G	47.22	83.54	-36.32	42.79	1	Vertical	61	2.03	-	37.34	15.61	48.52			
AV	18.2958G	34.19	63.54	-29.35	29.79	1	Vertical	61	2.03	-	37.32	15.60	48.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT Y_4TX
Setting 76
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31735G	46.97	83.54	-36.57	42.52	1	Horizontal	51	1.46	-	37.37	15.61	48.53			
AV	18.2905G	34.20	63.54	-29.34	29.78	1	Horizontal	51	1.46	-	37.34	15.60	48.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
Setting 76
02-D-B-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	78.45	88.20	-9.75	66.57	3	Vertical	314	1.78	-	34.20	8.48	30.80			
RMS	5.925G	67.26	68.20	-0.94	55.38	3	Vertical	314	1.78	-	34.20	8.48	30.80			
PK	6.177G	111.68	Inf	-Inf	99.67	3	Vertical	314	1.78	-	34.50	8.38	30.87			
RMS	6.1522G	102.11	Inf	-Inf	90.07	3	Vertical	314	1.78	-	34.50	8.40	30.86			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_Y_4TX
Setting 76
02-D-B-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9186G	73.57	88.20	-14.63	61.73	3	Horizontal	27	2.58	-	34.17	8.47	30.80			
RMS	5.9186G	61.98	68.20	-6.22	50.14	3	Horizontal	27	2.58	-	34.17	8.47	30.80			
PK	6.1442G	106.68	Inf	-Inf	94.64	3	Horizontal	27	2.58	-	34.49	8.41	30.86			
RMS	6.1442G	97.45	Inf	-Inf	85.41	3	Horizontal	27	2.58	-	34.49	8.41	30.86			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_Y_4TX
Setting 76
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2107G	58.15	74.00	-15.85	38.80	3	Vertical	186	1.44	-	38.80	12.73	32.18			
AV	12.1927G	46.02	54.00	-7.98	26.68	3	Vertical	186	1.44	-	38.80	12.73	32.19			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_Y_4TX
Setting 76
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1998G	57.98	74.00	-16.02	38.63	3	Horizontal	193	1.63	-	38.80	12.73	32.18			
AV	12.2315G	46.09	54.00	-7.91	26.71	3	Horizontal	193	1.63	-	38.80	12.74	32.16			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT Y_4TX
Setting 76
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3188G	47.23	83.54	-36.31	42.77	1	Vertical	334	1.67	-	37.38	15.61	48.53			
AV	18.2958G	34.65	63.54	-28.89	30.25	1	Vertical	334	1.67	-	37.32	15.60	48.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT Y_4TX
Setting 76
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32585G	48.06	83.54	-35.48	43.57	1	Horizontal	90	1.49	-	37.40	15.62	48.53			
AV	18.33885G	34.78	63.54	-28.76	30.24	1	Horizontal	90	1.49	-	37.46	15.62	48.54			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX


6105MHz_TX

EUT_Y_4TX
Setting 76
02-D-B-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	78.68	88.20	-9.52	66.80	3	Vertical	314	1.80	-	34.20	8.48	30.80			
RMS	5.925G	67.95	68.20	-0.25	56.07	3	Vertical	314	1.80	-	34.20	8.48	30.80			
PK	6.057G	113.06	Inf	-Inf	100.97	3	Vertical	314	1.80	-	34.40	8.51	30.82			
RMS	6.0722G	102.52	Inf	-Inf	90.44	3	Vertical	314	1.80	-	34.40	8.50	30.82			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX


6105MHz_TX

EUT_Y_4TX
Setting 76
02-D-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	78.17	88.20	-10.03	66.30	3	Horizontal	8	2.64	-	34.19	8.48	30.80			
RMS	5.9186G	66.31	68.20	-1.89	54.47	3	Horizontal	8	2.64	-	34.17	8.47	30.80			
PK	6.0642G	110.73	Inf	-Inf	98.64	3	Horizontal	8	2.64	-	34.40	8.51	30.82			
RMS	6.0738G	100.21	Inf	-Inf	88.13	3	Horizontal	8	2.64	-	34.40	8.50	30.82			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX


6105MHz_TX

EUT Y_4TX
Setting 76
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2444G	57.69	74.00	-16.31	38.30	3	Vertical	305	1.74	-	38.80	12.74	32.15			
AV	12.2092G	46.29	54.00	-7.71	26.94	3	Vertical	305	1.74	-	38.80	12.73	32.18			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_V_4TX
Setting 76
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1913G	57.83	74.00	-16.17	38.49	3	Horizontal	120	1.71	-	38.80	12.73	32.19			
AV	12.2283G	46.34	54.00	-7.66	26.96	3	Horizontal	120	1.71	-	38.80	12.74	32.16			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX


6105MHz_TX

EUT Y_4TX
Setting 76
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.33015G	46.96	83.54	-36.58	42.45	1	Vertical	43	1.35	-	37.42	15.62	48.53			
AV	18.29725G	35.01	63.54	-28.53	30.62	1	Vertical	43	1.35	-	37.31	15.60	48.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX

EUT Y_4TX
Setting 76
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3209G	46.88	83.54	-36.66	42.42	1	Horizontal	151	1.76	-	37.38	15.61	48.53			
AV	18.3087G	34.98	63.54	-28.56	30.56	1	Horizontal	151	1.76	-	37.33	15.61	48.52			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1.(MCS0)_4TX	Pass	RMS	5.9245G	68.06	68.20	-0.14	3	Vertical	1	1.80	-

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 85
01-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	80.04	88.20	-8.16	69.70	3	Vertical	2	1.80	-	34.10	8.68	32.44			
RMS	5.9244G	67.84	68.20	-0.36	57.50	3	Vertical	2	1.80	-	34.10	8.68	32.44			
PK	5.9518G	121.12	Inf	-Inf	110.75	3	Vertical	2	1.80	-	34.10	8.71	32.44			
RMS	5.9598G	110.31	Inf	-Inf	99.93	3	Vertical	2	1.80	-	34.10	8.72	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 85
01-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	80.79	88.20	-7.41	70.45	3	Horizontal	356	1.80	-	34.10	8.68	32.44			
RMS	5.9226G	65.70	68.20	-2.50	55.37	3	Horizontal	356	1.80	-	34.10	8.67	32.44			
PK	5.9476G	120.42	Inf	-Inf	110.06	3	Horizontal	356	1.80	-	34.10	8.70	32.44			
RMS	5.9576G	110.61	Inf	-Inf	100.23	3	Horizontal	356	1.80	-	34.10	8.72	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 108
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.91642G	44.37	74.00	-29.63	57.88	3	Vertical	64	1.80	-	38.70	13.62	65.83				
AV	11.91273G	34.22	54.00	-19.78	47.73	3	Vertical	64	1.80	-	38.70	13.62	65.83				
PK	17.87391G	51.12	74.00	-22.88	54.48	3	Vertical	335	1.72	-	42.93	17.72	64.01				
AV	17.87382G	41.69	54.00	-12.31	45.05	3	Vertical	335	1.72	-	42.93	17.72	64.01				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 108
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.90031G	44.79	74.00	-29.21	58.32	3	Horizontal	360	1.80	-	38.70	13.61	65.84				
AV	11.9157G	33.37	54.00	-20.63	46.88	3	Horizontal	360	1.80	-	38.70	13.62	65.83				
PK	17.87466G	50.56	74.00	-23.44	53.91	3	Horizontal	335	1.80	-	42.94	17.72	64.01				
AV	17.86533G	40.73	54.00	-13.27	44.26	3	Horizontal	335	1.80	-	42.78	17.71	64.02				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 108
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38772G	44.18	74.00	-29.82	57.32	3	Vertical	188	1.80	-	38.62	13.85	65.61			
AV	12.38916G	33.44	54.00	-20.56	46.58	3	Vertical	188	1.80	-	38.62	13.85	65.61			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 108
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39504G	45.25	74.00	-28.75	58.40	3	Horizontal	5	1.80	-	38.61	13.85	65.61			
AV	12.39027G	34.30	54.00	-19.70	47.44	3	Horizontal	5	1.80	-	38.62	13.85	65.61			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 108
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57906G	60.23	83.54	-23.31	55.65	1	Vertical	164	1.70	-	37.66	16.58	49.66			
AV	18.57906G	49.56	63.54	-13.98	44.98	1	Vertical	164	1.70	-	37.66	16.58	49.66			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 108
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57882G	58.43	83.54	-25.11	53.85	1	Horizontal	161	1.70	-	37.66	16.58	49.66			
AV	18.579G	47.48	63.54	-16.06	42.90	1	Horizontal	161	1.70	-	37.66	16.58	49.66			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 108
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83075G	54.93	88.20	-33.27	66.03	3	Vertical	23	1.80	-	39.96	14.05	65.11			
RMS	12.83033G	44.00	68.20	-24.20	55.10	3	Vertical	23	1.80	-	39.96	14.05	65.11			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 108
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82784G	54.28	88.20	-33.92	65.39	3	Horizontal	355	2.13	-	39.96	14.05	65.12			
RMS	12.82847G	44.26	68.20	-23.94	55.37	3	Horizontal	355	2.13	-	39.96	14.05	65.12			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 108
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25442G	60.24	83.54	-23.30	54.88	1	Vertical	160	1.56	-	37.88	16.94	49.46			
AV	19.24422G	48.93	63.54	-14.61	43.57	1	Vertical	160	1.56	-	37.88	16.93	49.45			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 108
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.23366G	52.43	83.54	-31.11	47.12	1	Horizontal	297	1.11	-	37.83	16.93	49.45			
AV	19.24404G	42.62	63.54	-20.92	37.26	1	Horizontal	297	1.11	-	37.88	16.93	49.45			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 108
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07516G	50.27	88.20	-37.93	61.08	3	Vertical	31	2.09	-	39.90	14.16	64.87			
RMS	13.07534G	40.09	68.20	-28.11	50.90	3	Vertical	31	2.09	-	39.90	14.16	64.87			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 108
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06109G	49.49	88.20	-38.71	60.31	3	Horizontal	72	1.99	-	39.90	14.15	64.87			
RMS	13.06625G	40.53	68.20	-27.67	51.34	3	Horizontal	72	1.99	-	39.90	14.16	64.87			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX



EUT Y_4TX
Setting 108
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6041G	54.87	83.54	-28.67	49.57	1	Vertical	335	1.80	-	37.69	17.14	49.53			
AV	19.60434G	45.18	63.54	-18.36	39.88	1	Vertical	335	1.80	-	37.69	17.14	49.53			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 108
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.59912G	50.78	83.54	-32.76	45.47	1	Horizontal	272	1.92	-	37.70	17.14	49.53			
AV	19.60434G	40.47	63.54	-23.07	35.17	1	Horizontal	272	1.92	-	37.69	17.14	49.53			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 108
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38634G	53.00	74.00	-21.00	63.14	3	Vertical	177	1.84	-	40.40	14.30	64.84			
AV	13.39138G	43.67	54.00	-10.33	53.81	3	Vertical	177	1.84	-	40.40	14.30	64.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 108
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38883G	51.95	74.00	-22.05	62.09	3	Horizontal	277	1.96	-	40.40	14.30	64.84			
AV	13.39123G	41.32	54.00	-12.68	51.46	3	Horizontal	277	1.96	-	40.40	14.30	64.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 108
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08764G	55.43	83.54	-28.11	49.62	1	Vertical	335	1.72	-	37.68	17.38	49.25			
AV	20.088G	45.67	63.54	-17.87	39.86	1	Vertical	335	1.72	-	37.68	17.38	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 108
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08848G	55.13	83.54	-28.41	49.32	1	Horizontal	153	1.23	-	37.68	17.38	49.25			
AV	20.08782G	45.74	63.54	-17.80	39.93	1	Horizontal	153	1.23	-	37.68	17.38	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 108
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.70862G	62.72	88.20	-25.48	72.32	3	Vertical	25	1.80	-	40.68	14.45	64.73			
RMS	13.71075G	53.51	68.20	-14.69	63.11	3	Vertical	25	1.80	-	40.68	14.45	64.73			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 108
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71015G	60.45	88.20	-27.75	70.05	3	Horizontal	241	1.30	-	40.68	14.45	64.73			
RMS	13.70988G	50.54	68.20	-17.66	60.14	3	Horizontal	241	1.30	-	40.68	14.45	64.73			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 108
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56494G	56.05	83.54	-27.49	50.07	1	Vertical	360	1.80	-	37.73	17.45	49.20			
AV	20.56512G	45.79	63.54	-17.75	39.81	1	Vertical	360	1.80	-	37.73	17.45	49.20			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 108
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.57052G	51.41	83.54	-32.13	45.41	1	Horizontal	153	1.80	-	37.74	17.45	49.19			
AV	20.5683G	40.90	63.54	-22.64	34.90	1	Horizontal	153	1.80	-	37.74	17.45	49.19			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 76
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9233G	80.11	88.20	-8.09	69.78	3	Vertical	1	1.80	-	34.10	8.67	32.44			
RMS	5.9245G	68.06	68.20	-0.14	57.72	3	Vertical	1	1.80	-	34.10	8.68	32.44			
PK	5.9797G	114.83	Inf	-Inf	104.43	3	Vertical	1	1.80	-	34.10	8.74	32.44			
RMS	5.9797G	105.53	Inf	-Inf	95.13	3	Vertical	1	1.80	-	34.10	8.74	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4Tx
Setting 76
01-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	80.41	88.20	-7.79	70.07	3	Horizontal	358	1.80	-	34.10	8.68	32.44			
RMS	5.925G	66.24	68.20	-1.96	55.90	3	Horizontal	358	1.80	-	34.10	8.68	32.44			
PK	5.9779G	116.04	Inf	-Inf	105.64	3	Horizontal	358	1.80	-	34.10	8.74	32.44			
RMS	5.9677G	105.50	Inf	-Inf	95.11	3	Horizontal	358	1.80	-	34.10	8.73	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 75
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9205G	80.95	88.20	-7.25	70.62	3	Vertical	360	1.80	-	34.10	8.67	32.44				
RMS	5.9245G	68.03	68.20	-0.17	57.69	3	Vertical	360	1.80	-	34.10	8.68	32.44				
PK	5.99G	113.47	Inf	-Inf	103.05	3	Vertical	360	1.80	-	34.10	8.76	32.44				
RMS	6G	103.26	Inf	-Inf	92.83	3	Vertical	360	1.80	-	34.10	8.77	32.44				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Y_4TX
Setting 75
01-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	78.01	88.20	-10.19	67.68	3	Horizontal	28	1.80	-	34.10	8.67	32.44			
RMS	5.921G	66.50	68.20	-1.70	56.17	3	Horizontal	28	1.80	-	34.10	8.67	32.44			
PK	6.0065G	112.03	Inf	-Inf	101.59	3	Horizontal	28	1.80	-	34.10	8.78	32.44			
RMS	5.9965G	102.86	Inf	-Inf	92.43	3	Horizontal	28	1.80	-	34.10	8.77	32.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 75
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	78.95	88.20	-9.25	68.61	3	Vertical	360	1.80	-	34.10	8.68	32.44			
RMS	5.925G	67.36	68.20	-0.84	57.02	3	Vertical	360	1.80	-	34.10	8.68	32.44			
PK	6.0794G	109.98	Inf	-Inf	99.47	3	Vertical	360	1.80	-	34.10	8.84	32.43			
RMS	6.1002G	100.62	Inf	-Inf	90.09	3	Vertical	360	1.80	-	34.10	8.86	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 75
01-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	79.16	88.20	-9.04	68.82	3	Horizontal	27	1.80	-	34.10	8.68	32.44			
RMS	5.9162G	67.96	68.20	-0.24	57.63	3	Horizontal	27	1.80	-	34.10	8.67	32.44			
PK	6.0514G	110.81	Inf	-Inf	100.33	3	Horizontal	27	1.80	-	34.10	8.81	32.43			
RMS	6.0762G	100.52	Inf	-Inf	90.02	3	Horizontal	27	1.80	-	34.10	8.83	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 79
01-C-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3354G	54.94	88.20	-33.26	46.23	3	Vertical	26	1.80	-	32.80	8.41	32.50			
RMS	5.305G	44.93	68.20	-23.27	36.23	3	Vertical	26	1.80	-	32.80	8.41	32.51			
PK	5.441G	55.39	74.00	-18.61	46.70	3	Vertical	26	1.80	-	32.70	8.46	32.47			
AV	5.433G	45.49	54.00	-8.51	36.82	3	Vertical	26	1.80	-	32.70	8.45	32.48			
PK	5.921G	79.23	88.20	-8.97	68.90	3	Vertical	360	1.80	-	34.10	8.67	32.44			
RMS	5.9098G	67.11	68.20	-1.09	56.79	3	Vertical	360	1.80	-	34.10	8.66	32.44			
PK	6.0778G	107.09	Inf	-Inf	96.58	3	Vertical	360	1.80	-	34.10	8.84	32.43			
AV	6.0794G	97.39	Inf	-Inf	86.88	3	Vertical	360	1.80	-	34.10	8.84	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX



EUT_Y_4TX
Setting 79
01-C-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3386G	54.57	88.20	-33.63	45.86	3	Horizontal	26	1.80	-	32.80	8.41	32.50			
RMS	5.305G	44.99	68.20	-23.21	36.29	3	Horizontal	26	1.80	-	32.80	8.41	32.51			
PK	5.4522G	55.40	74.00	-18.60	46.69	3	Horizontal	26	1.80	-	32.70	8.48	32.47			
AV	5.4378G	45.47	54.00	-8.53	36.78	3	Horizontal	26	1.80	-	32.70	8.46	32.47			
PK	5.8986G	78.47	88.20	-9.73	68.18	3	Horizontal	26	1.80	-	34.09	8.64	32.44			
RMS	5.9162G	67.87	68.20	-0.33	57.54	3	Horizontal	26	1.80	-	34.10	8.67	32.44			
PK	6.0922G	107.92	Inf	-Inf	97.40	3	Horizontal	26	1.80	-	34.10	8.85	32.43			
AV	6.0762G	97.06	Inf	-Inf	86.56	3	Horizontal	26	1.80	-	34.10	8.83	32.43			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	RMS	5.9246G	67.86	68.20	-0.34	3	Vertical	177	2.26	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 86
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	81.78	88.20	-6.42	76.71	3	Vertical	177	2.26	-	32.40	7.27	34.60
RMS	5.9246G	67.86	68.20	-0.34	62.79	3	Vertical	177	2.26	-	32.40	7.27	34.60
PK	5.9522G	115.79	Inf	-Inf	110.73	3	Vertical	177	2.26	-	32.40	7.29	34.63
RMS	5.9526G	105.27	Inf	-Inf	100.20	3	Vertical	177	2.26	-	32.41	7.29	34.63

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 86
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	77.41	88.20	-10.79	72.34	3	Horizontal	160	2.30	-	32.40	7.27	34.60			
RMS	5.9248G	63.70	68.20	-4.50	58.63	3	Horizontal	160	2.30	-	32.40	7.27	34.60			
PK	5.9478G	111.92	Inf	-Inf	106.86	3	Horizontal	160	2.30	-	32.40	7.28	34.62			
RMS	5.9574G	101.66	Inf	-Inf	96.59	3	Horizontal	160	2.30	-	32.41	7.29	34.63			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Z_1TX
Setting 86
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90052G	46.20	74.00	-27.80	61.22	3	Vertical	210	1.80	-	38.80	12.02	65.84			
AV	11.89974G	35.61	54.00	-18.39	50.64	3	Vertical	210	1.80	-	38.80	12.01	65.84			
PK	17.86479G	55.83	74.00	-18.17	58.07	3	Vertical	244	1.94	-	47.73	14.05	64.02			
AV	17.8674G	44.82	54.00	-9.18	46.96	3	Vertical	244	1.94	-	47.83	14.05	64.02			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Z_1TX
Setting 86
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90175G	46.06	74.00	-27.94	61.08	3	Horizontal	140	1.80	-	38.80	12.02	65.84			
AV	11.89539G	35.71	54.00	-18.29	50.74	3	Horizontal	140	1.80	-	38.80	12.01	65.84			
PK	17.87199G	55.43	74.00	-18.57	57.39	3	Horizontal	81	1.85	-	47.99	14.06	64.01			
AV	17.86992G	44.73	54.00	-9.27	46.77	3	Horizontal	81	1.85	-	47.92	14.06	64.02			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 86
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82711G	58.44	83.54	-25.10	44.01	1	Vertical	202	2.11	-	39.10	23.00	47.67			
AV	23.81598G	47.22	63.54	-16.32	32.80	1	Vertical	202	2.11	-	39.10	22.99	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 86
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81727G	58.41	83.54	-25.13	43.99	1	Horizontal	113	1.55	-	39.10	22.99	47.67			
AV	23.82075G	47.42	63.54	-16.12	33.00	1	Horizontal	113	1.55	-	39.10	22.99	47.67			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 76
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.925G	81.87	88.20	-6.33	76.80	3	Vertical	179	2.27	-	32.40	7.27	34.60				
RMS	5.925G	67.66	68.20	-0.54	62.59	3	Vertical	179	2.27	-	32.40	7.27	34.60				
PK	5.963G	111.17	Inf	-Inf	106.09	3	Vertical	179	2.27	-	32.43	7.29	34.64				
RMS	5.9576G	99.48	Inf	-Inf	94.41	3	Vertical	179	2.27	-	32.42	7.29	34.64				

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 76
06-H-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9216G	79.73	88.20	-8.47	74.66	3	Horizontal	167	2.31	-	32.40	7.27	34.60			
RMS	5.925G	64.32	68.20	-3.88	59.25	3	Horizontal	167	2.31	-	32.40	7.27	34.60			
PK	5.96G	107.18	Inf	-Inf	102.11	3	Horizontal	167	2.31	-	32.42	7.29	34.64			
RMS	5.9686G	96.44	Inf	-Inf	91.35	3	Horizontal	167	2.31	-	32.44	7.30	34.65			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Z_1TX
Setting 76
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9306G	46.29	74.00	-27.71	61.21	3	Vertical	121	1.35	-	38.86	12.03	65.81			
AV	11.94437G	35.77	54.00	-18.23	50.64	3	Vertical	121	1.35	-	38.89	12.04	65.80			
PK	17.90145G	56.26	74.00	-17.74	57.14	3	Vertical	266	2.77	-	49.05	14.07	64.00			
AV	17.90724G	45.81	54.00	-8.19	46.47	3	Vertical	266	2.77	-	49.26	14.07	63.99			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Z_1TX
Setting 76
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93894G	46.46	74.00	-27.54	61.34	3	Horizontal	109	1.85	-	38.88	12.04	65.80			
AV	11.93573G	35.90	54.00	-18.10	50.80	3	Horizontal	109	1.85	-	38.87	12.04	65.81			
PK	17.89452G	55.92	74.00	-18.08	57.06	3	Horizontal	0	1.80	-	48.80	14.06	64.00			
AV	17.90925G	45.41	54.00	-8.59	46.00	3	Horizontal	0	1.80	-	49.33	14.07	63.99			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 76
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86339G	54.24	83.54	-29.30	39.80	1	Vertical	224	1.16	-	39.07	23.02	47.65			
AV	23.85982G	43.76	63.54	-19.78	29.32	1	Vertical	224	1.16	-	39.08	23.02	47.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Z_1TX
Setting 76
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.85727G	53.23	83.54	-30.31	38.78	1	Horizontal	276	1.14	-	39.09	23.02	47.66			
AV	23.84881G	42.62	63.54	-20.92	28.17	1	Horizontal	276	1.14	-	39.10	23.01	47.66			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 75
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9198G	79.98	88.20	-8.22	74.91	3	Vertical	178	2.17	-	32.40	7.26	34.59			
RMS	5.921G	67.04	68.20	-1.16	61.98	3	Vertical	178	2.17	-	32.40	7.26	34.60			
PK	5.9718G	106.82	Inf	-Inf	101.73	3	Vertical	178	2.17	-	32.44	7.30	34.65			
RMS	5.971G	96.66	Inf	-Inf	91.57	3	Vertical	178	2.17	-	32.44	7.30	34.65			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 75
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	75.81	88.20	-12.39	70.74	3	Horizontal	161	2.38	-	32.40	7.26	34.59			
RMS	5.9222G	63.17	68.20	-5.03	58.10	3	Horizontal	161	2.38	-	32.40	7.27	34.60			
PK	5.9818G	103.36	Inf	-Inf	98.25	3	Horizontal	161	2.38	-	32.46	7.31	34.66			
RMS	5.9714G	93.32	Inf	-Inf	88.23	3	Horizontal	161	2.38	-	32.44	7.30	34.65			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_Z_1TX
Setting 75
06-H-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96613G	47.21	74.00	-26.79	62.00	3	Vertical	200	1.80	-	38.93	12.06	65.78			
AV	11.96316G	36.85	54.00	-17.15	51.64	3	Vertical	200	1.80	-	38.93	12.06	65.78			
PK	17.96796G	60.71	74.00	-13.29	58.91	3	Vertical	338	1.96	-	51.66	14.09	63.95			
AV	17.96625G	49.42	54.00	-4.58	47.70	3	Vertical	338	1.96	-	51.58	14.09	63.95			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 75
06-H-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95788G	47.64	74.00	-26.36	62.46	3	Horizontal	109	1.80	-	38.92	12.05	65.79			
AV	11.95611G	36.64	54.00	-17.36	51.47	3	Horizontal	109	1.80	-	38.91	12.05	65.79			
PK	17.95584G	58.35	74.00	-15.65	57.15	3	Horizontal	73	2.08	-	51.08	14.08	63.96			
AV	17.96922G	48.92	54.00	-5.08	47.06	3	Horizontal	73	2.08	-	51.72	14.09	63.95			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 75
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93442G	52.96	83.54	-30.58	38.52	1	Vertical	3	1.82	-	39.00	23.07	47.63			
AV	23.93121G	42.28	63.54	-21.26	27.84	1	Vertical	3	1.82	-	39.00	23.07	47.63			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 75
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94822G	52.85	83.54	-30.69	38.39	1	Horizontal	207	1.80	-	39.00	23.08	47.62			
AV	23.93787G	42.39	63.54	-21.15	27.93	1	Horizontal	207	1.80	-	39.00	23.08	47.62			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.45303G	47.11	74.00	-26.89	61.94	3	Vertical	42	2.97	-	38.69	12.07	65.59			
AV	12.44208G	36.50	54.00	-17.50	51.30	3	Vertical	42	2.97	-	38.72	12.07	65.59			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45654G	47.99	74.00	-26.01	62.82	3	Horizontal	176	2.29	-	38.69	12.07	65.59			
AV	12.44562G	36.45	54.00	-17.55	51.26	3	Horizontal	176	2.29	-	38.71	12.07	65.59			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.66855G	49.89	83.54	-33.65	39.84	1	Vertical	0	1.80	-	37.90	20.62	48.47			
AV	18.6726G	39.88	63.54	-23.66	29.83	1	Vertical	0	1.80	-	37.90	20.62	48.47			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6762G	50.34	83.54	-33.20	40.30	1	Horizontal	273	1.80	-	37.90	20.62	48.48			
AV	18.67161G	40.14	63.54	-23.40	30.09	1	Horizontal	273	1.80	-	37.90	20.62	48.47			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6385MHz_TX

EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.78197G	46.86	88.20	-41.34	60.89	3	Vertical	109	1.80	-	39.09	12.06	65.18			
RMS	12.77105G	36.49	68.20	-31.71	50.60	3	Vertical	109	1.80	-	39.03	12.06	65.20			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78143G	47.40	88.20	-40.80	61.43	3	Horizontal	15.5	1.80	-	39.09	12.06	65.18			
RMS	12.78152G	36.65	68.20	-31.55	50.68	3	Horizontal	15.5	1.80	-	39.09	12.06	65.18			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15974G	53.04	83.54	-30.50	43.15	1	Vertical	135	1.43	-	37.96	20.73	48.80			
AV	19.14219G	42.21	63.54	-21.33	32.29	1	Vertical	135	1.43	-	38.00	20.72	48.80			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.1643G	53.13	83.54	-30.41	43.25	1	Horizontal	161	1.24	-	37.94	20.74	48.80			
AV	19.14159G	42.14	63.54	-21.40	32.22	1	Horizontal	161	1.24	-	38.00	20.72	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25414G	47.47	74.00	-26.53	60.67	3	Vertical	169.1	1.80	-	39.61	12.04	64.85			
AV	13.25400G	36.70	54.00	-17.30	49.90	3	Vertical	169.1	1.80	-	39.61	12.04	64.85			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6625MHz_TX

EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.26029G	47.49	74.00	-26.51	60.68	3	Horizontal	147	2.82	-	39.62	12.04	64.85			
AV	13.26392G	37.01	54.00	-16.99	50.19	3	Horizontal	147	2.82	-	39.63	12.04	64.85			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX



EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88007G	51.94	83.54	-31.60	42.40	1	Vertical	315	2.58	-	37.70	20.64	48.80			
AV	19.86948G	41.70	63.54	-21.84	32.16	1	Vertical	315	2.58	-	37.70	20.64	48.80			