


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87644G	49.85	83.54	-33.69	40.31	1	Horizontal	360	2.69	-	37.70	20.64	48.80			
AV	19.88226G	39.78	63.54	-23.76	30.25	1	Horizontal	360	2.69	-	37.70	20.63	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40133G	48.21	88.20	-39.99	61.00	3	Vertical	225	1.80	-	40.01	12.04	64.84			
RMS	13.40100G	37.93	68.20	-30.27	50.73	3	Vertical	225	1.80	-	40.00	12.04	64.84			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6705MHz_TX

EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41735G	48.04	88.20	-40.16	60.77	3	Horizontal	253	2.27	-	40.07	12.04	64.84			
RMS	13.41000G	37.83	68.20	-30.37	50.59	3	Horizontal	253	2.27	-	40.04	12.04	64.84			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11686G	50.81	83.54	-32.73	41.03	1	Vertical	37	1.53	-	37.80	20.76	48.78			
AV	20.10102G	39.57	63.54	-23.97	29.82	1	Vertical	37	1.53	-	37.80	20.73	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.10393G	50.14	83.54	-33.40	40.38	1	Horizontal	350	1.85	-	37.80	20.74	48.78			
AV	20.11647G	39.93	63.54	-23.61	30.15	1	Horizontal	350	1.85	-	37.80	20.76	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.55296G	48.44	88.20	-39.76	60.54	3	Vertical	3	1.80	-	40.68	12.03	64.81			
RMS	13.55272G	37.91	68.20	-30.29	50.01	3	Vertical	3	1.80	-	40.68	12.03	64.81			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6785MHz_TX

EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.566G	48.08	88.20	-40.12	60.25	3	Horizontal	144	2.54	-	40.60	12.03	64.80			
RMS	13.53232G	37.66	68.20	-30.54	49.89	3	Horizontal	144	2.54	-	40.56	12.03	64.82			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.34582G	50.48	83.54	-33.06	40.14	1	Vertical	249	2.75	-	37.89	21.18	48.73			
AV	20.36808G	39.53	63.54	-24.01	29.18	1	Vertical	249	2.75	-	37.86	21.22	48.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35374G	49.24	83.54	-34.30	38.89	1	Horizontal	106	2.03	-	37.89	21.19	48.73			
AV	20.35317G	38.86	63.54	-24.68	28.51	1	Horizontal	106	2.03	-	37.89	21.19	48.73			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 78
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9095G	79.81	88.20	-8.39	74.73	3	Vertical	180	2.25	-	32.40	7.26	34.58			
RMS	5.9249G	67.52	68.20	-0.68	62.45	3	Vertical	180	2.25	-	32.40	7.27	34.60			
PK	5.9634G	104.66	Inf	-Inf	99.58	3	Vertical	180	2.25	-	32.43	7.29	34.64			
RMS	5.9487G	94.67	Inf	-Inf	89.62	3	Vertical	180	2.25	-	32.40	7.28	34.63			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 78
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8969G	76.35	88.20	-11.85	71.28	3	Horizontal	168	2.30	-	32.39	7.25	34.57			
RMS	5.9207G	64.61	68.20	-3.59	59.55	3	Horizontal	168	2.30	-	32.40	7.26	34.60			
PK	5.9676G	102.57	Inf	-Inf	97.48	3	Horizontal	168	2.30	-	32.44	7.30	34.65			
RMS	5.9613G	91.24	Inf	-Inf	86.17	3	Horizontal	168	2.30	-	32.42	7.29	34.64			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 78
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05096G	56.10	74.00	-17.90	70.55	3	Vertical	289	1.80	-	39.20	12.08	65.73			
AV	12.07048G	45.91	54.00	-8.09	60.27	3	Vertical	289	1.80	-	39.28	12.08	65.72			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 78
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.07608G	55.89	74.00	-18.11	70.23	3	Horizontal	145	2.80	-	39.30	12.08	65.72			
AV	12.06984G	45.81	54.00	-8.19	60.17	3	Horizontal	145	2.80	-	39.28	12.08	65.72			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 78
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08421G	50.86	83.54	-32.68	41.14	1	Vertical	117	2.80	-	37.61	20.33	48.22			
AV	18.08868G	39.98	63.54	-23.56	30.24	1	Vertical	117	2.80	-	37.63	20.33	48.22			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX

EUT_Z_1TX
Setting 78
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08541G	49.82	83.54	-33.72	40.10	1	Horizontal	193	2.56	-	37.61	20.33	48.22			
AV	18.08883G	39.80	63.54	-23.74	30.06	1	Horizontal	193	2.56	-	37.63	20.33	48.22			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX	Pass	RMS	5.925G	68.16	68.20	-0.04	3	Vertical	356	1.80	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5985MHz_TX

EUT_Y_4TX
Setting 74
02-D-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9235G	84.30	88.20	-3.90	72.43	3	Vertical	355	1.72	-	34.19	8.48	30.80			
RMS	5.9245G	68.05	68.20	-0.15	56.17	3	Vertical	355	1.72	-	34.20	8.48	30.80			
PK	6.01G	117.00	Inf	-Inf	104.90	3	Vertical	355	1.72	-	34.32	8.57	30.79			
RMS	5.98G	106.79	Inf	-Inf	94.73	3	Vertical	355	1.72	-	34.30	8.55	30.79			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 74
02-D-B-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9175G	80.74	88.20	-7.46	68.90	3	Horizontal	353	1.62	-	34.17	8.47	30.80			
RMS	5.9225G	66.51	68.20	-1.69	54.64	3	Horizontal	353	1.62	-	34.19	8.48	30.80			
PK	5.983G	115.51	Inf	-Inf	103.44	3	Horizontal	353	1.62	-	34.30	8.56	30.79			
RMS	5.9775G	106.24	Inf	-Inf	94.18	3	Horizontal	353	1.62	-	34.30	8.55	30.79			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5985MHz_TX

EUT_Y_4TX
Setting 74
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96912G	47.76	74.00	-26.24	28.24	3	Vertical	352	2.06	-	39.16	12.65	32.29			
AV	11.96456G	37.35	54.00	-16.65	17.82	3	Vertical	352	2.06	-	39.17	12.65	32.29			
PK	17.93836G	58.88	74.00	-15.12	29.02	3	Vertical	112	2.04	-	46.20	14.98	31.32			
AV	17.94628G	46.12	54.00	-7.88	16.24	3	Vertical	112	2.04	-	46.20	14.99	31.31			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5985MHz_TX

EUT_Y_4TX
Setting 74
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.99112G	46.85	74.00	-27.15	27.37	3	Horizontal	74	1.78	-	39.12	12.67	32.31			
AV	11.9556G	35.49	54.00	-18.51	15.93	3	Horizontal	74	1.78	-	39.19	12.65	32.28			
PK	17.96796G	58.10	74.00	-15.90	28.06	3	Horizontal	336	2.00	-	46.31	15.00	31.27			
AV	17.98428G	46.46	54.00	-7.54	16.29	3	Horizontal	336	2.00	-	46.41	15.00	31.24			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 74
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.91992G	52.71	83.54	-30.83	43.50	1	Vertical	53	1.68	-	38.94	18.17	47.90			
AV	23.9636G	40.38	63.54	-23.16	31.11	1	Vertical	53	1.68	-	38.97	18.20	47.90			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT Y_4TX
Setting 74
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9796G	52.54	83.54	-31.00	43.29	1	Horizontal	348	1.82	-	38.94	18.21	47.90			
AV	23.97248G	40.12	63.54	-23.42	30.86	1	Horizontal	348	1.82	-	38.96	18.20	47.90			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX


6025MHz_TX

EUT_Y_4TX
Setting 75
02-D-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9207G	78.33	88.20	-9.87	66.47	3	Vertical	357	1.80	-	34.18	8.48	30.80			
RMS	5.9249G	67.53	68.20	-0.67	55.65	3	Vertical	357	1.80	-	34.20	8.48	30.80			
PK	6.0397G	113.17	Inf	-Inf	101.07	3	Vertical	357	1.80	-	34.38	8.53	30.81			
RMS	5.9998G	103.65	Inf	-Inf	91.56	3	Vertical	357	1.80	-	34.30	8.58	30.79			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX


6025MHz_TX

EUT_Y_4TX
Setting 75
02-D-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9249G	77.21	88.20	-10.99	65.33	3	Horizontal	352	1.68	-	34.20	8.48	30.80			
RMS	5.9221G	67.58	68.20	-0.62	55.71	3	Horizontal	352	1.68	-	34.19	8.48	30.80			
PK	6.0173G	112.77	Inf	-Inf	100.68	3	Horizontal	352	1.68	-	34.33	8.56	30.80			
RMS	6.0026G	103.22	Inf	-Inf	91.12	3	Horizontal	352	1.68	-	34.31	8.58	30.79			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

6025MHz_TX




EUT Y_4TX
Setting 75
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05352G	57.96	74.00	-16.04	38.46	3	Vertical	5	1.43	-	39.09	12.69	32.28			
AV	12.0492G	45.51	54.00	-8.49	26.01	3	Vertical	5	1.43	-	39.10	12.69	32.29			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

6025MHz_TX




EUT Y_4TX
Setting 75
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.02816G	57.92	74.00	-16.08	38.44	3	Horizontal	299	1.87	-	39.10	12.68	32.30			
AV	12.03904G	45.59	54.00	-8.41	26.10	3	Horizontal	299	1.87	-	39.10	12.68	32.29			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

6025MHz_TX




EUT Y_4TX
Setting 75
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.04372G	46.84	83.54	-36.70	42.55	1	Vertical	195	1.55	-	37.23	15.48	48.42			
AV	18.03516G	33.93	63.54	-29.61	29.60	1	Vertical	195	1.55	-	37.26	15.48	48.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

6025MHz_TX




EUT Y_4TX
Setting 75
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0854G	47.23	83.54	-36.31	42.89	1	Horizontal	51	1.55	-	37.27	15.50	48.43			
AV	18.03916G	34.18	63.54	-29.36	29.88	1	Horizontal	51	1.55	-	37.24	15.48	48.42			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Y_4TX
Setting 74
02-D-B-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9249G	78.37	88.20	-9.83	66.49	3	Vertical	355	1.80	-	34.20	8.48	30.80			
RMS	5.9249G	67.56	68.20	-0.64	55.68	3	Vertical	355	1.80	-	34.20	8.48	30.80			
PK	6.0341G	112.49	Inf	-Inf	100.39	3	Vertical	355	1.80	-	34.37	8.54	30.81			
RMS	5.9998G	104.32	Inf	-Inf	92.23	3	Vertical	355	1.80	-	34.30	8.58	30.79			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT_Y_4TX
Setting 74
02-D-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9151G	78.31	88.20	-9.89	66.49	3	Horizontal	27	1.78	-	34.16	8.47	30.81			
RMS	5.9207G	67.01	68.20	-1.19	55.15	3	Horizontal	27	1.78	-	34.18	8.48	30.80			
PK	6.0607G	113.40	Inf	-Inf	101.31	3	Horizontal	27	1.78	-	34.40	8.51	30.82			
RMS	5.9963G	103.49	Inf	-Inf	91.40	3	Horizontal	27	1.78	-	34.30	8.58	30.79			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT Y_4TX
Setting 74
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.0468G	58.27	74.00	-15.73	38.78	3	Vertical	342	1.79	-	39.10	12.68	32.29			
AV	12.01832G	45.58	54.00	-8.42	26.11	3	Vertical	342	1.79	-	39.10	12.68	32.31			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Y_4TX
Setting 74
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.07776G	58.09	74.00	-15.91	38.63	3	Horizontal	203	1.61	-	39.04	12.69	32.27			
AV	12.02832G	45.51	54.00	-8.49	26.03	3	Horizontal	203	1.61	-	39.10	12.68	32.30			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT Y_4TX
Setting 74
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06732G	45.66	83.54	-37.88	41.37	1	Vertical	300	2.09	-	37.23	15.49	48.43			
AV	18.03676G	34.31	63.54	-29.23	29.99	1	Vertical	300	2.09	-	37.25	15.48	48.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT Y_4TX
Setting 74
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06492G	46.48	83.54	-37.06	42.19	1	Horizontal	133	1.64	-	37.23	15.49	48.43			
AV	18.03596G	34.15	63.54	-29.39	29.82	1	Horizontal	133	1.64	-	37.26	15.48	48.41			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Y_4TX
Setting 70
04-I-B-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.909G	82.03	88.20	-6.17	83.98	3	Vertical	356	1.80	-	32.30	9.04	43.29			
RMS	5.925G	68.16	68.20	-0.04	70.09	3	Vertical	356	1.80	-	32.30	9.05	43.28			
PK	6.01G	109.49	Inf	-Inf	111.14	3	Vertical	356	1.80	-	32.40	9.15	43.20			
RMS	6.005G	98.67	Inf	-Inf	100.33	3	Vertical	356	1.80	-	32.40	9.14	43.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Y_4TX
Setting 70
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.91G	78.90	88.20	-9.30	80.85	3	Horizontal	356	1.79	-	32.30	9.04	43.29			
RMS	5.923G	63.77	68.20	-4.43	65.70	3	Horizontal	356	1.79	-	32.30	9.05	43.28			
PK	6.103G	108.88	Inf	-Inf	110.32	3	Horizontal	356	1.79	-	32.51	9.21	43.16			
RMS	6.148G	98.36	Inf	-Inf	99.67	3	Horizontal	356	1.79	-	32.60	9.24	43.15			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT Y_4TX
Setting 70
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.19608G	58.42	74.00	-15.58	38.99	3	Vertical	320	1.59	-	38.80	12.82	32.19			
AV	12.23984G	45.42	54.00	-8.58	25.95	3	Vertical	320	1.59	-	38.80	12.83	32.16			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT Y_4TX
Setting 70
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.17136G	57.77	74.00	-16.23	38.35	3	Horizontal	81	1.51	-	38.80	12.82	32.20			
AV	12.20336G	45.44	54.00	-8.56	26.00	3	Horizontal	81	1.51	-	38.80	12.82	32.18			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT Y_4TX
Setting 70
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32852G	46.78	83.54	-36.76	42.28	1	Vertical	60	1.90	-	37.41	15.62	48.53			
AV	18.2814G	34.17	63.54	-29.37	29.71	1	Vertical	60	1.90	-	37.37	15.60	48.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT Y_4TX
Setting 70
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31988G	46.23	83.54	-37.31	41.77	1	Horizontal	352	1.33	-	37.38	15.61	48.53			
AV	18.28004G	34.22	63.54	-29.32	29.76	1	Horizontal	352	1.33	-	37.38	15.59	48.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX


6105MHz_TX

EUT_Y_4TX
Setting 69
02-D-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	78.23	88.20	-9.97	66.37	3	Vertical	353	1.77	-	34.18	8.48	30.80			
RMS	5.925G	67.68	68.20	-0.52	55.80	3	Vertical	353	1.77	-	34.20	8.48	30.80			
PK	6.0698G	115.83	Inf	-Inf	103.75	3	Vertical	353	1.77	-	34.40	8.50	30.82			
RMS	6.0698G	107.11	Inf	-Inf	95.03	3	Vertical	353	1.77	-	34.40	8.50	30.82			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX


6105MHz_TX

EUT_Y_4TX
Setting 69
02-D-B-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	76.49	88.20	-11.71	64.62	3	Horizontal	350	1.80	-	34.19	8.48	30.80			
RMS	5.9226G	66.02	68.20	-2.18	54.15	3	Horizontal	350	1.80	-	34.19	8.48	30.80			
PK	6.0722G	115.43	Inf	-Inf	103.35	3	Horizontal	350	1.80	-	34.40	8.50	30.82			
RMS	6.0626G	106.88	Inf	-Inf	94.79	3	Horizontal	350	1.80	-	34.40	8.51	30.82			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX

6105MHz_TX




EUT Y_4TX
Setting 69
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.18088G	57.23	74.00	-16.77	37.90	3	Vertical	206	2.10	-	38.80	12.73	32.20			
AV	12.18248G	45.39	54.00	-8.61	26.06	3	Vertical	206	2.10	-	38.80	12.73	32.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX

6105MHz_TX




EUT Y_4TX
Setting 69
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1756G	57.59	74.00	-16.41	38.27	3	Horizontal	187	1.55	-	38.80	12.72	32.20			
AV	12.17512G	45.41	54.00	-8.59	26.09	3	Horizontal	187	1.55	-	38.80	12.72	32.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX


6105MHz_TX

EUT Y_4TX
Setting 69
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.2954G	47.07	83.54	-36.47	42.67	1	Vertical	295	1.50	-	37.32	15.60	48.52			
AV	18.3338G	34.34	63.54	-29.20	29.81	1	Vertical	295	1.50	-	37.44	15.62	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX

6105MHz_TX




EUT Y_4TX
Setting 69
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3318G	46.59	83.54	-36.95	42.07	1	Horizontal	191	1.31	-	37.43	15.62	48.53			
AV	18.34708G	34.16	63.54	-29.38	29.58	1	Horizontal	191	1.31	-	37.49	15.63	48.54			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX




EUT Y_4TX
Setting 68
02-D-B-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	78.18	88.20	-10.02	66.30	3	Vertical	356	1.80	-	34.20	8.48	30.80			
RMS	5.9194G	67.18	68.20	-1.02	55.32	3	Vertical	356	1.80	-	34.18	8.48	30.80			
PK	6.0914G	117.23	Inf	-Inf	105.19	3	Vertical	356	1.80	-	34.40	8.47	30.83			
RMS	6.1498G	107.30	Inf	-Inf	95.25	3	Vertical	356	1.80	-	34.50	8.41	30.86			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX




EUT Y_4TX
Setting 68
02-D-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9074G	78.71	88.20	-9.49	66.93	3	Horizontal	350	1.62	-	34.13	8.46	30.81			
RMS	5.9226G	66.87	68.20	-1.33	55.00	3	Horizontal	350	1.62	-	34.19	8.48	30.80			
PK	6.1522G	117.05	Inf	-Inf	105.01	3	Horizontal	350	1.62	-	34.50	8.40	30.86			
RMS	6.1474G	107.27	Inf	-Inf	95.23	3	Horizontal	350	1.62	-	34.49	8.41	30.86			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX




EUT Y_4TX
Setting 68
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.18992G	57.19	74.00	-16.81	37.85	3	Vertical	53	1.40	-	38.80	12.73	32.19			
AV	12.17744G	45.36	54.00	-8.64	26.04	3	Vertical	53	1.40	-	38.80	12.72	32.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX




EUT Y_4TX
Setting 68
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.17904G	57.75	74.00	-16.25	38.43	3	Horizontal	150	1.83	-	38.80	12.72	32.20			
AV	12.19032G	45.40	54.00	-8.60	26.06	3	Horizontal	150	1.83	-	38.80	12.73	32.19			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX


6105MHz_TX

EUT_Y_4TX
Setting 68
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.2774G	46.88	83.54	-36.66	42.41	1	Vertical	329	1.86	-	37.39	15.59	48.51			
AV	18.33972G	34.16	63.54	-29.38	29.62	1	Vertical	329	1.86	-	37.46	15.62	48.54			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX

EUT Y_4TX
Setting 68
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31756G	46.72	83.54	-36.82	42.27	1	Horizontal	230	1.48	-	37.37	15.61	48.53			
AV	18.32628G	34.35	63.54	-29.19	29.85	1	Horizontal	230	1.48	-	37.41	15.62	48.53			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1.(MCS0)_4TX	Pass	RMS	5.9222G	68.16	68.20	-0.04	3	Horizontal	360	1.80	-

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 73
04-W-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9232G	81.91	88.20	-6.29	83.84	3	Vertical	6	1.80	-	32.30	9.05	43.28			
RMS	5.9226G	67.12	68.20	-1.08	69.05	3	Vertical	6	1.80	-	32.30	9.05	43.28			
PK	5.962G	123.81	Inf	-Inf	125.63	3	Vertical	6	1.80	-	32.32	9.10	43.24			
RMS	5.9614G	113.63	Inf	-Inf	115.45	3	Vertical	6	1.80	-	32.32	9.10	43.24			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 73
04-W-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9236G	80.74	88.20	-7.46	82.67	3	Horizontal	360	1.80	-	32.30	9.05	43.28				
RMS	5.9224G	67.76	68.20	-0.44	69.69	3	Horizontal	360	1.80	-	32.30	9.05	43.28				
PK	5.958G	123.99	Inf	-Inf	125.82	3	Horizontal	360	1.80	-	32.32	9.09	43.24				
RMS	5.9576G	113.40	Inf	-Inf	115.23	3	Horizontal	360	1.80	-	32.32	9.09	43.24				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
SET 73
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.90221G	58.36	74.00	-15.64	49.45	3	Vertical	56	2.49	73	38.70	13.52	43.31			
AV	11.92447G	48.01	54.00	-5.99	39.06	3	Vertical	56	2.49	73	38.75	13.54	43.34			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
SET 73
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.92419G	58.53	74.00	-15.47	49.58	3	Horizontal	16	1.80	73	38.75	13.54	43.34			
AV	11.90181G	47.86	54.00	-6.14	38.95	3	Horizontal	16	1.80	73	38.70	13.52	43.31			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
SET 73
04-W-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.83473G	59.69	83.54	-23.85	49.41	1	Vertical	156.1	1.80	-	38.66	18.76	47.14			
AV	23.82012G	48.52	63.54	-15.02	38.18	1	Vertical	156.1	1.80	-	38.72	18.76	47.14			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
SET 73
04-W-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8329G	61.78	83.54	-21.76	51.49	1	Horizontal	144	1.80	-	38.67	18.76	47.14			
AV	23.81814G	50.95	63.54	-12.59	40.60	1	Horizontal	144	1.80	-	38.73	18.76	47.14			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 62
04-W-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9209G	85.89	88.20	-2.31	87.82	3	Vertical	3	1.80	-	32.30	9.05	43.28			
RMS	5.925G	66.65	68.20	-1.55	68.58	3	Vertical	3	1.80	-	32.30	9.05	43.28			
PK	5.9761G	119.73	Inf	-Inf	121.49	3	Vertical	3	1.80	-	32.35	9.11	43.22			
RMS	5.9761G	109.16	Inf	-Inf	110.92	3	Vertical	3	1.80	-	32.35	9.11	43.22			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 62
04-W-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9227G	86.40	88.20	-1.80	88.33	3	Horizontal	360	1.80	-	32.30	9.05	43.28			
RMS	5.9224G	68.12	68.20	-0.08	70.05	3	Horizontal	360	1.80	-	32.30	9.05	43.28			
PK	5.9575G	120.06	Inf	-Inf	121.90	3	Horizontal	360	1.80	-	32.31	9.09	43.24			
RMS	5.9827G	108.36	Inf	-Inf	110.09	3	Horizontal	360	1.80	-	32.37	9.12	43.22			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
SET 62
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.89148G	59.18	74.00	-14.82	50.25	3	Vertical	14	2.90	62	38.72	13.51	43.30			
AV	11.95142G	48.75	54.00	-5.25	39.77	3	Vertical	14	2.90	62	38.80	13.56	43.38			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
SET 62
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90179G	60.15	74.00	-13.85	51.24	3	Horizontal	84	1.80	62	38.70	13.52	43.31			
AV	11.91721G	48.88	54.00	-5.12	39.95	3	Horizontal	84	1.80	62	38.73	13.53	43.33			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
SET 62
04-W-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.88373G	49.14	83.54	-34.40	44.88	1	Vertical	183	1.80	62	37.26	16.17	49.17			
AV	17.88877G	38.46	63.54	-25.08	34.19	1	Vertical	183	1.80	62	37.27	16.18	49.18			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT Y_4TX
SET 62
04-W-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.90371G	50.83	83.54	-32.71	46.57	1	Horizontal	172	1.84	62	37.30	16.19	49.23			
AV	17.88485G	39.18	63.54	-24.36	34.91	1	Horizontal	172	1.84	62	37.26	16.18	49.17			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
SET 108
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44756G	59.34	74.00	-14.66	50.57	3	Vertical	35	1.80	108	38.40	14.15	43.78			
AV	12.44269G	49.05	54.00	-4.95	40.28	3	Vertical	35	1.80	108	38.41	14.14	43.78			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
SET 108
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.42295G	59.55	74.00	-14.45	50.74	3	Horizontal	306	1.80	108	38.45	14.12	43.76			
AV	12.44461G	48.75	54.00	-5.25	39.98	3	Horizontal	306	1.80	108	38.41	14.14	43.78			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
SET 108
04-W-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61828G	54.85	83.54	-28.69	50.17	1	Vertical	185	1.80	108	37.70	16.60	49.62			
AV	18.61852G	44.80	63.54	-18.74	40.12	1	Vertical	185	1.80	108	37.70	16.60	49.62			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Y_4TX
SET 108
04-W-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61884G	51.74	83.54	-31.80	47.06	1	Horizontal	168	1.80	108	37.70	16.60	49.62			
AV	18.61892G	40.37	63.54	-23.17	35.69	1	Horizontal	168	1.80	108	37.70	16.60	49.62			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
SET 108
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82638G	60.25	88.20	-27.95	50.16	3	Vertical	360	2.92	108	39.05	14.62	43.58			
RMS	12.78507G	49.78	68.20	-18.42	39.91	3	Vertical	360	2.92	108	38.91	14.57	43.61			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
SET 108
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80145G	60.72	88.20	-27.48	50.73	3	Horizontal	10	2.74	108	39.00	14.59	43.60			
RMS	12.82239G	50.07	68.20	-18.13	40.00	3	Horizontal	10	2.74	108	39.04	14.61	43.58			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
SET 108
04-W-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.22627G	52.56	83.54	-30.98	47.27	1	Vertical	166	1.96	108	37.81	16.92	49.44			
AV	19.20589G	42.58	63.54	-20.96	37.38	1	Vertical	166	1.96	108	37.72	16.91	49.43			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
SET 108
04-W-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21876G	53.70	83.54	-29.84	48.44	1	Horizontal	164	1.80	108	37.78	16.92	49.44			
AV	19.20845G	42.94	63.54	-20.60	37.73	1	Horizontal	164	1.80	108	37.73	16.91	49.43			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
SET 108
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1515G	60.79	88.20	-27.41	49.95	3	Vertical	302	1.27	108	39.20	15.02	43.38			
RMS	13.14686G	50.13	68.20	-18.07	39.31	3	Vertical	302	1.27	108	39.19	15.02	43.39			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
SET 108
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.11929G	60.64	88.20	-27.56	49.98	3	Horizontal	75	1.80	108	39.08	14.98	43.40			
RMS	13.11418G	50.03	68.20	-18.17	39.39	3	Horizontal	75	1.80	108	39.06	14.98	43.40			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
SET 108
04-W-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.70427G	58.70	83.54	-24.84	53.18	1	Vertical	195	1.80	108	37.78	17.20	49.46				
AV	19.69908G	48.38	63.54	-15.16	42.84	1	Vertical	195	1.80	108	37.80	17.20	49.46				

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
SET 108
04-W-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69892G	54.32	83.54	-29.22	48.82	1	Horizontal	188	1.80	108	37.78	17.19	49.47			
AV	19.69892G	44.34	63.54	-19.20	38.80	1	Horizontal	188	1.80	108	37.80	17.20	49.46			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
SET 108
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39326G	62.33	74.00	-11.67	50.59	3	Vertical	252	2.45	108	39.70	15.32	43.28			
AV	13.39326G	51.37	54.00	-2.63	39.63	3	Vertical	252	2.45	108	39.70	15.32	43.28			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
SET 108
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39014G	61.70	74.00	-12.30	49.96	3	Horizontal	204	1.80	108	39.70	15.32	43.28			
AV	13.39693G	51.27	54.00	-2.73	39.52	3	Horizontal	204	1.80	108	39.70	15.33	43.28			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6685MHz_TX

EUT Y_4TX
SET 108
04-W-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05684G	59.34	83.54	-24.20	53.61	1	Vertical	192	1.80	108	37.61	17.38	49.26			
AV	20.05156G	50.05	63.54	-13.49	44.33	1	Vertical	192	1.80	108	37.60	17.38	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
SET 108
04-W-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07714G	52.05	83.54	-31.49	46.28	1	Horizontal	200	1.80	108	37.65	17.38	49.26			
AV	20.07218G	41.67	63.54	-21.87	35.91	1	Horizontal	200	1.80	108	37.64	17.38	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
SET 108
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77687G	62.02	88.20	-26.18	49.18	3	Vertical	259	2.80	108	40.35	15.80	43.31			
RMS	13.80149G	52.07	68.20	-16.13	39.16	3	Vertical	259	2.80	108	40.40	15.83	43.32			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
SET 108
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75306G	62.57	88.20	-25.63	49.80	3	Horizontal	86	1.80	108	40.31	15.77	43.31			
RMS	13.80437G	52.23	68.20	-15.97	39.30	3	Horizontal	86	1.80	108	40.41	15.84	43.32			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
SET 108
04-W-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.66179G	45.75	83.54	-37.79	39.59	1	Vertical	163	1.80	62	37.85	17.46	49.15			
AV	20.66083G	35.24	63.54	-28.30	29.07	1	Vertical	163	1.80	62	37.86	17.46	49.15			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
SET 108
04-W-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.66059G	46.89	83.54	-36.65	40.72	1	Horizontal	170	2.08	62	37.86	17.46	49.15			
AV	20.6586G	35.41	63.54	-28.13	29.23	1	Horizontal	170	2.08	62	37.87	17.46	49.15			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 63
04-W-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	82.00	88.20	-6.20	83.93	3	Vertical	0	1.80	-	32.30	9.05	43.28			
RMS	5.9246G	66.89	68.20	-1.31	68.82	3	Vertical	0	1.80	-	32.30	9.05	43.28			
PK	5.995G	116.35	Inf	-Inf	118.04	3	Vertical	0	1.80	-	32.39	9.13	43.21			
RMS	6.0146G	105.37	Inf	-Inf	107.02	3	Vertical	0	1.80	-	32.40	9.15	43.20			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 63
04-W-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9222G	83.45	88.20	-4.75	85.38	3	Horizontal	360	1.80	-	32.30	9.05	43.28			
RMS	5.9222G	68.16	68.20	-0.04	70.09	3	Horizontal	360	1.80	-	32.30	9.05	43.28			
PK	5.997G	116.62	Inf	-Inf	118.29	3	Horizontal	360	1.80	-	32.39	9.14	43.20			
RMS	5.9978G	105.86	Inf	-Inf	107.52	3	Horizontal	360	1.80	-	32.40	9.14	43.20			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 63
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91677G	59.01	74.00	-14.99	50.08	3	Vertical	71	1.80	63	38.73	13.53	43.33			
AV	11.94906G	48.59	54.00	-5.41	39.62	3	Vertical	71	1.80	63	38.80	13.55	43.38			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 63
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.927G	59.55	74.00	-14.45	50.61	3	Horizontal	122	1.80	63	38.75	13.54	43.35			
AV	12.02658G	48.69	54.00	-5.31	39.59	3	Horizontal	122	1.80	63	38.95	13.62	43.47			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
SET 63
04-W-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.92831G	47.71	83.54	-35.83	43.43	1	Vertical	163	1.80	63	37.35	16.22	49.29			
AV	17.92863G	36.58	63.54	-26.96	32.30	1	Vertical	163	1.80	63	37.35	16.22	49.29			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 63
04-W-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.92223G	47.67	83.54	-35.87	43.40	1	Horizontal	195	1.85	63	37.34	16.21	49.28			
AV	17.94173G	37.11	63.54	-26.43	32.83	1	Horizontal	195	1.85	63	37.38	16.23	49.33			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 64
04-W-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9154G	80.12	88.20	-8.08	82.06	3	Vertical	2	1.80	-	32.30	9.04	43.28			
RMS	5.925G	67.42	68.20	-0.78	69.35	3	Vertical	2	1.80	-	32.30	9.05	43.28			
PK	6.0546G	113.49	Inf	-Inf	115.08	3	Vertical	2	1.80	-	32.41	9.18	43.18			
RMS	6.0554G	102.82	Inf	-Inf	104.41	3	Vertical	2	1.80	-	32.41	9.18	43.18			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 64
04-W-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	81.17	88.20	-7.03	83.10	3	Horizontal	358	1.80	-	32.30	9.05	43.28			
RMS	5.9218G	67.32	68.20	-0.88	69.25	3	Horizontal	358	1.80	-	32.30	9.05	43.28			
PK	6.0826G	113.53	Inf	-Inf	115.04	3	Horizontal	358	1.80	-	32.47	9.19	43.17			
RMS	6.0874G	102.63	Inf	-Inf	104.13	3	Horizontal	358	1.80	-	32.47	9.20	43.17			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 64
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97807G	58.53	74.00	-15.47	49.52	3	Vertical	147	2.90	64	38.86	13.57	43.42			
AV	11.93012G	48.60	54.00	-5.40	39.65	3	Vertical	147	2.90	64	38.76	13.54	43.35			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 64
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91222G	58.40	74.00	-15.60	49.48	3	Horizontal	99	1.28	64	38.72	13.53	43.33			
AV	12.12321G	48.43	54.00	-5.57	39.03	3	Horizontal	99	1.28	64	39.20	13.74	43.54			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
SET 64
04-W-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.16003G	45.96	83.54	-37.58	41.68	1	Vertical	146	2.02	64	37.48	16.36	49.56			
AV	18.22045G	35.49	63.54	-28.05	31.21	1	Vertical	146	2.02	64	37.48	16.39	49.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
SET 64
04-W-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.15364G	45.67	83.54	-37.87	41.38	1	Horizontal	197	1.80	64	37.49	16.36	49.56				
AV	18.15364G	35.61	63.54	-27.93	31.32	1	Horizontal	197	1.80	64	37.49	16.36	49.56				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 65
04-W-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9238G	78.80	88.20	-9.40	80.73	3	Vertical	0	1.80	-	32.30	9.05	43.28			
RMS	5.925G	66.34	68.20	-1.86	68.27	3	Vertical	0	1.80	-	32.30	9.05	43.28			
PK	6.045G	110.68	Inf	-Inf	112.29	3	Vertical	0	1.80	-	32.40	9.17	43.18			
RMS	6.0546G	99.48	Inf	-Inf	101.07	3	Vertical	0	1.80	-	32.41	9.18	43.18			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 65
04-W-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8986G	82.80	88.20	-5.40	84.79	3	Horizontal	356	1.80	-	32.29	9.02	43.30			
RMS	5.9214G	68.04	68.20	-0.16	69.97	3	Horizontal	356	1.80	-	32.30	9.05	43.28			
PK	6.0666G	110.72	Inf	-Inf	112.29	3	Horizontal	356	1.80	-	32.43	9.18	43.18			
RMS	6.147G	99.70	Inf	-Inf	101.02	3	Horizontal	356	1.80	-	32.59	9.24	43.15			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET 65
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.46958G	59.22	74.00	-14.78	50.45	3	Vertical	301	1.95	65	38.40	14.17	43.80			
AV	12.38518G	48.18	54.00	-5.82	39.29	3	Vertical	301	1.95	65	38.56	14.07	43.74			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET 65
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.50347G	59.14	74.00	-14.86	50.35	3	Horizontal	182	2.95	65	38.39	14.22	43.82			
AV	12.50411G	48.85	54.00	-5.15	40.06	3	Horizontal	182	2.95	65	38.39	14.22	43.82			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
SET 65
04-W-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.50745G	45.72	83.54	-37.82	41.20	1	Vertical	3	1.80	65	37.69	16.54	49.71			
AV	18.41986G	35.68	63.54	-27.86	31.27	1	Vertical	3	1.80	65	37.60	16.49	49.68			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX



EUT_Y_4TX
SET 65
04-W-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.06245G	45.60	83.54	-37.94	41.49	1	Horizontal	122	1.80	65	37.32	16.31	49.52				
AV	18.41474G	35.55	63.54	-27.99	31.14	1	Horizontal	122	1.80	65	37.60	16.49	49.68				




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1.(MCS0)_1TX	Pass	RMS	5.9248G	67.96	68.20	-0.24	3	Vertical	359	2.83	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 72
04-W-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9216G	80.61	88.20	-7.59	79.75	3	Vertical	156	2.23	-	35.09	9.05	43.28			
RMS	5.9246G	67.86	68.20	-0.34	66.99	3	Vertical	156	2.23	-	35.10	9.05	43.28			
PK	5.9524G	118.16	Inf	-Inf	117.12	3	Vertical	156	2.23	-	35.20	9.09	43.25			
RMS	5.96G	107.95	Inf	-Inf	106.88	3	Vertical	156	2.23	-	35.22	9.09	43.24			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 72
04-W-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	80.38	88.20	-7.82	79.51	3	Horizontal	357	1.61	-	35.10	9.05	43.28			
RMS	5.925G	66.15	68.20	-2.05	65.28	3	Horizontal	357	1.61	-	35.10	9.05	43.28			
PK	5.9572G	116.79	Inf	-Inf	115.73	3	Horizontal	357	1.61	-	35.21	9.09	43.24			
RMS	5.9488G	106.75	Inf	-Inf	105.72	3	Horizontal	357	1.61	-	35.20	9.08	43.25			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT Y_1TX
Setting 72
04-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90706G	58.43	74.00	-15.57	49.34	3	Vertical	14	2.86	-	38.89	13.52	43.32			
AV	11.91221G	47.43	54.00	-6.57	38.35	3	Vertical	14	2.86	-	38.88	13.53	43.33			
PK	17.86558G	59.25	74.00	-14.75	43.86	3	Vertical	127	2.45	-	41.53	16.41	42.55			
AV	17.86618G	48.92	54.00	-5.08	33.53	3	Vertical	127	2.45	-	41.53	16.41	42.55			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Y_1TX
Setting 72
04-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90812G	58.36	74.00	-15.64	49.28	3	Horizontal	94	1.22	-	38.88	13.52	43.32			
AV	11.90727G	47.51	54.00	-6.49	38.42	3	Horizontal	94	1.22	-	38.89	13.52	43.32			
PK	17.8682G	59.50	74.00	-14.50	44.10	3	Horizontal	203	2.31	-	41.54	16.41	42.55			
AV	17.86384G	48.74	54.00	-5.26	33.35	3	Horizontal	203	2.31	-	41.53	16.41	42.55			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_V_1TX
Setting 72
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82072G	56.91	83.54	-26.63	47.74	1	Vertical	165	2.88	-	38.90	17.94	47.67			
AV	23.82432G	46.23	63.54	-17.31	37.06	1	Vertical	165	2.88	-	38.90	17.94	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT V_1TX
Setting 72
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81584G	57.41	83.54	-26.13	48.23	1	Horizontal	201	2.80	-	38.90	17.95	47.67			
AV	23.8201G	46.46	63.54	-17.08	37.29	1	Horizontal	201	2.80	-	38.90	17.94	47.67			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 64
04-W-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9228G	83.19	88.20	-5.01	82.33	3	Vertical	359	2.83	-	35.09	9.05	43.28				
RMS	5.9248G	67.96	68.20	-0.24	67.09	3	Vertical	359	2.83	-	35.10	9.05	43.28				
PK	5.9704G	112.22	Inf	-Inf	111.10	3	Vertical	359	2.83	-	35.24	9.11	43.23				
RMS	5.9674G	101.60	Inf	-Inf	100.50	3	Vertical	359	2.83	-	35.23	9.10	43.23				

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 64
04-W-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9236G	83.16	88.20	-5.04	82.30	3	Horizontal	358	2.77	-	35.09	9.05	43.28			
RMS	5.925G	67.86	68.20	-0.34	66.99	3	Horizontal	358	2.77	-	35.10	9.05	43.28			
PK	5.9696G	113.64	Inf	-Inf	112.52	3	Horizontal	358	2.77	-	35.24	9.11	43.23			
RMS	5.9626G	102.91	Inf	-Inf	101.82	3	Horizontal	358	2.77	-	35.23	9.10	43.24			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 64
04-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92997G	57.87	74.00	-16.13	48.84	3	Vertical	321	1.50	-	38.84	13.54	43.35			
AV	11.92964G	46.78	54.00	-7.22	37.75	3	Vertical	321	1.50	-	38.84	13.54	43.35			
PK	17.89147G	58.38	74.00	-15.62	42.90	3	Vertical	117	1.56	-	41.58	16.41	42.51			
AV	17.89918G	47.71	54.00	-6.29	32.19	3	Vertical	117	1.56	-	41.60	16.41	42.49			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 64
04-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.93145G	58.02	74.00	-15.98	48.99	3	Horizontal	321	2.23	-	38.84	13.54	43.35				
AV	11.92985G	47.54	54.00	-6.46	38.51	3	Horizontal	321	2.23	-	38.84	13.54	43.35				
PK	17.89797G	59.56	74.00	-14.44	44.05	3	Horizontal	85	2.77	-	41.60	16.41	42.50				
AV	17.89767G	48.77	54.00	-5.23	33.26	3	Horizontal	85	2.77	-	41.60	16.41	42.50				

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT V_1TX
Setting 64
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86033G	55.98	83.54	-27.56	46.83	1	Vertical	283	2.09	-	38.90	17.91	47.66			
AV	23.86438G	45.95	63.54	-17.59	36.79	1	Vertical	283	2.09	-	38.90	17.91	47.65			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT V_1TX
Setting 64
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8614G	56.73	83.54	-26.81	47.58	1	Horizontal	217	2.59	-	38.90	17.91	47.66			
AV	23.85771G	46.12	63.54	-17.42	36.96	1	Horizontal	217	2.59	-	38.90	17.92	47.66			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 65
04-W-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9158G	82.03	88.20	-6.17	81.21	3	Vertical	300	1.04	-	35.06	9.04	43.28			
RMS	5.9246G	67.08	68.20	-1.12	66.21	3	Vertical	300	1.04	-	35.10	9.05	43.28			
PK	6.0002G	109.91	Inf	-Inf	108.67	3	Vertical	300	1.04	-	35.30	9.14	43.20			
RMS	5.9974G	99.50	Inf	-Inf	98.27	3	Vertical	300	1.04	-	35.29	9.14	43.20			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 65
04-W-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.899G	79.69	88.20	-8.51	78.98	3	Horizontal	0	2.75	-	34.99	9.02	43.30			
RMS	5.9246G	66.03	68.20	-2.17	65.16	3	Horizontal	0	2.75	-	35.10	9.05	43.28			
PK	5.999G	110.35	Inf	-Inf	109.11	3	Horizontal	0	2.75	-	35.30	9.14	43.20			
RMS	5.9978G	99.99	Inf	-Inf	98.75	3	Horizontal	0	2.75	-	35.30	9.14	43.20			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 65
04-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96667G	58.59	74.00	-15.41	49.62	3	Vertical	305	2.15	-	38.80	13.57	43.40			
AV	11.96619G	47.22	54.00	-6.78	38.25	3	Vertical	305	2.15	-	38.80	13.57	43.40			
PK	17.95327G	59.30	74.00	-14.70	43.68	3	Vertical	308	1.38	-	41.61	16.41	42.40			
AV	17.95766G	49.53	54.00	-4.47	33.88	3	Vertical	308	1.38	-	41.62	16.42	42.39			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_Y_1TX
Setting 65
04-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97498G	57.75	74.00	-16.25	48.79	3	Horizontal	122	2.10	-	38.80	13.57	43.41			
AV	11.96756G	47.44	54.00	-6.56	38.47	3	Horizontal	122	2.10	-	38.80	13.57	43.40			
PK	17.95145G	58.47	74.00	-15.53	42.86	3	Horizontal	262	1.53	-	41.60	16.41	42.40			
AV	17.95922G	48.20	54.00	-5.80	32.55	3	Horizontal	262	1.53	-	41.62	16.42	42.39			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_V_1TX
Setting 65
04-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.93751G	56.52	83.54	-27.02	47.30	1	Vertical	306	1.71	-	38.98	17.86	47.62			
AV	23.94037G	45.54	63.54	-18.00	36.32	1	Vertical	306	1.71	-	38.98	17.86	47.62			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_V_1TX
Setting 65
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93604G	55.72	83.54	-27.82	46.52	1	Horizontal	250	1.73	-	38.97	17.86	47.63			
AV	23.94053G	46.07	63.54	-17.47	36.85	1	Horizontal	250	1.73	-	38.98	17.86	47.62			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
Setting 108
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44653G	58.18	74.00	-15.82	49.20	3	Vertical	296	2.72	-	38.61	14.15	43.78			
AV	12.4492G	47.83	54.00	-6.17	38.86	3	Vertical	296	2.72	-	38.60	14.15	43.78			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT V_1TX
Setting 108
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45493G	58.96	74.00	-15.04	49.98	3	Horizontal	306	1.51	-	38.61	14.16	43.79			
AV	12.45178G	47.49	54.00	-6.51	38.52	3	Horizontal	306	1.51	-	38.60	14.15	43.78			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
Setting 108
04-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67052G	62.64	83.54	-20.90	57.34	1	Vertical	338	2.18	-	37.56	16.21	48.47			
AV	18.67906G	51.92	63.54	-11.62	46.64	1	Vertical	338	2.18	-	37.54	16.22	48.48			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
Setting 108
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67371G	62.81	83.54	-20.73	57.52	1	Horizontal	300	2.25	-	37.55	16.21	48.47			
AV	18.67692G	51.98	63.54	-11.56	46.70	1	Horizontal	300	2.25	-	37.55	16.21	48.48			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 108
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76808G	59.39	88.20	-28.81	49.35	3	Vertical	208	1.72	-	39.11	14.55	43.62			
RMS	12.77476G	48.08	68.20	-20.12	38.00	3	Vertical	208	1.72	-	39.15	14.55	43.62			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 108
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77283G	59.23	88.20	-28.97	49.16	3	Horizontal	108	1.65	-	39.14	14.55	43.62			
RMS	12.77053G	48.07	68.20	-20.13	38.02	3	Horizontal	108	1.65	-	39.12	14.55	43.62			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 108
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15191G	63.08	83.54	-20.46	57.60	1	Vertical	171	1.09	-	37.79	16.49	48.80			
AV	19.15281G	52.50	63.54	-11.04	47.02	1	Vertical	171	1.09	-	37.79	16.49	48.80			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 108
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1505G	62.50	83.54	-21.04	57.01	1	Horizontal	4	2.31	-	37.80	16.49	48.80			
AV	19.15901G	52.60	63.54	-10.94	47.15	1	Horizontal	4	2.31	-	37.76	16.49	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
Setting 108
04-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24869G	62.44	88.20	-25.76	48.95	3	Vertical	98	2.56	-	41.69	15.14	43.34			
RMS	13.24615G	51.26	68.20	-16.94	37.78	3	Vertical	98	2.56	-	41.68	15.14	43.34			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
Setting 108
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25255G	61.70	74.00	-12.30	48.18	3	Horizontal	73	1.54	-	41.71	15.15	43.34			
RMS	13.25352G	51.03	54.00	-2.97	37.51	3	Horizontal	73	1.54	-	41.71	15.15	43.34			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
Setting 108
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87351G	62.73	83.54	-20.81	57.32	1	Vertical	322	1.65	-	37.61	16.60	48.80			
AV	19.87937G	52.28	63.54	-11.26	46.90	1	Vertical	322	1.65	-	37.58	16.60	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
Setting 108
04-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87604G	63.41	83.54	-20.13	58.01	1	Horizontal	234	1.27	-	37.60	16.60	48.80			
AV	19.87119G	52.40	63.54	-11.14	46.98	1	Horizontal	234	1.27	-	37.62	16.60	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
Setting 108
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40726G	60.53	88.20	-27.67	48.75	3	Vertical	30	2.69	-	39.71	15.34	43.27			
RMS	13.41306G	50.03	68.20	-18.17	38.22	3	Vertical	30	2.69	-	39.73	15.35	43.27			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
Setting 108
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40896G	60.83	88.20	-27.37	49.04	3	Horizontal	62	1.28	-	39.72	15.34	43.27			
RMS	13.40943G	49.99	68.20	-18.21	38.20	3	Horizontal	62	1.28	-	39.72	15.34	43.27			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
Setting 108
04-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11799G	62.33	83.54	-21.21	57.08	1	Vertical	355	2.38	-	37.30	16.73	48.78			
AV	20.112G	52.16	63.54	-11.38	46.92	1	Vertical	355	2.38	-	37.30	16.72	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
Setting 108
04-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11891G	62.40	83.54	-21.14	57.15	1	Horizontal	160	2.11	-	37.30	16.73	48.78			
AV	20.11417G	52.14	63.54	-11.40	46.90	1	Horizontal	160	2.11	-	37.30	16.72	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
Setting 108
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57303G	60.30	88.20	-27.90	48.05	3	Vertical	251	1.83	-	39.95	15.55	43.25			
RMS	13.57304G	49.73	68.20	-18.47	37.48	3	Vertical	251	1.83	-	39.95	15.55	43.25			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
Setting 108
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56654G	60.28	88.20	-27.92	48.06	3	Horizontal	143	1.16	-	39.93	15.54	43.25			
RMS	13.56591G	49.61	68.20	-18.59	37.39	3	Horizontal	143	1.16	-	39.93	15.54	43.25			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
Setting 108
04-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35921G	62.47	83.54	-21.07	56.75	1	Vertical	347	1.32	-	37.50	16.95	48.73			
AV	20.35113G	52.49	63.54	-11.05	46.78	1	Vertical	347	1.32	-	37.50	16.94	48.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
Setting 108
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35586G	62.85	83.54	-20.69	57.14	1	Horizontal	178	1.30	-	37.50	16.94	48.73			
AV	20.35388G	52.52	63.54	-11.02	46.81	1	Horizontal	178	1.30	-	37.50	16.94	48.73			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 65
04-W-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9234G	79.69	88.20	-8.51	78.83	3	Vertical	291	1.80	-	35.09	9.05	43.28			
RMS	5.9242G	66.94	68.20	-1.26	66.07	3	Vertical	291	1.80	-	35.10	9.05	43.28			
PK	6.0874G	107.23	Inf	-Inf	105.77	3	Vertical	291	1.80	-	35.43	9.20	43.17			
RMS	6.0874G	96.92	Inf	-Inf	95.46	3	Vertical	291	1.80	-	35.43	9.20	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 65
04-W-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9202G	78.49	88.20	-9.71	77.64	3	Horizontal	-0	1.80	-	35.08	9.05	43.28			
RMS	5.9194G	66.89	68.20	-1.31	66.04	3	Horizontal	-0	1.80	-	35.08	9.05	43.28			
PK	5.997G	106.31	Inf	-Inf	105.08	3	Horizontal	-0	1.80	-	35.29	9.14	43.20			
RMS	5.9962G	95.80	Inf	-Inf	94.57	3	Horizontal	-0	1.80	-	35.29	9.14	43.20			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
Setting 65
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0518G	58.09	74.00	-15.91	49.13	3	Vertical	4	2.43	-	38.80	13.65	43.49			
AV	12.04545G	47.62	54.00	-6.38	38.65	3	Vertical	4	2.43	-	38.80	13.65	43.48			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
Setting 65
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05016G	57.84	74.00	-16.16	48.88	3	Horizontal	203	2.69	-	38.80	13.65	43.49			
AV	12.04877G	47.64	54.00	-6.36	38.68	3	Horizontal	203	2.69	-	38.80	13.65	43.49			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT V_1TX
Setting 65
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.077G	61.91	83.54	-21.63	57.14	1	Vertical	33	1.41	-	37.25	15.74	48.22			
AV	18.07366G	51.52	63.54	-12.02	46.74	1	Vertical	33	1.41	-	37.25	15.74	48.21			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX



EUT V_1TX
Setting 65
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07175G	61.12	83.54	-22.42	56.35	1	Horizontal	180	2.66	-	37.24	15.74	48.21			
AV	18.07508G	51.37	63.54	-12.17	46.60	1	Horizontal	180	2.66	-	37.25	15.74	48.22			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX	Pass	RMS	5.922G	67.90	68.20	-0.30	3	Horizontal	343	1.58	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Y_4TX
Setting 64
06-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	81.60	88.20	-6.60	75.55	3	Vertical	355	1.75	-	32.24	7.57	33.76			
RMS	5.9218G	65.27	68.20	-2.93	59.22	3	Vertical	355	1.75	-	32.24	7.57	33.76			
PK	5.9866G	117.56	Inf	-Inf	111.25	3	Vertical	355	1.75	-	32.37	7.69	33.75			
RMS	5.9862G	107.53	Inf	-Inf	101.19	3	Vertical	355	1.75	-	32.39	7.70	33.75			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Y_4TX
Setting 64
06-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	83.93	88.20	-4.27	77.86	3	Horizontal	344	1.54	-	32.25	7.58	33.76			
RMS	5.925G	66.65	68.20	-1.55	60.58	3	Horizontal	344	1.54	-	32.25	7.58	33.76			
PK	5.9666G	117.89	Inf	-Inf	111.66	3	Horizontal	344	1.54	-	32.33	7.65	33.75			
RMS	5.9962G	107.20	Inf	-Inf	100.86	3	Horizontal	344	1.54	-	32.39	7.70	33.75			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX


5985MHz_TX

EUT_Y_4TX
Setting 64
06-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.94312G	45.19	74.00	-28.81	61.89	3	Vertical	166	1.80	-	38.80	11.08	66.58			
AV	11.94632G	34.16	54.00	-19.84	50.86	3	Vertical	166	1.80	-	38.80	11.08	66.58			
PK	17.99372G	60.10	74.00	-13.90	55.68	3	Vertical	305	1.30	-	53.35	14.79	63.72			
AV	17.995G	47.96	54.00	-6.04	43.47	3	Vertical	305	1.30	-	53.42	14.79	63.72			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX


5985MHz_TX

EUT_Y_4TX
Setting 64
06-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95192G	43.87	74.00	-30.13	60.56	3	Horizontal	70	2.34	-	38.81	11.08	66.58			
AV	11.95848G	32.38	54.00	-21.62	49.06	3	Horizontal	70	2.34	-	38.83	11.08	66.59			
PK	17.9918G	58.22	74.00	-15.78	53.91	3	Horizontal	246	2.57	-	53.24	14.79	63.72			
AV	17.995G	47.43	54.00	-6.57	42.94	3	Horizontal	246	2.57	-	53.42	14.79	63.72			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Y_4TX
Setting 64
06-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.90848G	59.58	83.54	-23.96	50.39	1	Vertical	290	2.66	-	38.92	18.17	47.90			
AV	23.90272G	47.62	63.54	-15.92	38.45	1	Vertical	290	2.66	-	38.91	18.16	47.90			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_V_4TX
Setting 64
06-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.90976G	60.13	83.54	-23.41	50.94	1	Horizontal	322	1.82	-	38.92	18.17	47.90			
AV	23.9112G	48.58	63.54	-14.96	39.39	1	Horizontal	322	1.82	-	38.92	18.17	47.90			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX


6025MHz_TX

EUT_Y_4TX
Setting 66
06-X-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	80.15	88.20	-8.05	74.09	3	Vertical	355	1.80	-	32.25	7.57	33.76			
RMS	5.9218G	67.28	68.20	-0.92	61.23	3	Vertical	355	1.80	-	32.24	7.57	33.76			
PK	5.9658G	114.10	Inf	-Inf	107.87	3	Vertical	355	1.80	-	32.33	7.65	33.75			
RMS	6.0866G	103.65	Inf	-Inf	97.19	3	Vertical	355	1.80	-	32.50	7.65	33.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX


6025MHz_TX

EUT_Y_4TX
Setting 66
06-X-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9066G	79.29	88.20	-8.91	73.30	3	Horizontal	347	1.51	-	32.21	7.54	33.76			
RMS	5.9218G	67.46	68.20	-0.74	61.41	3	Horizontal	347	1.51	-	32.24	7.57	33.76			
PK	6.1018G	114.92	Inf	-Inf	108.45	3	Horizontal	347	1.51	-	32.51	7.64	33.68			
RMS	6.0874G	104.14	Inf	-Inf	97.68	3	Horizontal	347	1.51	-	32.50	7.65	33.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX


6025MHz_TX

EUT_V_4TX
Setting 66
06-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05928G	44.30	74.00	-29.70	60.55	3	Vertical	71	1.23	-	39.14	11.13	66.52			
AV	12.0412G	32.59	54.00	-21.41	48.93	3	Vertical	71	1.23	-	39.08	11.12	66.54			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

6025MHz_TX




EUT_Y_4TX
Setting 66
06-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.0804G	44.02	74.00	-29.98	60.14	3	Horizontal	149	2.17	-	39.22	11.14	66.48			
AV	12.0436G	32.58	54.00	-21.42	48.91	3	Horizontal	149	2.17	-	39.09	11.12	66.54			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

6025MHz_TX




EUT_V_4TX
Setting 66
06-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.05916G	50.32	83.54	-33.22	46.03	1	Vertical	348	2.20	-	37.22	15.49	48.42			
AV	18.06444G	38.95	63.54	-24.59	34.66	1	Vertical	348	2.20	-	37.23	15.49	48.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

6025MHz_TX




EUT_V_4TX
Setting 66
06-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.05628G	50.31	83.54	-33.23	46.03	1	Horizontal	339	2.16	-	37.21	15.49	48.42			
AV	18.09372G	38.93	63.54	-24.61	34.58	1	Horizontal	339	2.16	-	37.29	15.50	48.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


6025MHz_TX

EUT_Y_4TX
Setting 66
06-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9162G	80.92	88.20	-7.28	74.89	3	Vertical	353	1.76	-	32.23	7.56	33.76			
RMS	5.921G	66.98	68.20	-1.22	60.93	3	Vertical	353	1.76	-	32.24	7.57	33.76			
PK	6.0058G	114.23	Inf	-Inf	107.86	3	Vertical	353	1.76	-	32.41	7.71	33.75			
RMS	5.9962G	104.23	Inf	-Inf	97.89	3	Vertical	353	1.76	-	32.39	7.70	33.75			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


6025MHz_TX

EUT_Y_4TX
Setting 66
06-X-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	80.16	88.20	-8.04	74.10	3	Horizontal	344	1.53	-	32.25	7.57	33.76			
RMS	5.9218G	66.92	68.20	-1.28	60.87	3	Horizontal	344	1.53	-	32.24	7.57	33.76			
PK	6.0762G	114.55	Inf	-Inf	108.09	3	Horizontal	344	1.53	-	32.50	7.66	33.70			
RMS	6.0866G	104.81	Inf	-Inf	98.35	3	Horizontal	344	1.53	-	32.50	7.65	33.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

6025MHz_TX




EUT_V_4TX
Setting 66
06-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04824G	44.71	74.00	-29.29	61.02	3	Vertical	292	1.71	-	39.10	11.12	66.53			
AV	12.04264G	32.90	54.00	-21.10	49.23	3	Vertical	292	1.71	-	39.09	11.12	66.54			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

6025MHz_TX




EUT_V_4TX
Setting 66
06-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.03896G	44.22	74.00	-29.78	60.58	3	Horizontal	222	2.03	-	39.08	11.11	66.55			
AV	12.04376G	32.74	54.00	-21.26	49.07	3	Horizontal	222	2.03	-	39.09	11.12	66.54			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


6025MHz_TX

EUT_V_4TX
Setting 66
06-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07132G	50.17	83.54	-33.37	45.87	1	Vertical	144	2.73	-	37.24	15.49	48.43			
AV	18.09804G	38.14	63.54	-25.40	33.77	1	Vertical	144	2.73	-	37.30	15.51	48.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

6025MHz_TX




EUT_Y_4TX
Setting 66
06-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.05756G	50.41	83.54	-33.13	46.12	1	Horizontal	47	2.24	-	37.22	15.49	48.42			
AV	18.10268G	38.84	63.54	-24.70	34.47	1	Horizontal	47	2.24	-	37.30	15.51	48.44			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX


6105MHz_TX

EUT_Y_4TX
Setting 64
06-X-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	77.39	88.20	-10.81	71.36	3	Vertical	352	1.84	-	32.23	7.56	33.76			
RMS	5.921G	65.41	68.20	-2.79	59.36	3	Vertical	352	1.84	-	32.24	7.57	33.76			
PK	6.071G	110.76	Inf	-Inf	104.30	3	Vertical	352	1.84	-	32.50	7.66	33.70			
RMS	6.066G	100.75	Inf	-Inf	94.29	3	Vertical	352	1.84	-	32.50	7.67	33.71			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX


6105MHz_TX

EUT_Y_4TX
Setting 64
06-X-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	79.67	88.20	-8.53	73.60	3	Horizontal	340	1.97	-	32.25	7.58	33.76			
RMS	5.925G	67.57	68.20	-0.63	61.50	3	Horizontal	340	1.97	-	32.25	7.58	33.76			
PK	6.045G	111.54	Inf	-Inf	105.09	3	Horizontal	340	1.97	-	32.49	7.68	33.72			
RMS	6.076G	100.96	Inf	-Inf	94.50	3	Horizontal	340	1.97	-	32.50	7.66	33.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_V_4TX
Setting 64
06-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.22456G	44.39	74.00	-29.61	60.46	3	Vertical	298	1.37	-	38.95	11.23	66.25			
AV	12.24952G	32.02	54.00	-21.98	48.09	3	Vertical	298	1.37	-	38.90	11.24	66.21			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Y_4TX
Setting 64
06-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.2468G	43.42	74.00	-30.58	59.49	3	Horizontal	8	2.43	-	38.91	11.24	66.22			
AV	12.24936G	32.20	54.00	-21.80	48.27	3	Horizontal	8	2.43	-	38.90	11.24	66.21			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_V_4TX
Setting 64
06-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.34796G	50.91	83.54	-32.63	46.33	1	Vertical	37	1.23	-	37.49	15.63	48.54			
AV	18.34956G	38.98	63.54	-24.56	34.39	1	Vertical	37	1.23	-	37.50	15.63	48.54			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_V_4TX
Setting 64
06-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.27676G	51.70	83.54	-31.84	47.23	1	Horizontal	152	1.63	-	37.39	15.59	48.51			
AV	18.34588G	39.08	63.54	-24.46	34.51	1	Horizontal	152	1.63	-	37.48	15.63	48.54			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6105MHz_TX




EUT_Y_4TX
Setting 65
06-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.921G	76.30	88.20	-11.90	70.25	3	Vertical	348	1.80	-	32.24	7.57	33.76				
RMS	5.921G	64.45	68.20	-3.75	58.40	3	Vertical	348	1.80	-	32.24	7.57	33.76				
PK	6.011G	111.23	Inf	-Inf	104.85	3	Vertical	348	1.80	-	32.42	7.70	33.74				
RMS	6.006G	100.85	Inf	-Inf	94.48	3	Vertical	348	1.80	-	32.41	7.71	33.75				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6105MHz_TX

EUT_Y_4TX
Setting 65
06-X-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	81.19	88.20	-7.01	75.14	3	Horizontal	343	1.58	-	32.24	7.57	33.76			
RMS	5.922G	67.90	68.20	-0.30	61.85	3	Horizontal	343	1.58	-	32.24	7.57	33.76			
PK	6.263G	112.16	Inf	-Inf	105.03	3	Horizontal	343	1.58	-	33.03	7.68	33.58			
RMS	6.152G	101.69	Inf	-Inf	95.03	3	Horizontal	343	1.58	-	32.70	7.61	33.65			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6105MHz_TX




EUT_V_4TX
Setting 65
06-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.34376G	46.85	74.00	-27.15	62.80	3	Vertical	286	2.01	-	38.81	11.30	66.06			
AV	12.34312G	35.23	54.00	-18.77	51.18	3	Vertical	286	2.01	-	38.81	11.30	66.06			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6105MHz_TX

EUT_Y_4TX
Setting 65
06-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.2324G	45.71	74.00	-28.29	61.78	3	Horizontal	46	2.62	-	38.94	11.23	66.24			
AV	12.34312G	34.42	54.00	-19.58	50.37	3	Horizontal	46	2.62	-	38.81	11.30	66.06			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6105MHz_TX




EUT_Y_4TX
Setting 65
06-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.35372G	50.55	83.54	-32.99	45.96	1	Vertical	82	1.33	-	37.50	15.63	48.54			
AV	18.35404G	38.22	63.54	-25.32	33.63	1	Vertical	82	1.33	-	37.50	15.63	48.54			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6105MHz_TX




EUT_V_4TX
Setting 65
06-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.3294G	50.72	83.54	-32.82	46.21	1	Horizontal	40	2.42	-	37.42	15.62	48.53			
AV	18.34636G	39.96	63.54	-23.58	35.38	1	Horizontal	40	2.42	-	37.49	15.63	48.54			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX


6105MHz_TX

EUT_Y_4TX
Setting 63
06-X-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	77.57	88.20	-10.63	71.50	3	Vertical	348	1.78	-	32.25	7.58	33.76			
RMS	5.921G	65.26	68.20	-2.94	59.21	3	Vertical	348	1.78	-	32.24	7.57	33.76			
PK	6.071G	112.09	Inf	-Inf	105.63	3	Vertical	348	1.78	-	32.50	7.66	33.70			
RMS	6.056G	101.87	Inf	-Inf	95.41	3	Vertical	348	1.78	-	32.50	7.67	33.71			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX


6105MHz_TX

EUT_Y_4TX
Setting 63
06-X-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	81.38	88.20	-6.82	75.31	3	Horizontal	337	1.99	-	32.25	7.58	33.76			
RMS	5.925G	67.69	68.20	-0.51	61.62	3	Horizontal	337	1.99	-	32.25	7.58	33.76			
PK	6.091G	112.83	Inf	-Inf	106.37	3	Horizontal	337	1.99	-	32.50	7.65	33.69			
RMS	6.076G	102.24	Inf	-Inf	95.78	3	Horizontal	337	1.99	-	32.50	7.66	33.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX

6105MHz_TX




EUT_V_4TX
Setting 63
06-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21096G	43.30	74.00	-30.70	59.37	3	Vertical	168	1.28	-	38.98	11.22	66.27			
AV	12.23208G	32.04	54.00	-21.96	48.11	3	Vertical	168	1.28	-	38.94	11.23	66.24			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX

6105MHz_TX




EUT_V_4TX
Setting 63
06-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.34632G	44.32	74.00	-29.68	60.27	3	Horizontal	40	2.54	-	38.81	11.30	66.06			
AV	12.34376G	33.40	54.00	-20.60	49.35	3	Horizontal	40	2.54	-	38.81	11.30	66.06			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX

6105MHz_TX




EUT_V_4TX
Setting 63
06-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.34188G	49.80	74.00	-40.20	29.25	1	Vertical	58	1.12	-	37.47	15.62	48.54			
AV	18.3438G	37.20	54.00	-31.80	17.63	1	Vertical	58	1.12	-	37.48	15.63	48.54			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX

6105MHz_TX



EUT_V_4TX
Setting 63
06-X-L-4


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.34204G	50.20	83.54	-33.34	45.65	1	Horizontal	13	2.99	-	37.47	15.62	48.54			
AV	18.35484G	38.93	63.54	-24.61	34.34	1	Horizontal	13	2.99	-	37.50	15.63	48.54			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

16/12/2025




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

15/12/2025




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

16/12/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

16/12/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

15/12/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

15/12/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

16/12/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

15/12/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

16/12/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

15/12/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

15/12/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

15/12/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

02/07/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

15/12/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

16/12/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

15/12/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

15/12/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

15/12/2025




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

02/07/2025




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

02/07/2025




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

02/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36859G	5.00	6.5042G	-22.40	-15.15	-7.25	1

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

02/07/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69079G	4.54	6.5072G	-23.13	-15.89	-7.24	1


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

16/12/2025

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.961173G	7.17	5.9773G	-23.27	-12.85	-10.42	1
5.962573G	7.35	5.978225G	-22.90	-12.73	-10.17	2
5.957574G	7.93	5.979G	-21.55	-12.24	-9.31	3
5.957524G	7.01	5.976525G	-22.52	-13.10	-9.42	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

16/12/2025

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.197449G	7.29	6.217825G	-24.07	-12.51	-11.56	1
6.190076G	7.31	6.172175G	-22.66	-12.74	-9.92	2
6.192676G	8.43	6.221175G	-25.09	-11.72	-13.37	3
6.192626G	6.95	6.216475G	-23.57	-13.06	-10.51	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

16/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.417424G	5.58	6.4339G	-24.30	-14.58	-9.72	1
6.407477G	5.26	6.396275G	-23.17	-14.95	-8.22	2
6.421248G	6.29	6.438125G	-26.00	-13.75	-12.25	3
6.417374G	4.83	6.398075G	-24.01	-15.37	-8.64	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

16/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.532526G	4.97	6.515575G	-25.37	-15.07	-10.30	1
6.528777G	4.26	6.516925G	-25.56	-15.78	-9.78	2
6.533825G	5.28	6.51595G	-23.22	-14.83	-8.39	3
6.537449G	4.62	6.51535G	-26.49	-16.36	-10.13	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

16/12/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

16/12/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

19/12/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

16/12/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

19/12/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

16/12/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

16/12/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

16/12/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

19/12/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

16/12/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

19/12/2025

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3961G	8.41	6.467G	-21.29	-11.72	-9.57	1
6.3736G	7.95	6.2946G	-22.31	-12.18	-10.13	2
6.3767G	9.16	6.2918G	-20.32	-10.91	-9.41	3
6.3719G	8.14	6.3008G	-21.98	-11.90	-10.08	4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

16/12/2025

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6176G	9.27	6.5146G	-20.88	-10.87	-10.01	1
6.6123G	8.66	6.5211G	-21.73	-11.42	-10.31	2
6.6118G	9.42	6.5205G	-19.24	-10.59	-8.65	3
6.6117G	8.60	6.5235G	-21.64	-11.51	-10.13	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

16/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

16/12/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

19/12/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05099G	2.57	6.3246G	-45.15	-37.43	-7.72	1
6.05239G	1.75	6.2836G	-44.22	-38.25	-5.97	2
6.04899G	3.37	6.1752G	-27.37	-18.69	-8.68	3
6.04799G	2.54	6.3298G	-45.47	-37.14	-8.33	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

16/12/2025

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15741G	2.66	6.4932G	-44.47	-37.34	-7.13	1
6.15941G	2.64	6.0212G	-28.29	-21.45	-6.84	2
6.15761G	3.74	6.027G	-25.43	-16.30	-9.13	3
6.16141G	2.74	6.0532G	-26.85	-17.51	-9.34	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

16/12/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

16/12/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

16/12/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

16/12/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

MASK

5985MHz_TX

24/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9989G	2.65	6.1727G	-50.48	-37.35	-13.13	1
5.9937G	2.34	6.1084G	-50.06	-37.66	-12.40	2
5.9943G	2.95	6.1458G	-50.48	-37.05	-13.43	3
5.9972G	2.00	6.1554G	-50.71	-38.00	-12.71	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

MASK

6025MHz_TX

24/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99941G	1.83	6.3252G	-47.53	-38.17	-9.36	1
6.04879G	1.95	6.2808G	-45.36	-37.73	-7.63	2
6.04899G	3.72	6.3826G	-47.77	-36.28	-11.49	3
6.04919G	2.97	6.3352G	-46.74	-37.03	-9.71	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_4_4TX

MASK

6025MHz_TX

24/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04939G	2.11	6.4002G	-48.33	-37.89	-10.44	1
6.05419G	2.05	6.4092G	-48.57	-37.95	-10.62	2
5.99781G	3.48	6.4234G	-48.18	-36.52	-11.66	3
6.05219G	2.84	6.4178G	-48.35	-37.16	-11.19	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU_8_4TX

MASK

6105MHz_TX

24/07/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.07261G	4.20	6.871G	-43.87	-35.80	-8.07	1
6.14859G	4.45	6.8926G	-44.35	-35.55	-8.80	2
6.07141G	4.51	6.9002G	-43.83	-35.49	-8.34	3
6.14019G	4.63	6.8974G	-43.95	-35.37	-8.58	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

MASK

6105MHz_TX

24/07/2026

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.07141G	3.92	6.8918G	-43.83	-36.08	-7.75	1
6.13779G	4.58	6.893G	-44.20	-35.42	-8.78	2
6.07181G	5.07	6.901G	-44.01	-34.93	-9.08	3
6.13739G	4.70	6.9046G	-43.93	-35.30	-8.63	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

MASK

6105MHz_TX

24/07/2026

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05901G	4.31	6.8818G	-44.00	-35.69	-8.31	1
6.13859G	4.75	6.8988G	-44.38	-35.25	-9.13	2
6.07741G	4.61	6.8934G	-44.04	-35.39	-8.65	3
6.13619G	4.74	6.9046G	-43.96	-35.26	-8.70	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

20/12/2025

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962498G	7.58	5.978575G	-23.46	-12.43	-11.03	1
5.957424G	7.49	5.97895G	-22.55	-12.57	-9.98	2
5.957424G	7.11	5.97625G	-21.82	-12.94	-8.88	3
5.962348G	7.25	5.9793G	-25.18	-12.76	-12.42	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

20/12/2025

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.19365G	6.97	6.17255G	-24.19	-13.23	-10.96	1
6.190076G	6.84	6.1739G	-23.51	-13.19	-10.32	2
6.201123G	7.14	6.173025G	-24.78	-12.98	-11.80	3
6.197424G	7.14	6.21695G	-23.09	-12.87	-10.22	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

20/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.417449G	5.57	6.432425G	-24.92	-15.39	-9.53	1
6.417474G	5.24	6.397225G	-23.80	-15.22	-8.58	2
6.417424G	5.39	6.4333G	-25.49	-16.56	-8.93	3
6.411226G	5.77	6.398225G	-22.56	-14.68	-7.88	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

20/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.537399G	5.83	6.513075G	-26.69	-14.49	-12.20	1
6.537299G	4.96	6.5171G	-22.59	-15.29	-7.30	2
6.537449G	5.80	6.5556G	-24.69	-14.28	-10.41	3
6.531301G	6.07	6.5122G	-25.82	-13.96	-11.86	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

20/12/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

20/12/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

20/12/2025

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.967499G	2.39	5.99785G	-26.61	-18.33	-8.28	1
5.978697G	2.09	5.99105G	-25.16	-18.05	-7.11	2
5.977497G	2.60	5.9979G	-27.52	-18.16	-9.36	3
5.973698G	2.42	6.00025G	-28.02	-19.49	-8.53	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

20/12/2025

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.208599G	8.43	6.15565G	-21.58	-11.67	-9.91	1
6.199701G	8.11	6.15615G	-21.59	-11.91	-9.68	2
6.213348G	8.62	6.15725G	-20.80	-11.44	-9.36	3
6.202351G	8.35	6.15685G	-19.78	-11.66	-8.12	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

20/12/2025

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.416197G	7.70	6.4464G	-23.59	-12.52	-11.07	1
6.409449G	7.70	6.36495G	-20.87	-12.33	-8.54	2
6.413498G	7.82	6.44715G	-23.41	-12.28	-11.13	3
6.408499G	8.35	6.35655G	-25.18	-11.73	-13.45	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

20/12/2025

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.567699G	9.68	6.51255G	-20.97	-10.32	-10.65	1
6.567699G	9.43	6.5129G	-18.43	-10.57	-7.86	2
6.562251G	9.34	6.514G	-20.75	-10.76	-9.99	3
6.568799G	9.64	6.51275G	-18.79	-10.48	-8.31	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

20/12/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

20/12/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

20/12/2025



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

20/12/2025

