


5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 55
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.92337G	54.65	74.00	-19.35	68.42	3	Vertical	280	1.80	-	39.30	12.75	65.82			
AV	11.91758G	41.37	54.00	-12.63	55.14	3	Vertical	280	1.80	-	39.30	12.75	65.82			
PK	17.89044G	64.32	74.00	-9.68	66.44	3	Vertical	180	1.81	-	46.66	15.22	64.00			
AV	17.89437G	50.62	54.00	-3.38	52.72	3	Vertical	180	1.81	-	46.68	15.22	64.00			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 55
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92751G	54.60	74.00	-19.40	68.37	3	Horizontal	132	1.80	-	39.30	12.75	65.82			
AV	11.91743G	41.36	54.00	-12.64	55.13	3	Horizontal	132	1.80	-	39.30	12.75	65.82			
PK	17.90157G	64.62	74.00	-9.38	66.69	3	Horizontal	300	1.19	-	46.70	15.22	63.99			
AV	17.88885G	50.85	54.00	-3.15	52.97	3	Horizontal	300	1.19	-	46.66	15.22	64.00			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 55
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86393G	52.38	74.00	-21.62	41.91	1	Vertical	274	1.84	-	38.83	18.76	47.12			
AV	23.84752G	38.63	54.00	-15.37	28.20	1	Vertical	274	1.84	-	38.80	18.76	47.13			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Z_4TX
Setting 55
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86885G	52.27	74.00	-21.73	41.79	1	Horizontal	108	1.29	-	38.84	18.76	47.12			
AV	23.8741G	38.60	54.00	-15.40	28.11	1	Horizontal	108	1.29	-	38.85	18.76	47.12			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 96
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39506G	54.80	74.00	-19.20	68.86	3	Vertical	346	1.02	-	38.70	12.85	65.61			
AV	12.40856G	40.99	54.00	-13.01	55.04	3	Vertical	346	1.02	-	38.70	12.85	65.60			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 96
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40304G	53.73	74.00	-20.27	67.78	3	Horizontal	323	1.71	-	38.70	12.85	65.60			
AV	12.4115G	41.07	54.00	-12.93	55.12	3	Horizontal	323	1.71	-	38.70	12.85	65.60			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 96
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.59245G	63.70	83.54	-19.84	58.88	1	Vertical	89	2.50	-	37.88	16.58	49.64			
AV	18.59155G	49.67	63.54	-13.87	44.85	1	Vertical	89	2.50	-	37.88	16.58	49.64			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 96
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.59135G	62.73	83.54	-20.81	57.92	1	Horizontal	338	1.82	-	37.88	16.58	49.65			
AV	18.59085G	49.73	63.54	-13.81	44.92	1	Horizontal	338	1.82	-	37.88	16.58	49.65			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81061G	54.32	88.20	-33.88	67.60	3	Vertical	298	1.34	-	38.94	12.92	65.14			
RMS	12.81077G	40.54	68.20	-27.66	53.82	3	Vertical	298	1.34	-	38.94	12.92	65.14			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8092G	54.88	88.20	-33.32	68.16	3	Horizontal	135	2.93	-	38.94	12.92	65.14			
RMS	12.80959G	40.61	68.20	-27.59	53.89	3	Horizontal	135	2.93	-	38.94	12.92	65.14			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.23005G	47.58	83.54	-35.96	42.20	1	Vertical	236	1.53	-	37.90	16.92	49.44			
AV	19.2273G	34.58	63.54	-28.96	29.20	1	Vertical	236	1.53	-	37.90	16.92	49.44			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.23215G	47.96	83.54	-35.58	42.58	1	Horizontal	257	2.24	-	37.90	16.92	49.44			
AV	19.225G	34.63	63.54	-28.91	29.25	1	Horizontal	257	2.24	-	37.90	16.92	49.44			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13061G	56.13	88.20	-32.07	68.37	3	Vertical	123	1.64	-	39.66	12.97	64.87			
RMS	13.12927G	42.52	68.20	-25.68	54.76	3	Vertical	123	1.64	-	39.66	12.97	64.87			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12903G	56.23	88.20	-31.97	68.48	3	Horizontal	59	1.40	-	39.66	12.96	64.87			
RMS	13.12915G	42.46	68.20	-25.74	54.70	3	Horizontal	59	1.40	-	39.66	12.97	64.87			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7186G	48.20	83.54	-35.34	42.60	1	Vertical	354	1.18	-	37.84	17.21	49.45			
AV	19.69605G	35.01	63.54	-28.53	29.49	1	Vertical	354	1.18	-	37.80	17.19	49.47			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.67G	47.77	83.54	-35.77	42.27	1	Horizontal	287	2.74	-	37.80	17.18	49.48			
AV	19.67305G	34.96	63.54	-28.58	29.46	1	Horizontal	287	2.74	-	37.80	17.18	49.48			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36994G	57.08	74.00	-16.92	68.74	3	Vertical	305	1.44	-	40.18	13.00	64.84			
AV	13.37081G	42.91	54.00	-11.09	54.57	3	Vertical	305	1.44	-	40.18	13.00	64.84			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36915G	56.05	74.00	-17.95	67.71	3	Horizontal	274	2.24	-	40.18	13.00	64.84			
AV	13.37034G	42.90	54.00	-11.10	54.56	3	Horizontal	274	2.24	-	40.18	13.00	64.84			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.075G	47.71	83.54	-35.83	41.74	1	Vertical	8	1.02	-	37.85	17.38	49.26			
AV	20.03015G	34.76	63.54	-28.78	28.77	1	Vertical	8	1.02	-	37.88	17.37	49.26			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06625G	48.16	83.54	-35.38	42.21	1	Horizontal	303	2.78	-	37.83	17.38	49.26			
AV	20.03G	34.75	63.54	-28.79	28.76	1	Horizontal	303	2.78	-	37.88	17.37	49.26			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69017G	56.89	88.20	-31.31	67.90	3	Vertical	300	1.76	-	40.68	13.05	64.74			
RMS	13.68938G	42.98	68.20	-25.22	53.99	3	Vertical	300	1.76	-	40.68	13.05	64.74			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68965G	56.70	88.20	-31.50	67.71	3	Horizontal	305	2.57	-	40.68	13.05	64.74			
RMS	13.68908G	43.04	68.20	-25.16	54.05	3	Horizontal	305	2.57	-	40.68	13.05	64.74			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5132G	48.27	83.54	-35.27	42.08	1	Vertical	172	2.98	-	37.97	17.44	49.22			
AV	20.51145G	35.62	63.54	-27.92	29.42	1	Vertical	172	2.98	-	37.98	17.44	49.22			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5175G	49.73	83.54	-33.81	43.55	1	Horizontal	324	1.39	-	37.96	17.44	49.22			
AV	20.52G	35.67	63.54	-27.87	29.49	1	Horizontal	324	1.39	-	37.96	17.44	49.22			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 43
04-E-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	77.67	88.20	-10.53	79.60	3	Vertical	352.2	2.02	-	32.30	9.05	43.28			
RMS	5.9246G	65.96	68.20	-2.24	67.89	3	Vertical	352.2	2.02	-	32.30	9.05	43.28			
PK	5.957G	108.46	Inf	-Inf	110.30	3	Vertical	352.2	2.02	-	32.31	9.09	43.24			
RMS	5.9562G	99.58	Inf	-Inf	101.42	3	Vertical	352.2	2.02	-	32.31	9.09	43.24			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 43
04-E-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	78.63	88.20	-9.57	80.56	3	Horizontal	0	2.04	-	32.30	9.05	43.28
RMS	5.9238G	67.83	68.20	-0.37	69.76	3	Horizontal	0	2.04	-	32.30	9.05	43.28
PK	6.0114G	110.47	Inf	-Inf	112.12	3	Horizontal	0	2.04	-	32.40	9.15	43.20
RMS	5.9474G	100.32	Inf	-Inf	102.19	3	Horizontal	0	2.04	-	32.30	9.08	43.25

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Z_4TX
Setting 43
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97891G	54.33	74.00	-19.67	68.08	3	Vertical	342	2.75	-	39.24	12.78	65.77			
AV	11.96187G	41.44	54.00	-12.56	55.17	3	Vertical	342	2.75	-	39.28	12.77	65.78			
PK	17.96742G	63.88	74.00	-10.12	66.03	3	Vertical	296	2.28	-	46.57	15.23	63.95			
AV	17.95932G	50.76	54.00	-3.24	52.91	3	Vertical	296	2.28	-	46.58	15.23	63.96			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 43
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97438G	54.45	74.00	-19.55	68.19	3	Horizontal	2	2.83	-	39.25	12.78	65.77			
AV	11.98089G	41.41	54.00	-12.59	55.16	3	Horizontal	2	2.83	-	39.24	12.78	65.77			
PK	17.96802G	62.93	74.00	-11.07	65.09	3	Horizontal	125	2.41	-	46.56	15.23	63.95			
AV	17.9646G	50.68	54.00	-3.32	52.83	3	Horizontal	125	2.41	-	46.57	15.23	63.95			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 43
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.95455G	51.85	83.54	-31.69	41.17	1	Vertical	293	2.95	-	38.99	18.77	47.08			
AV	23.95278G	38.97	63.54	-24.57	28.29	1	Vertical	293	2.95	-	38.99	18.77	47.08			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 43
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94855G	51.54	83.54	-32.00	40.85	1	Horizontal	149	1.57	-	39.00	18.77	47.08			
AV	23.95335G	39.09	63.54	-24.45	28.41	1	Horizontal	149	1.57	-	38.99	18.77	47.08			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.451G	54.51	74.00	-19.49	68.54	3	Vertical	291	1.25	-	38.70	12.86	65.59			
AV	12.45046G	41.25	54.00	-12.75	55.28	3	Vertical	291	1.25	-	38.70	12.86	65.59			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44917G	54.39	74.00	-19.61	68.42	3	Horizontal	309	1.56	-	38.70	12.86	65.59			
AV	12.4498G	41.20	54.00	-12.80	55.23	3	Horizontal	309	1.56	-	38.70	12.86	65.59			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6841G	48.61	83.54	-34.93	43.69	1	Vertical	230	2.62	-	37.86	16.63	49.57			
AV	18.6528G	35.73	63.54	-27.81	30.72	1	Vertical	230	2.62	-	37.99	16.61	49.59			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6527G	48.21	83.54	-35.33	43.20	1	Horizontal	2	2.63	-	37.99	16.61	49.59			
AV	18.65075G	35.78	63.54	-27.76	30.77	1	Horizontal	2	2.63	-	38.00	16.61	49.60			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76918G	53.67	88.20	-34.53	67.12	3	Vertical	250	2.95	-	38.84	12.91	65.20			
RMS	12.76976G	40.72	68.20	-27.48	54.17	3	Vertical	250	2.95	-	38.84	12.91	65.20			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77073G	54.37	88.20	-33.83	67.82	3	Horizontal	298	1.09	-	38.84	12.91	65.20			
RMS	12.77068G	40.72	68.20	-27.48	54.17	3	Horizontal	298	1.09	-	38.84	12.91	65.20			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.17265G	47.91	83.54	-35.63	42.53	1	Vertical	81	1.98	-	37.90	16.89	49.41			
AV	19.13425G	34.89	63.54	-28.65	29.51	1	Vertical	81	1.98	-	37.90	16.87	49.39			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.13455G	48.25	83.54	-35.29	42.87	1	Horizontal	83	1.55	-	37.90	16.87	49.39			
AV	19.1319G	34.86	63.54	-28.68	29.48	1	Horizontal	83	1.55	-	37.90	16.87	49.39			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25411G	56.34	74.00	-17.66	68.29	3	Vertical	236	2.37	-	39.92	12.98	64.85			
AV	13.26158G	42.97	54.00	-11.03	54.88	3	Vertical	236	2.37	-	39.95	12.99	64.85			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.26272G	55.15	74.00	-18.85	67.06	3	Horizontal	286	2.21	-	39.95	12.99	64.85			
AV	13.26002G	42.84	54.00	-11.16	54.76	3	Horizontal	286	2.21	-	39.94	12.99	64.85			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.85205G	48.19	83.54	-35.35	42.37	1	Vertical	245	2.41	-	37.90	17.28	49.36			
AV	19.863G	35.78	63.54	-27.76	29.94	1	Vertical	245	2.41	-	37.90	17.29	49.35			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88825G	48.44	83.54	-35.10	42.57	1	Horizontal	262	1.30	-	37.90	17.31	49.34			
AV	19.8607G	35.66	63.54	-27.88	29.82	1	Horizontal	262	1.30	-	37.90	17.29	49.35			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40962G	57.26	88.20	-30.94	68.77	3	Vertical	18	1.92	-	40.32	13.01	64.84			
RMS	13.41017G	43.78	68.20	-24.42	55.29	3	Vertical	18	1.92	-	40.32	13.01	64.84			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41054G	56.85	88.20	-31.35	68.36	3	Horizontal	171	1.87	-	40.32	13.01	64.84			
RMS	13.41032G	43.59	68.20	-24.61	55.10	3	Horizontal	171	1.87	-	40.32	13.01	64.84			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.1367G	47.53	83.54	-36.01	41.49	1	Vertical	172	1.59	-	37.90	17.39	49.25			
AV	20.09925G	35.09	63.54	-28.45	29.06	1	Vertical	172	1.59	-	37.90	17.38	49.25			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09625G	47.56	83.54	-35.98	41.54	1	Horizontal	5	1.87	-	37.89	17.38	49.25			
AV	20.1369G	35.20	63.54	-28.34	29.16	1	Horizontal	5	1.87	-	37.90	17.39	49.25			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57033G	56.93	88.20	-31.27	68.20	3	Vertical	16	2.34	-	40.50	13.03	64.80			
RMS	13.5696G	43.70	68.20	-24.50	54.97	3	Vertical	16	2.34	-	40.50	13.03	64.80			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57089G	57.14	88.20	-31.06	68.41	3	Horizontal	283	2.96	-	40.50	13.03	64.80			
RMS	13.57093G	43.81	68.20	-24.39	55.08	3	Horizontal	283	2.96	-	40.50	13.03	64.80			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3319G	49.89	83.54	-33.65	43.75	1	Vertical	109	1.73	-	37.96	17.42	49.24			
AV	20.33475G	36.49	63.54	-27.05	30.34	1	Vertical	109	1.73	-	37.97	17.42	49.24			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3305G	50.13	83.54	-33.41	43.99	1	Horizontal	149	1.07	-	37.96	17.42	49.24			
AV	20.3426G	36.44	63.54	-27.10	30.27	1	Horizontal	149	1.07	-	37.99	17.42	49.24			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 55
04-E-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9066G	77.83	88.20	-10.37	79.79	3	Vertical	360	2.04	-	32.30	9.03	43.29			
RMS	5.9218G	59.86	68.20	-8.34	61.79	3	Vertical	360	2.04	-	32.30	9.05	43.28			
PK	5.9482G	107.41	Inf	-Inf	109.28	3	Vertical	360	2.04	-	32.30	9.08	43.25			
RMS	6.0426G	98.71	Inf	-Inf	100.33	3	Vertical	360	2.04	-	32.40	9.17	43.19			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 55
04-E-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9202G	81.18	88.20	-7.02	83.11	3	Horizontal	0	2.03	-	32.30	9.05	43.28			
RMS	5.913G	66.99	68.20	-1.21	68.94	3	Horizontal	0	2.03	-	32.30	9.04	43.29			
PK	6.101G	109.28	Inf	-Inf	110.74	3	Horizontal	0	2.03	-	32.50	9.21	43.17			
RMS	5.9922G	100.80	Inf	-Inf	102.50	3	Horizontal	0	2.03	-	32.38	9.13	43.21			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 55
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04965G	56.21	74.00	-17.79	70.04	3	Vertical	83	2.58	-	39.10	12.80	65.73			
AV	12.04916G	42.55	54.00	-11.45	56.38	3	Vertical	83	2.58	-	39.10	12.80	65.73			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 55
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05041G	55.50	74.00	-18.50	69.33	3	Horizontal	146	1.18	-	39.10	12.80	65.73			
AV	12.04916G	42.54	54.00	-11.46	56.37	3	Horizontal	146	1.18	-	39.10	12.80	65.73			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 55
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08445G	48.06	83.54	-35.48	43.66	1	Vertical	125	1.47	-	37.61	16.32	49.53			
AV	18.0727G	35.87	63.54	-27.67	31.53	1	Vertical	125	1.47	-	37.54	16.32	49.52			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 55
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06155G	47.40	83.54	-36.14	43.14	1	Horizontal	122	2.01	-	37.47	16.31	49.52			
AV	18.0589G	35.55	63.54	-27.99	31.31	1	Horizontal	122	2.01	-	37.45	16.31	49.52			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 92
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36915G	55.16	74.00	-18.84	69.23	3	Vertical	32	1.50	-	38.70	12.85	65.62			
AV	12.36923G	42.52	54.00	-11.48	56.59	3	Vertical	32	1.50	-	38.70	12.85	65.62			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 92
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36904G	54.98	74.00	-19.02	69.05	3	Horizontal	271	2.56	-	38.70	12.85	65.62			
AV	12.37003G	42.74	54.00	-11.26	56.81	3	Horizontal	271	2.56	-	38.70	12.85	65.62			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 92
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5777G	62.43	83.54	-21.11	57.66	1	Vertical	322	2.80	-	37.86	16.57	49.66			
AV	18.5792G	50.95	63.54	-12.59	46.17	1	Vertical	322	2.80	-	37.86	16.58	49.66			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 92
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5799G	62.13	83.54	-21.41	57.34	1	Horizontal	163	1.07	-	37.86	16.58	49.65			
AV	18.5772G	51.38	63.54	-12.16	46.62	1	Horizontal	163	1.07	-	37.85	16.57	49.66			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68901G	54.96	74.00	-19.04	68.69	3	Vertical	289	1.92	-	38.68	12.90	65.31			
AV	12.69028G	42.04	54.00	-11.96	55.77	3	Vertical	289	1.92	-	38.68	12.90	65.31			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68971G	55.01	74.00	-18.99	68.74	3	Horizontal	193	2.73	-	38.68	12.90	65.31			
AV	12.6892G	42.18	54.00	-11.82	55.91	3	Horizontal	193	2.73	-	38.68	12.90	65.31			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.02505G	47.86	83.54	-35.68	42.38	1	Vertical	40	1.97	-	38.00	16.80	49.32			
AV	19.04885G	36.22	63.54	-27.32	30.64	1	Vertical	40	1.97	-	38.10	16.82	49.34			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.05235G	48.66	83.54	-34.88	43.09	1	Horizontal	318	2.06	-	38.09	16.82	49.34			
AV	19.04845G	36.11	63.54	-27.43	30.54	1	Horizontal	318	2.06	-	38.09	16.82	49.34			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33028G	56.33	74.00	-17.67	68.08	3	Vertical	210	2.79	-	40.10	13.00	64.85			
AV	13.32944G	44.17	54.00	-9.83	55.92	3	Vertical	210	2.79	-	40.10	13.00	64.85			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32904G	56.99	74.00	-17.01	68.74	3	Horizontal	316	1.09	-	40.10	13.00	64.85			
AV	13.32948G	44.30	54.00	-9.70	56.05	3	Horizontal	316	1.09	-	40.10	13.00	64.85			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.002G	48.96	83.54	-34.58	42.86	1	Vertical	155	1.60	-	37.99	17.37	49.26			
AV	20G	36.41	63.54	-27.13	30.30	1	Vertical	155	1.60	-	38.00	17.37	49.26			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX



EUT_Z_4TX
Setting 108
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9918G	48.22	83.54	-35.32	42.15	1	Horizontal	221	1.35	-	37.97	17.37	49.27			
AV	19.99445G	36.48	63.54	-27.06	30.39	1	Horizontal	221	1.35	-	37.98	17.37	49.26			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	RMS	5.9098G	67.91	68.20	-0.29	3	Vertical	97	1.76	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
Setting 89
03-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9228G	80.32	88.20	-7.88	72.63	3	Vertical	97	1.76	-	34.59	8.09	34.99			
RMS	5.9247G	67.49	68.20	-0.71	59.79	3	Vertical	97	1.76	-	34.60	8.09	34.99			
PK	5.9482G	116.15	Inf	-Inf	108.33	3	Vertical	97	1.76	-	34.69	8.12	34.99			
RMS	5.9499G	105.82	Inf	-Inf	97.99	3	Vertical	97	1.76	-	34.70	8.12	34.99			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
Setting 89
03-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9239G	76.20	88.20	-12.00	68.50	3	Horizontal	24	1.63	-	34.60	8.09	34.99			
RMS	5.925G	63.09	68.20	-5.11	55.39	3	Horizontal	24	1.63	-	34.60	8.09	34.99			
PK	5.9637G	111.81	Inf	-Inf	103.98	3	Horizontal	24	1.63	-	34.70	8.13	35.00			
RMS	5.9576G	101.42	Inf	-Inf	93.59	3	Horizontal	24	1.63	-	34.70	8.13	35.00			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
Setting 89
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9104G	59.16	74.00	-14.84	53.43	3	Vertical	310	1.78	-	39.28	11.79	45.34			
AV	11.90985G	45.03	54.00	-8.97	39.30	3	Vertical	310	1.78	-	39.28	11.79	45.34			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_X_1TX
Setting 89
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9089G	55.28	74.00	-18.72	49.55	3	Horizontal	69	1.80	-	39.28	11.79	45.34			
AV	11.90945G	42.06	54.00	-11.94	36.33	3	Horizontal	69	1.80	-	39.28	11.79	45.34			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT X_1TX
Setting 89
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.83404G	72.70	83.54	-10.84	40.90	1	Vertical	185	1.95	-	56.47	23.00	47.67			
AV	23.82792G	58.33	63.54	-5.21	26.54	1	Vertical	185	1.95	-	56.46	23.00	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT X_1TX
Setting 89
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82516G	73.03	83.54	-10.51	41.26	1	Horizontal	178	1.85	-	56.45	22.99	47.67			
AV	23.82954G	58.52	63.54	-5.02	26.73	1	Horizontal	178	1.85	-	56.46	23.00	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40605G	48.25	74.00	-25.75	43.23	3	Vertical	284	1.46	-	38.80	11.80	45.58			
AV	12.39405G	35.65	54.00	-18.35	30.62	3	Vertical	284	1.46	-	38.80	11.80	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39265G	47.23	74.00	-26.77	42.20	3	Horizontal	260	1.48	-	38.80	11.80	45.57			
AV	12.39105G	34.66	54.00	-19.34	29.63	3	Horizontal	260	1.48	-	38.80	11.80	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5884G	61.84	83.54	-21.70	43.64	1	Vertical	286	1.56	-	45.98	20.61	48.39			
AV	18.5826G	48.61	63.54	-14.93	30.41	1	Vertical	286	1.56	-	45.97	20.61	48.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.589G	54.51	83.54	-29.03	44.49	1	Horizontal	311	1.80	-	37.80	20.61	48.39			
AV	18.58276G	40.76	63.54	-22.78	30.73	1	Horizontal	311	1.80	-	37.80	20.61	48.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85346G	44.22	88.20	-43.98	38.47	3	Vertical	173	2.29	-	39.21	11.77	45.23			
RMS	12.85088G	31.79	68.20	-36.41	26.06	3	Vertical	173	2.29	-	39.20	11.77	45.24			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8338G	45.07	88.20	-43.13	39.39	3	Horizontal	250	1.76	-	39.17	11.77	45.26			
RMS	12.83095G	32.53	68.20	-35.67	26.86	3	Horizontal	250	1.76	-	39.16	11.77	45.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22652G	50.88	83.54	-32.66	41.00	1	Vertical	200	1.80	-	37.91	20.77	48.80			
AV	19.2442G	36.75	63.54	-26.79	26.79	1	Vertical	200	1.80	-	37.98	20.78	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2406G	54.40	83.54	-29.14	44.46	1	Horizontal	53	1.98	-	37.96	20.78	48.80			
AV	19.24396G	40.25	63.54	-23.29	30.29	1	Horizontal	53	1.98	-	37.98	20.78	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.09826G	45.15	88.20	-43.05	38.79	3	Vertical	117	2.59	-	39.60	11.75	44.99			
RMS	13.09508G	32.79	68.20	-35.41	26.44	3	Vertical	117	2.59	-	39.59	11.75	44.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09982G	45.32	88.20	-42.88	38.96	3	Horizontal	103	1.02	-	39.60	11.75	44.99			
RMS	13.09556G	32.88	68.20	-35.32	26.53	3	Horizontal	103	1.02	-	39.59	11.75	44.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5914G	51.59	83.54	-31.95	41.85	1	Vertical	13	1.54	-	37.70	20.84	48.80			
AV	19.60468G	37.40	63.54	-26.14	27.67	1	Vertical	13	1.54	-	37.70	20.83	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60884G	52.34	83.54	-31.20	42.61	1	Horizontal	327	1.66	-	37.70	20.83	48.80			
AV	19.60732G	39.03	63.54	-24.51	29.30	1	Horizontal	327	1.66	-	37.70	20.83	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3885G	46.97	74.00	-27.03	39.81	3	Vertical	50	2.44	-	40.18	11.73	44.75			
AV	13.38782G	32.49	54.00	-21.51	25.33	3	Vertical	50	2.44	-	40.18	11.73	44.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3881G	46.85	74.00	-27.15	39.69	3	Horizontal	296	1.77	-	40.18	11.73	44.75			
AV	13.38757G	32.49	54.00	-21.51	25.33	3	Horizontal	296	1.77	-	40.18	11.73	44.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0978G	50.52	83.54	-33.02	40.77	1	Vertical	40	1.80	-	37.80	20.73	48.78			
AV	20.10116G	36.42	63.54	-27.12	26.67	1	Vertical	40	1.80	-	37.80	20.73	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.09692G	49.80	83.54	-33.74	40.05	1	Horizontal	15	1.62	-	37.80	20.73	48.78			
AV	20.10452G	36.42	63.54	-27.12	26.66	1	Horizontal	15	1.62	-	37.80	20.74	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71006G	50.14	88.20	-38.06	42.41	3	Vertical	336	2.04	-	40.54	11.70	44.51			
RMS	13.70884G	35.08	68.20	-33.12	27.35	3	Vertical	336	2.04	-	40.54	11.70	44.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.70869G	49.03	88.20	-39.17	41.31	3	Horizontal	7	2.96	-	40.53	11.70	44.51			
RMS	13.71232G	35.08	68.20	-33.12	27.34	3	Horizontal	7	2.96	-	40.55	11.70	44.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5766G	53.88	83.54	-29.66	43.14	1	Vertical	306	2.14	-	37.90	21.54	48.70			
AV	20.5849G	38.95	63.54	-24.59	28.20	1	Vertical	306	2.14	-	37.90	21.55	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5446G	52.46	83.54	-31.08	41.75	1	Horizontal	169	1.85	-	37.90	21.51	48.70			
AV	20.59G	38.98	63.54	-24.56	28.23	1	Horizontal	169	1.85	-	37.90	21.55	48.70			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
Setting 74
03-C-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9228G	79.45	88.20	-8.75	71.76	3	Vertical	349	1.89	-	34.59	8.09	34.99			
RMS	5.925G	67.59	68.20	-0.61	59.89	3	Vertical	349	1.89	-	34.60	8.09	34.99			
PK	5.9498G	111.77	Inf	-Inf	103.94	3	Vertical	349	1.89	-	34.70	8.12	34.99			
RMS	5.9674G	100.46	Inf	-Inf	92.62	3	Vertical	349	1.89	-	34.70	8.14	35.00			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
Setting 74
03-C-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9232G	76.01	88.20	-12.19	68.32	3	Horizontal	22	1.38	-	34.59	8.09	34.99			
RMS	5.9248G	62.66	68.20	-5.54	54.96	3	Horizontal	22	1.38	-	34.60	8.09	34.99			
PK	5.9762G	107.74	Inf	-Inf	99.89	3	Horizontal	22	1.38	-	34.70	8.15	35.00			
RMS	5.98G	97.21	Inf	-Inf	89.36	3	Horizontal	22	1.38	-	34.70	8.15	35.00			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
Setting 74
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9218G	55.57	74.00	-18.43	49.85	3	Vertical	311	1.76	-	39.26	11.80	45.34			
AV	11.9262G	43.59	54.00	-10.41	37.88	3	Vertical	311	1.76	-	39.25	11.80	45.34			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_X_1TX
Setting 74
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9188G	50.53	74.00	-23.47	44.81	3	Horizontal	67	1.83	-	39.26	11.80	45.34			
AV	11.9292G	38.80	54.00	-15.20	33.10	3	Horizontal	67	1.83	-	39.24	11.80	45.34			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT X_1TX
Setting 74
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.87536G	54.99	83.54	-28.55	40.56	1	Vertical	37	1.80	-	39.05	23.03	47.65			
AV	23.8496G	42.53	63.54	-21.01	28.08	1	Vertical	37	1.80	-	39.10	23.01	47.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT X_1TX
Setting 74
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.84496G	54.80	83.54	-28.74	40.35	1	Horizontal	230	1.75	-	39.10	23.01	47.66			
AV	23.86264G	42.39	63.54	-21.15	27.95	1	Horizontal	230	1.75	-	39.07	23.02	47.65			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40975G	44.81	74.00	-29.19	39.79	3	Vertical	258	1.42	-	38.80	11.80	45.58			
AV	12.4092G	32.81	54.00	-21.19	27.79	3	Vertical	258	1.42	-	38.80	11.80	45.58			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40892G	44.90	74.00	-29.10	39.88	3	Horizontal	228	2.98	-	38.80	11.80	45.58			
AV	12.40841G	32.58	54.00	-21.42	27.56	3	Horizontal	228	2.98	-	38.80	11.80	45.58			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.62708G	51.58	83.54	-31.96	41.55	1	Vertical	309	1.80	-	37.85	20.61	48.43			
AV	18.625G	39.68	63.54	-23.86	29.64	1	Vertical	309	1.80	-	37.85	20.61	48.42			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61212G	54.64	83.54	-28.90	44.62	1	Horizontal	31	1.72	-	37.82	20.61	48.41			
AV	18.62484G	42.65	63.54	-20.89	32.61	1	Horizontal	31	1.72	-	37.85	20.61	48.42			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81194G	44.47	88.20	-43.73	38.86	3	Vertical	298	2.89	-	39.12	11.77	45.28			
RMS	12.81223G	32.74	68.20	-35.46	27.13	3	Vertical	298	2.89	-	39.12	11.77	45.28			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80984G	45.07	88.20	-43.13	39.46	3	Horizontal	321	1.71	-	39.12	11.77	45.28			
RMS	12.81071G	32.40	68.20	-35.80	26.79	3	Horizontal	321	1.71	-	39.12	11.77	45.28			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.20708G	49.69	83.54	-33.85	39.90	1	Vertical	24	1.77	-	37.83	20.76	48.80			
AV	19.20668G	37.39	63.54	-26.15	27.60	1	Vertical	24	1.77	-	37.83	20.76	48.80			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6405MHz_TX

EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22204G	50.25	83.54	-33.29	40.39	1	Horizontal	320	1.80	-	37.89	20.77	48.80			
AV	19.23052G	38.39	63.54	-25.15	28.50	1	Horizontal	320	1.80	-	37.92	20.77	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13092G	46.97	88.20	-41.23	40.58	3	Vertical	26	2.73	-	39.60	11.75	44.96			
RMS	13.13157G	33.62	68.20	-34.58	27.23	3	Vertical	26	2.73	-	39.60	11.75	44.96			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13232G	46.53	88.20	-41.67	40.14	3	Horizontal	50	1.19	-	39.60	11.75	44.96			
RMS	13.13163G	33.66	68.20	-34.54	27.27	3	Horizontal	50	1.19	-	39.60	11.75	44.96			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.67804G	50.93	83.54	-32.61	41.25	1	Vertical	342	1.80	-	37.70	20.78	48.80			
AV	19.71492G	38.22	63.54	-25.32	28.56	1	Vertical	342	1.80	-	37.70	20.76	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.70468G	51.16	83.54	-32.38	41.50	1	Horizontal	315	1.79	-	37.70	20.76	48.80			
AV	19.6758G	38.83	63.54	-24.71	29.15	1	Horizontal	315	1.79	-	37.70	20.78	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36988G	47.00	74.00	-27.00	39.90	3	Vertical	123	2.35	-	40.14	11.73	44.77			
AV	13.37204G	34.02	54.00	-19.98	26.91	3	Vertical	123	2.35	-	40.14	11.73	44.76			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36972G	46.67	74.00	-27.33	39.57	3	Horizontal	51	2.54	-	40.14	11.73	44.77			
AV	13.36826G	34.04	54.00	-19.96	26.94	3	Horizontal	51	2.54	-	40.14	11.73	44.77			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.07484G	50.79	83.54	-32.75	41.09	1	Vertical	348	2.20	-	37.80	20.69	48.79			
AV	20.06508G	37.89	63.54	-25.65	28.21	1	Vertical	348	2.20	-	37.80	20.67	48.79			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06468G	50.56	83.54	-32.98	40.88	1	Horizontal	355	1.78	-	37.80	20.67	48.79			
AV	20.04948G	37.92	63.54	-25.62	28.27	1	Horizontal	355	1.78	-	37.80	20.64	48.79			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68864G	49.30	88.20	-38.90	41.65	3	Vertical	72	2.49	-	40.48	11.70	44.53			
RMS	13.69188G	36.48	68.20	-31.72	28.83	3	Vertical	72	2.49	-	40.48	11.70	44.53			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68781G	48.61	88.20	-39.59	40.96	3	Horizontal	57	2.17	-	40.48	11.70	44.53			
RMS	13.68837G	36.34	68.20	-31.86	28.69	3	Horizontal	57	2.17	-	40.48	11.70	44.53			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.522G	51.84	83.54	-31.70	41.71	1	Vertical	275	1.94	-	37.90	15.49	43.26			
AV	20.5535G	39.57	63.54	-23.97	29.42	1	Vertical	275	1.94	-	37.90	15.50	43.25			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.517G	51.29	83.54	-32.25	41.17	1	Horizontal	262	1.75	-	37.90	15.48	43.26			
AV	20.5449G	39.44	63.54	-24.10	29.29	1	Horizontal	262	1.75	-	37.90	15.50	43.25			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
Setting 75
03-C-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9105G	79.87	88.20	-8.33	72.23	3	Vertical	98	1.00	-	34.54	8.08	34.98			
RMS	5.925G	67.89	68.20	-0.31	60.19	3	Vertical	98	1.00	-	34.60	8.09	34.99			
PK	6.0215G	109.77	Inf	-Inf	101.84	3	Vertical	98	1.00	-	34.74	8.20	35.01			
RMS	5.9975G	98.21	Inf	-Inf	90.35	3	Vertical	98	1.00	-	34.70	8.17	35.01			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
Setting 75
03-C-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9245G	72.40	88.20	-15.80	64.70	3	Horizontal	30	1.80	-	34.60	8.09	34.99			
RMS	5.925G	61.00	68.20	-7.20	53.30	3	Horizontal	30	1.80	-	34.60	8.09	34.99			
PK	5.9965G	100.48	Inf	-Inf	92.62	3	Horizontal	30	1.80	-	34.70	8.17	35.01			
RMS	5.993G	90.13	Inf	-Inf	82.28	3	Horizontal	30	1.80	-	34.70	8.16	35.01			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
Setting 75
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9286G	51.40	74.00	-22.60	45.70	3	Vertical	310	1.76	-	39.24	11.80	45.34			
AV	11.9269G	39.48	54.00	-14.52	33.77	3	Vertical	310	1.76	-	39.25	11.80	45.34			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_X_1TX
Setting 75
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.92275G	48.30	74.00	-25.70	42.59	3	Horizontal	259	1.78	-	39.25	11.80	45.34			
AV	12.015G	36.22	54.00	-17.78	30.59	3	Horizontal	259	1.78	-	39.17	11.83	45.37			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT X_1TX
Setting 75
03-C-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.94976G	54.13	83.54	-29.41	39.85	1	Vertical	327	2.36	-	39.00	17.17	41.89			
AV	23.95088G	41.87	63.54	-21.67	27.59	1	Vertical	327	2.36	-	39.00	17.17	41.89			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT X_1TX
Setting 75
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93096G	53.98	83.54	-29.56	39.72	1	Horizontal	280	1.99	-	39.00	17.16	41.90			
AV	23.92488G	42.11	63.54	-21.43	27.86	1	Horizontal	280	1.99	-	39.00	17.15	41.90			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45046G	45.04	74.00	-28.96	40.04	3	Vertical	70	1.42	-	38.80	11.80	45.60			
AV	12.45031G	32.57	54.00	-21.43	27.57	3	Vertical	70	1.42	-	38.80	11.80	45.60			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45115G	44.92	74.00	-29.08	39.92	3	Horizontal	66	2.93	-	38.80	11.80	45.60			
AV	12.44796G	32.60	54.00	-21.40	27.60	3	Horizontal	66	2.93	-	38.80	11.80	45.60			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.65596G	52.06	83.54	-31.48	42.00	1	Vertical	308	1.80	-	37.90	20.62	48.46			
AV	18.65876G	39.71	63.54	-23.83	29.65	1	Vertical	308	1.80	-	37.90	20.62	48.46			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.69116G	52.16	83.54	-31.38	42.13	1	Horizontal	55	1.94	-	37.90	20.62	48.49			
AV	18.68148G	39.79	63.54	-23.75	29.75	1	Horizontal	55	1.94	-	37.90	20.62	48.48			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77081G	44.24	88.20	-43.96	38.76	3	Vertical	260	2.48	-	39.04	11.77	45.33			
RMS	12.76848G	32.15	68.20	-36.05	26.67	3	Vertical	260	2.48	-	39.04	11.77	45.33			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76959G	44.90	88.20	-43.30	39.42	3	Horizontal	305	1.23	-	39.04	11.77	45.33			
RMS	12.7698G	31.98	68.20	-36.22	26.50	3	Horizontal	305	1.23	-	39.04	11.77	45.33			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1759G	49.65	83.54	-33.89	39.81	1	Vertical	90	1.80	-	37.90	20.74	48.80			
AV	19.1694G	37.59	63.54	-25.95	27.73	1	Vertical	90	1.80	-	37.92	20.74	48.80			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1667G	49.49	83.54	-34.05	39.62	1	Horizontal	77	2.10	-	37.93	20.74	48.80			
AV	19.1695G	37.63	63.54	-25.91	27.77	1	Horizontal	77	2.10	-	37.92	20.74	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24198G	46.19	88.20	-42.01	39.35	3	Vertical	41	2.96	-	39.97	11.74	44.87			
RMS	13.24934G	33.63	68.20	-34.57	26.76	3	Vertical	41	2.96	-	40.00	11.74	44.87			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24882G	46.57	88.20	-41.63	39.70	3	Horizontal	180	2.98	-	40.00	11.74	44.87			
RMS	13.24841G	33.66	68.20	-34.54	26.80	3	Horizontal	180	2.98	-	39.99	11.74	44.87			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8572G	49.95	83.54	-33.59	40.40	1	Vertical	224	1.90	-	37.70	20.65	48.80			
AV	19.8563G	37.86	63.54	-25.68	28.31	1	Vertical	224	1.90	-	37.70	20.65	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8571G	50.55	83.54	-32.99	41.00	1	Horizontal	196	1.82	-	37.70	20.65	48.80			
AV	19.8533G	37.83	63.54	-25.71	28.27	1	Horizontal	196	1.82	-	37.70	20.66	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40994G	46.31	88.20	-41.89	39.10	3	Vertical	104	2.22	-	40.22	11.72	44.73			
RMS	13.41019G	34.30	68.20	-33.90	27.09	3	Vertical	104	2.22	-	40.22	11.72	44.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4109G	46.60	88.20	-41.60	39.39	3	Horizontal	333	1.17	-	40.22	11.72	44.73			
RMS	13.40982G	34.19	68.20	-34.01	26.98	3	Horizontal	333	1.17	-	40.22	11.72	44.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1282G	50.32	83.54	-33.22	40.51	1	Vertical	258	1.78	-	37.80	20.78	48.77			
AV	20.122G	38.38	63.54	-25.16	28.59	1	Vertical	258	1.78	-	37.80	20.77	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1311G	50.47	83.54	-33.07	40.65	1	Horizontal	313	1.93	-	37.80	20.79	48.77			
AV	20.1217G	38.43	63.54	-25.11	28.64	1	Horizontal	313	1.93	-	37.80	20.77	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57214G	46.08	88.20	-42.12	38.64	3	Vertical	177	2.91	-	40.34	11.71	44.61			
RMS	13.56954G	33.81	68.20	-34.39	26.37	3	Vertical	177	2.91	-	40.34	11.71	44.61			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56989G	46.77	88.20	-41.43	39.33	3	Horizontal	245	1.05	-	40.34	11.71	44.61			
RMS	13.57107G	34.01	68.20	-34.19	26.57	3	Horizontal	245	1.05	-	40.34	11.71	44.61			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3434G	52.85	83.54	-30.69	42.52	1	Vertical	30	1.71	-	37.89	21.17	48.73			
AV	20.3722G	40.50	63.54	-23.04	30.14	1	Vertical	30	1.71	-	37.86	21.23	48.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3566G	52.16	83.54	-31.38	41.80	1	Horizontal	133	1.83	-	37.89	21.20	48.73			
AV	20.3356G	40.76	63.54	-22.78	30.46	1	Horizontal	133	1.83	-	37.87	21.16	48.73			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
Setting 72
03-C-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9162G	81.91	88.20	-6.29	74.25	3	Vertical	97	1.76	-	34.56	8.08	34.98				
RMS	5.9098G	67.91	68.20	-0.29	60.27	3	Vertical	97	1.76	-	34.54	8.08	34.98				
PK	6.0002G	106.95	Inf	-Inf	99.09	3	Vertical	97	1.76	-	34.70	8.17	35.01				
RMS	6.0026G	95.71	Inf	-Inf	87.84	3	Vertical	97	1.76	-	34.71	8.17	35.01				

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
Setting 72
03-C-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9162G	75.48	88.20	-12.72	67.82	3	Horizontal	21	1.58	-	34.56	8.08	34.98			
RMS	5.9114G	62.69	68.20	-5.51	55.04	3	Horizontal	21	1.58	-	34.55	8.08	34.98			
PK	6.1018G	102.29	Inf	-Inf	94.00	3	Horizontal	21	1.58	-	35.00	8.32	35.03			
RMS	6.0826G	91.82	Inf	-Inf	83.63	3	Horizontal	21	1.58	-	34.93	8.29	35.03			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
Setting 72
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05222G	46.28	74.00	-27.72	40.75	3	Vertical	346	2.86	-	39.09	11.83	45.39			
AV	12.04984G	34.94	54.00	-19.06	29.40	3	Vertical	346	2.86	-	39.10	11.83	45.39			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_X_1TX
Setting 72
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04923G	46.37	74.00	-27.63	40.83	3	Horizontal	328	1.96	-	39.10	11.83	45.39			
AV	12.04784G	35.15	54.00	-18.85	29.61	3	Horizontal	328	1.96	-	39.10	11.83	45.39			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT X_1TX
Setting 72
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0531G	50.37	83.54	-33.17	40.85	1	Vertical	196	1.76	-	37.42	20.31	48.21			
AV	18.0869G	40.20	63.54	-23.34	30.47	1	Vertical	196	1.76	-	37.62	20.33	48.22			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT X_1TX
Setting 72
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0998G	50.49	83.54	-33.05	40.67	1	Horizontal	166	1.85	-	37.70	20.34	48.22			
AV	18.0695G	40.10	63.54	-23.44	30.47	1	Horizontal	166	1.85	-	37.52	20.32	48.21			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3679G	44.34	74.00	-29.66	39.30	3	Vertical	200	1.99	-	38.80	11.80	45.56			
AV	12.36896G	34.03	54.00	-19.97	28.99	3	Vertical	200	1.99	-	38.80	11.80	45.56			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3676G	44.49	74.00	-29.51	39.45	3	Horizontal	25	1.04	-	38.80	11.80	45.56			
AV	12.37019G	34.20	54.00	-19.80	29.16	3	Horizontal	25	1.04	-	38.80	11.80	45.56			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5307G	50.23	83.54	-33.31	40.16	1	Vertical	48	1.65	-	37.80	20.60	48.33			
AV	18.5329G	39.43	63.54	-24.11	29.36	1	Vertical	48	1.65	-	37.80	20.60	48.33			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5628G	50.12	83.54	-33.42	40.07	1	Horizontal	58	1.97	-	37.80	20.61	48.36			
AV	18.5447G	39.55	63.54	-23.99	29.49	1	Horizontal	58	1.97	-	37.80	20.60	48.34			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68875G	44.67	74.00	-29.33	39.41	3	Vertical	153	1.65	-	38.90	11.78	45.42			
AV	12.68819G	33.51	54.00	-20.49	28.25	3	Vertical	153	1.65	-	38.90	11.78	45.42			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68904G	45.23	74.00	-28.77	39.97	3	Horizontal	216	1.83	-	38.90	11.78	45.42			
AV	12.69134G	33.31	54.00	-20.69	28.05	3	Horizontal	216	1.83	-	38.90	11.78	45.42			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0237G	49.36	83.54	-34.18	39.55	1	Vertical	90	1.56	-	37.95	20.66	48.80			
AV	19.0307G	38.43	63.54	-25.11	28.62	1	Vertical	90	1.56	-	37.94	20.67	48.80			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0203G	49.24	83.54	-34.30	39.42	1	Horizontal	246	1.85	-	37.96	20.66	48.80			
AV	19.044G	38.49	63.54	-25.05	28.71	1	Horizontal	246	1.85	-	37.91	20.67	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32983G	46.41	74.00	-27.59	39.38	3	Vertical	78	1.54	-	40.10	11.73	44.80			
AV	13.33172G	35.60	54.00	-18.40	28.57	3	Vertical	78	1.54	-	40.10	11.73	44.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_X_1TX
Setting 108
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3309G	46.31	74.00	-27.69	39.28	3	Horizontal	61	1.82	-	40.10	11.73	44.80			
AV	13.33024G	35.49	54.00	-18.51	28.46	3	Horizontal	61	1.82	-	40.10	11.73	44.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0121G	49.09	83.54	-34.45	39.60	1	Vertical	267	1.67	-	37.72	20.57	48.80			
AV	20.0051G	39.02	63.54	-24.52	29.55	1	Vertical	267	1.67	-	37.71	20.56	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX



EUT X_1TX
Setting 108
03-C-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0175G	49.99	83.54	-33.55	40.48	1	Horizontal	314	2.07	-	37.73	20.58	48.80			
AV	19.9799G	38.93	63.54	-24.61	29.43	1	Horizontal	314	2.07	-	37.74	20.56	48.80			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	RMS	5.925G	67.85	68.20	-0.35	3	Horizontal	178	2.18	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 82
03-C-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9231G	61.33	88.20	-26.87	53.64	3	Vertical	179	1.80	-	34.59	8.09	34.99			
RMS	5.9245G	50.54	68.20	-17.66	42.84	3	Vertical	179	1.80	-	34.60	8.09	34.99			
PK	5.9464G	99.48	Inf	-Inf	91.67	3	Vertical	179	1.80	-	34.69	8.11	34.99			
RMS	5.948G	88.57	Inf	-Inf	80.75	3	Vertical	179	1.80	-	34.69	8.12	34.99			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
Setting 82
03-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	79.65	88.20	-8.55	71.95	3	Horizontal	178	2.18	-	34.60	8.09	34.99			
RMS	5.925G	67.85	68.20	-0.35	60.15	3	Horizontal	178	2.18	-	34.60	8.09	34.99			
PK	5.9587G	122.98	Inf	-Inf	115.15	3	Horizontal	178	2.18	-	34.70	8.13	35.00			
RMS	5.9562G	112.31	Inf	-Inf	104.49	3	Horizontal	178	2.18	-	34.70	8.12	35.00			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 82
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.91574G	54.00	74.00	-20.00	49.79	3	Vertical	130	2.11	-	39.27	10.88	45.94				
AV	11.91568G	42.55	54.00	-11.45	38.34	3	Vertical	130	2.11	-	39.27	10.88	45.94				
PK	17.865G	60.12	74.00	-13.88	47.43	3	Vertical	355	1.80	-	44.76	13.21	45.28				
AV	17.86494G	47.43	54.00	-6.57	34.74	3	Vertical	355	1.80	-	44.76	13.21	45.28				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 82
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91572G	60.01	74.00	-13.99	55.80	3	Horizontal	220	1.80	-	39.27	10.88	45.94			
AV	11.9159G	47.63	54.00	-6.37	43.42	3	Horizontal	220	1.80	-	39.27	10.88	45.94			
PK	17.86308G	56.17	74.00	-17.83	43.49	3	Horizontal	50	1.82	-	44.75	13.21	45.28			
AV	17.864G	44.44	54.00	-9.56	31.75	3	Horizontal	50	1.82	-	44.76	13.21	45.28			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_V_1TX
Setting 82
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81624G	60.11	83.54	-23.43	45.89	1	Vertical	46	1.80	-	38.90	22.99	47.67			
AV	23.81984G	46.64	63.54	-16.90	32.42	1	Vertical	46	1.80	-	38.90	22.99	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_V_1TX
Setting 82
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82612G	66.05	83.54	-17.49	51.83	1	Horizontal	47	1.80	-	38.90	22.99	47.67			
AV	23.82144G	52.83	63.54	-10.71	38.61	1	Horizontal	47	1.80	-	38.90	22.99	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39804G	57.94	74.00	-16.06	53.67	3	Vertical	134	1.06	-	38.80	11.03	45.56			
AV	12.3889G	45.10	54.00	-8.90	40.85	3	Vertical	134	1.06	-	38.80	11.02	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3889G	63.67	74.00	-10.33	59.42	3	Horizontal	236	1.74	-	38.80	11.02	45.57			
AV	12.38886G	50.88	54.00	-3.12	46.63	3	Horizontal	236	1.74	-	38.80	11.02	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.59312G	67.59	83.54	-15.95	57.70	1	Vertical	38	1.68	-	37.67	20.61	48.39			
AV	18.58324G	54.79	63.54	-8.75	44.93	1	Vertical	38	1.68	-	37.63	20.61	48.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58028G	62.19	83.54	-21.35	52.34	1	Horizontal	13	1.80	-	37.62	20.61	48.38			
AV	18.58028G	49.97	63.54	-13.57	40.12	1	Horizontal	13	1.80	-	37.62	20.61	48.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_V_1TX
Setting 108
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82468G	48.65	88.20	-39.55	44.11	3	Vertical	31	1.74	-	39.15	11.15	45.76			
RMS	12.83178G	35.94	68.20	-32.26	31.40	3	Vertical	31	1.74	-	39.16	11.15	45.77			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_V_1TX
Setting 108
03-W-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82938G	49.12	88.20	-39.08	44.57	3	Horizontal	129	1.80	-	39.16	11.15	45.76			
RMS	12.82874G	37.34	68.20	-30.86	32.79	3	Horizontal	129	1.80	-	39.16	11.15	45.76			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25084G	64.34	83.54	-19.20	54.47	1	Vertical	37	1.80	-	37.89	20.78	48.80			
AV	19.24476G	52.32	63.54	-11.22	42.47	1	Vertical	37	1.80	-	37.87	20.78	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24632G	65.47	83.54	-18.07	55.61	1	Horizontal	37	1.80	-	37.88	20.78	48.80			
AV	19.24688G	52.13	63.54	-11.41	42.27	1	Horizontal	37	1.80	-	37.88	20.78	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_V_1TX
Setting 108
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06616G	47.17	88.20	-41.03	42.22	3	Vertical	259	1.57	-	39.53	11.22	45.80			
RMS	13.07746G	34.68	68.20	-33.52	29.69	3	Vertical	259	1.57	-	39.55	11.22	45.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_V_1TX
Setting 108
03-W-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07842G	46.59	88.20	-41.61	41.59	3	Horizontal	238	2.73	-	39.56	11.22	45.78			
RMS	13.07972G	34.87	68.20	-33.33	29.86	3	Horizontal	238	2.73	-	39.56	11.22	45.77			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60496G	47.79	83.54	-35.75	38.17	1	Vertical	114	2.84	-	37.59	20.83	48.80			
AV	19.61316G	35.62	63.54	-27.92	26.02	1	Vertical	114	2.84	-	37.57	20.83	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6068G	47.73	83.54	-35.81	38.11	1	Horizontal	272	2.10	-	37.59	20.83	48.80			
AV	19.606G	35.15	63.54	-28.39	25.53	1	Horizontal	272	2.10	-	37.59	20.83	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_V_1TX
Setting 108
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39784G	47.96	74.00	-26.04	41.64	3	Vertical	94	2.27	-	40.20	11.32	45.20			
AV	13.38968G	35.86	54.00	-18.14	29.58	3	Vertical	94	2.27	-	40.18	11.31	45.21			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_V_1TX
Setting 108
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3855G	48.11	74.00	-25.89	41.85	3	Horizontal	0	1.04	-	40.17	11.31	45.22			
AV	13.39932G	35.92	54.00	-18.08	29.59	3	Horizontal	0	1.04	-	40.20	11.32	45.19			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08008G	46.26	83.54	-37.28	37.08	1	Vertical	51	2.12	-	37.26	20.70	48.78			
AV	20.08588G	34.26	63.54	-29.28	25.06	1	Vertical	51	2.12	-	37.27	20.71	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0888G	47.06	83.54	-36.48	37.85	1	Horizontal	15	2.39	-	37.28	20.71	48.78			
AV	20.08632G	34.29	63.54	-29.25	25.09	1	Horizontal	15	2.39	-	37.27	20.71	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_V_1TX
Setting 108
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71148G	48.10	88.20	-40.10	41.20	3	Vertical	159	2.92	-	40.55	11.41	45.06			
RMS	13.71436G	35.74	68.20	-32.46	28.83	3	Vertical	159	2.92	-	40.56	11.41	45.06			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_V_1TX
Setting 108
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71036G	47.70	88.20	-40.50	40.81	3	Horizontal	74	2.54	-	40.54	11.41	45.06			
RMS	13.71398G	35.60	68.20	-32.60	28.69	3	Horizontal	74	2.54	-	40.56	11.41	45.06			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56542G	48.34	83.54	-35.20	37.95	1	Vertical	79	1.39	-	37.56	21.53	48.70			
AV	20.56546G	36.43	63.54	-27.11	26.04	1	Vertical	79	1.39	-	37.56	21.53	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56544G	48.15	83.54	-35.39	37.76	1	Horizontal	248	1.57	-	37.56	21.53	48.70			
AV	20.56549G	36.07	63.54	-27.47	25.68	1	Horizontal	248	1.57	-	37.56	21.53	48.70			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 69
03-C-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9232G	62.84	88.20	-25.36	55.15	3	Vertical	185	1.96	-	34.59	8.09	34.99				
RMS	5.9248G	51.77	68.20	-16.43	44.07	3	Vertical	185	1.96	-	34.60	8.09	34.99				
PK	5.9476G	95.69	Inf	-Inf	87.88	3	Vertical	185	1.96	-	34.69	8.11	34.99				
RMS	5.9588G	85.21	Inf	-Inf	77.38	3	Vertical	185	1.96	-	34.70	8.13	35.00				

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Y_1TX
Setting 69
03-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	81.66	88.20	-6.54	73.96	3	Horizontal	179	1.50	-	34.60	8.09	34.99			
RMS	5.925G	67.68	68.20	-0.52	59.98	3	Horizontal	179	1.50	-	34.60	8.09	34.99			
PK	5.955G	116.30	Inf	-Inf	108.48	3	Horizontal	179	1.50	-	34.70	8.12	35.00			
RMS	5.9512G	105.95	Inf	-Inf	98.13	3	Horizontal	179	1.50	-	34.70	8.12	35.00			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_V_1TX
Setting 69
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.931G	49.84	74.00	-24.16	45.66	3	Vertical	123	1.00	-	39.24	10.89	45.95			
AV	11.93532G	36.58	54.00	-17.42	32.41	3	Vertical	123	1.00	-	39.23	10.89	45.95			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_V_1TX
Setting 69
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93604G	54.52	74.00	-19.48	50.35	3	Horizontal	240	1.80	-	39.23	10.89	45.95			
AV	11.93078G	41.04	54.00	-12.96	36.86	3	Horizontal	240	1.80	-	39.24	10.89	45.95			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_V_1TX
Setting 69
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86284G	49.58	83.54	-33.96	35.31	1	Vertical	127	1.23	-	38.90	23.02	47.65			
AV	23.85984G	37.09	63.54	-26.45	22.83	1	Vertical	127	1.23	-	38.90	23.02	47.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_V_1TX
Setting 69
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86768G	49.71	83.54	-33.83	35.44	1	Horizontal	39	1.15	-	38.90	23.02	47.65			
AV	23.86088G	36.94	63.54	-26.60	22.68	1	Horizontal	39	1.15	-	38.90	23.02	47.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40946G	51.14	74.00	-22.86	46.86	3	Vertical	136	1.00	-	38.80	11.03	45.55			
AV	12.40396G	38.76	54.00	-15.24	34.49	3	Vertical	136	1.00	-	38.80	11.03	45.56			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6205MHz_TX

EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40936G	58.67	74.00	-15.33	54.39	3	Horizontal	236	1.80	-	38.80	11.03	45.55			
AV	12.40862G	45.96	54.00	-8.04	41.68	3	Horizontal	236	1.80	-	38.80	11.03	45.55			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6078G	51.94	83.54	-31.60	42.06	1	Vertical	264	2.53	-	37.68	20.61	48.41			
AV	18.60748G	39.28	63.54	-24.26	29.39	1	Vertical	264	2.53	-	37.69	20.61	48.41			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60732G	51.74	83.54	-31.80	41.85	1	Horizontal	29	2.78	-	37.69	20.61	48.41			
AV	18.6076G	39.25	63.54	-24.29	29.37	1	Horizontal	29	2.78	-	37.68	20.61	48.41			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80008G	46.20	88.20	-42.00	41.70	3	Vertical	333	3.00	-	39.10	11.14	45.74			
RMS	12.81754G	34.50	68.20	-33.70	29.96	3	Vertical	333	3.00	-	39.14	11.15	45.75			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8068G	46.16	88.20	-42.04	41.65	3	Horizontal	7	1.06	-	39.11	11.14	45.74			
RMS	12.81884G	34.44	68.20	-33.76	29.90	3	Horizontal	7	1.06	-	39.14	11.15	45.75			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22136G	48.20	83.54	-35.34	38.50	1	Vertical	179	1.69	-	37.73	20.77	48.80			
AV	19.22208G	35.74	63.54	-27.80	26.04	1	Vertical	179	1.69	-	37.73	20.77	48.80			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22008G	47.53	83.54	-36.01	37.85	1	Horizontal	286	2.86	-	37.72	20.76	48.80			
AV	19.22344G	35.72	63.54	-27.82	26.01	1	Horizontal	286	2.86	-	37.74	20.77	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12534G	46.62	88.20	-41.58	41.47	3	Vertical	359	2.40	-	39.60	11.24	45.69			
RMS	13.1255G	35.09	68.20	-33.11	29.94	3	Vertical	359	2.40	-	39.60	11.24	45.69			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12326G	47.52	88.20	-40.68	42.38	3	Horizontal	36	1.99	-	39.60	11.24	45.70			
RMS	13.13028G	34.97	68.20	-33.23	29.81	3	Horizontal	36	1.99	-	39.60	11.24	45.68			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.68892G	47.96	83.54	-35.58	38.33	1	Vertical	255	2.16	-	37.66	20.77	48.80			
AV	19.69888G	35.83	63.54	-27.71	26.16	1	Vertical	255	2.16	-	37.70	20.77	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69372G	47.84	83.54	-35.70	38.20	1	Horizontal	66	1.34	-	37.67	20.77	48.80			
AV	19.69984G	35.84	63.54	-27.70	26.17	1	Horizontal	66	1.34	-	37.70	20.77	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37014G	47.40	74.00	-26.60	41.20	3	Vertical	247	2.06	-	40.14	11.31	45.25			
AV	13.37762G	35.77	54.00	-18.23	29.53	3	Vertical	247	2.06	-	40.16	11.31	45.23			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37968G	47.30	74.00	-26.70	41.06	3	Horizontal	183	1.78	-	40.16	11.31	45.23			
AV	13.362G	35.61	54.00	-18.39	29.45	3	Horizontal	183	1.78	-	40.12	11.30	45.26			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05676G	47.36	83.54	-36.18	38.29	1	Vertical	157	1.26	-	37.21	20.65	48.79			
AV	20.06348G	34.64	63.54	-28.90	25.53	1	Vertical	157	1.26	-	37.23	20.67	48.79			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05088G	47.03	83.54	-36.51	37.98	1	Horizontal	129	2.05	-	37.20	20.64	48.79			
AV	20.04676G	34.65	63.54	-28.89	25.59	1	Horizontal	129	2.05	-	37.21	20.64	48.79			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69024G	48.24	88.20	-39.96	41.41	3	Vertical	133	2.46	-	40.48	11.40	45.05			
RMS	13.69054G	35.55	68.20	-32.65	28.72	3	Vertical	133	2.46	-	40.48	11.40	45.05			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69018G	47.53	88.20	-40.67	40.70	3	Horizontal	114	2.27	-	40.48	11.40	45.05			
RMS	13.69042G	35.63	68.20	-32.57	28.80	3	Horizontal	114	2.27	-	40.48	11.40	45.05			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53552G	47.85	83.54	-35.69	37.52	1	Vertical	348	1.57	-	37.53	21.50	48.70			
AV	20.535472G	35.54	63.54	-28.00	25.21	1	Vertical	348	1.57	-	37.53	21.50	48.70			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53544G	47.85	83.54	-35.69	37.52	1	Horizontal	66	2.36	-	37.53	21.50	48.70			
AV	20.53512G	35.53	63.54	-28.01	25.20	1	Horizontal	66	2.36	-	37.53	21.50	48.70			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 67
03-C-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8985G	60.81	88.20	-27.39	53.24	3	Vertical	181	1.99	-	34.49	8.06	34.98			
RMS	5.925G	50.64	68.20	-17.56	42.94	3	Vertical	181	1.99	-	34.60	8.09	34.99			
PK	5.9555G	91.91	Inf	-Inf	84.09	3	Vertical	181	1.99	-	34.70	8.12	35.00			
RMS	5.9535G	81.38	Inf	-Inf	73.56	3	Vertical	181	1.99	-	34.70	8.12	35.00			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 67
03-C-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9245G	81.49	88.20	-6.71	73.79	3	Horizontal	178	1.93	-	34.60	8.09	34.99			
RMS	5.924G	67.75	68.20	-0.45	60.05	3	Horizontal	178	1.93	-	34.60	8.09	34.99			
PK	5.953G	113.41	Inf	-Inf	105.59	3	Horizontal	178	1.93	-	34.70	8.12	35.00			
RMS	5.9565G	102.55	Inf	-Inf	94.73	3	Horizontal	178	1.93	-	34.70	8.12	35.00			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 67
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.976G	46.31	74.00	-27.69	42.17	3	Vertical	182	1.36	-	39.20	10.90	45.96				
AV	11.975G	34.45	54.00	-19.55	30.31	3	Vertical	182	1.36	-	39.20	10.90	45.96				
PK	17.949G	51.20	74.00	-22.80	38.52	3	Vertical	187	2.20	-	44.70	13.25	45.27				
AV	17.96474G	38.36	54.00	-15.64	25.65	3	Vertical	187	2.20	-	44.73	13.25	45.27				

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 67
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97196G	46.36	74.00	-27.64	42.22	3	Horizontal	358	2.66	-	39.20	10.90	45.96			
AV	11.9624G	34.35	54.00	-19.65	30.21	3	Horizontal	358	2.66	-	39.20	10.90	45.96			
PK	17.9643G	50.75	74.00	-23.25	38.04	3	Horizontal	157	2.78	-	44.73	13.25	45.27			
AV	17.95944G	38.28	54.00	-15.72	25.58	3	Horizontal	157	2.78	-	44.72	13.25	45.27			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_V_1TX
Setting 67
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93528G	50.05	83.54	-33.49	35.64	1	Vertical	285	1.74	-	38.97	23.07	47.63			
AV	23.94304G	37.42	63.54	-26.12	22.97	1	Vertical	285	1.74	-	38.99	23.08	47.62			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_V_1TX
Setting 67
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9412G	49.53	83.54	-34.01	35.09	1	Horizontal	283	2.11	-	38.98	23.08	47.62			
AV	23.94416G	37.31	63.54	-26.23	22.86	1	Horizontal	283	2.11	-	38.99	23.08	47.62			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4573G	45.91	74.00	-28.09	41.57	3	Vertical	36	1.19	-	38.80	11.04	45.50			
AV	12.44102G	34.22	54.00	-19.78	29.90	3	Vertical	36	1.19	-	38.80	11.04	45.52			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45412G	46.50	74.00	-27.50	42.17	3	Horizontal	225	1.84	-	38.80	11.04	45.51			
AV	12.45066G	34.24	54.00	-19.76	29.91	3	Horizontal	225	1.84	-	38.80	11.04	45.51			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.68212G	51.77	83.54	-31.77	42.09	1	Vertical	178	1.96	-	37.54	20.62	48.48			
AV	18.68144G	38.85	63.54	-24.69	29.17	1	Vertical	178	1.96	-	37.54	20.62	48.48			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67204G	51.31	83.54	-32.23	41.60	1	Horizontal	177	1.60	-	37.56	20.62	48.47			
AV	18.68132G	39.02	63.54	-24.52	29.34	1	Horizontal	177	1.60	-	37.54	20.62	48.48			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.7657G	46.29	88.20	-41.91	41.83	3	Vertical	109	1.20	-	39.03	11.13	45.70			
RMS	12.76956G	34.33	68.20	-33.87	29.87	3	Vertical	109	1.20	-	39.04	11.13	45.71			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76364G	45.98	88.20	-42.22	41.52	3	Horizontal	206	2.85	-	39.03	11.13	45.70			
RMS	12.77598G	34.33	68.20	-33.87	29.85	3	Horizontal	206	2.85	-	39.05	11.14	45.71			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16032G	47.95	83.54	-35.59	38.26	1	Vertical	263	1.71	-	37.76	20.73	48.80			
AV	19.14716G	36.07	63.54	-27.47	26.35	1	Vertical	263	1.71	-	37.79	20.73	48.80			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15664G	49.04	83.54	-34.50	39.34	1	Horizontal	360	1.34	-	37.77	20.73	48.80			
AV	19.16192G	36.05	63.54	-27.49	26.37	1	Horizontal	360	1.34	-	37.75	20.73	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25082G	47.52	74.00	-26.48	41.71	3	Vertical	296	1.92	-	40.00	11.27	45.46			
AV	13.25502G	35.15	54.00	-18.85	29.33	3	Vertical	296	1.92	-	40.01	11.27	45.46			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25128G	47.34	74.00	-26.66	41.53	3	Horizontal	16	2.51	-	40.00	11.27	45.46			
AV	13.25074G	35.19	54.00	-18.81	29.38	3	Horizontal	16	2.51	-	40.00	11.27	45.46			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88036G	47.55	83.54	-35.99	38.13	1	Vertical	327	3.00	-	37.58	20.64	48.80			
AV	19.8728G	35.37	63.54	-28.17	25.92	1	Vertical	327	3.00	-	37.61	20.64	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87492G	48.00	83.54	-35.54	38.56	1	Horizontal	191	1.78	-	37.60	20.64	48.80			
AV	19.87168G	35.36	63.54	-28.18	25.91	1	Horizontal	191	1.78	-	37.61	20.64	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40972G	47.99	88.20	-40.21	41.62	3	Vertical	198	1.13	-	40.22	11.32	45.17			
RMS	13.4182G	35.93	68.20	-32.27	29.53	3	Vertical	198	1.13	-	40.24	11.32	45.16			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40576G	48.43	88.20	-39.77	42.08	3	Horizontal	62	2.05	-	40.21	11.32	45.18			
RMS	13.41026G	36.01	68.20	-32.19	29.64	3	Horizontal	62	2.05	-	40.22	11.32	45.17			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11708G	47.01	83.54	-36.53	37.73	1	Vertical	123	1.66	-	37.30	20.76	48.78			
AV	20.11988G	34.63	63.54	-28.91	25.34	1	Vertical	123	1.66	-	37.30	20.77	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.10732G	47.29	83.54	-36.25	38.02	1	Horizontal	130	1.36	-	37.30	20.75	48.78			
AV	20.11912G	34.72	63.54	-28.82	25.43	1	Horizontal	130	1.36	-	37.30	20.77	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57306G	48.61	88.20	-39.59	41.92	3	Vertical	58	1.41	-	40.35	11.37	45.03			
RMS	13.56994G	35.77	68.20	-32.43	29.09	3	Vertical	58	1.41	-	40.34	11.37	45.03			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57596G	47.77	88.20	-40.43	41.08	3	Horizontal	177	1.30	-	40.35	11.37	45.03			
RMS	13.57736G	35.72	68.20	-32.48	29.03	3	Horizontal	177	1.30	-	40.35	11.37	45.03			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35224G	47.66	83.54	-35.88	37.70	1	Vertical	314	2.63	-	37.50	21.19	48.73			
AV	20.34968G	35.67	63.54	-27.87	25.71	1	Vertical	314	2.63	-	37.50	21.19	48.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35428G	48.17	83.54	-35.37	38.21	1	Horizontal	134	2.68	-	37.50	21.19	48.73			
AV	20.35088G	35.74	63.54	-27.80	25.78	1	Horizontal	134	2.68	-	37.50	21.19	48.73			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 68
03-C-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.917G	60.77	88.20	-27.43	53.11	3	Vertical	140	1.80	-	34.57	8.08	34.99				
RMS	5.9146G	50.36	68.20	-17.84	42.70	3	Vertical	140	1.80	-	34.56	8.08	34.98				
PK	6.0394G	88.01	Inf	-Inf	80.02	3	Vertical	140	1.80	-	34.78	8.23	35.02				
RMS	6.0474G	79.24	Inf	-Inf	71.23	3	Vertical	140	1.80	-	34.79	8.24	35.02				

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 68
03-C-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9114G	81.23	88.20	-6.97	73.58	3	Horizontal	174	1.80	-	34.55	8.08	34.98			
RMS	5.9202G	67.39	68.20	-0.81	59.71	3	Horizontal	174	1.80	-	34.58	8.09	34.99			
PK	6.0474G	111.45	Inf	-Inf	103.44	3	Horizontal	174	1.80	-	34.79	8.24	35.02			
RMS	6.0514G	101.51	Inf	-Inf	93.47	3	Horizontal	174	1.80	-	34.81	8.25	35.02			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
Setting 68
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05672G	45.99	74.00	-28.01	41.90	3	Vertical	243	2.14	-	39.07	10.93	45.91			
AV	12.0423G	36.71	54.00	-17.29	32.60	3	Vertical	243	2.14	-	39.12	10.92	45.93			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
Setting 68
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04476G	46.49	74.00	-27.51	42.38	3	Horizontal	341	1.22	-	39.11	10.92	45.92			
AV	12.04938G	36.89	54.00	-17.11	32.79	3	Horizontal	341	1.22	-	39.10	10.92	45.92			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
Setting 68
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08212G	53.97	83.54	-29.57	44.61	1	Vertical	111	1.96	-	37.26	20.32	48.22			
AV	18.06752G	44.99	63.54	-18.55	35.65	1	Vertical	111	1.96	-	37.24	20.31	48.21			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
Setting 68
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08192G	58.69	83.54	-24.85	49.33	1	Horizontal	55	1.94	-	37.26	20.32	48.22			
AV	18.08344G	48.94	63.54	-14.60	39.56	1	Horizontal	55	1.94	-	37.27	20.33	48.22			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36046G	46.13	74.00	-27.87	41.92	3	Vertical	269	1.41	-	38.80	11.01	45.60			
AV	12.36822G	36.51	54.00	-17.49	32.28	3	Vertical	269	1.41	-	38.80	11.02	45.59			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37784G	46.20	74.00	-27.80	41.96	3	Horizontal	129	1.74	-	38.80	11.02	45.58			
AV	12.3795G	36.85	54.00	-17.15	32.61	3	Horizontal	129	1.74	-	38.80	11.02	45.58			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX



EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.56312G	59.60	83.54	-23.94	49.80	1	Vertical	35	1.62	-	37.55	20.61	48.36			
AV	18.56312G	50.33	63.54	-13.21	40.53	1	Vertical	35	1.62	-	37.55	20.61	48.36			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.56212G	58.67	83.54	-24.87	48.87	1	Horizontal	50	1.81	-	37.55	20.61	48.36			
AV	18.55312G	49.31	63.54	-14.23	39.54	1	Horizontal	50	1.81	-	37.51	20.61	48.35			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69144G	46.09	74.00	-27.91	41.72	3	Vertical	349	1.90	-	38.90	11.11	45.64			
AV	12.69414G	36.34	54.00	-17.66	31.97	3	Vertical	349	1.90	-	38.90	11.11	45.64			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69806G	46.35	74.00	-27.65	41.98	3	Horizontal	69	2.04	-	38.90	11.11	45.64			
AV	12.69488G	36.44	54.00	-17.56	32.07	3	Horizontal	69	2.04	-	38.90	11.11	45.64			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03552G	47.98	83.54	-35.56	38.34	1	Vertical	317	1.40	-	37.77	20.67	48.80			
AV	19.0336G	38.65	63.54	-24.89	29.01	1	Vertical	317	1.40	-	37.77	20.67	48.80			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0278G	48.72	83.54	-34.82	39.10	1	Horizontal	208	1.35	-	37.76	20.66	48.80			
AV	19.025G	38.65	63.54	-24.89	29.04	1	Horizontal	208	1.35	-	37.75	20.66	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32358G	47.47	74.00	-26.53	41.41	3	Vertical	49	2.62	-	40.10	11.29	45.33			
AV	13.32422G	37.84	54.00	-16.16	31.78	3	Vertical	49	2.62	-	40.10	11.29	45.33			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 108
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32512G	47.59	74.00	-26.41	41.53	3	Horizontal	28	1.08	-	40.10	11.29	45.33			
AV	13.32314G	38.19	54.00	-15.81	32.13	3	Horizontal	28	1.08	-	40.10	11.29	45.33			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9898G	47.01	83.54	-36.53	37.81	1	Vertical	141	1.16	-	37.44	20.56	48.80			
AV	19.9998G	38.08	63.54	-25.46	28.93	1	Vertical	141	1.16	-	37.40	20.55	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX



EUT_V_1TX
Setting 108
03-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99568G	47.15	83.54	-36.39	37.98	1	Horizontal	119	2.82	-	37.42	20.55	48.80			
AV	19.99012G	38.11	63.54	-25.43	28.91	1	Horizontal	119	2.82	-	37.44	20.56	48.80			


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

25/08/2025

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.958324G	5.19	5.9729G	-22.14	-15.13	-7.01	1
5.957199G	5.48	5.973875G	-21.77	-14.75	-7.02	2
5.959924G	6.06	5.972375G	-19.64	-14.12	-5.52	3
5.950976G	5.75	5.936325G	-21.73	-14.30	-7.43	4


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

25/08/2025

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.196175G	13.81	6.239325G	-14.56	-6.21	-8.35	1
6.19605G	13.18	6.23805G	-14.78	-6.84	-7.94	2
6.190701G	14.17	6.2346G	-14.11	-5.86	-8.25	3
6.198349G	13.96	6.151325G	-14.67	-6.12	-8.55	4

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

26/08/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.415925G	5.66	6.39565G	-20.60	-14.36	-6.24	1
6.409976G	6.11	6.39555G	-20.55	-13.96	-6.59	2
6.417649G	6.09	6.39425G	-21.14	-14.06	-7.08	3
6.408827G	6.31	6.397G	-19.77	-13.69	-6.08	4

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

26/08/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.536275G	5.73	6.55205G	-22.01	-15.47	-6.54	1
6.531076G	5.57	6.5525G	-19.76	-15.01	-4.75	2
6.539999G	5.98	6.552075G	-20.93	-14.21	-6.72	3
6.541173G	5.57	6.55185G	-21.66	-14.48	-7.18	4

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

25/08/2025




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

25/08/2025




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

25/08/2025




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

25/08/2025




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

26/08/2025




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

26/08/2025




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

25/08/2025




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

25/08/2025




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

25/08/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9967G	0.53	6.0271G	-27.82	-19.51	-8.31	1
5.9956G	0.36	6.0267G	-27.29	-19.68	-7.61	2
6.0008G	0.92	6.0269G	-27.35	-19.10	-8.25	3
5.9982G	0.64	6.0268G	-27.78	-19.40	-8.38	4


5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

25/08/2025

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2375G	9.39	6.1261G	-18.60	-10.63	-7.97	1
6.2132G	8.69	6.1195G	-20.66	-11.43	-9.23	2
6.2118G	9.25	6.1318G	-17.38	-10.78	-6.60	3
6.2138G	8.99	6.1347G	-17.79	-11.02	-6.77	4

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

26/08/2025

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3729G	8.68	6.2953G	-18.75	-11.56	-7.19	1
6.3712G	8.24	6.2934G	-19.34	-11.78	-7.56	2
6.3989G	8.24	6.4638G	-17.17	-11.76	-5.41	3
6.3742G	8.52	6.3031G	-19.02	-11.55	-7.47	4

Port 1

Port 2

Port 3

Port 4

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

25/08/2025

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6168G	9.53	6.7333G	-19.37	-10.50	-8.87	1
6.6115G	8.71	6.7326G	-19.34	-11.35	-7.99	2
6.6132G	10.27	6.7686G	-16.78	-9.80	-6.98	3
6.59541G	9.38	6.728G	-18.38	-10.62	-7.76	4

Port 1

Port 2

Port 3


Port 4

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

25/08/2025




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

25/08/2025




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

25/08/2025




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

25/08/2025




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

25/08/2025

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32221G	6.84	6.4914G	-20.07	-13.31	-6.76	1
6.31921G	6.45	6.5036G	-22.21	-13.55	-8.66	2
6.32021G	6.15	6.1886G	-20.93	-13.88	-7.05	3
6.31941G	6.58	6.1866G	-21.81	-13.45	-8.36	4


6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

25/08/2025

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64001G	5.37	6.824G	-24.06	-14.63	-9.43	1
6.63741G	5.08	6.5054G	-23.46	-14.99	-8.47	2
6.64081G	5.49	6.8228G	-21.70	-14.84	-6.86	3
6.69239G	5.79	6.8108G	-21.52	-14.60	-6.92	4

5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

17/09/2025




5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

17/09/2025




5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

18/09/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.412426G	5.75	6.39855G	-21.23	-14.34	-6.89	1
6.413675G	5.60	6.394775G	-21.53	-14.47	-7.06	2
6.417074G	6.01	6.395525G	-21.08	-14.09	-6.99	3
6.414125G	5.80	6.39395G	-21.95	-14.48	-7.47	4

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

18/09/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.539574G	5.21	6.517925G	-21.44	-15.12	-6.32	1
6.53345G	5.62	6.51535G	-21.66	-14.43	-7.23	2
6.53555G	6.23	6.5547G	-21.51	-14.52	-6.99	3
6.536375G	5.71	6.514325G	-21.88	-14.35	-7.53	4

6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

17/09/2025




6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

17/09/2025




5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

17/09/2025




5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

17/09/2025




5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

18/09/2025




6.525-6.875GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

18/09/2025




6.525-6.875GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

17/09/2025




6.525-6.875GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

17/09/2025




5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

17/09/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.001G	2.66	5.9424G	-24.24	-17.45	-6.79	1
5.9974G	3.31	6.0483G	-25.18	-17.20	-7.98	2
6G	3.43	6.0274G	-22.68	-16.58	-6.10	3
5.9963G	2.66	6.1189G	-44.57	-37.32	-7.25	4

5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

17/09/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2125G	8.65	6.1308G	-19.24	-11.36	-7.88	1
6.2346G	8.99	6.3218G	-18.94	-11.49	-7.45	2
6.2135G	9.24	6.3165G	-19.77	-10.80	-8.97	3
6.212G	8.66	6.1416G	-16.84	-11.57	-5.27	4

5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

18/09/2025




6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

17/09/2025




6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

17/09/2025




6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

17/09/2025




5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

18/09/2025



5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

18/09/2025

