


# 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## 7005MHz\_TnomVnom




EUT X\_1TX  
Setting 100  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.9906G      | 110.65            | Inf               | -Inf           | 101.41        | 3           | Vertical  | 88             | 1.68          | -       | 36.64      | 5.89       | 33.29      |  |
| RMS  | 7.0026G      | 99.97             | Inf               | -Inf           | 90.75         | 3           | Vertical  | 88             | 1.68          | -       | 36.61      | 5.90       | 33.29      |  |
| PK   | 7.125G       | 72.17             | 88.20             | -16.03         | 62.75         | 3           | Vertical  | 88             | 1.68          | -       | 36.90      | 5.96       | 33.44      |  |
| RMS  | 7.125G       | 60.02             | 68.20             | -8.18          | 50.60         | 3           | Vertical  | 88             | 1.68          | -       | 36.90      | 5.96       | 33.44      |  |

# 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## 7005MHz\_TnomVnom




EUT X\_1TX  
Setting 100  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.993G       | 117.45            | Inf               | -Inf           | 108.22        | 3           | Horizontal | 63             | 1.47          | -       | 36.63      | 5.89       | 33.29      |  |
| RMS  | 7.0074G      | 106.18            | Inf               | -Inf           | 96.95         | 3           | Horizontal | 63             | 1.47          | -       | 36.63      | 5.90       | 33.30      |  |
| PK   | 7.1266G      | 76.23             | 88.20             | -11.97         | 66.80         | 3           | Horizontal | 63             | 1.47          | -       | 36.91      | 5.96       | 33.44      |  |
| RMS  | 7.125G       | 65.02             | 68.20             | -3.18          | 55.60         | 3           | Horizontal | 63             | 1.47          | -       | 36.90      | 5.96       | 33.44      |  |

# 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## 7005MHz\_TnomVnom




EUT\_X\_1TX  
Setting 100  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.01156G    | 65.21             | 88.20             | -22.99         | 50.64         | 3           | Vertical  | 4              | 1.80          | -       | 40.90      | 8.60       | 34.93      |  |
| RMS  | 14.01072G    | 52.94             | 68.20             | -15.26         | 38.37         | 3           | Vertical  | 4              | 1.80          | -       | 40.90      | 8.60       | 34.93      |  |

# 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## 7005MHz\_TnomVnom




EUT\_X\_1TX  
Setting 100  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.00868G    | 63.10             | 88.20             | -25.10         | 48.53         | 3           | Horizontal | 278            | 1.80          | -       | 40.90      | 8.60       | 34.93      |  |
| RMS  | 14.00988G    | 50.99             | 68.20             | -17.21         | 36.42         | 3           | Horizontal | 278            | 1.80          | -       | 40.90      | 8.60       | 34.93      |  |

# 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## 7005MHz\_TnomVnom




EUT\_X\_1TX  
Setting 100  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.0102G     | 53.59             | 83.54             | -29.95         | 49.74         | 1           | Vertical  | 333            | 1.64          | -       | 37.60      | 15.95      | 49.70      |
| AV   | 21.01708G    | 41.95             | 63.54             | -21.59         | 38.09         | 1           | Vertical  | 333            | 1.64          | -       | 37.60      | 15.96      | 49.70      |

# 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## 7005MHz\_TnomVnom




EUT X\_1TX  
Setting 100  
04-D-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 21.02252G | 53.91    | 83.54    | -29.63 | 50.05  | 1    | Horizontal | 32      | 1.60   | -       | 37.60 | 15.96 | 49.70 |  |
| AV   | 21.01788G | 42.46    | 63.54    | -21.08 | 38.60  | 1    | Horizontal | 32      | 1.60   | -       | 37.60 | 15.96 | 49.70 |  |

# 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## 7085MHz\_TnomVnom




EUT X\_1TX  
Setting 74  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.0698G      | 107.98            | Inf               | -Inf           | 98.66         | 3           | Vertical  | 87             | 1.66          | -       | 36.76      | 5.93       | 33.37      |  |
| RMS  | 7.0778G      | 96.64             | Inf               | -Inf           | 87.34         | 3           | Vertical  | 87             | 1.66          | -       | 36.74      | 5.94       | 33.38      |  |
| PK   | 7.125G       | 74.39             | 88.20             | -13.81         | 64.97         | 3           | Vertical  | 87             | 1.66          | -       | 36.90      | 5.96       | 33.44      |  |
| RMS  | 7.125G       | 61.27             | 68.20             | -6.93          | 51.85         | 3           | Vertical  | 87             | 1.66          | -       | 36.90      | 5.96       | 33.44      |  |

# 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## 7085MHz\_TnomVnom




EUT X\_1TX  
Setting 74  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.0878G      | 113.22            | Inf               | -Inf           | 103.96        | 3           | Horizontal | 52             | 2.14          | -       | 36.72      | 5.94       | 33.40      |  |
| RMS  | 7.0774G      | 102.65            | Inf               | -Inf           | 93.34         | 3           | Horizontal | 52             | 2.14          | -       | 36.75      | 5.94       | 33.38      |  |
| PK   | 7.125G       | 82.49             | 88.20             | -5.71          | 73.07         | 3           | Horizontal | 52             | 2.14          | -       | 36.90      | 5.96       | 33.44      |  |
| RMS  | 7.125G       | 67.75             | 68.20             | -0.45          | 58.33         | 3           | Horizontal | 52             | 2.14          | -       | 36.90      | 5.96       | 33.44      |  |

# 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## 7085MHz\_TnomVnom




EUT\_X\_1TX  
Setting 74  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.17144G    | 64.28             | 88.20             | -23.92         | 49.71         | 3           | Vertical  | 7              | 1.80          | -       | 40.83      | 8.64       | 34.90      |  |
| RMS  | 14.17492G    | 50.97             | 68.20             | -17.23         | 36.40         | 3           | Vertical  | 7              | 1.80          | -       | 40.83      | 8.64       | 34.90      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7085MHz\_TnomVnom




EUT\_X\_1TX  
Setting 74  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.19496G    | 61.36             | 88.20             | -26.84         | 46.79         | 3           | Horizontal | 289            | 1.80          | -       | 40.81      | 8.65       | 34.89      |  |
| RMS  | 14.1676G     | 48.64             | 68.20             | -19.56         | 34.07         | 3           | Horizontal | 289            | 1.80          | -       | 40.83      | 8.64       | 34.90      |  |

# 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## 7085MHz\_TnomVnom




EUT\_X\_1TX  
Setting 74  
04-D-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 21.25692G | 51.61    | 83.54    | -31.93 | 47.58  | 1    | Vertical  | 332     | 1.75   | -       | 37.61 | 16.07 | 49.65 |
| AV   | 21.26556G | 42.25    | 63.54    | -21.29 | 38.21  | 1    | Vertical  | 332     | 1.75   | -       | 37.62 | 16.07 | 49.65 |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7085MHz\_TnomVnom




EUT X\_1TX  
Setting 74  
04-D-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 21.26812G | 50.71    | 83.54    | -32.83 | 46.67  | 1    | Horizontal | 48      | 1.57   | -       | 37.62 | 16.07 | 49.65 |
| AV   | 21.2558G  | 41.05    | 63.54    | -22.49 | 37.02  | 1    | Horizontal | 48      | 1.57   | -       | 37.61 | 16.07 | 49.65 |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 5985MHz\_TnomVnom




EUT X\_1TX  
Setting 80  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.925G       | 75.20             | 88.20             | -13.00         | 68.14         | 3           | Vertical  | 357            | 1.69          | -       | 35.05      | 5.36       | 33.35      |  |
| RMS  | 5.925G       | 63.37             | 68.20             | -4.83          | 56.31         | 3           | Vertical  | 357            | 1.69          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 5.9562G      | 105.42            | Inf               | -Inf           | 98.18         | 3           | Vertical  | 357            | 1.69          | -       | 35.22      | 5.38       | 33.36      |  |
| RMS  | 5.9714G      | 94.22             | Inf               | -Inf           | 86.91         | 3           | Vertical  | 357            | 1.69          | -       | 35.29      | 5.39       | 33.37      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 5985MHz\_TnomVnom




EUT X\_1TX  
Setting 80  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.925G       | 79.36             | 88.20             | -8.84          | 72.30         | 3           | Horizontal | 58             | 2.72          | -       | 35.05      | 5.36       | 33.35      |  |
| RMS  | 5.925G       | 67.21             | 68.20             | -0.99          | 60.15         | 3           | Horizontal | 58             | 2.72          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 5.9786G      | 110.62            | Inf               | -Inf           | 103.29        | 3           | Horizontal | 58             | 2.72          | -       | 35.31      | 5.39       | 33.37      |  |
| RMS  | 5.9738G      | 98.66             | Inf               | -Inf           | 91.34         | 3           | Horizontal | 58             | 2.72          | -       | 35.30      | 5.39       | 33.37      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5985MHz\_TnomVnom




EUT X\_1TX  
Setting 80  
04-D-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.97136G    | 55.60             | 74.00             | -18.40         | 42.57         | 3           | Vertical  | 16             | 2.31          | -       | 38.99      | 8.98       | 34.94      |  |
| AV   | 11.97402G    | 43.16             | 54.00             | -10.84         | 30.14         | 3           | Vertical  | 16             | 2.31          | -       | 38.98      | 8.98       | 34.94      |  |
| PK   | 17.9565G     | 62.20             | 74.00             | -11.80         | 45.18         | 3           | Vertical  | 130            | 2.86          | -       | 42.06      | 9.78       | 34.82      |  |
| AV   | 17.95436G    | 49.98             | 54.00             | -4.02          | 32.97         | 3           | Vertical  | 130            | 2.86          | -       | 42.05      | 9.78       | 34.82      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 5985MHz\_TnomVnom




EUT X\_1TX  
Setting 80  
04-D-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.97262G    | 55.57             | 74.00             | -18.43         | 42.55         | 3           | Horizontal | 180            | 2.63          | -       | 38.98      | 8.98       | 34.94      |  |
| AV   | 11.96772G    | 42.99             | 54.00             | -11.01         | 29.95         | 3           | Horizontal | 180            | 2.63          | -       | 39.00      | 8.98       | 34.94      |  |
| PK   | 17.95004G    | 61.96             | 74.00             | -12.04         | 44.94         | 3           | Horizontal | 207            | 2.03          | -       | 42.05      | 9.78       | 34.81      |  |
| AV   | 17.95328G    | 50.07             | 54.00             | -3.93          | 33.06         | 3           | Horizontal | 207            | 2.03          | -       | 42.05      | 9.78       | 34.82      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6145MHz\_TnomVnom




EUT X\_1TX  
Setting 104  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9146G      | 69.84             | 88.20             | -18.36         | 62.84         | 3           | Vertical  | 28             | 1.56          | -       | 34.99      | 5.36       | 33.35      |  |
| RMS  | 5.9242G      | 59.08             | 68.20             | -9.12          | 52.02         | 3           | Vertical  | 28             | 1.56          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.1246G      | 110.78            | Inf               | -Inf           | 103.11        | 3           | Vertical  | 28             | 1.56          | -       | 35.45      | 5.52       | 33.30      |  |
| RMS  | 6.1198G      | 99.87             | Inf               | -Inf           | 92.19         | 3           | Vertical  | 28             | 1.56          | -       | 35.46      | 5.52       | 33.30      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6145MHz\_TnomVnom




EUT X\_1TX  
Setting 104  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.925G       | 73.36             | 88.20             | -14.84         | 66.30         | 3           | Horizontal | 56             | 2.68          | -       | 35.05      | 5.36       | 33.35      |
| RMS  | 5.9206G      | 61.42             | 68.20             | -6.78          | 54.39         | 3           | Horizontal | 56             | 2.68          | -       | 35.02      | 5.36       | 33.35      |
| PK   | 6.139G       | 114.48            | Inf               | -Inf           | 106.81        | 3           | Horizontal | 56             | 2.68          | -       | 35.42      | 5.54       | 33.29      |
| RMS  | 6.1354G      | 104.65            | Inf               | -Inf           | 96.97         | 3           | Horizontal | 56             | 2.68          | -       | 35.43      | 5.54       | 33.29      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6145MHz\_TnomVnom




EUT\_X\_1TX  
Setting 104  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.29136G    | 55.30             | 74.00             | -18.70         | 42.51         | 3           | Vertical  | 161            | 2.04          | -       | 38.71      | 8.94       | 34.86      |
| AV   | 12.28638G    | 42.94             | 54.00             | -11.06         | 30.15         | 3           | Vertical  | 161            | 2.04          | -       | 38.71      | 8.94       | 34.86      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6145MHz\_TnomVnom




EUT\_X\_1TX  
Setting 104  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.28562G    | 56.05             | 74.00             | -17.95         | 43.26         | 3           | Horizontal | 347            | 1.83          | -       | 38.71      | 8.94       | 34.86      |
| AV   | 12.29022G    | 42.68             | 54.00             | -11.32         | 29.89         | 3           | Horizontal | 347            | 1.83          | -       | 38.71      | 8.94       | 34.86      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6145MHz\_TnomVnom




EUT X\_1TX  
Setting 104  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 18.4232G     | 54.69             | 83.54             | -28.85         | 52.24         | 1           | Vertical  | 299            | 1.66          | -       | 37.71      | 14.87      | 50.13      |  |
| AV   | 18.4154G     | 42.92             | 63.54             | -20.62         | 40.48         | 1           | Vertical  | 299            | 1.66          | -       | 37.70      | 14.87      | 50.13      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6145MHz\_TnomVnom




EUT\_X\_1TX  
Setting 104  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 18.4112G     | 54.21             | 83.54             | -29.33         | 51.80         | 1           | Horizontal | 22             | 1.48          | -       | 37.69      | 14.86      | 50.14      |  |
| AV   | 18.4054G     | 42.82             | 63.54             | -20.72         | 40.41         | 1           | Horizontal | 22             | 1.48          | -       | 37.69      | 14.86      | 50.14      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6145MHz\_TnomVnom




EUT\_X\_1TX  
Setting 92  
04-D-C-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 18.407G  | 76.51    | 83.54    | -7.03  | 74.10  | 1    | Horizontal | 22      | 1.48   | -       | 37.69 | 14.86 | 50.14 |
| AV   | 18.4052G | 64.44    | 63.54    | 0.90   | 62.03  | 1    | Horizontal | 22      | 1.48   | -       | 37.69 | 14.86 | 50.14 |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6385MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.923G       | 61.44             | 88.20             | -26.76         | 54.39         | 3           | Vertical  | 37             | 2.05          | -       | 35.04      | 5.36       | 33.35      |  |
| RMS  | 5.925G       | 51.16             | 68.20             | -17.04         | 44.10         | 3           | Vertical  | 37             | 2.05          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.3696G      | 110.73            | Inf               | -Inf           | 102.54        | 3           | Vertical  | 37             | 2.05          | -       | 35.64      | 5.68       | 33.13      |  |
| RMS  | 6.3784G      | 99.98             | Inf               | -Inf           | 91.75         | 3           | Vertical  | 37             | 2.05          | -       | 35.66      | 5.69       | 33.12      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6385MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9076G      | 66.47             | 88.20             | -21.73         | 59.51         | 3           | Horizontal | 57             | 1.64          | -       | 34.95      | 5.35       | 33.34      |
| RMS  | 5.9142G      | 54.93             | 68.20             | -13.27         | 47.93         | 3           | Horizontal | 57             | 1.64          | -       | 34.99      | 5.36       | 33.35      |
| PK   | 6.3938G      | 115.73            | Inf               | -Inf           | 107.45        | 3           | Horizontal | 57             | 1.64          | -       | 35.69      | 5.70       | 33.11      |
| RMS  | 6.3784G      | 105.83            | Inf               | -Inf           | 97.60         | 3           | Horizontal | 57             | 1.64          | -       | 35.66      | 5.69       | 33.12      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6385MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.77474G    | 55.95             | 88.20             | -32.25         | 42.48         | 3           | Vertical  | 322            | 2.97          | -       | 39.37      | 8.85       | 34.75      |
| RMS  | 12.77106G    | 42.95             | 68.20             | -25.25         | 29.48         | 3           | Vertical  | 322            | 2.97          | -       | 39.37      | 8.85       | 34.75      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6385MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.76998G    | 55.71             | 88.20             | -32.49         | 42.24         | 3           | Horizontal | 129            | 2.98          | -       | 39.37      | 8.85       | 34.75      |
| RMS  | 12.76636G    | 42.99             | 68.20             | -25.21         | 29.52         | 3           | Horizontal | 129            | 2.98          | -       | 39.37      | 8.85       | 34.75      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6385MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 19.1446G     | 51.88             | 83.54             | -31.66         | 48.52         | 1           | Vertical  | 22             | 1.60          | -       | 37.83      | 15.16      | 49.63      |  |
| AV   | 19.1362G     | 40.40             | 63.54             | -23.14         | 37.04         | 1           | Vertical  | 22             | 1.60          | -       | 37.84      | 15.15      | 49.63      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6385MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.133G      | 55.58             | 83.54             | -27.96         | 52.22         | 1           | Horizontal | 316            | 1.60          | -       | 37.84      | 15.15      | 49.63      |
| AV   | 19.1446G     | 43.45             | 63.54             | -20.09         | 40.09         | 1           | Horizontal | 316            | 1.60          | -       | 37.83      | 15.16      | 49.63      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6465MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9034G      | 61.20             | 88.20             | -27.00         | 54.27         | 3           | Vertical  | 38             | 1.86          | -       | 34.92      | 5.35       | 33.34      |  |
| RMS  | 5.9178G      | 50.17             | 68.20             | -18.03         | 43.15         | 3           | Vertical  | 38             | 1.86          | -       | 35.01      | 5.36       | 33.35      |  |
| PK   | 6.4266G      | 109.33            | Inf               | -Inf           | 101.07        | 3           | Vertical  | 38             | 1.86          | -       | 35.65      | 5.70       | 33.09      |  |
| RMS  | 6.4506G      | 99.30             | Inf               | -Inf           | 91.07         | 3           | Vertical  | 38             | 1.86          | -       | 35.60      | 5.70       | 33.07      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6465MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.8986G      | 65.36             | 88.20             | -22.84         | 58.45         | 3           | Horizontal | 56             | 1.70          | -       | 34.90      | 5.35       | 33.34      |  |
| RMS  | 5.9154G      | 53.75             | 68.20             | -14.45         | 46.75         | 3           | Horizontal | 56             | 1.70          | -       | 34.99      | 5.36       | 33.35      |  |
| PK   | 6.4818G      | 117.06            | Inf               | -Inf           | 108.68        | 3           | Horizontal | 56             | 1.70          | -       | 35.73      | 5.70       | 33.05      |  |
| RMS  | 6.4818G      | 106.09            | Inf               | -Inf           | 97.71         | 3           | Horizontal | 56             | 1.70          | -       | 35.73      | 5.70       | 33.05      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6465MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.93296G    | 55.15             | 88.20             | -33.05         | 41.48         | 3           | Vertical  | 242            | 2.34          | -       | 39.57      | 8.81       | 34.71      |
| RMS  | 12.92666G    | 43.12             | 68.20             | -25.08         | 29.47         | 3           | Vertical  | 242            | 2.34          | -       | 39.55      | 8.81       | 34.71      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6465MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.93166G    | 55.59             | 88.20             | -32.61         | 41.93         | 3           | Horizontal | 344            | 2.34          | -       | 39.56      | 8.81       | 34.71      |
| RMS  | 12.93262G    | 43.07             | 68.20             | -25.13         | 29.40         | 3           | Horizontal | 344            | 2.34          | -       | 39.57      | 8.81       | 34.71      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6465MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.39492G    | 56.49             | 83.54             | -27.05         | 53.09         | 1           | Vertical  | 278            | 1.56          | -       | 37.82      | 15.26      | 49.68      |
| AV   | 19.39544G    | 44.44             | 63.54             | -19.10         | 41.04         | 1           | Vertical  | 278            | 1.56          | -       | 37.82      | 15.26      | 49.68      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6465MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.39368G    | 56.32             | 83.54             | -27.22         | 52.93         | 1           | Horizontal | 4              | 1.55          | -       | 37.81      | 15.26      | 49.68      |
| AV   | 19.39882G    | 44.61             | 63.54             | -18.93         | 41.21         | 1           | Horizontal | 4              | 1.55          | -       | 37.82      | 15.26      | 49.68      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8814G      | 59.36             | 88.20             | -28.84         | 52.49         | 3           | Vertical  | 37             | 1.96          | -       | 34.86      | 5.34       | 33.33      |
| RMS  | 5.9234G      | 49.54             | 68.20             | -18.66         | 42.49         | 3           | Vertical  | 37             | 1.96          | -       | 35.04      | 5.36       | 33.35      |
| PK   | 6.5086G      | 110.28            | Inf               | -Inf           | 101.79        | 3           | Vertical  | 37             | 1.96          | -       | 35.83      | 5.70       | 33.04      |
| RMS  | 6.5534G      | 100.16            | Inf               | -Inf           | 91.52         | 3           | Vertical  | 37             | 1.96          | -       | 36.01      | 5.70       | 33.07      |
| PK   | 7.1554G      | 62.84             | 88.20             | -25.36         | 53.22         | 3           | Vertical  | 37             | 1.96          | -       | 37.12      | 5.98       | 33.48      |
| RMS  | 7.1274G      | 52.27             | 68.20             | -15.93         | 42.83         | 3           | Vertical  | 37             | 1.96          | -       | 36.92      | 5.96       | 33.44      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9122G      | 62.72             | 88.20             | -25.48         | 55.73         | 3           | Horizontal | 55             | 2.26          | -       | 34.97      | 5.36       | 33.34      |
| RMS  | 5.9122G      | 52.34             | 68.20             | -15.86         | 45.35         | 3           | Horizontal | 55             | 2.26          | -       | 34.97      | 5.36       | 33.34      |
| PK   | 6.5618G      | 116.60            | Inf               | -Inf           | 107.95        | 3           | Horizontal | 55             | 2.26          | -       | 36.02      | 5.70       | 33.07      |
| RMS  | 6.5338G      | 107.19            | Inf               | -Inf           | 98.61         | 3           | Horizontal | 55             | 2.26          | -       | 35.94      | 5.70       | 33.06      |
| PK   | 7.133G       | 63.56             | 88.20             | -24.64         | 54.08         | 3           | Horizontal | 55             | 2.26          | -       | 36.96      | 5.97       | 33.45      |
| RMS  | 7.1274G      | 54.08             | 68.20             | -14.12         | 44.64         | 3           | Horizontal | 55             | 2.26          | -       | 36.92      | 5.96       | 33.44      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.09254G    | 56.61             | 88.20             | -31.59         | 42.83         | 3           | Vertical  | 12             | 2.68          | -       | 39.70      | 8.78       | 34.70      |
| RMS  | 13.09366G    | 44.26             | 68.20             | -23.94         | 30.48         | 3           | Vertical  | 12             | 2.68          | -       | 39.70      | 8.78       | 34.70      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.08644G    | 56.83             | 88.20             | -31.37         | 43.05         | 3           | Horizontal | 7              | 1.73          | -       | 39.70      | 8.78       | 34.70      |
| RMS  | 13.08746G    | 44.23             | 68.20             | -23.97         | 30.45         | 3           | Horizontal | 7              | 1.73          | -       | 39.70      | 8.78       | 34.70      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.63742G    | 56.99             | 83.54             | -26.55         | 53.49         | 1           | Vertical  | 60             | 1.54          | -       | 37.85      | 15.35      | 49.70      |
| AV   | 19.63544G    | 44.17             | 63.54             | -19.37         | 40.67         | 1           | Vertical  | 60             | 1.54          | -       | 37.85      | 15.35      | 49.70      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.63714G    | 56.24             | 83.54             | -27.30         | 52.74         | 1           | Horizontal | 216            | 1.56          | -       | 37.85      | 15.35      | 49.70      |
| AV   | 19.63004G    | 44.08             | 63.54             | -19.46         | 40.58         | 1           | Horizontal | 216            | 1.56          | -       | 37.85      | 15.35      | 49.70      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6625MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6514G      | 110.26            | Inf               | -Inf           | 101.48        | 3           | Vertical  | 37             | 2.02          | -       | 36.20      | 5.70       | 33.12      |  |
| RMS  | 6.6178G      | 100.24            | Inf               | -Inf           | 91.50         | 3           | Vertical  | 37             | 2.02          | -       | 36.14      | 5.70       | 33.10      |  |
| PK   | 7.1386G      | 63.54             | 88.20             | -24.66         | 54.02         | 3           | Vertical  | 37             | 2.02          | -       | 37.01      | 5.97       | 33.46      |  |
| RMS  | 7.1266G      | 53.11             | 68.20             | -15.09         | 43.68         | 3           | Vertical  | 37             | 2.02          | -       | 36.91      | 5.96       | 33.44      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6625MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6202G      | 116.79            | Inf               | -Inf           | 108.05        | 3           | Horizontal | 57             | 1.44          | -       | 36.14      | 5.70       | 33.10      |  |
| RMS  | 6.6394G      | 106.31            | Inf               | -Inf           | 97.54         | 3           | Horizontal | 57             | 1.44          | -       | 36.18      | 5.70       | 33.11      |  |
| PK   | 7.1554G      | 68.71             | 88.20             | -19.49         | 59.09         | 3           | Horizontal | 57             | 1.44          | -       | 37.12      | 5.98       | 33.48      |  |
| RMS  | 7.1362G      | 57.85             | 68.20             | -10.35         | 48.34         | 3           | Horizontal | 57             | 1.44          | -       | 36.99      | 5.97       | 33.45      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6625MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.24428G    | 56.85             | 88.20             | -31.35         | 42.87         | 3           | Vertical  | 161            | 2.49          | -       | 39.94      | 8.75       | 34.71      |  |
| RMS  | 13.24694G    | 44.14             | 68.20             | -24.06         | 30.15         | 3           | Vertical  | 161            | 2.49          | -       | 39.95      | 8.75       | 34.71      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6625MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.2497G     | 56.64             | 88.20             | -31.56         | 42.65         | 3           | Horizontal | 4              | 2.52          | -       | 39.95      | 8.75       | 34.71      |  |
| RMS  | 13.24568G    | 44.43             | 68.20             | -23.77         | 30.44         | 3           | Horizontal | 4              | 2.52          | -       | 39.95      | 8.75       | 34.71      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6625MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.87772G    | 56.79             | 83.54             | -26.75         | 53.44         | 1           | Vertical  | 213            | 1.54          | -       | 37.60      | 15.45      | 49.70      |
| AV   | 19.87932G    | 44.07             | 63.54             | -19.47         | 40.73         | 1           | Vertical  | 213            | 1.54          | -       | 37.59      | 15.45      | 49.70      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6625MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.87886G    | 56.24             | 83.54             | -27.30         | 52.90         | 1           | Horizontal | 283            | 1.57          | -       | 37.59      | 15.45      | 49.70      |
| AV   | 19.87508G    | 43.87             | 63.54             | -19.67         | 40.52         | 1           | Horizontal | 283            | 1.57          | -       | 37.60      | 15.45      | 49.70      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6705MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.695G       | 109.78            | Inf               | -Inf           | 101.02        | 3           | Vertical  | 38             | 1.79          | -       | 36.20      | 5.70       | 33.14      |  |
| RMS  | 6.693G       | 100.22            | Inf               | -Inf           | 91.46         | 3           | Vertical  | 38             | 1.79          | -       | 36.20      | 5.70       | 33.14      |  |
| PK   | 7.159G       | 64.91             | 88.20             | -23.29         | 55.27         | 3           | Vertical  | 38             | 1.79          | -       | 37.14      | 5.98       | 33.48      |  |
| RMS  | 7.125G       | 54.94             | 68.20             | -13.26         | 45.52         | 3           | Vertical  | 38             | 1.79          | -       | 36.90      | 5.96       | 33.44      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6705MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.713G       | 117.86            | Inf               | -Inf           | 109.06        | 3           | Horizontal | 55             | 2.20          | -       | 36.25      | 5.70       | 33.15      |
| RMS  | 6.693G       | 107.25            | Inf               | -Inf           | 98.49         | 3           | Horizontal | 55             | 2.20          | -       | 36.20      | 5.70       | 33.14      |
| PK   | 7.125G       | 71.25             | 88.20             | -16.95         | 61.83         | 3           | Horizontal | 55             | 2.20          | -       | 36.90      | 5.96       | 33.44      |
| RMS  | 7.129G       | 59.77             | 68.20             | -8.43          | 50.32         | 3           | Horizontal | 55             | 2.20          | -       | 36.93      | 5.96       | 33.44      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6705MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.41258G    | 56.71             | 88.20             | -31.49         | 42.51         | 3           | Vertical  | 133            | 1.39          | -       | 40.20      | 8.72       | 34.72      |  |
| RMS  | 13.4058G     | 44.61             | 68.20             | -23.59         | 30.41         | 3           | Vertical  | 133            | 1.39          | -       | 40.20      | 8.72       | 34.72      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6705MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.4142G     | 56.68             | 88.20             | -31.52         | 42.48         | 3           | Horizontal | 103            | 1.50          | -       | 40.20      | 8.72       | 34.72      |
| RMS  | 13.41118G    | 44.70             | 68.20             | -23.50         | 30.50         | 3           | Horizontal | 103            | 1.50          | -       | 40.20      | 8.72       | 34.72      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6705MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.11592G    | 56.41             | 83.54             | -27.13         | 53.12         | 1           | Vertical  | 112            | 1.56          | -       | 37.49      | 15.55      | 49.75      |
| AV   | 20.11716G    | 43.59             | 63.54             | -19.95         | 40.30         | 1           | Vertical  | 112            | 1.56          | -       | 37.49      | 15.55      | 49.75      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6705MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.11776G | 55.68    | 83.54    | -27.86 | 52.39  | 1    | Horizontal | 192     | 1.50   | -       | 37.49 | 15.55 | 49.75 |
| AV   | 20.11814G | 43.48    | 63.54    | -20.06 | 40.19  | 1    | Horizontal | 192     | 1.50   | -       | 37.49 | 15.55 | 49.75 |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6785MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.7832G      | 109.53            | Inf               | -Inf           | 100.68        | 3           | Vertical  | 38             | 1.78          | -       | 36.33      | 5.70       | 33.18      |  |
| RMS  | 6.7706G      | 99.23             | Inf               | -Inf           | 90.35         | 3           | Vertical  | 38             | 1.78          | -       | 36.36      | 5.70       | 33.18      |  |
| PK   | 7.1288G      | 68.61             | 88.20             | -19.59         | 59.16         | 3           | Vertical  | 38             | 1.78          | -       | 36.93      | 5.96       | 33.44      |  |
| RMS  | 7.1252G      | 56.68             | 68.20             | -11.52         | 47.26         | 3           | Vertical  | 38             | 1.78          | -       | 36.90      | 5.96       | 33.44      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6785MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.803G       | 116.87            | Inf               | -Inf           | 108.04        | 3           | Horizontal | 58             | 2.22          | -       | 36.32      | 5.70       | 33.19      |
| RMS  | 6.7724G      | 106.60            | Inf               | -Inf           | 97.72         | 3           | Horizontal | 58             | 2.22          | -       | 36.36      | 5.70       | 33.18      |
| PK   | 7.1252G      | 72.14             | 88.20             | -16.06         | 62.72         | 3           | Horizontal | 58             | 2.22          | -       | 36.90      | 5.96       | 33.44      |
| RMS  | 7.1288G      | 61.51             | 68.20             | -6.69          | 52.06         | 3           | Horizontal | 58             | 2.22          | -       | 36.93      | 5.96       | 33.44      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6785MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.56704G    | 57.07             | 88.20             | -31.13         | 42.93         | 3           | Vertical  | 52             | 2.06          | -       | 40.20      | 8.69       | 34.75      |  |
| RMS  | 13.56742G    | 44.51             | 68.20             | -23.69         | 30.37         | 3           | Vertical  | 52             | 2.06          | -       | 40.20      | 8.69       | 34.75      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6785MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.5746G     | 56.88             | 88.20             | -31.32         | 42.74         | 3           | Horizontal | 304            | 1.85          | -       | 40.20      | 8.69       | 34.75      |
| RMS  | 13.56654G    | 44.50             | 68.20             | -23.70         | 30.36         | 3           | Horizontal | 304            | 1.85          | -       | 40.20      | 8.69       | 34.75      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6785MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.35696G    | 56.38             | 83.54             | -27.16         | 52.92         | 1           | Vertical  | 190            | 1.55          | -       | 37.64      | 15.66      | 49.84      |
| AV   | 20.35636G    | 44.26             | 63.54             | -19.28         | 40.80         | 1           | Vertical  | 190            | 1.55          | -       | 37.64      | 15.66      | 49.84      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6785MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.3574G     | 57.47             | 83.54             | -26.07         | 54.01         | 1           | Horizontal | 97             | 1.52          | -       | 37.64      | 15.66      | 49.84      |
| AV   | 20.35504G    | 44.73             | 63.54             | -18.81         | 41.27         | 1           | Horizontal | 97             | 1.52          | -       | 37.64      | 15.66      | 49.84      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8846G      | 109.78            | Inf               | -Inf           | 100.77        | 3           | Vertical  | 85             | 1.79          | -       | 36.46      | 5.78       | 33.23      |  |
| RMS  | 6.851G       | 98.42             | Inf               | -Inf           | 89.29         | 3           | Vertical  | 85             | 1.79          | -       | 36.60      | 5.75       | 33.22      |  |
| PK   | 7.1324G      | 72.56             | 88.20             | -15.64         | 63.08         | 3           | Vertical  | 85             | 1.79          | -       | 36.96      | 5.97       | 33.45      |  |
| RMS  | 7.1254G      | 61.92             | 68.20             | -6.28          | 52.50         | 3           | Vertical  | 85             | 1.79          | -       | 36.90      | 5.96       | 33.44      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8706G      | 115.36            | Inf               | -Inf           | 106.30        | 3           | Horizontal | 61             | 1.37          | -       | 36.52      | 5.77       | 33.23      |
| RMS  | 6.8734G      | 105.11            | Inf               | -Inf           | 96.06         | 3           | Horizontal | 61             | 1.37          | -       | 36.51      | 5.77       | 33.23      |
| PK   | 7.1352G      | 78.44             | 88.20             | -9.76          | 68.94         | 3           | Horizontal | 61             | 1.37          | -       | 36.98      | 5.97       | 33.45      |
| RMS  | 7.1324G      | 67.76             | 68.20             | -0.44          | 58.28         | 3           | Horizontal | 61             | 1.37          | -       | 36.96      | 5.97       | 33.45      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.7436G     | 60.41             | 88.20             | -27.79         | 46.14         | 3           | Vertical  | 352            | 1.06          | -       | 40.44      | 8.65       | 34.82      |  |
| RMS  | 13.7268G     | 48.63             | 68.20             | -19.57         | 34.37         | 3           | Vertical  | 352            | 1.06          | -       | 40.43      | 8.65       | 34.82      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.73112G    | 58.79             | 88.20             | -29.41         | 44.53         | 3           | Horizontal | 355            | 1.80          | -       | 40.43      | 8.65       | 34.82      |
| RMS  | 13.71304G    | 46.39             | 68.20             | -21.81         | 32.13         | 3           | Horizontal | 355            | 1.80          | -       | 40.41      | 8.66       | 34.81      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.59676G    | 56.12             | 83.54             | -27.42         | 52.39         | 1           | Vertical  | 141            | 1.52          | -       | 37.82      | 15.77      | 49.86      |
| AV   | 20.59642G    | 43.98             | 63.54             | -19.56         | 40.25         | 1           | Vertical  | 141            | 1.52          | -       | 37.82      | 15.77      | 49.86      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.5944G     | 55.78             | 83.54             | -27.76         | 52.06         | 1           | Horizontal | 313            | 1.53          | -       | 37.81      | 15.77      | 49.86      |
| AV   | 20.59322G    | 42.07             | 63.54             | -21.47         | 38.35         | 1           | Horizontal | 313            | 1.53          | -       | 37.81      | 15.77      | 49.86      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6945MHz\_TnomVnom




EUT X\_1TX  
Setting 97  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.9534G      | 107.94            | Inf               | -Inf           | 98.57         | 3           | Vertical  | 40             | 1.79          | -       | 36.79      | 5.85       | 33.27      |
| RMS  | 6.9522G      | 97.88             | Inf               | -Inf           | 88.51         | 3           | Vertical  | 40             | 1.79          | -       | 36.79      | 5.85       | 33.27      |
| PK   | 7.125G       | 72.62             | 88.20             | -15.58         | 63.20         | 3           | Vertical  | 40             | 1.79          | -       | 36.90      | 5.96       | 33.44      |
| RMS  | 7.125G       | 61.69             | 68.20             | -6.51          | 52.27         | 3           | Vertical  | 40             | 1.79          | -       | 36.90      | 5.96       | 33.44      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 6945MHz\_TnomVnom




EUT X\_1TX  
Setting 97  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.9282G      | 114.56            | Inf               | -Inf           | 105.35        | 3           | Horizontal | 59             | 1.55          | -       | 36.63      | 5.83       | 33.25      |
| RMS  | 6.951G       | 104.03            | Inf               | -Inf           | 94.65         | 3           | Horizontal | 59             | 1.55          | -       | 36.80      | 5.85       | 33.27      |
| PK   | 7.137G       | 79.44             | 88.20             | -8.76          | 69.92         | 3           | Horizontal | 59             | 1.55          | -       | 37.00      | 5.97       | 33.45      |
| RMS  | 7.125G       | 67.96             | 68.20             | -0.24          | 58.54         | 3           | Horizontal | 59             | 1.55          | -       | 36.90      | 5.96       | 33.44      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6945MHz\_TnomVnom




EUT\_X\_1TX  
Setting 97  
04-D-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.88652G    | 58.61             | 88.20             | -29.59         | 44.28         | 3           | Vertical  | 182            | 1.57          | -       | 40.59      | 8.62       | 34.88      |
| RMS  | 13.88846G    | 46.14             | 68.20             | -22.06         | 31.81         | 3           | Vertical  | 182            | 1.57          | -       | 40.59      | 8.62       | 34.88      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6945MHz\_TnomVnom




EUT\_X\_1TX  
Setting 97  
04-D-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.89316G    | 58.66             | 88.20             | -29.54         | 44.34         | 3           | Horizontal | 252            | 1.94          | -       | 40.59      | 8.62       | 34.89      |
| RMS  | 13.88512G    | 46.10             | 68.20             | -22.10         | 31.77         | 3           | Horizontal | 252            | 1.94          | -       | 40.59      | 8.62       | 34.88      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6945MHz\_TnomVnom




EUT X\_1TX  
Setting 97  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.83444G    | 51.24             | 83.54             | -32.30         | 47.27         | 1           | Vertical  | 73             | 1.55          | -       | 37.86      | 15.88      | 49.77      |
| AV   | 20.83662G    | 40.08             | 63.54             | -23.46         | 36.11         | 1           | Vertical  | 73             | 1.55          | -       | 37.86      | 15.88      | 49.77      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6945MHz\_TnomVnom




EUT X\_1TX  
Setting 97  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.83406G    | 51.77             | 83.54             | -31.77         | 47.79         | 1           | Horizontal | 214            | 1.56          | -       | 37.87      | 15.88      | 49.77      |
| AV   | 20.83538G    | 39.26             | 63.54             | -24.28         | 35.29         | 1           | Horizontal | 214            | 1.56          | -       | 37.86      | 15.88      | 49.77      |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 7025MHz\_TnomVnom




EUT X\_1TX  
Setting 82  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.0362G      | 105.83            | Inf               | -Inf           | 96.50         | 3           | Vertical  | 85             | 1.67          | -       | 36.74      | 5.92       | 33.33      |  |
| RMS  | 7.0362G      | 95.53             | Inf               | -Inf           | 86.20         | 3           | Vertical  | 85             | 1.67          | -       | 36.74      | 5.92       | 33.33      |  |
| PK   | 7.1266G      | 72.69             | 88.20             | -15.51         | 63.26         | 3           | Vertical  | 85             | 1.67          | -       | 36.91      | 5.96       | 33.44      |  |
| RMS  | 7.125G       | 61.19             | 68.20             | -7.01          | 51.77         | 3           | Vertical  | 85             | 1.67          | -       | 36.90      | 5.96       | 33.44      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 7025MHz\_TnomVnom




EUT X\_1TX  
Setting 82  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.0362G      | 111.83            | Inf               | -Inf           | 102.50        | 3           | Horizontal | 60             | 2.13          | -       | 36.74      | 5.92       | 33.33      |  |
| RMS  | 7.0378G      | 101.25            | Inf               | -Inf           | 91.92         | 3           | Horizontal | 60             | 2.13          | -       | 36.75      | 5.92       | 33.34      |  |
| PK   | 7.1258G      | 79.94             | 88.20             | -8.26          | 70.51         | 3           | Horizontal | 60             | 2.13          | -       | 36.91      | 5.96       | 33.44      |  |
| RMS  | 7.125G       | 67.51             | 68.20             | -0.69          | 58.09         | 3           | Horizontal | 60             | 2.13          | -       | 36.90      | 5.96       | 33.44      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 7025MHz\_TnomVnom




EUT\_X\_1TX  
Setting 82  
04-D-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.0499G     | 60.01             | 88.20             | -28.19         | 45.42         | 3           | Vertical  | 124            | 1.20          | -       | 40.90      | 8.61       | 34.92      |  |
| RMS  | 14.04748G    | 47.42             | 68.20             | -20.78         | 32.83         | 3           | Vertical  | 124            | 1.20          | -       | 40.90      | 8.61       | 34.92      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## 7025MHz\_TnomVnom




EUT\_X\_1TX  
Setting 82  
04-D-K-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.04522G    | 59.77             | 88.20             | -28.43         | 45.18         | 3           | Horizontal | 259            | 2.12          | -       | 40.90      | 8.61       | 34.92      |  |
| RMS  | 14.05494G    | 47.58             | 68.20             | -20.62         | 32.99         | 3           | Horizontal | 259            | 2.12          | -       | 40.90      | 8.61       | 34.92      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUT X\_1TX  
Setting 82  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.07262G    | 49.78             | 83.54             | -33.76         | 45.89         | 1           | Vertical  | 98             | 1.52          | -       | 37.60      | 15.98      | 49.69      |
| AV   | 21.07038G    | 35.56             | 63.54             | -27.98         | 31.67         | 1           | Vertical  | 98             | 1.52          | -       | 37.60      | 15.98      | 49.69      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUT X\_1TX  
Setting 82  
04-D-S-8

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 21.0724G | 50.15    | 83.54    | -33.39 | 46.26  | 1    | Horizontal | 202     | 1.52   | -       | 37.60 | 15.98 | 49.69 |  |
| AV   | 21.0759G | 37.39    | 63.54    | -26.15 | 33.49  | 1    | Horizontal | 202     | 1.52   | -       | 37.60 | 15.98 | 49.68 |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6025MHz\_TnomVnom




EUT X\_1TX  
Setting 86  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.913G       | 78.53             | 88.20             | -9.67          | 71.54         | 3           | Vertical  | 0              | 1.86          | -       | 34.98      | 5.36       | 33.35      |  |
| RMS  | 5.9114G      | 64.51             | 68.20             | -3.69          | 57.52         | 3           | Vertical  | 0              | 1.86          | -       | 34.97      | 5.36       | 33.34      |  |
| PK   | 6.049G       | 102.10            | Inf               | -Inf           | 94.60         | 3           | Vertical  | 0              | 1.86          | -       | 35.40      | 5.45       | 33.35      |  |
| RMS  | 5.9626G      | 91.40             | Inf               | -Inf           | 84.14         | 3           | Vertical  | 0              | 1.86          | -       | 35.25      | 5.38       | 33.37      |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6025MHz\_TnomVnom




EUT X\_1TX  
Setting 86  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9114G      | 83.50             | 88.20             | -4.70          | 76.51         | 3           | Horizontal | 54             | 2.68          | -       | 34.97      | 5.36       | 33.34      |  |
| RMS  | 5.9194G      | 67.55             | 68.20             | -0.65          | 60.52         | 3           | Horizontal | 54             | 2.68          | -       | 35.02      | 5.36       | 33.35      |  |
| PK   | 6.0458G      | 107.92            | Inf               | -Inf           | 100.42        | 3           | Horizontal | 54             | 2.68          | -       | 35.40      | 5.45       | 33.35      |  |
| RMS  | 6.0506G      | 97.25             | Inf               | -Inf           | 89.75         | 3           | Horizontal | 54             | 2.68          | -       | 35.40      | 5.45       | 33.35      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6025MHz\_TnomVnom




EUT X\_1TX  
Setting 86  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.04952G    | 55.36             | 74.00             | -18.64         | 42.41         | 3           | Vertical  | 15             | 2.52          | -       | 38.90      | 8.99       | 34.94      |
| AV   | 12.05096G    | 40.96             | 54.00             | -13.04         | 28.00         | 3           | Vertical  | 15             | 2.52          | -       | 38.90      | 8.99       | 34.93      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6025MHz\_TnomVnom




EUT\_X\_1TX  
Setting 86  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.05078G    | 55.54             | 74.00             | -18.46         | 42.58         | 3           | Horizontal | 200            | 2.16          | -       | 38.90      | 8.99       | 34.93      |  |
| AV   | 12.05108G    | 40.97             | 54.00             | -13.03         | 28.01         | 3           | Horizontal | 200            | 2.16          | -       | 38.90      | 8.99       | 34.93      |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6025MHz\_TnomVnom




EUT X\_1TX  
Setting 86  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 18.07858G    | 46.10             | 83.54             | -37.44         | 44.00         | 1           | Vertical  | 180            | 1.53          | -       | 37.64      | 14.73      | 50.27      |  |
| AV   | 18.0712G     | 31.97             | 63.54             | -31.57         | 29.87         | 1           | Vertical  | 180            | 1.53          | -       | 37.64      | 14.73      | 50.27      |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6025MHz\_TnomVnom




EUT X\_1TX  
Setting 86  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 18.0777G     | 45.99             | 83.54             | -37.55         | 43.89         | 1           | Horizontal | 59             | 1.53          | -       | 37.64      | 14.73      | 50.27      |  |
| AV   | 18.07404G    | 31.98             | 63.54             | -31.56         | 29.88         | 1           | Horizontal | 59             | 1.53          | -       | 37.64      | 14.73      | 50.27      |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6185MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.891G       | 73.36             | 88.20             | -14.84         | 66.47         | 3           | Vertical  | 33             | 1.57          | -       | 34.88      | 5.35       | 33.34      |  |
| RMS  | 5.923G       | 61.57             | 68.20             | -6.63          | 54.52         | 3           | Vertical  | 33             | 1.57          | -       | 35.04      | 5.36       | 33.35      |  |
| PK   | 6.125G       | 105.91            | Inf               | -Inf           | 98.23         | 3           | Vertical  | 33             | 1.57          | -       | 35.45      | 5.53       | 33.30      |  |
| RMS  | 6.123G       | 95.73             | Inf               | -Inf           | 88.06         | 3           | Vertical  | 33             | 1.57          | -       | 35.45      | 5.52       | 33.30      |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6185MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.919G       | 76.60             | 88.20             | -11.60         | 69.58         | 3           | Horizontal | 53             | 2.15          | -       | 35.01      | 5.36       | 33.35      |
| RMS  | 5.925G       | 65.58             | 68.20             | -2.62          | 58.52         | 3           | Horizontal | 53             | 2.15          | -       | 35.05      | 5.36       | 33.35      |
| PK   | 6.223G       | 111.61            | Inf               | -Inf           | 103.67        | 3           | Horizontal | 53             | 2.15          | -       | 35.56      | 5.61       | 33.23      |
| RMS  | 6.209G       | 101.33            | Inf               | -Inf           | 93.32         | 3           | Horizontal | 53             | 2.15          | -       | 35.65      | 5.60       | 33.24      |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6185MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.37016G    | 55.00             | 74.00             | -19.00         | 42.00         | 3           | Vertical  | 6              | 1.53          | -       | 38.91      | 8.93       | 34.84      |
| AV   | 12.37408G    | 44.26             | 54.00             | -9.74          | 31.25         | 3           | Vertical  | 6              | 1.53          | -       | 38.92      | 8.93       | 34.84      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.37038G    | 55.69             | 74.00             | -18.31         | 42.69         | 3           | Horizontal | 50             | 2.16          | -       | 38.91      | 8.93       | 34.84      |
| AV   | 12.37448G    | 44.46             | 54.00             | -9.54          | 31.45         | 3           | Horizontal | 50             | 2.16          | -       | 38.92      | 8.93       | 34.84      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 18.5586G     | 50.86             | 83.54             | -32.68         | 48.20         | 1           | Vertical  | 299            | 1.54          | -       | 37.78      | 14.92      | 50.04      |  |
| AV   | 18.55654G    | 40.10             | 63.54             | -23.44         | 37.44         | 1           | Vertical  | 299            | 1.54          | -       | 37.78      | 14.92      | 50.04      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.55358G    | 50.34             | 83.54             | -33.20         | 47.69         | 1           | Horizontal | 192            | 1.51          | -       | 37.78      | 14.92      | 50.05      |
| AV   | 18.55996G    | 40.27             | 63.54             | -23.27         | 37.61         | 1           | Horizontal | 192            | 1.51          | -       | 37.78      | 14.92      | 50.04      |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6345MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.913G       | 62.99             | 88.20             | -25.21         | 56.00         | 3           | Vertical  | 37             | 2.10          | -       | 34.98      | 5.36       | 33.35      |  |
| RMS  | 5.923G       | 52.18             | 68.20             | -16.02         | 45.13         | 3           | Vertical  | 37             | 2.10          | -       | 35.04      | 5.36       | 33.35      |  |
| PK   | 6.317G       | 105.54            | Inf               | -Inf           | 97.44         | 3           | Vertical  | 37             | 2.10          | -       | 35.60      | 5.66       | 33.16      |  |
| RMS  | 6.323G       | 95.53             | Inf               | -Inf           | 87.43         | 3           | Vertical  | 37             | 2.10          | -       | 35.60      | 5.66       | 33.16      |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6345MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.919G       | 63.49             | 88.20             | -24.71         | 56.47         | 3           | Horizontal | 55             | 2.59          | -       | 35.01      | 5.36       | 33.35      |  |
| RMS  | 5.925G       | 53.29             | 68.20             | -14.91         | 46.23         | 3           | Horizontal | 55             | 2.59          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.355G       | 112.56            | Inf               | -Inf           | 104.41        | 3           | Horizontal | 55             | 2.59          | -       | 35.61      | 5.68       | 33.14      |  |
| RMS  | 6.319G       | 101.43            | Inf               | -Inf           | 93.33         | 3           | Horizontal | 55             | 2.59          | -       | 35.60      | 5.66       | 33.16      |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6345MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.69086G    | 54.83             | 74.00             | -19.17         | 41.47         | 3           | Vertical  | 190            | 1.53          | -       | 39.26      | 8.86       | 34.76      |
| AV   | 12.6938G     | 44.61             | 54.00             | -9.39          | 31.23         | 3           | Vertical  | 190            | 1.53          | -       | 39.28      | 8.86       | 34.76      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.68912G    | 55.56             | 74.00             | -18.44         | 42.20         | 3           | Horizontal | 352            | 2.79          | -       | 39.26      | 8.86       | 34.76      |
| AV   | 12.68556G    | 44.58             | 54.00             | -9.42          | 31.24         | 3           | Horizontal | 352            | 2.79          | -       | 39.24      | 8.86       | 34.76      |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6345MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 19.03658G    | 50.05             | 83.54             | -33.49         | 46.59         | 1           | Vertical  | 91             | 1.57          | -       | 37.96      | 15.11      | 49.61      |  |
| AV   | 19.03138G    | 40.81             | 63.54             | -22.73         | 37.35         | 1           | Vertical  | 91             | 1.57          | -       | 37.96      | 15.11      | 49.61      |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6345MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.03508G    | 51.83             | 83.54             | -31.71         | 48.37         | 1           | Horizontal | 284            | 1.55          | -       | 37.96      | 15.11      | 49.61      |
| AV   | 19.03376G    | 40.26             | 63.54             | -23.28         | 36.80         | 1           | Horizontal | 284            | 1.55          | -       | 37.96      | 15.11      | 49.61      |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9114G      | 60.72             | 88.20             | -27.48         | 53.73         | 3           | Vertical  | 39             | 1.80          | -       | 34.97      | 5.36       | 33.34      |
| RMS  | 5.925G       | 50.53             | 68.20             | -17.67         | 43.47         | 3           | Vertical  | 39             | 1.80          | -       | 35.05      | 5.36       | 33.35      |
| PK   | 6.5666G      | 101.57            | Inf               | -Inf           | 92.91         | 3           | Vertical  | 39             | 1.80          | -       | 36.03      | 5.70       | 33.07      |
| RMS  | 6.5302G      | 92.40             | Inf               | -Inf           | 83.84         | 3           | Vertical  | 39             | 1.80          | -       | 35.92      | 5.70       | 33.06      |
| PK   | 7.1994G      | 63.24             | 88.20             | -24.96         | 53.47         | 3           | Vertical  | 39             | 1.80          | -       | 37.30      | 6.00       | 33.53      |
| RMS  | 7.1266G      | 52.36             | 68.20             | -15.84         | 42.93         | 3           | Vertical  | 39             | 1.80          | -       | 36.91      | 5.96       | 33.44      |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9226G      | 64.08             | 88.20             | -24.12         | 57.03         | 3           | Horizontal | 59             | 1.65          | -       | 35.04      | 5.36       | 33.35      |
| RMS  | 5.925G       | 53.46             | 68.20             | -14.74         | 46.40         | 3           | Horizontal | 59             | 1.65          | -       | 35.05      | 5.36       | 33.35      |
| PK   | 6.5106G      | 109.56            | Inf               | -Inf           | 101.07        | 3           | Horizontal | 59             | 1.65          | -       | 35.84      | 5.70       | 33.05      |
| RMS  | 6.5302G      | 100.22            | Inf               | -Inf           | 91.66         | 3           | Horizontal | 59             | 1.65          | -       | 35.92      | 5.70       | 33.06      |
| PK   | 7.1322G      | 64.22             | 88.20             | -23.98         | 54.74         | 3           | Horizontal | 59             | 1.65          | -       | 36.96      | 5.97       | 33.45      |
| RMS  | 7.1266G      | 54.48             | 68.20             | -13.72         | 45.05         | 3           | Horizontal | 59             | 1.65          | -       | 36.91      | 5.96       | 33.44      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.9925G     | 56.25             | 88.20             | -31.95         | 42.46         | 3           | Vertical  | 334            | 1.80          | -       | 39.69      | 8.80       | 34.70      |
| RMS  | 13.0057G     | 45.91             | 68.20             | -22.29         | 32.11         | 3           | Vertical  | 334            | 1.80          | -       | 39.70      | 8.80       | 34.70      |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.9963G     | 56.96             | 88.20             | -31.24         | 43.17         | 3           | Horizontal | 79             | 1.80          | -       | 39.69      | 8.80       | 34.70      |
| RMS  | 13.0147G     | 45.72             | 68.20             | -22.48         | 31.92         | 3           | Horizontal | 79             | 1.80          | -       | 39.70      | 8.80       | 34.70      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.51584G    | 50.86             | 83.54             | -32.68         | 47.36         | 1           | Vertical  | 26             | 1.56          | -       | 37.89      | 15.31      | 49.70      |
| AV   | 19.51854G    | 40.09             | 63.54             | -23.45         | 36.59         | 1           | Vertical  | 26             | 1.56          | -       | 37.89      | 15.31      | 49.70      |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.5153G     | 50.22             | 83.54             | -33.32         | 46.72         | 1           | Horizontal | 35             | 1.52          | -       | 37.89      | 15.31      | 49.70      |
| AV   | 19.51882G    | 40.38             | 63.54             | -23.16         | 36.88         | 1           | Horizontal | 35             | 1.52          | -       | 37.89      | 15.31      | 49.70      |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6665MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6606G      | 103.93            | Inf               | -Inf           | 95.15         | 3           | Vertical  | 40             | 1.98          | -       | 36.20      | 5.70       | 33.12      |  |
| RMS  | 6.6892G      | 93.83             | Inf               | -Inf           | 85.06         | 3           | Vertical  | 40             | 1.98          | -       | 36.20      | 5.70       | 33.13      |  |
| PK   | 7.127G       | 67.55             | 88.20             | -20.65         | 58.11         | 3           | Vertical  | 40             | 1.98          | -       | 36.92      | 5.96       | 33.44      |  |
| RMS  | 7.127G       | 56.68             | 68.20             | -11.52         | 47.24         | 3           | Vertical  | 40             | 1.98          | -       | 36.92      | 5.96       | 33.44      |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6665MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6496G      | 110.93            | Inf               | -Inf           | 102.14        | 3           | Horizontal | 57             | 1.47          | -       | 36.20      | 5.70       | 33.11      |  |
| RMS  | 6.6892G      | 100.52            | Inf               | -Inf           | 91.75         | 3           | Horizontal | 57             | 1.47          | -       | 36.20      | 5.70       | 33.13      |  |
| PK   | 7.127G       | 74.56             | 88.20             | -13.64         | 65.12         | 3           | Horizontal | 57             | 1.47          | -       | 36.92      | 5.96       | 33.44      |  |
| RMS  | 7.138G       | 62.70             | 68.20             | -5.50          | 53.19         | 3           | Horizontal | 57             | 1.47          | -       | 37.00      | 5.97       | 33.46      |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6665MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.3279G     | 56.04             | 74.00             | -17.96         | 41.96         | 3           | Vertical  | 195            | 2.84          | -       | 40.06      | 8.73       | 34.71      |
| AV   | 13.33466G    | 45.42             | 54.00             | -8.58          | 31.33         | 3           | Vertical  | 195            | 2.84          | -       | 40.07      | 8.73       | 34.71      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.3255G     | 56.46             | 74.00             | -17.54         | 42.39         | 3           | Horizontal | 62             | 2.83          | -       | 40.05      | 8.73       | 34.71      |
| AV   | 13.3261G     | 45.54             | 54.00             | -8.46          | 31.47         | 3           | Horizontal | 62             | 2.83          | -       | 40.05      | 8.73       | 34.71      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.99624G | 50.57    | 83.54    | -32.97 | 47.36  | 1    | Vertical  | 87      | 1.51   | -       | 37.41 | 15.50 | 49.70 |
| AV   | 19.99412G | 39.78    | 63.54    | -23.76 | 36.57  | 1    | Vertical  | 87      | 1.51   | -       | 37.41 | 15.50 | 49.70 |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6665MHz\_TnomVnom




EUT\_X\_1TX  
Setting 108  
04-D-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.9934G  | 49.56    | 83.54    | -33.98 | 46.35  | 1    | Horizontal | 39      | 1.50   | -       | 37.41 | 15.50 | 49.70 |
| AV   | 19.99968G | 43.99    | 63.54    | -19.55 | 40.79  | 1    | Horizontal | 39      | 1.50   | -       | 37.40 | 15.50 | 49.70 |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_1TX  
Setting 107  
04-D-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8474G      | 102.18            | Inf               | -Inf           | 93.06         | 3           | Vertical  | 86             | 1.80          | -       | 36.58      | 5.75       | 33.21      |
| RMS  | 6.8544G      | 92.21             | Inf               | -Inf           | 83.10         | 3           | Vertical  | 86             | 1.80          | -       | 36.58      | 5.75       | 33.22      |
| PK   | 7.1274G      | 71.99             | 88.20             | -16.21         | 62.55         | 3           | Vertical  | 86             | 1.80          | -       | 36.92      | 5.96       | 33.44      |
| RMS  | 7.126G       | 61.81             | 68.20             | -6.39          | 52.38         | 3           | Vertical  | 86             | 1.80          | -       | 36.91      | 5.96       | 33.44      |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_1TX  
Setting 107  
04-D-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8544G      | 109.52            | Inf               | -Inf           | 100.41        | 3           | Horizontal | 58             | 1.58          | -       | 36.58      | 5.75       | 33.22      |  |
| RMS  | 6.8544G      | 99.49             | Inf               | -Inf           | 90.38         | 3           | Horizontal | 58             | 1.58          | -       | 36.58      | 5.75       | 33.22      |  |
| PK   | 7.1274G      | 78.13             | 88.20             | -10.07         | 68.69         | 3           | Horizontal | 58             | 1.58          | -       | 36.92      | 5.96       | 33.44      |  |
| RMS  | 7.1274G      | 68.07             | 68.20             | -0.13          | 58.63         | 3           | Horizontal | 58             | 1.58          | -       | 36.92      | 5.96       | 33.44      |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_1TX  
Setting 107  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.65448G    | 58.11             | 88.20             | -30.09         | 43.91         | 3           | Vertical  | 126            | 2.05          | -       | 40.31      | 8.67       | 34.78      |
| RMS  | 13.65124G    | 47.66             | 68.20             | -20.54         | 33.47         | 3           | Vertical  | 126            | 2.05          | -       | 40.30      | 8.67       | 34.78      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_1TX  
Setting 107  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.64904G    | 58.69             | 88.20             | -29.51         | 44.50         | 3           | Horizontal | 243            | 1.94          | -       | 40.30      | 8.67       | 34.78      |
| RMS  | 13.65108G    | 47.41             | 68.20             | -20.79         | 33.22         | 3           | Horizontal | 243            | 1.94          | -       | 40.30      | 8.67       | 34.78      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_1TX  
Setting 107  
04-D-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.47604G | 50.65    | 83.54    | -32.89 | 47.14  | 1    | Vertical  | 0       | 1.50   | -       | 37.69 | 15.71 | 49.89 |  |
| AV   | 20.4749G  | 40.84    | 63.54    | -22.70 | 37.33  | 1    | Vertical  | 0       | 1.50   | -       | 37.69 | 15.71 | 49.89 |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_1TX  
Setting 107  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.4708G     | 50.43             | 83.54             | -33.11         | 46.92         | 1           | Horizontal | 139            | 1.54          | -       | 37.69      | 15.71      | 49.89      |
| AV   | 20.47076G    | 40.07             | 63.54             | -23.47         | 36.56         | 1           | Horizontal | 139            | 1.54          | -       | 37.69      | 15.71      | 49.89      |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6985MHz\_TnomVnom




EUT X\_1TX  
Setting 82  
04-D-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.045G       | 96.20             | Inf               | -Inf           | 86.84         | 3           | Vertical  | 88             | 1.80          | -       | 36.78      | 5.92       | 33.34      |  |
| AV   | 7.043G       | 86.31             | Inf               | -Inf           | 76.96         | 3           | Vertical  | 88             | 1.80          | -       | 36.77      | 5.92       | 33.34      |  |
| PK   | 7.132G       | 74.02             | 88.20             | -14.18         | 64.54         | 3           | Vertical  | 88             | 1.80          | -       | 36.96      | 5.97       | 33.45      |  |
| AV   | 7.132G       | 60.64             | 68.20             | -7.56          | 51.16         | 3           | Vertical  | 88             | 1.80          | -       | 36.96      | 5.97       | 33.45      |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6985MHz\_TnomVnom




EUT X\_1TX  
Setting 82  
04-D-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.045G       | 104.74            | Inf               | -Inf           | 95.38         | 3           | Horizontal | 61             | 1.55          | -       | 36.78      | 5.92       | 33.34      |  |
| RMS  | 7.013G       | 93.23             | Inf               | -Inf           | 83.98         | 3           | Horizontal | 61             | 1.55          | -       | 36.65      | 5.91       | 33.31      |  |
| PK   | 7.132G       | 81.26             | 88.20             | -6.94          | 71.78         | 3           | Horizontal | 61             | 1.55          | -       | 36.96      | 5.97       | 33.45      |  |
| RMS  | 7.127G       | 67.84             | 68.20             | -0.36          | 58.40         | 3           | Horizontal | 61             | 1.55          | -       | 36.92      | 5.96       | 33.44      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom




EUT X\_1TX  
Setting 82  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.972G      | 58.05             | 88.20             | -30.15         | 43.54         | 3           | Vertical  | 90             | 2.29          | -       | 40.82      | 8.61       | 34.92      |
| RMS  | 13.966G      | 48.05             | 68.20             | -20.15         | 33.56         | 3           | Vertical  | 90             | 2.29          | -       | 40.80      | 8.61       | 34.92      |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6985MHz\_TnomVnom




EUT\_X\_1TX  
Setting 82  
04-D-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.96846G    | 58.86             | 88.20             | -29.34         | 44.36         | 3           | Horizontal | 161            | 2.24          | -       | 40.81      | 8.61       | 34.92      |  |
| RMS  | 13.96982G    | 47.47             | 68.20             | -20.73         | 32.97         | 3           | Horizontal | 161            | 2.24          | -       | 40.81      | 8.61       | 34.92      |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6985MHz\_TnomVnom




EUT X\_1TX  
Setting 82  
04-D-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.95392G | 47.17    | 83.54    | -36.37 | 43.29  | 1    | Vertical  | 105     | 1.57   | -       | 37.67 | 15.93 | 49.72 |
| AV   | 20.95036G | 35.17    | 63.54    | -28.37 | 31.28  | 1    | Vertical  | 105     | 1.57   | -       | 37.68 | 15.93 | 49.72 |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6985MHz\_TnomVnom



EUT X\_1TX  
Setting 82  
04-D-S-8


| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.95098G | 45.69    | 83.54    | -37.85 | 41.80  | 1    | Horizontal | 259     | 1.54   | -       | 37.68 | 15.93 | 49.72 |
| AV   | 20.9563G  | 35.62    | 63.54    | -27.92 | 31.74  | 1    | Horizontal | 259     | 1.54   | -       | 37.67 | 15.93 | 49.72 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

## MASK

## 5955MHz\_TnomVnom

22/02/2022




## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

## MASK

## 6175MHz\_TnomVnom

22/02/2022




## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

## MASK

## 6415MHz\_TnomVnom

22/02/2022




## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

## MASK

## 6435MHz\_TnomVnom

22/02/2022




## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

## MASK

## 6475MHz\_TnomVnom

22/02/2022




## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

## MASK

## 6515MHz\_TnomVnom

22/02/2022




## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

## MASK

## 6535MHz\_TnomVnom

22/02/2022




## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

## MASK

## 6695MHz\_TnomVnom

22/02/2022




## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

## MASK

## 6855MHz\_TnomVnom

22/02/2022




## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

## MASK

## 6875MHz Straddle 6.825-6.875GHz\_TnomVnom

22/02/2022




## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

## MASK

## 6895MHz\_TnomVnom

22/02/2022




## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

## MASK

## 6995MHz\_TnomVnom

22/02/2022




## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

## MASK

## 7095MHz\_TnomVnom

22/02/2022




## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## MASK

## 5965MHz\_TnomVnom

22/02/2022




## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## MASK

## 6165MHz\_TnomVnom

22/02/2022




## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## MASK

## 6405MHz\_TnomVnom

22/02/2022




## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## MASK

## 6445MHz\_TnomVnom

22/02/2022




## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## MASK

## 6485MHz\_TnomVnom

22/02/2022




## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## MASK

## 6525MHz Straddle 6.425-6.525GHz\_TnomVnom

22/02/2022




## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## MASK

## 6565MHz\_TnomVnom

22/02/2022




## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## MASK

## 6685MHz\_TnomVnom

22/02/2022




## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## MASK

## 6845MHz\_TnomVnom

22/02/2022




## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## MASK

## 6885MHz Straddle 6.525-6.875GHz\_TnomVnom

22/02/2022




## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## MASK

## 6925MHz\_TnomVnom

22/02/2022




## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## MASK

## 7005MHz\_TnomVnom

22/02/2022




## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

## MASK

## 7085MHz\_TnomVnom

22/02/2022




## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## MASK

## 5985MHz\_TnomVnom

22/02/2022




## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## MASK

## 6145MHz\_TnomVnom

22/02/2022




## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## MASK

## 6385MHz\_TnomVnom

22/02/2022




## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## MASK

## 6465MHz\_TnomVnom

22/02/2022




## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## MASK

## 6545MHz Straddle 6.425-6.525GHz\_TnomVnom

22/02/2022




## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## MASK

## 6625MHz\_TnomVnom

22/02/2022




## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## MASK

## 6705MHz\_TnomVnom

22/02/2022




## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## MASK

## 6785MHz\_TnomVnom

22/02/2022




## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## MASK

## 6865MHz Straddle 6.525-6.875GHz\_TnomVnom

22/02/2022




## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## MASK

## 6945MHz\_TnomVnom

22/02/2022




## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

## MASK

## 7025MHz\_TnomVnom

22/02/2022




## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## MASK

## 6025MHz\_TnomVnom

22/02/2022




## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## MASK

## 6185MHz\_TnomVnom

22/02/2022




## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## MASK

## 6345MHz\_TnomVnom

22/02/2022




## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## MASK

## 6505MHz Straddle 6.425-6.525GHz\_TnomVnom

22/02/2022




## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## MASK

## 6665MHz\_TnomVnom

22/02/2022




## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## MASK

## 6825MHz Straddle 6.525-6.875GHz\_TnomVnom

22/02/2022




## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## MASK

## 6985MHz\_TnomVnom

22/02/2022



| Contention Based Protocol Threshold Level |         |                 |                 |                              |      |            |                           |                |                      |                       |
|-------------------------------------------|---------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band                                 | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5                                         | 53      | 20              | 6215            | Center                       | 6215 | OFF        | -61.30                    | 4.70           | -66.03               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -62.30                    | 4.70           | -67.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -77.30                    | 4.70           | -82.00               | ≤ -62                 |
| 6                                         | 101     | 20              | 6455            | Center                       | 6455 | OFF        | -60.20                    | 4.80           | -65.05               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -61.20                    | 4.80           | -66.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -77.20                    | 4.80           | -82.00               | ≤ -62                 |
| 7                                         | 149     | 20              | 6695            | Center                       | 6695 | OFF        | -60.20                    | 4.80           | -65.06               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -61.20                    | 4.80           | -66.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -77.20                    | 4.80           | -82.00               | ≤ -62                 |
| 8                                         | 213     | 20              | 7015            | Center                       | 7015 | OFF        | -59.90                    | 4.10           | -64.07               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -60.90                    | 4.10           | -65.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -77.90                    | 4.10           | -82.00               | ≤ -62                 |

| Contention Based Protocol Threshold Level |         |                 |                 |                              |      |            |                           |                |                      |                       |
|-------------------------------------------|---------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band                                 | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5                                         | 47      | 160             | 6185            | Low edge                     | 6110 | OFF        | -60.30                    | 4.70           | -63.05               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -59.30                    | 4.70           | -64.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -77.30                    | 4.70           | -82.00               | ≤ -62                 |
|                                           |         |                 |                 | Center                       | 6185 | OFF        | -61.30                    | 4.70           | -64.01               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -60.30                    | 4.70           | -65.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -77.30                    | 4.70           | -82.00               | ≤ -62                 |
|                                           |         |                 |                 | High edge                    | 6260 | OFF        | -60.30                    | 4.70           | -63.02               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -59.30                    | 4.70           | -64.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -77.30                    | 4.70           | -82.00               | ≤ -62                 |
| 6                                         | 111     | 160             | 6505            | Low edge                     | 6430 | OFF        | -66.20                    | 4.80           | -69.02               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -65.20                    | 4.80           | -70.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -77.20                    | 4.80           | -82.00               | ≤ -62                 |
|                                           |         |                 |                 | Center                       | 6505 | OFF        | -64.20                    | 4.80           | -67.03               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -63.20                    | 4.80           | -68.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -77.20                    | 4.80           | -82.00               | ≤ -62                 |
|                                           |         |                 |                 | High edge                    | 6580 | OFF        | -66.20                    | 4.80           | -69.03               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -65.20                    | 4.80           | -70.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -77.20                    | 4.80           | -82.00               | ≤ -62                 |
| 7                                         | 143     | 160             | 6665            | Low edge                     | 6590 | OFF        | -65.20                    | 4.80           | -68.07               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -64.20                    | 4.80           | -69.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -77.20                    | 4.80           | -82.00               | ≤ -62                 |
|                                           |         |                 |                 | Center                       | 6665 | OFF        | -61.20                    | 4.80           | -64.08               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -60.20                    | 4.80           | -65.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -77.20                    | 4.80           | -82.00               | ≤ -62                 |
|                                           |         |                 |                 | High edge                    | 6740 | OFF        | -63.20                    | 4.80           | -66.06               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -62.20                    | 4.80           | -67.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -77.20                    | 4.80           | -82.00               | ≤ -62                 |

|   |     |     |      |           |      |         |        |      |        |            |
|---|-----|-----|------|-----------|------|---------|--------|------|--------|------------|
| 8 | 207 | 160 | 6985 | Low edge  | 6910 | OFF     | -62.90 | 4.10 | -65.05 | $\leq -62$ |
|   |     |     |      |           |      | Minimal | -61.90 | 4.10 | -66.00 | $\leq -62$ |
|   |     |     |      |           |      | ON      | -77.90 | 4.10 | -82.00 | $\leq -62$ |
|   |     |     |      | Center    | 6985 | OFF     | -62.90 | 4.10 | -65.01 | $\leq -62$ |
|   |     |     |      |           |      | Minimal | -61.90 | 4.10 | -66.00 | $\leq -62$ |
|   |     |     |      |           |      | ON      | -77.90 | 4.10 | -82.00 | $\leq -62$ |
|   |     |     |      | High edge | 7060 | OFF     | -62.90 | 4.10 | -65.01 | $\leq -62$ |
|   |     |     |      |           |      | Minimal | -61.90 | 4.10 | -66.00 | $\leq -62$ |
|   |     |     |      |           |      | ON      | -77.90 | 4.10 | -82.00 | $\leq -62$ |


| Contention Based protocol 802.11ax HEW20 |         |                 |                 |                              |      |                            |            |                                      |                           |           |             |
|------------------------------------------|---------|-----------------|-----------------|------------------------------|------|----------------------------|------------|--------------------------------------|---------------------------|-----------|-------------|
| UNII Band                                | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Probability (%) | Limit (%) | Test Result |
| 5                                        | 53      | 20              | 6215            | Center                       | 6215 | -66.03                     | OFF        | 9                                    | 90                        | 90        | PASS        |
| 6                                        | 101     | 20              | 6455            | Center                       | 6455 | -65.05                     | OFF        | 10                                   | 100                       | 90        | PASS        |
| 7                                        | 149     | 20              | 6695            | Center                       | 6695 | -65.06                     | OFF        | 10                                   | 100                       | 90        | PASS        |
| 8                                        | 213     | 20              | 7015            | Center                       | 7015 | -64.07                     | OFF        | 9                                    | 90                        | 90        | PASS        |

| Contention Based protocol 802.11ax HEW160 |         |                 |                 |                              |      |                            |            |                                      |                           |           |             |
|-------------------------------------------|---------|-----------------|-----------------|------------------------------|------|----------------------------|------------|--------------------------------------|---------------------------|-----------|-------------|
| UNII Band                                 | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Probability (%) | Limit (%) | Test Result |
| 5                                         | 47      | 160             | 6185            | Low edge                     | 6110 | -63.05                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | Center                       | 6185 | -64.01                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | High edge                    | 6260 | -63.02                     | OFF        | 9                                    | 90                        | 90        | PASS        |
| 6                                         | 111     | 160             | 6505            | Low edge                     | 6430 | -69.02                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | Center                       | 6505 | -67.03                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | High edge                    | 6580 | -69.03                     | OFF        | 9                                    | 90                        | 90        | PASS        |
| 7                                         | 143     | 160             | 6665            | Low edge                     | 6590 | -68.07                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | Center                       | 6665 | -64.08                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | High edge                    | 6740 | -66.06                     | OFF        | 9                                    | 90                        | 90        | PASS        |
| 8                                         | 207     | 160             | 6985            | Low edge                     | 6910 | -65.05                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | Center                       | 6985 | -65.01                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | High edge                    | 7060 | -65.01                     | OFF        | 9                                    | 90                        | 90        | PASS        |

## Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 23.FEB.2022 19:02:31

## Frequency (MHz): 6455 MHz




Date: 23.FEB.2022 19:04:17

## Frequency (MHz): 6695 MHz



Date: 23.FEB.2022 19:04:47


## Frequency (MHz): 7015 MHz



Date: 23.FEB.2022 19:05:14


Bandwidth: 160MHz

Frequency (MHz): 6110 MHz




Date: 23.FEB.2022 19:12:42

Frequency (MHz): 6185 MHz




Date: 23.FEB.2022 19:13:02


## Frequency (MHz): 6260 MHz




## Frequency (MHz): 6430 MHz




## Frequency (MHz): 6505 MHz




## Frequency (MHz): 6580 MHz




## Frequency (MHz): 6590 MHz




## Frequency (MHz): 6665 MHz




## Frequency (MHz): 6740 MHz



## Frequency (MHz): 6910 MHz




## Frequency (MHz): 6985 MHz



Date: 23.FEB.2022 19:19:47

## Frequency (MHz): 7060 MHz




Date: 23.FEB.2022 19:20:16

## Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53 ; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101 ; Incumbent signal 6455 MHz



Note : M1 : Inject AWGN signal


## Test CH 149 ; Incumbent signal 6695 MHz



Date: 23.FEB.2022 16:22:33

Note : M1 : Inject AWGN signal

## Test CH 213 ; Incumbent signal 7015 MHz




Date: 23.FEB.2022 18:15:37

Note : M1 : Inject AWGN signal

Bandwidth: 160MHz


Test CH 47 ; Incumbent signal 6110 MHz



Date: 20.FEB.2022 10:14:32

Note : M1 : Inject AWGN signal


Test CH 47 ; Incumbent signal 6185 MHz



Date: 20.FEB.2022 10:50:43

Note : M1 : Inject AWGN signal


## Test CH 47 ; Incumbent signal 6260 MHz



Date: 20.FEB.2022 11:08:52

Note : M1 : Inject AWGN signal


## Test CH 111 ; Incumbent signal 6430 MHz



Date: 23.FEB.2022 14:56:25

Note : M1 : Inject AWGN signal


## Test CH 111 ; Incumbent signal 6505 MHz



Date: 23.FEB.2022 15:03:42

Note : M1 : Inject AWGN signal


## Test CH 111 ; Incumbent signal 6580 MHz



Date: 23.FEB.2022 15:23:31

Note : M1 : Inject AWGN signal


## Test CH 143 ; Incumbent signal 6590 MHz



Date: 23.FEB.2022 16:41:16

Note : M1 : Inject AWGN signal


## Test CH 143 ; Incumbent signal 6665 MHz



Date: 23.FEB.2022 16:51:43

Note : M1 : Inject AWGN signal


## Test CH 143 ; Incumbent signal 6740 MHz



Date: 23.FEB.2022 17:45:49

Note : M1 : Inject AWGN signal


## Test CH 207 ; Incumbent signal 6910 MHz



Date: 23.FEB.2022 17:50:03

Note : M1 : Inject AWGN signal


## Test CH 207 ; Incumbent signal 6985 MHz



Date: 23.FEB.2022 17:54:48

Note : M1 : Inject AWGN signal

## Test CH 207 ; Incumbent signal 7060 MHz



Date: 23.FEB.2022 18:00:41

Note : M1 : Inject AWGN signal