

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6885MHz\_TX

04/03/2025

CF (Hz)  
6.885G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.891198G | -6.86    | 6.9463G  | -54.83     | -46.86     | -7.97      | 1    |
| 6.877352G | -6.19    | 6.9487G  | -54.70     | -46.19     | -8.51      | 2    |
| 6.900096G | -5.96    | 6.9506G  | -54.13     | -45.96     | -8.17      | 3    |
| 6.880051G | -6.54    | 6.94815G | -55.81     | -46.54     | -9.27      | 4    |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6925MHz\_TX

04/03/2025

CF (Hz)  
6.925G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.932848G | -6.18    | 6.98625G | -54.86     | -46.18     | -8.68      | 1    |
| 6.927549G | -5.76    | 6.9866G  | -54.81     | -45.76     | -9.05      | 2    |
| 6.912553G | -5.21    | 6.98765G | -54.03     | -45.21     | -8.82      | 3    |
| 6.918752G | -6.68    | 6.98655G | -55.75     | -46.68     | -9.07      | 4    |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

7005MHz\_TX

04/03/2025




6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

7085MHz\_TX

04/03/2025




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6625MHz\_TX

04/03/2025

CF (Hz)  
6.625G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.6359G  | -3.32    | 6.7705G  | -51.27     | -43.32     | -7.95      | 1    |
| 6.65289G | -3.04    | 6.7535G  | -49.33     | -43.04     | -6.29      | 2    |
| 6.6387G  | -2.17    | 6.7702G  | -49.73     | -42.17     | -7.56      | 3    |
| 6.6388G  | -2.68    | 6.7478G  | -47.78     | -42.68     | -5.10      | 4    |


6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

04/03/2025

CF (Hz)  
6.705G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.6891G | -3.03    | 6.5885G  | -48.08     | -41.47     | -6.61      | 1    |
| 6.7192G | -2.88    | 6.8271G  | -48.30     | -42.88     | -5.42      | 2    |
| 6.6996G | -2.05    | 6.8279G  | -47.87     | -41.90     | -5.97      | 3    |
| 6.7175G | -2.93    | 6.8549G  | -49.73     | -42.93     | -6.80      | 4    |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

04/03/2025

CF (Hz)  
6.785G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.7691G  | -3.11    | 6.9089G  | -49.63     | -43.11     | -6.52      | 1    |
| 6.75711G | -3.18    | 6.9062G  | -48.79     | -43.11     | -5.68      | 2    |
| 6.777G   | -1.85    | 6.669G   | -45.52     | -40.24     | -5.28      | 3    |
| 6.7738G  | -3.28    | 6.9079G  | -49.18     | -43.28     | -5.90      | 4    |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6865MHz\_TX

04/03/2025

CF (Hz)  
6.865G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.8778G | -2.75    | 6.9884G  | -49.24     | -42.75     | -6.49      | 1    |
| 6.8733G | -2.64    | 6.9855G  | -48.54     | -42.46     | -6.08      | 2    |
| 6.8522G | -2.04    | 7.0098G  | -49.72     | -41.70     | -8.02      | 3    |
| 6.8557G | -2.95    | 6.7477G  | -46.63     | -41.72     | -4.91      | 4    |


6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6945MHz\_TX

04/03/2025

CF (Hz)  
6.945G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.9414G  | -3.84    | 7.0676G  | -51.22     | -43.60     | -7.62      | 1    |
| 6.9517G  | -3.40    | 7.0699G  | -51.83     | -43.40     | -8.43      | 2    |
| 6.9554G  | -3.07    | 7.0673G  | -49.50     | -43.03     | -6.47      | 3    |
| 6.91821G | -3.67    | 6.7957G  | -50.13     | -43.67     | -6.46      | 4    |


6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

7025MHz\_TX

04/03/2025

CF (Hz)  
7.025G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 7.0106G | -2.52    | 6.88G    | -50.72     | -42.52     | -8.20      | 1    |
| 7.0333G | -2.62    | 6.8831G  | -49.92     | -42.62     | -7.30      | 2    |
| 7.0339G | -1.78    | 6.8864G  | -48.74     | -41.78     | -6.96      | 3    |
| 7.036G  | -2.38    | 6.8796G  | -48.72     | -42.38     | -6.34      | 4    |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6665MHz\_TX

04/03/2025




6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6825MHz\_TX

04/03/2025




## 6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

## 6985MHz\_TX

04/03/2025




## 6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

## 6745MHz\_TX

04/03/2025




6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6905MHz\_TX

04/03/2025




Test Mode: Mode 6

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6535MHz\_TX

25/03/2025




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TX

17/03/2025




## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

## 6855MHz\_TX

17/03/2025




## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

## 6565MHz\_TX

17/03/2025




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

17/03/2025




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6845MHz\_TX

17/03/2025




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6625MHz\_TX

17/03/2025




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

17/03/2025



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

17/03/2025

CF (Hz)  
6.785G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.7705G | 5.24     | 6.6963G  | -24.93     | -14.78     | -10.15     | 1    |
| 6.7727G | 5.07     | 6.691G   | -25.18     | -14.99     | -10.19     | 2    |
| 6.7743G | 5.57     | 6.6919G  | -22.39     | -14.43     | -7.96      | 3    |
| 6.7743G | 6.29     | 6.885G   | -21.40     | -13.75     | -7.65      | 4    |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6665MHz\_TX

17/03/2025

CF (Hz)  
6.665G


Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.68959G | 0.98     | 6.9946G  | -44.79     | -39.02     | -5.77      | 1    |
| 6.69079G | 1.05     | 6.8224G  | -27.66     | -20.98     | -6.68      | 2    |
| 6.74138G | 2.12     | 6.8362G  | -26.39     | -18.64     | -7.75      | 3    |
| 6.69259G | 0.84     | 6.8428G  | -27.56     | -20.99     | -6.57      | 4    |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6535MHz\_TX

25/03/2025




6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TX

17/03/2025




6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6855MHz\_TX

17/03/2025

CF (Hz)  
6.855G  
Span (Hz)  
100M  
RBW (Hz)  
300k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.849951G | 2.30     | 6.8378G   | -24.27     | -17.74     | -6.53      | 1    |
| 6.857299G | 2.31     | 6.835425G | -26.79     | -17.86     | -8.93      | 2    |
| 6.862323G | 3.82     | 6.829825G | -27.68     | -16.35     | -11.33     | 3    |
| 6.849951G | 2.90     | 6.8079G   | -42.80     | -37.03     | -5.77      | 4    |


6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6565MHz\_TX

17/03/2025

CF (Hz)  
6.565G  
Span (Hz)  
200M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.559951G | 4.72     | 6.6105G  | -22.36     | -15.54     | -6.82      | 1    |
| 6.560351G | 4.29     | 6.60985G | -24.00     | -15.75     | -8.25      | 2    |
| 6.579146G | 4.72     | 6.6137G  | -24.69     | -15.33     | -9.36      | 3    |
| 6.570399G | 4.27     | 6.614G   | -24.39     | -15.85     | -8.54      | 4    |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

17/03/2025




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6845MHz\_TX

17/03/2025




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6625MHz\_TX

17/03/2025

CF (Hz)  
6.625G  
Span (Hz)  
400M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.6365G | 4.60     | 6.7201G  | -26.19     | -15.69     | -10.50     | 1    |
| 6.6334G | 4.57     | 6.7178G  | -25.11     | -15.62     | -9.49      | 2    |
| 6.6364G | 4.90     | 6.7177G  | -23.67     | -15.15     | -8.52      | 3    |
| 6.6373G | 4.93     | 6.721G   | -24.54     | -15.19     | -9.35      | 4    |


6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

17/03/2025

CF (Hz)  
6.705G  
Span (Hz)  
400M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.6957G | 5.03     | 6.7922G  | -24.70     | -15.05     | -9.65      | 1    |
| 6.7196G | 4.83     | 6.8022G  | -27.06     | -15.28     | -11.78     | 2    |
| 6.6936G | 5.49     | 6.8006G  | -24.71     | -14.85     | -9.86      | 3    |
| 6.7172G | 4.99     | 6.8045G  | -24.84     | -15.01     | -9.83      | 4    |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

17/03/2025




6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6665MHz\_TX

17/03/2025



Test Mode: Mode 7


5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

5955MHz\_TX

15/05/2025

CF (Hz)  
5.955G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6195MHz\_TX

06/05/2025

CF (Hz)  
6.195G  
Span (Hz)  
100M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6415MHz\_TX

15/05/2025




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6535MHz\_TX

15/05/2025




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6695MHz\_TX

06/05/2025




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6855MHz\_TX

06/05/2025




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

5965MHz\_TX

15/05/2025




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6205MHz\_TX

06/05/2025




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6405MHz\_TX

15/05/2025




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6565MHz\_TX

06/05/2025




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6685MHz\_TX

06/05/2025




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.668804G | 9.67     | 6.6358G  | -17.47     | -10.36     | -7.11      | 1    |
| 6.687449G | 9.59     | 6.64575G | -12.88     | -10.44     | -2.44      | 2    |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6845MHz\_TX

06/05/2025




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.838552G | 8.41     | 6.80105G | -18.36     | -12.04     | -6.32      | 1    |
| 6.839801G | 8.91     | 6.79865G | -19.23     | -11.16     | -8.07      | 2    |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

5985MHz\_TX

15/05/2025




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6225MHz\_TX

06/05/2025



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6385MHz\_TX

15/05/2025

CF (Hz)  
6.385G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.3761G | 8.32     | 6.2906G  | -21.01     | -11.89     | -9.12      | 1    |
| 6.3732G | 9.00     | 6.2903G  | -19.03     | -11.25     | -7.78      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6625MHz\_TX

06/05/2025

CF (Hz)  
6.625G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.6105G | 10.09    | 6.5316G  | -14.54     | -9.98      | -4.56      | 1    |
| 6.6129G | 10.37    | 6.5307G  | -13.62     | -9.70      | -3.92      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6705MHz\_TX

06/05/2025

CF (Hz)  
6.705G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.6935G | 9.70     | 6.6211G  | -13.45     | -10.54     | -2.91      | 1    |
| 6.6932G | 10.14    | 6.615G   | -14.36     | -9.88      | -4.48      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6785MHz\_TX

06/05/2025

CF (Hz)  
6.785G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.7779G | 9.09     | 6.6963G  | -15.94     | -11.02     | -4.92      | 1    |
| 6.7737G | 9.45     | 6.6885G  | -17.57     | -10.58     | -6.99      | 2    |


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6025MHz\_TX

15/05/2025

CF (Hz)  
6.025G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.04959G | 3.79     | 6.2868G  | -40.73     | -36.21     | -4.52      | 1    |
| 6.10118G | 4.13     | 6.2854G  | -38.74     | -35.87     | -2.87      | 2    |


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6185MHz\_TX

15/05/2025

CF (Hz)  
6.185G  
Span (Hz)  
800M  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.24798G | 7.31     | 6.5836G  | -40.83     | -31.99     | -8.84      | 1    |
| 6.21739G | 7.69     | 6.3476G  | -19.96     | -12.59     | -7.37      | 2    |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6345MHz\_TX

15/05/2025




6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6665MHz\_TX

06/05/2025




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

MASK

6105MHz\_TX

06/05/2025

CF (Hz)  
6.105G  
Span (Hz)  
1.6G  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

MASK

6265MHz\_TX


06/05/2025

CF (Hz)  
6.265G  
Span (Hz)  
1.6G  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2

Test Mode: Mode 8




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6415MHz\_TX

31/12/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.410026G | -11.17   | 6.382475G | -59.36     | -51.17     | -8.19      | 1    |
| 6.4138G   | -10.82   | 6.38285G  | -59.28     | -50.82     | -8.46      | 2    |
| 6.411276G | -10.72   | 6.379025G | -59.83     | -50.72     | -9.11      | 3    |
| 6.411251G | -11.13   | 6.452225G | -59.89     | -51.13     | -8.76      | 4    |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6435MHz\_TX

31/12/2024



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.4363G   | -10.64   | 6.477625G | -59.34     | -50.64     | -8.70      | 1    |
| 6.437524G | -10.83   | 6.46995G  | -59.11     | -50.83     | -8.28      | 2    |
| 6.438774G | -10.27   | 6.39615G  | -59.56     | -50.27     | -9.29      | 3    |
| 6.442423G | -11.23   | 6.398375G | -59.59     | -51.23     | -8.36      | 4    |


6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6475MHz\_TX

31/12/2024

CF (Hz)  
6.475G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.481248G | -10.61   | 6.506475G | -59.17     | -50.56     | -8.61      | 1    |
| 6.479949G | -10.66   | 6.508175G | -59.00     | -50.66     | -8.34      | 2    |
| 6.471276G | -10.33   | 6.43695G  | -59.61     | -50.33     | -9.28      | 3    |
| 6.478749G | -10.72   | 6.436575G | -59.59     | -50.72     | -8.87      | 4    |


6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6515MHz\_TX

31/12/2024

CF (Hz)  
6.515G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.508852G | -11.20   | 6.477075G | -59.25     | -51.20     | -8.05      | 1    |
| 6.522473G | -11.29   | 6.4724G   | -59.14     | -51.29     | -7.85      | 2    |
| 6.519324G | -10.88   | 6.472525G | -59.49     | -50.88     | -8.61      | 3    |
| 6.508752G | -11.29   | 6.4724G   | -59.47     | -51.29     | -8.18      | 4    |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6535MHz\_TX

31/12/2024




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TX

31/12/2024




## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

## 6875MHz\_TX

31/12/2024

CF (Hz)  
6.875G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.881298G | -11.01   | 6.914225G | -58.08     | -51.01     | -7.07      | 1    |
| 6.867552G | -11.13   | 6.916175G | -58.45     | -51.13     | -7.32      | 2    |
| 6.87625G  | -10.29   | 6.923025G | -58.88     | -50.29     | -8.59      | 3    |
| 6.878799G | -10.82   | 6.920375G | -58.60     | -50.82     | -7.78      | 4    |

Port 1  
Port 2  
Port 3  
Port 4


## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

## 6895MHz\_TX

31/12/2024

CF (Hz)  
6.895G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.888702G | -11.91   | 6.929925G | -58.29     | -51.91     | -6.38      | 1    |
| 6.888677G | -11.62   | 6.9313G   | -58.32     | -51.62     | -6.70      | 2    |
| 6.893725G | -10.94   | 6.941725G | -58.60     | -50.94     | -7.66      | 3    |
| 6.888802G | -11.76   | 6.938475G | -58.32     | -51.76     | -6.56      | 4    |


Port 1  
Port 2  
Port 3  
Port 4

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6995MHz\_TX

31/12/2024




6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

7095MHz\_TX

31/12/2024




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

5965MHz\_TX

31/12/2024




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6205MHz\_TX

31/12/2024



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6405MHz\_TX

31/12/2024

CF (Hz)  
6.405G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.400101G | -8.00    | 6.30755G | -55.31     | -48.00     | -7.31      | 1    |
| 6.392103G | -7.38    | 6.3374G  | -55.39     | -47.38     | -8.01      | 2    |
| 6.393803G | -6.84    | 6.34135G | -55.78     | -46.84     | -8.94      | 3    |
| 6.398802G | -7.38    | 6.31885G | -55.86     | -47.38     | -8.48      | 4    |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6445MHz\_TX

31/12/2024

CF (Hz)  
6.445G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4


| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.451548G | -4.52    | 6.50645G | -54.63     | -44.52     | -10.11     | 1    |
| 6.454198G | -4.37    | 6.507G   | -54.44     | -44.37     | -10.07     | 2    |
| 6.453798G | -3.60    | 6.38315G | -54.60     | -43.60     | -11.00     | 3    |
| 6.456197G | -4.80    | 6.38395G | -54.75     | -44.80     | -9.95      | 4    |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6485MHz\_TX

31/12/2024




6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6525MHz\_TX

31/12/2024



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6565MHz\_TX

31/12/2024

CF (Hz)  
6.565G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.572198G | -6.38    | 6.50305G | -54.65     | -46.38     | -8.27      | 1    |
| 6.560051G | -6.16    | 6.48775G | -54.74     | -46.16     | -8.58      | 2    |
| 6.571848G | -6.31    | 6.50335G | -55.17     | -46.31     | -8.86      | 3    |
| 6.56665G  | -7.11    | 6.5028G  | -55.04     | -47.11     | -7.93      | 4    |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

31/12/2024

CF (Hz)  
6.685G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.679801G | -6.13    | 6.6231G  | -55.69     | -46.13     | -9.56      | 1    |
| 6.682401G | -5.52    | 6.62345G | -55.24     | -45.52     | -9.72      | 2    |
| 6.678852G | -5.28    | 6.7524G  | -55.82     | -45.28     | -10.54     | 3    |
| 6.679101G | -5.95    | 6.62175G | -55.53     | -45.95     | -9.58      | 4    |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6885MHz\_TX

31/12/2024

CF (Hz)  
6.885G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.888299G | -7.28    | 6.97155G | -53.98     | -47.28     | -6.70      | 1    |
| 6.872553G | -7.39    | 6.9843G  | -53.93     | -47.39     | -6.54      | 2    |
| 6.877502G | -6.57    | 6.98245G | -54.33     | -46.57     | -7.76      | 3    |
| 6.878602G | -7.85    | 6.96695G | -54.18     | -47.85     | -6.33      | 4    |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6925MHz\_TX

31/12/2024

CF (Hz)  
6.925G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.936197G | -6.44    | 6.987G   | -53.49     | -46.44     | -7.05      | 1    |
| 6.928699G | -5.85    | 6.98685G | -53.53     | -45.85     | -7.68      | 2    |
| 6.916352G | -6.07    | 6.9891G  | -54.03     | -46.07     | -7.96      | 3    |
| 6.921451G | -4.87    | 7.0042G  | -53.72     | -44.87     | -8.85      | 4    |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

7005MHz\_TX

31/12/2024




6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

7085MHz\_TX

31/12/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

5985MHz\_TX

31/12/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6225MHz\_TX

31/12/2024



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6385MHz\_TX

31/12/2024

CF (Hz)  
6.385G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.3938G | -2.28    | 6.2252G  | -50.76     | -42.28     | -8.48      | 1    |
| 6.4002G | -1.51    | 6.2593G  | -51.75     | -41.51     | -10.24     | 2    |
| 6.374G  | -1.17    | 6.2637G  | -51.24     | -41.17     | -10.07     | 3    |
| 6.3936G | -2.08    | 6.2598G  | -51.45     | -42.08     | -9.37      | 4    |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6465MHz\_TX

31/12/2024

CF (Hz)  
6.465G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.4529G | -3.18    | 6.3049G  | -51.39     | -43.18     | -8.21      | 1    |
| 6.4498G | -3.32    | 6.3373G  | -52.39     | -43.32     | -9.07      | 2    |
| 6.4512G | -2.44    | 6.3254G  | -51.83     | -42.44     | -9.39      | 3    |
| 6.4614G | -2.88    | 6.336G   | -51.83     | -42.88     | -8.95      | 4    |


## 6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6545MHz\_TX

31/12/2024

CF (Hz)  
6.545G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.533G  | -3.39    | 6.3848G  | -50.60     | -43.39     | -7.21      | 1    |
| 6.5562G | -3.55    | 6.4174G  | -52.06     | -43.55     | -8.51      | 2    |
| 6.5488G | -2.91    | 6.4228G  | -51.95     | -42.91     | -9.04      | 3    |
| 6.5576G | -3.37    | 6.4202G  | -51.65     | -43.37     | -8.28      | 4    |


## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6625MHz\_TX

31/12/2024

CF (Hz)  
6.625G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.6129G | -3.40    | 6.465G   | -49.75     | -43.40     | -6.35      | 1    |
| 6.6179G | -3.64    | 6.5019G  | -51.89     | -43.64     | -8.25      | 2    |
| 6.6119G | -3.23    | 6.5017G  | -51.87     | -43.23     | -8.64      | 3    |
| 6.6159G | -3.79    | 6.5035G  | -51.68     | -43.79     | -7.89      | 4    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

31/12/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

31/12/2024




## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6865MHz\_TX

31/12/2024

CF (Hz)  
6.865G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.8483G | -5.19    | 6.7049G  | -49.57     | -45.19     | -4.38      | 1    |
| 6.8526G | -4.67    | 7.001G   | -50.85     | -44.67     | -6.18      | 2    |
| 6.8499G | -4.48    | 7.009G   | -51.15     | -44.48     | -6.67      | 3    |
| 6.8779G | -4.43    | 7.0058G  | -51.02     | -44.43     | -6.59      | 4    |

Port 1  
Port 2  
Port 3  
Port 4


## 6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6945MHz\_TX

31/12/2024

CF (Hz)  
6.945G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.9533G | -3.68    | 6.7849G  | -48.02     | -43.68     | -4.34      | 1    |
| 6.936G  | -3.92    | 6.8232G  | -51.46     | -43.92     | -7.54      | 2    |
| 6.9476G | -3.32    | 6.8201G  | -51.53     | -43.32     | -8.21      | 3    |
| 6.9568G | -2.91    | 6.8226G  | -51.35     | -42.91     | -8.44      | 4    |


Port 1  
Port 2  
Port 3  
Port 4

## 6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 7025MHz\_TX

31/12/2024




## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

## 6025MHz\_TX

31/12/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6185MHz\_TX

31/12/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6345MHz\_TX

31/12/2024




## 6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

## 6505MHz\_TX

31/12/2024




## 6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

## 6665MHz\_TX

31/12/2024



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6825MHz\_TX

31/12/2024

CF (Hz)  
6.825G


Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.79941G | -0.57    | 6.5812G  | -48.44     | -40.57     | -7.87      | 1    |
| 6.76142G | -0.70    | 6.4986G  | -48.99     | -40.70     | -8.29      | 2    |
| 6.76841G | -0.30    | 6.5096G  | -49.33     | -40.30     | -9.03      | 3    |
| 6.76741G | -0.15    | 6.5038G  | -48.83     | -40.15     | -8.68      | 4    |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6985MHz\_TX

31/12/2024

CF (Hz)  
6.985G


Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.95941G | -1.61    | 6.7396G  | -47.99     | -41.50     | -6.49      | 1    |
| 6.92721G | -2.09    | 6.7424G  | -47.34     | -41.66     | -5.68      | 2    |
| 7.01059G | -1.75    | 6.7404G  | -47.84     | -41.33     | -6.51      | 3    |
| 6.92282G | -1.53    | 6.7428G  | -47.62     | -41.33     | -6.29      | 4    |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6105MHz\_TX

31/12/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6265MHz\_TX

31/12/2024




## 6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

## 6585MHz\_TX

31/12/2024




## 6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

## 6745MHz\_TX

31/12/2024




6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


MASK

6905MHz\_TX

31/12/2024



Test Mode: Mode 9




5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6415MHz\_TX

22/02/2025




6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6435MHz\_TX

22/02/2025




6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6475MHz\_TX

22/02/2025

CF (Hz)  
6.475G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.477524G | -14.37   | 6.509525G | -68.10     | -54.37     | -13.73     | 1    |
| 6.470126G | -14.35   | 6.50575G  | -66.78     | -53.29     | -13.49     | 2    |
| 6.470001G | -13.56   | 6.505525G | -65.87     | -52.33     | -13.54     | 3    |
| 6.481248G | -14.85   | 6.505725G | -67.65     | -54.70     | -12.95     | 4    |


6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6515MHz\_TX

22/02/2025

CF (Hz)  
6.515G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.512501G | -13.70   | 6.4677G  | -68.12     | -53.70     | -14.42     | 1    |
| 6.519999G | -14.15   | 6.4776G  | -68.13     | -54.15     | -13.98     | 2    |
| 6.517474G | -13.00   | 6.484G   | -66.95     | -52.79     | -14.16     | 3    |
| 6.518774G | -14.31   | 6.48435G | -66.98     | -53.69     | -13.29     | 4    |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6535MHz\_TX

22/02/2025




6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TX

22/02/2025




6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6875MHz\_TX

22/02/2025




6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6895MHz\_TX

22/02/2025




6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6995MHz\_TX

22/02/2025




6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

7095MHz\_TX

22/02/2025



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

5965MHz\_TX

22/02/2025

CF (Hz)  
5.965G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 5.982646G | -8.67    | 6.0375G  | -55.70     | -48.67     | -7.03      | 1    |
| 5.980246G | -8.63    | 6.027G   | -55.94     | -48.63     | -7.31      | 2    |
| 5.980096G | -8.02    | 6.0265G  | -55.74     | -48.02     | -7.72      | 3    |
| 5.981046G | -9.30    | 6.03085G | -56.12     | -49.30     | -6.82      | 4    |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6205MHz\_TX

22/02/2025

CF (Hz)  
6.205G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.189754G | -9.45    | 6.2776G  | -55.50     | -49.45     | -6.05      | 1    |
| 6.218047G | -8.92    | 6.28885G | -55.61     | -48.92     | -6.69      | 2    |
| 6.199951G | -8.76    | 6.26635G | -55.37     | -48.76     | -6.61      | 3    |
| 6.208799G | -9.19    | 6.26495G | -55.62     | -49.19     | -6.43      | 4    |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6405MHz\_TX

22/02/2025

CF (Hz)  
6.405G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.392603G | -9.74    | 6.3072G  | -55.51     | -49.74     | -5.77      | 1    |
| 6.397802G | -9.24    | 6.46825G | -55.42     | -49.24     | -6.18      | 2    |
| 6.390004G | -8.69    | 6.34455G | -55.47     | -48.69     | -6.78      | 3    |
| 6.392203G | -9.74    | 6.49195G | -55.75     | -49.74     | -6.01      | 4    |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6445MHz\_TX

22/02/2025

CF (Hz)  
6.445G


Span (Hz)  
200M

RBW (Hz)  
300k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.458747G | -13.62   | 6.50805G | -65.75     | -53.62     | -12.13     | 1    |
| 6.450049G | -13.54   | 6.3837G  | -65.34     | -53.54     | -11.80     | 2    |
| 6.441251G | -12.29   | 6.38405G | -65.10     | -52.29     | -12.81     | 3    |
| 6.431253G | -13.86   | 6.3837G  | -65.61     | -53.86     | -11.75     | 4    |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6485MHz\_TX

22/02/2025

CF (Hz)  
6.485G


Span (Hz)  
200M

RBW (Hz)  
300k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.492698G | -10.38   | 6.46455G | -43.18     | -29.98     | -13.20     | 1    |
| 6.482451G | -10.25   | 6.42395G | -63.89     | -50.25     | -13.64     | 2    |
| 6.482551G | -10.17   | 6.4237G  | -63.95     | -50.17     | -13.78     | 3    |
| 6.493848G | -10.73   | 6.424G   | -64.39     | -50.73     | -13.66     | 4    |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6525MHz\_TX

22/02/2025

CF (Hz)  
6.525G


Span (Hz)  
200M

RBW (Hz)  
300k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4


| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.527449G | -12.51   | 6.4637G  | -65.19     | -52.51     | -12.68     | 1    |
| 6.529949G | -12.40   | 6.46385G | -64.58     | -52.40     | -12.18     | 2    |
| 6.538797G | -11.78   | 6.46215G | -65.24     | -51.78     | -13.46     | 3    |
| 6.516202G | -13.03   | 6.46365G | -65.72     | -53.03     | -12.69     | 4    |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6565MHz\_TX

22/02/2025




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

22/02/2025



## 6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

### 6885MHz\_TX

22/02/2025

CF (Hz)  
6.885G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.900896G | -11.82   | 6.95515G | -63.02     | -51.82     | -11.20     | 1    |
| 6.893848G | -11.40   | 6.9614G  | -62.89     | -51.40     | -11.49     | 2    |
| 6.893698G | -10.85   | 6.946G   | -62.58     | -50.85     | -11.73     | 3    |
| 6.890149G | -11.87   | 6.82355G | -63.33     | -51.87     | -11.46     | 4    |

## 6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

### 6925MHz\_TX

22/02/2025

CF (Hz)  
6.925G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.928799G | -11.19   | 6.9865G  | -62.21     | -51.19     | -11.02     | 1    |
| 6.911103G | -10.46   | 6.98645G | -62.14     | -50.46     | -11.68     | 2    |
| 6.930049G | -10.06   | 6.8638G  | -62.16     | -50.06     | -12.10     | 3    |
| 6.920851G | -10.11   | 6.9861G  | -62.64     | -50.11     | -12.53     | 4    |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

7005MHz\_TX

22/02/2025




6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

7085MHz\_TX

22/02/2025




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

5985MHz\_TX

22/02/2025




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6225MHz\_TX

22/02/2025




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6385MHz\_TX

22/02/2025

CF (Hz)  
6.385G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.3972G | -8.29    | 6.263G   | -52.76     | -48.29     | -4.47      | 1    |
| 6.3959G | -7.74    | 6.2582G  | -52.61     | -47.74     | -4.87      | 2    |
| 6.3929G | -7.24    | 6.2605G  | -52.58     | -47.24     | -5.34      | 3    |
| 6.3938G | -8.28    | 6.2574G  | -52.79     | -48.28     | -4.51      | 4    |


6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6465MHz\_TX

22/02/2025

CF (Hz)  
6.465G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.4766G | -7.19    | 6.6251G  | -56.66     | -47.19     | -9.47      | 1    |
| 6.4534G | -7.38    | 6.5873G  | -59.43     | -47.38     | -12.05     | 2    |
| 6.4489G | -6.20    | 6.587G   | -58.42     | -46.07     | -12.35     | 3    |
| 6.4728G | -7.08    | 6.3433G  | -59.02     | -47.06     | -11.96     | 4    |

## 6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

## 6545MHz\_TX

22/02/2025




## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

## 6625MHz\_TX

22/02/2025




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

22/02/2025




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

22/02/2025




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6865MHz\_TX

22/02/2025




6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6945MHz\_TX

22/02/2025




## 6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

## 7025MHz\_TX

22/02/2025




## 5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

## 6025MHz\_TX

22/02/2025




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6185MHz\_TX

22/02/2025




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6345MHz\_TX

22/02/2025




6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6505MHz\_TX

22/02/2025




6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6665MHz\_TX

22/02/2025




## 6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

## 6825MHz\_TX

22/02/2025




## 6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

## 6985MHz\_TX

22/02/2025




5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6105MHz\_TX

22/02/2025




5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6265MHz\_TX

22/02/2025




## 6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

## 6585MHz\_TX

22/02/2025




## 6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

## 6745MHz\_TX

22/02/2025




6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6905MHz\_TX

22/02/2025



Test Mode: Mode 10


5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

5955MHz\_TX

21/03/2025

CF (Hz)  
5.955G  
Span (Hz)  
100M  
RBW (Hz)  
300k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 5.957524G | 4.53     | 5.974525G | -20.63     | -15.52     | -5.11      | 1    |
| 5.962448G | 4.99     | 5.974525G | -20.45     | -15.06     | -5.39      | 2    |
| 5.962598G | 5.19     | 5.975025G | -18.29     | -14.71     | -3.58      | 3    |
| 5.962573G | 5.21     | 5.974325G | -19.78     | -15.03     | -4.75      | 4    |


5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6195MHz\_TX

21/03/2025

CF (Hz)  
6.195G  
Span (Hz)  
100M  
RBW (Hz)  
300k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.188777G | 6.97     | 6.1781G   | -20.31     | -13.39     | -6.92      | 1    |
| 6.197474G | 6.71     | 6.174925G | -25.47     | -16.41     | -9.06      | 2    |
| 6.189926G | 7.22     | 6.175175G | -19.96     | -12.98     | -6.98      | 3    |
| 6.198649G | 6.69     | 6.1756G   | -22.78     | -14.07     | -8.71      | 4    |


## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

## 6415MHz\_TX

22/03/2025

CF (Hz)  
6.415G  
Span (Hz)  
100M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.407602G | 7.22     | 6.3965G   | -19.39     | -13.66     | -5.73      | 1    |
| 6.412526G | 7.10     | 6.391025G | -24.06     | -12.93     | -11.13     | 2    |
| 6.408927G | 7.34     | 6.395625G | -17.78     | -12.70     | -5.08      | 3    |
| 6.411551G | 7.19     | 6.3944G   | -20.35     | -12.91     | -7.44      | 4    |


## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

## 6535MHz\_TX

22/03/2025

CF (Hz)  
6.535G  
Span (Hz)  
100M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.539924G | 7.53     | 6.516525G | -20.91     | -12.48     | -8.43      | 1    |
| 6.537424G | 7.29     | 6.552875G | -20.45     | -13.43     | -7.02      | 2    |
| 6.528702G | 7.98     | 6.51325G  | -20.21     | -12.20     | -8.01      | 3    |
| 6.530101G | 7.39     | 6.553525G | -19.86     | -13.45     | -6.41      | 4    |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TX

21/03/2025




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6855MHz\_TX

21/03/2025




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

5965MHz\_TX

21/03/2025




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6205MHz\_TX

21/03/2025




## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

## 6405MHz\_TX

22/03/2025

CF (Hz)  
6.405G  
Span (Hz)  
200M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.389054G | 7.63     | 6.36375G | -18.87     | -12.40     | -6.47      | 1    |
| 6.399801G | 7.26     | 6.36155G | -20.50     | -12.77     | -7.73      | 2    |
| 6.390404G | 7.93     | 6.36215G | -18.66     | -12.08     | -6.58      | 3    |
| 6.392803G | 7.84     | 6.36135G | -20.23     | -12.28     | -7.95      | 4    |


## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

## 6565MHz\_TX

21/03/2025

CF (Hz)  
6.565G  
Span (Hz)  
200M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.568999G | 10.01    | 6.51105G | -20.01     | -10.02     | -9.99      | 1    |
| 6.567399G | 10.11    | 6.51105G | -19.76     | -9.90      | -9.86      | 2    |
| 6.559451G | 9.68     | 6.5126G  | -18.73     | -10.32     | -8.41      | 3    |
| 6.573948G | 10.02    | 6.6148G  | -17.73     | -10.00     | -7.73      | 4    |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

21/03/2025




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6845MHz\_TX

21/03/2025




## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 5985MHz\_TX

21/03/2025




## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6225MHz\_TX

21/03/2025




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6385MHz\_TX

22/03/2025




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6625MHz\_TX

21/03/2025




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

21/03/2025




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

21/03/2025




## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

## 6025MHz\_TX

21/03/2025

CF (Hz)  
6.025G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

## 6185MHz\_TX

21/03/2025

CF (Hz)  
6.185G  
Span (Hz)  
800M  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




Port 1  
Port 2  
Port 3  
Port 4

## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

## 6345MHz\_TX

21/03/2025




## 6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

## 6665MHz\_TX

21/03/2025




## 5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

## 6105MHz\_TX

21/03/2025

CF (Hz)  
6.105G  
Span (Hz)  
1.6G  
RBW (Hz)  
5M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.13939G | 5.59     | 6.3314G  | -20.29     | -14.83     | -5.46      | 1    |
| 6.13579G | 6.11     | 6.3262G  | -19.18     | -14.41     | -4.77      | 2    |
| 6.14139G | 6.41     | 6.3462G  | -17.04     | -13.88     | -3.16      | 3    |
| 6.13099G | 5.96     | 6.3242G  | -19.74     | -14.14     | -5.60      | 4    |


## 5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

## 6265MHz\_TX

21/03/2025

CF (Hz)  
6.265G  
Span (Hz)  
1.6G  
RBW (Hz)  
5M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.29219G | 5.08     | 5.999G   | -22.59     | -16.68     | -5.91      | 1    |
| 6.31499G | 4.69     | 6.0214G  | -22.36     | -15.56     | -6.80      | 2    |
| 6.29139G | 5.78     | 6.0026G  | -18.38     | -14.90     | -3.48      | 3    |
| 6.29579G | 5.31     | 6.0366G  | -20.09     | -15.03     | -5.06      | 4    |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

5955MHz\_TX

21/03/2025




5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6195MHz\_TX

21/03/2025




## 5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

## 6415MHz\_TX

22/03/2025

CF (Hz)  
6.415G  
Span (Hz)  
100M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.407477G | 7.03     | 6.395875G | -19.84     | -13.18     | -6.66      | 1    |
| 6.406802G | 6.96     | 6.395875G | -19.14     | -13.04     | -6.10      | 2    |
| 6.408777G | 7.05     | 6.3933G   | -20.53     | -12.98     | -7.55      | 3    |
| 6.413775G | 7.60     | 6.3945G   | -20.07     | -12.53     | -7.54      | 4    |


## 6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

## 6535MHz\_TX

21/03/2025

CF (Hz)  
6.535G  
Span (Hz)  
100M  
RBW (Hz)  
300k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.537549G | 5.47     | 6.553975G | -23.25     | -14.59     | -8.66      | 1    |
| 6.537499G | 5.15     | 6.554G    | -23.80     | -14.95     | -8.85      | 2    |
| 6.527577G | 5.83     | 6.55485G  | -20.90     | -14.20     | -6.70      | 3    |
| 6.527477G | 5.39     | 6.5155G   | -23.72     | -15.23     | -8.49      | 4    |


6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TX

21/03/2025

CF (Hz)  
6.695G  
Span (Hz)  
100M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.693325G | 9.02     | 6.668125G | -18.79     | -11.27     | -7.52      | 1    |
| 6.687677G | 8.45     | 6.67035G  | -20.64     | -11.61     | -9.03      | 2    |
| 6.689751G | 9.56     | 6.6679G   | -19.84     | -10.50     | -9.34      | 3    |
| 6.690051G | 9.26     | 6.667975G | -23.49     | -10.80     | -12.69     | 4    |


6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6855MHz\_TX

21/03/2025

CF (Hz)  
6.855G  
Span (Hz)  
100M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.849876G | 6.03     | 6.83235G  | -25.01     | -12.97     | -12.04     | 1    |
| 6.847327G | 6.22     | 6.8316G   | -24.25     | -13.84     | -10.41     | 2    |
| 6.851251G | 7.21     | 6.832725G | -20.87     | -12.91     | -7.96      | 3    |
| 6.850976G | 6.34     | 6.83455G  | -21.35     | -13.82     | -7.53      | 4    |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

5965MHz\_TX

21/03/2025




5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6205MHz\_TX

21/03/2025




## 5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

## 6405MHz\_TX

22/03/2025

CF (Hz)  
6.405G  
Span (Hz)  
200M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.402601G | 7.23     | 6.3609G  | -20.45     | -12.89     | -7.56      | 1    |
| 6.397052G | 7.14     | 6.3657G  | -18.59     | -12.88     | -5.71      | 2    |
| 6.399301G | 7.39     | 6.36185G | -19.16     | -12.70     | -6.46      | 3    |
| 6.395502G | 7.19     | 6.36385G | -19.37     | -12.88     | -6.49      | 4    |


## 6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

## 6565MHz\_TX

21/03/2025

CF (Hz)  
6.565G  
Span (Hz)  
200M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.567999G | 9.37     | 6.6144G  | -18.61     | -10.65     | -7.96      | 1    |
| 6.562401G | 9.46     | 6.6167G  | -19.57     | -10.73     | -8.84      | 2    |
| 6.582296G | 9.04     | 6.6156G  | -19.23     | -10.99     | -8.24      | 3    |
| 6.561851G | 9.18     | 6.61345G | -18.77     | -10.88     | -7.89      | 4    |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

21/03/2025




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6845MHz\_TX

21/03/2025




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

5985MHz\_TX

21/03/2025

CF (Hz)  
5.985G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.002G  | 3.09     | 6.1329G  | -41.32     | -36.84     | -4.48      | 1    |
| 6.0024G | 3.20     | 6.0689G  | -26.16     | -21.34     | -4.82      | 2    |
| 5.997G  | 4.01     | 6.0514G  | -20.74     | -16.07     | -4.67      | 3    |
| 5.9961G | 2.89     | 6.1357G  | -42.10     | -35.72     | -6.38      | 4    |


5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6225MHz\_TX

21/03/2025

CF (Hz)  
6.225G  
Span (Hz)  
400M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.2375G | 10.13    | 6.3268G  | -18.92     | -9.97      | -8.95      | 1    |
| 6.2374G | 9.61     | 6.3232G  | -17.04     | -10.64     | -6.40      | 2    |
| 6.2381G | 10.69    | 6.1196G  | -16.37     | -9.41      | -6.96      | 3    |
| 6.2357G | 10.32    | 6.3256G  | -17.36     | -9.68      | -7.68      | 4    |

## 5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

## 6385MHz\_TX

22/03/2025




## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

## 6625MHz\_TX

21/03/2025




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

21/03/2025




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

21/03/2025




## 5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

## 6025MHz\_TX

21/03/2025




## 5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

## 6185MHz\_TX

21/03/2025




## 5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

## 6345MHz\_TX

21/03/2025

CF (Hz)  
6.345G  
Span (Hz)  
800M  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.31961G | 6.54     | 6.1736G  | -18.80     | -15.79     | -3.01      | 1    |
| 6.37359G | 6.23     | 6.1866G  | -19.50     | -14.55     | -4.95      | 2    |
| 6.29001G | 6.74     | 6.1798G  | -16.97     | -13.92     | -3.05      | 3    |
| 6.31861G | 6.31     | 6.2G     | -18.56     | -13.70     | -4.86      | 4    |


## 6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

## 6665MHz\_TX

21/03/2025

CF (Hz)  
6.665G  
Span (Hz)  
800M  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.64101G | 5.55     | 6.5192G  | -20.95     | -14.54     | -6.41      | 1    |
| 6.64161G | 5.57     | 6.5566G  | -19.34     | -14.45     | -4.89      | 2    |
| 6.60302G | 5.83     | 6.502G   | -22.30     | -14.60     | -7.70      | 3    |
| 6.63781G | 6.03     | 6.5362G  | -20.76     | -14.12     | -6.64      | 4    |


5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6105MHz\_TX

21/03/2025

CF (Hz)  
6.105G  
Span (Hz)  
1.6G  
RBW (Hz)  
5M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.07381G | 5.91     | 6.3298G  | -19.18     | -14.10     | -5.08      | 1    |
| 6.14019G | 6.53     | 6.3282G  | -18.37     | -13.63     | -4.74      | 2    |
| 6.07421G | 7.18     | 6.349G   | -16.23     | -12.90     | -3.33      | 3    |
| 6.14019G | 6.39     | 6.3294G  | -18.46     | -14.42     | -4.04      | 4    |


5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6265MHz\_TX


21/03/2025

CF (Hz)  
6.265G  
Span (Hz)  
1.6G  
RBW (Hz)  
5M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.30099G | 5.19     | 6.005G   | -21.77     | -16.90     | -4.87      | 1    |
| 6.31779G | 4.82     | 6.0354G  | -21.39     | -15.92     | -5.47      | 2    |
| 6.23221G | 5.94     | 6.0022G  | -17.98     | -14.49     | -3.49      | 3    |
| 6.29499G | 5.29     | 6.017G   | -21.21     | -15.61     | -5.60      | 4    |

Test Mode: Mode 11



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6875MHz\_TX

31/12/2024

CF (Hz)  
6.875G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.8763G   | -14.60   | 6.9126G   | -58.67     | -54.60     | -4.07      | 1    |
| 6.872401G | -14.61   | 6.912125G | -58.51     | -54.61     | -3.90      | 2    |
| 6.877524G | -14.63   | 6.912725G | -58.93     | -54.63     | -4.30      | 3    |
| 6.871126G | -14.01   | 6.9162G   | -58.64     | -54.01     | -4.63      | 4    |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6895MHz\_TX

31/12/2024

CF (Hz)  
6.895G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 


| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.889951G | -14.12   | 6.9416G  | -58.40     | -54.12     | -4.28      | 1    |
| 6.902398G | -14.38   | 6.9384G  | -58.31     | -54.38     | -3.93      | 2    |
| 6.898724G | -14.91   | 6.9345G  | -58.61     | -54.91     | -3.70      | 3    |
| 6.899974G | -14.19   | 6.9386G  | -58.62     | -54.19     | -4.43      | 4    |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6995MHz\_TX

31/12/2024




6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

7095MHz\_TX

31/12/2024




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6565MHz\_TX

31/12/2024




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

31/12/2024



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6885MHz\_TX

31/12/2024

CF (Hz)  
6.885G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.899896G | -10.61   | 6.9827G  | -53.99     | -50.61     | -3.38      | 1    |
| 6.8837G   | -10.69   | 6.97755G | -53.25     | -50.69     | -2.56      | 2    |
| 6.893648G | -10.68   | 6.9665G  | -54.32     | -50.68     | -3.64      | 3    |
| 6.880151G | -10.76   | 6.95785G | -54.29     | -50.76     | -3.53      | 4    |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6925MHz\_TX

31/12/2024

CF (Hz)  
6.925G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4


| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.930149G | -10.90   | 7.0042G  | -53.92     | -50.90     | -3.02      | 1    |
| 6.931298G | -11.16   | 7.00255G | -53.49     | -51.16     | -2.33      | 2    |
| 6.928699G | -10.97   | 6.9908G  | -54.17     | -50.97     | -3.20      | 3    |
| 6.911203G | -10.70   | 6.99255G | -54.24     | -50.70     | -3.54      | 4    |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

7005MHz\_TX

31/12/2024




6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

7085MHz\_TX

31/12/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6625MHz\_TX

31/12/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

31/12/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

31/12/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6865MHz\_TX

31/12/2024




6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6945MHz\_TX

31/12/2024

CF (Hz)  
6.945G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.958G  | -7.74    | 7.1319G  | -52.66     | -47.74     | -4.92      | 1    |
| 6.9373G | -7.91    | 7.1171G  | -52.60     | -47.91     | -4.69      | 2    |
| 6.9623G | -8.03    | 7.1201G  | -52.85     | -48.03     | -4.82      | 3    |
| 6.9323G | -7.91    | 6.8217G  | -52.69     | -47.91     | -4.78      | 4    |

Port 1  
Port 2  
Port 3  
Port 4


6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

7025MHz\_TX

31/12/2024

CF (Hz)  
7.025G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 7.0095G | -7.25    | 6.9006G  | -51.91     | -47.25     | -4.66      | 1    |
| 7.0123G | -7.14    | 6.8966G  | -51.62     | -47.14     | -4.48      | 2    |
| 7.0125G | -7.54    | 6.8954G  | -52.30     | -47.54     | -4.76      | 3    |
| 7.0157G | -6.91    | 6.9012G  | -51.68     | -46.91     | -4.77      | 4    |


Port 1  
Port 2  
Port 3  
Port 4

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6665MHz\_TX

31/12/2024




6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6825MHz\_TX

31/12/2024



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6985MHz\_TX

31/12/2024

CF (Hz)  
6.985G


Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 7.00859G | -4.73    | 7.3794G  | -48.96     | -44.73     | -4.23      | 1    |
| 6.95921G | -4.83    | 7.3578G  | -48.77     | -44.83     | -3.94      | 2    |
| 6.96001G | -4.13    | 7.3592G  | -49.35     | -44.13     | -5.22      | 3    |
| 6.90922G | -3.80    | 6.7396G  | -48.98     | -43.78     | -5.20      | 4    |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6745MHz\_TX

31/12/2024

CF (Hz)  
6.745G


Span (Hz)  
1.6G

RBW (Hz)  
3M

VBW (Hz)  
10M

Sweep Time (s)  
6.4m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4


| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.70021G | -3.08    | 7.4954G  | -46.69     | -43.08     | -3.61      | 1    |
| 6.71061G | -3.36    | 7.4894G  | -46.71     | -43.36     | -3.35      | 2    |
| 6.71501G | -2.77    | 7.4998G  | -46.97     | -42.77     | -4.20      | 3    |
| 6.70821G | -3.13    | 7.485G   | -46.87     | -43.13     | -3.74      | 4    |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6905MHz\_TX

31/12/2024



Test Mode: Mode 12


6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6535MHz\_TX

22/02/2025

CF (Hz)  
6.535G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.542498G | -13.05   | 6.566825G | -67.28     | -52.93     | -14.35     | 1    |
| 6.541223G | -14.29   | 6.495725G | -68.42     | -54.29     | -14.13     | 2    |
| 6.541223G | -13.17   | 6.5659G   | -67.35     | -52.47     | -14.88     | 3    |
| 6.541223G | -13.82   | 6.56555G  | -67.14     | -52.72     | -14.42     | 4    |


6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TX

22/02/2025

CF (Hz)  
6.695G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.701223G | -15.90   | 6.659125G | -69.05     | -55.90     | -13.15     | 1    |
| 6.702498G | -15.43   | 6.72655G  | -68.75     | -55.43     | -13.32     | 2    |
| 6.701223G | -16.36   | 6.663225G | -69.14     | -56.36     | -12.78     | 3    |
| 6.697474G | -16.26   | 6.729975G | -69.31     | -56.26     | -13.05     | 4    |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6875MHz\_TX

22/02/2025

CF (Hz)  
6.875G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.881198G | -16.19   | 6.91475G  | -67.88     | -56.19     | -11.69     | 1    |
| 6.881223G | -16.42   | 6.921975G | -67.76     | -56.42     | -11.34     | 2    |
| 6.881323G | -17.38   | 6.918725G | -68.03     | -57.38     | -10.65     | 3    |
| 6.867527G | -17.05   | 6.910075G | -68.02     | -57.05     | -10.97     | 4    |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6895MHz\_TX

22/02/2025

CF (Hz)  
6.895G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.889876G | -14.28   | 6.938875G | -67.26     | -54.28     | -12.98     | 1    |
| 6.901273G | -14.27   | 6.9278G   | -67.09     | -54.27     | -12.82     | 2    |
| 6.899999G | -14.46   | 6.92765G  | -67.46     | -54.46     | -13.00     | 3    |
| 6.901223G | -13.67   | 6.939625G | -67.89     | -53.67     | -14.22     | 4    |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6995MHz\_TX

22/02/2025




6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

7095MHz\_TX

22/02/2025




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6565MHz\_TX

22/02/2025




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

22/02/2025



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6885MHz\_TX

22/02/2025

CF (Hz)  
6.885G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.889899G | -13.03   | 6.94665G | -62.60     | -53.03     | -9.57      | 1    |
| 6.888049G | -12.40   | 6.94635G | -62.29     | -52.40     | -9.89      | 2    |
| 6.902396G | -12.85   | 6.946G   | -63.05     | -52.85     | -10.20     | 3    |
| 6.878802G | -12.07   | 6.9464G  | -63.42     | -52.07     | -11.35     | 4    |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6925MHz\_TX

22/02/2025

CF (Hz)  
6.925G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.933698G | -12.36   | 6.98715G | -62.77     | -52.36     | -10.41     | 1    |
| 6.938847G | -12.20   | 6.9994G  | -62.68     | -52.20     | -10.48     | 2    |
| 6.929699G | -12.50   | 6.98695G | -63.05     | -52.50     | -10.55     | 3    |
| 6.90954G  | -12.86   | 6.8637G  | -63.42     | -52.86     | -10.56     | 4    |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

7005MHz\_TX

22/02/2025




6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

7085MHz\_TX

22/02/2025




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6625MHz\_TX

22/02/2025




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

22/02/2025




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

22/02/2025




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6865MHz\_TX

22/02/2025




6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6945MHz\_TX

22/02/2025




6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

7025MHz\_TX

22/02/2025




6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6665MHz\_TX

22/02/2025




6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6825MHz\_TX

22/02/2025




## 6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

## 6985MHz\_TX

22/02/2025




## 6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

## 6745MHz\_TX

22/02/2025




6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6905MHz\_TX

28/02/2025



Test Mode: Mode 13


6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6535MHz\_TX

22/03/2025

CF (Hz)  
6.535G  
Span (Hz)  
100M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.532301G | 3.65     | 6.555825G | -23.13     | -16.86     | -6.27      | 1    |
| 6.537374G | 2.80     | 6.555225G | -25.89     | -19.50     | -6.39      | 2    |
| 6.540074G | 4.17     | 6.55715G  | -23.73     | -16.01     | -7.72      | 3    |
| 6.541098G | 3.03     | 6.55895G  | -26.00     | -17.34     | -8.66      | 4    |


6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TX

22/03/2025

CF (Hz)  
6.695G  
Span (Hz)  
100M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.697499G | 5.31     | 6.717525G | -24.52     | -14.86     | -9.66      | 1    |
| 6.690401G | 4.75     | 6.714175G | -23.45     | -15.33     | -8.12      | 2    |
| 6.701423G | 5.48     | 6.7164G   | -21.43     | -14.54     | -6.89      | 3    |
| 6.689101G | 6.06     | 6.670975G | -19.29     | -14.04     | -5.25      | 4    |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6855MHz\_TX

22/03/2025




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6565MHz\_TX

22/03/2025




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

22/03/2025




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6845MHz\_TX

22/03/2025




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6625MHz\_TX

22/03/2025




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

22/03/2025




## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6785MHz\_TX

22/03/2025

CF (Hz)  
6.785G  
Span (Hz)  
400M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.7696G | 3.56     | 6.7274G  | -22.34     | -16.73     | -5.61      | 1    |
| 6.7682G | 3.41     | 6.7102G  | -25.11     | -18.17     | -6.94      | 2    |
| 6.7697G | 4.58     | 6.6991G  | -23.06     | -15.56     | -7.50      | 3    |
| 6.7723G | 5.58     | 6.8678G  | -19.20     | -14.62     | -4.58      | 4    |


## 6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

## 6665MHz\_TX

22/03/2025

CF (Hz)  
6.665G  
Span (Hz)  
800M  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.64161G | 3.12     | 7.0394G  | -41.68     | -36.88     | -4.80      | 1    |
| 6.68959G | 3.38     | 6.7856G  | -20.80     | -16.73     | -4.07      | 2    |
| 6.68839G | 4.01     | 6.83G    | -21.75     | -16.19     | -5.56      | 3    |
| 6.69179G | 3.17     | 6.8226G  | -22.01     | -17.76     | -4.25      | 4    |