


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

22/03/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

22/03/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

22/03/2025

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.848902G	0.98	6.83705G	-26.16	-19.51	-6.65	1
6.862448G	1.27	6.832325G	-29.47	-23.27	-6.20	2
6.847527G	2.47	6.83435G	-24.85	-17.68	-7.17	3
6.861248G	2.21	6.820775G	-37.81	-36.85	-0.96	4


6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

22/03/2025

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.558752G	3.53	6.60855G	-22.70	-16.54	-6.16	1
6.574098G	2.83	6.6007G	-23.08	-18.71	-4.37	2
6.578547G	3.57	6.60335G	-21.42	-16.48	-4.94	3
6.576197G	3.73	6.60545G	-21.83	-16.44	-5.39	4


6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

22/03/2025

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.690549G	4.23	6.64915G	-22.09	-18.03	-4.06	1
6.682601G	3.66	6.7235G	-24.90	-16.49	-8.41	2
6.679301G	4.23	6.6501G	-21.46	-15.79	-5.67	3
6.681701G	4.52	6.7236G	-21.78	-15.51	-6.27	4


6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

22/03/2025

CF (Hz)
6.845G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.832603G	-0.56	6.8103G	-28.10	-22.00	-6.10	1
6.848949G	0.40	6.81025G	-26.74	-20.16	-6.58	2
6.841451G	0.88	6.80895G	-23.67	-19.36	-4.31	3
6.838802G	0.84	6.80885G	-28.93	-19.21	-9.72	4


6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

22/03/2025

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

22/03/2025

CF (Hz)
6.705G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

22/03/2025




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

22/03/2025



Test Mode: Mode 14


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

16/05/2025

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.957399G	2.30	5.922975G	-40.22	-37.35	-2.87	1
5.953725G	3.36	5.9137G	-43.90	-36.48	-7.42	2


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

06/05/2025

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.197525G	8.21	6.169375G	-21.21	-11.81	-9.40	1
6.19995G	8.50	6.168775G	-21.20	-11.54	-9.66	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

16/05/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

07/05/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

06/05/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6963G	8.29	6.664925G	-21.65	-12.81	-8.84	1
6.690025G	8.69	6.72135G	-20.10	-11.42	-8.68	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

06/05/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.861225G	8.96	6.881125G	-20.00	-11.24	-8.76	1
6.850025G	8.61	6.880275G	-21.30	-11.40	-9.90	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

16/05/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

06/05/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

16/05/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

06/05/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

06/05/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

06/05/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

16/05/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9954G	2.09	5.8321G	-45.32	-37.91	-7.41	1
5.9984G	3.27	5.8376G	-45.36	-36.54	-8.82	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

06/05/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.237G	12.46	6.1083G	-15.41	-7.55	-7.86	1
6.2195G	12.61	6.089G	-16.75	-7.40	-9.35	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

16/05/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3982G	8.29	6.4768G	-21.02	-11.71	-9.31	1
6.3789G	8.87	6.4773G	-20.60	-11.13	-9.47	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

06/05/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6168G	13.22	6.5186G	-14.57	-6.79	-7.78	1
6.5945G	12.76	6.5153G	-16.20	-7.26	-8.94	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

06/05/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

06/05/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

16/05/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05039G	3.48	6.2852G	-39.39	-36.52	-2.87	1
6.04879G	3.07	6.2816G	-41.66	-36.73	-4.93	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

06/05/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2492G	7.32	6.585G	-36.58	-29.89	-6.69	1
6.2104G	7.10	6.3452G	-22.32	-13.16	-9.16	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

07/05/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

06/05/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

16/05/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

07/05/2025




Test Mode: Mode 15

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

22/02/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

22/02/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

22/02/2025

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.411151G	7.49	6.379525G	-18.21	-13.20	-5.01	1
6.410026G	7.96	6.384325G	-16.56	-12.16	-4.40	2
6.410101G	7.37	6.378775G	-18.76	-12.72	-6.04	3
6.411401G	7.32	6.386425G	-16.28	-12.69	-3.59	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

22/02/2025

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.538149G	9.27	6.503075G	-19.17	-10.85	-8.32	1
6.537474G	8.81	6.503725G	-17.88	-11.52	-6.36	2
6.542548G	9.48	6.502175G	-18.51	-10.61	-7.90	3
6.539999G	9.03	6.5649G	-18.95	-11.01	-7.94	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

22/02/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

22/02/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

22/02/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

22/02/2025

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.397452G	8.11	6.3473G	-18.11	-11.92	-6.19	1
6.390004G	8.01	6.3468G	-19.17	-12.33	-6.84	2
6.393903G	8.66	6.33945G	-19.51	-11.34	-8.17	3
6.398952G	8.11	6.3523G	-16.83	-11.91	-4.92	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

22/02/2025

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.562601G	9.26	6.50655G	-20.02	-10.99	-9.03	1
6.567699G	9.19	6.50865G	-18.61	-11.13	-7.48	2
6.555802G	8.89	6.50965G	-17.81	-11.11	-6.70	3
6.561651G	8.88	6.5114G	-18.23	-11.13	-7.10	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

22/02/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

22/02/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9983G	1.28	6.1266G	-42.55	-38.72	-3.83	1
6.001G	0.77	6.1235G	-42.63	-39.23	-3.40	2
6.01639G	1.78	6.1338G	-42.29	-38.22	-4.07	3
6.01249G	0.76	6.1258G	-42.95	-39.21	-3.74	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

22/02/2025

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2197G	9.40	6.1152G	-17.39	-10.63	-6.76	1
6.2179G	9.72	6.119G	-17.17	-10.29	-6.88	2
6.2191G	10.13	6.1161G	-16.99	-9.92	-7.07	3
6.2373G	9.28	6.1131G	-19.09	-10.75	-8.34	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

24/02/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

24/02/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

24/02/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

22/02/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

22/02/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

24/02/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

22/02/2025

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13859G	4.39	6.8902G	-40.90	-35.61	-5.29	1
6.13939G	3.80	6.9006G	-40.63	-36.20	-4.43	2
6.06941G	4.34	6.9038G	-40.56	-35.66	-4.90	3
6.091G	3.50	6.897G	-40.93	-36.50	-4.43	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

22/02/2025

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.29939G	4.97	6.0006G	-18.41	-15.69	-2.72	1
6.29179G	4.95	6.0278G	-18.02	-15.11	-2.91	2
6.29739G	5.84	6.0198G	-16.80	-14.19	-2.61	3
6.29659G	4.71	6.0226G	-19.06	-15.31	-3.75	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

22/02/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

22/02/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

22/02/2025

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.409051G	6.58	6.389125G	-22.33	-13.49	-8.84	1
6.417549G	6.56	6.3892G	-22.54	-13.62	-8.92	2
6.410076G	7.19	6.375975G	-20.28	-12.99	-7.29	3
6.410176G	6.83	6.387075G	-20.80	-13.21	-7.59	4


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

22/02/2025

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5338G	7.48	6.511G	-22.03	-12.54	-9.49	1
6.539899G	6.83	6.51165G	-22.12	-13.29	-8.83	2
6.533975G	8.97	6.5076G	-19.60	-11.08	-8.52	3
6.541123G	8.49	6.505225G	-21.57	-11.55	-10.02	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

22/02/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

22/02/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

22/02/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

22/02/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

22/02/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

22/02/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

24/02/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

24/02/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

24/02/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

22/02/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.10158G	0.22	6.268G	-41.63	-39.70	-1.93	1
6.10138G	0.80	6.2694G	-40.24	-39.20	-1.04	2
6.08119G	1.65	6.2712G	-39.87	-38.16	-1.71	3
6.10178G	1.11	6.2904G	-41.08	-38.89	-2.19	4


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

22/02/2025

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15361G	2.67	6.4602G	-41.13	-36.65	-4.48	1
6.15301G	2.47	6.0268G	-28.36	-21.18	-7.18	2
6.24778G	2.80	6.3366G	-27.49	-18.99	-8.50	3
6.26038G	2.49	6.355G	-26.23	-18.95	-7.28	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

22/02/2025

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36979G	5.10	6.1704G	-19.60	-15.67	-3.93	1
6.28222G	4.68	6.171G	-20.64	-16.85	-3.79	2
6.32061G	6.11	6.183G	-18.29	-14.49	-3.80	3
6.37399G	5.34	6.1902G	-18.48	-14.78	-3.70	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

24/02/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63841G	3.06	7.0052G	-41.23	-36.69	-4.54	1
6.63941G	3.58	6.9828G	-40.83	-36.42	-4.41	2
6.63761G	3.65	6.5094G	-23.72	-16.42	-7.30	3
6.63861G	3.99	6.509G	-23.52	-16.10	-7.42	4

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

22/02/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

24/02/2025



Test Mode: Mode 16


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

22/02/2025

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.537399G	-2.03	6.5787G	-46.20	-42.03	-4.17	1
6.539999G	-2.29	6.55825G	-32.29	-23.80	-8.49	2
6.538724G	-1.56	6.557125G	-31.13	-22.99	-8.14	3
6.538624G	-2.20	6.556225G	-30.26	-22.58	-7.68	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

22/02/2025

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.691251G	3.59	6.722G	-27.14	-16.54	-10.60	1
6.702573G	3.35	6.669225G	-28.44	-16.83	-11.61	2
6.691026G	3.36	6.7179G	-24.54	-16.65	-7.89	3
6.699949G	3.23	6.72145G	-24.40	-17.02	-7.38	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

22/02/2025

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.847327G	3.68	6.83115G	-24.52	-16.49	-8.03	1
6.861198G	3.50	6.878575G	-24.88	-16.82	-8.06	2
6.850026G	2.35	6.8314G	-25.24	-17.81	-7.43	3
6.859849G	3.72	6.827375G	-24.23	-16.39	-7.84	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

22/02/2025

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.561101G	2.52	6.61665G	-26.08	-17.55	-8.53	1
6.568349G	1.97	6.61035G	-27.36	-18.03	-9.33	2
6.567999G	1.64	6.61155G	-26.44	-18.40	-8.04	3
6.578447G	1.28	6.614G	-25.96	-18.76	-7.20	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

22/02/2025

CF (Hz)
6.785G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7736G	2.47	6.6916G	-26.55	-18.00	-8.55	1
6.7987G	2.99	6.8799G	-26.65	-17.24	-9.41	2
6.7748G	2.09	6.6901G	-25.17	-17.96	-7.21	3
6.8005G	2.62	6.8874G	-24.60	-17.40	-7.20	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

22/02/2025

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68939G	-3.52	6.9442G	-45.25	-43.52	-1.73	1
6.68859G	-2.53	6.9852G	-46.48	-42.53	-3.95	2
6.69039G	-2.51	7.032G	-47.70	-42.51	-5.19	3
6.74138G	-2.01	6.8218G	-28.59	-22.21	-6.38	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

22/02/2025




Test Mode: Mode 17

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

19/12/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

19/12/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

19/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.417474G	6.24	6.437725G	-27.22	-13.79	-13.43	1
6.4163G	6.67	6.392G	-25.42	-13.90	-11.52	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

19/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.539874G	5.97	6.5129G	-26.61	-14.05	-12.56	1
6.532826G	5.99	6.512275G	-27.91	-14.32	-13.59	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

19/12/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

19/12/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

19/12/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

19/12/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

19/12/2024

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.413848G	2.69	6.36685G	-27.16	-19.98	-7.18	1
6.397602G	3.24	6.37055G	-23.75	-17.50	-6.25	2


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

19/12/2024

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.558752G	2.42	6.5993G	-26.98	-20.46	-6.52	1
6.559901G	2.40	6.53075G	-26.64	-18.12	-8.52	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

19/12/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

19/12/2024



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

19/12/2024

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9736G	0.19	5.8423G	-46.35	-39.03	-7.32	1
5.9773G	-0.09	6.107G	-46.37	-39.77	-6.60	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

19/12/2024

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2156G	7.14	6.1374G	-22.61	-12.94	-9.67	1
6.2133G	8.62	6.1243G	-20.48	-11.40	-9.08	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

19/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3726G	3.01	6.3162G	-26.37	-17.79	-8.58	1
6.3723G	3.73	6.3116G	-24.36	-16.51	-7.85	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

19/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6157G	2.40	6.5505G	-28.01	-19.02	-8.99	1
6.6135G	2.13	6.5604G	-26.49	-18.30	-8.19	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

19/12/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

19/12/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

19/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96302G	1.47	5.7556G	-43.38	-38.53	-4.85	1
5.96761G	1.07	6.2898G	-45.07	-38.42	-6.65	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

19/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.12282G	5.75	6.0124G	-24.92	-14.55	-10.37	1
6.12122G	6.10	6.3498G	-24.43	-14.21	-10.22	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

19/12/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

19/12/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

19/12/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

19/12/2024



Test Mode: Mode 18


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

5985MHz_TX

12/06/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
5m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01429G	-2.63	6.1073G	-51.67	-42.50	-9.17	1
6.01299G	-2.54	6.1078G	-51.83	-42.54	-9.29	2
6.01469G	-1.56	6.1068G	-51.07	-41.37	-9.70	3
6.01449G	-2.70	6.1084G	-52.18	-42.70	-9.48	4


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

MASK

7025MHz_TX

12/06/2025

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
5m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0157G	-6.51	6.8649G	-49.59	-46.51	-3.08	1
7.01G	-4.72	6.8652G	-52.98	-44.72	-8.26	2
7.0336G	-5.27	7.2068G	-53.06	-45.27	-7.79	3
7.0379G	-6.21	7.1872G	-53.32	-46.21	-7.11	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

MASK

6025MHz_TX

12/06/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

MASK

6025MHz_TX

12/06/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX

MASK

6985MHz_TX

12/06/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

MASK

6985MHz_TX

12/06/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

MASK

6105MHz_TX

12/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06941G	0.93	6.4418G	-36.36	-27.83	-8.53	1
6.07701G	1.51	6.4018G	-32.13	-25.03	-7.10	2
6.08181G	1.90	6.3998G	-31.63	-24.54	-7.09	3
6.14899G	0.87	6.4478G	-37.03	-28.19	-8.84	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX

MASK

6105MHz_TX

12/06/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.07141G	2.62	6.449G	-34.27	-26.67	-7.60	1
6.07341G	2.93	6.3206G	-26.00	-19.60	-6.40	2
6.07461G	3.17	6.4386G	-31.90	-25.35	-6.55	3
6.08021G	2.05	6.4494G	-35.11	-27.13	-7.98	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

MASK

6105MHz_TX

12/06/2025

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
5m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13139G	0.31	6.897G	-48.15	-39.69	-8.46	1
6.13219G	0.96	6.905G	-47.97	-39.04	-8.93	2
6.13899G	1.64	6.9042G	-47.66	-38.36	-9.30	3
6.13819G	0.73	6.8982G	-48.02	-39.27	-8.75	4


6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

MASK

6905MHz_TX

12/06/2025

CF (Hz)
6.905G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76224G	-2.28	7.4994G	-47.50	-42.28	-5.22	1
6.76304G	-0.99	6.3814G	-45.30	-40.99	-4.31	2
6.76424G	-1.13	7.4986G	-47.23	-41.11	-6.12	3
6.74904G	-1.90	7.499G	-47.50	-41.82	-5.68	4


6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX

MASK

6905MHz_TX

12/06/2025

CF (Hz)
6.905G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86061G	-1.37	7.4994G	-47.43	-41.37	-6.06	1
6.87221G	-0.71	7.4906G	-47.11	-40.71	-6.40	2
6.85821G	-0.49	7.4994G	-47.24	-40.49	-6.75	3
6.87181G	-1.57	7.4994G	-47.51	-41.51	-6.00	4


6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

MASK

6905MHz_TX

12/06/2025

CF (Hz)
6.905G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86101G	-1.52	7.4954G	-47.49	-41.52	-5.97	1
6.86021G	-0.95	7.4898G	-47.23	-40.95	-6.28	2
6.85781G	-0.46	7.4994G	-47.19	-40.46	-6.73	3
6.85981G	-1.61	7.4994G	-47.37	-41.55	-5.82	4

Test Mode: Mode 19


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

5985MHz_TX

12/06/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
5m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01429G	4.06	6.0721G	-24.57	-20.01	-4.56	1
5.9772G	4.19	6.07G	-24.13	-19.18	-4.95	2
6.01599G	4.64	6.0708G	-23.60	-18.90	-4.70	3
6.01379G	3.24	6.0717G	-27.45	-20.04	-7.41	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

MASK

6025MHz_TX

12/06/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
5m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08219G	3.06	6.3796G	-47.69	-36.94	-10.75	1
6.08219G	3.51	6.3406G	-45.61	-36.43	-9.18	2
6.08239G	4.04	6.3956G	-46.96	-35.93	-11.03	3
6.08199G	2.93	6.3606G	-47.26	-37.07	-10.19	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_4_4TX

MASK

6025MHz_TX

12/06/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU_5_4TX

MASK

6105MHz_TX

12/06/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX

MASK

6105MHz_TX

12/06/2025

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
5m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.07501G	7.88	6.3338G	-14.67	-12.21	-2.46	1
6.07381G	8.12	6.3538G	-13.41	-12.10	-1.31	2
6.07941G	8.35	6.3422G	-13.49	-11.66	-1.83	3
6.07021G	7.13	6.3338G	-17.01	-13.01	-4.00	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

MASK

6105MHz_TX

12/06/2025

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
5m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.07061G	6.18	6.897G	-43.94	-33.82	-10.12	1
6.13539G	6.76	6.899G	-43.84	-33.24	-10.60	2
6.13739G	6.97	6.8926G	-43.56	-33.03	-10.53	3
6.13659G	6.04	6.9014G	-43.86	-33.96	-9.90	4

Test Mode: Mode 20


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

7025MHz_TX

12/06/2025

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.013G	-4.48	6.9008G	-51.69	-44.48	-7.21	1
7.0105G	-5.20	6.9031G	-51.85	-45.14	-6.71	2
7.0193G	-5.84	6.8941G	-51.86	-45.84	-6.02	3
7.0134G	-5.63	6.9013G	-51.63	-45.63	-6.00	4


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

MASK

6985MHz_TX

12/06/2025

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95541G	-1.68	6.7152G	-47.00	-41.68	-5.32	1
6.96381G	-2.69	7.3796G	-48.70	-42.69	-6.01	2
6.96201G	-3.08	7.383G	-48.85	-43.08	-5.77	3
6.90942G	-1.49	6.7126G	-44.69	-41.38	-3.31	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX

MASK

6985MHz_TX

12/06/2025




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX

MASK

6905MHz_TX

12/06/2025




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

MASK

6905MHz_TX

12/06/2025




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

MASK

6905MHz_TX

12/06/2025



Test Mode: Mode 21


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

MASK

5985MHz_TX

12/06/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
5m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9986G	-3.98	6.107G	-53.90	-43.98	-9.92	1
6.0001G	-3.85	6.1067G	-54.15	-43.85	-10.30	2
5.9967G	-3.45	6.1069G	-53.72	-43.45	-10.27	3
5.9978G	-3.44	6.1082G	-53.72	-43.44	-10.28	4


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

MASK

7025MHz_TX

13/06/2025

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
5m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0358G	-7.05	6.8649G	-52.90	-47.05	-5.85	1
7.0349G	-7.50	6.8649G	-55.09	-47.50	-7.59	2
7.0366G	-6.76	6.9027G	-54.57	-46.76	-7.81	3
7.0371G	-6.23	6.9027G	-55.16	-46.23	-8.93	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

MASK

6025MHz_TX

12/06/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
5m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09998G	-2.78	6.2674G	-50.83	-42.32	-8.51	1
6.10138G	-3.04	6.2678G	-51.26	-42.64	-8.62	2
6.10098G	-2.52	6.2684G	-51.11	-42.52	-8.59	3
6.10098G	-1.73	6.268G	-50.63	-41.73	-8.90	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

MASK

6025MHz_TX

12/06/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
5m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.10018G	-2.47	6.2682G	-50.95	-42.13	-8.82	1
6.10078G	-2.79	6.2688G	-51.29	-42.54	-8.75	2
6.08898G	-2.65	6.268G	-51.04	-42.65	-8.39	3
6.10058G	-1.62	6.268G	-50.40	-41.62	-8.78	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

MASK

6985MHz_TX

13/06/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX

MASK

6985MHz_TX

13/06/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

MASK

6105MHz_TX

12/06/2025

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
5m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.07301G	-0.88	6.9026G	-49.97	-40.88	-9.09	1
6.07461G	-0.51	6.8966G	-50.02	-40.51	-9.51	2
6.07381G	-0.45	6.2674G	-24.04	-18.85	-5.19	3
6.07581G	-0.17	6.4442G	-38.76	-29.24	-9.52	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

MASK

6105MHz_TX

12/06/2025

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
5m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13699G	-0.79	6.8974G	-49.99	-40.79	-9.20	1
6.13059G	-0.71	6.8986G	-50.04	-40.71	-9.33	2
6.07781G	-0.25	6.903G	-50.00	-40.25	-9.75	3
6.13779G	0.02	6.8974G	-49.76	-39.98	-9.78	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU_2_4TX

MASK

6105MHz_TX

12/06/2025




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU_4_4TX

MASK

6905MHz_TX

13/06/2025




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX

MASK

6905MHz_TX

13/06/2025




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

MASK

6905MHz_TX

13/06/2025



Test Mode: Mode 22


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

MASK

5985MHz_TX

13/06/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
5m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9981G	1.79	6.145G	-49.80	-38.21	-11.59	1
5.9977G	2.42	6.1559G	-50.40	-37.58	-12.82	2
5.9964G	2.35	6.1628G	-50.20	-37.64	-12.56	3
5.9961G	2.53	6.1499G	-49.91	-37.47	-12.44	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

MASK

6025MHz_TX

13/06/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
5m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.10018G	2.37	6.3516G	-46.86	-37.63	-9.23	1
6.10058G	2.20	6.3302G	-46.09	-37.80	-8.29	2
6.08658G	2.44	6.3722G	-47.62	-37.56	-10.06	3
6.10138G	3.52	6.3398G	-44.59	-35.96	-8.63	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

MASK

6025MHz_TX

13/06/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
5m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08798G	2.50	6.351G	-46.59	-37.50	-9.09	1
6.10078G	2.55	6.3302G	-46.03	-37.45	-8.58	2
6.10178G	2.65	6.372G	-47.52	-37.35	-10.17	3
6.10078G	3.69	6.3386G	-44.23	-35.65	-8.58	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

MASK

6105MHz_TX

13/06/2025

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
5m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.07781G	4.30	6.9038G	-44.37	-35.70	-8.67	1
6.07541G	5.13	6.4014G	-26.81	-18.31	-8.50	2
6.07741G	4.95	6.8966G	-44.24	-35.05	-9.19	3
6.0894G	5.19	6.4062G	-27.10	-17.96	-9.14	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

MASK

6105MHz_TX

13/06/2025

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
5m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13619G	4.71	6.905G	-44.25	-35.29	-8.96	1
6.13259G	5.17	6.9038G	-44.33	-34.83	-9.50	2
6.07221G	5.13	6.9022G	-44.30	-34.87	-9.43	3
6.13699G	5.49	6.9042G	-44.00	-34.51	-9.49	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX

MASK

6105MHz_TX

13/06/2025

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
5m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13659G	5.03	6.9022G	-44.32	-34.97	-9.35	1
6.13139G	5.33	6.9022G	-44.33	-34.67	-9.66	2
6.07421G	5.50	6.9038G	-44.31	-34.50	-9.81	3
6.13539G	5.68	6.903G	-43.97	-34.32	-9.65	4

Test Mode: Mode 23


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

MASK

7025MHz_TX

13/06/2025

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
5m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0132G	-8.42	6.9029G	-55.38	-48.32	-7.06	1
7.014G	-8.24	6.9033G	-55.45	-48.22	-7.23	2
7.0147G	-6.77	6.9016G	-55.41	-46.77	-8.64	3
7.0117G	-7.91	6.9029G	-55.30	-47.91	-7.39	4


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

MASK

6985MHz_TX

13/06/2025

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
5m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96101G	-5.94	7.372G	-52.59	-45.94	-6.65	1
7.01179G	-6.19	7.3696G	-52.66	-46.19	-6.47	2
6.95961G	-5.07	6.7404G	-52.37	-45.07	-7.30	3
6.92302G	-4.84	6.7412G	-51.19	-44.59	-6.60	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_2_4TX

MASK

6985MHz_TX

13/06/2025




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU_2_4TX

MASK

6905MHz_TX

13/06/2025




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX

MASK

6905MHz_TX

13/06/2025

CF (Hz)
6.905G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93819G	-5.01	7.4958G	-49.93	-45.01	-4.92	1
6.94939G	-4.69	7.499G	-49.99	-44.69	-5.30	2
6.94899G	-3.69	7.4818G	-49.99	-43.69	-6.30	3
6.86101G	-3.44	7.495G	-49.88	-43.44	-6.44	4


6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

MASK

6905MHz_TX

13/06/2025

CF (Hz)
6.905G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.94099G	-3.77	7.4986G	-50.00	-43.77	-6.23	1
6.93659G	-3.45	7.489G	-49.98	-43.45	-6.53	2
6.94939G	-2.55	7.4866G	-49.97	-42.55	-7.42	3
6.85781G	-1.99	7.4934G	-49.76	-41.99	-7.77	4

Test Mode: Mode 24


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

5985MHz_TX

12/06/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02249G	-1.88	6.1069G	-51.11	-41.88	-9.23	1
6.01469G	-1.31	6.1068G	-51.05	-41.31	-9.74	2
6.01579G	-1.79	6.1181G	-51.35	-41.79	-9.56	3
6.01639G	-1.14	6.1066G	-50.85	-41.14	-9.71	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

MASK

6025MHz_TX

12/06/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05299G	1.03	6.268G	-45.21	-38.89	-6.32	1
6.08239G	1.29	6.2682G	-43.70	-38.66	-5.04	2
6.08299G	1.88	6.269G	-43.74	-37.61	-6.13	3
6.08259G	2.00	6.2832G	-45.78	-38.00	-7.78	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

MASK

6025MHz_TX

12/06/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 7_4TX

MASK

6105MHz_TX

12/06/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX

MASK

6105MHz_TX

12/06/2025

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.26136G	-1.28	6.9046G	-48.43	-41.28	-7.15	1
6.26136G	-1.32	6.9026G	-48.19	-41.32	-6.87	2
6.08021G	-0.68	6.8846G	-47.86	-40.68	-7.18	3
6.07821G	-0.22	6.8902G	-48.36	-40.22	-8.14	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

MASK

6105MHz_TX

12/06/2025

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.14979G	0.26	6.9042G	-48.52	-39.74	-8.78	1
6.14979G	-0.20	6.8942G	-48.62	-40.20	-8.42	2
6.07181G	-0.30	6.8922G	-48.05	-40.30	-7.75	3
6.07301G	0.12	6.903G	-48.37	-39.88	-8.49	4