


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Z_2TX
Setting 83
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7664G	108.99	Inf	-Inf	110.44	3	Vertical	172	2.32	-	34.10	7.02	42.57			
RMS	6.7496G	98.44	Inf	-Inf	99.91	3	Vertical	172	2.32	-	34.10	7.02	42.59			
PK	7.1252G	80.84	88.20	-7.36	80.36	3	Vertical	172	2.32	-	35.75	7.22	42.49			
RMS	7.1252G	68.01	68.20	-0.19	67.53	3	Vertical	172	2.32	-	35.75	7.22	42.49			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Z_2TX
Setting 83
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.794G	100.12	Inf	-Inf	101.53	3	Horizontal	120	2.24	-	34.10	7.03	42.54			
RMS	6.749G	89.13	Inf	-Inf	90.60	3	Horizontal	120	2.24	-	34.10	7.02	42.59			
PK	7.1252G	72.98	88.20	-15.22	72.50	3	Horizontal	120	2.24	-	35.75	7.22	42.49			
RMS	7.1252G	59.91	68.20	-8.29	59.43	3	Horizontal	120	2.24	-	35.75	7.22	42.49			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Z_2TX
Setting 83
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7904G	56.53	88.20	-31.67	46.33	3	Vertical	259	2.18	-	40.20	12.70	42.70			
RMS	13.83225G	47.27	68.20	-20.93	37.01	3	Vertical	259	2.18	-	40.26	12.75	42.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Z_2TX
Setting 83
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7982G	56.88	88.20	-31.32	46.68	3	Horizontal	175	2.50	-	40.20	12.71	42.71			
RMS	13.81095G	47.06	68.20	-21.14	36.84	3	Horizontal	175	2.50	-	40.22	12.72	42.72			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Z_2TX
Setting 83
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71728G	45.51	83.54	-38.03	40.89	1	Vertical	61	1.13	-	37.90	15.75	49.03			
AV	20.71614G	33.21	63.54	-30.33	28.59	1	Vertical	61	1.13	-	37.90	15.75	49.03			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX

EUT_Z_2TX
Setting 83
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.70375G	46.01	83.54	-37.53	41.40	1	Horizontal	179	1.82	-	37.90	15.74	49.03			
AV	20.72985G	33.17	63.54	-30.37	28.53	1	Horizontal	179	1.82	-	37.90	15.76	49.02			




Test Mode: Mode 4

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1.(MCS0)_4TX	Pass	RMS	5.925G	68.07	68.20	-0.13	3	Horizontal	0	2.02	-

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 85
03-V-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	82.09	88.20	-6.11	74.65	3	Vertical	360	1.19	-	34.55	8.09	35.20			
RMS	5.9238G	67.96	68.20	-0.24	60.52	3	Vertical	360	1.19	-	34.55	8.09	35.20			
PK	5.9586G	125.19	Inf	-Inf	117.65	3	Vertical	360	1.19	-	34.60	8.13	35.19			
RMS	5.9638G	114.83	Inf	-Inf	107.29	3	Vertical	360	1.19	-	34.60	8.13	35.19			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 85
03-V-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9222G	82.56	88.20	-5.64	75.13	3	Horizontal	355	1.84	-	34.54	8.09	35.20			
RMS	5.9238G	66.24	68.20	-1.96	58.80	3	Horizontal	355	1.84	-	34.55	8.09	35.20			
PK	5.9634G	123.98	Inf	-Inf	116.44	3	Horizontal	355	1.84	-	34.60	8.13	35.19			
RMS	5.9628G	113.83	Inf	-Inf	106.29	3	Horizontal	355	1.84	-	34.60	8.13	35.19			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 85
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91018G	53.88	74.00	-20.12	68.69	3	Vertical	336	1.77	-	39.20	11.79	65.80			
AV	11.91015G	46.15	54.00	-7.85	60.96	3	Vertical	336	1.77	-	39.20	11.79	65.80			
PK	17.85903G	55.37	74.00	-18.63	58.87	3	Vertical	0	1.58	-	44.88	14.18	62.56			
AV	17.86653G	45.13	54.00	-8.87	48.62	3	Vertical	0	1.58	-	44.87	14.18	62.54			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 85
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91117G	59.03	74.00	-14.97	73.84	3	Horizontal	340	1.87	-	39.20	11.79	65.80			
AV	11.91G	51.25	54.00	-2.75	66.06	3	Horizontal	340	1.87	-	39.20	11.79	65.80			
PK	17.87001G	54.80	74.00	-19.20	58.28	3	Horizontal	5	1.80	-	44.86	14.19	62.53			
AV	17.86146G	45.32	54.00	-8.68	48.81	3	Horizontal	5	1.80	-	44.88	14.18	62.55			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_V_4TX
Setting 85
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.83014G	59.85	83.54	-23.69	50.57	1	Vertical	306	1.51	-	39.10	17.35	47.17			
AV	23.81538G	51.54	63.54	-12.00	42.28	1	Vertical	306	1.51	-	39.10	17.34	47.18			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 85
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.82426G	63.95	83.54	-19.59	54.68	1	Horizontal	324	1.51	-	39.10	17.35	47.18			
AV	23.81892G	55.41	63.54	-8.13	46.14	1	Horizontal	324	1.51	-	39.10	17.35	47.18			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 95
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38976G	56.10	74.00	-17.90	71.07	3	Vertical	354	1.78	-	38.62	11.80	65.39			
AV	12.38892G	47.92	54.00	-6.08	62.89	3	Vertical	354	1.78	-	38.62	11.80	65.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_V_4TX
Setting 95
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38955G	63.06	74.00	-10.94	78.03	3	Horizontal	14	1.89	-	38.62	11.80	65.39			
AV	12.38922G	53.64	54.00	-0.36	68.61	3	Horizontal	14	1.89	-	38.62	11.80	65.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_V_4TX
Setting 95
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58542G	54.44	83.54	-29.10	50.99	1	Vertical	354	1.48	-	37.80	15.27	49.62			
AV	18.59034G	44.18	63.54	-19.36	40.73	1	Vertical	354	1.48	-	37.80	15.27	49.62			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 95
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.59736G	55.72	83.54	-27.82	52.26	1	Horizontal	312	1.49	-	37.80	15.27	49.61			
AV	18.59734G	46.14	63.54	-17.40	42.68	1	Horizontal	312	1.49	-	37.80	15.27	49.61			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83552G	67.72	88.20	-20.48	82.06	3	Vertical	11	1.80	-	39.14	11.77	65.25			
RMS	12.83081G	59.66	68.20	-8.54	74.02	3	Vertical	11	1.80	-	39.12	11.77	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82961G	72.56	88.20	-15.64	86.92	3	Horizontal	15	1.80	-	39.12	11.77	65.25			
RMS	12.82988G	62.52	68.20	-5.68	76.88	3	Horizontal	15	1.80	-	39.12	11.77	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 108
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24956G	58.21	83.54	-25.33	54.48	1	Vertical	328	1.52	-	38.00	15.24	49.51			
AV	19.24002G	49.65	63.54	-13.89	45.95	1	Vertical	328	1.52	-	37.96	15.24	49.50			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 108
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.25058G	62.95	83.54	-20.59	59.22	1	Horizontal	313	1.50	-	38.00	15.24	49.51			
AV	19.24758G	53.86	63.54	-9.68	50.14	1	Horizontal	313	1.50	-	37.99	15.24	49.51			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 77
03-V-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9244G	79.22	88.20	-8.98	71.78	3	Vertical	0	1.16	-	34.55	8.09	35.20			
RMS	5.9236G	67.33	68.20	-0.87	59.89	3	Vertical	0	1.16	-	34.55	8.09	35.20			
PK	5.9736G	120.90	Inf	-Inf	113.35	3	Vertical	0	1.16	-	34.60	8.14	35.19			
RMS	5.9738G	110.86	Inf	-Inf	103.31	3	Vertical	0	1.16	-	34.60	8.14	35.19			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 77
03-V-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	79.23	88.20	-8.97	71.79	3	Horizontal	6	2.03	-	34.55	8.09	35.20			
RMS	5.9226G	65.75	68.20	-2.45	58.31	3	Horizontal	6	2.03	-	34.55	8.09	35.20			
PK	5.9724G	119.69	Inf	-Inf	112.14	3	Horizontal	6	2.03	-	34.60	8.14	35.19			
RMS	5.9826G	110.49	Inf	-Inf	102.93	3	Horizontal	6	2.03	-	34.60	8.15	35.19			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 77
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92853G	50.35	74.00	-23.65	65.14	3	Vertical	338	1.73	-	39.20	11.80	65.79			
AV	11.92859G	41.99	54.00	-12.01	56.78	3	Vertical	338	1.73	-	39.20	11.80	65.79			
PK	17.90868G	53.99	74.00	-20.01	57.46	3	Vertical	354	1.80	-	44.78	14.21	62.46			
AV	17.88102G	44.65	54.00	-9.35	48.13	3	Vertical	354	1.80	-	44.84	14.19	62.51			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 77
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93309G	55.19	74.00	-18.81	69.97	3	Horizontal	339	1.67	-	39.20	11.80	65.78			
AV	11.92766G	47.16	54.00	-6.84	61.95	3	Horizontal	339	1.67	-	39.20	11.80	65.79			
PK	17.89518G	52.95	74.00	-21.05	56.43	3	Horizontal	264	2.34	-	44.81	14.20	62.49			
AV	17.8857G	44.83	54.00	-9.17	48.31	3	Horizontal	264	2.34	-	44.83	14.19	62.50			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 77
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	17.905G	45.70	83.54	-37.84	42.14	1	Vertical	360	1.64	-	37.50	15.24	49.18			
AV	17.9082G	36.25	63.54	-27.29	32.69	1	Vertical	360	1.64	-	37.51	15.24	49.19			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 77
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.89968G	47.05	83.54	-36.49	43.49	1	Horizontal	311	1.51	-	37.49	15.23	49.16			
AV	17.89462G	37.62	63.54	-25.92	34.06	1	Horizontal	311	1.51	-	37.48	15.23	49.15			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4061G	55.50	74.00	-18.50	70.47	3	Vertical	357	1.80	-	38.60	11.80	65.37			
AV	12.41132G	46.22	54.00	-7.78	61.19	3	Vertical	357	1.80	-	38.60	11.80	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40439G	59.77	74.00	-14.23	74.75	3	Horizontal	15	1.90	-	38.60	11.80	65.38			
AV	12.40439G	51.19	54.00	-2.81	66.17	3	Horizontal	15	1.90	-	38.60	11.80	65.38			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX



EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6152G	56.88	83.54	-26.66	53.38	1	Vertical	205	1.58	-	37.83	15.27	49.60			
AV	18.6155G	48.21	63.54	-15.33	44.71	1	Vertical	205	1.58	-	37.83	15.27	49.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.612G	53.64	83.54	-29.90	50.15	1	Horizontal	238	1.56	-	37.82	15.27	49.60			
AV	18.617G	45.08	63.54	-18.46	41.58	1	Horizontal	238	1.56	-	37.83	15.27	49.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80805G	63.08	88.20	-25.12	77.53	3	Vertical	8	2.19	-	39.03	11.77	65.25			
RMS	12.80811G	55.45	68.20	-12.75	69.90	3	Vertical	8	2.19	-	39.03	11.77	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80454G	64.71	88.20	-23.49	79.17	3	Horizontal	12	2.00	-	39.02	11.77	65.25			
RMS	12.80964G	57.24	68.20	-10.96	71.68	3	Horizontal	12	2.00	-	39.04	11.77	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX

EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.207G	56.29	83.54	-27.25	52.70	1	Vertical	21	1.40	-	37.83	15.24	49.48			
AV	19.2003G	48.55	63.54	-14.99	44.99	1	Vertical	21	1.40	-	37.80	15.24	49.48			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1976G	56.18	83.54	-27.36	52.60	1	Horizontal	0	1.50	-	37.81	15.24	49.47			
AV	19.2126G	48.74	63.54	-14.80	45.13	1	Horizontal	0	1.50	-	37.85	15.24	49.48			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 78
03-V-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9241G	77.31	88.20	-10.89	69.87	3	Vertical	0	1.20	-	34.55	8.09	35.20			
RMS	5.9241G	64.99	68.20	-3.21	57.55	3	Vertical	0	1.20	-	34.55	8.09	35.20			
PK	6.0138G	118.17	Inf	-Inf	110.57	3	Vertical	0	1.20	-	34.60	8.19	35.19			
RMS	5.9937G	107.87	Inf	-Inf	100.30	3	Vertical	0	1.20	-	34.60	8.16	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Y_4TX
Setting 78
03-V-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	78.68	88.20	-9.52	71.24	3	Horizontal	0	2.02	-	34.55	8.09	35.20			
RMS	5.925G	68.07	68.20	-0.13	60.63	3	Horizontal	0	2.02	-	34.55	8.09	35.20			
PK	5.9955G	117.67	Inf	-Inf	110.09	3	Horizontal	0	2.02	-	34.60	8.17	35.19			
RMS	5.9958G	107.34	Inf	-Inf	99.76	3	Horizontal	0	2.02	-	34.60	8.17	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 78
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.98035G	48.48	74.00	-25.52	63.27	3	Vertical	0	1.80	-	39.14	11.82	65.75			
AV	11.97057G	39.87	54.00	-14.13	54.65	3	Vertical	0	1.80	-	39.16	11.82	65.76			
PK	17.96796G	52.94	74.00	-21.06	56.24	3	Vertical	198	2.14	-	44.81	14.23	62.34			
AV	17.94324G	44.61	54.00	-9.39	48.07	3	Vertical	198	2.14	-	44.71	14.22	62.39			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 78
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97765G	51.76	74.00	-22.24	66.55	3	Horizontal	340	1.56	-	39.14	11.82	65.75			
AV	11.98296G	43.86	54.00	-10.14	58.66	3	Horizontal	340	1.56	-	39.13	11.82	65.75			
PK	17.96718G	53.35	74.00	-20.65	56.66	3	Horizontal	91	1.75	-	44.80	14.23	62.34			
AV	17.96895G	44.66	54.00	-9.34	47.96	3	Horizontal	91	1.75	-	44.81	14.23	62.34			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
Setting 78
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.95523G	49.35	83.54	-34.19	45.79	1	Vertical	171	1.52	-	37.61	15.27	49.32			
AV	17.95519G	39.77	63.54	-23.77	36.21	1	Vertical	171	1.52	-	37.61	15.27	49.32			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_V_4TX
Setting 78
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.95505G	49.74	83.54	-33.80	46.18	1	Horizontal	91	1.59	-	37.61	15.27	49.32			
AV	17.95502G	39.38	63.54	-24.16	35.82	1	Horizontal	91	1.59	-	37.61	15.27	49.32			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44616G	52.09	74.00	-21.91	67.03	3	Vertical	357	1.80	-	38.60	11.80	65.34			
AV	12.46131G	43.35	54.00	-10.65	58.25	3	Vertical	357	1.80	-	38.62	11.80	65.32			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.44415G	54.15	74.00	-19.85	69.09	3	Horizontal	14	1.96	-	38.60	11.80	65.34			
AV	12.43932G	45.89	54.00	-8.11	60.83	3	Horizontal	14	1.96	-	38.60	11.80	65.34			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67539G	57.07	83.54	-26.47	53.46	1	Vertical	332	1.52	-	37.90	15.27	49.56			
AV	18.67498G	48.11	63.54	-15.43	44.50	1	Vertical	332	1.52	-	37.90	15.27	49.56			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67396G	57.36	83.54	-26.18	53.75	1	Horizontal	46	1.55	-	37.90	15.27	49.56			
AV	18.67578G	48.64	63.54	-14.90	45.03	1	Horizontal	46	1.55	-	37.90	15.27	49.56			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77873G	58.48	88.20	-29.72	73.06	3	Vertical	6	1.80	-	38.91	11.77	65.26			
RMS	12.77918G	50.73	68.20	-17.47	65.30	3	Vertical	6	1.80	-	38.92	11.77	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77936G	61.21	88.20	-26.99	75.78	3	Horizontal	13	1.93	-	38.92	11.77	65.26			
RMS	12.76937G	54.23	68.20	-13.97	68.84	3	Horizontal	13	1.93	-	38.88	11.77	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15737G	57.80	83.54	-25.74	54.04	1	Vertical	164	1.50	-	37.97	15.24	49.45			
AV	19.157G	48.85	63.54	-14.69	45.09	1	Vertical	164	1.50	-	37.97	15.24	49.45			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15575G	57.74	83.54	-25.80	53.97	1	Horizontal	313	1.56	-	37.98	15.24	49.45			
AV	19.15368G	48.90	63.54	-14.64	45.11	1	Horizontal	313	1.56	-	37.99	15.24	49.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 83
03-V-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	78.38	88.20	-9.82	70.94	3	Vertical	360	1.06	-	34.55	8.09	35.20			
RMS	5.9238G	68.16	68.20	-0.04	60.72	3	Vertical	360	1.06	-	34.55	8.09	35.20			
PK	6.059G	118.70	Inf	-Inf	110.98	3	Vertical	360	1.06	-	34.65	8.26	35.19			
RMS	6.0838G	107.17	Inf	-Inf	99.27	3	Vertical	360	1.06	-	34.80	8.30	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 83
03-V-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	76.93	88.20	-11.27	69.49	3	Horizontal	357	1.99	-	34.55	8.09	35.20			
RMS	5.9246G	67.29	68.20	-0.91	59.85	3	Horizontal	357	1.99	-	34.55	8.09	35.20			
PK	6.0858G	117.08	Inf	-Inf	109.17	3	Horizontal	357	1.99	-	34.81	8.30	35.20			
RMS	6.1002G	107.04	Inf	-Inf	99.02	3	Horizontal	357	1.99	-	34.90	8.32	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 83
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0497G	48.86	74.00	-25.14	63.73	3	Vertical	3	2.36	-	39.00	11.83	65.70			
AV	12.04994G	41.26	54.00	-12.74	56.13	3	Vertical	3	2.36	-	39.00	11.83	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_V_4TX
Setting 83
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05G	49.85	74.00	-24.15	64.71	3	Horizontal	77	1.26	-	39.00	11.83	65.69			
AV	12.04991G	40.41	54.00	-13.59	55.28	3	Horizontal	77	1.26	-	39.00	11.83	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_V_4TX
Setting 83
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0755G	49.91	83.54	-33.63	46.54	1	Vertical	341	1.57	-	37.55	15.30	49.48			
AV	18.07345G	39.95	63.54	-23.59	36.59	1	Vertical	341	1.57	-	37.54	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_V_4TX
Setting 83
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07569G	49.80	83.54	-33.74	46.43	1	Horizontal	259	1.56	-	37.55	15.30	49.48			
AV	18.07611G	39.29	63.54	-24.25	35.91	1	Horizontal	259	1.56	-	37.56	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36757G	51.70	74.00	-22.30	66.65	3	Vertical	360	2.20	-	38.66	11.80	65.41			
AV	12.35743G	41.94	54.00	-12.06	56.87	3	Vertical	360	2.20	-	38.69	11.80	65.42			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38428G	54.04	74.00	-19.96	69.00	3	Horizontal	14	1.94	-	38.63	11.80	65.39			
AV	12.37912G	46.60	54.00	-7.40	61.56	3	Horizontal	14	1.94	-	38.64	11.80	65.40			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX

EUT_Y_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55692G	58.94	83.54	-24.60	55.51	1	Vertical	69	1.58	-	37.80	15.27	49.64			
AV	18.55294G	47.65	63.54	-15.89	44.22	1	Vertical	69	1.58	-	37.80	15.27	49.64			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5544G	58.86	83.54	-24.68	55.43	1	Horizontal	179	1.56	-	37.80	15.27	49.64			
AV	18.5536G	48.56	63.54	-14.98	45.13	1	Horizontal	179	1.56	-	37.80	15.27	49.64			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68574G	52.74	74.00	-21.26	67.36	3	Vertical	350	1.80	-	38.87	11.78	65.27			
AV	12.67587G	45.38	54.00	-8.62	60.02	3	Vertical	350	1.80	-	38.85	11.78	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68919G	58.10	74.00	-15.90	72.71	3	Horizontal	19	1.97	-	38.88	11.78	65.27			
AV	12.69408G	49.66	54.00	-4.34	64.26	3	Horizontal	19	1.97	-	38.89	11.78	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03662G	58.37	83.54	-25.17	54.55	1	Vertical	274	1.55	-	37.93	15.25	49.36			
AV	19.0337G	47.51	63.54	-16.03	43.69	1	Vertical	274	1.55	-	37.93	15.25	49.36			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03592G	58.17	83.54	-25.37	54.35	1	Horizontal	1	1.59	-	37.93	15.25	49.36			
AV	19.03575G	48.22	63.54	-15.32	44.40	1	Horizontal	1	1.59	-	37.93	15.25	49.36			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 88
03-V-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9237G	78.53	88.20	-9.67	71.09	3	Vertical	-0	1.02	-	34.55	8.09	35.20			
RMS	5.9237G	67.44	68.20	-0.76	60.00	3	Vertical	-0	1.02	-	34.55	8.09	35.20			
PK	6.2044G	114.49	Inf	-Inf	106.22	3	Vertical	-0	1.02	-	34.99	8.48	35.20			
RMS	6.1337G	105.11	Inf	-Inf	97.04	3	Vertical	-0	1.02	-	34.90	8.37	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 88
03-V-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9237G	76.77	88.20	-11.43	69.33	3	Horizontal	353	2.15	-	34.55	8.09	35.20			
RMS	5.923G	66.26	68.20	-1.94	58.82	3	Horizontal	353	2.15	-	34.55	8.09	35.20			
PK	6.1148G	114.87	Inf	-Inf	106.83	3	Horizontal	353	2.15	-	34.90	8.34	35.20			
RMS	6.1351G	104.41	Inf	-Inf	96.34	3	Horizontal	353	2.15	-	34.90	8.37	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 88
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20868G	46.95	74.00	-27.05	61.97	3	Vertical	9	2.29	-	38.72	11.81	65.55			
AV	12.19992G	36.84	54.00	-17.16	51.88	3	Vertical	9	2.29	-	38.70	11.82	65.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_V_4TX
Setting 88
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20022G	45.67	74.00	-28.33	60.72	3	Horizontal	347	2.21	-	38.70	11.81	65.56			
AV	12.1986G	36.96	54.00	-17.04	52.00	3	Horizontal	347	2.21	-	38.70	11.82	65.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 88
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31339G	50.26	83.54	-33.28	46.94	1	Vertical	309	1.52	-	37.63	15.28	49.59			
AV	18.31642G	40.00	63.54	-23.54	36.68	1	Vertical	309	1.52	-	37.63	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_V_4TX
Setting 88
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31436G	50.27	83.54	-33.27	46.95	1	Horizontal	294	1.50	-	37.63	15.28	49.59			
AV	18.31582G	40.35	63.54	-23.19	37.03	1	Horizontal	294	1.50	-	37.63	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53861G	48.60	74.00	-25.40	63.40	3	Vertical	355	1.80	-	38.70	11.79	65.29			
AV	12.5387G	39.72	54.00	-14.28	54.52	3	Vertical	355	1.80	-	38.70	11.79	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.53459G	51.85	74.00	-22.15	66.65	3	Horizontal	18	1.80	-	38.70	11.79	65.29			
AV	12.52976G	43.59	54.00	-10.41	58.39	3	Horizontal	18	1.80	-	38.70	11.79	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79298G	58.51	83.54	-25.03	54.83	1	Vertical	130	1.60	-	37.90	15.26	49.48			
AV	18.79602G	48.77	63.54	-14.77	45.09	1	Vertical	130	1.60	-	37.90	15.26	49.48			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79429G	58.02	83.54	-25.52	54.34	1	Horizontal	304	1.60	-	37.90	15.26	49.48			
AV	18.79386G	48.59	63.54	-14.95	44.91	1	Horizontal	304	1.60	-	37.90	15.26	49.48			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86556G	59.64	88.20	-28.56	73.92	3	Vertical	10	1.80	-	39.20	11.77	65.25			
RMS	12.87021G	50.91	68.20	-17.29	65.20	3	Vertical	10	1.80	-	39.20	11.76	65.25			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87225G	62.76	88.20	-25.44	77.05	3	Horizontal	18	1.88	-	39.20	11.76	65.25			
RMS	12.8724G	55.12	68.20	-13.08	69.41	3	Horizontal	18	1.88	-	39.20	11.76	65.25			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 108
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.30824G	58.82	83.54	-24.72	55.34	1	Vertical	31	1.80	-	37.80	15.23	49.55			
AV	19.3035G	49.69	63.54	-13.85	46.21	1	Vertical	31	1.80	-	37.80	15.23	49.55			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6435MHz_TX

EUT_V_4TX
Setting 108
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30308G	62.63	83.54	-20.91	59.15	1	Horizontal	229	1.71	-	37.80	15.23	49.55			
AV	19.30518G	54.04	63.54	-9.50	50.56	1	Horizontal	229	1.71	-	37.80	15.23	49.55			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95036G	62.38	88.20	-25.82	76.56	3	Vertical	10	1.74	-	39.30	11.76	65.24			
RMS	12.95006G	53.95	68.20	-14.25	68.13	3	Vertical	10	1.74	-	39.30	11.76	65.24			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95249G	65.12	88.20	-23.08	79.30	3	Horizontal	19	1.80	-	39.30	11.76	65.24			
RMS	12.95234G	56.85	68.20	-11.35	71.03	3	Horizontal	19	1.80	-	39.30	11.76	65.24			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 108
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.41402G	58.41	83.54	-25.13	54.96	1	Vertical	197	1.40	-	37.84	15.23	49.62			
AV	19.422G	50.02	63.54	-13.52	46.61	1	Vertical	197	1.40	-	37.81	15.23	49.63			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 108
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.42236G	60.26	83.54	-23.28	56.85	1	Horizontal	21	1.76	-	37.81	15.23	49.63			
AV	19.42206G	51.24	63.54	-12.30	47.83	1	Horizontal	21	1.76	-	37.81	15.23	49.63			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.02832G	62.34	88.20	-25.86	76.41	3	Vertical	352	1.80	-	39.36	11.75	65.18			
RMS	13.02832G	53.94	68.20	-14.26	68.01	3	Vertical	352	1.80	-	39.36	11.75	65.18			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6515MHz_TX

EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02538G	63.41	88.20	-24.79	77.49	3	Horizontal	51	1.69	-	39.35	11.75	65.18			
RMS	13.03039G	55.42	68.20	-12.78	69.48	3	Horizontal	51	1.69	-	39.36	11.75	65.17			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 108
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.5405G	53.77	83.54	-29.77	50.48	1	Vertical	343	1.79	-	37.72	15.22	49.65			
AV	19.54014G	44.73	63.54	-18.81	41.44	1	Vertical	343	1.79	-	37.72	15.22	49.65			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 108
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54134G	53.37	83.54	-30.17	50.08	1	Horizontal	15	1.80	-	37.72	15.22	49.65			
AV	19.54656G	44.69	63.54	-18.85	41.40	1	Horizontal	15	1.80	-	37.71	15.22	49.64			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89309G	58.83	88.20	-29.37	73.11	3	Vertical	8	1.89	-	39.20	11.76	65.24			
RMS	12.88583G	49.23	68.20	-18.97	63.51	3	Vertical	8	1.89	-	39.20	11.76	65.24			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89213G	60.22	88.20	-27.98	74.50	3	Horizontal	17	1.91	-	39.20	11.76	65.24			
RMS	12.89231G	51.93	68.20	-16.27	66.21	3	Horizontal	17	1.91	-	39.20	11.76	65.24			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6445MHz_TX

EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.3274G	55.08	83.54	-28.46	51.61	1	Vertical	183	1.56	-	37.80	15.23	49.56			
AV	19.3321G	46.90	63.54	-16.64	43.44	1	Vertical	183	1.56	-	37.80	15.23	49.57			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3235G	59.18	83.54	-24.36	55.71	1	Horizontal	310	1.50	-	37.80	15.23	49.56			
AV	19.3253G	50.70	63.54	-12.84	47.23	1	Horizontal	310	1.50	-	37.80	15.23	49.56			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.97864G	60.25	88.20	-27.95	74.42	3	Vertical	353	1.80	-	39.30	11.76	65.23			
RMS	12.9685G	51.81	68.20	-16.39	65.98	3	Vertical	353	1.80	-	39.30	11.76	65.23			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96709G	61.58	88.20	-26.62	75.75	3	Horizontal	18	1.87	-	39.30	11.76	65.23			
RMS	12.96715G	53.54	68.20	-14.66	67.71	3	Horizontal	18	1.87	-	39.30	11.76	65.23			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4638G	54.50	83.54	-29.04	51.20	1	Vertical	196	1.56	-	37.73	15.23	49.66			
AV	19.4573G	46.19	63.54	-17.35	42.90	1	Vertical	196	1.56	-	37.71	15.23	49.65			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.4423G	56.52	83.54	-27.02	53.20	1	Horizontal	19	1.50	-	37.73	15.23	49.64			
AV	19.4519G	47.39	63.54	-16.15	44.11	1	Horizontal	19	1.50	-	37.70	15.23	49.65			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0545G	58.98	88.20	-29.22	72.93	3	Vertical	10	1.72	-	39.42	11.75	65.12			
RMS	13.04994G	51.72	68.20	-16.48	65.70	3	Vertical	10	1.72	-	39.40	11.75	65.13			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX

EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.053G	62.67	88.20	-25.53	76.64	3	Horizontal	63	1.78	-	39.41	11.75	65.13			
RMS	13.05264G	52.43	68.20	-15.77	66.40	3	Horizontal	63	1.78	-	39.41	11.75	65.13			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5915G	53.14	83.54	-30.40	49.82	1	Vertical	183	1.50	-	37.70	15.22	49.60			
AV	19.5875G	43.39	63.54	-20.15	40.08	1	Vertical	183	1.50	-	37.70	15.22	49.61			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.5852G	57.12	83.54	-26.42	53.81	1	Horizontal	222	1.51	-	37.70	15.22	49.61			
AV	19.5653G	48.04	63.54	-15.50	44.75	1	Horizontal	222	1.51	-	37.70	15.22	49.63			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.93075G	57.24	88.20	-30.96	71.46	3	Vertical	8	1.88	-	39.26	11.76	65.24			
RMS	12.9303G	47.47	68.20	-20.73	61.69	3	Vertical	8	1.88	-	39.26	11.76	65.24			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.92757G	59.04	88.20	-29.16	73.26	3	Horizontal	19	1.80	-	39.26	11.76	65.24			
RMS	12.93252G	50.98	68.20	-17.22	65.19	3	Horizontal	19	1.80	-	39.27	11.76	65.24			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.39471G	58.23	83.54	-25.31	54.72	1	Vertical	56	1.51	-	37.89	15.23	49.61			
AV	19.39653G	48.58	63.54	-14.96	45.07	1	Vertical	56	1.51	-	37.89	15.23	49.61			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.39451G	57.73	83.54	-25.81	54.22	1	Horizontal	355	1.59	-	37.89	15.23	49.61			
AV	19.39572G	48.97	63.54	-14.57	45.46	1	Horizontal	355	1.59	-	37.89	15.23	49.61			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.09012G	58.02	88.20	-30.18	71.77	3	Vertical	10	1.73	-	39.56	11.75	65.06			
RMS	13.07992G	49.85	68.20	-18.35	63.65	3	Vertical	10	1.73	-	39.52	11.75	65.07			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0855G	58.70	88.20	-29.50	72.47	3	Horizontal	13	2.68	-	39.54	11.75	65.06			
RMS	13.08055G	49.13	68.20	-19.07	62.93	3	Horizontal	13	2.68	-	39.52	11.75	65.07			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.63335G	57.98	83.54	-25.56	54.63	1	Vertical	314	1.50	-	37.70	15.22	49.57			
AV	19.63718G	48.84	63.54	-14.70	45.49	1	Vertical	314	1.50	-	37.70	15.22	49.57			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63402G	58.28	83.54	-25.26	54.93	1	Horizontal	65	1.52	-	37.70	15.22	49.57			
AV	19.63659G	48.85	63.54	-14.69	45.50	1	Horizontal	65	1.52	-	37.70	15.22	49.57			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.99777G	57.64	88.20	-30.56	71.81	3	Vertical	353	1.76	-	39.30	11.76	65.23			
RMS	12.99767G	47.90	68.20	-20.30	62.07	3	Vertical	353	1.76	-	39.30	11.76	65.23			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01933G	56.41	88.20	-31.79	70.51	3	Horizontal	12	1.97	-	39.34	11.75	65.19			
RMS	13.00427G	47.77	68.20	-20.43	61.93	3	Horizontal	12	1.97	-	39.31	11.75	65.22			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51689G	58.13	83.54	-25.41	54.81	1	Vertical	138	1.59	-	37.77	15.22	49.67			
AV	19.51405G	48.09	63.54	-15.45	44.77	1	Vertical	138	1.59	-	37.77	15.22	49.67			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.51342G	58.61	83.54	-24.93	55.29	1	Horizontal	232	1.53	-	37.77	15.22	49.67			
AV	19.51571G	48.87	63.54	-14.67	45.55	1	Horizontal	232	1.53	-	37.77	15.22	49.67			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2074G	50.22	88.20	-37.98	63.58	3	Vertical	10	1.80	-	39.73	11.74	64.83			
RMS	13.2124G	42.81	68.20	-25.39	56.14	3	Vertical	10	1.80	-	39.75	11.74	64.82			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6585MHz Straddle 6.425-6.525GHz_TX

EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.1876G	53.96	88.20	-34.24	67.41	3	Horizontal	9	1.80	-	39.68	11.74	64.87			
RMS	13.2023G	44.80	68.20	-23.40	58.19	3	Horizontal	9	1.80	-	39.71	11.74	64.84			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6585MHz Straddle 6.425-6.525GHz_TX

EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.7566G	58.04	83.54	-25.50	54.60	1	Vertical	254	1.55	-	37.70	15.21	49.47			
AV	19.75279G	48.62	63.54	-14.92	45.18	1	Vertical	254	1.55	-	37.70	15.21	49.47			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7526G	58.88	83.54	-24.66	55.44	1	Horizontal	212	1.59	-	37.70	15.21	49.47			
AV	19.75507G	48.32	63.54	-15.22	44.88	1	Horizontal	212	1.59	-	37.70	15.21	49.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07117G	64.76	88.20	-23.44	78.62	3	Vertical	10	2.01	-	39.48	11.75	65.09			
RMS	13.07093G	55.95	68.20	-12.25	69.81	3	Vertical	10	2.01	-	39.48	11.75	65.09			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07003G	65.44	88.20	-22.76	79.30	3	Horizontal	60	1.71	-	39.48	11.75	65.09			
RMS	13.07006G	56.78	68.20	-11.42	70.64	3	Horizontal	60	1.71	-	39.48	11.75	65.09			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 108
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6032G	58.64	83.54	-24.90	55.32	1	Vertical	141	1.70	-	37.70	15.22	49.60			
AV	19.60134G	49.59	63.54	-13.95	46.27	1	Vertical	141	1.70	-	37.70	15.22	49.60			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT V_4TX
Setting 108
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60368G	59.09	83.54	-24.45	55.76	1	Horizontal	236	1.80	-	37.70	15.22	49.59			
AV	19.60356G	50.26	63.54	-13.28	46.94	1	Horizontal	236	1.80	-	37.70	15.22	49.60			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_Y_4TX
Setting 108
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38799G	54.04	74.00	-19.96	66.71	3	Vertical	355	1.80	-	40.08	11.73	64.48			
AV	13.38835G	42.37	54.00	-11.63	55.04	3	Vertical	355	1.80	-	40.08	11.73	64.48			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 108
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38973G	57.90	74.00	-16.10	70.56	3	Horizontal	315	2.91	-	40.08	11.73	64.47			
AV	13.38901G	45.37	54.00	-8.63	58.04	3	Horizontal	315	2.91	-	40.08	11.73	64.48			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_Y_4TX
Setting 108
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0784G	62.05	83.54	-21.49	58.24	1	Vertical	56	2.81	-	37.80	15.26	49.25			
AV	20.07105G	53.16	63.54	-10.38	49.35	1	Vertical	56	2.81	-	37.80	15.26	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_V_4TX
Setting 108
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.07249G	62.91	83.54	-20.63	59.10	1	Horizontal	212	1.56	-	37.80	15.26	49.25			
AV	20.07114G	52.91	63.54	-10.63	49.10	1	Horizontal	212	1.56	-	37.80	15.26	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75216G	59.27	88.20	-28.93	71.33	3	Vertical	2	1.77	-	40.60	11.70	64.36			
RMS	13.75186G	52.55	68.20	-15.65	64.61	3	Vertical	2	1.77	-	40.60	11.70	64.36			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.75021G	63.31	88.20	-24.89	75.37	3	Horizontal	316	1.80	-	40.60	11.70	64.36			
RMS	13.75006G	55.50	68.20	-12.70	67.56	3	Horizontal	316	1.80	-	40.60	11.70	64.36			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 108
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62962G	46.70	83.54	-36.84	42.17	1	Vertical	349	1.80	-	37.90	15.70	49.07			
AV	20.61954G	37.88	63.54	-25.66	33.36	1	Vertical	349	1.80	-	37.90	15.70	49.08			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 108
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62254G	54.50	83.54	-29.04	49.98	1	Horizontal	310	1.62	-	37.90	15.70	49.08			
AV	20.62248G	45.08	63.54	-18.46	40.56	1	Horizontal	310	1.62	-	37.90	15.70	49.08			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.11743G	59.40	88.20	-28.80	73.05	3	Vertical	4	1.87	-	39.60	11.75	65.00				
RMS	13.11746G	51.03	68.20	-17.17	64.68	3	Vertical	4	1.87	-	39.60	11.75	65.00				

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6565MHz_TX

EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.133G	60.72	88.20	-27.48	74.34	3	Horizontal	15	1.87	-	39.60	11.75	64.97			
RMS	13.13216G	52.13	68.20	-16.07	65.75	3	Horizontal	15	1.87	-	39.60	11.75	64.97			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7043G	54.25	83.54	-29.29	50.85	1	Vertical	160	1.60	-	37.70	15.21	49.51			
AV	19.704G	45.93	63.54	-17.61	42.53	1	Vertical	160	1.60	-	37.70	15.21	49.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.685G	52.93	83.54	-30.61	49.54	1	Horizontal	316	1.50	-	37.70	15.22	49.53			
AV	19.6849G	45.26	63.54	-18.28	41.87	1	Horizontal	316	1.50	-	37.70	15.22	49.53			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36817G	56.29	74.00	-17.71	69.04	3	Vertical	8	1.79	-	40.04	11.73	64.52			
AV	13.36772G	47.94	54.00	-6.06	60.69	3	Vertical	8	1.79	-	40.04	11.73	64.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37315G	58.52	74.00	-15.48	71.25	3	Horizontal	314	1.72	-	40.05	11.73	64.51			
AV	13.37321G	49.46	54.00	-4.54	62.19	3	Horizontal	314	1.72	-	40.05	11.73	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0449G	57.24	83.54	-26.30	53.47	1	Vertical	212	1.55	-	37.79	15.24	49.26			
AV	20.0448G	48.79	63.54	-14.75	45.02	1	Vertical	212	1.55	-	37.79	15.24	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0483G	55.60	83.54	-27.94	51.82	1	Horizontal	45	1.50	-	37.80	15.24	49.26			
AV	20.0479G	47.08	63.54	-16.46	43.30	1	Horizontal	45	1.50	-	37.80	15.24	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.77552G	56.54	88.20	-31.66	68.56	3	Vertical	0	2.94	-	40.65	11.70	64.37			
RMS	13.77009G	47.58	68.20	-20.62	59.61	3	Vertical	0	2.94	-	40.64	11.70	64.37			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.773G	62.08	88.20	-26.12	74.10	3	Horizontal	315	1.80	-	40.65	11.70	64.37			
RMS	13.77111G	53.13	68.20	-15.07	65.16	3	Horizontal	315	1.80	-	40.64	11.70	64.37			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6511G	57.20	83.54	-26.34	52.64	1	Vertical	244	1.60	-	37.90	15.72	49.06			
AV	20.639G	48.25	63.54	-15.29	43.71	1	Vertical	244	1.60	-	37.90	15.71	49.07			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6673G	57.52	83.54	-26.02	52.94	1	Horizontal	77	1.54	-	37.90	15.73	49.05			
AV	20.6428G	48.49	63.54	-15.05	43.95	1	Horizontal	77	1.54	-	37.90	15.71	49.07			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.23992G	56.05	88.20	-32.15	69.21	3	Vertical	8	1.80	-	39.86	11.74	64.76			
RMS	13.2353G	47.07	68.20	-21.13	60.26	3	Vertical	8	1.80	-	39.84	11.74	64.77			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.23485G	58.64	88.20	-29.56	71.83	3	Horizontal	14	1.80	-	39.84	11.74	64.77			
RMS	13.23413G	51.07	68.20	-17.13	64.27	3	Horizontal	14	1.80	-	39.84	11.74	64.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87441G	57.71	83.54	-25.83	54.17	1	Vertical	137	1.54	-	37.70	15.21	49.37			
AV	19.87622G	48.13	63.54	-15.41	44.59	1	Vertical	137	1.54	-	37.70	15.21	49.37			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8743G	57.67	83.54	-25.87	54.13	1	Horizontal	87	1.54	-	37.70	15.21	49.37			
AV	19.87697G	48.29	63.54	-15.25	44.75	1	Horizontal	87	1.54	-	37.70	15.21	49.37			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41755G	51.03	88.20	-37.17	63.59	3	Vertical	10	1.80	-	40.14	11.72	64.42			
RMS	13.40231G	42.84	68.20	-25.36	55.47	3	Vertical	10	1.80	-	40.10	11.72	64.45			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41441G	52.66	88.20	-35.54	65.24	3	Horizontal	315	2.87	-	40.13	11.72	64.43			
RMS	13.40424G	44.78	68.20	-23.42	57.40	3	Horizontal	315	2.87	-	40.11	11.72	64.45			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11599G	57.28	83.54	-26.26	53.43	1	Vertical	286	1.59	-	37.80	15.29	49.24			
AV	20.11301G	48.06	63.54	-15.48	44.21	1	Vertical	286	1.59	-	37.80	15.29	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11674G	57.16	83.54	-26.38	53.31	1	Horizontal	286	1.53	-	37.80	15.29	49.24			
AV	20.11348G	48.73	63.54	-14.81	44.88	1	Horizontal	286	1.53	-	37.80	15.29	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56208G	52.14	88.20	-36.06	64.31	3	Vertical	29	2.88	-	40.40	11.71	64.28			
RMS	13.57249G	44.03	68.20	-24.17	56.21	3	Vertical	29	2.88	-	40.40	11.71	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.58461G	57.36	88.20	-30.84	69.54	3	Horizontal	318	1.78	-	40.40	11.71	64.29			
RMS	13.58425G	48.68	68.20	-19.52	60.86	3	Horizontal	318	1.78	-	40.40	11.71	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3565G	58.22	83.54	-25.32	54.02	1	Vertical	175	1.58	-	37.89	15.49	49.18			
AV	20.3529G	48.24	63.54	-15.30	44.05	1	Vertical	175	1.58	-	37.89	15.48	49.18			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 108
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35698G	58.04	83.54	-25.50	53.84	1	Horizontal	286	1.57	-	37.89	15.49	49.18			
AV	20.35626G	48.16	63.54	-15.38	43.96	1	Horizontal	286	1.57	-	37.89	15.49	49.18			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72475G	52.76	88.20	-35.44	64.91	3	Vertical	-0	1.80	-	40.50	11.70	64.35			
RMS	13.74236G	43.72	68.20	-24.48	55.81	3	Vertical	-0	1.80	-	40.57	11.70	64.36			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.73006G	59.56	88.20	-28.64	71.69	3	Horizontal	314	1.76	-	40.52	11.70	64.35			
RMS	13.72991G	51.37	68.20	-16.83	63.50	3	Horizontal	314	1.76	-	40.52	11.70	64.35			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59442G	57.53	83.54	-26.01	53.04	1	Vertical	138	1.53	-	37.90	15.68	49.09			
AV	20.59699G	48.36	63.54	-15.18	43.87	1	Vertical	138	1.53	-	37.90	15.68	49.09			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59585G	58.47	83.54	-25.07	53.98	1	Horizontal	271	1.56	-	37.90	15.68	49.09			
AV	20.5958G	48.28	63.54	-15.26	43.79	1	Horizontal	271	1.56	-	37.90	15.68	49.09			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32286G	54.79	74.00	-19.21	67.66	3	Vertical	6	1.87	-	40.00	11.73	64.60			
AV	13.31863G	45.63	54.00	-8.37	58.51	3	Vertical	6	1.87	-	40.00	11.73	64.61			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.30745G	56.98	74.00	-17.02	69.88	3	Horizontal	15	1.87	-	40.00	11.73	64.63			
AV	13.30755G	50.02	54.00	-3.98	62.92	3	Horizontal	15	1.87	-	40.00	11.73	64.63			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99312G	58.64	83.54	-24.90	55.01	1	Vertical	203	1.57	-	37.71	15.20	49.28			
AV	19.9973G	48.62	63.54	-14.92	44.98	1	Vertical	203	1.57	-	37.71	15.20	49.27			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9969G	58.24	83.54	-25.30	54.60	1	Horizontal	353	1.56	-	37.71	15.20	49.27			
AV	19.99742G	48.35	63.54	-15.19	44.71	1	Horizontal	353	1.56	-	37.71	15.20	49.27			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.63035G	54.95	88.20	-33.25	67.15	3	Vertical	332	1.22	-	40.40	11.71	64.31			
RMS	13.6299G	46.14	68.20	-22.06	58.34	3	Vertical	332	1.22	-	40.40	11.71	64.31			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6298G	56.36	88.20	-31.84	68.56	3	Horizontal	314	1.78	-	40.40	11.71	64.31			
RMS	13.63G	49.85	68.20	-18.35	62.05	3	Horizontal	314	1.78	-	40.40	11.71	64.31			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47625G	58.18	83.54	-25.36	53.85	1	Vertical	56	1.57	-	37.90	15.58	49.15			
AV	20.47742G	48.06	63.54	-15.48	43.73	1	Vertical	56	1.57	-	37.90	15.58	49.15			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47454G	58.26	83.54	-25.28	53.93	1	Horizontal	121	1.59	-	37.90	15.58	49.15			
AV	20.47344G	48.31	63.54	-15.23	43.98	1	Horizontal	121	1.59	-	37.90	15.58	49.15			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6745MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.4928G	48.08	88.20	-40.12	60.34	3	Vertical	9	1.80	-	40.29	11.72	64.27			
RMS	13.5124G	40.61	68.20	-27.59	52.83	3	Vertical	9	1.80	-	40.32	11.72	64.26			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6745MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.5054G	50.97	88.20	-37.23	63.20	3	Horizontal	314	1.80	-	40.31	11.72	64.26			
RMS	13.5098G	43.72	68.20	-24.48	55.94	3	Horizontal	314	1.80	-	40.32	11.72	64.26			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.2373G	58.89	83.54	-24.65	54.91	1	Vertical	128	1.53	-	37.80	15.39	49.21			
AV	20.23648G	48.51	63.54	-15.03	44.53	1	Vertical	128	1.53	-	37.80	15.39	49.21			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23536G	58.62	83.54	-24.92	54.64	1	Horizontal	172	1.51	-	37.80	15.39	49.21			
AV	20.23278G	48.32	63.54	-15.22	44.34	1	Horizontal	172	1.51	-	37.80	15.39	49.21			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 69
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8006G	110.93	Inf	-Inf	101.48	3	Vertical	360	1.80	-	35.60	9.02	35.17			
RMS	6.7961G	101.37	Inf	-Inf	91.94	3	Vertical	360	1.80	-	35.58	9.02	35.17			
PK	7.1489G	75.72	88.20	-12.48	66.46	3	Vertical	360	1.80	-	35.90	8.50	35.14			
RMS	7.1282G	67.20	68.20	-1.00	58.05	3	Vertical	360	1.80	-	35.81	8.48	35.14			
PK	7.2605G	58.94	74.00	-15.06	48.97	3	Vertical	360	1.80	-	36.54	8.58	35.15			
AV	7.2605G	50.33	54.00	-3.67	40.36	3	Vertical	360	1.80	-	36.54	8.58	35.15			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 69
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7475G	111.18	Inf	-Inf	101.98	3	Horizontal	354	2.18	-	35.39	8.99	35.18			
RMS	6.7484G	101.75	Inf	-Inf	92.54	3	Horizontal	354	2.18	-	35.40	8.99	35.18			
PK	7.1363G	77.81	88.20	-10.39	68.61	3	Horizontal	354	2.18	-	35.85	8.49	35.14			
RMS	7.1255G	67.61	68.20	-0.59	58.47	3	Horizontal	354	2.18	-	35.80	8.48	35.14			
PK	7.2515G	59.74	74.00	-14.26	49.81	3	Horizontal	354	2.18	-	36.51	8.57	35.15			
AV	7.2524G	49.58	54.00	-4.42	39.65	3	Horizontal	354	2.18	-	36.51	8.57	35.15			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 69
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7918G	47.73	88.20	-40.47	59.73	3	Vertical	168	1.64	-	40.68	11.70	64.38			
RMS	13.7901G	41.33	68.20	-26.87	53.33	3	Vertical	168	1.64	-	40.68	11.70	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 69
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.8352G	48.17	88.20	-40.03	60.10	3	Horizontal	264	1.79	-	40.77	11.69	64.39			
RMS	13.7901G	41.01	68.20	-27.19	53.01	3	Horizontal	264	1.79	-	40.68	11.70	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 69
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71262G	48.12	83.54	-35.42	43.48	1	Vertical	269	1.58	-	37.90	15.77	49.03			
AV	20.71428G	40.07	63.54	-23.47	35.43	1	Vertical	269	1.58	-	37.90	15.77	49.03			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 69
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71311G	51.20	83.54	-32.34	46.56	1	Horizontal	23	1.54	-	37.90	15.77	49.03			
AV	20.71653G	40.27	63.54	-23.27	35.63	1	Horizontal	23	1.54	-	37.90	15.77	49.03			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80248G	60.35	88.20	-27.85	72.34	3	Vertical	28	2.77	-	40.70	11.69	64.38			
RMS	13.78745G	51.89	68.20	-16.31	63.89	3	Vertical	28	2.77	-	40.67	11.70	64.37			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78541G	63.65	88.20	-24.55	75.65	3	Horizontal	315	1.78	-	40.67	11.70	64.37			
RMS	13.79015G	55.60	68.20	-12.60	67.60	3	Horizontal	315	1.78	-	40.68	11.70	64.38			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6895MHz_TX

EUT_V_4TX
Setting 108
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68332G	50.67	83.54	-32.87	46.06	1	Vertical	17	1.76	-	37.90	15.75	49.04			
AV	20.68332G	41.62	63.54	-21.92	37.01	1	Vertical	17	1.76	-	37.90	15.75	49.04			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 108
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68944G	52.59	83.54	-30.95	47.98	1	Horizontal	27	1.52	-	37.90	15.75	49.04			
AV	20.67684G	43.18	63.54	-20.36	38.59	1	Horizontal	27	1.52	-	37.90	15.74	49.05			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99078G	61.65	88.20	-26.55	73.27	3	Vertical	319	1.79	-	41.16	11.68	64.46			
RMS	13.99069G	53.46	68.20	-14.74	65.08	3	Vertical	319	1.79	-	41.16	11.68	64.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98583G	66.21	88.20	-21.99	77.84	3	Horizontal	330	1.22	-	41.14	11.68	64.45			
RMS	13.99096G	58.48	68.20	-9.72	70.10	3	Horizontal	330	1.22	-	41.16	11.68	64.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6995MHz_TX

EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.985G	66.50	83.54	-17.04	61.43	1	Vertical	141	1.55	-	37.97	15.99	48.89			
AV	20.9898G	55.37	63.54	-8.17	50.29	1	Vertical	141	1.55	-	37.98	15.99	48.89			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98532G	61.46	83.54	-22.08	56.39	1	Horizontal	305	1.62	-	37.97	15.99	48.89			
AV	20.98708G	51.72	63.54	-11.82	46.65	1	Horizontal	305	1.62	-	37.97	15.99	48.89			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 79
03-V-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.094G	123.83	Inf	-Inf	114.83	3	Vertical	3	1.79	-	35.69	8.45	35.14			
RMS	7.0938G	113.81	Inf	-Inf	104.81	3	Vertical	3	1.79	-	35.69	8.45	35.14			
PK	7.1342G	83.86	88.20	-4.34	74.68	3	Vertical	3	1.79	-	35.84	8.48	35.14			
RMS	7.125G	66.52	68.20	-1.68	57.38	3	Vertical	3	1.79	-	35.80	8.48	35.14			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 79
03-V-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.086G	123.06	Inf	-Inf	114.09	3	Horizontal	354	2.23	-	35.67	8.44	35.14			
RMS	7.0906G	113.19	Inf	-Inf	104.20	3	Horizontal	354	2.23	-	35.68	8.45	35.14			
PK	7.1302G	84.04	88.20	-4.16	74.88	3	Horizontal	354	2.23	-	35.82	8.48	35.14			
RMS	7.1258G	67.64	68.20	-0.56	58.50	3	Horizontal	354	2.23	-	35.80	8.48	35.14			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7095MHz_TX

EUT_V_4TX
Setting 79
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19063G	64.78	88.20	-23.42	75.33	3	Vertical	228	2.58	-	41.66	11.83	64.04			
RMS	14.19069G	57.75	68.20	-10.45	68.30	3	Vertical	228	2.58	-	41.66	11.83	64.04			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7095MHz_TX

EUT_V_4TX
Setting 79
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19057G	64.21	88.20	-23.99	74.76	3	Horizontal	83	1.56	-	41.66	11.83	64.04			
RMS	14.19066G	57.24	68.20	-10.96	67.79	3	Horizontal	83	1.56	-	41.66	11.83	64.04			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7095MHz_TX

EUT_V_4TX
Setting 79
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28828G	56.84	83.54	-26.70	51.38	1	Vertical	142	1.64	-	38.08	16.23	48.85			
AV	21.28748G	46.11	63.54	-17.43	40.66	1	Vertical	142	1.64	-	38.07	16.23	48.85			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7095MHz_TX

EUT_V_4TX
Setting 79
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28748G	57.13	83.54	-26.41	51.68	1	Horizontal	26	1.80	-	38.07	16.23	48.85			
AV	21.28252G	47.17	63.54	-16.37	41.72	1	Horizontal	26	1.80	-	38.07	16.23	48.85			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85306G	63.02	88.20	-25.18	74.92	3	Vertical	321	1.80	-	40.81	11.69	64.40			
RMS	13.85114G	51.85	68.20	-16.35	63.76	3	Vertical	321	1.80	-	40.80	11.69	64.40			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX



EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85303G	65.46	88.20	-22.74	77.36	3	Horizontal	325	1.66	-	40.81	11.69	64.40			
RMS	13.85114G	55.63	68.20	-12.57	67.54	3	Horizontal	325	1.66	-	40.80	11.69	64.40			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6925MHz_TX

EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7609G	57.18	83.54	-26.36	52.47	1	Vertical	122	1.58	-	37.90	15.81	49.00			
AV	20.7679G	48.19	63.54	-15.35	43.48	1	Vertical	122	1.58	-	37.90	15.81	49.00			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7596G	57.23	83.54	-26.31	52.53	1	Horizontal	136	1.53	-	37.90	15.81	49.01			
AV	20.763G	48.44	63.54	-15.10	43.73	1	Horizontal	136	1.53	-	37.90	15.81	49.00			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01312G	61.47	88.20	-26.73	73.01	3	Vertical	321	1.80	-	41.20	11.69	64.43			
RMS	14.01282G	49.66	68.20	-18.54	61.20	3	Vertical	321	1.80	-	41.20	11.69	64.43			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.01312G	64.23	88.20	-23.97	75.77	3	Horizontal	331	1.20	-	41.20	11.69	64.43			
RMS	14.01111G	54.99	68.20	-13.21	66.54	3	Horizontal	331	1.20	-	41.20	11.69	64.44			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7005MHz_TX

EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01317G	58.44	83.54	-25.10	53.31	1	Vertical	10	1.56	-	38.00	16.01	48.88			
AV	21.01362G	48.86	63.54	-14.68	43.73	1	Vertical	10	1.56	-	38.00	16.01	48.88			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01699G	58.52	83.54	-25.02	53.39	1	Horizontal	98	1.54	-	38.00	16.01	48.88			
AV	21.01342G	48.41	63.54	-15.13	43.28	1	Horizontal	98	1.54	-	38.00	16.01	48.88			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_Y_4TX
Setting 64
03-V-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0688G	117.46	Inf	-Inf	108.53	3	Vertical	2	1.80	-	35.64	8.43	35.14			
RMS	7.0736G	107.88	Inf	-Inf	98.94	3	Vertical	2	1.80	-	35.65	8.43	35.14			
PK	7.129G	79.26	88.20	-8.94	70.10	3	Vertical	2	1.80	-	35.82	8.48	35.14			
RMS	7.1288G	66.20	68.20	-2.00	57.04	3	Vertical	2	1.80	-	35.82	8.48	35.14			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 64
03-V-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.08G	117.32	Inf	-Inf	108.36	3	Horizontal	354	2.19	-	35.66	8.44	35.14			
RMS	7.0756G	107.32	Inf	-Inf	98.38	3	Horizontal	354	2.19	-	35.65	8.43	35.14			
PK	7.1256G	82.91	88.20	-5.29	73.77	3	Horizontal	354	2.19	-	35.80	8.48	35.14			
RMS	7.1258G	67.70	68.20	-0.50	58.56	3	Horizontal	354	2.19	-	35.80	8.48	35.14			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_Y_4TX
Setting 64
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17318G	57.40	88.20	-30.80	68.07	3	Vertical	157	1.49	-	41.59	11.82	64.08			
RMS	14.17627G	46.72	68.20	-21.48	57.37	3	Vertical	157	1.49	-	41.61	11.82	64.08			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 64
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.17312G	56.04	88.20	-32.16	66.71	3	Horizontal	148	1.50	-	41.59	11.82	64.08			
RMS	14.1709G	47.19	68.20	-21.01	57.88	3	Horizontal	148	1.50	-	41.58	11.82	64.09			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_V_4TX
Setting 64
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25264G	43.59	74.00	-30.41	38.23	1	Vertical	56	1.57	-	38.01	16.20	48.85			
AV	21.25484G	35.05	54.00	-18.95	29.69	1	Vertical	56	1.57	-	38.01	16.20	48.85			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_V_4TX
Setting 64
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25627G	45.08	74.00	-28.92	39.71	1	Horizontal	86	1.53	-	38.01	16.21	48.85			
AV	21.25274G	34.74	54.00	-19.26	29.38	1	Horizontal	86	1.53	-	38.01	16.20	48.85			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.88562G	58.66	88.20	-29.54	70.51	3	Vertical	318	1.80	-	40.87	11.69	64.41			
RMS	13.89036G	50.00	68.20	-18.20	61.85	3	Vertical	318	1.80	-	40.88	11.69	64.42			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6945MHz_TX

EUT_V_4TX
Setting 108
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.88955G	57.63	88.20	-30.57	69.48	3	Horizontal	19	1.80	-	40.88	11.69	64.42			
RMS	13.89006G	50.21	68.20	-17.99	62.06	3	Horizontal	19	1.80	-	40.88	11.69	64.42			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6945MHz_TX

EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83643G	57.30	83.54	-26.24	52.50	1	Vertical	122	1.53	-	37.90	15.87	48.97			
AV	20.83654G	48.07	63.54	-15.47	43.26	1	Vertical	122	1.53	-	37.90	15.87	48.96			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 108
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83423G	58.80	83.54	-24.74	54.00	1	Horizontal	61	1.56	-	37.90	15.87	48.97			
AV	20.83636G	47.98	63.54	-15.56	43.18	1	Horizontal	61	1.56	-	37.90	15.87	48.97			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 74
03-V-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.003G	118.14	Inf	-Inf	109.30	3	Vertical	4	1.75	-	35.60	8.37	35.13			
RMS	7.0138G	107.99	Inf	-Inf	99.14	3	Vertical	4	1.75	-	35.60	8.38	35.13			
PK	7.125G	79.51	88.20	-8.69	70.37	3	Vertical	4	1.75	-	35.80	8.48	35.14			
RMS	7.125G	66.42	68.20	-1.78	57.28	3	Vertical	4	1.75	-	35.80	8.48	35.14			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 74
03-V-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0102G	117.44	Inf	-Inf	108.59	3	Horizontal	0	1.88	-	35.60	8.38	35.13			
RMS	6.9954G	107.21	Inf	-Inf	98.36	3	Horizontal	0	1.88	-	35.60	8.38	35.13			
PK	7.127G	80.45	88.20	-7.75	71.30	3	Horizontal	0	1.88	-	35.81	8.48	35.14			
RMS	7.1262G	67.85	68.20	-0.35	58.71	3	Horizontal	0	1.88	-	35.80	8.48	35.14			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 74
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.06041G	54.72	88.20	-33.48	66.10	3	Vertical	326	2.62	-	41.22	11.73	64.33			
RMS	14.06023G	47.73	68.20	-20.47	59.11	3	Vertical	326	2.62	-	41.22	11.73	64.33			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 74
03-V-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	14.05903G	55.04	88.20	-33.16	66.42	3	Horizontal	154	1.30	-	41.22	11.73	64.33				
RMS	14.05501G	48.22	68.20	-19.98	59.63	3	Horizontal	154	1.30	-	41.21	11.72	64.34				

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_V_4TX
Setting 74
03-V-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07344G	58.99	83.54	-24.55	53.80	1	Vertical	14	1.50	-	38.00	16.06	48.87			
AV	21.07556G	48.46	63.54	-15.08	43.27	1	Vertical	14	1.50	-	38.00	16.06	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_V_4TX
Setting 74
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07557G	58.50	83.54	-25.04	53.31	1	Horizontal	242	1.52	-	38.00	16.06	48.87			
AV	21.0765G	48.42	63.54	-15.12	43.23	1	Horizontal	242	1.52	-	38.00	16.06	48.87			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 69
03-V-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.971G	113.86	Inf	-Inf	104.94	3	Vertical	4	1.24	-	35.60	8.46	35.14			
RMS	6.956G	104.25	Inf	-Inf	95.28	3	Vertical	4	1.24	-	35.60	8.51	35.14			
PK	7.126G	78.24	88.20	-9.96	69.10	3	Vertical	4	1.24	-	35.80	8.48	35.14			
RMS	7.1265G	67.61	68.20	-0.59	58.46	3	Vertical	4	1.24	-	35.81	8.48	35.14			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 69
03-V-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.92G	114.48	Inf	-Inf	105.39	3	Horizontal	355	2.18	-	35.60	8.63	35.14			
RMS	6.9605G	103.25	Inf	-Inf	94.29	3	Horizontal	355	2.18	-	35.60	8.50	35.14			
PK	7.136G	80.20	88.20	-8.00	71.01	3	Horizontal	355	2.18	-	35.84	8.49	35.14			
RMS	7.126G	67.73	68.20	-0.47	58.59	3	Horizontal	355	2.18	-	35.80	8.48	35.14			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_V_4TX
Setting 69
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.9505G	51.38	88.20	-36.82	63.14	3	Vertical	307	2.40	-	41.00	11.68	64.44			
RMS	13.9526G	42.84	68.20	-25.36	54.59	3	Vertical	307	2.40	-	41.01	11.68	64.44			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_V_4TX
Setting 69
03-V-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.9399G	50.14	88.20	-38.06	61.92	3	Horizontal	224	2.74	-	40.98	11.68	64.44			
RMS	13.9536G	43.00	68.20	-25.20	54.75	3	Horizontal	224	2.74	-	41.01	11.68	64.44			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_V_4TX
Setting 69
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9567G	58.12	83.54	-25.42	53.14	1	Vertical	268	1.59	-	37.91	15.97	48.90			
AV	20.95674G	47.81	63.54	-15.73	42.83	1	Vertical	268	1.59	-	37.91	15.97	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX

EUT_V_4TX
Setting 69
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95623G	58.91	83.54	-24.63	53.94	1	Horizontal	152	1.50	-	37.91	15.96	48.90			
AV	20.95452G	48.60	63.54	-14.94	43.63	1	Horizontal	152	1.50	-	37.91	15.96	48.90			




Test Mode: Mode 5

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	RMS	7.1258G	68.15	68.20	-0.05	3	Vertical	350	1.43	-

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0712G	45.99	88.20	-42.21	59.68	3	Vertical	356	3.00	-	39.48	11.92	65.09			
RMS	13.07573G	35.29	68.20	-32.91	48.95	3	Vertical	356	3.00	-	39.50	11.92	65.08			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05701G	46.71	88.20	-41.49	60.48	3	Horizontal	179	1.80	-	39.43	11.92	65.12			
RMS	13.05998G	34.77	68.20	-33.43	48.52	3	Horizontal	179	1.80	-	39.44	11.92	65.11			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6037G	48.14	83.54	-35.40	44.84	1	Vertical	237	1.99	-	37.70	15.19	49.59			
AV	19.60513G	38.83	63.54	-24.71	35.53	1	Vertical	237	1.99	-	37.70	15.19	49.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6058G	48.08	83.54	-35.46	44.78	1	Horizontal	177	1.47	-	37.70	15.19	49.59			
AV	19.60561G	38.54	63.54	-25.00	35.24	1	Horizontal	177	1.47	-	37.70	15.19	49.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.3947G	47.36	74.00	-26.64	59.66	3	Vertical	147	1.39	-	40.29	11.87	64.46			
AV	13.39976G	36.70	54.00	-17.30	48.98	3	Vertical	147	1.39	-	40.30	11.87	64.45			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39447G	47.91	74.00	-26.09	60.21	3	Horizontal	312	1.00	-	40.29	11.87	64.46			
AV	13.39726G	36.96	54.00	-17.04	49.26	3	Horizontal	312	1.00	-	40.29	11.87	64.46			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08561G	48.44	83.54	-35.10	44.65	1	Vertical	88	2.78	-	37.80	15.24	49.25			
AV	20.08561G	39.04	63.54	-24.50	35.25	1	Vertical	88	2.78	-	37.80	15.24	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_Y_4TX
Setting 108
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08367G	47.98	83.54	-35.56	44.19	1	Horizontal	237	2.53	-	37.80	15.24	49.25			
AV	20.08542G	39.04	63.54	-24.50	35.25	1	Horizontal	237	2.53	-	37.80	15.24	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74626G	46.18	88.20	-42.02	57.63	3	Vertical	299	1.73	-	41.09	11.82	64.36			
RMS	13.75816G	35.90	68.20	-32.30	47.36	3	Vertical	299	1.73	-	41.08	11.82	64.36			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Y_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.74296G	45.94	88.20	-42.26	57.41	3	Horizontal	91	1.50	-	41.07	11.82	64.36			
RMS	13.74322G	36.10	68.20	-32.10	47.57	3	Horizontal	91	1.50	-	41.07	11.82	64.36			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62634G	48.79	83.54	-34.75	44.28	1	Vertical	259	1.75	-	37.90	15.68	49.07			
AV	20.62418G	37.85	63.54	-25.69	33.35	1	Vertical	259	1.75	-	37.90	15.68	49.08			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62487G	47.17	83.54	-36.37	42.67	1	Horizontal	204	1.37	-	37.90	15.68	49.08			
AV	20.62581G	37.86	63.54	-25.68	33.35	1	Horizontal	204	1.37	-	37.90	15.68	49.07			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79912G	46.56	88.20	-41.64	58.13	3	Vertical	117	1.48	-	41.00	11.81	64.38			
RMS	13.78824G	36.12	68.20	-32.08	47.67	3	Vertical	117	1.48	-	41.02	11.81	64.38			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7918G	46.89	88.20	-41.31	58.44	3	Horizontal	35	1.57	-	41.02	11.81	64.38			
RMS	13.7918G	35.92	68.20	-32.28	47.47	3	Horizontal	35	1.57	-	41.02	11.81	64.38			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68509G	47.38	83.54	-36.16	42.79	1	Vertical	168	1.46	-	37.90	15.73	49.04			
AV	20.68536G	38.18	63.54	-25.36	33.59	1	Vertical	168	1.46	-	37.90	15.73	49.04			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68514G	46.73	83.54	-36.81	42.14	1	Horizontal	224	2.82	-	37.90	15.73	49.04			
AV	20.68385G	36.93	63.54	-26.61	32.34	1	Horizontal	224	2.82	-	37.90	15.73	49.04			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99686G	47.96	88.20	-40.24	59.15	3	Vertical	222	1.20	-	41.49	11.78	64.46			
RMS	13.9894G	37.43	68.20	-30.77	48.63	3	Vertical	222	1.20	-	41.48	11.78	64.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6995MHz_TX

EUT_Y_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98404G	48.35	88.20	-39.85	59.55	3	Horizontal	170	1.72	-	41.47	11.78	64.45			
RMS	13.98666G	37.83	68.20	-30.37	49.03	3	Horizontal	170	1.72	-	41.47	11.78	64.45			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6995MHz_TX

EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98364G	50.79	83.54	-32.75	45.74	1	Vertical	52	2.76	-	37.97	15.97	48.89			
AV	20.98577G	39.45	63.54	-24.09	34.40	1	Vertical	52	2.76	-	37.97	15.97	48.89			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6995MHz_TX

EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98628G	49.42	83.54	-34.12	44.37	1	Horizontal	157	1.72	-	37.97	15.97	48.89			
AV	20.98582G	39.57	63.54	-23.97	34.52	1	Horizontal	157	1.72	-	37.97	15.97	48.89			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 58
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0902G	120.03	Inf	-Inf	106.97	3	Vertical	354	1.12	-	35.38	9.10	31.42			
RMS	7.1004G	111.06	Inf	-Inf	97.95	3	Vertical	354	1.12	-	35.40	9.13	31.42			
PK	7.1256G	79.45	88.20	-8.75	66.13	3	Vertical	354	1.12	-	35.55	9.19	31.42			
RMS	7.1256G	67.20	68.20	-1.00	53.88	3	Vertical	354	1.12	-	35.55	9.19	31.42			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7095MHz_TX

EUT_Y_4TX
Setting 58
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0994G	118.88	Inf	-Inf	105.78	3	Horizontal	358	1.08	-	35.40	9.12	31.42			
RMS	7.0944G	110.46	Inf	-Inf	97.38	3	Horizontal	358	1.08	-	35.39	9.11	31.42			
PK	7.125G	81.22	88.20	-6.98	67.90	3	Horizontal	358	1.08	-	35.55	9.19	31.42			
RMS	7.125G	65.55	68.20	-2.65	52.23	3	Horizontal	358	1.08	-	35.55	9.19	31.42			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 58
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.17647G	49.40	88.20	-38.80	59.48	3	Vertical	158	1.80	-	42.21	11.79	64.08			
RMS	14.1768G	39.01	68.20	-29.19	49.08	3	Vertical	158	1.80	-	42.21	11.79	64.07			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 58
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18991G	49.69	88.20	-38.51	59.69	3	Horizontal	177	1.80	-	42.26	11.79	64.05			
RMS	14.20089G	38.70	68.20	-29.50	48.63	3	Horizontal	177	1.80	-	42.30	11.79	64.02			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 58
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28461G	50.36	83.54	-33.18	44.92	1	Vertical	332	1.85	-	38.07	16.22	48.85			
AV	21.28397G	40.02	63.54	-23.52	34.58	1	Vertical	332	1.85	-	38.07	16.22	48.85			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 58
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28507G	49.44	83.54	-34.10	44.00	1	Horizontal	303	2.23	-	38.07	16.22	48.85			
AV	21.28568G	40.38	63.54	-23.16	34.94	1	Horizontal	303	2.23	-	38.07	16.22	48.85			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12528G	45.69	88.20	-42.51	59.12	3	Vertical	6	1.80	-	39.65	11.91	64.99			
RMS	13.13086G	36.09	68.20	-32.11	49.50	3	Vertical	6	1.80	-	39.66	11.91	64.98			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.1267G	45.79	88.20	-42.41	59.21	3	Horizontal	348	1.80	-	39.65	11.91	64.98			
RMS	13.12762G	35.53	68.20	-32.67	48.94	3	Horizontal	348	1.80	-	39.66	11.91	64.98			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 108
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69557G	48.46	83.54	-35.08	45.09	1	Vertical	146	2.29	-	37.70	15.19	49.52			
AV	19.69649G	39.35	63.54	-24.19	35.98	1	Vertical	146	2.29	-	37.70	15.19	49.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69441G	48.88	83.54	-34.66	45.51	1	Horizontal	273	2.80	-	37.70	15.19	49.52			
AV	19.69519G	39.53	63.54	-24.01	36.16	1	Horizontal	273	2.80	-	37.70	15.19	49.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37962G	46.58	74.00	-27.42	58.94	3	Vertical	244	1.80	-	40.26	11.87	64.49			
AV	13.37878G	36.47	54.00	-17.53	48.84	3	Vertical	244	1.80	-	40.26	11.87	64.50			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6685MHz_TX

EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37078G	46.60	74.00	-27.40	59.00	3	Horizontal	290	1.76	-	40.24	11.87	64.51			
AV	13.36836G	36.32	54.00	-17.68	48.73	3	Horizontal	290	1.76	-	40.24	11.87	64.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6685MHz_TX

EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05463G	48.59	83.54	-34.95	44.84	1	Vertical	4	2.93	-	37.80	15.21	49.26			
AV	20.05519G	39.16	63.54	-24.38	35.41	1	Vertical	4	2.93	-	37.80	15.21	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05553G	48.58	83.54	-34.96	44.82	1	Horizontal	98	1.63	-	37.80	15.22	49.26			
AV	20.0556G	38.96	63.54	-24.58	35.20	1	Horizontal	98	1.63	-	37.80	15.22	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_Y_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76148G	46.14	88.20	-42.06	57.60	3	Vertical	120	1.99	-	41.08	11.82	64.36			
RMS	13.77716G	35.93	68.20	-32.27	47.44	3	Vertical	120	1.99	-	41.05	11.81	64.37			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7741G	46.23	88.20	-41.97	57.74	3	Horizontal	344	1.46	-	41.05	11.81	64.37			
RMS	13.76532G	35.77	68.20	-32.43	47.25	3	Horizontal	344	1.46	-	41.07	11.82	64.37			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65531G	48.28	83.54	-35.26	43.74	1	Vertical	189	1.68	-	37.90	15.70	49.06			
AV	20.65586G	38.29	63.54	-25.25	33.75	1	Vertical	189	1.68	-	37.90	15.70	49.06			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6555G	47.70	83.54	-35.84	43.16	1	Horizontal	264	2.95	-	37.90	15.70	49.06			
AV	20.656G	38.54	63.54	-25.00	34.00	1	Horizontal	264	2.95	-	37.90	15.70	49.06			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84356G	46.14	88.20	-42.06	57.57	3	Vertical	249	2.41	-	41.17	11.80	64.40			
RMS	13.84238G	35.93	68.20	-32.27	47.36	3	Vertical	249	2.41	-	41.17	11.80	64.40			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6925MHz_TX

EUT_Y_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85632G	46.24	88.20	-41.96	57.63	3	Horizontal	313	2.59	-	41.21	11.80	64.40			
RMS	13.84906G	35.71	68.20	-32.49	47.11	3	Horizontal	313	2.59	-	41.20	11.80	64.40			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77577G	49.84	83.54	-33.70	45.14	1	Vertical	1	1.51	-	37.90	15.80	49.00			
AV	20.77616G	35.49	63.54	-28.05	30.79	1	Vertical	1	1.51	-	37.90	15.80	49.00			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77535G	48.39	83.54	-35.15	43.69	1	Horizontal	248	1.65	-	37.90	15.80	49.00			
AV	20.77527G	35.67	63.54	-27.87	30.97	1	Horizontal	248	1.65	-	37.90	15.80	49.00			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.00974G	47.79	88.20	-40.41	58.91	3	Vertical	26	2.24	-	41.54	11.78	64.44			
RMS	14.00068G	37.68	68.20	-30.52	48.86	3	Vertical	26	2.24	-	41.50	11.78	64.46			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.00592G	47.97	88.20	-40.23	59.12	3	Horizontal	313	2.38	-	41.52	11.78	64.45			
RMS	14.01604G	37.59	68.20	-30.61	48.68	3	Horizontal	313	2.38	-	41.56	11.78	64.43			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01467G	45.10	83.54	-38.44	39.98	1	Vertical	4	1.94	-	38.00	16.00	48.88			
AV	21.01633G	35.62	63.54	-27.92	30.50	1	Vertical	4	1.94	-	38.00	16.00	48.88			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01403G	45.04	83.54	-38.50	39.92	1	Horizontal	235	1.14	-	38.00	16.00	48.88			
AV	21.01598G	35.44	63.54	-28.10	30.32	1	Horizontal	235	1.14	-	38.00	16.00	48.88			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 58
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0904G	118.74	Inf	-Inf	105.68	3	Vertical	350	1.43	-	35.38	9.10	31.42			
RMS	7.0706G	107.48	Inf	-Inf	94.51	3	Vertical	350	1.43	-	35.34	9.05	31.42			
PK	7.1278G	84.07	88.20	-4.13	70.73	3	Vertical	350	1.43	-	35.57	9.19	31.42			
RMS	7.1258G	68.15	68.20	-0.05	54.83	3	Vertical	350	1.43	-	35.55	9.19	31.42			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_Y_4TX
Setting 58
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0934G	116.66	Inf	-Inf	103.58	3	Horizontal	348	2.44	-	35.39	9.11	31.42			
RMS	7.0734G	107.61	Inf	-Inf	94.62	3	Horizontal	348	2.44	-	35.35	9.06	31.42			
PK	7.132G	80.19	88.20	-8.01	66.82	3	Horizontal	348	2.44	-	35.59	9.20	31.42			
RMS	7.1288G	66.36	68.20	-1.84	53.01	3	Horizontal	348	2.44	-	35.57	9.20	31.42			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 58
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	14.1675G	48.61	88.20	-39.59	58.74	3	Vertical	354	1.97	-	42.17	11.79	64.09				
RMS	14.17074G	38.42	68.20	-29.78	48.54	3	Vertical	354	1.97	-	42.18	11.79	64.09				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 58
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.1761G	49.05	88.20	-39.15	59.14	3	Horizontal	209	2.46	-	42.20	11.79	64.08			
RMS	14.17062G	38.21	68.20	-29.99	48.33	3	Horizontal	209	2.46	-	42.18	11.79	64.09			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 58
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25421G	45.41	83.54	-38.13	40.06	1	Vertical	174	2.82	-	38.01	16.19	48.85			
AV	21.25387G	36.31	63.54	-27.23	30.96	1	Vertical	174	2.82	-	38.01	16.19	48.85			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 58
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25545G	45.54	83.54	-38.00	40.19	1	Horizontal	247	2.27	-	38.01	16.19	48.85			
AV	21.25413G	35.74	63.54	-27.80	30.39	1	Horizontal	247	2.27	-	38.01	16.19	48.85			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2522G	45.86	74.00	-28.14	58.71	3	Vertical	309	1.34	-	40.00	11.89	64.74			
AV	13.25918G	35.38	54.00	-18.62	48.20	3	Vertical	309	1.34	-	40.02	11.89	64.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2532G	46.30	74.00	-27.70	59.14	3	Horizontal	154	1.80	-	40.01	11.89	64.74			
AV	13.25256G	35.49	54.00	-18.51	48.33	3	Horizontal	154	1.80	-	40.01	11.89	64.74			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87401G	42.17	83.54	-41.37	38.66	1	Vertical	249	2.98	-	37.70	15.18	49.37			
AV	19.87355G	32.97	63.54	-30.57	29.46	1	Vertical	249	2.98	-	37.70	15.18	49.37			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87624G	42.72	83.54	-40.82	39.21	1	Horizontal	13	2.95	-	37.70	15.18	49.37			
AV	19.87352G	32.84	63.54	-30.70	29.33	1	Horizontal	13	2.95	-	37.70	15.18	49.37			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40542G	46.81	88.20	-41.39	59.06	3	Vertical	334	1.49	-	40.32	11.87	64.44			
RMS	13.41776G	35.93	68.20	-32.27	48.11	3	Vertical	334	1.49	-	40.37	11.87	64.42			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6705MHz_TX

EUT_Y_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41072G	46.45	88.20	-41.75	58.67	3	Horizontal	151	2.58	-	40.34	11.87	64.43			
RMS	13.4176G	36.82	68.20	-31.38	49.00	3	Horizontal	151	2.58	-	40.37	11.87	64.42			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11505G	47.01	83.54	-36.53	43.19	1	Vertical	60	1.70	-	37.80	15.26	49.24			
AV	20.11381G	37.59	63.54	-25.95	33.77	1	Vertical	60	1.70	-	37.80	15.26	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11511G	47.09	83.54	-36.45	43.27	1	Horizontal	219	1.41	-	37.80	15.26	49.24			
AV	20.11536G	37.60	63.54	-25.94	33.78	1	Horizontal	219	1.41	-	37.80	15.26	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57174G	46.40	88.20	-41.80	58.25	3	Vertical	220	2.17	-	40.60	11.84	64.29			
RMS	13.56508G	35.97	68.20	-32.23	47.81	3	Vertical	220	2.17	-	40.60	11.85	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57378G	46.85	88.20	-41.35	58.70	3	Horizontal	329	1.71	-	40.60	11.84	64.29			
RMS	13.5677G	35.98	68.20	-32.22	47.83	3	Horizontal	329	1.71	-	40.60	11.84	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35609G	46.47	83.54	-37.07	42.30	1	Vertical	298	2.61	-	37.89	15.46	49.18			
AV	20.35499G	36.61	63.54	-26.93	32.44	1	Vertical	298	2.61	-	37.89	15.46	49.18			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35609G	45.00	83.54	-38.54	40.83	1	Horizontal	10	1.64	-	37.89	15.46	49.18			
AV	20.35604G	35.79	63.54	-27.75	31.62	1	Horizontal	10	1.64	-	37.89	15.46	49.18			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72384G	46.27	88.20	-41.93	57.80	3	Vertical	323	2.42	-	41.00	11.82	64.35			
RMS	13.72532G	35.92	68.20	-32.28	47.45	3	Vertical	323	2.42	-	41.00	11.82	64.35			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6865MHz_TX

EUT_Y_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72104G	46.14	88.20	-42.06	57.69	3	Horizontal	354	2.28	-	40.98	11.82	64.35			
RMS	13.7378G	36.14	68.20	-32.06	47.63	3	Horizontal	354	2.28	-	41.05	11.82	64.36			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59365G	44.76	83.54	-38.78	40.30	1	Vertical	299	1.80	-	37.90	15.65	49.09			
AV	20.59589G	35.34	63.54	-28.20	30.87	1	Vertical	299	1.80	-	37.90	15.66	49.09			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.59561G	45.00	83.54	-38.54	40.53	1	Horizontal	19	1.17	-	37.90	15.66	49.09			
AV	20.59541G	35.16	63.54	-28.38	30.69	1	Horizontal	19	1.17	-	37.90	15.66	49.09			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88384G	46.88	88.20	-41.32	58.22	3	Vertical	30	1.80	-	41.27	11.80	64.41			
RMS	13.89484G	37.06	68.20	-31.14	48.39	3	Vertical	30	1.80	-	41.29	11.80	64.42			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.89734G	47.74	88.20	-40.46	59.07	3	Horizontal	4	1.80	-	41.29	11.80	64.42			
RMS	13.89754G	37.16	68.20	-31.04	48.48	3	Horizontal	4	1.80	-	41.30	11.80	64.42			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83391G	45.17	83.54	-38.37	40.39	1	Vertical	352	1.86	-	37.90	15.85	48.97			
AV	20.83552G	35.51	63.54	-28.03	30.73	1	Vertical	352	1.86	-	37.90	15.85	48.97			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6945MHz_TX

EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83488G	44.98	83.54	-38.56	40.20	1	Horizontal	244	1.87	-	37.90	15.85	48.97			
AV	20.83459G	35.70	63.54	-27.84	30.92	1	Horizontal	244	1.87	-	37.90	15.85	48.97			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 70
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0166G	118.70	Inf	-Inf	105.90	3	Vertical	0	1.03	-	35.30	8.92	31.42			
RMS	7.0166G	108.49	Inf	-Inf	95.69	3	Vertical	0	1.03	-	35.30	8.92	31.42			
PK	7.125G	82.39	88.20	-5.81	69.07	3	Vertical	0	1.03	-	35.55	9.19	31.42			
RMS	7.127G	68.15	68.20	-0.05	54.82	3	Vertical	0	1.03	-	35.56	9.19	31.42			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 70
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0234G	116.37	Inf	-Inf	103.55	3	Horizontal	352	2.46	-	35.30	8.94	31.42			
RMS	7.0134G	107.33	Inf	-Inf	94.54	3	Horizontal	352	2.46	-	35.30	8.91	31.42			
PK	7.1306G	78.54	88.20	-9.66	65.18	3	Horizontal	352	2.46	-	35.58	9.20	31.42			
RMS	7.129G	66.79	68.20	-1.41	53.44	3	Horizontal	352	2.46	-	35.57	9.20	31.42			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 70
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04702G	48.40	88.20	-39.80	59.29	3	Vertical	275	1.36	-	41.69	11.78	64.36			
RMS	14.04994G	37.86	68.20	-30.34	48.73	3	Vertical	275	1.36	-	41.70	11.78	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 70
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.0582G	48.34	88.20	-39.86	59.16	3	Horizontal	109	1.43	-	41.73	11.78	64.33			
RMS	14.0517G	37.59	68.20	-30.61	48.45	3	Horizontal	109	1.43	-	41.71	11.78	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 70
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07578G	44.65	83.54	-38.89	39.47	1	Vertical	273	2.65	-	38.00	16.05	48.87			
AV	21.0754G	35.31	63.54	-28.23	30.13	1	Vertical	273	2.65	-	38.00	16.05	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 70
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07595G	45.66	83.54	-37.88	40.48	1	Horizontal	223	1.29	-	38.00	16.05	48.87			
AV	21.07472G	35.50	63.54	-28.04	30.32	1	Horizontal	223	1.29	-	38.00	16.05	48.87			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32322G	45.87	74.00	-28.13	58.44	3	Vertical	213	1.39	-	40.15	11.88	64.60			
AV	13.33318G	35.72	54.00	-18.28	48.25	3	Vertical	213	1.39	-	40.17	11.88	64.58			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32308G	46.25	74.00	-27.75	58.82	3	Horizontal	285	1.61	-	40.15	11.88	64.60			
AV	13.32088G	35.84	54.00	-18.16	48.43	3	Horizontal	285	1.61	-	40.14	11.88	64.61			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99438G	45.25	83.54	-38.29	41.64	1	Vertical	46	2.30	-	37.71	15.17	49.27			
AV	19.99377G	35.94	63.54	-27.60	32.34	1	Vertical	46	2.30	-	37.71	15.17	49.28			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99514G	45.39	83.54	-38.15	41.78	1	Horizontal	201	1.46	-	37.71	15.17	49.27			
AV	19.99366G	35.94	63.54	-27.60	32.34	1	Horizontal	201	1.46	-	37.71	15.17	49.28			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65612G	45.96	88.20	-42.24	57.73	3	Vertical	291	1.98	-	40.72	11.83	64.32			
RMS	13.64758G	35.89	68.20	-32.31	47.68	3	Vertical	291	1.98	-	40.70	11.83	64.32			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6825MHz_TX

EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64552G	45.71	88.20	-42.49	57.51	3	Horizontal	133	2.16	-	40.69	11.83	64.32			
RMS	13.6486G	35.26	68.20	-32.94	47.05	3	Horizontal	133	2.16	-	40.70	11.83	64.32			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47419G	44.73	83.54	-38.81	40.42	1	Vertical	84	2.01	-	37.90	15.56	49.15			
AV	20.47409G	35.07	63.54	-28.47	30.76	1	Vertical	84	2.01	-	37.90	15.56	49.15			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47421G	44.16	83.54	-39.38	39.85	1	Horizontal	337	1.53	-	37.90	15.56	49.15			
AV	20.47354G	35.06	63.54	-28.48	30.75	1	Horizontal	337	1.53	-	37.90	15.56	49.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 65
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.922G	112.89	Inf	-Inf	100.05	3	Vertical	360	1.04	-	35.30	8.92	31.38			
RMS	6.962G	104.23	Inf	-Inf	91.43	3	Vertical	360	1.04	-	35.30	8.90	31.40			
PK	7.137G	78.97	88.20	-9.23	65.55	3	Vertical	360	1.04	-	35.62	9.22	31.42			
RMS	7.136G	67.30	68.20	-0.90	53.89	3	Vertical	360	1.04	-	35.62	9.21	31.42			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 65
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.962G	111.20	Inf	-Inf	98.40	3	Horizontal	18	1.07	-	35.30	8.90	31.40			
RMS	6.962G	102.75	Inf	-Inf	89.95	3	Horizontal	18	1.07	-	35.30	8.90	31.40			
PK	7.1385G	78.39	88.20	-9.81	64.96	3	Horizontal	18	1.07	-	35.63	9.22	31.42			
RMS	7.134G	66.95	68.20	-1.25	53.56	3	Horizontal	18	1.07	-	35.60	9.21	31.42			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX


EUT_Y_4TX
Setting 65
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97838G	47.57	88.20	-40.63	58.78	3	Vertical	0	1.80	-	41.46	11.78	64.45			
RMS	13.97618G	37.11	68.20	-31.09	48.33	3	Vertical	0	1.80	-	41.45	11.78	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 65
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96568G	48.76	88.20	-39.44	59.99	3	Horizontal	253	1.20	-	41.43	11.79	64.45			
RMS	13.977G	37.30	68.20	-30.90	48.52	3	Horizontal	253	1.20	-	41.45	11.78	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 65
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95424G	45.14	83.54	-38.40	40.18	1	Vertical	103	1.40	-	37.91	15.95	48.90			
AV	20.95385G	35.67	63.54	-27.87	30.71	1	Vertical	103	1.40	-	37.91	15.95	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 65
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9554G	44.56	83.54	-38.98	39.60	1	Horizontal	35	1.81	-	37.91	15.95	48.90			
AV	20.9543G	35.66	63.54	-27.88	30.70	1	Horizontal	35	1.81	-	37.91	15.95	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.48888G	47.41	88.20	-40.79	59.33	3	Vertical	59	2.54	-	40.50	11.86	64.28			
RMS	13.4852G	37.30	68.20	-30.90	49.23	3	Vertical	59	2.54	-	40.50	11.86	64.29			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.49644G	47.99	88.20	-40.21	59.90	3	Horizontal	322	1.80	-	40.50	11.86	64.27			
RMS	13.49938G	36.96	68.20	-31.24	48.86	3	Horizontal	322	1.80	-	40.50	11.86	64.26			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6745MHz_TX

EUT_Y_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23363G	41.69	83.54	-41.85	37.74	1	Vertical	251	2.46	-	37.80	15.36	49.21			
AV	20.23574G	31.69	63.54	-31.85	27.74	1	Vertical	251	2.46	-	37.80	15.36	49.21			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 108
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23389G	41.47	83.54	-42.07	37.52	1	Horizontal	351	2.20	-	37.80	15.36	49.21			
AV	20.2347G	31.83	63.54	-31.71	27.88	1	Horizontal	351	2.20	-	37.80	15.36	49.21			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_Y_4TX
Setting 65
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.762G	110.60	Inf	-Inf	97.78	3	Vertical	0	1.07	-	35.22	8.89	31.29			
RMS	6.8569G	100.90	Inf	-Inf	87.99	3	Vertical	0	1.07	-	35.30	8.95	31.34			
PK	7.126G	78.80	88.20	-9.40	65.47	3	Vertical	0	1.07	-	35.56	9.19	31.42			
RMS	7.126G	67.33	68.20	-0.87	54.00	3	Vertical	0	1.07	-	35.56	9.19	31.42			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 65
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.76655G	108.19	Inf	-Inf	95.35	3	Horizontal	16	1.18	-	35.23	8.90	31.29			
RMS	6.762G	99.19	Inf	-Inf	86.37	3	Horizontal	16	1.18	-	35.22	8.89	31.29			
PK	7.1546G	76.32	88.20	-11.88	62.75	3	Horizontal	16	1.18	-	35.73	9.26	31.42			
RMS	7.126G	64.86	68.20	-3.34	51.53	3	Horizontal	16	1.18	-	35.56	9.19	31.42			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_V_4TX
Setting 65
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80538G	46.35	88.20	-41.85	57.90	3	Vertical	286	2.62	-	41.02	11.81	64.38			
RMS	13.80254G	36.51	68.20	-31.69	48.07	3	Vertical	286	2.62	-	41.01	11.81	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 65
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80764G	47.18	88.20	-41.02	58.72	3	Horizontal	136	2.45	-	41.03	11.81	64.38			
RMS	13.80578G	36.06	68.20	-32.14	47.61	3	Horizontal	136	2.45	-	41.02	11.81	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 65
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71439G	43.75	83.54	-39.79	39.13	1	Vertical	30	1.08	-	37.90	15.75	49.03			
AV	20.71514G	34.87	63.54	-28.67	30.25	1	Vertical	30	1.08	-	37.90	15.75	49.03			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX

EUT_Y_4TX
Setting 65
05-L-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71592G	44.02	83.54	-39.52	39.40	1	Horizontal	145	1.83	-	37.90	15.75	49.03			
AV	20.71508G	34.87	63.54	-28.67	30.25	1	Horizontal	145	1.83	-	37.90	15.75	49.03			



Test Mode: Mode 6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1.(MCS0)_2TX	Pass	RMS	5.921G	68.08	68.20	-0.12	3	Horizontal	12	1.80	-