



Test Mode: Mode 7

**Summary**

| Mode                            | EIRP PD   |
|---------------------------------|-----------|
|                                 | (dBm/RBW) |
| 5.925-6.425GHz                  | -         |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.96      |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.93      |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.99      |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.95      |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.91      |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.86      |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.87      |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.82      |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.96      |
| 802.11be EHT160_Nss1,(MCS0)_4TX | 4.92      |
| 802.11be EHT160_Nss1,(MCS0)_4TX | 4.95      |
| 802.11be EHT160_Nss1,(MCS0)_4TX | 4.76      |
| 802.11be EHT320_Nss1,(MCS0)_4TX | 4.79      |
| 802.11be EHT320_Nss1,(MCS0)_4TX | 4.89      |
| 6.425-6.525GHz                  | -         |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.90      |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.88      |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.78      |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.94      |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.88      |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.95      |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.70      |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.90      |
| 802.11be EHT160_Nss1,(MCS0)_4TX | 4.98      |
| 802.11be EHT320_Nss1,(MCS0)_4TX | 4.46      |
| 6.525-6.875GHz                  | -         |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.89      |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.84      |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.82      |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.69      |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.88      |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.85      |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.85      |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.86      |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.94      |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.94      |
| 802.11be EHT160_Nss1,(MCS0)_4TX | 4.88      |
| 802.11be EHT160_Nss1,(MCS0)_4TX | 4.90      |
| 802.11be EHT320_Nss1,(MCS0)_4TX | 4.99      |
| 802.11be EHT320_Nss1,(MCS0)_4TX | 4.87      |
| 6.875-7.125GHz                  | -         |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.92      |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.92      |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.93      |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.80      |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.88      |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.80      |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.90      |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.82      |
| 802.11be EHT160_Nss1,(MCS0)_4TX | 4.95      |


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**


| Mode                            | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT20_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5955MHz                         | Pass   | 4.96                 | 5.00                       |
| 6195MHz                         | Pass   | 4.93                 | 5.00                       |
| 6415MHz                         | Pass   | 4.99                 | 5.00                       |
| 6435MHz                         | Pass   | 4.90                 | 5.00                       |
| 6475MHz                         | Pass   | 4.88                 | 5.00                       |
| 6515MHz                         | Pass   | 4.78                 | 5.00                       |
| 6535MHz                         | Pass   | 4.89                 | 5.00                       |
| 6695MHz                         | Pass   | 4.84                 | 5.00                       |
| 6875MHz Straddle 6.525-6.875GHz | Pass   | 4.82                 | 5.00                       |
| 6895MHz                         | Pass   | 4.92                 | 5.00                       |
| 6995MHz                         | Pass   | 4.92                 | 5.00                       |
| 7095MHz                         | Pass   | 4.93                 | 5.00                       |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5965MHz                         | Pass   | 4.95                 | 5.00                       |
| 6205MHz                         | Pass   | 4.91                 | 5.00                       |
| 6405MHz                         | Pass   | 4.86                 | 5.00                       |
| 6445MHz                         | Pass   | 4.94                 | 5.00                       |
| 6485MHz                         | Pass   | 4.88                 | 5.00                       |
| 6525MHz Straddle 6.425-6.525GHz | Pass   | 4.95                 | 5.00                       |
| 6565MHz                         | Pass   | 4.69                 | 5.00                       |
| 6685MHz                         | Pass   | 4.88                 | 5.00                       |
| 6885MHz Straddle 6.525-6.875GHz | Pass   | 4.85                 | 5.00                       |
| 6925MHz                         | Pass   | 4.80                 | 5.00                       |
| 7005MHz                         | Pass   | 4.88                 | 5.00                       |
| 7085MHz                         | Pass   | 4.80                 | 5.00                       |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5985MHz                         | Pass   | 4.87                 | 5.00                       |
| 6225MHz                         | Pass   | 4.82                 | 5.00                       |
| 6385MHz                         | Pass   | 4.96                 | 5.00                       |
| 6465MHz                         | Pass   | 4.70                 | 5.00                       |
| 6545MHz Straddle 6.425-6.525GHz | Pass   | 4.90                 | 5.00                       |
| 6625MHz                         | Pass   | 4.85                 | 5.00                       |
| 6705MHz                         | Pass   | 4.86                 | 5.00                       |
| 6785MHz                         | Pass   | 4.94                 | 5.00                       |
| 6865MHz Straddle 6.525-6.875GHz | Pass   | 4.94                 | 5.00                       |
| 6945MHz                         | Pass   | 4.90                 | 5.00                       |
| 7025MHz                         | Pass   | 4.82                 | 5.00                       |
| 802.11be EHT160_Nss1,(MCS0)_4TX | -      | -                    | -                          |
| 6025MHz                         | Pass   | 4.92                 | 5.00                       |
| 6185MHz                         | Pass   | 4.95                 | 5.00                       |
| 6345MHz                         | Pass   | 4.76                 | 5.00                       |
| 6505MHz Straddle 6.425-6.525GHz | Pass   | 4.98                 | 5.00                       |
| 6665MHz                         | Pass   | 4.88                 | 5.00                       |
| 6825MHz Straddle 6.525-6.875GHz | Pass   | 4.90                 | 5.00                       |
| 6985MHz                         | Pass   | 4.95                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0)_4TX | -      | -                    | -                          |
| 6105MHz                         | Pass   | 4.79                 | 5.00                       |
| 6265MHz                         | Pass   | 4.89                 | 5.00                       |
| 6585MHz Straddle 6.425-6.525GHz | Pass   | 4.46                 | 5.00                       |
| 6745MHz Straddle 6.525-6.875GHz | Pass   | 4.99                 | 5.00                       |
| 6905MHz Straddle 6.525-6.875GHz | Pass   | 4.87                 | 5.00                       |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.


EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6435MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6475MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6515MHz;TX




EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6445MHz;TX




EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6485MHz;TX




EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6525MHz;TX




EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6465MHz;TX




EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX




EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX




EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX




EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX




EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX




EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6895MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX




EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX



EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX



EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX



Test Mode: Mode 8

**Summary**

| Mode                               | EIRP PD<br>(dBm/RBW) |
|------------------------------------|----------------------|
| 5.925-6.425GHz                     | -                    |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 4.86                 |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 4.98                 |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 4.94                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 4.88                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 4.91                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 4.88                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 4.81                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 4.80                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 4.83                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 4.96                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 4.85                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 4.82                 |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | 4.94                 |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | 4.84                 |
| 6.425-6.525GHz                     | -                    |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 4.86                 |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 4.92                 |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 4.77                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 4.89                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 4.91                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 4.86                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 4.89                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 4.88                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 4.88                 |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | 4.93                 |
| 6.525-6.875GHz                     | -                    |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 4.91                 |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 4.84                 |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 4.91                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 4.97                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 4.89                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 4.80                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 4.89                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 4.81                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 4.77                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 4.82                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 4.88                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 4.96                 |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | 4.78                 |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | 4.32                 |
| 6.875-7.125GHz                     | -                    |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 4.92                 |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 4.85                 |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 4.91                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 4.79                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 4.86                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 4.78                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 4.92                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 4.84                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 4.95                 |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

## Result

| Mode                               | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|------------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5955MHz                            | Pass   | 4.86                 | 5.00                       |
| 6195MHz                            | Pass   | 4.98                 | 5.00                       |
| 6415MHz                            | Pass   | 4.94                 | 5.00                       |
| 6435MHz                            | Pass   | 4.86                 | 5.00                       |
| 6475MHz                            | Pass   | 4.92                 | 5.00                       |
| 6515MHz                            | Pass   | 4.77                 | 5.00                       |
| 6535MHz                            | Pass   | 4.91                 | 5.00                       |
| 6695MHz                            | Pass   | 4.84                 | 5.00                       |
| 6875MHz                            | Pass   | 4.91                 | 5.00                       |
| 6895MHz                            | Pass   | 4.92                 | 5.00                       |
| 6995MHz                            | Pass   | 4.85                 | 5.00                       |
| 7095MHz                            | Pass   | 4.91                 | 5.00                       |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5965MHz                            | Pass   | 4.88                 | 5.00                       |
| 6205MHz                            | Pass   | 4.91                 | 5.00                       |
| 6405MHz                            | Pass   | 4.88                 | 5.00                       |
| 6445MHz                            | Pass   | 4.89                 | 5.00                       |
| 6485MHz                            | Pass   | 4.91                 | 5.00                       |
| 6525MHz                            | Pass   | 4.86                 | 5.00                       |
| 6565MHz                            | Pass   | 4.97                 | 5.00                       |
| 6685MHz                            | Pass   | 4.89                 | 5.00                       |
| 6885MHz                            | Pass   | 4.80                 | 5.00                       |
| 6925MHz                            | Pass   | 4.79                 | 5.00                       |
| 7005MHz                            | Pass   | 4.86                 | 5.00                       |
| 7085MHz                            | Pass   | 4.78                 | 5.00                       |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5985MHz                            | Pass   | 4.81                 | 5.00                       |
| 6225MHz                            | Pass   | 4.80                 | 5.00                       |
| 6385MHz                            | Pass   | 4.83                 | 5.00                       |
| 6465MHz                            | Pass   | 4.89                 | 5.00                       |
| 6545MHz                            | Pass   | 4.88                 | 5.00                       |
| 6625MHz                            | Pass   | 4.89                 | 5.00                       |
| 6705MHz                            | Pass   | 4.81                 | 5.00                       |
| 6785MHz                            | Pass   | 4.77                 | 5.00                       |
| 6865MHz                            | Pass   | 4.82                 | 5.00                       |
| 6945MHz                            | Pass   | 4.92                 | 5.00                       |
| 7025MHz                            | Pass   | 4.84                 | 5.00                       |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | -      | -                    | -                          |
| 6025MHz                            | Pass   | 4.96                 | 5.00                       |
| 6185MHz                            | Pass   | 4.85                 | 5.00                       |
| 6345MHz                            | Pass   | 4.82                 | 5.00                       |
| 6505MHz                            | Pass   | 4.88                 | 5.00                       |
| 6665MHz                            | Pass   | 4.88                 | 5.00                       |
| 6825MHz                            | Pass   | 4.96                 | 5.00                       |
| 6985MHz                            | Pass   | 4.95                 | 5.00                       |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | -      | -                    | -                          |
| 6105MHz                            | Pass   | 4.94                 | 5.00                       |
| 6265MHz                            | Pass   | 4.84                 | 5.00                       |
| 6585MHz                            | Pass   | 4.93                 | 5.00                       |
| 6745MHz                            | Pass   | 4.78                 | 5.00                       |
| 6905MHz                            | Pass   | 4.32                 | 5.00                       |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
Inf = There's no restriction for the limit.

08/02/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX

CF Freq  
5.955GHz

Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
20MHz



Page 8

EIRP PSD (dBm)

4.86

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-12.21

13.30

7.46

34.64

57.55

08/02/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX

CF Freq  
6.195GHz

Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
20MHz



Page 8

EIRP PSD (dBm)

4.98

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-12.87

13.19


7.63

34.48

57.89


08/02/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




08/02/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




08/02/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




08/02/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




08/02/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




08/02/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




08/02/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




08/02/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




08/02/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX



08/02/2025


EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX



10/02/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX

CF Freq  
6.105GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
52.709s  
Detector Type  
RMS  
CP BW  
320MHz




Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 4.94           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -13.01         | 13.13                                                       | 7.64    | 34.47     | 57.91   |

10/02/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX

CF Freq  
6.265GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
52.709s  
Detector Type  
RMS  
CP BW  
320MHz




Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 4.84           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -13.59         | 12.94                                                       | 7.69    | 34.37     | 58.05   |


08/02/2025

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6435MHz;TX




08/02/2025

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6475MHz;TX




08/02/2025

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6515MHz;TX




08/02/2025

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6445MHz;TX




08/02/2025

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6485MHz;TX




08/02/2025

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6525MHz;TX




08/02/2025

EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6465MHz;TX




08/02/2025

EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX




08/02/2025

EIRP PSD;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX




10/02/2025

EIRP PSD;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX




08/02/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




08/02/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




08/02/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX




08/02/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




08/02/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




08/02/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX




08/02/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




08/02/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




08/02/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




08/02/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX




08/02/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



08/02/2025


EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX



10/02/2025

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX

CF Freq  
6.745GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
52.709s  
Detector Type  
RMS  
CP BW  
320MHz




Page 7

|                |                                                             |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
| 4.78           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -15.17         | 12.39                                                       | 7.97    | 34.19     | 58.56   |

10/02/2025

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX

CF Freq  
6.905GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz




Page 7

|                |                                                             |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
| 4.96           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -16.37         | 11.71                                                       | 8.28    | 34.18     | 58.94   |


08/02/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6895MHz;TX




08/02/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX




08/02/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX




08/02/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX




08/02/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX




08/02/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX




08/02/2025

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX




08/02/2025

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX



08/02/2025

EIRP PSD;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX





Test Mode: Mode 9

**Summary**

| Mode                               | EIRP PD<br>(dBm/RBW) |
|------------------------------------|----------------------|
| 5.925-6.425GHz                     | -                    |
| 802.11be EHT20_Nss1,(MCS0)_4TX     | 22.14                |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 22.38                |
| 802.11be EHT40_Nss1,(MCS0)_4TX     | 20.71                |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 20.67                |
| 802.11be EHT80_Nss1,(MCS0)_4TX     | 15.38                |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 17.21                |
| 802.11be EHT160_Nss1,(MCS0)_4TX    | 12.38                |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 16.52                |
| 802.11be EHT320_Nss1,(MCS0)_4TX    | 8.11                 |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | 12.35                |
| 6.525-6.875GHz                     | -                    |
| 802.11be EHT20_Nss1,(MCS0)_4TX     | 22.90                |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 22.85                |
| 802.11be EHT40_Nss1,(MCS0)_4TX     | 19.13                |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 21.94                |
| 802.11be EHT80_Nss1,(MCS0)_4TX     | 16.52                |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 19.00                |
| 802.11be EHT160_Nss1,(MCS0)_4TX    | 10.75                |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 15.62                |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

### Result

| Mode                               | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|------------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT20_Nss1,(MCS0)_4TX     | -      | -                    | -                          |
| 5955MHz                            | Pass   | 19.85                | 23.00                      |
| 6195MHz                            | Pass   | 22.14                | 23.00                      |
| 6415MHz                            | Pass   | 19.98                | 23.00                      |
| 6535MHz                            | Pass   | 20.09                | 23.00                      |
| 6695MHz                            | Pass   | 22.90                | 23.00                      |
| 6855MHz                            | Pass   | 22.42                | 23.00                      |
| 802.11be EHT40_Nss1,(MCS0)_4TX     | -      | -                    | -                          |
| 5965MHz                            | Pass   | 15.72                | 23.00                      |
| 6205MHz                            | Pass   | 20.71                | 23.00                      |
| 6405MHz                            | Pass   | 17.88                | 23.00                      |
| 6565MHz                            | Pass   | 19.13                | 23.00                      |
| 6685MHz                            | Pass   | 16.47                | 23.00                      |
| 6845MHz                            | Pass   | 16.05                | 23.00                      |
| 802.11be EHT80_Nss1,(MCS0)_4TX     | -      | -                    | -                          |
| 5985MHz                            | Pass   | 10.78                | 23.00                      |
| 6225MHz                            | Pass   | 15.38                | 23.00                      |
| 6385MHz                            | Pass   | 14.45                | 23.00                      |
| 6625MHz                            | Pass   | 16.52                | 23.00                      |
| 6705MHz                            | Pass   | 14.47                | 23.00                      |
| 6785MHz                            | Pass   | 14.40                | 23.00                      |
| 802.11be EHT160_Nss1,(MCS0)_4TX    | -      | -                    | -                          |
| 6025MHz                            | Pass   | 10.18                | 23.00                      |
| 6185MHz                            | Pass   | 11.12                | 23.00                      |
| 6345MHz                            | Pass   | 12.38                | 23.00                      |
| 6665MHz                            | Pass   | 10.75                | 23.00                      |
| 802.11be EHT320_Nss1,(MCS0)_4TX    | -      | -                    | -                          |
| 6105MHz                            | Pass   | 8.11                 | 23.00                      |
| 6265MHz                            | Pass   | 7.85                 | 23.00                      |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5955MHz                            | Pass   | 20.45                | 23.00                      |
| 6195MHz                            | Pass   | 22.38                | 23.00                      |
| 6415MHz                            | Pass   | 19.31                | 23.00                      |
| 6535MHz                            | Pass   | 22.81                | 23.00                      |
| 6695MHz                            | Pass   | 22.85                | 23.00                      |
| 6855MHz                            | Pass   | 22.81                | 23.00                      |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5965MHz                            | Pass   | 15.76                | 23.00                      |
| 6205MHz                            | Pass   | 20.67                | 23.00                      |
| 6405MHz                            | Pass   | 18.61                | 23.00                      |
| 6565MHz                            | Pass   | 21.94                | 23.00                      |
| 6685MHz                            | Pass   | 19.84                | 23.00                      |
| 6845MHz                            | Pass   | 19.09                | 23.00                      |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5985MHz                            | Pass   | 12.85                | 23.00                      |
| 6225MHz                            | Pass   | 17.21                | 23.00                      |
| 6385MHz                            | Pass   | 16.21                | 23.00                      |
| 6625MHz                            | Pass   | 18.77                | 23.00                      |
| 6705MHz                            | Pass   | 19.00                | 23.00                      |
| 6785MHz                            | Pass   | 18.58                | 23.00                      |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | -      | -                    | -                          |
| 6025MHz                            | Pass   | 15.72                | 23.00                      |
| 6185MHz                            | Pass   | 15.86                | 23.00                      |
| 6345MHz                            | Pass   | 16.52                | 23.00                      |
| 6665MHz                            | Pass   | 15.62                | 23.00                      |



## Radiated PSD


## Appendix C.9

| Mode                               | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|------------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | -      | -                    | -                          |
| 6105MHz                            | Pass   | 12.35                | 23.00                      |
| 6265MHz                            | Pass   | 11.87                | 23.00                      |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
Inf = There's no restriction for the limit.


27/12/2024

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX



27/12/2024

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX



15/03/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX

CF Freq  
6.415GHz

Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
20MHz



Page 8

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 19.98          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -0.22          | 11.55    | 8.78                                                        | 35.21     | 58.18   |

15/03/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX

CF Freq  
6.535GHz

Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
20MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 20.09          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -0.19          | 11.73    | 8.87                                                        | 35.21     | 58.35   |

15/03/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX

CF Freq  
6.695GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
20MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 22.9           |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| 2.07           | 11.50    | 8.96                                                        | 35.19     | 58.56   |

15/03/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX

CF Freq  
6.855GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
20MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 22.42          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| 1.19           | 11.21    | 8.84                                                        | 35.16     | 58.76   |

27/12/2024

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX

CF Freq  
5.965GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 15.74          |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -3.73          | 11.05                                                       | 8.14    | 35.19     | 57.57   |

27/12/2024

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX

CF Freq  
5.965GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 8

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 15.72          |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -3.75          | 11.05                                                       | 8.14    | 35.19     | 57.57   |


27/12/2024

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




15/03/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




27/12/2024

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX



27/12/2024


EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX



17/03/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX

CF Freq  
6.845GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 16.05          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -7.54          | 10.50    | 7.97                                                        | 32.64     | 58.76   |

27/12/2024

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX

CF Freq  
5.985GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
80MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 10.78          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -11.37         | 10.51    | 7.50                                                        | 32.44     | 57.60   |


27/12/2024

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




17/03/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




27/12/2024

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




18/03/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




27/12/2024

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




17/03/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




17/03/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




17/03/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




18/03/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



27/12/2024


EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



18/03/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX

CF Freq  
6.265GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 7.85     | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -14.46         | 10.60    | 7.56                                                        | 32.43     | 57.78   |

18/03/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX

CF Freq  
5.955GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
20MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 20.45    | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -1.55          | 10.58    | 7.47                                                        | 32.44     | 57.55   |

18/03/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX

CF Freq  
6.195GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
20MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 21.74          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -0.62          | 10.70    | 7.59                                                        | 32.42     | 57.89   |

18/03/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX

CF Freq  
6.415GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
20MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 19.31          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -3.59          | 10.73    | 7.83                                                        | 32.39     | 58.19   |

18/03/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX

CF Freq  
6.535GHz

Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
20MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 22.81          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -0.29          | 10.74    | 7.90                                                        | 32.40     | 58.34   |

18/03/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX

CF Freq  
6.695GHz

Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
20MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 22.85          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -0.54          | 10.60    | 7.96                                                        | 32.53     | 58.56   |


18/03/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX



19/03/2025


EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX



19/03/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX

CF Freq  
6.205GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 20.67    | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -1.68          | 10.76    | 7.61                                                        | 32.41     | 57.91   |

19/03/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX

CF Freq  
6.405GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 18.61    | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -4.28          | 10.74    | 7.83                                                        | 32.39     | 58.19   |


19/03/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX



19/03/2025


EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX



19/03/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX

CF Freq  
6.845GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 19.09          |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -4.50          | 10.50                                                       | 7.98    | 32.63     | 58.74   |

20/03/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX

CF Freq  
5.985GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
80MHz




Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 12.85          |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -9.21          | 10.55                                                       | 7.48    | 32.44     | 57.57   |


20/03/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX



20/03/2025


EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX



19/03/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX

CF Freq  
6.625GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
80MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 18.77    | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -4.60          | 10.60    | 7.96                                                        | 32.48     | 58.49   |

19/03/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX

CF Freq  
6.705GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
80MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 19       | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -4.38          | 10.60    | 7.96                                                        | 32.50     | 58.52   |

19/03/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX

CF Freq  
6.785GHz

Span  
120MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
80MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 18.58    | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -4.95          | 10.51    | 7.97                                                        | 32.56     | 58.63   |

20/03/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX

CF Freq  
6.025GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 15.72    | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -6.54          | 10.50    | 7.52                                                        | 32.43     | 57.67   |


20/03/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




20/03/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




20/03/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




20/03/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



20/03/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX



Test Mode: Mode 10

**Summary**

| Mode                            | EIRP PD   |
|---------------------------------|-----------|
|                                 | (dBm/RBW) |
| 6.525-6.875GHz                  | -         |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.90      |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.93      |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.82      |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.79      |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.90      |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.77      |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.78      |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.85      |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.87      |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.84      |
| 802.11be EHT160_Nss1,(MCS0)_4TX | 4.91      |
| 802.11be EHT160_Nss1,(MCS0)_4TX | 4.90      |
| 802.11be EHT320_Nss1,(MCS0)_4TX | 4.96      |
| 802.11be EHT320_Nss1,(MCS0)_4TX | 4.91      |
| 6.875-7.125GHz                  | -         |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.82      |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.90      |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.83      |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.93      |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.78      |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.82      |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.89      |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.88      |
| 802.11be EHT160_Nss1,(MCS0)_4TX | 4.86      |


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**


| Mode                            | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT20_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 6535MHz                         | Pass   | 4.90                 | 5.00                       |
| 6695MHz                         | Pass   | 4.93                 | 5.00                       |
| 6875MHz                         | Pass   | 4.82                 | 5.00                       |
| 6895MHz                         | Pass   | 4.82                 | 5.00                       |
| 6995MHz                         | Pass   | 4.90                 | 5.00                       |
| 7095MHz                         | Pass   | 4.83                 | 5.00                       |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 6565MHz                         | Pass   | 4.79                 | 5.00                       |
| 6685MHz                         | Pass   | 4.90                 | 5.00                       |
| 6885MHz                         | Pass   | 4.77                 | 5.00                       |
| 6925MHz                         | Pass   | 4.93                 | 5.00                       |
| 7005MHz                         | Pass   | 4.78                 | 5.00                       |
| 7085MHz                         | Pass   | 4.82                 | 5.00                       |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 6625MHz                         | Pass   | 4.78                 | 5.00                       |
| 6705MHz                         | Pass   | 4.85                 | 5.00                       |
| 6785MHz                         | Pass   | 4.87                 | 5.00                       |
| 6865MHz                         | Pass   | 4.84                 | 5.00                       |
| 6945MHz                         | Pass   | 4.89                 | 5.00                       |
| 7025MHz                         | Pass   | 4.88                 | 5.00                       |
| 802.11be EHT160_Nss1,(MCS0)_4TX | -      | -                    | -                          |
| 6665MHz                         | Pass   | 4.91                 | 5.00                       |
| 6825MHz                         | Pass   | 4.90                 | 5.00                       |
| 6985MHz                         | Pass   | 4.86                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0)_4TX | -      | -                    | -                          |
| 6745MHz                         | Pass   | 4.96                 | 5.00                       |
| 6905MHz                         | Pass   | 4.91                 | 5.00                       |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.


EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6895MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX




EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX




EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX




EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX



EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX







Test Mode: Mode 11

**Summary**

| Mode                               | EIRP PD<br>(dBm/RBW) |
|------------------------------------|----------------------|
| 6.525-6.875GHz                     | -                    |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 4.96                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 4.89                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 4.97                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 4.95                 |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | 4.89                 |
| 6.875-7.125GHz                     | -                    |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 4.85                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 4.94                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 4.96                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 4.96                 |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                               | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|------------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 6535MHz                            | Pass   | 4.96                 | 5.00                       |
| 6695MHz                            | Pass   | 4.73                 | 5.00                       |
| 6875MHz Straddle 6.525-6.875GHz    | Pass   | 4.73                 | 5.00                       |
| 6895MHz                            | Pass   | 4.76                 | 5.00                       |
| 6995MHz                            | Pass   | 4.85                 | 5.00                       |
| 7095MHz                            | Pass   | 4.84                 | 5.00                       |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 6565MHz                            | Pass   | 4.81                 | 5.00                       |
| 6685MHz                            | Pass   | 4.83                 | 5.00                       |
| 6885MHz Straddle 6.525-6.875GHz    | Pass   | 4.89                 | 5.00                       |
| 6925MHz                            | Pass   | 4.74                 | 5.00                       |
| 7005MHz                            | Pass   | 4.53                 | 5.00                       |
| 7085MHz                            | Pass   | 4.94                 | 5.00                       |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 6625MHz                            | Pass   | 4.97                 | 5.00                       |
| 6705MHz                            | Pass   | 4.88                 | 5.00                       |
| 6785MHz                            | Pass   | 4.86                 | 5.00                       |
| 6865MHz Straddle 6.525-6.875GHz    | Pass   | 4.95                 | 5.00                       |
| 6945MHz                            | Pass   | 4.96                 | 5.00                       |
| 7025MHz                            | Pass   | 4.90                 | 5.00                       |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | -      | -                    | -                          |
| 6665MHz                            | Pass   | 4.81                 | 5.00                       |
| 6825MHz Straddle 6.525-6.875GHz    | Pass   | 4.95                 | 5.00                       |
| 6985MHz                            | Pass   | 4.96                 | 5.00                       |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | -      | -                    | -                          |
| 6745MHz Straddle 6.525-6.875GHz    | Pass   | 4.89                 | 5.00                       |
| 6905MHz Straddle 6.525-6.875GHz    | Pass   | 4.81                 | 5.00                       |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.

14/02/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX

CF Freq  
6.535GHz

Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
20MHz



Page 7

EIRP PSD (dBm)

4.96

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-18.69

12.03

8.49

31.16

58.35

14/02/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX

CF Freq  
6.695GHz

Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
20MHz



Page 7

EIRP PSD (dBm)

4.73

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-19.59

11.71

8.73

31.25

58.55

14/02/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX

CF Freq  
6.875GHz

Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
20MHz



Page 7

EIRP PSD (dBm)

4.73

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-19.94

11.70

8.94

31.35

58.78

14/02/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6895MHz;TX

CF Freq  
6.895GHz

Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
20MHz



Page 7

EIRP PSD (dBm)

4.76

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-19.93

11.70

8.93


31.36

58.82

14/02/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX

CF Freq  
6.995GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
20MHz




Page 7

|                |                                                             |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
| 4.85           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -19.77         | 11.80                                                       | 8.89    | 31.42     | 58.95   |

14/02/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX

CF Freq  
7.095GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
20MHz




Page 7

|                |                                                             |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
| 4.84           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -20.14         | 11.80                                                       | 9.13    | 31.42     | 59.07   |


15/02/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX



15/02/2025


EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX



15/02/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX

CF Freq  
6.885GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 4.89           |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -19.80         | 11.70    | 8.93                                                        | 31.36     | 58.82   |

15/02/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX

CF Freq  
6.925GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 4.74           |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -19.95         | 11.70    | 8.93                                                        | 31.37     | 58.83   |

15/02/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX

CF Freq  
7.005GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 7

|                |                                                             |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
| 4.53           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -20.10         | 11.82                                                       | 8.91    | 31.42     | 58.96   |

15/02/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX

CF Freq  
7.085GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 7

|                |                                                             |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
| 4.94           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -19.97         | 11.82                                                       | 9.10    | 31.42     | 59.05   |


15/02/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




15/02/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




15/02/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX



15/02/2025


EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX



15/02/2025

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX

CF Freq  
6.945GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
80MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 4.96           |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -19.71         | 11.73    | 8.90                                                        | 31.40     | 58.90   |

15/02/2025

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX

CF Freq  
7.025GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
80MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 4.9            |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -19.73         | 11.82    | 8.91                                                        | 31.42     | 58.96   |


15/02/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



15/02/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX



15/02/2025

EIRP PSD;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX

CF Freq  
6.985GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz



Page 8

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 4.96           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -19.68         | 11.83                                                       | 8.92    | 31.42     | 58.97   |

15/02/2025

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX

CF Freq  
6.745GHz

Span  
480MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
320MHz




Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 4.89           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -19.84         | 11.60                                                       | 8.95    | 31.30     | 58.68   |

24/02/2025

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX





Test Mode: Mode 12

**Summary**

| Mode                               | EIRP PD<br>(dBm/RBW) |
|------------------------------------|----------------------|
| 6.525-6.875GHz                     | -                    |
| 802.11be EHT20_Nss1,(MCS0)_4TX     | 20.16                |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 19.70                |
| 802.11be EHT40_Nss1,(MCS0)_4TX     | 17.26                |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 16.31                |
| 802.11be EHT80_Nss1,(MCS0)_4TX     | 13.02                |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 13.59                |
| 802.11be EHT160_Nss1,(MCS0)_4TX    | 10.18                |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 10.08                |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                               | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|------------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT20_Nss1,(MCS0)_4TX     | -      | -                    | -                          |
| 6535MHz                            | Pass   | 18.16                | 23.00                      |
| 6695MHz                            | Pass   | 20.16                | 23.00                      |
| 6855MHz                            | Pass   | 19.40                | 23.00                      |
| 802.11be EHT40_Nss1,(MCS0)_4TX     | -      | -                    | -                          |
| 6565MHz                            | Pass   | 15.80                | 23.00                      |
| 6685MHz                            | Pass   | 17.26                | 23.00                      |
| 6845MHz                            | Pass   | 15.50                | 23.00                      |
| 802.11be EHT80_Nss1,(MCS0)_4TX     | -      | -                    | -                          |
| 6625MHz                            | Pass   | 12.71                | 23.00                      |
| 6705MHz                            | Pass   | 13.02                | 23.00                      |
| 6785MHz                            | Pass   | 12.41                | 23.00                      |
| 802.11be EHT160_Nss1,(MCS0)_4TX    | -      | -                    | -                          |
| 6665MHz                            | Pass   | 10.18                | 23.00                      |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 6535MHz                            | Pass   | 18.43                | 23.00                      |
| 6695MHz                            | Pass   | 19.67                | 23.00                      |
| 6855MHz                            | Pass   | 19.70                | 23.00                      |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 6565MHz                            | Pass   | 15.93                | 23.00                      |
| 6685MHz                            | Pass   | 16.31                | 23.00                      |
| 6845MHz                            | Pass   | 15.30                | 23.00                      |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 6625MHz                            | Pass   | 11.69                | 23.00                      |
| 6705MHz                            | Pass   | 13.59                | 23.00                      |
| 6785MHz                            | Pass   | 12.85                | 23.00                      |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | -      | -                    | -                          |
| 6665MHz                            | Pass   | 10.08                | 23.00                      |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.

21/03/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX

CF Freq  
6.535GHz

Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
20MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 18.16    | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -4.95          | 10.74    | 7.91                                                        | 32.40     | 58.34   |

26/12/2024

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX

CF Freq  
6.695GHz

Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
20MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 20.16    | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -3.23          | 10.60    | 7.96                                                        | 32.52     | 58.55   |

21/03/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX

CF Freq  
6.855GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
20MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 19.4           |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -4.19          | 10.50    | 7.97                                                        | 32.65     | 58.77   |

26/12/2024

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX

CF Freq  
6.565GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 15.8           |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -7.44          | 10.65    | 7.93                                                        | 32.44     | 58.40   |


26/12/2024

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




21/03/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX




26/12/2024

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




26/12/2024

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




26/12/2024

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX



27/12/2024


EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



21/03/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX

CF Freq  
6.535GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
20MHz




Page 7

|                |                                                             |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
| 18.43          |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -4.67          | 10.74                                                       | 7.90    | 32.40     | 58.34   |

21/03/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX

CF Freq  
6.695GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
20MHz




Page 7

|                |                                                             |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
| 19.67          |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -3.72          | 10.60                                                       | 7.96    | 32.52     | 58.55   |


21/03/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX




21/03/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




21/03/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




21/03/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX




21/03/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




21/03/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




21/03/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX



21/03/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX





Test Mode: Mode 13

**Summary**

| Mode                               | EIRP PD<br>(dBm/RBW) |
|------------------------------------|----------------------|
| 5.925-6.425GHz                     | -                    |
| 802.11be EHT20_Nss1,(MCS0)_4TX     | 22.79                |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 21.68                |
| 802.11be EHT40_Nss1,(MCS0)_4TX     | 21.94                |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 20.07                |
| 802.11be EHT80_Nss1,(MCS0)_4TX     | 17.69                |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 19.70                |
| 802.11be EHT160_Nss1,(MCS0)_4TX    | 14.91                |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 15.94                |
| 802.11be EHT320_Nss1,(MCS0)_4TX    | 11.30                |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | 10.89                |
| 6.525-6.875GHz                     | -                    |
| 802.11be EHT20_Nss1,(MCS0)_4TX     | 22.95                |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 22.98                |
| 802.11be EHT40_Nss1,(MCS0)_4TX     | 22.10                |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 21.42                |
| 802.11be EHT80_Nss1,(MCS0)_4TX     | 19.02                |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 18.21                |
| 802.11be EHT160_Nss1,(MCS0)_4TX    | 15.97                |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 15.73                |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                               | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|------------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT20_Nss1,(MCS0)_4TX     | -      | -                    | -                          |
| 5955MHz                            | Pass   | 17.87                | 23.00                      |
| 6195MHz                            | Pass   | 22.72                | 23.00                      |
| 6415MHz                            | Pass   | 22.79                | 23.00                      |
| 6535MHz                            | Pass   | 22.87                | 23.00                      |
| 6695MHz                            | Pass   | 22.81                | 23.00                      |
| 6855MHz                            | Pass   | 22.95                | 23.00                      |
| 802.11be EHT40_Nss1,(MCS0)_4TX     | -      | -                    | -                          |
| 5965MHz                            | Pass   | 13.86                | 23.00                      |
| 6205MHz                            | Pass   | 21.94                | 23.00                      |
| 6405MHz                            | Pass   | 21.00                | 23.00                      |
| 6565MHz                            | Pass   | 22.10                | 23.00                      |
| 6685MHz                            | Pass   | 21.28                | 23.00                      |
| 6845MHz                            | Pass   | 21.00                | 23.00                      |
| 802.11be EHT80_Nss1,(MCS0)_4TX     | -      | -                    | -                          |
| 5985MHz                            | Pass   | 10.59                | 23.00                      |
| 6225MHz                            | Pass   | 17.61                | 23.00                      |
| 6385MHz                            | Pass   | 17.69                | 23.00                      |
| 6625MHz                            | Pass   | 19.02                | 23.00                      |
| 6705MHz                            | Pass   | 18.20                | 23.00                      |
| 6785MHz                            | Pass   | 18.79                | 23.00                      |
| 802.11be EHT160_Nss1,(MCS0)_4TX    | -      | -                    | -                          |
| 6025MHz                            | Pass   | 10.21                | 23.00                      |
| 6185MHz                            | Pass   | 14.91                | 23.00                      |
| 6345MHz                            | Pass   | 14.44                | 23.00                      |
| 6665MHz                            | Pass   | 15.97                | 23.00                      |
| 802.11be EHT320_Nss1,(MCS0)_4TX    | -      | -                    | -                          |
| 6105MHz                            | Pass   | 6.88                 | 23.00                      |
| 6265MHz                            | Pass   | 11.30                | 23.00                      |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5955MHz                            | Pass   | 16.61                | 23.00                      |
| 6195MHz                            | Pass   | 19.93                | 23.00                      |
| 6415MHz                            | Pass   | 21.68                | 23.00                      |
| 6535MHz                            | Pass   | 22.98                | 23.00                      |
| 6695MHz                            | Pass   | 22.92                | 23.00                      |
| 6855MHz                            | Pass   | 22.76                | 23.00                      |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5965MHz                            | Pass   | 12.33                | 23.00                      |
| 6205MHz                            | Pass   | 19.42                | 23.00                      |
| 6405MHz                            | Pass   | 20.07                | 23.00                      |
| 6565MHz                            | Pass   | 20.69                | 23.00                      |
| 6685MHz                            | Pass   | 21.42                | 23.00                      |
| 6845MHz                            | Pass   | 21.15                | 23.00                      |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5985MHz                            | Pass   | 15.80                | 23.00                      |
| 6225MHz                            | Pass   | 18.14                | 23.00                      |
| 6385MHz                            | Pass   | 19.70                | 23.00                      |
| 6625MHz                            | Pass   | 17.37                | 23.00                      |
| 6705MHz                            | Pass   | 17.61                | 23.00                      |
| 6785MHz                            | Pass   | 18.21                | 23.00                      |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | -      | -                    | -                          |
| 6025MHz                            | Pass   | 14.63                | 23.00                      |
| 6185MHz                            | Pass   | 15.65                | 23.00                      |
| 6345MHz                            | Pass   | 15.94                | 23.00                      |
| 6665MHz                            | Pass   | 15.73                | 23.00                      |



## Radiated PSD

## Appendix C.13

| Mode                               | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|------------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | -      | -                    | -                          |
| 6105MHz                            | Pass   | 9.13                 | 23.00                      |
| 6265MHz                            | Pass   | 10.89                | 23.00                      |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
Inf = There's no restriction for the limit.

12/02/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX

CF Freq  
5.955GHz

Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
20MHz



Page 8

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 17.87          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -4.13          | 10.58    | 7.47                                                        | 32.44     | 57.55   |

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX

CF Freq  
6.195GHz

Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS


CP BW  
20MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 22.72          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -1.18          | 11.41    | 8.24                                                        | 30.83     | 57.90   |


EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX



EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX



17/02/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX

CF Freq  
5.965GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 8

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 13.86          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -8.23          | 10.54    | 7.49                                                        | 32.44     | 57.58   |

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX


CF Freq  
6.205GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 21.94          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -1.96          | 11.44    | 8.26                                                        | 30.84     | 57.92   |

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX



14/02/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX

CF Freq  
6.685GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 8

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 21.28          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -2.11          | 10.60    | 7.96                                                        | 32.51     | 58.54   |

13/11/2024

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX

CF Freq  
6.845GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz



Page 8

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 21             |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -2.59          | 10.50    | 7.97                                                        | 32.65     | 58.77   |

14/02/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX

CF Freq  
5.985GHz

Span  
120MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
80MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 10.59          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -11.61         | 10.50    | 7.51                                                        | 32.44     | 57.63   |

14/02/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX

CF Freq  
6.225GHz

Span  
120MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
80MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 17.61          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -4.74          | 10.76    | 7.61                                                        | 32.41     | 57.91   |

14/02/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX

CF Freq  
6.385GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
80MHz




Page 8

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 17.69          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -5.05          | 10.79    | 7.79                                                        | 32.39     | 58.13   |

14/02/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX

CF Freq  
6.625GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
80MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 19.02          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -4.30          | 10.61    | 7.95                                                        | 32.45     | 58.43   |

14/02/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX

CF Freq  
6.705GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
80MHz




Page 8

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 18.2           |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -5.19          | 10.60    | 7.96                                                        | 32.53     | 58.56   |

13/11/2024

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX

CF Freq  
6.785GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
80MHz




Page 8

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 18.79          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -4.77          | 10.50    | 7.98                                                        | 32.58     | 58.66   |


17/02/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




14/02/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




13/11/2024

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX



14/02/2025


EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



17/02/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX

CF Freq  
6.105GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz




Page 8

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 6.88           |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -15.47         | 10.50    | 7.54                                                        | 32.43     | 57.74   |

14/02/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX

CF Freq  
6.265GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 11.3           |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -11.02         | 10.84    | 7.63                                                        | 32.41     | 57.94   |

14/02/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX

CF Freq  
5.955GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
20MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 16.61          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -5.39          | 10.58    | 7.47                                                        | 32.44     | 57.55   |

17/02/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX

CF Freq  
6.195GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
20MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 19.93          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -2.40          | 10.70    | 7.58                                                        | 32.42     | 57.87   |

14/02/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX

CF Freq  
6.415GHz

Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
20MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 21.68    | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -1.22          | 10.72    | 7.83                                                        | 32.39     | 58.18   |

17/02/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX

CF Freq  
6.535GHz

Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
20MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 22.98    | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -0.11          | 10.75    | 7.90                                                        | 32.40     | 58.34   |

17/02/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX

CF Freq  
6.695GHz

Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
20MHz



Page 7

|                |                                                             |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
| 22.92          |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -0.47          | 10.60                                                       | 7.96    | 32.52     | 58.55   |

17/02/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX

CF Freq  
6.855GHz

Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
20MHz




Page 7

|                |                                                             |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
| 22.76          |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -0.83          | 10.50                                                       | 7.98    | 32.64     | 58.75   |

14/02/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX

CF Freq  
5.965GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 12.33          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -9.73          | 10.55    | 7.48                                                        | 32.44     | 57.57   |

18/02/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX

CF Freq  
6.205GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 19.42          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -2.93          | 10.77    | 7.61                                                        | 32.41     | 57.92   |

18/02/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX

CF Freq  
6.405GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 20.07          |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -2.82          | 10.71                                                       | 7.82    | 32.39     | 58.17   |

15/02/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX

CF Freq  
6.565GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 20.69          |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -2.55          | 10.65                                                       | 7.93    | 32.44     | 58.40   |

15/02/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX

CF Freq  
6.685GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 21.42    | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -1.98          | 10.60    | 7.97                                                        | 32.53     | 58.56   |

15/02/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX

CF Freq  
6.845GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
40MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 21.15    | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -2.44          | 10.50    | 7.98                                                        | 32.63     | 58.74   |

17/02/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX

CF Freq  
5.985GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
80MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 15.8           |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -6.30          | 10.53    | 7.49                                                        | 32.44     | 57.58   |

17/02/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX

CF Freq  
6.225GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
80MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 18.14          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -4.21          | 10.76    | 7.61                                                        | 32.41     | 57.91   |

17/02/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX

CF Freq  
6.385GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
80MHz




Page 7

|                |                                                             |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
| 19.7           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -3.20          | 10.70                                                       | 7.82    | 32.39     | 58.17   |

15/02/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX

CF Freq  
6.625GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
80MHz




Page 7

|                |                                                             |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
| 17.37          |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -5.96          | 10.60                                                       | 7.95    | 32.46     | 58.44   |

15/02/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX

CF Freq  
6.705GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
80MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 17.61          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -5.78          | 10.60    | 7.96                                                        | 32.52     | 58.55   |

15/02/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX

CF Freq  
6.785GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
80MHz




Page 9

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 18.21          |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -5.34          | 10.50    | 7.98                                                        | 32.58     | 58.65   |


17/02/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




17/02/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




17/02/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX



15/02/2025


EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



17/02/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX

CF Freq  
6.105GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz




Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 9.13           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -13.18         | 10.70                                                       | 7.58    | 32.42     | 57.85   |

17/02/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX

CF Freq  
6.265GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz



Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 10.89          |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -11.63         | 10.90                                                       | 7.74    | 32.40     | 58.08   |



Test Mode: Mode 14

**Summary**

| Mode                               | EIRP PD<br>(dBm/RBW) |
|------------------------------------|----------------------|
| 6.525-6.875GHz                     | -                    |
| 802.11be EHT20_Nss1,(MCS0)_4TX     | 20.85                |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 22.82                |
| 802.11be EHT40_Nss1,(MCS0)_4TX     | 18.64                |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 17.88                |
| 802.11be EHT80_Nss1,(MCS0)_4TX     | 14.51                |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 14.59                |
| 802.11be EHT160_Nss1,(MCS0)_4TX    | 7.85                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 10.14                |


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**


| Mode                               | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|------------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT20_Nss1,(MCS0)_4TX     | -      | -                    | -                          |
| 6535MHz                            | Pass   | 14.71                | 23.00                      |
| 6695MHz                            | Pass   | 19.84                | 23.00                      |
| 6855MHz                            | Pass   | 20.85                | 23.00                      |
| 802.11be EHT40_Nss1,(MCS0)_4TX     | -      | -                    | -                          |
| 6565MHz                            | Pass   | 15.57                | 23.00                      |
| 6685MHz                            | Pass   | 18.64                | 23.00                      |
| 6845MHz                            | Pass   | 16.28                | 23.00                      |
| 802.11be EHT80_Nss1,(MCS0)_4TX     | -      | -                    | -                          |
| 6625MHz                            | Pass   | 14.38                | 23.00                      |
| 6705MHz                            | Pass   | 14.34                | 23.00                      |
| 6785MHz                            | Pass   | 14.51                | 23.00                      |
| 802.11be EHT160_Nss1,(MCS0)_4TX    | -      | -                    | -                          |
| 6665MHz                            | Pass   | 7.85                 | 23.00                      |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 6535MHz                            | Pass   | 15.86                | 23.00                      |
| 6695MHz                            | Pass   | 21.63                | 23.00                      |
| 6855MHz                            | Pass   | 22.82                | 23.00                      |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 6565MHz                            | Pass   | 17.24                | 23.00                      |
| 6685MHz                            | Pass   | 17.88                | 23.00                      |
| 6845MHz                            | Pass   | 17.67                | 23.00                      |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 6625MHz                            | Pass   | 14.59                | 23.00                      |
| 6705MHz                            | Pass   | 13.80                | 23.00                      |
| 6785MHz                            | Pass   | 14.53                | 23.00                      |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | -      | -                    | -                          |
| 6665MHz                            | Pass   | 10.14                | 23.00                      |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.


EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX



EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX



EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX





Test Mode: Mode 15

**Summary**

| Mode                                                    | EIRP PD<br>(dBm/RBW) |
|---------------------------------------------------------|----------------------|
| 5.925-6.425GHz                                          | -                    |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX        | 4.16                 |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX       | 4.39                 |
| 802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX           | 4.84                 |
| 6.875-7.125GHz                                          | -                    |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX        | 4.79                 |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX | 4.75                 |
| 802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX           | 4.61                 |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                                                    | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX        | -      | -                    | -                          |
| 5985MHz                                                 | Pass   | 4.16                 | 5.00                       |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX        | -      | -                    | -                          |
| 7025MHz                                                 | Pass   | 4.79                 | 5.00                       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX | -      | -                    | -                          |
| 6025MHz                                                 | Pass   | 3.84                 | 5.00                       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX       | -      | -                    | -                          |
| 6025MHz                                                 | Pass   | 4.39                 | 5.00                       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX | -      | -                    | -                          |
| 6985MHz                                                 | Pass   | 4.75                 | 5.00                       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX       | -      | -                    | -                          |
| 6985MHz                                                 | Pass   | 4.68                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX     | -      | -                    | -                          |
| 6105MHz                                                 | Pass   | 4.50                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX           | -      | -                    | -                          |
| 6105MHz                                                 | Pass   | 4.84                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX     | -      | -                    | -                          |
| 6105MHz                                                 | Pass   | 4.81                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX     | -      | -                    | -                          |
| 6905MHz                                                 | Pass   | 4.55                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX           | -      | -                    | -                          |
| 6905MHz                                                 | Pass   | 4.61                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX     | -      | -                    | -                          |
| 6905MHz                                                 | Pass   | 4.58                 | 5.00                       |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.

10/06/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:4;Ch:5985MHz;TX

CF Freq  
5.985GHz

Span  
120MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
80MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 4.16     | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -19.32         | 11.47    | 7.95                                                        | 30.63     | 57.63   |

10/06/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 1;Nant:4;Ch:7025MHz;TX

CF Freq  
7.025GHz

Span  
120MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
80MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 4.79     | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -19.95         | 11.80    | 8.97                                                        | 31.42     | 58.99   |

10/06/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 8;Nant:4;Ch:6025MHz;TX

CF Freq  
6.025GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 3.84           |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -19.84         | 11.40    | 8.06                                                        | 30.70     | 57.72   |

10/06/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 4;Nant:4;Ch:6025MHz;TX

CF Freq  
6.025GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 4.39           |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -19.23         | 11.40    | 8.01                                                        | 30.67     | 57.68   |

10/06/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 2;Nant:4;Ch:6985MHz;TX

CF Freq  
6.985GHz  
Span  
240MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
160MHz




Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 4.75           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -19.90         | 11.74                                                       | 8.92    | 31.38     | 58.85   |

10/06/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 3;Nant:4;Ch:6985MHz;TX

CF Freq  
6.985GHz  
Span  
240MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
160MHz



Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 4.68           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -19.92         | 11.80                                                       | 8.90    | 31.40     | 58.90   |

10/06/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 MRU 5;Nant:4;Ch:6105MHz;TX

CF Freq  
6.105GHz

Span  
480MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
320MHz



Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 4.5            |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -19.31         | 11.40                                                       | 8.16    | 30.77     | 57.82   |

10/06/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 3;Nant:4;Ch:6105MHz;TX

CF Freq  
6.105GHz

Span  
480MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
320MHz




Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 4.84           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -19.02         | 11.50                                                       | 8.28    | 30.87     | 57.95   |

10/06/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+ RU484 MRU 6;Nant:4;Ch:6105MHz;TX

CF Freq  
6.105GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 4.81     | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -18.99         | 11.40    | 8.15                                                        | 30.76     | 57.81   |

10/06/2025

EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+ RU484 MRU 4;Nant:4;Ch:6905MHz;TX

CF Freq  
6.905GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 4.55     | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -20.06         | 11.60    | 8.86                                                        | 31.28     | 58.63   |

11/06/2025

EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 1;Nant:4;Ch:6905MHz;TX

CF Freq  
6.905GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 4.61     | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -20.18         | 11.59    | 8.94                                                        | 31.35     | 58.79   |

11/06/2025

EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 8;Nant:4;Ch:6905MHz;TX

CF Freq  
6.905GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 4.58     | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -20.25         | 11.55    | 8.95                                                        | 31.34     | 58.77   |



Test Mode: Mode 16

**Summary**

| Mode                                                | EIRP PD<br>(dBm/RBW) |
|-----------------------------------------------------|----------------------|
| 5.925-6.425GHz                                      | -                    |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX    | 10.41                |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX   | 8.14                 |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX | 8.03                 |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                                                    | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX        | -      | -                    | -                          |
| 5985MHz                                                 | Pass   | 10.41                | 23.00                      |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX | -      | -                    | -                          |
| 6025MHz                                                 | Pass   | 8.11                 | 23.00                      |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX       | -      | -                    | -                          |
| 6025MHz                                                 | Pass   | 8.14                 | 23.00                      |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX     | -      | -                    | -                          |
| 6105MHz                                                 | Pass   | 7.81                 | 23.00                      |
| 802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX           | -      | -                    | -                          |
| 6105MHz                                                 | Pass   | 7.70                 | 23.00                      |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX     | -      | -                    | -                          |
| 6105MHz                                                 | Pass   | 8.03                 | 23.00                      |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.

10/06/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:4;Ch:5985MHz;TX

CF Freq  
5.985GHz

Span  
120MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
80MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 10.41    | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -13.07         | 11.47    | 7.95                                                        | 30.63     | 57.63   |

10/06/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 8;Nant:4;Ch:6025MHz;TX

CF Freq  
6.025GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 8.11     | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -15.57         | 11.40    | 8.06                                                        | 30.70     | 57.72   |

10/06/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 4;Nant:4;Ch:6025MHz;TX

CF Freq  
6.025GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz



Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 8.14           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -15.48         | 11.40                                                       | 8.01    | 30.67     | 57.68   |

10/06/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 MRU 5;Nant:4;Ch:6105MHz;TX

CF Freq  
6.105GHz

Span  
480MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
320MHz




Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 7.81           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -16.00         | 11.40                                                       | 8.16    | 30.77     | 57.82   |

10/06/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 3;Nant:4;Ch:6105MHz;TX

CF Freq  
6.105GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 7.7      | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -15.94         | 11.40    | 8.02                                                        | 30.67     | 57.69   |

10/06/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 6;Nant:4;Ch:6105MHz;TX

CF Freq  
6.105GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 8.03     | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -15.76         | 11.40    | 8.14                                                        | 30.75     | 57.80   |



Test Mode: Mode 17

**Summary**

| Mode                                                | EIRP PD<br>(dBm/RBW) |
|-----------------------------------------------------|----------------------|
| 6.875-7.125GHz                                      | -                    |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX    | 4.67                 |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX   | 4.84                 |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX | 3.61                 |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                                                    | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX        | -      | -                    | -                          |
| 7025MHz                                                 | Pass   | 4.67                 | 5.00                       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX | -      | -                    | -                          |
| 6985MHz                                                 | Pass   | 4.75                 | 5.00                       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX       | -      | -                    | -                          |
| 6985MHz                                                 | Pass   | 4.84                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX     | -      | -                    | -                          |
| 6905MHz                                                 | Pass   | 3.61                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX           | -      | -                    | -                          |
| 6905MHz                                                 | Pass   | 3.56                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX     | -      | -                    | -                          |
| 6905MHz                                                 | Pass   | 3.14                 | 5.00                       |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.

11/06/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:4;Ch:7025MHz;TX

CF Freq  
7.025GHz

Span  
120MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
80MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 4.67     | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -19.98         | 11.80    | 8.91                                                        | 31.42     | 58.96   |

11/06/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 7;Nant:4;Ch:6985MHz;TX

CF Freq  
6.985GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 4.75     | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -19.89         | 11.75    | 8.92                                                        | 31.38     | 58.85   |

11/06/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 1;Nant:4;Ch:6985MHz;TX

CF Freq  
6.985GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz



Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 4.84           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -19.75         | 11.80                                                       | 8.90    | 31.40     | 58.89   |

11/06/2025

EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 MRU 2;Nant:4;Ch:6905MHz;TX

CF Freq  
6.905GHz

Span  
480MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
320MHz




Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 3.61           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -21.22         | 11.55                                                       | 8.95    | 31.34     | 58.77   |

11/06/2025

EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 2;Nant:4;Ch:6905MHz;TX

CF Freq  
6.905GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 3.56     | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -21.05         | 11.78    | 8.91                                                        | 31.39     | 58.87   |

11/06/2025

EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 8;Nant:4;Ch:6905MHz;TX

CF Freq  
6.905GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 3.49     | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -21.10         | 11.80    | 8.90                                                        | 31.39     | 58.88   |



Test Mode: Mode 18

**Summary**

| Mode                                                    | EIRP PD<br>(dBm/RBW) |
|---------------------------------------------------------|----------------------|
| 5.925-6.425GHz                                          | -                    |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX        | 4.75                 |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX | 4.77                 |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX     | 4.75                 |
| 6.875-7.125GHz                                          | -                    |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX        | 4.48                 |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX | 4.77                 |
| 802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX           | 4.78                 |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**


| Mode                                                    | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX        | -      | -                    | -                          |
| 5985MHz                                                 | Pass   | 4.75                 | 5.00                       |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX        | -      | -                    | -                          |
| 7025MHz                                                 | Pass   | 4.48                 | 5.00                       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX | -      | -                    | -                          |
| 6025MHz                                                 | Pass   | 4.77                 | 5.00                       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX       | -      | -                    | -                          |
| 6025MHz                                                 | Pass   | 4.63                 | 5.00                       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX | -      | -                    | -                          |
| 6985MHz                                                 | Pass   | 4.77                 | 5.00                       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX       | -      | -                    | -                          |
| 6985MHz                                                 | Pass   | 4.62                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX     | -      | -                    | -                          |
| 6105MHz                                                 | Pass   | 4.61                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX           | -      | -                    | -                          |
| 6105MHz                                                 | Pass   | 4.59                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX     | -      | -                    | -                          |
| 6105MHz                                                 | Pass   | 4.75                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX     | -      | -                    | -                          |
| 6905MHz                                                 | Pass   | 4.71                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX           | -      | -                    | -                          |
| 6905MHz                                                 | Pass   | 4.78                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX     | -      | -                    | -                          |
| 6905MHz                                                 | Pass   | 4.48                 | 5.00                       |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.

11/06/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 4;Nant:4;Ch:5985MHz;TX

CF Freq  
5.985GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
80MHz



Page 7

EIRP PSD (dBm)

4.75

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-18.67

11.50

7.93


30.61

57.60

11/06/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 2;Nant:4;Ch:7025MHz;TX

CF Freq  
7.025GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
80MHz



Page 7

EIRP PSD (dBm)

4.48

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-20.27

11.80

8.98

31.42

58.99

11/06/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 3;Nant:4;Ch:6025MHz;TX

CF Freq  
6.025GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 4.77     | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -18.95         | 11.40    | 8.09                                                        | 30.72     | 57.75   |

12/06/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 3;Nant:4;Ch:6025MHz;TX

CF Freq  
6.025GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 4.63     | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -19.09         | 11.40    | 8.09                                                        | 30.72     | 57.75   |

12/06/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 7;Nant:4;Ch:6985MHz;TX

CF Freq  
6.985GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz



Page 8

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 4.77           |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -19.87         | 11.75    | 8.92                                                        | 31.38     | 58.85   |

12/06/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 1;Nant:4;Ch:6985MHz;TX

CF Freq  
6.985GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 4.62           |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -19.97         | 11.80    | 8.90                                                        | 31.39     | 58.88   |

12/06/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+ RU484 MRU 5;Nant:4;Ch:6105MHz;TX

CF Freq  
6.105GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 4.61     | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -19.20         | 11.40    | 8.16                                                        | 30.77     | 57.82   |

12/06/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:4;Ch:6105MHz;TX

CF Freq  
6.105GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 4.59     | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -19.21         | 11.40    | 8.15                                                        | 30.76     | 57.81   |

12/06/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 2;Nant:4;Ch:6105MHz;TX

CF Freq  
6.105GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz




Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 4.75           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -19.05         | 11.40                                                       | 8.15    | 30.76     | 57.81   |

12/06/2025

EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 MRU 4;Nant:4;Ch:6905MHz;TX

CF Freq  
6.905GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz



Page 8

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 4.71           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -19.90         | 11.60                                                       | 8.86    | 31.28     | 58.63   |

12/06/2025

EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 1;Nant:4;Ch:6905MHz;TX

CF Freq  
6.905GHz

Span  
480MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
320MHz



Page 8

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 4.78           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -20.05         | 11.55                                                       | 8.95    | 31.34     | 58.77   |

12/06/2025

EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 8;Nant:4;Ch:6905MHz;TX

CF Freq  
6.905GHz

Span  
480MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
320MHz



Page 8

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 4.48           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -20.37         | 11.52                                                       | 8.95    | 31.34     | 58.76   |



Test Mode: Mode 19

**Summary**

| Mode                                                | EIRP PD<br>(dBm/RBW) |
|-----------------------------------------------------|----------------------|
| 5.925-6.425GHz                                      | -                    |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX    | 10.60                |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX   | 10.03                |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX | 8.09                 |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**


| Mode                                                    | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX        | -      | -                    | -                          |
| 5985MHz                                                 | Pass   | 10.60                | 23.00                      |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX | -      | -                    | -                          |
| 6025MHz                                                 | Pass   | 10.01                | 23.00                      |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX       | -      | -                    | -                          |
| 6025MHz                                                 | Pass   | 10.03                | 23.00                      |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX     | -      | -                    | -                          |
| 6105MHz                                                 | Pass   | 8.01                 | 23.00                      |
| 802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX           | -      | -                    | -                          |
| 6105MHz                                                 | Pass   | 8.07                 | 23.00                      |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX     | -      | -                    | -                          |
| 6105MHz                                                 | Pass   | 8.09                 | 23.00                      |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.

11/06/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 4;Nant:4;Ch:5985MHz;TX

CF Freq  
5.985GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
80MHz




Page 7

|                |        |                                      |                     |
|----------------|--------|--------------------------------------|---------------------|
| EIRP PSD (dBm) | 10.6   | EIRP=Pr+Lp [Lp Free Space Path Loss] | Pr=Pmeas-Gr+Lc-Gamp |
| Pmeas          | -12.82 | Gr (dBi)                             | 11.50               |
| Lc (dB)        | 7.93   | Gamp (dB)                            | 30.61               |
| Lp (dB)        | 57.60  |                                      |                     |

11/06/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 3;Nant:4;Ch:6025MHz;TX

CF Freq  
6.025GHz  
Span  
240MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
160MHz



Page 7

|                |        |                                      |                     |
|----------------|--------|--------------------------------------|---------------------|
| EIRP PSD (dBm) | 10.01  | EIRP=Pr+Lp [Lp Free Space Path Loss] | Pr=Pmeas-Gr+Lc-Gamp |
| Pmeas          | -13.71 | Gr (dBi)                             | 11.40               |
| Lc (dB)        | 8.09   | Gamp (dB)                            | 30.72               |
| Lp (dB)        | 57.75  |                                      |                     |

12/06/2025

**EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 3;Nant:4;Ch:6025MHz;TX**

CF Freq  
6.025GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz



Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 10.03          |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -13.69         | 11.40                                                       | 8.09    | 30.72     | 57.75   |

12/06/2025

**EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 MRU 5;Nant:4;Ch:6105MHz;TX**

CF Freq  
6.105GHz

Span  
480MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
320MHz




Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 8.01           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -15.80         | 11.40                                                       | 8.16    | 30.77     | 57.82   |

12/06/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:4;Ch:6105MHz;TX

CF Freq  
6.105GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 8.07           |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -15.73         | 11.40    | 8.15                                                        | 30.76     | 57.81   |

12/06/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 2;Nant:4;Ch:6105MHz;TX

CF Freq  
6.105GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) |          | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| 8.09           |          |                                                             |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -15.60         | 11.40    | 8.06                                                        | 30.70     | 57.73   |



Test Mode: Mode 20

**Summary**

| Mode                                                | EIRP PD<br>(dBm/RBW) |
|-----------------------------------------------------|----------------------|
| 6.875-7.125GHz                                      | -                    |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX    | 4.38                 |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX   | 4.50                 |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX | 4.76                 |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                                                    | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX        | -      | -                    | -                          |
| 7025MHz                                                 | Pass   | 4.38                 | 5.00                       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX | -      | -                    | -                          |
| 6985MHz                                                 | Pass   | 3.30                 | 5.00                       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX       | -      | -                    | -                          |
| 6985MHz                                                 | Pass   | 4.50                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX     | -      | -                    | -                          |
| 6905MHz                                                 | Pass   | 4.55                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX           | -      | -                    | -                          |
| 6905MHz                                                 | Pass   | 4.49                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX     | -      | -                    | -                          |
| 6905MHz                                                 | Pass   | 4.76                 | 5.00                       |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.

12/06/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 1;Nant:4;Ch:7025MHz;TX

CF Freq  
7.025GHz

Span  
120MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
80MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 4.38     | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -20.27         | 11.80    | 8.91                                                        | 31.42     | 58.96   |

12/06/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 4;Nant:4;Ch:6985MHz;TX

CF Freq  
6.985GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 3.3      | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -21.36         | 11.72    | 8.92                                                        | 31.37     | 58.83   |

12/06/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:4;Ch:6985MHz;TX

CF Freq  
6.985GHz  
Span  
240MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
160MHz




Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 4.5            |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -20.14         | 11.75                                                       | 8.92    | 31.38     | 58.85   |

12/06/2025

EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 MRU 2;Nant:4;Ch:6905MHz;TX

CF Freq  
6.905GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz



Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 4.55           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -20.29         | 11.53                                                       | 8.95    | 31.34     | 58.76   |

12/06/2025

EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 1;Nant:4;Ch:6905MHz;TX

CF Freq  
6.905GHz

Span  
480MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
320MHz



Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 4.49           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -20.35         | 11.53                                                       | 8.95    | 31.34     | 58.76   |

12/06/2025

EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 8;Nant:4;Ch:6905MHz;TX

CF Freq  
6.905GHz

Span  
480MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
320MHz



Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 4.76           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -20.08         | 11.54                                                       | 8.95    | 31.34     | 58.77   |



Test Mode: Mode 21

**Summary**

| Mode                                              | EIRP PD<br>(dBm/RBW) |
|---------------------------------------------------|----------------------|
| 5.925-6.425GHz                                    | -                    |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX  | 10.42                |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX | 10.17                |
| 802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX     | 6.81                 |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                                                    | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX        | -      | -                    | -                          |
| 5985MHz                                                 | Pass   | 10.42                | 23.00                      |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX | -      | -                    | -                          |
| 6025MHz                                                 | Pass   | 10.12                | 23.00                      |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX       | -      | -                    | -                          |
| 6025MHz                                                 | Pass   | 10.17                | 23.00                      |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 7_4TX     | -      | -                    | -                          |
| 6105MHz                                                 | Pass   | 6.73                 | 23.00                      |
| 802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX           | -      | -                    | -                          |
| 6105MHz                                                 | Pass   | 6.81                 | 23.00                      |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX     | -      | -                    | -                          |
| 6105MHz                                                 | Pass   | 6.71                 | 23.00                      |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.

11/06/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:4;Ch:5985MHz;TX

CF Freq  
5.985GHz

Span  
120MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
80MHz



Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 10.42    | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -11.78         | 10.50    | 7.51                                                        | 32.44     | 57.63   |

11/06/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 8;Nant:4;Ch:6025MHz;TX

CF Freq  
6.025GHz

Span  
240MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

CP BW  
160MHz




Page 7

|                |          |                                                             |           |         |
|----------------|----------|-------------------------------------------------------------|-----------|---------|
| EIRP PSD (dBm) | 10.12    | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |           |         |
| Pmeas          | Gr (dBi) | Lc (dB)                                                     | Gamp (dB) | Lp (dB) |
| -12.15         | 10.50    | 7.52                                                        | 32.43     | 57.68   |


11/06/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 4;Nant:4;Ch:6025MHz;TX



11/06/2025


EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 MRU 7;Nant:4;Ch:6105MHz;TX



11/06/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 3;Nant:4;Ch:6105MHz;TX

CF Freq  
6.105GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz




Page 8

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 6.81           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -15.52         | 10.90                                                       | 7.66    | 32.41     | 57.98   |

11/06/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 5;Nant:4;Ch:6105MHz;TX

CF Freq  
6.105GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS  
CP BW  
320MHz



Page 7

| EIRP PSD (dBm) | EIRP=Pr+Lp [Lp Free Space Path Loss]<br>Pr=Pmeas-Gr+Lc-Gamp |         |           |         |
|----------------|-------------------------------------------------------------|---------|-----------|---------|
| 6.71           |                                                             |         |           |         |
| Pmeas          | Gr (dBi)                                                    | Lc (dB) | Gamp (dB) | Lp (dB) |
| -15.56         | 10.70                                                       | 7.57    | 32.42     | 57.82   |

Test Mode: Mode 1

**Summary**

| Mode                            | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) |
|---------------------------------|-----------------|----------------------|
| 5.925-6.425GHz                  | -               | -                    |
| 802.11be EHT20_Nss1,(MCS0)_2TX  | 14.72           | 22.55                |
| 802.11be EHT40_Nss1,(MCS0)_2TX  | 11.24           | 19.07                |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | 8.40            | 16.23                |
| 802.11be EHT160_Nss1,(MCS0)_2TX | 3.98            | 11.81                |
| 802.11be EHT320_Nss1,(MCS0)_2TX | -0.76           | 7.07                 |
| 6.525-6.875GHz                  | -               | -                    |
| 802.11be EHT20_Nss1,(MCS0)_2TX  | 13.98           | 21.06                |
| 802.11be EHT40_Nss1,(MCS0)_2TX  | 11.19           | 18.27                |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | 8.43            | 15.51                |
| 802.11be EHT160_Nss1,(MCS0)_2TX | 2.46            | 9.54                 |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                            | Result | DG<br>(dBi) | Port 1<br>(dBm/RBW) | Port 2<br>(dBm/RBW) | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------|--------|-------------|---------------------|---------------------|-----------------|----------------------|----------------------------|
| 802.11be EHT20_Nss1,(MCS0)_2TX  | -      | -           | -                   | -                   | -               | -                    | -                          |
| 5955MHz                         | Pass   | 7.83        | 7.91                | 8.76                | 11.26           | 19.09                | 23.00                      |
| 6195MHz                         | Pass   | 7.83        | 11.60               | 11.86               | 14.72           | 22.55                | 23.00                      |
| 6415MHz                         | Pass   | 7.83        | 10.40               | 10.10               | 13.18           | 21.01                | 23.00                      |
| 6535MHz                         | Pass   | 7.08        | 9.50                | 9.83                | 12.64           | 19.72                | 23.00                      |
| 6695MHz                         | Pass   | 7.08        | 11.04               | 10.98               | 13.98           | 21.06                | 23.00                      |
| 6855MHz                         | Pass   | 7.08        | 9.63                | 10.34               | 12.97           | 20.05                | 23.00                      |
| 802.11be EHT40_Nss1,(MCS0)_2TX  | -      | -           | -                   | -                   | -               | -                    | -                          |
| 5965MHz                         | Pass   | 7.83        | 3.17                | 4.25                | 6.71            | 14.54                | 23.00                      |
| 6205MHz                         | Pass   | 7.83        | 7.98                | 8.47                | 11.24           | 19.07                | 23.00                      |
| 6405MHz                         | Pass   | 7.83        | 6.99                | 6.88                | 9.92            | 17.75                | 23.00                      |
| 6565MHz                         | Pass   | 7.08        | 8.25                | 8.12                | 11.19           | 18.27                | 23.00                      |
| 6685MHz                         | Pass   | 7.08        | 7.77                | 7.57                | 10.64           | 17.72                | 23.00                      |
| 6845MHz                         | Pass   | 7.08        | 6.31                | 6.71                | 9.51            | 16.59                | 23.00                      |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | -      | -           | -                   | -                   | -               | -                    | -                          |
| 5985MHz                         | Pass   | 7.83        | 0.54                | 1.41                | 3.98            | 11.81                | 23.00                      |
| 6225MHz                         | Pass   | 7.83        | 5.32                | 5.49                | 8.40            | 16.23                | 23.00                      |
| 6385MHz                         | Pass   | 7.83        | 3.55                | 4.04                | 6.76            | 14.59                | 23.00                      |
| 6625MHz                         | Pass   | 7.08        | 5.33                | 5.51                | 8.43            | 15.51                | 23.00                      |
| 6705MHz                         | Pass   | 7.08        | 4.98                | 5.19                | 8.09            | 15.17                | 23.00                      |
| 6785MHz                         | Pass   | 7.08        | 4.24                | 4.64                | 7.43            | 14.51                | 23.00                      |
| 802.11be EHT160_Nss1,(MCS0)_2TX | -      | -           | -                   | -                   | -               | -                    | -                          |
| 6025MHz                         | Pass   | 7.83        | -1.18               | -0.52               | 2.11            | 9.94                 | 23.00                      |
| 6185MHz                         | Pass   | 7.83        | 0.95                | 1.18                | 3.98            | 11.81                | 23.00                      |
| 6345MHz                         | Pass   | 7.83        | 0.81                | 0.97                | 3.90            | 11.73                | 23.00                      |
| 6665MHz                         | Pass   | 7.08        | -0.52               | -0.53               | 2.46            | 9.54                 | 23.00                      |
| 802.11be EHT320_Nss1,(MCS0)_2TX | -      | -           | -                   | -                   | -               | -                    | -                          |
| 6105MHz                         | Pass   | 7.83        | -5.75               | -4.50               | -2.07           | 5.76                 | 23.00                      |
| 6265MHz                         | Pass   | 7.83        | -4.26               | -3.23               | -0.76           | 7.07                 | 23.00                      |


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

PSD

5955MHz

15/05/2025




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

PSD

6195MHz

06/05/2025




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

PSD

6415MHz

15/05/2025

CF (Hz)  
6.415G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.553  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 13.18    | 13.18    | 10.40    | 10.10    |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

PSD

6535MHz

15/05/2025

CF (Hz)  
6.535G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.553  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 12.64    | 12.64    | 9.50     | 9.83     |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

PSD

6695MHz

06/05/2025

CF (Hz)  
6.695G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.553  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 13.98     | 13.98     | 11.04     | 10.98     |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

PSD

6855MHz

06/05/2025

CF (Hz)  
6.855G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.553  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 12.97     | 12.97     | 9.63      | 10.34     |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

PSD

5965MHz

15/05/2025

CF (Hz)  
5.965G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.371  
Detector Type  
RMS



| Sum          | PD           | Port 1       | Port 2       |
|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 6.71         | 6.71         | 3.17         | 4.25         |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

PSD

6205MHz

06/05/2025

CF (Hz)  
6.205G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.371  
Detector Type  
RMS



| Sum          | PD           | Port 1       | Port 2       |
|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 11.24        | 11.24        | 7.98         | 8.47         |


Sum  
Port 1  
Port 2

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

PSD

6405MHz

15/05/2025




| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 9.92     | 9.92     | 6.99     | 6.88     |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

PSD

6565MHz

06/05/2025




| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 11.19    | 11.19    | 8.25     | 8.12     |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

PSD

6685MHz

06/05/2025




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

PSD

6845MHz

06/05/2025




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

PSD

5985MHz

15/05/2025

CF (Hz)  
5.985G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.019  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 3.98      | 3.98      | 0.54      | 1.41      |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

PSD

6225MHz

06/05/2025

CF (Hz)  
6.225G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.019  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 8.40      | 8.40      | 5.32      | 5.49      |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

PSD

6385MHz

15/05/2025

CF (Hz)  
6.385G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.019  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 6.76      | 6.76      | 3.55      | 4.04      |


6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

PSD

6625MHz

06/05/2025

CF (Hz)  
6.625G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.019  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 8.43      | 8.43      | 5.33      | 5.51      |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

PSD

6705MHz

06/05/2025

CF (Hz)  
6.705G


Span (Hz)  
120M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
3.019

Detector Type  
RMS



Sum 

Port 1 

Port 2 

| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 8.09     | 8.09     | 4.98     | 5.19     |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

PSD

6785MHz

06/05/2025

CF (Hz)  
6.785G


Span (Hz)  
120M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
3.019

Detector Type  
RMS



Sum 

Port 1 

Port 2 

| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 7.43     | 7.43     | 4.24     | 4.64     |


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

PSD

6025MHz

15/05/2025

CF (Hz)  
6.025G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.18  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 2.11     | 2.11     | -1.18    | -0.52    |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

PSD

6185MHz

15/05/2025

CF (Hz)  
6.185G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.18  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 3.98     | 3.98     | 0.95     | 1.18     |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

PSD

6345MHz

15/05/2025

CF (Hz)  
6.345G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.18  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 3.90     | 3.90     | 0.81     | 0.97     |


6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

PSD

6665MHz

06/05/2025

CF (Hz)  
6.665G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.18  
Detector Type  
RMS




| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 2.46     | 2.46     | -0.52    | -0.53    |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

PSD

6105MHz

06/05/2025




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

PSD

6265MHz

06/05/2025



Test Mode: Mode 2

**Summary**

| Mode                            | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) |
|---------------------------------|-----------------|----------------------|
| 5.925-6.425GHz                  | -               | -                    |
| 802.11be EHT20_Nss1,(MCS0)_2TX  | 13.49           | 22.93                |
| 802.11be EHT40_Nss1,(MCS0)_2TX  | 11.55           | 20.99                |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | 8.88            | 18.32                |
| 802.11be EHT160_Nss1,(MCS0)_2TX | 3.77            | 13.21                |
| 802.11be EHT320_Nss1,(MCS0)_2TX | -0.96           | 8.48                 |
| 6.525-6.875GHz                  | -               | -                    |
| 802.11be EHT20_Nss1,(MCS0)_2TX  | 13.95           | 22.97                |
| 802.11be EHT40_Nss1,(MCS0)_2TX  | 11.87           | 20.89                |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | 9.22            | 18.24                |
| 802.11be EHT160_Nss1,(MCS0)_2TX | 3.82            | 12.84                |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                            | Result | DG<br>(dBi) | Port 1<br>(dBm/RBW) | Port 2<br>(dBm/RBW) | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------|--------|-------------|---------------------|---------------------|-----------------|----------------------|----------------------------|
| 802.11be EHT20_Nss1,(MCS0)_2TX  | -      | -           | -                   | -                   | -               | -                    | -                          |
| 5955MHz                         | Pass   | 9.44        | 7.01                | 7.67                | 10.33           | 19.77                | 23.00                      |
| 6195MHz                         | Pass   | 9.44        | 10.31               | 10.78               | 13.49           | 22.93                | 23.00                      |
| 6415MHz                         | Pass   | 9.44        | 10.15               | 9.71                | 12.90           | 22.34                | 23.00                      |
| 6535MHz                         | Pass   | 9.02        | 10.85               | 11.15               | 13.95           | 22.97                | 23.00                      |
| 6695MHz                         | Pass   | 9.02        | 10.81               | 10.85               | 13.83           | 22.85                | 23.00                      |
| 6855MHz                         | Pass   | 9.02        | 11.15               | 10.78               | 13.94           | 22.96                | 23.00                      |
| 802.11be EHT40_Nss1,(MCS0)_2TX  | -      | -           | -                   | -                   | -               | -                    | -                          |
| 5965MHz                         | Pass   | 9.44        | 3.01                | 3.33                | 6.14            | 15.58                | 23.00                      |
| 6205MHz                         | Pass   | 9.44        | 8.45                | 8.77                | 11.55           | 20.99                | 23.00                      |
| 6405MHz                         | Pass   | 9.44        | 6.89                | 6.61                | 9.75            | 19.19                | 23.00                      |
| 6565MHz                         | Pass   | 9.02        | 8.87                | 8.87                | 11.87           | 20.89                | 23.00                      |
| 6685MHz                         | Pass   | 9.02        | 8.84                | 8.1                 | 11.48           | 20.50                | 23.00                      |
| 6845MHz                         | Pass   | 9.02        | 7.83                | 7.64                | 10.75           | 19.77                | 23.00                      |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | -      | -           | -                   | -                   | -               | -                    | -                          |
| 5985MHz                         | Pass   | 9.44        | -0.10               | 0.93                | 3.45            | 12.89                | 23.00                      |
| 6225MHz                         | Pass   | 9.44        | 5.82                | 5.96                | 8.88            | 18.32                | 23.00                      |
| 6385MHz                         | Pass   | 9.44        | 3.40                | 3.77                | 6.57            | 16.01                | 23.00                      |
| 6625MHz                         | Pass   | 9.02        | 6.5                 | 5.92                | 9.22            | 18.24                | 23.00                      |
| 6705MHz                         | Pass   | 9.02        | 5.95                | 5.32                | 8.66            | 17.68                | 23.00                      |
| 6785MHz                         | Pass   | 9.02        | 6.11                | 5.27                | 8.72            | 17.74                | 23.00                      |
| 802.11be EHT160_Nss1,(MCS0)_2TX | -      | -           | -                   | -                   | -               | -                    | -                          |
| 6025MHz                         | Pass   | 9.44        | -1.35               | -1.63               | 1.49            | 10.93                | 23.00                      |
| 6185MHz                         | Pass   | 9.44        | 0.72                | 0.63                | 3.62            | 13.06                | 23.00                      |
| 6345MHz                         | Pass   | 9.44        | 0.77                | 0.76                | 3.77            | 13.21                | 23.00                      |
| 6665MHz                         | Pass   | 9.02        | 1.03                | 0.63                | 3.82            | 12.84                | 23.00                      |
| 802.11be EHT320_Nss1,(MCS0)_2TX | -      | -           | -                   | -                   | -               | -                    | -                          |
| 6105MHz                         | Pass   | 9.44        | -3.79               | -3.96               | -0.96           | 8.48                 | 23.00                      |
| 6265MHz                         | Pass   | 9.44        | -5.03               | -4.83               | -2.01           | 7.43                 | 23.00                      |


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
Inf = There's no restriction for the limit.

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

PSD

5955MHz

16/05/2025




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

PSD

6195MHz

06/05/2025




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

PSD

6415MHz

16/05/2025

CF (Hz)  
6.415G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.553  
Detector Type  
RMS



| Sum<br>(dBm/Hz) | PD<br>(dBm/Hz) | Port 1<br>(dBm/Hz) | Port 2<br>(dBm/Hz) |
|-----------------|----------------|--------------------|--------------------|
| 12.90           | 12.90          | 10.15              | 9.71               |


6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

PSD

6535MHz

07/05/2025

CF (Hz)  
6.535G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.553  
Detector Type  
RMS



| Sum<br>(dBm/Hz) | PD<br>(dBm/Hz) | Port 1<br>(dBm/Hz) | Port 2<br>(dBm/Hz) |
|-----------------|----------------|--------------------|--------------------|
| 13.95           | 13.95          | 10.85              | 11.15              |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

PSD

6695MHz

06/05/2025

CF (Hz)  
6.695G


Span (Hz)  
30M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
3.553

Detector Type  
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 13.83     | 13.83     | 10.81     | 10.85     |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

PSD

6855MHz

06/05/2025

CF (Hz)  
6.855G


Span (Hz)  
30M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
3.553

Detector Type  
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 13.94     | 13.94     | 11.15     | 10.78     |


5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

PSD

5965MHz

16/05/2025

CF (Hz)  
5.965G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.372  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 6.14      | 6.14      | 3.01      | 3.33      |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

PSD

6205MHz

06/05/2025

CF (Hz)  
6.205G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.372  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 11.55     | 11.55     | 8.45      | 8.77      |

Sum  
Port 1  
Port 2

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

PSD

6405MHz

16/05/2025

CF (Hz)  
6.405G


Span (Hz)  
60M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
3.372

Detector Type  
RMS



Sum 

Port 1 

Port 2 

| Sum<br>(dBm/Hz) | PD<br>(dBm/Hz) | Port 1<br>(dBm/Hz) | Port 2<br>(dBm/Hz) |
|-----------------|----------------|--------------------|--------------------|
| 9.75            | 9.75           | 6.89               | 6.61               |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

PSD

6565MHz

06/05/2025

CF (Hz)  
6.565G


Span (Hz)  
60M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
3.372

Detector Type  
RMS



Sum 

Port 1 

Port 2 

| Sum<br>(dBm/Hz) | PD<br>(dBm/Hz) | Port 1<br>(dBm/Hz) | Port 2<br>(dBm/Hz) |
|-----------------|----------------|--------------------|--------------------|
| 11.87           | 11.87          | 8.87               | 8.87               |