


6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 2\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 67  
04-V-J-8-13

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.8222G      | 109.54            | Inf               | -Inf           | 110.81        | 3           | Horizontal | 357            | 2.21          | -       | 34.19      | 7.05       | 42.51      |  |  |  |
| RMS  | 6.767G       | 99.03             | Inf               | -Inf           | 100.54        | 3           | Horizontal | 357            | 2.21          | -       | 34.03      | 7.03       | 42.57      |  |  |  |
| PK   | 7.1906G      | 78.91             | 88.20             | -9.29          | 78.31         | 3           | Horizontal | 357            | 2.21          | -       | 35.98      | 7.21       | 42.59      |  |  |  |
| RMS  | 7.1252G      | 65.02             | 68.20             | -3.18          | 64.49         | 3           | Horizontal | 357            | 2.21          | -       | 35.80      | 7.22       | 42.49      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 2\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 67  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.78792G    | 56.20             | 88.20             | -32.00         | 45.81         | 3           | Vertical  | 279            | 1.68          | -       | 40.38      | 12.70      | 42.69      |  |  |  |
| RMS  | 13.81438G    | 45.38             | 68.20             | -22.82         | 34.95         | 3           | Vertical  | 279            | 1.68          | -       | 40.43      | 12.73      | 42.73      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 2\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 67  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.83892G    | 56.48             | 88.20             | -31.72         | 46.01         | 3           | Horizontal | 19             | 1.94          | -       | 40.48      | 12.75      | 42.76      |  |  |  |
| RMS  | 13.83244G    | 45.18             | 68.20             | -23.02         | 34.72         | 3           | Horizontal | 19             | 1.94          | -       | 40.46      | 12.75      | 42.75      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 2\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 67  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 20.71386G    | 48.36             | 83.54             | -35.18         | 43.41         | 1           | Vertical  | 196            | 1.40          | -       | 37.90      | 15.75      | 48.70      |  |  |  |  |
| AV   | 20.73132G    | 37.15             | 63.54             | -26.39         | 32.18         | 1           | Vertical  | 196            | 1.40          | -       | 37.90      | 15.77      | 48.70      |  |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 2\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 67  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.69184G    | 48.60             | 83.54             | -34.94         | 43.67         | 1           | Horizontal | 164            | 2.93          | -       | 37.90      | 15.73      | 48.70      |  |  |  |
| AV   | 20.7288G     | 37.55             | 63.54             | -25.99         | 32.59         | 1           | Horizontal | 164            | 2.93          | -       | 37.90      | 15.76      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 64  
04-V-J-8-13

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.9176G      | 110.10            | Inf               | -Inf           | 110.67        | 3           | Vertical  | 2              | 2.28          | -       | 34.67      | 7.16       | 42.40      |  |  |  |
| RMS  | 6.9476G      | 99.67             | Inf               | -Inf           | 100.06        | 3           | Vertical  | 2              | 2.28          | -       | 34.79      | 7.19       | 42.37      |  |  |  |
| PK   | 7.16G        | 81.04             | 88.20             | -7.16          | 80.44         | 3           | Vertical  | 2              | 2.28          | -       | 35.92      | 7.22       | 42.54      |  |  |  |
| RMS  | 7.1324G      | 67.51             | 68.20             | -0.69          | 66.96         | 3           | Vertical  | 2              | 2.28          | -       | 35.83      | 7.22       | 42.50      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 64  
04-V-J-8-13

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.8564G      | 110.19            | Inf               | -Inf           | 111.23        | 3           | Horizontal | 360            | 2.26          | -       | 34.34      | 7.09       | 42.47      |  |  |  |
| RMS  | 6.8618G      | 100.02            | Inf               | -Inf           | 101.01        | 3           | Horizontal | 360            | 2.26          | -       | 34.37      | 7.10       | 42.46      |  |  |  |
| PK   | 7.1312G      | 78.31             | 88.20             | -9.89          | 77.77         | 3           | Horizontal | 360            | 2.26          | -       | 35.82      | 7.22       | 42.50      |  |  |  |
| RMS  | 7.1282G      | 64.82             | 68.20             | -3.38          | 64.29         | 3           | Horizontal | 360            | 2.26          | -       | 35.81      | 7.22       | 42.50      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 64  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.9384G     | 56.60             | 88.20             | -31.60         | 45.83         | 3           | Vertical  | 113            | 1.29          | -       | 40.80      | 12.86      | 42.89      |  |  |  |
| RMS  | 13.891G      | 45.66             | 68.20             | -22.54         | 34.93         | 3           | Vertical  | 113            | 1.29          | -       | 40.75      | 12.81      | 42.83      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 64  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.80952G    | 56.44             | 88.20             | -31.76         | 46.02         | 3           | Horizontal | 278            | 2.32          | -       | 40.42      | 12.72      | 42.72      |  |  |  |
| RMS  | 13.81012G    | 45.10             | 68.20             | -23.10         | 34.68         | 3           | Horizontal | 278            | 2.32          | -       | 40.42      | 12.72      | 42.72      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX


6905MHz\_TX

EUT\_Y\_4TX  
Setting 64  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.71926G    | 47.37             | 83.54             | -36.17         | 42.41         | 1           | Vertical  | 60             | 1.60          | -       | 37.90      | 15.76      | 48.70      |  |  |  |
| AV   | 20.68554G    | 36.01             | 63.54             | -27.53         | 31.08         | 1           | Vertical  | 60             | 1.60          | -       | 37.90      | 15.73      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6905MHz\_TX

EUT Y\_4TX  
Setting 64  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.72406G    | 47.54             | 83.54             | -36.00         | 42.58         | 1           | Horizontal | 274            | 1.07          | -       | 37.90      | 15.76      | 48.70      |  |  |  |
| AV   | 20.68734G    | 36.18             | 63.54             | -27.36         | 31.25         | 1           | Horizontal | 274            | 1.07          | -       | 37.90      | 15.73      | 48.70      |  |  |  |




Test Mode: Mode 9

**Summary**

| Mode                                                | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|-----------------------------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 6.525-6.875GHz                                      | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX | Pass   | RMS  | 7.1266G      | 68.11             | 68.20             | -0.09          | 3           | Horizontal | 352            | 2.19          | -        |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 4\_4TX


5985MHz\_TX

EUT\_Y\_4TX  
Setting 77  
03-P-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.925G       | 79.79             | 88.20             | -8.41          | 72.35         | 3           | Vertical  | 356            | 1.88          | -       | 34.55      | 8.09       | 35.20      |  |  |  |
| RMS  | 5.9245G      | 65.24             | 68.20             | -2.96          | 57.80         | 3           | Vertical  | 356            | 1.88          | -       | 34.55      | 8.09       | 35.20      |  |  |  |
| PK   | 6G           | 118.96            | Inf               | -Inf           | 111.38        | 3           | Vertical  | 356            | 1.88          | -       | 34.60      | 8.17       | 35.19      |  |  |  |
| RMS  | 5.9955G      | 108.30            | Inf               | -Inf           | 100.72        | 3           | Vertical  | 356            | 1.88          | -       | 34.60      | 8.17       | 35.19      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 4\_4TX


5985MHz\_TX

EUT\_Y\_4TX  
Setting 77  
03-P-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.925G  | 81.00    | 88.20    | -7.20  | 73.56  | 3    | Horizontal | 356     | 2.06   | -       | 34.55 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.925G  | 67.84    | 68.20    | -0.36  | 60.40  | 3    | Horizontal | 356     | 2.06   | -       | 34.55 | 8.09 | 35.20 |  |  |  |
| PK   | 5.9945G | 118.60   | Inf      | -Inf   | 111.03 | 3    | Horizontal | 356     | 2.06   | -       | 34.60 | 8.16 | 35.19 |  |  |  |
| RMS  | 5.995G  | 108.49   | Inf      | -Inf   | 100.92 | 3    | Horizontal | 356     | 2.06   | -       | 34.60 | 8.16 | 35.19 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 4\_4TX


5985MHz\_TX

EUT\_Y\_4TX  
Setting 77  
03-P-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.96064G    | 45.49             | 74.00             | -28.51         | 60.27         | 3           | Vertical  | 34             | 2.45          | -       | 39.18      | 11.81      | 65.77      |  |  |  |
| AV   | 11.96379G    | 33.47             | 54.00             | -20.53         | 48.24         | 3           | Vertical  | 34             | 2.45          | -       | 39.17      | 11.82      | 65.76      |  |  |  |
| PK   | 17.94264G    | 53.40             | 74.00             | -20.60         | 56.86         | 3           | Vertical  | 30             | 2.95          | -       | 44.71      | 14.22      | 62.39      |  |  |  |
| AV   | 17.96601G    | 42.17             | 54.00             | -11.83         | 45.49         | 3           | Vertical  | 30             | 2.95          | -       | 44.80      | 14.23      | 62.35      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 4\_4TX


5985MHz\_TX

EUT\_Y\_4TX  
Setting 77  
03-P-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.98425G    | 45.08             | 74.00             | -28.92         | 59.88         | 3           | Horizontal | 131            | 2.46          | -       | 39.13      | 11.82      | 65.75      |  |  |  |
| AV   | 11.96334G    | 33.57             | 54.00             | -20.43         | 48.34         | 3           | Horizontal | 131            | 2.46          | -       | 39.17      | 11.82      | 65.76      |  |  |  |
| PK   | 17.96601G    | 53.57             | 74.00             | -20.43         | 56.89         | 3           | Horizontal | 328            | 1.39          | -       | 44.80      | 14.23      | 62.35      |  |  |  |
| AV   | 17.96559G    | 42.11             | 54.00             | -11.89         | 45.44         | 3           | Horizontal | 328            | 1.39          | -       | 44.79      | 14.23      | 62.35      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 4\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 77  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.94198G | 49.49    | 83.54    | -34.05 | 40.80  | 1    | Vertical  | 278     | 1.91   | -       | 39.00 | 17.31 | 47.62 |  |  |  |
| AV   | 23.9425G  | 37.68    | 63.54    | -25.86 | 28.99  | 1    | Vertical  | 278     | 1.91   | -       | 39.00 | 17.31 | 47.62 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 4\_4TX


5985MHz\_TX

EUT\_Y\_4TX  
Setting 77  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.94362G | 49.54    | 83.54    | -34.00 | 40.84  | 1    | Horizontal | 20      | 1.03   | -       | 39.00 | 17.32 | 47.62 |  |  |  |
| AV   | 23.9445G  | 37.94    | 63.54    | -25.60 | 29.24  | 1    | Horizontal | 20      | 1.03   | -       | 39.00 | 17.32 | 47.62 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 2\_4TX


7025MHz\_TX

EUT\_Y\_4TX  
Setting 72  
03-P-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.9895G      | 118.99            | Inf               | -Inf           | 110.12        | 3           | Vertical  | 0              | 1.98          | -       | 35.60      | 8.40       | 35.13      |
| RMS  | 6.9935G      | 108.31            | Inf               | -Inf           | 99.45         | 3           | Vertical  | 0              | 1.98          | -       | 35.60      | 8.39       | 35.13      |
| PK   | 7.1285G      | 81.36             | 88.20             | -6.84          | 72.21         | 3           | Vertical  | 0              | 1.98          | -       | 35.81      | 8.48       | 35.14      |
| RMS  | 7.1285G      | 67.36             | 68.20             | -0.84          | 58.21         | 3           | Vertical  | 0              | 1.98          | -       | 35.81      | 8.48       | 35.14      |
| PK   | 7.2525G      | 61.77             | 74.00             | -12.23         | 51.84         | 3           | Vertical  | 0              | 1.98          | -       | 36.51      | 8.57       | 35.15      |
| AV   | 7.2655G      | 50.95             | 54.00             | -3.05          | 40.96         | 3           | Vertical  | 0              | 1.98          | -       | 36.56      | 8.58       | 35.15      |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 2\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 72  
03-P-G-4-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.9925G | 118.44   | Inf      | -Inf   | 109.58 | 3    | Horizontal | 0       | 2.18   | -       | 35.60 | 8.39 | 35.13 |  |  |  |
| RMS  | 6.993G  | 107.55   | Inf      | -Inf   | 98.69  | 3    | Horizontal | 0       | 2.18   | -       | 35.60 | 8.39 | 35.13 |  |  |  |
| PK   | 7.125G  | 79.21    | 88.20    | -8.99  | 70.07  | 3    | Horizontal | 0       | 2.18   | -       | 35.80 | 8.48 | 35.14 |  |  |  |
| RMS  | 7.125G  | 67.05    | 68.20    | -1.15  | 57.91  | 3    | Horizontal | 0       | 2.18   | -       | 35.80 | 8.48 | 35.14 |  |  |  |
| PK   | 7.266G  | 62.45    | 74.00    | -11.55 | 52.46  | 3    | Horizontal | 0       | 2.18   | -       | 36.56 | 8.58 | 35.15 |  |  |  |
| AV   | 7.252G  | 50.86    | 54.00    | -3.14  | 40.93  | 3    | Horizontal | 0       | 2.18   | -       | 36.51 | 8.57 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 2\_4TX

7025MHz\_TX




EUT Y\_4TX  
Setting 72  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.04999G | 47.33    | 88.20    | -40.87 | 58.76  | 3    | Vertical  | 79      | 2.04   | -       | 41.20 | 11.72 | 64.35 |  |  |  |
| RMS  | 14.04914G | 36.52    | 68.20    | -31.68 | 47.95  | 3    | Vertical  | 79      | 2.04   | -       | 41.20 | 11.72 | 64.35 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 2\_4TX


7025MHz\_TX

EUT\_Y\_4TX  
Setting 72  
03-P-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.04679G    | 47.87             | 88.20             | -40.33         | 59.31         | 3           | Horizontal | 62             | 2.38          | -       | 41.20      | 11.72      | 64.36      |  |  |  |
| RMS  | 14.0466G     | 36.13             | 68.20             | -32.07         | 47.57         | 3           | Horizontal | 62             | 2.38          | -       | 41.20      | 11.72      | 64.36      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 2\_4TX


7025MHz\_TX

EUT\_Y\_4TX  
Setting 72  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.07158G | 50.21    | 83.54    | -33.33 | 44.86  | 1    | Vertical  | 95      | 1.78   | -       | 38.00 | 16.04 | 48.69 |  |  |  |
| AV   | 21.07852G | 38.67    | 63.54    | -24.87 | 33.30  | 1    | Vertical  | 95      | 1.78   | -       | 38.00 | 16.05 | 48.68 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 2\_4TX


7025MHz\_TX


EUT\_Y\_4TX  
Setting 72  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.07118G | 49.78    | 83.54    | -33.76 | 44.43  | 1    | Horizontal | 314     | 2.24   | -       | 38.00 | 16.04 | 48.69 |  |  |  |
| AV   | 21.0755G  | 38.57    | 63.54    | -24.97 | 33.20  | 1    | Horizontal | 314     | 2.24   | -       | 38.00 | 16.05 | 48.68 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 3\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 81  
03-P-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.925G       | 76.15             | 88.20             | -12.05         | 68.71         | 3           | Vertical  | 357            | 2.09          | -       | 34.55      | 8.09       | 35.20      |  |  |  |
| RMS  | 5.925G       | 66.24             | 68.20             | -1.96          | 58.80         | 3           | Vertical  | 357            | 2.09          | -       | 34.55      | 8.09       | 35.20      |  |  |  |
| PK   | 6.0666G      | 117.56            | Inf               | -Inf           | 109.78        | 3           | Vertical  | 357            | 2.09          | -       | 34.70      | 8.27       | 35.19      |  |  |  |
| RMS  | 6.0874G      | 106.98            | Inf               | -Inf           | 99.06         | 3           | Vertical  | 357            | 2.09          | -       | 34.82      | 8.30       | 35.20      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 3\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 81  
03-P-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.925G  | 78.48    | 88.20    | -9.72  | 71.04  | 3    | Horizontal | 358     | 1.96   | -       | 34.55 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.925G  | 66.75    | 68.20    | -1.45  | 59.31  | 3    | Horizontal | 358     | 1.96   | -       | 34.55 | 8.09 | 35.20 |  |  |  |
| PK   | 6.101G  | 118.24   | Inf      | -Inf   | 110.22 | 3    | Horizontal | 358     | 1.96   | -       | 34.90 | 8.32 | 35.20 |  |  |  |
| RMS  | 6.0858G | 106.97   | Inf      | -Inf   | 99.06  | 3    | Horizontal | 358     | 1.96   | -       | 34.81 | 8.30 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 3\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 81  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.04638G | 44.76    | 74.00    | -29.24 | 59.62  | 3    | Vertical  | 184     | 1.84   | -       | 39.01 | 11.83 | 65.70 |  |  |  |
| AV   | 12.04556G | 33.66    | 54.00    | -20.34 | 48.52  | 3    | Vertical  | 184     | 1.84   | -       | 39.01 | 11.83 | 65.70 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 3\_4TX


6025MHz\_TX

EUT\_V\_4TX  
Setting 81  
03-P-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.05453G    | 45.15             | 74.00             | -28.85         | 60.02         | 3           | Horizontal | 186            | 2.96          | -       | 38.99      | 11.83      | 65.69      |  |  |  |
| AV   | 12.04926G    | 33.72             | 54.00             | -20.28         | 48.59         | 3           | Horizontal | 186            | 2.96          | -       | 39.00      | 11.83      | 65.70      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 3\_4TX


6025MHz\_TX

EUT\_Y\_4TX  
Setting 81  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07224G | 47.10    | 83.54    | -36.44 | 42.49  | 1    | Vertical  | 14      | 1.13   | -       | 37.53 | 15.29 | 48.21 |  |  |  |
| AV   | 18.07978G | 35.91    | 63.54    | -27.63 | 31.26  | 1    | Vertical  | 14      | 1.13   | -       | 37.58 | 15.29 | 48.22 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 3\_4TX


6025MHz\_TX

EUT\_V\_4TX  
Setting 81  
03-P-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.07852G    | 47.36             | 83.54             | -36.18         | 42.72         | 1           | Horizontal | 50             | 1.05          | -       | 37.57      | 15.29      | 48.22      |  |  |  |
| AV   | 18.07818G    | 35.84             | 63.54             | -27.70         | 31.20         | 1           | Horizontal | 50             | 1.05          | -       | 37.57      | 15.29      | 48.22      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 3\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 80  
03-P-R-7

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.925G  | 77.26    | 88.20    | -10.94 | 69.82  | 3    | Vertical  | 360     | 1.96   | -       | 34.55 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.925G  | 65.68    | 68.20    | -2.52  | 58.24  | 3    | Vertical  | 360     | 1.96   | -       | 34.55 | 8.09 | 35.20 |  |  |  |
| PK   | 6.0866G | 118.54   | Inf      | -Inf   | 110.62 | 3    | Vertical  | 360     | 1.96   | -       | 34.82 | 8.30 | 35.20 |  |  |  |
| RMS  | 6.0874G | 108.18   | Inf      | -Inf   | 100.26 | 3    | Vertical  | 360     | 1.96   | -       | 34.82 | 8.30 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 3\_4TX


6025MHz\_TX

EUT\_Y\_4TX  
Setting 80  
03-P-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.925G       | 79.45             | 88.20             | -8.75          | 72.01         | 3           | Horizontal | 358            | 1.97          | -       | 34.55      | 8.09       | 35.20      |  |  |  |
| RMS  | 5.925G       | 67.67             | 68.20             | -0.53          | 60.23         | 3           | Horizontal | 358            | 1.97          | -       | 34.55      | 8.09       | 35.20      |  |  |  |
| PK   | 6.1002G      | 117.20            | Inf               | -Inf           | 109.18        | 3           | Horizontal | 358            | 1.97          | -       | 34.90      | 8.32       | 35.20      |  |  |  |
| RMS  | 6.0858G      | 107.48            | Inf               | -Inf           | 99.57         | 3           | Horizontal | 358            | 1.97          | -       | 34.81      | 8.30       | 35.20      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 3\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 80  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.05011G | 45.74    | 74.00    | -28.26 | 60.60  | 3    | Vertical  | 230     | 1.63   | -       | 39.00 | 11.83 | 65.69 |  |  |  |
| AV   | 12.0461G  | 33.56    | 54.00    | -20.44 | 48.42  | 3    | Vertical  | 230     | 1.63   | -       | 39.01 | 11.83 | 65.70 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 3\_4TX

6025MHz\_TX




EUT V\_4TX  
Setting 80  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.04852G | 45.03    | 74.00    | -28.97 | 59.90  | 3    | Horizontal | 353     | 2.25   | -       | 39.00 | 11.83 | 65.70 |  |  |  |
| AV   | 12.05474G | 33.74    | 54.00    | -20.26 | 48.61  | 3    | Horizontal | 353     | 2.25   | -       | 38.99 | 11.83 | 65.69 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 3\_4TX


6025MHz\_TX

EUT\_Y\_4TX  
Setting 80  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.0763G  | 47.75    | 83.54    | -35.79 | 43.12  | 1    | Vertical  | 21      | 1.23   | -       | 37.56 | 15.29 | 48.22 |  |  |  |
| AV   | 18.07242G | 35.77    | 63.54    | -27.77 | 31.16  | 1    | Vertical  | 21      | 1.23   | -       | 37.53 | 15.29 | 48.21 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 3\_4TX


6025MHz\_TX

EUT\_Y\_4TX  
Setting 80  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07268G | 46.95    | 83.54    | -36.59 | 42.33  | 1    | Horizontal | 340     | 2.95   | -       | 37.54 | 15.29 | 48.21 |  |  |  |
| AV   | 18.07708G | 35.87    | 63.54    | -27.67 | 31.24  | 1    | Horizontal | 340     | 2.95   | -       | 37.56 | 15.29 | 48.22 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 7\_4TX


6985MHz\_TX

EUT Y\_4TX  
Setting 73  
03-P-G-4-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.9818G | 114.72   | Inf      | -Inf   | 105.82 | 3    | Vertical  | 355     | 1.05   | -       | 35.60 | 8.43 | 35.13 |  |  |  |
| RMS  | 6.9218G | 104.59   | Inf      | -Inf   | 95.51  | 3    | Vertical  | 355     | 1.05   | -       | 35.60 | 8.62 | 35.14 |  |  |  |
| PK   | 7.1266G | 76.96    | 88.20    | -11.24 | 67.81  | 3    | Vertical  | 355     | 1.05   | -       | 35.81 | 8.48 | 35.14 |  |  |  |
| RMS  | 7.1322G | 67.02    | 68.20    | -1.18  | 57.85  | 3    | Vertical  | 355     | 1.05   | -       | 35.83 | 8.48 | 35.14 |  |  |  |
| PK   | 7.2906G | 61.96    | 74.00    | -12.04 | 51.85  | 3    | Vertical  | 355     | 1.05   | -       | 36.66 | 8.60 | 35.15 |  |  |  |
| AV   | 7.3682G | 51.29    | 54.00    | -2.71  | 40.90  | 3    | Vertical  | 355     | 1.05   | -       | 36.90 | 8.65 | 35.16 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 7\_4TX


6985MHz\_TX

EUT\_Y\_4TX  
Setting 73  
03-P-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.9114G      | 115.57            | Inf               | -Inf           | 106.46        | 3           | Horizontal | 360            | 1.86          | -       | 35.60      | 8.66       | 35.15      |  |  |  |
| RMS  | 6.9602G      | 104.54            | Inf               | -Inf           | 95.58         | 3           | Horizontal | 360            | 1.86          | -       | 35.60      | 8.50       | 35.14      |  |  |  |
| PK   | 7.137G       | 79.68             | 88.20             | -8.52          | 70.48         | 3           | Horizontal | 360            | 1.86          | -       | 35.85      | 8.49       | 35.14      |  |  |  |
| RMS  | 7.1322G      | 67.57             | 68.20             | -0.63          | 58.40         | 3           | Horizontal | 360            | 1.86          | -       | 35.83      | 8.48       | 35.14      |  |  |  |
| PK   | 7.3522G      | 62.08             | 74.00             | -11.92         | 51.70         | 3           | Horizontal | 360            | 1.86          | -       | 36.90      | 8.64       | 35.16      |  |  |  |
| AV   | 7.3106G      | 51.49             | 54.00             | -2.51          | 41.29         | 3           | Horizontal | 360            | 1.86          | -       | 36.74      | 8.61       | 35.15      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 7\_4TX


6985MHz\_TX

EUT\_Y\_4TX  
Setting 73  
03-P-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.97265G    | 52.21             | 88.20             | -35.99         | 63.89         | 3           | Vertical  | 277            | 1.73          | -       | 41.09      | 11.68      | 64.45      |  |  |  |
| RMS  | 13.97307G    | 40.28             | 68.20             | -27.92         | 51.96         | 3           | Vertical  | 277            | 1.73          | -       | 41.09      | 11.68      | 64.45      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 7\_4TX


6985MHz\_TX

EUT\_V\_4TX  
Setting 73  
03-P-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.96686G    | 51.79             | 88.20             | -36.41         | 63.49         | 3           | Horizontal | 325            | 1.30          | -       | 41.07      | 11.68      | 64.45      |  |  |  |
| RMS  | 13.97203G    | 40.44             | 68.20             | -27.76         | 52.12         | 3           | Horizontal | 325            | 1.30          | -       | 41.09      | 11.68      | 64.45      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 7\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 73  
03-P-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.95384G    | 49.89             | 83.54             | -33.65         | 44.73         | 1           | Vertical  | 45             | 1.02          | -       | 37.91      | 15.95      | 48.70      |  |  |  |
| AV   | 20.9544G     | 38.70             | 63.54             | -24.84         | 33.54         | 1           | Vertical  | 45             | 1.02          | -       | 37.91      | 15.95      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 7\_4TX


6985MHz\_TX

EUT\_Y\_4TX  
Setting 73  
03-P-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.95888G    | 50.75             | 83.54             | -32.79         | 45.58         | 1           | Horizontal | 56             | 2.49          | -       | 37.92      | 15.95      | 48.70      |  |  |  |
| AV   | 20.95242G    | 38.57             | 63.54             | -24.97         | 33.42         | 1           | Horizontal | 56             | 2.49          | -       | 37.90      | 15.95      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 1\_4TX


6985MHz\_TX

EUT\_Y\_4TX  
Setting 73  
03-P-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.9594G      | 116.74            | Inf               | -Inf           | 107.78        | 3           | Vertical  | 357            | 1.35          | -       | 35.60      | 8.50       | 35.14      |
| RMS  | 6.9586G      | 105.67            | Inf               | -Inf           | 96.71         | 3           | Vertical  | 357            | 1.35          | -       | 35.60      | 8.50       | 35.14      |
| PK   | 7.125G       | 79.81             | 88.20             | -8.39          | 70.67         | 3           | Vertical  | 357            | 1.35          | -       | 35.80      | 8.48       | 35.14      |
| RMS  | 7.1298G      | 67.49             | 68.20             | -0.71          | 58.33         | 3           | Vertical  | 357            | 1.35          | -       | 35.82      | 8.48       | 35.14      |
| PK   | 7.361G       | 62.25             | 74.00             | -11.75         | 51.87         | 3           | Vertical  | 357            | 1.35          | -       | 36.90      | 8.64       | 35.16      |
| AV   | 7.373G       | 51.19             | 54.00             | -2.81          | 40.80         | 3           | Vertical  | 357            | 1.35          | -       | 36.90      | 8.65       | 35.16      |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 1\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 73  
03-P-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.9882G      | 115.13            | Inf               | -Inf           | 106.25        | 3           | Horizontal | 353            | 1.89          | -       | 35.60      | 8.41       | 35.13      |
| RMS  | 6.9578G      | 105.13            | Inf               | -Inf           | 96.16         | 3           | Horizontal | 353            | 1.89          | -       | 35.60      | 8.51       | 35.14      |
| PK   | 7.1298G      | 79.70             | 88.20             | -8.50          | 70.54         | 3           | Horizontal | 353            | 1.89          | -       | 35.82      | 8.48       | 35.14      |
| RMS  | 7.125G       | 67.87             | 68.20             | -0.33          | 58.73         | 3           | Horizontal | 353            | 1.89          | -       | 35.80      | 8.48       | 35.14      |
| PK   | 7.2762G      | 62.12             | 74.00             | -11.88         | 52.08         | 3           | Horizontal | 353            | 1.89          | -       | 36.60      | 8.59       | 35.15      |
| AV   | 7.3306G      | 51.29             | 54.00             | -2.71          | 41.01         | 3           | Horizontal | 353            | 1.89          | -       | 36.82      | 8.62       | 35.16      |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 1\_4TX


6985MHz\_TX

EUT\_V\_4TX  
Setting 73  
03-P-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.96661G    | 50.90             | 88.20             | -37.30         | 62.60         | 3           | Vertical  | 105            | 2.16          | -       | 41.07      | 11.68      | 64.45      |  |  |  |
| RMS  | 13.97675G    | 39.46             | 68.20             | -28.74         | 51.12         | 3           | Vertical  | 105            | 2.16          | -       | 41.11      | 11.68      | 64.45      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 1\_4TX


6985MHz\_TX

EUT\_Y\_4TX  
Setting 73  
03-P-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.96994G    | 50.26             | 88.20             | -37.94         | 61.95         | 3           | Horizontal | 360            | 1.50          | -       | 41.08      | 11.68      | 64.45      |  |  |  |
| RMS  | 13.98164G    | 37.96             | 68.20             | -30.24         | 49.60         | 3           | Horizontal | 360            | 1.50          | -       | 41.13      | 11.68      | 64.45      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 1\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 73  
03-P-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.95002G    | 50.21             | 83.54             | -33.33         | 45.07         | 1           | Vertical  | 351            | 1.43          | -       | 37.90      | 15.94      | 48.70      |  |  |  |
| AV   | 20.96G       | 38.59             | 63.54             | -24.95         | 33.42         | 1           | Vertical  | 351            | 1.43          | -       | 37.92      | 15.95      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 1\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 73  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.95972G | 50.03    | 83.54    | -33.51 | 44.86  | 1    | Horizontal | 209     | 2.18   | -       | 37.92 | 15.95 | 48.70 |  |  |  |
| AV   | 20.95298G | 38.62    | 63.54    | -24.92 | 33.46  | 1    | Horizontal | 209     | 2.18   | -       | 37.91 | 15.95 | 48.70 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 5\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 86  
03-P-G-4-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.925G  | 76.40    | 88.20    | -11.80 | 68.96  | 3    | Vertical  | 359     | 2.03   | -       | 34.55 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.925G  | 66.13    | 68.20    | -2.07  | 58.69  | 3    | Vertical  | 359     | 2.03   | -       | 34.55 | 8.09 | 35.20 |  |  |  |
| PK   | 6.1426G | 116.43   | Inf      | -Inf   | 108.35 | 3    | Vertical  | 359     | 2.03   | -       | 34.90 | 8.38 | 35.20 |  |  |  |
| RMS  | 6.1474G | 104.79   | Inf      | -Inf   | 96.70  | 3    | Vertical  | 359     | 2.03   | -       | 34.90 | 8.39 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 5\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 86  
03-P-G-4-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.925G  | 78.24    | 88.20    | -9.96  | 70.80  | 3    | Horizontal | 359     | 1.92   | -       | 34.55 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.925G  | 67.48    | 68.20    | -0.72  | 60.04  | 3    | Horizontal | 359     | 1.92   | -       | 34.55 | 8.09 | 35.20 |  |  |  |
| PK   | 6.0706G | 115.07   | Inf      | -Inf   | 107.26 | 3    | Horizontal | 359     | 1.92   | -       | 34.72 | 8.28 | 35.19 |  |  |  |
| RMS  | 6.1362G | 103.86   | Inf      | -Inf   | 95.79  | 3    | Horizontal | 359     | 1.92   | -       | 34.90 | 8.37 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 5\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
Setting 86  
03-P-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.20546G    | 46.68             | 74.00             | -27.32         | 61.72         | 3           | Vertical  | 190            | 1.54          | -       | 38.71      | 11.81      | 65.56      |  |  |  |
| AV   | 12.21006G    | 34.70             | 54.00             | -19.30         | 49.72         | 3           | Vertical  | 190            | 1.54          | -       | 38.72      | 11.81      | 65.55      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 5\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
Setting 86  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.2052G  | 45.11    | 74.00    | -28.89 | 60.15  | 3    | Horizontal | 53      | 1.02   | -       | 38.71 | 11.81 | 65.56 |  |  |  |
| AV   | 12.21003G | 34.46    | 54.00    | -19.54 | 49.48  | 3    | Horizontal | 53      | 1.02   | -       | 38.72 | 11.81 | 65.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 5\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
Setting 86  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.3139G  | 47.38    | 83.54    | -36.16 | 42.74  | 1    | Vertical  | 326     | 1.72   | -       | 37.63 | 15.27 | 48.26 |  |  |  |
| AV   | 18.31456G | 35.68    | 63.54    | -27.86 | 31.04  | 1    | Vertical  | 326     | 1.72   | -       | 37.63 | 15.27 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 5\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 86  
03-P-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.3176G | 47.43    | 83.54    | -36.11 | 42.78  | 1    | Horizontal | 191     | 2.97   | -       | 37.64 | 15.27 | 48.26 |  |  |  |
| AV   | 18.3135G | 35.67    | 63.54    | -27.87 | 31.03  | 1    | Horizontal | 191     | 2.97   | -       | 37.63 | 15.27 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 84  
03-P-G-4-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.925G  | 79.95    | 88.20    | -8.25  | 72.51  | 3    | Vertical  | 358     | 1.94   | -       | 34.55 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.925G  | 67.98    | 68.20    | -0.22  | 60.54  | 3    | Vertical  | 358     | 1.94   | -       | 34.55 | 8.09 | 35.20 |  |  |  |
| PK   | 6.137G  | 116.13   | Inf      | -Inf   | 108.05 | 3    | Vertical  | 358     | 1.94   | -       | 34.90 | 8.38 | 35.20 |  |  |  |
| RMS  | 6.1466G | 105.74   | Inf      | -Inf   | 97.65  | 3    | Vertical  | 358     | 1.94   | -       | 34.90 | 8.39 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 84  
03-P-G-4-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.925G  | 77.51    | 88.20    | -10.69 | 70.07  | 3    | Horizontal | 359     | 1.80   | -       | 34.55 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.925G  | 67.69    | 68.20    | -0.51  | 60.25  | 3    | Horizontal | 359     | 1.80   | -       | 34.55 | 8.09 | 35.20 |  |  |  |
| PK   | 6.1002G | 115.33   | Inf      | -Inf   | 107.31 | 3    | Horizontal | 359     | 1.80   | -       | 34.90 | 8.32 | 35.20 |  |  |  |
| RMS  | 6.1354G | 104.63   | Inf      | -Inf   | 96.56  | 3    | Horizontal | 359     | 1.80   | -       | 34.90 | 8.37 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX


6105MHz\_TX

EUT\_V\_4TX  
Setting 84  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.21094G | 45.28    | 74.00    | -28.72 | 60.30  | 3    | Vertical  | 10      | 2.58   | -       | 38.72 | 11.81 | 65.55 |  |  |  |
| AV   | 12.20859G | 34.16    | 54.00    | -19.84 | 49.18  | 3    | Vertical  | 10      | 2.58   | -       | 38.72 | 11.81 | 65.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX


6105MHz\_TX

EUT\_V\_4TX  
Setting 84  
03-P-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.2078G     | 45.58             | 74.00             | -28.42         | 60.60         | 3           | Horizontal | 156            | 1.21          | -       | 38.72      | 11.81      | 65.55      |  |  |  |
| AV   | 12.21233G    | 33.93             | 54.00             | -20.07         | 48.95         | 3           | Horizontal | 156            | 1.21          | -       | 38.72      | 11.81      | 65.55      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX


6105MHz\_TX

EUT\_V\_4TX  
Setting 84  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31182G | 47.75    | 83.54    | -35.79 | 43.12  | 1    | Vertical  | 303     | 1.94   | -       | 37.62 | 15.27 | 48.26 |  |  |  |
| AV   | 18.31084G | 36.11    | 63.54    | -27.43 | 31.48  | 1    | Vertical  | 303     | 1.94   | -       | 37.62 | 15.27 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
Setting 84  
03-P-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.3171G     | 47.30             | 83.54             | -36.24         | 42.66         | 1           | Horizontal | 246            | 2.06          | -       | 37.63      | 15.27      | 48.26      |  |  |  |
| AV   | 18.31674G    | 36.02             | 63.54             | -27.52         | 31.38         | 1           | Horizontal | 246            | 2.06          | -       | 37.63      | 15.27      | 48.26      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 2\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 84  
03-P-G-4-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.925G  | 77.11    | 88.20    | -11.09 | 69.67  | 3    | Vertical  | 0       | 1.80   | -       | 34.55 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.925G  | 66.96    | 68.20    | -1.24  | 59.52  | 3    | Vertical  | 0       | 1.80   | -       | 34.55 | 8.09 | 35.20 |  |  |  |
| PK   | 6.1322G | 117.34   | Inf      | -Inf   | 109.27 | 3    | Vertical  | 0       | 1.80   | -       | 34.90 | 8.37 | 35.20 |  |  |  |
| RMS  | 6.1474G | 106.11   | Inf      | -Inf   | 98.02  | 3    | Vertical  | 0       | 1.80   | -       | 34.90 | 8.39 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 2\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
Setting 84  
03-P-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9242G      | 78.93             | 88.20             | -9.27          | 71.49         | 3           | Horizontal | 358            | 1.95          | -       | 34.55      | 8.09       | 35.20      |
| RMS  | 5.925G       | 67.85             | 68.20             | -0.35          | 60.41         | 3           | Horizontal | 358            | 1.95          | -       | 34.55      | 8.09       | 35.20      |
| PK   | 6.1258G      | 117.76            | Inf               | -Inf           | 109.70        | 3           | Horizontal | 358            | 1.95          | -       | 34.90      | 8.36       | 35.20      |
| RMS  | 6.1258G      | 105.60            | Inf               | -Inf           | 97.54         | 3           | Horizontal | 358            | 1.95          | -       | 34.90      | 8.36       | 35.20      |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 2\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 84  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.21053G | 45.77    | 74.00    | -28.23 | 60.79  | 3    | Vertical  | 322     | 1.80   | -       | 38.72 | 11.81 | 65.55 |  |  |  |
| AV   | 12.20756G | 33.92    | 54.00    | -20.08 | 48.94  | 3    | Vertical  | 322     | 1.80   | -       | 38.72 | 11.81 | 65.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 2\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
Setting 84  
03-P-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.21428G    | 45.57             | 74.00             | -28.43         | 60.58         | 3           | Horizontal | 149            | 1.45          | -       | 38.73      | 11.81      | 65.55      |  |  |  |
| AV   | 12.20797G    | 33.98             | 54.00             | -20.02         | 49.00         | 3           | Horizontal | 149            | 1.45          | -       | 38.72      | 11.81      | 65.55      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 2\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
Setting 84  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31542G | 47.66    | 83.54    | -35.88 | 43.02  | 1    | Vertical  | 317     | 1.22   | -       | 37.63 | 15.27 | 48.26 |  |  |  |
| AV   | 18.315G   | 36.10    | 63.54    | -27.44 | 31.46  | 1    | Vertical  | 317     | 1.22   | -       | 37.63 | 15.27 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 2\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
Setting 84  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31686G | 47.64    | 83.54    | -35.90 | 43.00  | 1    | Horizontal | 306     | 1.23   | -       | 37.63 | 15.27 | 48.26 |  |  |  |
| AV   | 18.31842G | 36.08    | 63.54    | -27.46 | 31.43  | 1    | Horizontal | 306     | 1.23   | -       | 37.64 | 15.27 | 48.26 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 4\_4TX


6905MHz\_TX

EUT\_Y\_4TX  
Setting 73  
03-P-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8042G      | 113.13            | Inf               | -Inf           | 103.69        | 3           | Vertical  | 355            | 1.80          | -       | 35.60      | 9.01       | 35.17      |
| RMS  | 6.7642G      | 102.30            | Inf               | -Inf           | 93.01         | 3           | Vertical  | 355            | 1.80          | -       | 35.46      | 9.00       | 35.17      |
| PK   | 7.1266G      | 81.30             | 88.20             | -6.90          | 72.15         | 3           | Vertical  | 355            | 1.80          | -       | 35.81      | 8.48       | 35.14      |
| RMS  | 7.1266G      | 67.31             | 68.20             | -0.89          | 58.16         | 3           | Vertical  | 355            | 1.80          | -       | 35.81      | 8.48       | 35.14      |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 4\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 73  
03-P-G-4-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.7682G | 113.46   | Inf      | -Inf   | 104.16 | 3    | Horizontal | 352     | 2.19   | -       | 35.47 | 9.00 | 35.17 |  |  |  |
| RMS  | 6.7482G | 102.63   | Inf      | -Inf   | 93.42  | 3    | Horizontal | 352     | 2.19   | -       | 35.40 | 8.99 | 35.18 |  |  |  |
| PK   | 7.1314G | 80.87    | 88.20    | -7.33  | 71.70  | 3    | Horizontal | 352     | 2.19   | -       | 35.83 | 8.48 | 35.14 |  |  |  |
| RMS  | 7.1266G | 68.11    | 68.20    | -0.09  | 58.96  | 3    | Horizontal | 352     | 2.19   | -       | 35.81 | 8.48 | 35.14 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 4\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 73  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.81188G | 46.60    | 88.20    | -41.60 | 58.57  | 3    | Vertical  | 17      | 2.55   | -       | 40.72 | 11.69 | 64.38 |  |  |  |
| RMS  | 13.81179G | 34.83    | 68.20    | -33.37 | 46.80  | 3    | Vertical  | 17      | 2.55   | -       | 40.72 | 11.69 | 64.38 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 4\_4TX


6905MHz\_TX

EUT\_Y\_4TX  
Setting 73  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.81191G | 46.66    | 88.20    | -41.54 | 58.63  | 3    | Horizontal | 139     | 1.81   | -       | 40.72 | 11.69 | 64.38 |  |  |  |
| RMS  | 13.81317G | 34.81    | 68.20    | -33.39 | 46.78  | 3    | Horizontal | 139     | 1.81   | -       | 40.73 | 11.69 | 64.39 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 4\_4TX


6905MHz\_TX

EUT\_Y\_4TX  
Setting 73  
03-P-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.71394G    | 49.15             | 83.54             | -34.39         | 44.20         | 1           | Vertical  | 194            | 1.49          | -       | 37.90      | 15.75      | 48.70      |  |  |  |
| AV   | 20.71062G    | 37.69             | 63.54             | -25.85         | 32.74         | 1           | Vertical  | 194            | 1.49          | -       | 37.90      | 15.75      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 4\_4TX


6905MHz\_TX

EUT\_Y\_4TX  
Setting 73  
03-P-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.71444G    | 49.07             | 83.54             | -34.47         | 44.12         | 1           | Horizontal | 232            | 1.91          | -       | 37.90      | 15.75      | 48.70      |  |  |  |
| AV   | 20.71904G    | 37.75             | 63.54             | -25.79         | 32.79         | 1           | Horizontal | 232            | 1.91          | -       | 37.90      | 15.76      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 1\_4TX


6905MHz\_TX

EUT\_Y\_4TX  
Setting 74  
03-P-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.8314G      | 113.25            | Inf               | -Inf           | 103.89        | 3           | Vertical  | 360            | 1.78          | -       | 35.60      | 8.92       | 35.16      |  |  |  |
| RMS  | 6.861G       | 102.46            | Inf               | -Inf           | 93.20         | 3           | Vertical  | 360            | 1.78          | -       | 35.60      | 8.82       | 35.16      |  |  |  |
| PK   | 7.1514G      | 80.16             | 88.20             | -8.04          | 70.89         | 3           | Vertical  | 360            | 1.78          | -       | 35.91      | 8.50       | 35.14      |  |  |  |
| RMS  | 7.129G       | 68.09             | 68.20             | -0.11          | 58.93         | 3           | Vertical  | 360            | 1.78          | -       | 35.82      | 8.48       | 35.14      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 1\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 74  
03-P-G-4-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 6.8682G | 113.75   | Inf      | -Inf   | 104.50 | 3    | Horizontal | 353     | 1.89   | -       | 35.60 | 8.80 | 35.15 |  |  |  |  |
| RMS  | 6.8578G | 102.88   | Inf      | -Inf   | 93.61  | 3    | Horizontal | 353     | 1.89   | -       | 35.60 | 8.83 | 35.16 |  |  |  |  |
| PK   | 7.1538G | 79.12    | 88.20    | -9.08  | 69.84  | 3    | Horizontal | 353     | 1.89   | -       | 35.92 | 8.50 | 35.14 |  |  |  |  |
| RMS  | 7.1298G | 67.11    | 68.20    | -1.09  | 57.95  | 3    | Horizontal | 353     | 1.89   | -       | 35.82 | 8.48 | 35.14 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 1\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 74  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.81238G | 46.90    | 88.20    | -41.30 | 58.87  | 3    | Vertical  | 188     | 2.77   | -       | 40.72 | 11.69 | 64.38 |  |  |  |
| RMS  | 13.81455G | 35.23    | 68.20    | -32.97 | 47.20  | 3    | Vertical  | 188     | 2.77   | -       | 40.73 | 11.69 | 64.39 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 1\_4TX


6905MHz\_TX

EUT\_Y\_4TX  
Setting 74  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.80792G | 46.65    | 88.20    | -41.55 | 58.62  | 3    | Horizontal | 304     | 2.15   | -       | 40.72 | 11.69 | 64.38 |  |  |  |
| RMS  | 13.81091G | 35.37    | 68.20    | -32.83 | 47.34  | 3    | Horizontal | 304     | 2.15   | -       | 40.72 | 11.69 | 64.38 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 1\_4TX


6905MHz\_TX

EUT\_Y\_4TX  
Setting 74  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.71258G | 49.47    | 83.54    | -34.07 | 44.52  | 1    | Vertical  | 127     | 1.05   | -       | 37.90 | 15.75 | 48.70 |  |  |  |
| AV   | 20.7163G  | 38.37    | 63.54    | -25.17 | 33.42  | 1    | Vertical  | 127     | 1.05   | -       | 37.90 | 15.75 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 1\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 74  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.7169G  | 49.22    | 83.54    | -34.32 | 44.27  | 1    | Horizontal | 283     | 2.00   | -       | 37.90 | 15.75 | 48.70 |  |  |  |
| AV   | 20.71412G | 38.10    | 63.54    | -25.44 | 33.15  | 1    | Horizontal | 283     | 2.00   | -       | 37.90 | 15.75 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX


6905MHz\_TX

EUT\_Y\_4TX  
Setting 72  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.80856G | 46.69    | 88.20    | -41.51 | 58.66  | 3    | Vertical  | 271     | 1.16   | -       | 40.72 | 11.69 | 64.38 |  |  |  |
| RMS  | 13.81178G | 35.27    | 68.20    | -32.93 | 47.24  | 3    | Vertical  | 271     | 1.16   | -       | 40.72 | 11.69 | 64.38 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 72  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.80711G | 46.68    | 88.20    | -41.52 | 58.66  | 3    | Horizontal | 187     | 2.02   | -       | 40.71 | 11.69 | 64.38 |  |  |  |
| RMS  | 13.81114G | 35.21    | 68.20    | -32.99 | 47.18  | 3    | Horizontal | 187     | 2.02   | -       | 40.72 | 11.69 | 64.38 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX


6905MHz\_TX

EUT\_Y\_4TX  
Setting 72  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.7115G  | 50.00    | 83.54    | -33.54 | 45.05  | 1    | Vertical  | 334     | 1.06   | -       | 37.90 | 15.75 | 48.70 |  |  |  |
| AV   | 20.71218G | 38.18    | 63.54    | -25.36 | 33.23  | 1    | Vertical  | 334     | 1.06   | -       | 37.90 | 15.75 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6905MHz\_TX



EUT\_Y\_4TX  
Setting 72  
03-P-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.71316G | 49.56    | 83.54    | -33.98 | 44.61  | 1    | Horizontal | 193     | 2.27   | -       | 37.90 | 15.75 | 48.70 |  |  |  |
| AV   | 20.7138G  | 38.41    | 63.54    | -25.13 | 33.46  | 1    | Horizontal | 193     | 2.27   | -       | 37.90 | 15.75 | 48.70 |  |  |  |




Test Mode: Mode 10

Summary

| Mode                                             | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 6.875-7.125GHz                                   | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX | Pass   | RMS  | 7.1294G      | 68.14             | 68.20             | -0.06          | 3           | Horizontal | -0             | 1.06          | -        |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 1\_4TX


7025MHz\_TX

EUT Y\_4TX  
Setting 70  
04-V-J-8-13

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.033G       | 118.15            | Inf               | -Inf           | 118.07        | 3           | Vertical  | 3              | 1.06          | -       | 35.20      | 7.24       | 42.36      |  |  |  |
| RMS  | 7.0182G      | 108.31            | Inf               | -Inf           | 108.29        | 3           | Vertical  | 3              | 1.06          | -       | 35.11      | 7.25       | 42.34      |  |  |  |
| PK   | 7.1318G      | 79.88             | 88.20             | -8.32          | 79.33         | 3           | Vertical  | 3              | 1.06          | -       | 35.83      | 7.22       | 42.50      |  |  |  |
| RMS  | 7.1282G      | 68.03             | 68.20             | -0.17          | 67.50         | 3           | Vertical  | 3              | 1.06          | -       | 35.81      | 7.22       | 42.50      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 1\_4TX


7025MHz\_TX

EUT Y\_4TX  
Setting 70  
04-V-J-8-13

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.019G       | 118.78            | Inf               | -Inf           | 118.76        | 3           | Horizontal | -0             | 1.06          | -       | 35.11      | 7.25       | 42.34      |  |  |  |
| RMS  | 7.0142G      | 108.90            | Inf               | -Inf           | 108.89        | 3           | Horizontal | -0             | 1.06          | -       | 35.09      | 7.25       | 42.33      |  |  |  |
| PK   | 7.135G       | 79.47             | 88.20             | -8.73          | 78.92         | 3           | Horizontal | -0             | 1.06          | -       | 35.84      | 7.22       | 42.51      |  |  |  |
| RMS  | 7.1294G      | 68.14             | 68.20             | -0.06          | 67.60         | 3           | Horizontal | -0             | 1.06          | -       | 35.82      | 7.22       | 42.50      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 1\_4TX


7025MHz\_TX

EUT Y\_4TX  
Setting 70  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.08861G    | 56.67             | 88.20             | -31.53         | 45.07         | 3           | Vertical  | 13             | 1.17          | -       | 41.35      | 13.05      | 42.80      |  |  |  |
| RMS  | 14.10603G    | 44.75             | 68.20             | -23.45         | 33.02         | 3           | Vertical  | 13             | 1.17          | -       | 41.41      | 13.08      | 42.76      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 1\_4TX


7025MHz\_TX

EUT Y\_4TX  
Setting 70  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.05871G    | 55.98             | 88.20             | -32.22         | 44.59         | 3           | Horizontal | 155            | 2.80          | -       | 41.23      | 13.01      | 42.85      |  |  |  |
| RMS  | 14.05908G    | 44.61             | 68.20             | -23.59         | 33.21         | 3           | Horizontal | 155            | 2.80          | -       | 41.24      | 13.01      | 42.85      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 1\_4TX


7025MHz\_TX

EUT Y\_4TX  
Setting 70  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.07292G    | 48.50             | 83.54             | -35.04         | 43.15         | 1           | Vertical  | 309            | 2.76          | -       | 38.00      | 16.04      | 48.69      |  |  |  |
| AV   | 21.12544G    | 36.47             | 63.54             | -27.07         | 31.05         | 1           | Vertical  | 309            | 2.76          | -       | 38.00      | 16.09      | 48.67      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 1\_4TX


7025MHz\_TX

EUT Y\_4TX  
Setting 70  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.03002G    | 46.94             | 83.54             | -36.60         | 41.62         | 1           | Horizontal | 10             | 2.89          | -       | 38.00      | 16.01      | 48.69      |  |  |  |
| AV   | 21.08735G    | 35.84             | 63.54             | -27.70         | 30.46         | 1           | Horizontal | 10             | 2.89          | -       | 38.00      | 16.06      | 48.68      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 4\_4TX


6985MHz\_TX

EUT\_Y\_4TX  
Setting 68  
04-V-J-8-13

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0095G      | 114.22            | Inf               | -Inf           | 114.23        | 3           | Vertical  | 1              | 1.06          | -       | 35.06      | 7.25       | 42.32      |  |  |  |
| RMS  | 6.9595G      | 104.12            | Inf               | -Inf           | 104.42        | 3           | Vertical  | 1              | 1.06          | -       | 34.84      | 7.21       | 42.35      |  |  |  |
| PK   | 7.1295G      | 79.56             | 88.20             | -8.64          | 79.02         | 3           | Vertical  | 1              | 1.06          | -       | 35.82      | 7.22       | 42.50      |  |  |  |
| RMS  | 7.1295G      | 67.04             | 68.20             | -1.16          | 66.50         | 3           | Vertical  | 1              | 1.06          | -       | 35.82      | 7.22       | 42.50      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 4\_4TX


6985MHz\_TX

EUT\_Y\_4TX  
Setting 68  
04-V-J-8-13

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.954G       | 114.24            | Inf               | -Inf           | 114.58        | 3           | Horizontal | 5              | 1.06          | -       | 34.82      | 7.20       | 42.36      |  |  |  |
| RMS  | 6.959G       | 103.90            | Inf               | -Inf           | 104.22        | 3           | Horizontal | 5              | 1.06          | -       | 34.84      | 7.20       | 42.36      |  |  |  |
| PK   | 7.125G       | 78.83             | 88.20             | -9.37          | 78.30         | 3           | Horizontal | 5              | 1.06          | -       | 35.80      | 7.22       | 42.49      |  |  |  |
| RMS  | 7.1345G      | 67.52             | 68.20             | -0.68          | 66.97         | 3           | Horizontal | 5              | 1.06          | -       | 35.84      | 7.22       | 42.51      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 4\_4TX


6985MHz\_TX

EUT Y\_4TX  
Setting 68  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.97963G    | 56.78             | 88.20             | -31.42         | 45.90         | 3           | Vertical  | 325            | 1.53          | -       | 40.92      | 12.90      | 42.94      |  |  |  |
| RMS  | 13.97087G    | 44.73             | 68.20             | -23.47         | 33.89         | 3           | Vertical  | 325            | 1.53          | -       | 40.88      | 12.89      | 42.93      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 4\_4TX


6985MHz\_TX

EUT Y\_4TX  
Setting 68  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.96967G    | 55.76             | 88.20             | -32.44         | 44.92         | 3           | Horizontal | 310            | 2.21          | -       | 40.88      | 12.89      | 42.93      |  |  |  |
| RMS  | 13.9559G     | 44.75             | 68.20             | -23.45         | 33.97         | 3           | Horizontal | 310            | 2.21          | -       | 40.82      | 12.87      | 42.91      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 4\_4TX


6985MHz\_TX

EUT Y\_4TX  
Setting 68  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.00245G    | 46.35             | 83.54             | -37.19         | 41.06         | 1           | Vertical  | 263            | 1.33          | -       | 38.00      | 15.99      | 48.70      |  |  |  |
| AV   | 20.99283G    | 35.44             | 63.54             | -28.10         | 30.17         | 1           | Vertical  | 263            | 1.33          | -       | 37.99      | 15.98      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 4\_4TX


6985MHz\_TX

EUT Y\_4TX  
Setting 68  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.01831G    | 46.64             | 83.54             | -36.90         | 41.34         | 1           | Horizontal | 87             | 2.22          | -       | 38.00      | 16.00      | 48.70      |  |  |  |
| AV   | 21.01232G    | 35.50             | 63.54             | -28.04         | 30.20         | 1           | Horizontal | 87             | 2.22          | -       | 38.00      | 16.00      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX


6985MHz\_TX

EUT\_Y\_4TX  
Setting 68  
04-V-J-8-13

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.913G       | 115.94            | Inf               | -Inf           | 116.55        | 3           | Vertical  | 10             | 1.05          | -       | 34.65      | 7.15       | 42.41      |  |  |  |
| RMS  | 6.923G       | 105.15            | Inf               | -Inf           | 105.68        | 3           | Vertical  | 10             | 1.05          | -       | 34.69      | 7.17       | 42.39      |  |  |  |
| PK   | 7.1385G      | 80.81             | 88.20             | -7.39          | 80.25         | 3           | Vertical  | 10             | 1.05          | -       | 35.85      | 7.22       | 42.51      |  |  |  |
| RMS  | 7.1335G      | 68.10             | 68.20             | -0.10          | 67.55         | 3           | Vertical  | 10             | 1.05          | -       | 35.83      | 7.22       | 42.50      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX


6985MHz\_TX

EUT\_Y\_4TX  
Setting 68  
04-V-J-8-13

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.928G       | 115.05            | Inf               | -Inf           | 115.56        | 3           | Horizontal | 10             | 1.08          | -       | 34.71      | 7.17       | 42.39      |  |  |  |
| RMS  | 6.923G       | 105.00            | Inf               | -Inf           | 105.53        | 3           | Horizontal | 10             | 1.08          | -       | 34.69      | 7.17       | 42.39      |  |  |  |
| PK   | 7.1285G      | 80.39             | 88.20             | -7.81          | 79.86         | 3           | Horizontal | 10             | 1.08          | -       | 35.81      | 7.22       | 42.50      |  |  |  |
| RMS  | 7.1285G      | 67.37             | 68.20             | -0.83          | 66.84         | 3           | Horizontal | 10             | 1.08          | -       | 35.81      | 7.22       | 42.50      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX


6985MHz\_TX

EUT Y\_4TX  
Setting 68  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.86638G    | 55.81             | 88.20             | -32.39         | 45.23         | 3           | Vertical  | 5              | 2.16          | -       | 40.60      | 12.78      | 42.80      |  |  |  |
| RMS  | 13.86924G    | 44.67             | 68.20             | -23.53         | 34.07         | 3           | Vertical  | 5              | 2.16          | -       | 40.62      | 12.78      | 42.80      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX


6985MHz\_TX

EUT Y\_4TX  
Setting 68  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.96714G    | 55.60             | 88.20             | -32.60         | 44.77         | 3           | Horizontal | 73             | 1.32          | -       | 40.87      | 12.89      | 42.93      |  |  |  |
| RMS  | 13.97124G    | 44.69             | 68.20             | -23.51         | 33.85         | 3           | Horizontal | 73             | 1.32          | -       | 40.88      | 12.89      | 42.93      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX


6985MHz\_TX

EUT Y\_4TX  
Setting 68  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.97073G    | 47.78             | 83.54             | -35.76         | 42.58         | 1           | Vertical  | 186            | 1.56          | -       | 37.94      | 15.96      | 48.70      |  |  |  |
| AV   | 20.99426G    | 36.80             | 63.54             | -26.74         | 31.53         | 1           | Vertical  | 186            | 1.56          | -       | 37.99      | 15.98      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX


6985MHz\_TX

EUT Y\_4TX  
Setting 68  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 21.00596G    | 46.33             | 83.54             | -37.21         | 41.04         | 1           | Horizontal | 307            | 1.22          | -       | 38.00      | 15.99      | 48.70      |  |  |  |  |
| AV   | 20.99816G    | 35.40             | 63.54             | -28.14         | 30.12         | 1           | Horizontal | 307            | 1.22          | -       | 38.00      | 15.98      | 48.70      |  |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 2\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 65  
04-V-J-8-13

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.7664G      | 112.21            | Inf               | -Inf           | 113.73        | 3           | Vertical  | -0             | 1.05          | -       | 34.03      | 7.02       | 42.57      |  |  |  |
| RMS  | 6.7664G      | 101.00            | Inf               | -Inf           | 102.52        | 3           | Vertical  | -0             | 1.05          | -       | 34.03      | 7.02       | 42.57      |  |  |  |
| PK   | 7.1306G      | 83.56             | 88.20             | -4.64          | 83.02         | 3           | Vertical  | -0             | 1.05          | -       | 35.82      | 7.22       | 42.50      |  |  |  |
| RMS  | 7.136G       | 66.85             | 68.20             | -1.35          | 66.30         | 3           | Vertical  | -0             | 1.05          | -       | 35.84      | 7.22       | 42.51      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 2\_4TX


6905MHz\_TX

EUT\_Y\_4TX  
Setting 65  
04-V-J-8-13

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.8516G      | 110.42            | Inf               | -Inf           | 111.49        | 3           | Horizontal | 17             | 1.06          | -       | 34.31      | 7.09       | 42.47      |  |  |  |
| RMS  | 6.8768G      | 99.84             | Inf               | -Inf           | 100.72        | 3           | Horizontal | 17             | 1.06          | -       | 34.46      | 7.11       | 42.45      |  |  |  |
| PK   | 7.1306G      | 82.74             | 88.20             | -5.46          | 82.20         | 3           | Horizontal | 17             | 1.06          | -       | 35.82      | 7.22       | 42.50      |  |  |  |
| RMS  | 7.1306G      | 65.65             | 68.20             | -2.55          | 65.11         | 3           | Horizontal | 17             | 1.06          | -       | 35.82      | 7.22       | 42.50      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 2\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 65  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 13.79911G    | 56.22             | 88.20             | -31.98         | 45.82         | 3           | Vertical  | 140            | 1.32          | -       | 40.40      | 12.71      | 42.71      |  |  |  |  |
| RMS  | 13.80038G    | 44.92             | 68.20             | -23.28         | 34.52         | 3           | Vertical  | 140            | 1.32          | -       | 40.40      | 12.71      | 42.71      |  |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 2\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 65  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.81588G    | 56.99             | 88.20             | -31.21         | 46.56         | 3           | Horizontal | 135            | 2.42          | -       | 40.43      | 12.73      | 42.73      |  |  |  |
| RMS  | 13.81333G    | 44.94             | 68.20             | -23.26         | 34.51         | 3           | Horizontal | 135            | 2.42          | -       | 40.43      | 12.73      | 42.73      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 2\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 65  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.66911G    | 45.44             | 83.54             | -38.10         | 40.52         | 1           | Vertical  | 117            | 2.53          | -       | 37.90      | 15.72      | 48.70      |  |  |  |
| AV   | 20.65065G    | 34.16             | 63.54             | -29.38         | 29.26         | 1           | Vertical  | 117            | 2.53          | -       | 37.90      | 15.70      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 2\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 65  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.65234G    | 46.08             | 83.54             | -37.46         | 41.18         | 1           | Horizontal | 321            | 1.36          | -       | 37.90      | 15.70      | 48.70      |  |  |  |
| AV   | 20.67545G    | 35.09             | 63.54             | -28.45         | 30.17         | 1           | Horizontal | 321            | 1.36          | -       | 37.90      | 15.72      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 1\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 65  
04-V-J-8-13

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.8618G      | 112.09            | Inf               | -Inf           | 113.08        | 3           | Vertical  | 357            | 1.06          | -       | 34.37      | 7.10       | 42.46      |  |  |  |
| RMS  | 6.8666G      | 101.59            | Inf               | -Inf           | 102.55        | 3           | Vertical  | 357            | 1.06          | -       | 34.40      | 7.10       | 42.46      |  |  |  |
| PK   | 7.1306G      | 82.53             | 88.20             | -5.67          | 81.99         | 3           | Vertical  | 357            | 1.06          | -       | 35.82      | 7.22       | 42.50      |  |  |  |
| RMS  | 7.136G       | 67.54             | 68.20             | -0.66          | 66.99         | 3           | Vertical  | 357            | 1.06          | -       | 35.84      | 7.22       | 42.51      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 1\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 65  
04-V-J-8-13

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.8666G      | 112.14            | Inf               | -Inf           | 113.10        | 3           | Horizontal | 357            | 1.05          | -       | 34.40      | 7.10       | 42.46      |  |  |  |
| RMS  | 6.8618G      | 101.68            | Inf               | -Inf           | 102.67        | 3           | Horizontal | 357            | 1.05          | -       | 34.37      | 7.10       | 42.46      |  |  |  |
| PK   | 7.1306G      | 83.11             | 88.20             | -5.09          | 82.57         | 3           | Horizontal | 357            | 1.05          | -       | 35.82      | 7.22       | 42.50      |  |  |  |
| RMS  | 7.136G       | 67.85             | 68.20             | -0.35          | 67.30         | 3           | Horizontal | 357            | 1.05          | -       | 35.84      | 7.22       | 42.51      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 1\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 65  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.8208G     | 56.02             | 88.20             | -32.18         | 45.59         | 3           | Vertical  | 287            | 2.28          | -       | 40.44      | 12.73      | 42.74      |  |  |  |
| RMS  | 13.8199G     | 44.88             | 68.20             | -23.32         | 34.45         | 3           | Vertical  | 287            | 2.28          | -       | 40.44      | 12.73      | 42.74      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 1\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 65  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.80298G    | 56.30             | 88.20             | -31.90         | 45.88         | 3           | Horizontal | 10             | 1.54          | -       | 40.41      | 12.72      | 42.71      |  |  |  |
| RMS  | 13.81033G    | 45.13             | 68.20             | -23.07         | 34.71         | 3           | Horizontal | 10             | 1.54          | -       | 40.42      | 12.72      | 42.72      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 1\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 65  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.72961G    | 45.66             | 83.54             | -37.88         | 40.70         | 1           | Vertical  | 93             | 1.41          | -       | 37.90      | 15.76      | 48.70      |  |  |  |
| AV   | 20.72565G    | 34.66             | 63.54             | -28.88         | 29.70         | 1           | Vertical  | 93             | 1.41          | -       | 37.90      | 15.76      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 1\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 65  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.76804G    | 46.61             | 83.54             | -36.93         | 41.61         | 1           | Horizontal | 45             | 1.65          | -       | 37.90      | 15.80      | 48.70      |  |  |  |
| AV   | 20.7643G     | 35.15             | 63.54             | -28.39         | 30.16         | 1           | Horizontal | 45             | 1.65          | -       | 37.90      | 15.79      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 63  
04-V-J-8-13

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.8366G      | 112.76            | Inf               | -Inf           | 113.93        | 3           | Vertical  | 357            | 1.07          | -       | 34.25      | 7.07       | 42.49      |  |  |  |
| RMS  | 6.8618G      | 102.14            | Inf               | -Inf           | 103.13        | 3           | Vertical  | 357            | 1.07          | -       | 34.37      | 7.10       | 42.46      |  |  |  |
| PK   | 7.154G       | 81.66             | 88.20             | -6.54          | 81.06         | 3           | Vertical  | 357            | 1.07          | -       | 35.91      | 7.22       | 42.53      |  |  |  |
| RMS  | 7.1258G      | 67.44             | 68.20             | -0.76          | 66.91         | 3           | Vertical  | 357            | 1.07          | -       | 35.80      | 7.22       | 42.49      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX


6905MHz\_TX

EUT\_Y\_4TX  
Setting 63  
04-V-J-8-13

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.8624G      | 111.28            | Inf               | -Inf           | 112.27        | 3           | Horizontal | 352            | 1.08          | -       | 34.37      | 7.10       | 42.46      |  |  |  |
| RMS  | 6.863G       | 101.44            | Inf               | -Inf           | 102.42        | 3           | Horizontal | 352            | 1.08          | -       | 34.38      | 7.10       | 42.46      |  |  |  |
| PK   | 7.1378G      | 82.03             | 88.20             | -6.17          | 81.47         | 3           | Horizontal | 352            | 1.08          | -       | 35.85      | 7.22       | 42.51      |  |  |  |
| RMS  | 7.1372G      | 65.82             | 68.20             | -2.38          | 65.26         | 3           | Horizontal | 352            | 1.08          | -       | 35.85      | 7.22       | 42.51      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 63  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.7908G     | 56.18             | 88.20             | -32.02         | 45.80         | 3           | Vertical  | 80             | 1.86          | -       | 40.38      | 12.70      | 42.70      |  |  |  |
| RMS  | 13.7863G     | 44.91             | 68.20             | -23.29         | 34.53         | 3           | Vertical  | 80             | 1.86          | -       | 40.37      | 12.70      | 42.69      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 63  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.8799G     | 56.26             | 88.20             | -31.94         | 45.59         | 3           | Horizontal | 97             | 1.89          | -       | 40.68      | 12.80      | 42.81      |  |  |  |
| RMS  | 13.86319G    | 45.00             | 68.20             | -23.20         | 34.43         | 3           | Horizontal | 97             | 1.89          | -       | 40.58      | 12.78      | 42.79      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX


6905MHz\_TX

EUT Y\_4TX  
Setting 63  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.70195G    | 45.92             | 83.54             | -37.62         | 40.98         | 1           | Vertical  | 11             | 1.76          | -       | 37.90      | 15.74      | 48.70      |  |  |  |
| AV   | 20.72655G    | 34.71             | 63.54             | -28.83         | 29.75         | 1           | Vertical  | 11             | 1.76          | -       | 37.90      | 15.76      | 48.70      |  |  |  |


6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6905MHz\_TX

EUT Y\_4TX  
Setting 63  
04-V-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.7168G     | 46.21             | 83.54             | -37.33         | 41.26         | 1           | Horizontal | 360            | 1.35          | -       | 37.90      | 15.75      | 48.70      |  |  |  |
| AV   | 20.72241G    | 34.78             | 63.54             | -28.76         | 29.82         | 1           | Horizontal | 360            | 1.35          | -       | 37.90      | 15.76      | 48.70      |  |  |  |

Test Mode: Mode 1




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6415MHz\_TX

23/10/2024




6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6435MHz\_TX

23/10/2024




6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6475MHz\_TX

23/10/2024




6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6515MHz\_TX

23/10/2024




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6535MHz\_TX

23/10/2024




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TX

23/10/2024




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6875MHz\_TX

23/10/2024




6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6895MHz\_TX

23/10/2024




6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6995MHz\_TX

23/10/2024




6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

7095MHz\_TX

23/10/2024



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

5965MHz\_TX

23/10/2024

CF (Hz)  
5.965G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
20m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 5.978847G | -10.02   | 6.02615G | -62.64     | -50.02     | -12.62     | 1    |
| 5.978697G | -9.71    | 6.0262G  | -62.77     | -49.71     | -13.06     | 2    |
| 5.982696G | -10.04   | 6.0263G  | -62.14     | -50.04     | -12.10     | 3    |
| 5.982296G | -10.77   | 6.02615G | -63.34     | -50.77     | -12.57     | 4    |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6205MHz\_TX

23/10/2024

CF (Hz)  
6.205G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
20m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4


| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.198752G | -9.27    | 6.1439G  | -61.88     | -49.11     | -12.77     | 1    |
| 6.222596G | -9.03    | 6.1436G  | -62.20     | -49.03     | -13.17     | 2    |
| 6.213848G | -9.65    | 6.2665G  | -62.48     | -49.65     | -12.83     | 3    |
| 6.207099G | -10.71   | 6.14375G | -63.32     | -50.71     | -12.61     | 4    |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6405MHz\_TX

23/10/2024




6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6445MHz\_TX

23/10/2024




## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

## 6485MHz\_TX

23/10/2024




## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

## 6525MHz\_TX

24/10/2024




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6565MHz\_TX

24/10/2024




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

24/10/2024




## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

## 6885MHz\_TX

24/10/2024




## 6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

## 6925MHz\_TX

24/10/2024




6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

7005MHz\_TX

24/10/2024




6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

7085MHz\_TX

24/10/2024




## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 5985MHz\_TX

23/10/2024

CF (Hz)  
5.985G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 5.9973G | -7.25    | 6.1451G  | -57.42     | -47.25     | -10.17     | 1    |
| 5.9998G | -6.95    | 6.1073G  | -58.67     | -46.95     | -11.72     | 2    |
| 5.9976G | -6.83    | 6.1077G  | -58.14     | -46.83     | -11.31     | 3    |
| 5.9991G | -7.16    | 6.1072G  | -58.35     | -47.16     | -11.19     | 4    |

Port 1  
Port 2  
Port 3  
Port 4


## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6225MHz\_TX

23/10/2024

CF (Hz)  
6.225G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.2404G  | -7.22    | 6.065G   | -56.87     | -47.22     | -9.65      | 1    |
| 6.2399G  | -7.01    | 6.1032G  | -58.95     | -46.73     | -12.22     | 2    |
| 6.25359G | -6.19    | 6.1025G  | -58.77     | -46.02     | -12.75     | 3    |
| 6.2362G  | -6.80    | 6.1029G  | -58.91     | -46.70     | -12.21     | 4    |

Port 1  
Port 2  
Port 3  
Port 4


## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6385MHz\_TX

23/10/2024

CF (Hz)  
6.385G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.3969G | -6.99    | 6.2249G  | -56.46     | -46.99     | -9.47      | 1    |
| 6.3977G | -6.96    | 6.2622G  | -60.04     | -46.96     | -13.08     | 2    |
| 6.3926G | -6.56    | 6.2633G  | -58.75     | -46.44     | -12.31     | 3    |
| 6.3924G | -6.83    | 6.2625G  | -59.20     | -46.83     | -12.37     | 4    |


## 6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6465MHz\_TX

24/10/2024

CF (Hz)  
6.465G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.454G  | -6.51    | 6.305G   | -55.77     | -46.51     | -9.26      | 1    |
| 6.476G  | -6.57    | 6.5878G  | -59.41     | -46.57     | -12.84     | 2    |
| 6.449G  | -6.10    | 6.5873G  | -58.97     | -45.97     | -13.00     | 3    |
| 6.4759G | -6.27    | 6.5872G  | -58.70     | -46.11     | -12.59     | 4    |

## 6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6545MHz\_TX

24/10/2024




## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6625MHz\_TX

24/10/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

24/10/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

24/10/2024




## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6865MHz\_TX

24/10/2024




## 6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6945MHz\_TX

24/10/2024




## 6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 7025MHz\_TX

24/10/2024




## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

## 6025MHz\_TX

23/10/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6185MHz\_TX

23/10/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6345MHz\_TX

23/10/2024




## 6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

## 6505MHz\_TX

24/10/2024




## 6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

## 6665MHz\_TX

24/10/2024




## 6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

## 6825MHz\_TX

24/10/2024

CF (Hz)  
6.825G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.76781G | -3.18    | 6.5816G  | -54.05     | -42.77     | -11.28     | 1    |
| 6.74962G | -2.62    | 6.582G   | -53.82     | -41.87     | -11.95     | 2    |
| 6.74962G | -2.74    | 6.5824G  | -54.14     | -41.93     | -12.21     | 3    |
| 6.76222G | -2.62    | 6.5824G  | -52.48     | -42.10     | -10.38     | 4    |


## 6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

## 6985MHz\_TX

24/10/2024

CF (Hz)  
6.985G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
20m  
Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 7.00899G | -4.24    | 6.7416G  | -52.45     | -43.55     | -8.90      | 1    |
| 6.90842G | -3.71    | 6.7412G  | -51.95     | -43.27     | -8.68      | 2    |
| 6.92262G | -4.19    | 6.7418G  | -51.97     | -43.75     | -8.22      | 3    |
| 6.96101G | -4.20    | 6.7418G  | -53.03     | -43.67     | -9.36      | 4    |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6105MHz\_TX

23/10/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6265MHz\_TX

23/10/2024




## 6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

## 6585MHz\_TX

23/10/2024




## 6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

## 6745MHz\_TX

23/10/2024




6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6905MHz\_TX

23/10/2024




Test Mode: Mode 2

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6535MHz\_TX

27/11/2024




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TX

27/11/2024



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6875MHz\_TX

27/11/2024

CF (Hz)  
6.875G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.882548G | -14.77   | 6.9126G   | -59.07     | -54.77     | -4.30      | 1    |
| 6.878799G | -14.05   | 6.924225G | -58.43     | -54.05     | -4.38      | 2    |
| 6.870026G | -13.38   | 6.913225G | -58.87     | -53.38     | -5.49      | 3    |
| 6.869976G | -14.38   | 6.91665G  | -59.01     | -54.38     | -4.63      | 4    |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6895MHz\_TX

27/11/2024

CF (Hz)  
6.895G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.897499G | -14.55   | 6.9364G   | -58.84     | -54.55     | -4.29      | 1    |
| 6.900049G | -14.26   | 6.942975G | -58.23     | -54.26     | -3.97      | 2    |
| 6.902473G | -14.04   | 6.93835G  | -58.86     | -54.04     | -4.82      | 3    |
| 6.901273G | -14.04   | 6.934G    | -58.72     | -54.04     | -4.68      | 4    |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6995MHz\_TX

27/11/2024

CF (Hz)  
6.995G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.991276G | -14.94   | 6.9533G   | -58.66     | -54.94     | -3.72      | 1    |
| 6.992501G | -14.69   | 6.958125G | -58.22     | -54.69     | -3.53      | 2    |
| 6.990001G | -14.09   | 6.961775G | -58.62     | -54.09     | -4.53      | 3    |
| 6.988802G | -14.18   | 6.9517G   | -58.59     | -54.18     | -4.41      | 4    |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

7095MHz\_TX

27/11/2024

CF (Hz)  
7.095G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 


| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 7.09375G  | -15.47   | 7.138125G | -59.54     | -55.47     | -4.07      | 1    |
| 7.102448G | -14.78   | 7.138975G | -58.85     | -54.78     | -4.07      | 2    |
| 7.090001G | -14.11   | 7.12675G  | -59.71     | -54.11     | -5.60      | 3    |
| 7.098774G | -13.92   | 7.136225G | -59.71     | -53.92     | -5.79      | 4    |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6565MHz\_TX

27/11/2024




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

27/11/2024




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6885MHz\_TX

27/11/2024




6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6925MHz\_TX

27/11/2024




6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

7005MHz\_TX

27/11/2024




6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

7085MHz\_TX

27/11/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6625MHz\_TX

27/11/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

27/11/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

27/11/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6865MHz\_TX

27/11/2024




6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6945MHz\_TX

27/11/2024

CF (Hz)  
6.945G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

7025MHz\_TX

27/11/2024

CF (Hz)  
7.025G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




Port 1  
Port 2  
Port 3  
Port 4

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6665MHz\_TX

27/11/2024




6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6825MHz\_TX

27/11/2024




## 6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

## 6985MHz\_TX

27/11/2024

CF (Hz)  
6.985G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 7.00999G | -5.81    | 7.382G   | -49.04     | -45.81     | -3.23      | 1    |
| 6.95761G | -5.42    | 7.3808G  | -48.49     | -45.42     | -3.07      | 2    |
| 6.96021G | -5.39    | 7.3574G  | -49.11     | -45.39     | -3.72      | 3    |
| 6.90942G | -4.05    | 7.3818G  | -48.99     | -44.05     | -4.94      | 4    |

Port 1  
Port 2  
Port 3  
Port 4


## 6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

## 6745MHz\_TX

27/11/2024

CF (Hz)  
6.745G  
Span (Hz)  
1.6G  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
6.4m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.71101G | -3.20    | 7.4918G  | -46.54     | -43.20     | -3.34      | 1    |
| 6.70901G | -3.45    | 7.4846G  | -45.86     | -43.45     | -2.41      | 2    |
| 6.71301G | -3.57    | 7.4802G  | -46.53     | -43.57     | -2.96      | 3    |
| 6.78899G | -3.55    | 7.4922G  | -46.53     | -43.55     | -2.98      | 4    |


Port 1  
Port 2  
Port 3  
Port 4

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6905MHz\_TX

27/11/2024




Test Mode: Mode 3

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

5955MHz\_TX

14/11/2024




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6195MHz\_TX

14/11/2024




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6415MHz\_TX

14/11/2024




6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6435MHz\_TX

14/11/2024




6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6475MHz\_TX

14/11/2024

CF (Hz)  
6.475G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.469926G | -7.72    | 6.50565G  | -60.86     | -46.73     | -14.13     | 1    |
| 6.471251G | -7.45    | 6.444425G | -60.32     | -46.85     | -13.47     | 2    |


6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6515MHz\_TX

14/11/2024

CF (Hz)  
6.515G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2


| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.517499G | -7.66    | 6.479975G | -61.90     | -47.66     | -14.24     | 1    |
| 6.521248G | -7.11    | 6.484375G | -60.26     | -45.73     | -14.53     | 2    |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6535MHz\_TX

14/11/2024




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6695MHz\_TX

14/11/2024




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6875MHz\_TX

14/11/2024




6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6895MHz\_TX

14/11/2024




6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6995MHz\_TX

14/11/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.99375G  | -7.21    | 6.95875G | -61.34     | -47.21     | -14.13     | 1    |
| 6.993775G | -6.30    | 6.96285G | -61.07     | -46.09     | -14.98     | 2    |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

7095MHz\_TX

14/11/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 7.090351G | -7.56    | 7.063875G | -60.95     | -46.93     | -14.02     | 1    |
| 7.097474G | -6.62    | 7.064425G | -60.71     | -45.45     | -15.26     | 2    |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

5965MHz\_TX

15/11/2024




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6205MHz\_TX

15/11/2024




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6405MHz\_TX

15/11/2024




6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6445MHz\_TX

15/11/2024




6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6485MHz\_TX

15/11/2024




6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6525MHz\_TX

15/11/2024




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6565MHz\_TX

15/11/2024




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6685MHz\_TX

15/11/2024




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6885MHz\_TX

15/11/2024




6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6925MHz\_TX

15/11/2024




6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

7005MHz\_TX

15/11/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.992503G | -2.92    | 6.94295G | -55.18     | -42.92     | -12.26     | 1    |
| 6.997452G | -3.05    | 6.9435G  | -55.14     | -43.05     | -12.09     | 2    |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

7085MHz\_TX

15/11/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 7.087799G | -3.53    | 7.1466G  | -56.21     | -43.53     | -12.68     | 1    |
| 7.087699G | -2.99    | 7.0236G  | -55.78     | -42.99     | -12.79     | 2    |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

5985MHz\_TX

15/11/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6225MHz\_TX

15/11/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6385MHz\_TX

15/11/2024




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.3729G | -1.95    | 6.2252G  | -52.11     | -41.95     | -10.16     | 1    |
| 6.3758G | -1.60    | 6.5081G  | -51.10     | -41.60     | -9.50      | 2    |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6465MHz\_TX

15/11/2024




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.4542G | -1.29    | 6.305G   | -51.12     | -41.29     | -9.83      | 1    |
| 6.4559G | -1.29    | 6.5912G  | -51.30     | -41.29     | -10.01     | 2    |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6545MHz\_TX

15/11/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6625MHz\_TX

15/11/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6705MHz\_TX

15/11/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6785MHz\_TX

15/11/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6865MHz\_TX

15/11/2024




6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6945MHz\_TX

15/11/2024




6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

7025MHz\_TX

15/11/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6025MHz\_TX

15/11/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6185MHz\_TX

15/11/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.26058G | 0.37     | 6.4286G  | -49.08     | -39.54     | -9.54      | 1    |
| 6.24818G | 1.00     | 6.4274G  | -48.03     | -38.83     | -9.20      | 2    |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6345MHz\_TX

15/11/2024



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.37059G | 0.95     | 6.586G   | -47.36     | -38.48     | -8.88      | 1    |
| 6.31981G | 0.91     | 6.5884G  | -47.11     | -38.97     | -8.14      | 2    |

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6505MHz\_TX

15/11/2024

CF (Hz)  
6.505G


Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.47841G | 1.34     | 6.7478G  | -46.23     | -38.55     | -7.68      | 1    |
| 6.42922G | 1.55     | 6.771G   | -47.63     | -38.36     | -9.27      | 2    |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6665MHz\_TX

15/11/2024

CF (Hz)  
6.665G


Span (Hz)  
1G

RBW (Hz)  
800M

VBW (Hz)  
2M

Sweep Time (s)  
10M

Detector Type  
RMS



Port 1 

Port 2 


| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.58862G | 2.38     | 6.923G   | -45.50     | -37.43     | -8.07      | 1    |
| 6.60701G | 1.57     | 6.4216G  | -46.12     | -37.46     | -8.66      | 2    |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6825MHz\_TX

15/11/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.74882G | 2.22     | 6.5564G  | -47.65     | -37.78     | -9.87      | 1    |
| 6.76222G | 1.97     | 7.0862G  | -46.84     | -38.03     | -8.81      | 2    |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6985MHz\_TX

15/11/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.92062G | 2.13     | 6.7168G  | -43.40     | -37.87     | -5.53      | 1    |
| 6.95941G | 2.52     | 6.7174G  | -42.52     | -37.48     | -5.04      | 2    |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

MASK

6105MHz\_TX

15/11/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

MASK

6265MHz\_TX

15/11/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

MASK

6425MHz\_TX

15/11/2024




6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

MASK

6585MHz\_TX

15/11/2024




6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

MASK

6745MHz\_TX

15/11/2024




6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

MASK

6905MHz\_TX

15/11/2024




Test Mode: Mode 4

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

5955MHz\_TX

22/10/2024




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6195MHz\_TX

22/10/2024




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6415MHz\_TX

22/10/2024




6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6435MHz\_TX

23/10/2024




6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6475MHz\_TX

23/10/2024




6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6515MHz\_TX

23/10/2024




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6535MHz\_TX

23/10/2024




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TX

23/10/2024




## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

## 6875MHz\_TX

23/10/2024




## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

## 6895MHz\_TX

23/10/2024



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6995MHz\_TX

23/10/2024

CF (Hz)  
6.995G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 7.001248G | -16.61   | 6.958625G | -62.15     | -56.61     | -5.54      | 1    |
| 6.999949G | -15.84   | 6.94615G  | -62.42     | -55.84     | -6.58      | 2    |
| 6.991301G | -16.82   | 6.963125G | -62.72     | -56.82     | -5.90      | 3    |
| 7.002473G | -15.44   | 6.960075G | -62.30     | -55.44     | -6.86      | 4    |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

7095MHz\_TX

23/10/2024

CF (Hz)  
7.095G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 7.097499G | -16.51   | 7.14295G  | -63.18     | -56.51     | -6.67      | 1    |
| 7.091251G | -16.14   | 7.1389G   | -63.00     | -56.14     | -6.86      | 2    |
| 7.090126G | -16.85   | 7.131575G | -63.61     | -56.85     | -6.76      | 3    |
| 7.098774G | -15.47   | 7.142575G | -63.42     | -55.47     | -7.95      | 4    |


## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

## 5965MHz\_TX

22/10/2024

CF (Hz)  
5.965G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 5.981246G | -13.99   | 6.0413G  | -62.17     | -53.99     | -8.18      | 1    |
| 5.979946G | -14.68   | 6.027G   | -61.77     | -54.68     | -7.09      | 2    |
| 5.982546G | -13.61   | 6.0304G  | -62.17     | -53.61     | -8.56      | 3    |
| 5.979946G | -14.34   | 6.04825G | -62.19     | -54.34     | -7.85      | 4    |


## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

## 6205MHz\_TX

22/10/2024

CF (Hz)  
6.205G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.209849G | -11.67   | 6.27185G | -59.05     | -51.67     | -7.38      | 1    |
| 6.212548G | -12.23   | 6.2687G  | -59.17     | -52.23     | -6.94      | 2    |
| 6.220796G | -11.83   | 6.2992G  | -59.52     | -51.83     | -7.69      | 3    |
| 6.196252G | -12.09   | 6.28765G | -59.63     | -52.09     | -7.54      | 4    |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6405MHz\_TX

22/10/2024




6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6445MHz\_TX

23/10/2024



6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6485MHz\_TX

23/10/2024

CF (Hz)  
6.485G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.481751G | -12.65   | 6.4169G  | -59.62     | -52.65     | -6.97      | 1    |
| 6.482451G | -11.85   | 6.4235G  | -59.36     | -51.85     | -7.51      | 2    |
| 6.501146G | -12.67   | 6.3997G  | -59.84     | -52.67     | -7.17      | 3    |
| 6.471353G | -12.77   | 6.4143G  | -59.71     | -52.77     | -6.94      | 4    |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6525MHz\_TX

23/10/2024

CF (Hz)  
6.525G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.522601G | -12.72   | 6.4594G  | -59.50     | -52.72     | -6.78      | 1    |
| 6.529849G | -11.60   | 6.4324G  | -59.38     | -51.60     | -7.78      | 2    |
| 6.533698G | -12.37   | 6.46265G | -59.92     | -52.37     | -7.55      | 3    |
| 6.521851G | -12.92   | 6.4468G  | -59.34     | -52.92     | -6.42      | 4    |


6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6565MHz\_TX

24/10/2024

CF (Hz)  
6.565G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.560201G | -11.65   | 6.48445G | -59.16     | -51.65     | -7.51      | 1    |
| 6.570349G | -11.23   | 6.47345G | -59.19     | -51.23     | -7.96      | 2    |
| 6.569999G | -11.27   | 6.5041G  | -59.22     | -51.27     | -7.95      | 3    |
| 6.578797G | -11.82   | 6.5037G  | -59.49     | -51.82     | -7.67      | 4    |

Port 1  
Port 2  
Port 3  
Port 4


6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

24/10/2024

CF (Hz)  
6.685G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.680351G | -11.85   | 6.77885G | -59.93     | -51.85     | -8.08      | 1    |
| 6.682451G | -11.39   | 6.7465G  | -59.76     | -51.39     | -8.37      | 2    |
| 6.673803G | -11.75   | 6.74655G | -59.75     | -51.75     | -8.00      | 3    |
| 6.687249G | -11.17   | 6.78265G | -60.01     | -51.17     | -8.84      | 4    |

Port 1  
Port 2  
Port 3  
Port 4


## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

## 6885MHz\_TX

24/10/2024

CF (Hz)  
6.885G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.888749G | -12.02   | 6.97975G | -58.32     | -52.02     | -6.30      | 1    |
| 6.879901G | -10.84   | 6.96155G | -58.33     | -50.84     | -7.49      | 2    |
| 6.882501G | -11.35   | 6.98005G | -58.70     | -51.35     | -7.35      | 3    |
| 6.878652G | -11.33   | 6.96585G | -58.44     | -51.33     | -7.11      | 4    |


## 6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

## 6925MHz\_TX

23/10/2024

CF (Hz)  
6.925G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.928999G | -12.53   | 7.00105G | -58.18     | -52.53     | -5.65      | 1    |
| 6.920001G | -11.95   | 7.0093G  | -58.25     | -51.95     | -6.30      | 2    |
| 6.918702G | -11.94   | 6.9865G  | -58.26     | -51.94     | -6.32      | 3    |
| 6.918752G | -11.51   | 6.9897G  | -58.43     | -51.51     | -6.92      | 4    |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

7005MHz\_TX

23/10/2024




6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

7085MHz\_TX

23/10/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

5985MHz\_TX

22/10/2024




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6225MHz\_TX

22/10/2024




## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6385MHz\_TX

22/10/2024

CF (Hz)  
6.385G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.3773G | -9.02    | 6.5093G  | -56.43     | -49.02     | -7.41      | 1    |
| 6.3938G | -9.38    | 6.2581G  | -56.25     | -49.38     | -6.87      | 2    |
| 6.3939G | -8.80    | 6.263G   | -56.55     | -48.80     | -7.75      | 3    |
| 6.371G  | -9.50    | 6.2584G  | -56.92     | -49.50     | -7.42      | 4    |


## 6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6465MHz\_TX

24/10/2024

CF (Hz)  
6.465G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.4487G | -10.24   | 6.3051G  | -56.37     | -50.24     | -6.13      | 1    |
| 6.4571G | -9.74    | 6.3105G  | -56.48     | -49.74     | -6.74      | 2    |
| 6.4579G | -9.32    | 6.3205G  | -56.59     | -49.32     | -7.27      | 3    |
| 6.4517G | -9.85    | 6.3392G  | -56.55     | -49.85     | -6.70      | 4    |


## 6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6545MHz\_TX

24/10/2024

CF (Hz)  
6.545G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.5318G | -9.60    | 6.3852G  | -55.78     | -49.60     | -6.18      | 1    |
| 6.5521G | -9.61    | 6.3781G  | -56.60     | -49.61     | -6.99      | 2    |
| 6.5367G | -9.34    | 6.3889G  | -56.43     | -49.34     | -7.09      | 3    |
| 6.557G  | -9.68    | 6.4202G  | -56.46     | -49.68     | -6.78      | 4    |

Port 1  
Port 2  
Port 3  
Port 4


## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6625MHz\_TX

24/10/2024

CF (Hz)  
6.625G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.6098G | -9.48    | 6.4647G  | -55.92     | -49.48     | -6.44      | 1    |
| 6.6117G | -8.51    | 6.5031G  | -55.69     | -48.45     | -7.24      | 2    |
| 6.6132G | -8.97    | 6.4725G  | -56.32     | -48.97     | -7.35      | 3    |
| 6.614G  | -8.96    | 6.4516G  | -55.93     | -48.96     | -6.97      | 4    |


Port 1  
Port 2  
Port 3  
Port 4

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

24/10/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

24/10/2024




## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6865MHz\_TX

24/10/2024

CF (Hz)  
6.865G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.8578G | -9.83    | 6.7052G  | -52.89     | -49.83     | -3.06      | 1    |
| 6.8516G | -8.21    | 6.9875G  | -55.03     | -48.21     | -6.82      | 2    |
| 6.859G  | -8.78    | 6.9886G  | -55.38     | -48.78     | -6.60      | 3    |
| 6.8495G | -8.67    | 6.9915G  | -55.42     | -48.67     | -6.75      | 4    |

Port 1  
Port 2  
Port 3  
Port 4


## 6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 6945MHz\_TX

24/10/2024

CF (Hz)  
6.945G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.9303G | -10.74   | 6.7848G  | -54.47     | -50.74     | -3.73      | 1    |
| 6.9353G | -9.87    | 6.7848G  | -55.99     | -49.87     | -6.12      | 2    |
| 6.948G  | -10.34   | 6.8066G  | -56.71     | -50.34     | -6.37      | 3    |
| 6.9336G | -9.63    | 6.8062G  | -56.21     | -49.63     | -6.58      | 4    |

Port 1  
Port 2  
Port 3  
Port 4


## 6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

## 7025MHz\_TX

24/10/2024

CF (Hz)  
7.025G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 7.0161G | -10.24   | 6.8649G  | -54.47     | -50.24     | -4.23      | 1    |
| 7.0341G | -9.76    | 6.8865G  | -55.49     | -49.76     | -5.73      | 2    |
| 7.0365G | -10.01   | 6.9018G  | -55.89     | -50.01     | -5.88      | 3    |
| 7.0389G | -9.61    | 6.8951G  | -55.95     | -49.61     | -6.34      | 4    |

Port 1  
Port 2  
Port 3  
Port 4


## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

## 6025MHz\_TX

22/10/2024

CF (Hz)  
6.025G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.10158G | -6.65    | 6.2688G  | -53.36     | -46.65     | -6.71      | 1    |
| 6.10078G | -6.86    | 6.2686G  | -53.01     | -46.86     | -6.15      | 2    |
| 6.10078G | -6.47    | 6.2682G  | -53.40     | -46.42     | -6.98      | 3    |
| 6.10018G | -6.63    | 6.2848G  | -53.79     | -46.63     | -7.16      | 4    |


Port 1  
Port 2  
Port 3  
Port 4

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6185MHz\_TX

22/10/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6345MHz\_TX

22/10/2024




6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6505MHz\_TX

24/10/2024

CF (Hz)  
6.505G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.44801G | -6.85    | 6.9036G  | -53.42     | -46.85     | -6.57      | 1    |
| 6.58138G | -6.58    | 6.9008G  | -53.45     | -46.58     | -6.87      | 2    |
| 6.56818G | -6.37    | 6.2616G  | -53.54     | -46.06     | -7.48      | 3    |
| 6.44302G | -7.15    | 6.9034G  | -53.51     | -47.15     | -6.36      | 4    |


6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6665MHz\_TX

24/10/2024

CF (Hz)  
6.665G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.63741G | -6.17    | 7.0006G  | -52.70     | -46.17     | -6.53      | 1    |
| 6.69179G | -5.75    | 7.0022G  | -52.31     | -45.75     | -6.56      | 2    |
| 6.68839G | -5.70    | 6.9758G  | -53.04     | -45.70     | -7.34      | 3    |
| 6.63901G | -5.55    | 6.9862G  | -52.97     | -45.55     | -7.42      | 4    |

## 6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

## 6825MHz\_TX

24/10/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.74942G | -6.67    | 6.4902G  | -53.22     | -46.67     | -6.55      | 1    |
| 6.74902G | -6.07    | 6.5G     | -53.37     | -46.07     | -7.30      | 2    |
| 6.76242G | -6.04    | 6.5086G  | -53.71     | -46.04     | -7.67      | 3    |
| 6.76362G | -6.43    | 6.5098G  | -53.57     | -46.43     | -7.14      | 4    |

## 6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

## 6985MHz\_TX

23/10/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 7.01359G | -6.91    | 7.3782G  | -52.84     | -46.91     | -5.93      | 1    |
| 6.96241G | -5.74    | 6.7424G  | -52.01     | -45.41     | -6.60      | 2    |
| 6.96121G | -6.57    | 7.376G   | -53.13     | -46.57     | -6.56      | 3    |
| 6.95961G | -6.35    | 6.741G   | -52.52     | -46.13     | -6.39      | 4    |

## 5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

## 6105MHz\_TX

22/10/2024




## 5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

## 6265MHz\_TX

22/10/2024




6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6585MHz\_TX

24/10/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.60859G | -5.28    | 7.383G   | -51.41     | -45.28     | -6.13      | 1    |
| 6.55261G | -5.30    | 7.3634G  | -51.27     | -45.30     | -5.97      | 2    |
| 6.63259G | -5.00    | 7.3766G  | -51.71     | -45.00     | -6.71      | 3    |
| 6.61939G | -4.88    | 7.3798G  | -51.25     | -44.88     | -6.37      | 4    |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6745MHz\_TX

24/10/2024



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.69701G | -4.63    | 7.4978G  | -50.36     | -44.63     | -5.73      | 1    |
| 6.71181G | -4.79    | 7.4982G  | -50.25     | -44.79     | -5.46      | 2    |
| 6.70021G | -4.43    | 7.479G   | -50.58     | -44.43     | -6.15      | 3    |
| 6.71301G | -4.35    | 7.4838G  | -50.52     | -44.35     | -6.17      | 4    |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6905MHz\_TX

24/10/2024

