



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9233G	67.89	68.20	-0.31	-4.03	3	Vertical	70	2.29	71.92	34.60	5.54	44.17
AV	5.9707G	104.65	Inf	-Inf	-4.02	3	Vertical	70	2.29	108.67	34.60	5.56	44.18
PK	5.923G	82.33	88.20	-5.87	-4.03	3	Vertical	70	2.29	86.36	34.60	5.54	44.17
PK	5.9704G	116.56	Inf	-Inf	-4.02	3	Vertical	70	2.29	120.58	34.60	5.56	44.18

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9236G	57.07	68.20	-11.13	-4.03	3	Horizontal	143	2.16	61.10	34.60	5.54	44.17
AV	5.9707G	94.92	Inf	-Inf	-4.02	3	Horizontal	143	2.16	98.94	34.60	5.56	44.18
PK	5.9236G	71.28	88.20	-16.92	-4.03	3	Horizontal	143	2.16	75.31	34.60	5.54	44.17
PK	5.9704G	106.80	Inf	-Inf	-4.02	3	Horizontal	143	2.16	110.82	34.60	5.56	44.18


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.922G	67.51	68.20	-0.69	-4.03	3	Vertical	227	2.68	71.54	34.60	5.54	44.17
AV	5.997G	100.82	Inf	-Inf	-4.01	3	Vertical	227	2.68	104.83	34.60	5.57	44.18
PK	5.925G	81.90	88.20	-6.30	-4.03	3	Vertical	227	2.68	85.93	34.60	5.54	44.17
PK	5.9875G	113.04	Inf	-Inf	-4.01	3	Vertical	227	2.68	117.05	34.60	5.57	44.18

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.924G	60.77	68.20	-7.43	-4.03	3	Horizontal	277	2.96	64.80	34.60	5.54	44.17
AV	5.9745G	95.41	Inf	-Inf	-4.02	3	Horizontal	277	2.96	99.43	34.60	5.56	44.18
PK	5.921G	75.29	88.20	-12.91	-4.03	3	Horizontal	277	2.96	79.32	34.60	5.54	44.17
PK	6.0015G	107.26	Inf	-Inf	-4.02	3	Horizontal	277	2.96	111.28	34.59	5.57	44.18


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	67.69	68.20	-0.51	-4.03	3	Vertical	226	2.75	71.72	34.60	5.54	44.17
AV	6.047G	98.27	Inf	-Inf	-4.17	3	Vertical	226	2.75	102.44	34.41	5.60	44.18
PK	5.914G	83.47	88.20	-4.73	-4.03	3	Vertical	226	2.75	87.50	34.60	5.54	44.17
PK	6.0575G	109.20	Inf	-Inf	-4.17	3	Vertical	226	2.75	113.37	34.40	5.60	44.17

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.92G	55.92	68.20	-12.28	-4.03	3	Horizontal	12	2.48	59.95	34.60	5.54	44.17
AV	6.1005G	90.99	Inf	-Inf	-4.14	3	Horizontal	12	2.48	95.13	34.40	5.63	44.17
PK	5.9205G	70.05	88.20	-18.15	-4.03	3	Horizontal	12	2.48	74.08	34.60	5.54	44.17
PK	6.06G	100.97	Inf	-Inf	-4.17	3	Horizontal	12	2.48	105.14	34.40	5.60	44.17


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	47.46M	35.64	40.00	-4.36	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6785MHz	Pass	PK	47.46M	35.64	40.00	-4.36	3	Vertical	360	1.00
6785MHz	Pass	PK	90.14M	26.56	43.50	-16.94	3	Vertical	360	1.00
6785MHz	Pass	PK	169.68M	28.25	43.50	-15.25	3	Vertical	360	1.00
6785MHz	Pass	PK	204.6M	34.61	43.50	-8.89	3	Vertical	360	1.00
6785MHz	Pass	PK	293.84M	26.96	46.00	-19.04	3	Vertical	360	1.00
6785MHz	Pass	PK	394.72M	29.53	46.00	-16.47	3	Vertical	360	1.00
6785MHz	Pass	PK	47.46M	32.14	40.00	-7.86	3	Horizontal	0	1.00
6785MHz	Pass	PK	99.84M	27.69	43.50	-15.81	3	Horizontal	0	1.00
6785MHz	Pass	PK	165.8M	30.78	43.50	-12.72	3	Horizontal	0	1.00
6785MHz	Pass	PK	249.22M	30.88	46.00	-15.12	3	Horizontal	0	1.00
6785MHz	Pass	PK	357.86M	29.29	46.00	-16.71	3	Horizontal	0	1.00
6785MHz	Pass	QP	204.6M	38.38	43.50	-5.12	3	Horizontal	110	1.00

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	47.46M	35.64	40.00	-4.36	-27.84	3	Vertical	360	1.00	63.48	16.06	0.45	44.35
PK	90.14M	26.56	43.50	-16.94	-28.71	3	Vertical	360	1.00	55.27	15.10	0.61	44.42
PK	169.68M	28.25	43.50	-15.25	-27.68	3	Vertical	360	1.00	55.93	15.76	0.87	44.31
PK	204.6M	34.61	43.50	-8.89	-27.94	3	Vertical	360	1.00	62.55	15.35	0.96	44.25
PK	293.84M	26.96	46.00	-19.04	-23.57	3	Vertical	360	1.00	50.53	19.38	1.16	44.11
PK	394.72M	29.53	46.00	-16.47	-20.62	3	Vertical	360	1.00	50.15	21.99	1.33	43.94

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	47.46M	32.14	40.00	-7.86	-27.84	3	Horizontal	0	1.00	59.98	16.06	0.45	44.35
PK	99.84M	27.69	43.50	-15.81	-27.64	3	Horizontal	0	1.00	55.33	16.12	0.65	44.41
PK	165.8M	30.78	43.50	-12.72	-27.27	3	Horizontal	0	1.00	58.05	16.18	0.86	44.31
PK	249.22M	30.88	46.00	-15.12	-24.31	3	Horizontal	0	1.00	55.19	18.79	1.08	44.18
PK	357.86M	29.29	46.00	-16.71	-21.96	3	Horizontal	0	1.00	51.25	20.80	1.25	44.01
QP	204.6M	38.38	43.50	-5.12	-27.94	3	Horizontal	110	1.00	66.32	15.35	0.96	44.25

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.925G	55.48	68.20	-12.72	3	Horizontal	48	1.53
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.9248G	68.03	68.20	-0.17	3	Horizontal	34	1.41
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.923G	68.09	68.20	-0.11	3	Horizontal	44	1.49
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	5.925G	67.40	68.20	-0.80	3	Horizontal	336	1.65
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	13.39216G	52.30	74.00	-21.70	3	Horizontal	247	1.24
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	13.37168G	40.17	54.00	-13.83	3	Vertical	279	1.50
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	13.3016G	40.11	54.00	-13.89	3	Vertical	170	1.50
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	13.41064G	41.93	68.20	-26.27	3	Horizontal	297	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	53.97	68.20	-14.23	3	Vertical	333	1.49
5955MHz	Pass	AV	5.958G	99.97	Inf	-Inf	3	Vertical	333	1.49
5955MHz	Pass	PK	5.9193G	72.67	88.20	-15.53	3	Vertical	333	1.49
5955MHz	Pass	PK	5.952G	113.20	Inf	-Inf	3	Vertical	333	1.49
5955MHz	Pass	AV	5.925G	55.48	68.20	-12.72	3	Horizontal	48	1.53
5955MHz	Pass	AV	5.9535G	100.99	Inf	-Inf	3	Horizontal	48	1.53
5955MHz	Pass	PK	5.9202G	74.07	88.20	-14.13	3	Horizontal	48	1.53
5955MHz	Pass	PK	5.952G	114.54	Inf	-Inf	3	Horizontal	48	1.53
5955MHz	Pass	AV	11.92146G	37.84	54.00	-16.16	3	Vertical	352	1.32
5955MHz	Pass	PK	11.91078G	50.54	74.00	-23.46	3	Vertical	352	1.32
5955MHz	Pass	AV	11.89554G	37.76	54.00	-16.24	3	Horizontal	28	1.93
5955MHz	Pass	PK	11.92188G	50.55	74.00	-23.45	3	Horizontal	28	1.93
6195MHz	Pass	AV	12.40098G	37.88	54.00	-16.12	3	Vertical	43	1.50
6195MHz	Pass	PK	12.3939G	50.07	74.00	-23.93	3	Vertical	43	1.50
6195MHz	Pass	AV	12.399G	38.07	54.00	-15.93	3	Horizontal	248	1.50
6195MHz	Pass	PK	12.40188G	49.86	74.00	-24.14	3	Horizontal	248	1.50
6415MHz	Pass	AV	12.84434G	38.99	68.20	-29.21	3	Vertical	318	1.10
6415MHz	Pass	PK	12.84284G	51.24	88.20	-36.96	3	Vertical	318	1.10
6415MHz	Pass	AV	12.84386G	38.96	68.20	-29.24	3	Horizontal	26	1.50
6415MHz	Pass	PK	12.81986G	51.03	88.20	-37.17	3	Horizontal	26	1.50
6535MHz	Pass	AV	13.06406G	38.56	68.20	-29.64	3	Vertical	98	1.50
6535MHz	Pass	PK	13.08356G	51.29	88.20	-36.91	3	Vertical	98	1.50
6535MHz	Pass	AV	13.05638G	38.71	68.20	-29.49	3	Horizontal	124	2.27
6535MHz	Pass	PK	13.064G	50.64	88.20	-37.56	3	Horizontal	124	2.27
6695MHz	Pass	AV	13.40362G	39.42	68.20	-28.78	3	Vertical	8	1.50
6695MHz	Pass	PK	13.3819G	51.96	74.00	-22.04	3	Vertical	8	1.50
6695MHz	Pass	AV	13.40278G	39.21	68.20	-28.99	3	Horizontal	247	1.24
6695MHz	Pass	PK	13.39216G	52.30	74.00	-21.70	3	Horizontal	247	1.24
6855MHz	Pass	AV	13.6962G	39.57	68.20	-28.63	3	Vertical	360	1.50
6855MHz	Pass	PK	13.70112G	51.56	88.20	-36.64	3	Vertical	360	1.50
6855MHz	Pass	AV	13.69968G	39.56	68.20	-28.64	3	Horizontal	273	1.50
6855MHz	Pass	PK	13.7082G	51.81	88.20	-36.39	3	Horizontal	273	1.50
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	64.18	68.20	-4.02	3	Vertical	333	1.81
5965MHz	Pass	AV	5.9704G	97.67	Inf	-Inf	3	Vertical	333	1.81
5965MHz	Pass	PK	5.9218G	78.78	88.20	-9.42	3	Vertical	333	1.81
5965MHz	Pass	PK	5.9704G	110.07	Inf	-Inf	3	Vertical	333	1.81
5965MHz	Pass	AV	5.9248G	68.03	68.20	-0.17	3	Horizontal	34	1.41
5965MHz	Pass	AV	5.9704G	99.36	Inf	-Inf	3	Horizontal	34	1.41
5965MHz	Pass	PK	5.9212G	82.47	88.20	-5.73	3	Horizontal	34	1.41
5965MHz	Pass	PK	5.9704G	111.86	Inf	-Inf	3	Horizontal	34	1.41
5965MHz	Pass	AV	11.93012G	38.88	54.00	-15.12	3	Vertical	60	1.50
5965MHz	Pass	PK	11.94932G	50.40	74.00	-23.60	3	Vertical	60	1.50
5965MHz	Pass	AV	11.9336G	38.77	54.00	-15.23	3	Horizontal	118	1.50
5965MHz	Pass	PK	11.92712G	50.08	74.00	-23.92	3	Horizontal	118	1.50
6205MHz	Pass	AV	12.4388G	38.65	54.00	-15.35	3	Vertical	335	1.50
6205MHz	Pass	PK	12.4064G	49.84	74.00	-24.16	3	Vertical	335	1.50
6205MHz	Pass	AV	12.41132G	38.90	54.00	-15.10	3	Horizontal	201	1.23
6205MHz	Pass	PK	12.40436G	50.26	74.00	-23.74	3	Horizontal	201	1.23
6405MHz	Pass	AV	12.80244G	39.96	68.20	-28.24	3	Vertical	3	1.50
6405MHz	Pass	PK	12.83256G	51.24	88.20	-36.96	3	Vertical	3	1.50
6405MHz	Pass	AV	12.8118G	39.84	68.20	-28.36	3	Horizontal	218	1.50
6405MHz	Pass	PK	12.83856G	51.68	88.20	-36.52	3	Horizontal	218	1.50
6565MHz	Pass	AV	13.13948G	39.67	68.20	-28.53	3	Vertical	324	2.59
6565MHz	Pass	PK	13.154G	51.42	88.20	-36.78	3	Vertical	324	2.59
6565MHz	Pass	AV	13.14476G	39.85	68.20	-28.35	3	Horizontal	270	1.23
6565MHz	Pass	PK	13.15856G	51.07	88.20	-37.13	3	Horizontal	270	1.23
6685MHz	Pass	AV	13.37168G	40.17	54.00	-13.83	3	Vertical	279	1.50
6685MHz	Pass	PK	13.37432G	52.19	74.00	-21.81	3	Vertical	279	1.50
6685MHz	Pass	AV	13.36988G	40.15	54.00	-13.85	3	Horizontal	82	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.34348G	51.58	74.00	-22.42	3	Horizontal	82	1.50
6845MHz	Pass	AV	13.67344G	40.44	68.20	-27.76	3	Vertical	268	1.96
6845MHz	Pass	PK	13.7026G	51.72	88.20	-36.48	3	Vertical	268	1.96
6845MHz	Pass	AV	13.69132G	40.22	68.20	-27.98	3	Horizontal	223	1.50
6845MHz	Pass	PK	13.66912G	51.51	88.20	-36.69	3	Horizontal	223	1.50
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	64.92	68.20	-3.28	3	Vertical	333	1.82
5985MHz	Pass	AV	5.976G	94.49	Inf	-Inf	3	Vertical	333	1.82
5985MHz	Pass	PK	5.925G	78.23	88.20	-9.97	3	Vertical	333	1.82
5985MHz	Pass	PK	5.967G	106.18	Inf	-Inf	3	Vertical	333	1.82
5985MHz	Pass	AV	5.923G	68.09	68.20	-0.11	3	Horizontal	44	1.49
5985MHz	Pass	AV	5.976G	96.25	Inf	-Inf	3	Horizontal	44	1.49
5985MHz	Pass	PK	5.925G	81.41	88.20	-6.79	3	Horizontal	44	1.49
5985MHz	Pass	PK	5.967G	108.09	Inf	-Inf	3	Horizontal	44	1.49
5985MHz	Pass	AV	12.012G	38.93	54.00	-15.07	3	Vertical	123	2.47
5985MHz	Pass	PK	11.99136G	50.51	74.00	-23.49	3	Vertical	123	2.47
5985MHz	Pass	AV	12.01152G	39.08	54.00	-14.92	3	Horizontal	297	1.50
5985MHz	Pass	PK	12.01224G	50.38	74.00	-23.62	3	Horizontal	297	1.50
6225MHz	Pass	AV	12.49032G	39.28	54.00	-14.72	3	Vertical	54	1.50
6225MHz	Pass	PK	12.4668G	52.20	74.00	-21.80	3	Vertical	54	1.50
6225MHz	Pass	AV	12.48384G	39.33	54.00	-14.67	3	Horizontal	331	1.50
6225MHz	Pass	PK	12.414G	50.69	74.00	-23.31	3	Horizontal	331	1.50
6385MHz	Pass	AV	12.81104G	40.26	68.20	-27.94	3	Vertical	267	1.50
6385MHz	Pass	PK	12.7688G	51.38	88.20	-36.82	3	Vertical	267	1.50
6385MHz	Pass	AV	12.75128G	40.02	68.20	-28.18	3	Horizontal	91	1.50
6385MHz	Pass	PK	12.81584G	51.20	88.20	-37.00	3	Horizontal	91	1.50
6625MHz	Pass	AV	13.3016G	40.11	54.00	-13.89	3	Vertical	170	1.50
6625MHz	Pass	PK	13.23416G	52.26	88.20	-35.94	3	Vertical	170	1.50
6625MHz	Pass	AV	13.28264G	40.05	54.00	-13.95	3	Horizontal	3	1.04
6625MHz	Pass	PK	13.2644G	52.36	74.00	-21.64	3	Horizontal	3	1.04
6705MHz	Pass	AV	13.41744G	40.51	68.20	-27.69	3	Vertical	111	1.50
6705MHz	Pass	PK	13.4016G	51.76	88.20	-36.44	3	Vertical	111	1.50
6705MHz	Pass	AV	13.4148G	40.69	68.20	-27.51	3	Horizontal	270	1.50
6705MHz	Pass	PK	13.37856G	51.30	74.00	-22.70	3	Horizontal	270	1.50
6785MHz	Pass	AV	13.55152G	40.63	68.20	-27.57	3	Vertical	283	1.50
6785MHz	Pass	PK	13.55344G	52.05	88.20	-36.15	3	Vertical	283	1.50
6785MHz	Pass	AV	13.55296G	40.78	68.20	-27.42	3	Horizontal	173	1.50
6785MHz	Pass	PK	13.55608G	52.30	88.20	-35.90	3	Horizontal	173	1.50
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.907G	64.24	68.20	-3.96	3	Vertical	333	1.52
6025MHz	Pass	AV	5.994G	91.36	Inf	-Inf	3	Vertical	333	1.52
6025MHz	Pass	PK	5.911G	75.55	88.20	-12.65	3	Vertical	333	1.52
6025MHz	Pass	PK	5.994G	101.93	Inf	-Inf	3	Vertical	333	1.52
6025MHz	Pass	AV	5.925G	67.40	68.20	-0.80	3	Horizontal	336	1.65
6025MHz	Pass	AV	6.001G	93.19	Inf	-Inf	3	Horizontal	336	1.65
6025MHz	Pass	PK	5.911G	80.05	88.20	-8.15	3	Horizontal	336	1.65
6025MHz	Pass	PK	6.063G	103.98	Inf	-Inf	3	Horizontal	336	1.65
6025MHz	Pass	AV	12.01384G	40.69	54.00	-13.31	3	Vertical	155	1.09
6025MHz	Pass	PK	12.11048G	51.38	74.00	-22.62	3	Vertical	155	1.09
6025MHz	Pass	AV	12.1268G	40.75	54.00	-13.25	3	Horizontal	31	2.55
6025MHz	Pass	PK	12.0916G	51.49	74.00	-22.51	3	Horizontal	31	2.55
6185MHz	Pass	AV	12.45352G	40.79	54.00	-13.21	3	Vertical	332	1.50
6185MHz	Pass	PK	12.43816G	51.15	74.00	-22.85	3	Vertical	332	1.50
6185MHz	Pass	AV	12.31576G	40.60	54.00	-13.40	3	Horizontal	17	1.50
6185MHz	Pass	PK	12.4588G	50.40	74.00	-23.60	3	Horizontal	17	1.50
6345MHz	Pass	AV	12.72168G	41.60	68.20	-26.60	3	Vertical	119	1.34
6345MHz	Pass	PK	12.79848G	52.19	88.20	-36.01	3	Vertical	119	1.34
6345MHz	Pass	AV	12.63432G	41.36	54.00	-12.64	3	Horizontal	343	1.50
6345MHz	Pass	PK	12.80952G	52.01	88.20	-36.19	3	Horizontal	343	1.50
6665MHz	Pass	AV	13.42744G	41.79	68.20	-26.41	3	Vertical	290	1.50
6665MHz	Pass	PK	13.4332G	51.90	88.20	-36.30	3	Vertical	290	1.50
6665MHz	Pass	AV	13.41064G	41.93	68.20	-26.27	3	Horizontal	297	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 2

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.42264G	51.89	88.20	-36.31	3	Horizontal	297	1.50


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9248G	64.18	68.20	-4.02	-4.03	3	Vertical	333	1.81	68.21	34.60	5.54	44.17
AV	5.9704G	97.67	Inf	-Inf	-4.02	3	Vertical	333	1.81	101.69	34.60	5.56	44.18
PK	5.9218G	78.78	88.20	-9.42	-4.03	3	Vertical	333	1.81	82.81	34.60	5.54	44.17
PK	5.9704G	110.07	Inf	-Inf	-4.02	3	Vertical	333	1.81	114.09	34.60	5.56	44.18

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9248G	68.03	68.20	-0.17	-4.03	3	Horizontal	34	1.41	72.06	34.60	5.54	44.17
AV	5.9704G	99.36	Inf	-Inf	-4.02	3	Horizontal	34	1.41	103.38	34.60	5.56	44.18
PK	5.9212G	82.47	88.20	-5.73	-4.03	3	Horizontal	34	1.41	86.50	34.60	5.54	44.17
PK	5.9704G	111.86	Inf	-Inf	-4.02	3	Horizontal	34	1.41	115.88	34.60	5.56	44.18


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	64.92	68.20	-3.28	-4.03	3	Vertical	333	1.82	68.95	34.60	5.54	44.17
AV	5.976G	94.49	Inf	-Inf	-4.02	3	Vertical	333	1.82	98.51	34.60	5.56	44.18
PK	5.925G	78.23	88.20	-9.97	-4.03	3	Vertical	333	1.82	82.26	34.60	5.54	44.17
PK	5.967G	106.18	Inf	-Inf	-4.02	3	Vertical	333	1.82	110.20	34.60	5.56	44.18

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	68.09	68.20	-0.11	-4.03	3	Horizontal	44	1.49	72.12	34.60	5.54	44.17
AV	5.976G	96.25	Inf	-Inf	-4.02	3	Horizontal	44	1.49	100.27	34.60	5.56	44.18
PK	5.925G	81.41	88.20	-6.79	-4.03	3	Horizontal	44	1.49	85.44	34.60	5.54	44.17
PK	5.967G	108.09	Inf	-Inf	-4.02	3	Horizontal	44	1.49	112.11	34.60	5.56	44.18


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.907G	64.24	68.20	-3.96	-4.03	3	Vertical	333	1.52	68.27	34.60	5.54	44.17
AV	5.994G	91.36	Inf	-Inf	-4.01	3	Vertical	333	1.52	95.37	34.60	5.57	44.18
PK	5.911G	75.55	88.20	-12.65	-4.03	3	Vertical	333	1.52	79.58	34.60	5.54	44.17
PK	5.994G	101.93	Inf	-Inf	-4.01	3	Vertical	333	1.52	105.94	34.60	5.57	44.18

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	67.40	68.20	-0.80	-4.03	3	Horizontal	336	1.65	71.43	34.60	5.54	44.17
AV	6.001G	93.19	Inf	-Inf	-4.01	3	Horizontal	336	1.65	97.20	34.60	5.57	44.18
PK	5.911G	80.05	88.20	-8.15	-4.03	3	Horizontal	336	1.65	84.08	34.60	5.54	44.17
PK	6.063G	103.98	Inf	-Inf	-4.17	3	Horizontal	336	1.65	108.15	34.40	5.60	44.17


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	7.311G	44.77	54.00	-9.23	Horizontal
Mode 2	Pass	AV	7.23522G	65.01	68.20	-3.19	Horizontal
Mode 3	Pass	AV	11.90812G	44.03	54.00	-9.97	Horizontal
Mode 4	Pass	AV	11.48765G	31.25	54.00	-22.75	Horizontal
Mode 5	Pass	AV	7.31186G	45.54	54.00	-8.46	Horizontal
Mode 6	Pass	AV	7.23518G	64.72	68.20	-3.48	Horizontal
Mode 7	Pass	AV	11.4902G	45.97	54.00	-8.03	Horizontal
Mode 8	Pass	AV	11.49119G	45.16	54.00	-8.84	Vertical
Mode 9	Pass	AV	7.31057G	45.77	54.00	-8.23	Horizontal
Mode 10	Pass	AV	7.23521G	64.67	68.20	-3.53	Horizontal
Mode 11	Pass	AV	11.48814G	44.83	54.00	-9.17	Horizontal
Mode 12	Pass	AV	11.48844G	44.58	54.00	-9.42	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.804G	32.58	54.00	-21.42	3	Vertical	294	1.50
Mode 1	Pass	AV	4.874G	33.07	54.00	-20.93	3	Vertical	310	1.22
Mode 1	Pass	AV	7.3094G	42.67	54.00	-11.33	3	Vertical	66	1.50
Mode 1	Pass	AV	11.49124G	44.64	54.00	-9.36	3	Vertical	226	2.09
Mode 1	Pass	AV	13.56072G	46.60	68.20	-21.60	3	Vertical	25	2.14
Mode 1	Pass	AV	17.23436G	46.70	68.20	-21.50	3	Vertical	18	1.35
Mode 1	Pass	PK	4.804G	45.60	74.00	-28.40	3	Vertical	294	1.50
Mode 1	Pass	PK	4.874G	46.06	74.00	-27.94	3	Vertical	310	1.22
Mode 1	Pass	PK	7.30224G	56.37	74.00	-17.63	3	Vertical	66	1.50
Mode 1	Pass	PK	11.49576G	57.65	74.00	-16.35	3	Vertical	226	2.09
Mode 1	Pass	PK	13.57656G	60.62	88.20	-27.58	3	Vertical	25	2.14
Mode 1	Pass	PK	17.24256G	59.71	88.20	-28.49	3	Vertical	18	1.35
Mode 1	Pass	AV	4.804G	32.58	54.00	-21.42	3	Horizontal	168	1.86
Mode 1	Pass	AV	4.874G	33.34	54.00	-20.66	3	Horizontal	324	1.82
Mode 1	Pass	AV	7.311G	44.77	54.00	-9.23	3	Horizontal	48	1.77
Mode 1	Pass	AV	11.48874G	44.73	54.00	-9.27	3	Horizontal	15	1.42
Mode 1	Pass	AV	13.56536G	46.65	68.20	-21.55	3	Horizontal	270	1.32
Mode 1	Pass	AV	17.23512G	46.90	68.20	-21.30	3	Horizontal	276	2.73
Mode 1	Pass	PK	4.804G	46.12	74.00	-27.88	3	Horizontal	168	1.86
Mode 1	Pass	PK	4.874G	46.90	74.00	-27.10	3	Horizontal	324	1.82
Mode 1	Pass	PK	7.311G	59.14	74.00	-14.86	3	Horizontal	48	1.77
Mode 1	Pass	PK	11.49832G	57.54	74.00	-16.46	3	Horizontal	15	1.42
Mode 1	Pass	PK	13.57128G	60.38	88.20	-27.82	3	Horizontal	270	1.32
Mode 1	Pass	PK	17.23728G	59.74	88.20	-28.46	3	Horizontal	276	2.73
Mode 2	Pass	AV	4.80437G	33.29	54.00	-20.71	3	Vertical	68	1.16
Mode 2	Pass	AV	4.82397G	45.78	54.00	-8.22	3	Vertical	3	1.54
Mode 2	Pass	AV	7.2352G	63.07	68.20	-5.13	3	Vertical	313	1.49
Mode 2	Pass	AV	11.48824G	42.32	54.00	-11.68	3	Vertical	138	2.33
Mode 2	Pass	AV	11.9102G	44.12	54.00	-9.88	3	Vertical	86	2.86
Mode 2	Pass	AV	17.2373G	46.77	68.20	-21.43	3	Vertical	353	2.92
Mode 2	Pass	PK	4.80575G	46.13	74.00	-27.87	3	Vertical	68	1.16
Mode 2	Pass	PK	4.82404G	51.03	74.00	-22.97	3	Vertical	3	1.54
Mode 2	Pass	PK	7.23586G	68.11	88.20	-20.09	3	Vertical	313	1.49
Mode 2	Pass	PK	11.49206G	55.81	74.00	-18.19	3	Vertical	138	2.33
Mode 2	Pass	PK	11.91034G	57.21	74.00	-16.79	3	Vertical	86	2.86
Mode 2	Pass	PK	17.23686G	59.24	88.20	-28.96	3	Vertical	353	2.92
Mode 2	Pass	AV	4.80409G	35.56	54.00	-18.44	3	Horizontal	359	1.77
Mode 2	Pass	AV	4.82401G	46.99	54.00	-7.01	3	Horizontal	355	1.00
Mode 2	Pass	AV	7.23522G	65.01	68.20	-3.19	3	Horizontal	311	1.12
Mode 2	Pass	AV	11.49082G	42.44	54.00	-11.56	3	Horizontal	187	2.58
Mode 2	Pass	AV	11.90934G	44.15	54.00	-9.85	3	Horizontal	218	2.19
Mode 2	Pass	AV	17.23908G	46.62	68.20	-21.58	3	Horizontal	264	2.47
Mode 2	Pass	PK	4.80351G	47.23	74.00	-26.77	3	Horizontal	359	1.77
Mode 2	Pass	PK	4.82386G	51.98	74.00	-22.02	3	Horizontal	355	1.00
Mode 2	Pass	PK	7.2359G	71.77	88.20	-16.43	3	Horizontal	311	1.12
Mode 2	Pass	PK	11.49026G	55.10	74.00	-18.90	3	Horizontal	187	2.58
Mode 2	Pass	PK	11.92014G	57.30	74.00	-16.70	3	Horizontal	218	2.19
Mode 2	Pass	PK	17.2382G	59.69	88.20	-28.51	3	Horizontal	264	2.47
Mode 3	Pass	AV	4.80936G	32.78	54.00	-21.22	3	Vertical	97	2.32
Mode 3	Pass	AV	7.21096G	38.16	68.20	-30.04	3	Vertical	56	1.45

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 3	Pass	AV	11.48979G	41.69	54.00	-12.31	3	Vertical	188	2.60
Mode 3	Pass	AV	11.65G	43.20	54.00	-10.80	3	Vertical	101	1.03
Mode 3	Pass	AV	11.91248G	43.91	54.00	-10.09	3	Vertical	329	2.84
Mode 3	Pass	AV	17.2341G	46.72	68.20	-21.48	3	Vertical	325	2.69
Mode 3	Pass	AV	17.47704G	47.61	68.20	-20.59	3	Vertical	229	1.64
Mode 3	Pass	PK	4.79896G	45.47	74.00	-28.53	3	Vertical	97	2.32
Mode 3	Pass	PK	7.21484G	51.75	88.20	-36.45	3	Vertical	56	1.45
Mode 3	Pass	PK	11.48965G	55.31	74.00	-18.69	3	Vertical	188	2.60
Mode 3	Pass	PK	11.65051G	56.92	74.00	-17.08	3	Vertical	101	1.03
Mode 3	Pass	PK	11.91225G	56.93	74.00	-17.07	3	Vertical	329	2.84
Mode 3	Pass	PK	17.23675G	60.37	88.20	-27.83	3	Vertical	325	2.69
Mode 3	Pass	PK	17.47608G	60.93	88.20	-27.27	3	Vertical	229	1.64
Mode 3	Pass	AV	4.7972G	32.98	54.00	-21.02	3	Horizontal	167	2.39
Mode 3	Pass	AV	7.212G	38.04	68.20	-30.16	3	Horizontal	186	1.04
Mode 3	Pass	AV	11.48777G	41.83	54.00	-12.17	3	Horizontal	269	2.91
Mode 3	Pass	AV	11.6512G	43.15	54.00	-10.85	3	Horizontal	136	2.79
Mode 3	Pass	AV	11.90812G	44.03	54.00	-9.97	3	Horizontal	302	1.79
Mode 3	Pass	AV	17.2372G	46.61	68.20	-21.59	3	Horizontal	59	1.85
Mode 3	Pass	AV	17.47596G	47.55	68.20	-20.65	3	Horizontal	15	2.50
Mode 3	Pass	PK	4.80276G	45.73	74.00	-28.27	3	Horizontal	167	2.39
Mode 3	Pass	PK	7.21572G	51.32	88.20	-36.88	3	Horizontal	186	1.04
Mode 3	Pass	PK	11.49001G	55.26	74.00	-18.74	3	Horizontal	269	2.91
Mode 3	Pass	PK	11.65071G	56.43	74.00	-17.57	3	Horizontal	136	2.79
Mode 3	Pass	PK	11.91081G	57.02	74.00	-16.98	3	Horizontal	302	1.79
Mode 3	Pass	PK	17.23637G	59.65	88.20	-28.55	3	Horizontal	59	1.85
Mode 3	Pass	PK	17.47703G	60.76	88.20	-27.44	3	Horizontal	15	2.50
Mode 4	Pass	AV	4.80323G	19.74	54.00	-34.26	3	Vertical	301	2.41
Mode 4	Pass	AV	7.20766G	28.02	68.20	-40.18	3	Vertical	176	2.34
Mode 4	Pass	AV	11.48922G	31.23	54.00	-22.77	3	Vertical	326	1.67
Mode 4	Pass	AV	11.91211G	29.08	54.00	-24.92	3	Vertical	233	2.62
Mode 4	Pass	AV	13.56794G	33.73	68.20	-34.47	3	Vertical	282	1.33
Mode 4	Pass	AV	17.23528G	31.18	68.20	-37.02	3	Vertical	237	1.41
Mode 4	Pass	PK	4.80455G	33.32	74.00	-40.68	3	Vertical	301	2.41
Mode 4	Pass	PK	7.20582G	41.71	88.20	-46.49	3	Vertical	176	2.34
Mode 4	Pass	PK	11.48936G	44.78	74.00	-29.22	3	Vertical	326	1.67
Mode 4	Pass	PK	11.90989G	42.21	74.00	-31.79	3	Vertical	233	2.62
Mode 4	Pass	PK	13.57005G	46.90	88.20	-41.30	3	Vertical	282	1.33
Mode 4	Pass	PK	17.23566G	44.42	88.20	-43.78	3	Vertical	237	1.41
Mode 4	Pass	AV	4.8036G	19.77	54.00	-34.23	3	Horizontal	100	1.77
Mode 4	Pass	AV	7.20477G	28.29	68.20	-39.91	3	Horizontal	222	2.16
Mode 4	Pass	AV	11.48765G	31.25	54.00	-22.75	3	Horizontal	63	2.59
Mode 4	Pass	AV	11.90954G	29.18	54.00	-24.82	3	Horizontal	38	1.74
Mode 4	Pass	AV	13.56761G	33.48	68.20	-34.72	3	Horizontal	99	1.38
Mode 4	Pass	AV	17.23665G	31.30	68.20	-36.90	3	Horizontal	140	2.21
Mode 4	Pass	PK	4.80503G	33.03	74.00	-40.97	3	Horizontal	100	1.77
Mode 4	Pass	PK	7.20489G	41.38	88.20	-46.82	3	Horizontal	222	2.16
Mode 4	Pass	PK	11.49235G	44.57	74.00	-29.43	3	Horizontal	63	2.59
Mode 4	Pass	PK	11.90795G	42.64	74.00	-31.36	3	Horizontal	38	1.74
Mode 4	Pass	PK	13.56891G	46.97	88.20	-41.23	3	Horizontal	99	1.38
Mode 4	Pass	PK	17.23377G	44.37	88.20	-43.83	3	Horizontal	140	2.21

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 5	Pass	AV	4.8755G	34.03	54.00	-19.97	3	Vertical	359	1.19
Mode 5	Pass	AV	4.87932G	34.09	54.00	-19.91	3	Vertical	359	1.12
Mode 5	Pass	AV	7.31203G	42.88	54.00	-11.12	3	Vertical	351	2.21
Mode 5	Pass	AV	7.31824G	41.61	54.00	-12.39	3	Vertical	343	2.86
Mode 5	Pass	AV	11.49236G	43.31	54.00	-10.69	3	Vertical	22	1.91
Mode 5	Pass	AV	13.56887G	44.87	68.20	-23.33	3	Vertical	140	1.69
Mode 5	Pass	AV	17.23319G	46.23	68.20	-21.97	3	Vertical	221	1.88
Mode 5	Pass	PK	4.8759G	47.89	74.00	-26.11	3	Vertical	359	1.19
Mode 5	Pass	PK	4.8811G	47.82	74.00	-26.18	3	Vertical	359	1.12
Mode 5	Pass	PK	7.30954G	57.96	74.00	-16.04	3	Vertical	351	2.21
Mode 5	Pass	PK	7.31817G	57.07	74.00	-16.93	3	Vertical	343	2.86
Mode 5	Pass	PK	11.49241G	56.17	74.00	-17.83	3	Vertical	22	1.91
Mode 5	Pass	PK	13.56955G	58.05	88.20	-30.15	3	Vertical	140	1.69
Mode 5	Pass	PK	17.23488G	59.51	88.20	-28.69	3	Vertical	221	1.88
Mode 5	Pass	AV	4.87394G	34.34	54.00	-19.66	3	Horizontal	320	1.58
Mode 5	Pass	AV	4.87855G	34.07	54.00	-19.93	3	Horizontal	319	1.92
Mode 5	Pass	AV	7.31186G	45.54	54.00	-8.46	3	Horizontal	51	1.90
Mode 5	Pass	AV	7.31823G	44.88	54.00	-9.12	3	Horizontal	53	1.94
Mode 5	Pass	AV	11.49173G	43.21	54.00	-10.79	3	Horizontal	94	2.44
Mode 5	Pass	AV	13.57003G	45.26	68.20	-22.94	3	Horizontal	157	1.86
Mode 5	Pass	AV	17.234G	46.30	68.20	-21.90	3	Horizontal	150	1.95
Mode 5	Pass	PK	4.87581G	48.03	74.00	-25.97	3	Horizontal	320	1.58
Mode 5	Pass	PK	4.87806G	47.43	74.00	-26.57	3	Horizontal	319	1.92
Mode 5	Pass	PK	7.31182G	59.63	74.00	-14.37	3	Horizontal	51	1.90
Mode 5	Pass	PK	7.31819G	60.61	74.00	-13.39	3	Horizontal	53	1.94
Mode 5	Pass	PK	11.48959G	56.21	74.00	-17.79	3	Horizontal	94	2.44
Mode 5	Pass	PK	13.56883G	57.44	88.20	-30.76	3	Horizontal	157	1.86
Mode 5	Pass	PK	17.23521G	59.51	88.20	-28.69	3	Horizontal	150	1.95
Mode 6	Pass	AV	4.82401G	45.13	54.00	-8.87	3	Vertical	9	1.68
Mode 6	Pass	AV	4.87908G	38.25	54.00	-15.75	3	Vertical	7	2.85
Mode 6	Pass	AV	7.23525G	61.77	68.20	-6.43	3	Vertical	316	1.44
Mode 6	Pass	AV	7.32123G	38.68	54.00	-15.32	3	Vertical	171	1.76
Mode 6	Pass	AV	11.4876G	44.24	54.00	-9.76	3	Vertical	161	1.77
Mode 6	Pass	AV	11.90997G	43.67	54.00	-10.33	3	Vertical	35	2.22
Mode 6	Pass	AV	17.23508G	46.21	68.20	-21.99	3	Vertical	192	1.47
Mode 6	Pass	PK	4.82414G	50.53	74.00	-23.47	3	Vertical	9	1.68
Mode 6	Pass	PK	4.87939G	49.22	74.00	-24.78	3	Vertical	7	2.85
Mode 6	Pass	PK	7.23583G	66.72	88.20	-21.48	3	Vertical	316	1.44
Mode 6	Pass	PK	7.31942G	51.09	74.00	-22.91	3	Vertical	171	1.76
Mode 6	Pass	PK	11.48909G	57.03	74.00	-16.97	3	Vertical	161	1.77
Mode 6	Pass	PK	11.91057G	57.21	74.00	-16.79	3	Vertical	35	2.22
Mode 6	Pass	PK	17.23285G	59.20	88.20	-29.00	3	Vertical	192	1.47
Mode 6	Pass	AV	4.82396G	46.60	54.00	-7.40	3	Horizontal	360	1.27
Mode 6	Pass	AV	4.88088G	40.32	54.00	-13.68	3	Horizontal	327	2.00
Mode 6	Pass	AV	7.23518G	64.72	68.20	-3.48	3	Horizontal	320	2.23
Mode 6	Pass	AV	7.31851G	38.31	54.00	-15.69	3	Horizontal	274	2.63
Mode 6	Pass	AV	11.49066G	44.40	54.00	-9.60	3	Horizontal	348	2.67
Mode 6	Pass	AV	11.90864G	43.70	54.00	-10.30	3	Horizontal	233	2.25
Mode 6	Pass	AV	17.23512G	46.38	68.20	-21.82	3	Horizontal	31	2.39
Mode 6	Pass	PK	4.82404G	51.84	74.00	-22.16	3	Horizontal	360	1.27


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 6	Pass	PK	4.87904G	51.17	74.00	-22.83	3	Horizontal	327	2.00
Mode 6	Pass	PK	7.23582G	70.83	88.20	-17.37	3	Horizontal	320	2.23
Mode 6	Pass	PK	7.32052G	51.15	74.00	-22.85	3	Horizontal	274	2.63
Mode 6	Pass	PK	11.48869G	57.52	74.00	-16.48	3	Horizontal	348	2.67
Mode 6	Pass	PK	11.91186G	56.74	74.00	-17.26	3	Horizontal	233	2.25
Mode 6	Pass	PK	17.23383G	59.59	88.20	-28.61	3	Horizontal	31	2.39
Mode 7	Pass	AV	4.88076G	33.56	54.00	-20.44	3	Vertical	360	1.00
Mode 7	Pass	AV	7.31813G	38.85	54.00	-15.15	3	Vertical	48	2.66
Mode 7	Pass	AV	11.48882G	43.94	54.00	-10.06	3	Vertical	84	2.27
Mode 7	Pass	AV	11.64777G	30.21	54.00	-23.79	3	Vertical	329	1.50
Mode 7	Pass	AV	11.91139G	29.25	54.00	-24.75	3	Vertical	278	2.37
Mode 7	Pass	AV	17.23714G	46.40	68.20	-21.80	3	Vertical	122	1.82
Mode 7	Pass	AV	17.47399G	32.66	68.20	-35.54	3	Vertical	35	1.50
Mode 7	Pass	PK	4.88035G	46.79	74.00	-27.21	3	Vertical	360	1.00
Mode 7	Pass	PK	7.31897G	52.17	74.00	-21.83	3	Vertical	48	2.66
Mode 7	Pass	PK	11.49234G	57.79	74.00	-16.21	3	Vertical	84	2.27
Mode 7	Pass	PK	11.65127G	43.70	74.00	-30.30	3	Vertical	329	1.50
Mode 7	Pass	PK	11.90771G	42.29	74.00	-31.71	3	Vertical	278	2.37
Mode 7	Pass	PK	17.23668G	59.61	88.20	-28.59	3	Vertical	122	1.82
Mode 7	Pass	PK	17.47555G	45.99	88.20	-42.21	3	Vertical	35	1.50
Mode 7	Pass	AV	4.8789G	34.17	54.00	-19.83	3	Horizontal	66	2.39
Mode 7	Pass	AV	7.3184G	39.05	54.00	-14.95	3	Horizontal	62	1.50
Mode 7	Pass	AV	11.4902G	45.97	54.00	-8.03	3	Horizontal	109	2.10
Mode 7	Pass	AV	11.64841G	44.22	54.00	-9.78	3	Horizontal	89	1.50
Mode 7	Pass	AV	11.91172G	29.15	54.00	-24.85	3	Horizontal	292	1.50
Mode 7	Pass	AV	17.23313G	46.60	68.20	-21.60	3	Horizontal	202	1.50
Mode 7	Pass	AV	17.47609G	47.10	68.20	-21.10	3	Horizontal	159	2.02
Mode 7	Pass	PK	4.88112G	47.14	74.00	-26.86	3	Horizontal	66	2.39
Mode 7	Pass	PK	7.31872G	52.12	74.00	-21.88	3	Horizontal	62	1.50
Mode 7	Pass	PK	11.4892G	59.44	74.00	-14.56	3	Horizontal	109	2.10
Mode 7	Pass	PK	11.64814G	57.46	74.00	-16.54	3	Horizontal	89	1.50
Mode 7	Pass	PK	11.91007G	42.36	74.00	-31.64	3	Horizontal	292	1.50
Mode 7	Pass	PK	17.2337G	60.01	88.20	-28.19	3	Horizontal	202	1.50
Mode 7	Pass	PK	17.47436G	59.79	88.20	-28.41	3	Horizontal	159	2.02
Mode 8	Pass	AV	4.88186G	34.02	54.00	-19.98	3	Vertical	87	2.74
Mode 8	Pass	AV	7.31871G	39.23	54.00	-14.77	3	Vertical	48	1.28
Mode 8	Pass	AV	11.49119G	45.16	54.00	-8.84	3	Vertical	253	2.22
Mode 8	Pass	AV	11.90879G	44.45	54.00	-9.55	3	Vertical	176	1.24
Mode 8	Pass	AV	13.56836G	46.10	68.20	-22.10	3	Vertical	344	2.42
Mode 8	Pass	AV	17.23685G	46.68	68.20	-21.52	3	Vertical	186	1.74
Mode 8	Pass	PK	4.88203G	47.33	74.00	-26.67	3	Vertical	87	2.74
Mode 8	Pass	PK	7.3199G	52.61	74.00	-21.39	3	Vertical	48	1.28
Mode 8	Pass	PK	11.48844G	57.98	74.00	-16.02	3	Vertical	253	2.22
Mode 8	Pass	PK	11.90851G	57.41	74.00	-16.59	3	Vertical	176	1.24
Mode 8	Pass	PK	13.57177G	60.12	88.20	-28.08	3	Vertical	344	2.42
Mode 8	Pass	PK	17.23517G	59.92	88.20	-28.28	3	Vertical	186	1.74
Mode 8	Pass	AV	4.88174G	34.19	54.00	-19.81	3	Horizontal	85	2.87
Mode 8	Pass	AV	7.31861G	38.64	54.00	-15.36	3	Horizontal	213	1.70
Mode 8	Pass	AV	11.48954G	44.48	54.00	-9.52	3	Horizontal	155	2.39
Mode 8	Pass	AV	11.90946G	44.34	54.00	-9.66	3	Horizontal	229	1.21

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 8	Pass	AV	13.57241G	46.87	68.20	-21.33	3	Horizontal	283	2.74
Mode 8	Pass	AV	17.23708G	46.56	68.20	-21.64	3	Horizontal	175	2.61
Mode 8	Pass	PK	4.88238G	47.27	74.00	-26.73	3	Horizontal	85	2.87
Mode 8	Pass	PK	7.31962G	51.50	74.00	-22.50	3	Horizontal	213	1.70
Mode 8	Pass	PK	11.48794G	57.74	74.00	-16.26	3	Horizontal	155	2.39
Mode 8	Pass	PK	11.9125G	57.47	74.00	-16.53	3	Horizontal	229	1.21
Mode 8	Pass	PK	13.57242G	60.96	88.20	-27.24	3	Horizontal	283	2.74
Mode 8	Pass	PK	17.2332G	60.18	88.20	-28.02	3	Horizontal	175	2.61
Mode 9	Pass	AV	4.87471G	33.20	54.00	-20.80	3	Vertical	307	2.20
Mode 9	Pass	AV	4.87789G	33.25	54.00	-20.75	3	Vertical	302	2.22
Mode 9	Pass	AV	7.31238G	42.29	54.00	-11.71	3	Vertical	352	2.97
Mode 9	Pass	AV	7.31833G	41.59	54.00	-12.41	3	Vertical	342	2.86
Mode 9	Pass	AV	11.49133G	43.19	54.00	-10.81	3	Vertical	73	2.11
Mode 9	Pass	AV	13.56855G	44.83	68.20	-23.37	3	Vertical	11	1.48
Mode 9	Pass	AV	17.23341G	46.38	68.20	-21.82	3	Vertical	283	1.16
Mode 9	Pass	PK	4.87523G	45.98	74.00	-28.02	3	Vertical	307	2.20
Mode 9	Pass	PK	4.87879G	46.67	74.00	-27.33	3	Vertical	302	2.22
Mode 9	Pass	PK	7.31211G	56.08	74.00	-17.92	3	Vertical	352	2.97
Mode 9	Pass	PK	7.31854G	56.40	74.00	-17.60	3	Vertical	342	2.86
Mode 9	Pass	PK	11.48941G	56.71	74.00	-17.29	3	Vertical	73	2.11
Mode 9	Pass	PK	13.57012G	57.82	88.20	-30.38	3	Vertical	11	1.48
Mode 9	Pass	PK	17.23516G	59.24	88.20	-28.96	3	Vertical	283	1.16
Mode 9	Pass	AV	4.87179G	32.99	54.00	-21.01	3	Horizontal	285	2.51
Mode 9	Pass	AV	4.87788G	33.33	54.00	-20.67	3	Horizontal	163	2.64
Mode 9	Pass	AV	7.31057G	45.77	54.00	-8.23	3	Horizontal	50	1.96
Mode 9	Pass	AV	7.31849G	44.82	54.00	-9.18	3	Horizontal	53	1.90
Mode 9	Pass	AV	11.48927G	43.34	54.00	-10.66	3	Horizontal	232	2.33
Mode 9	Pass	AV	13.56777G	45.05	68.20	-23.15	3	Horizontal	37	2.98
Mode 9	Pass	AV	17.23399G	46.28	68.20	-21.92	3	Horizontal	344	1.23
Mode 9	Pass	PK	4.87307G	46.97	74.00	-27.03	3	Horizontal	285	2.51
Mode 9	Pass	PK	4.87935G	46.75	74.00	-27.25	3	Horizontal	163	2.64
Mode 9	Pass	PK	7.31084G	59.92	74.00	-14.08	3	Horizontal	50	1.96
Mode 9	Pass	PK	7.31836G	60.60	74.00	-13.40	3	Horizontal	53	1.90
Mode 9	Pass	PK	11.48837G	57.39	74.00	-16.61	3	Horizontal	232	2.33
Mode 9	Pass	PK	13.5704G	58.09	88.20	-30.11	3	Horizontal	37	2.98
Mode 9	Pass	PK	17.23293G	59.25	88.20	-28.95	3	Horizontal	344	1.23
Mode 10	Pass	AV	4.82396G	44.98	54.00	-9.02	3	Vertical	8	1.50
Mode 10	Pass	AV	4.87913G	37.88	54.00	-16.12	3	Vertical	4	1.24
Mode 10	Pass	AV	7.23525G	61.54	68.20	-6.66	3	Vertical	314	1.45
Mode 10	Pass	AV	7.32104G	38.30	54.00	-15.70	3	Vertical	341	2.76
Mode 10	Pass	AV	11.49186G	44.65	54.00	-9.35	3	Vertical	85	2.11
Mode 10	Pass	AV	11.9098G	43.81	54.00	-10.19	3	Vertical	312	2.79
Mode 10	Pass	AV	17.23366G	46.41	68.20	-21.79	3	Vertical	177	1.91
Mode 10	Pass	PK	4.82393G	50.94	74.00	-23.06	3	Vertical	8	1.50
Mode 10	Pass	PK	4.88103G	49.14	74.00	-24.86	3	Vertical	4	1.24
Mode 10	Pass	PK	7.2361G	67.04	88.20	-21.16	3	Vertical	314	1.45
Mode 10	Pass	PK	7.32057G	52.03	74.00	-21.97	3	Vertical	341	2.76
Mode 10	Pass	PK	11.48951G	57.86	74.00	-16.14	3	Vertical	85	2.11
Mode 10	Pass	PK	11.91006G	56.79	74.00	-17.21	3	Vertical	312	2.79
Mode 10	Pass	PK	17.23308G	59.29	88.20	-28.91	3	Vertical	177	1.91

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 10	Pass	AV	4.82397G	46.34	54.00	-7.66	3	Horizontal	360	1.27
Mode 10	Pass	AV	4.88103G	40.20	54.00	-13.80	3	Horizontal	5	1.88
Mode 10	Pass	AV	7.23521G	64.67	68.20	-3.53	3	Horizontal	319	2.22
Mode 10	Pass	AV	7.32128G	38.44	54.00	-15.56	3	Horizontal	227	1.01
Mode 10	Pass	AV	11.4911G	45.36	54.00	-8.64	3	Horizontal	102	2.24
Mode 10	Pass	AV	11.91368G	43.91	54.00	-10.09	3	Horizontal	212	1.40
Mode 10	Pass	AV	17.23539G	46.45	68.20	-21.75	3	Horizontal	97	2.99
Mode 10	Pass	PK	4.82386G	51.49	74.00	-22.51	3	Horizontal	360	1.27
Mode 10	Pass	PK	4.88097G	51.09	74.00	-22.91	3	Horizontal	5	1.88
Mode 10	Pass	PK	7.23584G	71.48	88.20	-16.72	3	Horizontal	319	2.22
Mode 10	Pass	PK	7.31927G	52.16	74.00	-21.84	3	Horizontal	227	1.01
Mode 10	Pass	PK	11.49229G	58.48	74.00	-15.52	3	Horizontal	102	2.24
Mode 10	Pass	PK	11.9097G	56.98	74.00	-17.02	3	Horizontal	212	1.40
Mode 10	Pass	PK	17.23473G	59.56	88.20	-28.64	3	Horizontal	97	2.99
Mode 11	Pass	AV	4.88148G	33.97	54.00	-20.03	3	Vertical	235	1.02
Mode 11	Pass	AV	7.31786G	38.73	54.00	-15.27	3	Vertical	239	2.78
Mode 11	Pass	AV	11.48765G	44.59	54.00	-9.41	3	Vertical	88	2.60
Mode 11	Pass	AV	11.65127G	44.14	54.00	-9.86	3	Vertical	88	1.78
Mode 11	Pass	AV	11.91083G	44.35	54.00	-9.65	3	Vertical	96	2.82
Mode 11	Pass	AV	17.23722G	46.56	68.20	-21.64	3	Vertical	153	1.10
Mode 11	Pass	AV	17.4767G	47.22	68.20	-20.98	3	Vertical	140	1.99
Mode 11	Pass	PK	4.87997G	47.56	74.00	-26.44	3	Vertical	235	1.02
Mode 11	Pass	PK	7.32086G	51.88	74.00	-22.12	3	Vertical	239	2.78
Mode 11	Pass	PK	11.48955G	58.22	74.00	-15.78	3	Vertical	88	2.60
Mode 11	Pass	PK	11.64994G	57.77	74.00	-16.23	3	Vertical	88	1.78
Mode 11	Pass	PK	11.90807G	57.22	74.00	-16.78	3	Vertical	96	2.82
Mode 11	Pass	PK	17.23667G	60.35	88.20	-27.85	3	Vertical	153	1.10
Mode 11	Pass	PK	17.47453G	60.64	88.20	-27.56	3	Vertical	140	1.99
Mode 11	Pass	AV	4.88113G	34.06	54.00	-19.94	3	Horizontal	301	2.23
Mode 11	Pass	AV	7.32185G	38.69	54.00	-15.31	3	Horizontal	54	2.02
Mode 11	Pass	AV	11.48814G	44.83	54.00	-9.17	3	Horizontal	169	1.70
Mode 11	Pass	AV	11.64774G	44.19	54.00	-9.81	3	Horizontal	266	1.88
Mode 11	Pass	AV	11.90953G	44.53	54.00	-9.47	3	Horizontal	318	1.70
Mode 11	Pass	AV	17.23572G	46.71	68.20	-21.49	3	Horizontal	131	2.33
Mode 11	Pass	AV	17.47565G	47.46	68.20	-20.74	3	Horizontal	146	1.90
Mode 11	Pass	PK	4.88244G	46.91	74.00	-27.09	3	Horizontal	301	2.23
Mode 11	Pass	PK	7.32232G	51.76	74.00	-22.24	3	Horizontal	54	2.02
Mode 11	Pass	PK	11.49119G	58.04	74.00	-15.96	3	Horizontal	169	1.70
Mode 11	Pass	PK	11.65016G	57.49	74.00	-16.51	3	Horizontal	266	1.88
Mode 11	Pass	PK	11.90878G	58.38	74.00	-15.62	3	Horizontal	318	1.70
Mode 11	Pass	PK	17.23603G	60.38	88.20	-27.82	3	Horizontal	131	2.33
Mode 11	Pass	PK	17.47646G	60.56	88.20	-27.64	3	Horizontal	146	1.90
Mode 12	Pass	AV	4.87947G	34.01	54.00	-19.99	3	Vertical	84	1.33
Mode 12	Pass	AV	7.32027G	38.65	54.00	-15.35	3	Vertical	296	2.46
Mode 12	Pass	AV	11.48844G	44.58	54.00	-9.42	3	Vertical	155	1.74
Mode 12	Pass	AV	11.90837G	44.44	54.00	-9.56	3	Vertical	323	1.70
Mode 12	Pass	AV	13.5724G	50.62	68.20	-17.58	3	Vertical	258	1.97
Mode 12	Pass	AV	17.23647G	46.56	68.20	-21.64	3	Vertical	255	1.72
Mode 12	Pass	PK	4.88237G	46.95	74.00	-27.05	3	Vertical	84	1.33
Mode 12	Pass	PK	7.31828G	51.73	74.00	-22.27	3	Vertical	296	2.46


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 12	Pass	PK	11.48905G	57.55	74.00	-16.45	3	Vertical	155	1.74
Mode 12	Pass	PK	11.90795G	57.82	74.00	-16.18	3	Vertical	323	1.70
Mode 12	Pass	PK	13.57229G	67.43	88.20	-20.77	3	Vertical	258	1.97
Mode 12	Pass	PK	17.23402G	59.83	88.20	-28.37	3	Vertical	255	1.72
Mode 12	Pass	AV	4.88083G	34.06	54.00	-19.94	3	Horizontal	42	2.96
Mode 12	Pass	AV	7.31933G	38.65	54.00	-15.35	3	Horizontal	61	1.29
Mode 12	Pass	AV	11.48804G	44.44	54.00	-9.56	3	Horizontal	170	1.52
Mode 12	Pass	AV	11.9195G	44.29	54.00	-9.71	3	Horizontal	223	2.07
Mode 12	Pass	AV	13.57214G	46.48	68.20	-21.72	3	Horizontal	68	2.40
Mode 12	Pass	AV	17.23638G	46.40	68.20	-21.80	3	Horizontal	77	2.30
Mode 12	Pass	PK	4.88122G	47.82	74.00	-26.18	3	Horizontal	42	2.96
Mode 12	Pass	PK	7.32098G	51.85	74.00	-22.15	3	Horizontal	61	1.29
Mode 12	Pass	PK	11.49025G	57.46	74.00	-16.54	3	Horizontal	170	1.52
Mode 12	Pass	PK	11.91036G	57.51	74.00	-16.49	3	Horizontal	223	2.07
Mode 12	Pass	PK	13.5721G	59.76	88.20	-28.44	3	Horizontal	68	2.40
Mode 12	Pass	PK	17.23512G	59.59	88.20	-28.61	3	Horizontal	77	2.30

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.804G	32.58	54.00	-21.42	4.19	3	Vertical	294	1.50	28.39	32.22	6.16	34.19				
AV	4.874G	33.07	54.00	-20.93	4.54	3	Vertical	310	1.22	28.53	32.50	6.21	34.17				
AV	7.3094G	42.67	54.00	-11.33	9.96	3	Vertical	66	1.50	32.71	36.66	7.80	34.50				
AV	11.49124G	44.64	54.00	-9.36	16.25	3	Vertical	226	2.09	28.39	38.88	11.43	34.06				
AV	13.56072G	46.60	68.20	-21.60	19.00	3	Vertical	25	2.14	27.60	40.06	11.29	32.35				
AV	17.23436G	46.70	68.20	-21.50	17.79	3	Vertical	18	1.35	28.91	38.07	13.00	33.28				
PK	4.804G	45.60	74.00	-28.40	4.19	3	Vertical	294	1.50	41.41	32.22	6.16	34.19				
PK	4.874G	46.06	74.00	-27.94	4.54	3	Vertical	310	1.22	41.52	32.50	6.21	34.17				
PK	7.30224G	56.37	74.00	-17.63	9.98	3	Vertical	66	1.50	46.39	36.69	7.79	34.50				
PK	11.49576G	57.65	74.00	-16.35	16.26	3	Vertical	226	2.09	41.39	38.89	11.43	34.06				
PK	13.57656G	60.62	88.20	-27.58	18.92	3	Vertical	25	2.14	41.70	39.99	11.29	32.36				
PK	17.24256G	59.71	88.20	-28.49	17.81	3	Vertical	18	1.35	41.90	38.09	13.01	33.29				

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.804G	32.58	54.00	-21.42	4.19	3	Horizontal	168	1.86	28.39	32.22	6.16	34.19				
AV	4.874G	33.34	54.00	-20.66	4.54	3	Horizontal	324	1.82	28.80	32.50	6.21	34.17				
AV	7.311G	44.77	54.00	-9.23	9.96	3	Horizontal	48	1.77	34.81	36.66	7.80	34.50				
AV	11.48874G	44.73	54.00	-9.27	16.25	3	Horizontal	15	1.42	28.48	38.88	11.43	34.06				
AV	13.56536G	46.65	68.20	-21.55	18.98	3	Horizontal	270	1.32	27.67	40.04	11.29	32.35				
AV	17.23512G	46.90	68.20	-21.30	17.78	3	Horizontal	276	2.73	29.12	38.07	13.00	33.29				
PK	4.804G	46.12	74.00	-27.88	4.19	3	Horizontal	168	1.86	41.93	32.22	6.16	34.19				
PK	4.874G	46.90	74.00	-27.10	4.54	3	Horizontal	324	1.82	42.36	32.50	6.21	34.17				
PK	7.311G	59.14	74.00	-14.86	9.96	3	Horizontal	48	1.77	49.18	36.66	7.80	34.50				
PK	11.49832G	57.54	74.00	-16.46	16.27	3	Horizontal	15	1.42	41.27	38.90	11.43	34.06				
PK	13.57128G	60.38	88.20	-27.82	18.95	3	Horizontal	270	1.32	41.43	40.01	11.29	32.35				
PK	17.23728G	59.74	88.20	-28.46	17.78	3	Horizontal	276	2.73	41.96	38.07	13.00	33.29				

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80437G	33.29	54.00	-20.71	4.19	3	Vertical	68	1.16	29.10	32.22	6.16	34.19
AV	4.82397G	45.78	54.00	-8.22	4.30	3	Vertical	3	1.54	41.48	32.30	6.18	34.18
AV	7.2352G	63.07	68.20	-5.13	9.83	3	Vertical	313	1.49	53.24	36.57	7.75	34.49
AV	11.48824G	42.32	54.00	-11.68	16.25	3	Vertical	138	2.33	26.07	38.88	11.43	34.06
AV	11.9102G	44.12	54.00	-9.88	15.88	3	Vertical	86	2.86	28.24	38.60	11.59	34.31
AV	17.2373G	46.77	68.20	-21.43	17.78	3	Vertical	353	2.92	28.99	38.07	13.00	33.29
PK	4.80575G	46.13	74.00	-27.87	4.19	3	Vertical	68	1.16	41.94	32.22	6.16	34.19
PK	4.82404G	51.03	74.00	-22.97	4.30	3	Vertical	3	1.54	46.73	32.30	6.18	34.18
PK	7.23586G	68.11	88.20	-20.09	9.83	3	Vertical	313	1.49	58.28	36.57	7.75	34.49
PK	11.49206G	55.81	74.00	-18.19	16.25	3	Vertical	138	2.33	39.56	38.88	11.43	34.06
PK	11.91034G	57.21	74.00	-16.79	15.88	3	Vertical	86	2.86	41.33	38.60	11.59	34.31
PK	17.23686G	59.24	88.20	-28.96	17.78	3	Vertical	353	2.92	41.46	38.07	13.00	33.29

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80409G	35.56	54.00	-18.44	4.19	3	Horizontal	359	1.77	31.37	32.22	6.16	34.19
AV	4.82401G	46.99	54.00	-7.01	4.30	3	Horizontal	355	1.00	42.69	32.30	6.18	34.18
AV	7.23522G	65.01	68.20	-3.19	9.83	3	Horizontal	311	1.12	55.18	36.57	7.75	34.49
AV	11.49082G	42.44	54.00	-11.56	16.25	3	Horizontal	187	2.58	26.19	38.88	11.43	34.06
AV	11.90934G	44.15	54.00	-9.85	15.88	3	Horizontal	218	2.19	28.27	38.60	11.59	34.31
AV	17.23908G	46.62	68.20	-21.58	17.79	3	Horizontal	264	2.47	28.83	38.08	13.00	33.29
PK	4.80351G	47.23	74.00	-26.77	4.18	3	Horizontal	359	1.77	43.05	32.21	6.16	34.19
PK	4.82386G	51.98	74.00	-22.02	4.30	3	Horizontal	355	1.00	47.68	32.30	6.18	34.18
PK	7.2359G	71.77	88.20	-16.43	9.83	3	Horizontal	311	1.12	61.94	36.57	7.75	34.49
PK	11.49026G	55.10	74.00	-18.90	16.25	3	Horizontal	187	2.58	38.85	38.88	11.43	34.06
PK	11.92014G	57.30	74.00	-16.70	15.87	3	Horizontal	218	2.19	41.43	38.60	11.59	34.32
PK	17.2382G	59.69	88.20	-28.51	17.79	3	Horizontal	264	2.47	41.90	38.08	13.00	33.29

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80936G	32.78	54.00	-21.22	4.22	3	Vertical	97	2.32	28.56	32.24	6.17	34.19
AV	7.21096G	38.16	68.20	-30.04	9.77	3	Vertical	56	1.45	28.39	36.52	7.74	34.49
AV	11.48979G	41.69	54.00	-12.31	16.25	3	Vertical	188	2.60	25.44	38.88	11.43	34.06
AV	11.65G	43.20	54.00	-10.80	15.64	3	Vertical	101	1.03	27.56	38.30	11.49	34.15
AV	11.91248G	43.91	54.00	-10.09	15.87	3	Vertical	329	2.84	28.04	38.60	11.59	34.32
AV	17.2341G	46.72	68.20	-21.48	17.79	3	Vertical	325	2.69	28.93	38.07	13.00	33.28
AV	17.47704G	47.61	68.20	-20.59	18.05	3	Vertical	229	1.64	29.56	38.30	13.11	33.36
PK	4.79896G	45.47	74.00	-28.53	4.16	3	Vertical	97	2.32	41.31	32.19	6.16	34.19
PK	7.21484G	51.75	88.20	-36.45	9.78	3	Vertical	56	1.45	41.97	36.53	7.74	34.49
PK	11.48965G	55.31	74.00	-18.69	16.25	3	Vertical	188	2.60	39.06	38.88	11.43	34.06
PK	11.65051G	56.92	74.00	-17.08	15.64	3	Vertical	101	1.03	41.28	38.30	11.49	34.15
PK	11.91225G	56.93	74.00	-17.07	15.87	3	Vertical	329	2.84	41.06	38.60	11.59	34.32
PK	17.23675G	60.37	88.20	-27.83	17.78	3	Vertical	325	2.69	42.59	38.07	13.00	33.29
PK	17.47608G	60.93	88.20	-27.27	18.05	3	Vertical	229	1.64	42.88	38.30	13.11	33.36

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.7972G	32.98	54.00	-21.02	4.15	3	Horizontal	167	2.39	28.83	32.18	6.16	34.19
AV	7.212G	38.04	68.20	-30.16	9.77	3	Horizontal	186	1.04	28.27	36.52	7.74	34.49
AV	11.48777G	41.83	54.00	-12.17	16.25	3	Horizontal	269	2.91	25.58	38.88	11.43	34.06
AV	11.6512G	43.15	54.00	-10.85	15.64	3	Horizontal	136	2.79	27.51	38.30	11.49	34.15
AV	11.90812G	44.03	54.00	-9.97	15.88	3	Horizontal	302	1.79	28.15	38.60	11.59	34.31
AV	17.2372G	46.61	68.20	-21.59	17.78	3	Horizontal	59	1.85	28.83	38.07	13.00	33.29
AV	17.47596G	47.55	68.20	-20.65	18.05	3	Horizontal	15	2.50	29.50	38.30	13.11	33.36
PK	4.80276G	45.73	74.00	-28.27	4.18	3	Horizontal	167	2.39	41.55	32.21	6.16	34.19
PK	7.21572G	51.32	88.20	-36.88	9.78	3	Horizontal	186	1.04	41.54	36.53	7.74	34.49
PK	11.49001G	55.26	74.00	-18.74	16.25	3	Horizontal	269	2.91	39.01	38.88	11.43	34.06
PK	11.65071G	56.43	74.00	-17.57	15.64	3	Horizontal	136	2.79	40.79	38.30	11.49	34.15
PK	11.91081G	57.02	74.00	-16.98	15.88	3	Horizontal	302	1.79	41.14	38.60	11.59	34.31
PK	17.23637G	59.65	88.20	-28.55	17.78	3	Horizontal	59	1.85	41.87	38.07	13.00	33.29
PK	17.47703G	60.76	88.20	-27.44	18.05	3	Horizontal	15	2.50	42.71	38.30	13.11	33.36

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80323G	19.74	54.00	-34.26	4.18	3	Vertical	301	2.41	15.56	32.21	6.16	34.19
AV	7.20766G	28.02	68.20	-40.18	9.77	3	Vertical	176	2.34	18.25	36.52	7.73	34.48
AV	11.48922G	31.23	54.00	-22.77	16.25	3	Vertical	326	1.67	14.98	38.88	11.43	34.06
AV	11.91211G	29.08	54.00	-24.92	15.87	3	Vertical	233	2.62	13.21	38.60	11.59	34.32
AV	13.56794G	33.73	68.20	-34.47	18.97	3	Vertical	282	1.33	14.76	40.03	11.29	32.35
AV	17.23528G	31.18	68.20	-37.02	17.78	3	Vertical	237	1.41	13.40	38.07	13.00	33.29
PK	4.80455G	33.32	74.00	-40.68	4.19	3	Vertical	301	2.41	29.13	32.22	6.16	34.19
PK	7.20582G	41.71	88.20	-46.49	9.76	3	Vertical	176	2.34	31.95	36.51	7.73	34.48
PK	11.48936G	44.78	74.00	-29.22	16.25	3	Vertical	326	1.67	28.53	38.88	11.43	34.06
PK	11.90989G	42.21	74.00	-31.79	15.88	3	Vertical	233	2.62	26.33	38.60	11.59	34.31
PK	13.57005G	46.90	88.20	-41.30	18.96	3	Vertical	282	1.33	27.94	40.02	11.29	32.35
PK	17.23566G	44.42	88.20	-43.78	17.78	3	Vertical	237	1.41	26.64	38.07	13.00	33.29

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8036G	19.77	54.00	-34.23	4.18	3	Horizontal	100	1.77	15.59	32.21	6.16	34.19
AV	7.20477G	28.29	68.20	-39.91	9.76	3	Horizontal	222	2.16	18.53	36.51	7.73	34.48
AV	11.48765G	31.25	54.00	-22.75	16.25	3	Horizontal	63	2.59	15.00	38.88	11.43	34.06
AV	11.90954G	29.18	54.00	-24.82	15.88	3	Horizontal	38	1.74	13.30	38.60	11.59	34.31
AV	13.56761G	33.48	68.20	-34.72	18.97	3	Horizontal	99	1.38	14.51	40.03	11.29	32.35
AV	17.23665G	31.30	68.20	-36.90	17.78	3	Horizontal	140	2.21	13.52	38.07	13.00	33.29
PK	4.80503G	33.03	74.00	-40.97	4.19	3	Horizontal	100	1.77	28.84	32.22	6.16	34.19
PK	7.20489G	41.38	88.20	-46.82	9.76	3	Horizontal	222	2.16	31.62	36.51	7.73	34.48
PK	11.49235G	44.57	74.00	-29.43	16.25	3	Horizontal	63	2.59	28.32	38.88	11.43	34.06
PK	11.90795G	42.64	74.00	-31.36	15.88	3	Horizontal	38	1.74	26.76	38.60	11.59	34.31
PK	13.56891G	46.97	88.20	-41.23	18.96	3	Horizontal	99	1.38	28.01	40.02	11.29	32.35
PK	17.23377G	44.37	88.20	-43.83	17.79	3	Horizontal	140	2.21	26.58	38.07	13.00	33.28

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.8755G	34.03	54.00	-19.97	4.55	3	Vertical	359	1.19	29.48	32.50	6.21	34.16			
AV	4.87932G	34.09	54.00	-19.91	4.58	3	Vertical	359	1.12	29.51	32.52	6.22	34.16			
AV	7.31203G	42.88	54.00	-11.12	9.95	3	Vertical	351	2.21	32.93	36.65	7.80	34.50			
AV	7.31824G	41.61	54.00	-12.39	9.93	3	Vertical	343	2.86	31.68	36.63	7.80	34.50			
AV	11.49236G	43.31	54.00	-10.69	16.25	3	Vertical	22	1.91	27.06	38.88	11.43	34.06			
AV	13.56887G	44.87	68.20	-23.33	18.96	3	Vertical	140	1.69	25.91	40.02	11.29	32.35			
AV	17.23319G	46.23	68.20	-21.97	17.79	3	Vertical	221	1.88	28.44	38.07	13.00	33.28			
PK	4.8759G	47.89	74.00	-26.11	4.55	3	Vertical	359	1.19	43.34	32.50	6.21	34.16			
PK	4.8811G	47.82	74.00	-26.18	4.58	3	Vertical	359	1.12	43.24	32.52	6.22	34.16			
PK	7.30954G	57.96	74.00	-16.04	9.96	3	Vertical	351	2.21	48.00	36.66	7.80	34.50			
PK	7.31817G	57.07	74.00	-16.93	9.93	3	Vertical	343	2.86	47.14	36.63	7.80	34.50			
PK	11.49241G	56.17	74.00	-17.83	16.25	3	Vertical	22	1.91	39.92	38.88	11.43	34.06			
PK	13.56955G	58.05	88.20	-30.15	18.96	3	Vertical	140	1.69	39.09	40.02	11.29	32.35			
PK	17.23488G	59.51	88.20	-28.69	17.78	3	Vertical	221	1.88	41.73	38.07	13.00	33.29			

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.87394G	34.34	54.00	-19.66	4.54	3	Horizontal	320	1.58	29.80	32.50	6.21	34.17			
AV	4.87855G	34.07	54.00	-19.93	4.56	3	Horizontal	319	1.92	29.51	32.51	6.21	34.16			
AV	7.31186G	45.54	54.00	-8.46	9.95	3	Horizontal	51	1.90	35.59	36.65	7.80	34.50			
AV	7.31823G	44.88	54.00	-9.12	9.93	3	Horizontal	53	1.94	34.95	36.63	7.80	34.50			
AV	11.49173G	43.21	54.00	-10.79	16.25	3	Horizontal	94	2.44	26.96	38.88	11.43	34.06			
AV	13.57003G	45.26	68.20	-22.94	18.96	3	Horizontal	157	1.86	26.30	40.02	11.29	32.35			
AV	17.234G	46.30	68.20	-21.90	17.79	3	Horizontal	150	1.95	28.51	38.07	13.00	33.28			
PK	4.87581G	48.03	74.00	-25.97	4.55	3	Horizontal	320	1.58	43.48	32.50	6.21	34.16			
PK	4.87806G	47.43	74.00	-26.57	4.56	3	Horizontal	319	1.92	42.87	32.51	6.21	34.16			
PK	7.31182G	59.63	74.00	-14.37	9.95	3	Horizontal	51	1.90	49.68	36.65	7.80	34.50			
PK	7.31819G	60.61	74.00	-13.39	9.93	3	Horizontal	53	1.94	50.68	36.63	7.80	34.50			
PK	11.48959G	56.21	74.00	-17.79	16.25	3	Horizontal	94	2.44	39.96	38.88	11.43	34.06			
PK	13.56883G	57.44	88.20	-30.76	18.96	3	Horizontal	157	1.86	38.48	40.02	11.29	32.35			
PK	17.23521G	59.51	88.20	-28.69	17.78	3	Horizontal	150	1.95	41.73	38.07	13.00	33.29			

Radiated Emissions above 1GHz_Mode 6




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV/m)	(dB/m)	(dB)	(dB)		
AV	4.82401G	45.13	54.00	-8.87	4.30	3	Vertical	9	1.68	40.83	32.30	6.18	34.18		
AV	4.87908G	38.25	54.00	-15.75	4.58	3	Vertical	7	2.85	33.67	32.52	6.22	34.16		
AV	7.23525G	61.77	68.20	-6.43	9.83	3	Vertical	316	1.44	51.94	36.57	7.75	34.49		
AV	7.32123G	38.68	54.00	-15.32	9.92	3	Vertical	171	1.76	28.76	36.62	7.80	34.50		
AV	11.4876G	44.24	54.00	-9.76	16.25	3	Vertical	161	1.77	27.99	38.88	11.43	34.06		
AV	11.90997G	43.67	54.00	-10.33	15.88	3	Vertical	35	2.22	27.79	38.60	11.59	34.31		
AV	17.23508G	46.21	68.20	-21.99	17.78	3	Vertical	192	1.47	28.43	38.07	13.00	33.29		
PK	4.82414G	50.53	74.00	-23.47	4.30	3	Vertical	9	1.68	46.23	32.30	6.18	34.18		
PK	4.87939G	49.22	74.00	-24.78	4.58	3	Vertical	7	2.85	44.64	32.52	6.22	34.16		
PK	7.23583G	66.72	88.20	-21.48	9.83	3	Vertical	316	1.44	56.89	36.57	7.75	34.49		
PK	7.31942G	51.09	74.00	-22.91	9.92	3	Vertical	171	1.76	41.17	36.62	7.80	34.50		
PK	11.48909G	57.03	74.00	-16.97	16.25	3	Vertical	161	1.77	40.78	38.88	11.43	34.06		
PK	11.91057G	57.21	74.00	-16.79	15.88	3	Vertical	35	2.22	41.33	38.60	11.59	34.31		
PK	17.23285G	59.20	88.20	-29.00	17.79	3	Vertical	192	1.47	41.41	38.07	13.00	33.28		

Radiated Emissions above 1GHz_Mode 6




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV/m)	(dB/m)	(dB)	(dB)		
AV	4.82396G	46.60	54.00	-7.40	4.30	3	Horizontal	360	1.27	42.30	32.30	6.18	34.18		
AV	4.88088G	40.32	54.00	-13.68	4.58	3	Horizontal	327	2.00	35.74	32.52	6.22	34.16		
AV	7.23518G	64.72	68.20	-3.48	9.83	3	Horizontal	320	2.23	54.89	36.57	7.75	34.49		
AV	7.31851G	38.31	54.00	-15.69	9.93	3	Horizontal	274	2.63	28.38	36.63	7.80	34.50		
AV	11.49066G	44.40	54.00	-9.60	16.25	3	Horizontal	348	2.67	28.15	38.88	11.43	34.06		
AV	11.90864G	43.70	54.00	-10.30	15.88	3	Horizontal	233	2.25	27.82	38.60	11.59	34.31		
AV	17.23512G	46.38	68.20	-21.82	17.78	3	Horizontal	31	2.39	28.60	38.07	13.00	33.29		
PK	4.82404G	51.84	74.00	-22.16	4.30	3	Horizontal	360	1.27	47.54	32.30	6.18	34.18		
PK	4.87904G	51.17	74.00	-22.83	4.58	3	Horizontal	327	2.00	46.59	32.52	6.22	34.16		
PK	7.23582G	70.83	88.20	-17.37	9.83	3	Horizontal	320	2.23	61.00	36.57	7.75	34.49		
PK	7.32052G	51.15	74.00	-22.85	9.92	3	Horizontal	274	2.63	41.23	36.62	7.80	34.50		
PK	11.48869G	57.52	74.00	-16.48	16.25	3	Horizontal	348	2.67	41.27	38.88	11.43	34.06		
PK	11.91186G	56.74	74.00	-17.26	15.87	3	Horizontal	233	2.25	40.87	38.60	11.59	34.32		
PK	17.23383G	59.59	88.20	-28.61	17.79	3	Horizontal	31	2.39	41.80	38.07	13.00	33.28		

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88076G	33.56	54.00	-20.44	4.58	3	Vertical	360	1.00	28.98	32.52	6.22	34.16
AV	7.31813G	38.85	54.00	-15.15	9.93	3	Vertical	48	2.66	28.92	36.63	7.80	34.50
AV	11.48882G	43.94	54.00	-10.06	16.25	3	Vertical	84	2.27	27.69	38.88	11.43	34.06
AV	11.64777G	30.21	54.00	-23.79	15.64	3	Vertical	329	1.50	14.57	38.30	11.49	34.15
AV	11.91139G	29.25	54.00	-24.75	15.87	3	Vertical	278	2.37	13.38	38.60	11.59	34.32
AV	17.23714G	46.40	68.20	-21.80	17.78	3	Vertical	122	1.82	28.62	38.07	13.00	33.29
AV	17.47399G	32.66	68.20	-35.54	18.05	3	Vertical	35	1.50	14.61	38.30	13.11	33.36
PK	4.88035G	46.79	74.00	-27.21	4.58	3	Vertical	360	1.00	42.21	32.52	6.22	34.16
PK	7.31897G	52.17	74.00	-21.83	9.92	3	Vertical	48	2.66	42.25	36.62	7.80	34.50
PK	11.49234G	57.79	74.00	-16.21	16.25	3	Vertical	84	2.27	41.54	38.88	11.43	34.06
PK	11.65127G	43.70	74.00	-30.30	15.65	3	Vertical	329	1.50	28.05	38.31	11.49	34.15
PK	11.90771G	42.29	74.00	-31.71	15.88	3	Vertical	278	2.37	26.41	38.60	11.59	34.31
PK	17.23668G	59.61	88.20	-28.59	17.78	3	Vertical	122	1.82	41.83	38.07	13.00	33.29
PK	17.47555G	45.99	88.20	-42.21	18.05	3	Vertical	35	1.50	27.94	38.30	13.11	33.36

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8789G	34.17	54.00	-19.83	4.58	3	Horizontal	66	2.39	29.59	32.52	6.22	34.16
AV	7.3184G	39.05	54.00	-14.95	9.93	3	Horizontal	62	1.50	29.12	36.63	7.80	34.50
AV	11.4902G	45.97	54.00	-8.03	16.25	3	Horizontal	109	2.10	29.72	38.88	11.43	34.06
AV	11.64841G	44.22	54.00	-9.78	15.64	3	Horizontal	89	1.50	28.58	38.30	11.49	34.15
AV	11.91172G	29.15	54.00	-24.85	15.87	3	Horizontal	292	1.50	13.28	38.60	11.59	34.32
AV	17.2313G	46.60	68.20	-21.60	17.79	3	Horizontal	202	1.50	28.81	38.07	13.00	33.28
AV	17.47609G	47.10	68.20	-21.10	18.05	3	Horizontal	159	2.02	29.05	38.30	13.11	33.36
PK	4.88112G	47.14	74.00	-26.86	4.58	3	Horizontal	66	2.39	42.56	32.52	6.22	34.16
PK	7.31872G	52.12	74.00	-21.88	9.93	3	Horizontal	62	1.50	42.19	36.63	7.80	34.50
PK	11.4892G	59.44	74.00	-14.56	16.25	3	Horizontal	109	2.10	43.19	38.88	11.43	34.06
PK	11.64814G	57.46	74.00	-16.54	15.64	3	Horizontal	89	1.50	41.82	38.30	11.49	34.15
PK	11.91007G	42.36	74.00	-31.64	15.88	3	Horizontal	292	1.50	26.48	38.60	11.59	34.31
PK	17.2337G	60.01	88.20	-28.19	17.79	3	Horizontal	202	1.50	42.22	38.07	13.00	33.28
PK	17.47436G	59.79	88.20	-28.41	18.05	3	Horizontal	159	2.02	41.74	38.30	13.11	33.36

Radiated Emissions above 1GHz_Mode 8




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88186G	34.02	54.00	-19.98	4.59	3	Vertical	87	2.74	29.43	32.53	6.22	34.16
AV	7.31871G	39.23	54.00	-14.77	9.93	3	Vertical	48	1.28	29.30	36.63	7.80	34.50
AV	11.49119G	45.16	54.00	-8.84	16.25	3	Vertical	253	2.22	28.91	38.88	11.43	34.06
AV	11.90879G	44.45	54.00	-9.55	15.88	3	Vertical	176	1.24	28.57	38.60	11.59	34.31
AV	13.56836G	46.10	68.20	-22.10	18.97	3	Vertical	344	2.42	27.13	40.03	11.29	32.35
AV	17.23685G	46.68	68.20	-21.52	17.78	3	Vertical	186	1.74	28.90	38.07	13.00	33.29
PK	4.88203G	47.33	74.00	-26.67	4.59	3	Vertical	87	2.74	42.74	32.53	6.22	34.16
PK	7.3199G	52.61	74.00	-21.39	9.92	3	Vertical	48	1.28	42.69	36.62	7.80	34.50
PK	11.48844G	57.98	74.00	-16.02	16.25	3	Vertical	253	2.22	41.73	38.88	11.43	34.06
PK	11.90851G	57.41	74.00	-16.59	15.88	3	Vertical	176	1.24	41.53	38.60	11.59	34.31
PK	13.57177G	60.12	88.20	-28.08	18.95	3	Vertical	344	2.42	41.17	40.01	11.29	32.35
PK	17.23517G	59.92	88.20	-28.28	17.78	3	Vertical	186	1.74	42.14	38.07	13.00	33.29

Radiated Emissions above 1GHz_Mode 8




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88174G	34.19	54.00	-19.81	4.59	3	Horizontal	85	2.87	29.60	32.53	6.22	34.16
AV	7.31861G	38.64	54.00	-15.36	9.93	3	Horizontal	213	1.70	28.71	36.63	7.80	34.50
AV	11.48954G	44.48	54.00	-9.52	16.25	3	Horizontal	155	2.39	28.23	38.88	11.43	34.06
AV	11.90946G	44.34	54.00	-9.66	15.88	3	Horizontal	229	1.21	28.46	38.60	11.59	34.31
AV	13.57241G	46.87	68.20	-21.33	18.95	3	Horizontal	283	2.74	27.92	40.01	11.29	32.35
AV	17.23708G	46.56	68.20	-21.64	17.78	3	Horizontal	175	2.61	28.78	38.07	13.00	33.29
PK	4.88238G	47.27	74.00	-26.73	4.59	3	Horizontal	85	2.87	42.68	32.53	6.22	34.16
PK	7.31962G	51.50	74.00	-22.50	9.92	3	Horizontal	213	1.70	41.58	36.62	7.80	34.50
PK	11.48794G	57.74	74.00	-16.26	16.25	3	Horizontal	155	2.39	41.49	38.88	11.43	34.06
PK	11.9125G	57.47	74.00	-16.53	15.87	3	Horizontal	229	1.21	41.60	38.60	11.59	34.32
PK	13.57242G	60.96	88.20	-27.24	18.95	3	Horizontal	283	2.74	42.01	40.01	11.29	32.35
PK	17.2332G	60.18	88.20	-28.02	17.79	3	Horizontal	175	2.61	42.39	38.07	13.00	33.28

Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87471G	33.20	54.00	-20.80	4.54	3	Vertical	307	2.20	28.66	32.50	6.21	34.17
AV	4.87789G	33.25	54.00	-20.75	4.56	3	Vertical	302	2.22	28.69	32.51	6.21	34.16
AV	7.31238G	42.29	54.00	-11.71	9.95	3	Vertical	352	2.97	32.34	36.65	7.80	34.50
AV	7.31833G	41.59	54.00	-12.41	9.93	3	Vertical	342	2.86	31.66	36.63	7.80	34.50
AV	11.49133G	43.19	54.00	-10.81	16.25	3	Vertical	73	2.11	26.94	38.88	11.43	34.06
AV	13.56855G	44.83	68.20	-23.37	18.97	3	Vertical	11	1.48	25.86	40.03	11.29	32.35
AV	17.23341G	46.38	68.20	-21.82	17.79	3	Vertical	283	1.16	28.59	38.07	13.00	33.28
PK	4.87523G	45.98	74.00	-28.02	4.55	3	Vertical	307	2.20	41.43	32.50	6.21	34.16
PK	4.87879G	46.67	74.00	-27.33	4.58	3	Vertical	302	2.22	42.09	32.52	6.22	34.16
PK	7.31211G	56.08	74.00	-17.92	9.95	3	Vertical	352	2.97	46.13	36.65	7.80	34.50
PK	7.31854G	56.40	74.00	-17.60	9.93	3	Vertical	342	2.86	46.47	36.63	7.80	34.50
PK	11.48941G	56.71	74.00	-17.29	16.25	3	Vertical	73	2.11	40.46	38.88	11.43	34.06
PK	13.57012G	57.82	88.20	-30.38	18.96	3	Vertical	11	1.48	38.86	40.02	11.29	32.35
PK	17.23516G	59.24	88.20	-28.96	17.78	3	Vertical	283	1.16	41.46	38.07	13.00	33.29

Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87179G	32.99	54.00	-21.01	4.53	3	Horizontal	285	2.51	28.46	32.49	6.21	34.17
AV	4.87788G	33.33	54.00	-20.67	4.56	3	Horizontal	163	2.64	28.77	32.51	6.21	34.16
AV	7.31057G	45.77	54.00	-8.23	9.96	3	Horizontal	50	1.96	35.81	36.66	7.80	34.50
AV	7.31849G	44.82	54.00	-9.18	9.93	3	Horizontal	53	1.90	34.89	36.63	7.80	34.50
AV	11.48927G	43.34	54.00	-10.66	16.25	3	Horizontal	232	2.33	27.09	38.88	11.43	34.06
AV	13.56777G	45.05	68.20	-23.15	18.97	3	Horizontal	37	2.98	26.08	40.03	11.29	32.35
AV	17.23399G	46.28	68.20	-21.92	17.79	3	Horizontal	344	1.23	28.49	38.07	13.00	33.28
PK	4.87307G	46.97	74.00	-27.03	4.53	3	Horizontal	285	2.51	42.44	32.49	6.21	34.17
PK	4.87935G	46.75	74.00	-27.25	4.58	3	Horizontal	163	2.64	42.17	32.52	6.22	34.16
PK	7.31084G	59.92	74.00	-14.08	9.96	3	Horizontal	50	1.96	49.96	36.66	7.80	34.50
PK	7.31836G	60.60	74.00	-13.40	9.93	3	Horizontal	53	1.90	50.67	36.63	7.80	34.50
PK	11.48837G	57.39	74.00	-16.61	16.25	3	Horizontal	232	2.33	41.14	38.88	11.43	34.06
PK	13.5704G	58.09	88.20	-30.11	18.96	3	Horizontal	37	2.98	39.13	40.02	11.29	32.35
PK	17.23293G	59.25	88.20	-28.95	17.79	3	Horizontal	344	1.23	41.46	38.07	13.00	33.28

Radiated Emissions above 1GHz_Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82396G	44.98	54.00	-9.02	4.30	3	Vertical	8	1.50	40.68	32.30	6.18	34.18
AV	4.87913G	37.88	54.00	-16.12	4.58	3	Vertical	4	1.24	33.30	32.52	6.22	34.16
AV	7.23525G	61.54	68.20	-6.66	9.83	3	Vertical	314	1.45	51.71	36.57	7.75	34.49
AV	7.32104G	38.30	54.00	-15.70	9.92	3	Vertical	341	2.76	28.38	36.62	7.80	34.50
AV	11.49186G	44.65	54.00	-9.35	16.25	3	Vertical	85	2.11	28.40	38.88	11.43	34.06
AV	11.9098G	43.81	54.00	-10.19	15.88	3	Vertical	312	2.79	27.93	38.60	11.59	34.31
AV	17.23366G	46.41	68.20	-21.79	17.79	3	Vertical	177	1.91	28.62	38.07	13.00	33.28
PK	4.82393G	50.94	74.00	-23.06	4.30	3	Vertical	8	1.50	46.64	32.30	6.18	34.18
PK	4.88103G	49.14	74.00	-24.86	4.58	3	Vertical	4	1.24	44.56	32.52	6.22	34.16
PK	7.2361G	67.04	88.20	-21.16	9.83	3	Vertical	314	1.45	57.21	36.57	7.75	34.49
PK	7.32057G	52.03	74.00	-21.97	9.92	3	Vertical	341	2.76	42.11	36.62	7.80	34.50
PK	11.48951G	57.86	74.00	-16.14	16.25	3	Vertical	85	2.11	41.61	38.88	11.43	34.06
PK	11.91006G	56.79	74.00	-17.21	15.88	3	Vertical	312	2.79	40.91	38.60	11.59	34.31
PK	17.23308G	59.29	88.20	-28.91	17.79	3	Vertical	177	1.91	41.50	38.07	13.00	33.28

Radiated Emissions above 1GHz_Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82397G	46.34	54.00	-7.66	4.30	3	Horizontal	360	1.27	42.04	32.30	6.18	34.18
AV	4.88103G	40.20	54.00	-13.80	4.58	3	Horizontal	5	1.88	35.62	32.52	6.22	34.16
AV	7.23521G	64.67	68.20	-3.53	9.83	3	Horizontal	319	2.22	54.84	36.57	7.75	34.49
AV	7.32128G	38.44	54.00	-15.56	9.91	3	Horizontal	227	1.01	28.53	36.61	7.80	34.50
AV	11.4911G	45.36	54.00	-8.64	16.25	3	Horizontal	102	2.24	29.11	38.88	11.43	34.06
AV	11.91368G	43.91	54.00	-10.09	15.87	3	Horizontal	212	1.40	28.04	38.60	11.59	34.32
AV	17.23539G	46.45	68.20	-21.75	17.78	3	Horizontal	97	2.99	28.67	38.07	13.00	33.29
PK	4.82386G	51.49	74.00	-22.51	4.30	3	Horizontal	360	1.27	47.19	32.30	6.18	34.18
PK	4.88097G	51.09	74.00	-22.91	4.58	3	Horizontal	5	1.88	46.51	32.52	6.22	34.16
PK	7.23584G	71.48	88.20	-16.72	9.83	3	Horizontal	319	2.22	61.65	36.57	7.75	34.49
PK	7.31927G	52.16	74.00	-21.84	9.92	3	Horizontal	227	1.01	42.24	36.62	7.80	34.50
PK	11.49229G	58.48	74.00	-15.52	16.25	3	Horizontal	102	2.24	42.23	38.88	11.43	34.06
PK	11.9097G	56.98	74.00	-17.02	15.88	3	Horizontal	212	1.40	41.10	38.60	11.59	34.31
PK	17.23473G	59.56	88.20	-28.64	17.78	3	Horizontal	97	2.99	41.78	38.07	13.00	33.29

Radiated Emissions above 1GHz_Mode 11




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88148G	33.97	54.00	-20.03	4.59	3	Vertical	235	1.02	29.38	32.53	6.22	34.16
AV	7.31786G	38.73	54.00	-15.27	9.93	3	Vertical	239	2.78	28.80	36.63	7.80	34.50
AV	11.48765G	44.59	54.00	-9.41	16.25	3	Vertical	88	2.60	28.34	38.88	11.43	34.06
AV	11.65127G	44.14	54.00	-9.86	15.65	3	Vertical	88	1.78	28.49	38.31	11.49	34.15
AV	11.91083G	44.35	54.00	-9.65	15.88	3	Vertical	96	2.82	28.47	38.60	11.59	34.31
AV	17.23722G	46.56	68.20	-21.64	17.78	3	Vertical	153	1.10	28.78	38.07	13.00	33.29
AV	17.4767G	47.22	68.20	-20.98	18.05	3	Vertical	140	1.99	29.17	38.30	13.11	33.36
PK	4.87997G	47.56	74.00	-26.44	4.58	3	Vertical	235	1.02	42.98	32.52	6.22	34.16
PK	7.32086G	51.88	74.00	-22.12	9.92	3	Vertical	239	2.78	41.96	36.62	7.80	34.50
PK	11.48955G	58.22	74.00	-15.78	16.25	3	Vertical	88	2.60	41.97	38.88	11.43	34.06
PK	11.64994G	57.77	74.00	-16.23	15.64	3	Vertical	88	1.78	42.13	38.30	11.49	34.15
PK	11.90807G	57.22	74.00	-16.78	15.88	3	Vertical	96	2.82	41.34	38.60	11.59	34.31
PK	17.23667G	60.35	88.20	-27.85	17.78	3	Vertical	153	1.10	42.57	38.07	13.00	33.29
PK	17.47453G	60.64	88.20	-27.56	18.05	3	Vertical	140	1.99	42.59	38.30	13.11	33.36

Radiated Emissions above 1GHz_Mode 11




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88113G	34.06	54.00	-19.94	4.58	3	Horizontal	301	2.23	29.48	32.52	6.22	34.16
AV	7.32185G	38.69	54.00	-15.31	9.91	3	Horizontal	54	2.02	28.78	36.61	7.80	34.50
AV	11.48814G	44.83	54.00	-9.17	16.25	3	Horizontal	169	1.70	28.58	38.88	11.43	34.06
AV	11.64774G	44.19	54.00	-9.81	15.64	3	Horizontal	266	1.88	28.55	38.30	11.49	34.15
AV	11.90953G	44.53	54.00	-9.47	15.88	3	Horizontal	318	1.70	28.65	38.60	11.59	34.31
AV	17.23572G	46.71	68.20	-21.49	17.78	3	Horizontal	131	2.33	28.93	38.07	13.00	33.29
AV	17.47565G	47.46	68.20	-20.74	18.05	3	Horizontal	146	1.90	29.41	38.30	13.11	33.36
PK	4.88244G	46.91	74.00	-27.09	4.59	3	Horizontal	301	2.23	42.32	32.53	6.22	34.16
PK	7.32232G	51.76	74.00	-22.24	9.91	3	Horizontal	54	2.02	41.85	36.61	7.80	34.50
PK	11.49119G	58.04	74.00	-15.96	16.25	3	Horizontal	169	1.70	41.79	38.88	11.43	34.06
PK	11.65016G	57.49	74.00	-16.51	15.64	3	Horizontal	266	1.88	41.85	38.30	11.49	34.15
PK	11.90878G	58.38	74.00	-15.62	15.88	3	Horizontal	318	1.70	42.50	38.60	11.59	34.31
PK	17.23603G	60.38	88.20	-27.82	17.78	3	Horizontal	131	2.33	42.60	38.07	13.00	33.29
PK	17.47646G	60.56	88.20	-27.64	18.05	3	Horizontal	146	1.90	42.51	38.30	13.11	33.36

Radiated Emissions above 1GHz_Mode 12



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87947G	34.01	54.00	-19.99	4.58	3	Vertical	84	1.33	29.43	32.52	6.22	34.16
AV	7.32027G	38.65	54.00	-15.35	9.92	3	Vertical	296	2.46	28.73	36.62	7.80	34.50
AV	11.48844G	44.58	54.00	-9.42	16.25	3	Vertical	155	1.74	28.33	38.88	11.43	34.06
AV	11.90837G	44.44	54.00	-9.56	15.88	3	Vertical	323	1.70	28.56	38.60	11.59	34.31
AV	13.5724G	50.62	68.20	-17.58	18.95	3	Vertical	258	1.97	31.67	40.01	11.29	32.35
AV	17.23647G	46.56	68.20	-21.64	17.78	3	Vertical	255	1.72	28.78	38.07	13.00	33.29
PK	4.88237G	46.95	74.00	-27.05	4.59	3	Vertical	84	1.33	42.36	32.53	6.22	34.16
PK	7.31828G	51.73	74.00	-22.27	9.93	3	Vertical	296	2.46	41.80	36.63	7.80	34.50
PK	11.48905G	57.55	74.00	-16.45	16.25	3	Vertical	155	1.74	41.30	38.88	11.43	34.06
PK	11.90795G	57.82	74.00	-16.18	15.88	3	Vertical	323	1.70	41.94	38.60	11.59	34.31
PK	13.57229G	67.43	88.20	-20.77	18.95	3	Vertical	258	1.97	48.48	40.01	11.29	32.35
PK	17.23402G	59.83	88.20	-28.37	17.79	3	Vertical	255	1.72	42.04	38.07	13.00	33.28

Radiated Emissions above 1GHz_Mode 12



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88083G	34.06	54.00	-19.94	4.58	3	Horizontal	42	2.96	29.48	32.52	6.22	34.16
AV	7.31933G	38.65	54.00	-15.35	9.92	3	Horizontal	61	1.29	28.73	36.62	7.80	34.50
AV	11.48804G	44.44	54.00	-9.56	16.25	3	Horizontal	170	1.52	28.19	38.88	11.43	34.06
AV	11.9195G	44.29	54.00	-9.71	15.87	3	Horizontal	223	2.07	28.42	38.60	11.59	34.32
AV	13.57214G	46.48	68.20	-21.72	18.95	3	Horizontal	68	2.40	27.53	40.01	11.29	32.35
AV	17.23638G	46.40	68.20	-21.80	17.78	3	Horizontal	77	2.30	28.62	38.07	13.00	33.29
PK	4.88122G	47.82	74.00	-26.18	4.58	3	Horizontal	42	2.96	43.24	32.52	6.22	34.16
PK	7.32098G	51.85	74.00	-22.15	9.92	3	Horizontal	61	1.29	41.93	36.62	7.80	34.50
PK	11.49025G	57.46	74.00	-16.54	16.25	3	Horizontal	170	1.52	41.21	38.88	11.43	34.06
PK	11.91036G	57.51	74.00	-16.49	15.88	3	Horizontal	223	2.07	41.63	38.60	11.59	34.31
PK	13.5721G	59.76	88.20	-28.44	18.95	3	Horizontal	68	2.40	40.81	40.01	11.29	32.35
PK	17.23512G	59.59	88.20	-28.61	17.78	3	Horizontal	77	2.30	41.81	38.07	13.00	33.29