



RSE TX above 1GHz _Non-Beamforming_Radio
3_AP66_outdoor

Appendix E.26

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	12.3999G	42.02	54.00	-11.98	3	Vertical	18	2.12
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	13.38042G	43.61	54.00	-10.39	3	Horizontal	325	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	49.33	68.20	-18.87	3	Horizontal	46	1.06
5955MHz	Pass	AV	5.9574G	101.50	Inf	-Inf	3	Horizontal	46	1.06
5955MHz	Pass	PK	5.925G	68.20	88.20	-20.00	3	Horizontal	46	1.06
5955MHz	Pass	PK	5.9502G	110.98	Inf	-Inf	3	Horizontal	46	1.06
5955MHz	Pass	AV	11.91636G	41.22	54.00	-12.78	3	Vertical	51	3.00
5955MHz	Pass	PK	11.9113G	53.07	74.00	-20.93	3	Vertical	51	3.00
5955MHz	Pass	AV	11.91668G	41.23	54.00	-12.77	3	Horizontal	22	2.78
5955MHz	Pass	PK	11.90514G	52.98	74.00	-21.02	3	Horizontal	22	2.78
6195MHz	Pass	AV	12.3999G	42.02	54.00	-11.98	3	Vertical	18	2.12
6195MHz	Pass	PK	12.38362G	54.09	74.00	-19.91	3	Vertical	18	2.12
6195MHz	Pass	AV	12.39836G	41.99	54.00	-12.01	3	Horizontal	37	3.00
6195MHz	Pass	PK	12.3971G	54.62	74.00	-19.38	3	Horizontal	37	3.00
6415MHz	Pass	AV	12.83702G	43.40	68.20	-24.80	3	Vertical	86	1.47
6415MHz	Pass	PK	12.83756G	56.13	88.20	-32.07	3	Vertical	86	1.47
6415MHz	Pass	AV	12.836G	43.35	68.20	-24.85	3	Horizontal	335	1.36
6415MHz	Pass	PK	12.8371G	55.72	88.20	-32.48	3	Horizontal	335	1.36
6535MHz	Pass	AV	13.06376G	43.29	68.20	-24.91	3	Vertical	117	2.41
6535MHz	Pass	PK	13.06144G	55.58	88.20	-32.62	3	Vertical	117	2.41
6535MHz	Pass	AV	13.06132G	43.26	68.20	-24.94	3	Horizontal	3	2.46
6535MHz	Pass	PK	13.07152G	55.84	88.20	-32.36	3	Horizontal	3	2.46
6695MHz	Pass	AV	13.3814G	43.58	54.00	-10.42	3	Vertical	54	1.50
6695MHz	Pass	PK	13.39226G	55.44	74.00	-18.56	3	Vertical	54	1.50
6695MHz	Pass	AV	13.38042G	43.61	54.00	-10.39	3	Horizontal	325	1.50
6695MHz	Pass	PK	13.3876G	55.80	74.00	-18.20	3	Horizontal	325	1.50
6855MHz	Pass	AV	13.71998G	43.56	68.20	-24.64	3	Vertical	283	1.50
6855MHz	Pass	PK	13.70822G	55.81	88.20	-32.39	3	Vertical	283	1.50
6855MHz	Pass	AV	13.71976G	43.59	68.20	-24.61	3	Horizontal	11	1.36
6855MHz	Pass	PK	13.7199G	56.53	88.20	-31.67	3	Horizontal	11	1.36


5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX

6195MHz_TX




5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX

6195MHz_TX




6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_TX



6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	11.92548G	43.02	54.00	-10.98	3	Vertical	328	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	66.89	68.20	-1.31	3	Horizontal	310	2.18
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	66.85	68.20	-1.35	3	Vertical	25	1.40
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.92G	64.52	68.20	-3.68	3	Vertical	27	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	12.21922G	41.89	54.00	-12.11	3	Vertical	352	2.41
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.38336G	42.78	54.00	-11.22	3	Horizontal	168	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.38116G	43.53	54.00	-10.47	3	Vertical	279	1.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.28464G	42.99	54.00	-11.01	3	Vertical	57	1.28
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.33076G	43.15	54.00	-10.85	3	Vertical	299	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9247G	57.21	68.20	-10.99	3	Vertical	29	1.63
5955MHz	Pass	AV	5.9634G	105.63	Inf	-Inf	3	Vertical	29	1.63
5955MHz	Pass	PK	5.9247G	72.43	88.20	-15.77	3	Vertical	29	1.63
5955MHz	Pass	PK	5.9604G	116.43	Inf	-Inf	3	Vertical	29	1.63
5955MHz	Pass	AV	5.9244G	57.09	68.20	-11.11	3	Horizontal	307	2.51
5955MHz	Pass	AV	5.9628G	108.77	Inf	-Inf	3	Horizontal	307	2.51
5955MHz	Pass	PK	5.9211G	72.31	88.20	-15.89	3	Horizontal	307	2.51
5955MHz	Pass	PK	5.9622G	119.68	Inf	-Inf	3	Horizontal	307	2.51
5955MHz	Pass	AV	11.92548G	43.02	54.00	-10.98	3	Vertical	328	1.50
5955MHz	Pass	PK	11.9236G	54.25	74.00	-19.75	3	Vertical	328	1.50
5955MHz	Pass	AV	11.9102G	42.82	54.00	-11.18	3	Horizontal	316	2.27
5955MHz	Pass	PK	11.92136G	54.76	74.00	-19.24	3	Horizontal	316	2.27
6195MHz	Pass	AV	12.39924G	41.96	54.00	-12.04	3	Vertical	289	2.06
6195MHz	Pass	PK	12.40026G	53.63	74.00	-20.37	3	Vertical	289	2.06
6195MHz	Pass	AV	12.39972G	41.97	54.00	-12.03	3	Horizontal	14	1.50
6195MHz	Pass	PK	12.39945G	53.46	74.00	-20.54	3	Horizontal	14	1.50
6415MHz	Pass	AV	12.8277G	43.11	68.20	-25.09	3	Vertical	120	1.50
6415MHz	Pass	PK	12.83316G	55.51	88.20	-32.69	3	Vertical	120	1.50
6415MHz	Pass	AV	12.83528G	43.04	68.20	-25.16	3	Horizontal	14	1.50
6415MHz	Pass	PK	12.8371G	54.77	88.20	-33.43	3	Horizontal	14	1.50
6535MHz	Pass	AV	13.0674G	42.68	68.20	-25.52	3	Vertical	126	1.63
6535MHz	Pass	PK	13.06878G	54.58	88.20	-33.62	3	Vertical	126	1.63
6535MHz	Pass	AV	13.0665G	42.73	68.20	-25.47	3	Horizontal	148	1.50
6535MHz	Pass	PK	13.06914G	55.24	88.20	-32.96	3	Horizontal	148	1.50
6695MHz	Pass	AV	13.39986G	42.70	54.00	-11.30	3	Vertical	51	2.53
6695MHz	Pass	PK	13.38086G	53.87	74.00	-20.13	3	Vertical	51	2.53
6695MHz	Pass	AV	13.38336G	42.78	54.00	-11.22	3	Horizontal	168	1.50
6695MHz	Pass	PK	13.3995G	53.61	74.00	-20.39	3	Horizontal	168	1.50
6855MHz	Pass	AV	13.71852G	43.11	68.20	-25.09	3	Vertical	237	1.99
6855MHz	Pass	PK	13.71498G	54.96	88.20	-33.24	3	Vertical	237	1.99
6855MHz	Pass	AV	13.71708G	43.16	68.20	-25.04	3	Horizontal	341	2.65
6855MHz	Pass	PK	13.71624G	54.84	88.20	-33.36	3	Horizontal	341	2.65
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	65.66	68.20	-2.54	3	Vertical	29	1.50
5965MHz	Pass	AV	5.9512G	105.10	Inf	-Inf	3	Vertical	29	1.50
5965MHz	Pass	PK	5.9248G	80.20	88.20	-8.00	3	Vertical	29	1.50
5965MHz	Pass	PK	5.9641G	115.60	Inf	-Inf	3	Vertical	29	1.50
5965MHz	Pass	AV	5.9245G	66.89	68.20	-1.31	3	Horizontal	310	2.18
5965MHz	Pass	AV	5.9628G	104.77	Inf	-Inf	3	Horizontal	310	2.18
5965MHz	Pass	PK	5.9242G	81.35	88.20	-6.85	3	Horizontal	310	2.18
5965MHz	Pass	PK	5.9533G	115.14	Inf	-Inf	3	Horizontal	310	2.18
5965MHz	Pass	AV	11.92739G	41.46	54.00	-12.54	3	Vertical	360	1.50
5965MHz	Pass	PK	11.93444G	54.54	74.00	-19.46	3	Vertical	360	1.50
5965MHz	Pass	AV	11.93012G	42.05	54.00	-11.95	3	Horizontal	42	1.69
5965MHz	Pass	PK	11.93052G	54.37	74.00	-19.63	3	Horizontal	42	1.69
6205MHz	Pass	AV	12.39856G	42.18	54.00	-11.82	3	Vertical	266	1.50
6205MHz	Pass	PK	12.40864G	54.03	74.00	-19.97	3	Vertical	266	1.50
6205MHz	Pass	AV	12.42896G	42.18	54.00	-11.82	3	Horizontal	3	1.50
6205MHz	Pass	PK	12.40364G	54.23	74.00	-19.77	3	Horizontal	3	1.50
6405MHz	Pass	AV	12.82984G	43.42	68.20	-24.78	3	Vertical	109	1.50
6405MHz	Pass	PK	12.79636G	56.75	88.20	-31.45	3	Vertical	109	1.50
6405MHz	Pass	AV	12.82672G	43.41	68.20	-24.79	3	Horizontal	360	1.50
6405MHz	Pass	PK	12.81696G	55.49	88.20	-32.71	3	Horizontal	360	1.50
6565MHz	Pass	AV	13.1474G	42.55	68.20	-25.65	3	Vertical	160	1.50
6565MHz	Pass	PK	13.12884G	54.60	88.20	-33.60	3	Vertical	160	1.50
6565MHz	Pass	AV	13.14468G	42.57	68.20	-25.63	3	Horizontal	63	1.93
6565MHz	Pass	PK	13.13048G	54.30	88.20	-33.90	3	Horizontal	63	1.93
6685MHz	Pass	AV	13.38116G	43.53	54.00	-10.47	3	Vertical	279	1.50
6685MHz	Pass	PK	13.36588G	55.46	74.00	-18.54	3	Vertical	279	1.50
6685MHz	Pass	AV	13.37688G	43.47	54.00	-10.53	3	Horizontal	230	1.50




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.35808G	55.51	74.00	-18.49	3	Horizontal	230	1.50
6845MHz	Pass	AV	13.68732G	42.97	68.20	-25.23	3	Vertical	265	2.91
6845MHz	Pass	PK	13.7066G	55.47	88.20	-32.73	3	Vertical	265	2.91
6845MHz	Pass	AV	13.68G	43.01	68.20	-25.19	3	Horizontal	90	1.50
6845MHz	Pass	PK	13.67504G	54.92	88.20	-33.28	3	Horizontal	90	1.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	66.85	68.20	-1.35	3	Vertical	25	1.40
5985MHz	Pass	AV	5.961G	101.55	Inf	-Inf	3	Vertical	25	1.40
5985MHz	Pass	PK	5.923G	80.59	88.20	-7.61	3	Vertical	25	1.40
5985MHz	Pass	PK	5.962G	110.81	Inf	-Inf	3	Vertical	25	1.40
5985MHz	Pass	AV	5.923G	64.62	68.20	-3.58	3	Horizontal	304	2.34
5985MHz	Pass	AV	6.0225G	103.91	Inf	-Inf	3	Horizontal	304	2.34
5985MHz	Pass	PK	5.91G	81.72	88.20	-6.48	3	Horizontal	304	2.34
5985MHz	Pass	PK	6.0235G	116.16	Inf	-Inf	3	Horizontal	304	2.34
5985MHz	Pass	AV	12.00984G	41.62	54.00	-12.38	3	Vertical	351	3.00
5985MHz	Pass	PK	12.008G	53.38	74.00	-20.62	3	Vertical	351	3.00
5985MHz	Pass	AV	11.97744G	41.47	54.00	-12.53	3	Horizontal	19	1.81
5985MHz	Pass	PK	11.97368G	53.18	74.00	-20.82	3	Horizontal	19	1.81
6225MHz	Pass	AV	12.4124G	41.99	54.00	-12.01	3	Vertical	351	1.96
6225MHz	Pass	PK	12.41992G	54.44	74.00	-19.56	3	Vertical	351	1.96
6225MHz	Pass	AV	12.42448G	41.95	54.00	-12.05	3	Horizontal	92	1.50
6225MHz	Pass	PK	12.41024G	54.47	74.00	-19.53	3	Horizontal	92	1.50
6385MHz	Pass	AV	12.80912G	42.96	68.20	-25.24	3	Vertical	297	1.50
6385MHz	Pass	PK	12.80568G	55.10	88.20	-33.10	3	Vertical	297	1.50
6385MHz	Pass	AV	12.80792G	42.94	68.20	-25.26	3	Horizontal	288	1.50
6385MHz	Pass	PK	12.78968G	54.75	88.20	-33.45	3	Horizontal	288	1.50
6625MHz	Pass	AV	13.28464G	42.99	54.00	-11.01	3	Vertical	57	1.28
6625MHz	Pass	PK	13.2664G	55.12	74.00	-18.88	3	Vertical	57	1.28
6625MHz	Pass	AV	13.2836G	42.91	54.00	-11.09	3	Horizontal	127	1.04
6625MHz	Pass	PK	13.25608G	54.92	74.00	-19.08	3	Horizontal	127	1.04
6705MHz	Pass	AV	13.44984G	43.64	68.20	-24.56	3	Vertical	101	2.06
6705MHz	Pass	PK	13.44488G	55.77	88.20	-32.43	3	Vertical	101	2.06
6705MHz	Pass	AV	13.44832G	43.59	68.20	-24.61	3	Horizontal	329	1.50
6705MHz	Pass	PK	13.4488G	55.51	88.20	-32.69	3	Horizontal	329	1.50
6785MHz	Pass	AV	13.55296G	44.02	68.20	-24.18	3	Vertical	230	1.84
6785MHz	Pass	PK	13.59176G	56.56	88.20	-31.64	3	Vertical	230	1.84
6785MHz	Pass	AV	13.53192G	44.06	68.20	-24.14	3	Horizontal	71	1.50
6785MHz	Pass	PK	13.58296G	55.96	88.20	-32.24	3	Horizontal	71	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.92G	64.52	68.20	-3.68	3	Vertical	27	1.50
6025MHz	Pass	AV	5.957G	100.15	Inf	-Inf	3	Vertical	27	1.50
6025MHz	Pass	PK	5.917G	77.56	88.20	-10.64	3	Vertical	27	1.50
6025MHz	Pass	PK	5.957G	111.72	Inf	-Inf	3	Vertical	27	1.50
6025MHz	Pass	AV	5.925G	63.82	68.20	-4.38	3	Horizontal	323	2.37
6025MHz	Pass	AV	5.9475G	99.81	Inf	-Inf	3	Horizontal	323	2.37
6025MHz	Pass	PK	5.9215G	76.88	88.20	-11.32	3	Horizontal	323	2.37
6025MHz	Pass	PK	5.9525G	112.64	Inf	-Inf	3	Horizontal	323	2.37
6025MHz	Pass	AV	12.0948G	41.87	54.00	-12.13	3	Vertical	0	1.00
6025MHz	Pass	PK	12.09416G	53.75	74.00	-20.25	3	Vertical	0	1.00
6025MHz	Pass	AV	12.08392G	41.88	54.00	-12.12	3	Horizontal	279	2.35
6025MHz	Pass	PK	12.05048G	54.20	74.00	-19.80	3	Horizontal	279	2.35
6185MHz	Pass	AV	12.3924G	41.92	54.00	-12.08	3	Vertical	4	1.50
6185MHz	Pass	PK	12.41928G	53.88	74.00	-20.12	3	Vertical	4	1.50
6185MHz	Pass	AV	12.39048G	41.97	54.00	-12.03	3	Horizontal	172	1.50
6185MHz	Pass	PK	12.42888G	54.12	74.00	-19.88	3	Horizontal	172	1.50
6345MHz	Pass	AV	12.68996G	42.68	54.00	-11.32	3	Vertical	22	1.92
6345MHz	Pass	PK	12.6831G	54.78	74.00	-19.22	3	Vertical	22	1.92
6345MHz	Pass	AV	12.69382G	42.67	54.00	-11.33	3	Horizontal	326	2.39
6345MHz	Pass	PK	12.69876G	55.43	74.00	-18.57	3	Horizontal	326	2.39
6665MHz	Pass	AV	13.33076G	43.15	54.00	-10.85	3	Vertical	299	1.50
6665MHz	Pass	PK	13.33796G	56.15	74.00	-17.85	3	Vertical	299	1.50
6665MHz	Pass	AV	13.3342G	43.10	54.00	-10.90	3	Horizontal	171	2.21



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.33414G	55.37	74.00	-18.63	3	Horizontal	171	2.21
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	12.21922G	41.89	54.00	-12.11	3	Vertical	352	2.41
6105MHz	Pass	PK	12.21636G	55.12	74.00	-18.88	3	Vertical	352	2.41
6105MHz	Pass	AV	12.21938G	41.87	54.00	-12.13	3	Horizontal	10	2.19
6105MHz	Pass	PK	12.2098G	54.10	74.00	-19.90	3	Horizontal	10	2.19
6265MHz	Pass	AV	12.52304G	41.74	54.00	-12.26	3	Vertical	318	2.27
6265MHz	Pass	PK	12.5313G	53.86	74.00	-20.14	3	Vertical	318	2.27
6265MHz	Pass	AV	12.52278G	41.74	54.00	-12.26	3	Horizontal	105	1.50
6265MHz	Pass	PK	12.52232G	53.76	74.00	-20.24	3	Horizontal	105	1.50

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9247G	57.21	68.20	-10.99	7.53	3	Vertical	29	1.63	49.68	34.15	7.90	34.52
AV	5.9634G	105.63	Inf	-Inf	7.45	3	Vertical	29	1.63	98.18	34.10	7.89	34.54
PK	5.9247G	72.43	88.20	-15.77	7.53	3	Vertical	29	1.63	64.90	34.15	7.90	34.52
PK	5.9604G	116.43	Inf	-Inf	7.45	3	Vertical	29	1.63	108.98	34.10	7.89	34.54

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9244G	57.09	68.20	-11.11	7.53	3	Horizontal	307	2.51	49.56	34.15	7.90	34.52
AV	5.9628G	108.77	Inf	-Inf	7.45	3	Horizontal	307	2.51	101.32	34.10	7.89	34.54
PK	5.9211G	72.31	88.20	-15.89	7.54	3	Horizontal	307	2.51	64.77	34.16	7.90	34.52
PK	5.9622G	119.68	Inf	-Inf	7.45	3	Horizontal	307	2.51	112.23	34.10	7.89	34.54


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.92G	59.18	68.20	-9.02	7.54	3	Vertical	30	1.50	51.64	34.16	7.90	34.52				
AV	5.962G	97.21	Inf	-Inf	7.45	3	Vertical	30	1.50	89.76	34.10	7.89	34.54				
PK	5.906G	72.56	88.20	-15.64	7.58	3	Vertical	30	1.50	64.98	34.19	7.90	34.51				
PK	5.961G	111.60	Inf	-Inf	7.45	3	Vertical	30	1.50	104.15	34.10	7.89	34.54				

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)			
AV	5.924G	60.62	68.20	-7.58	7.53	3	Horizontal	325	1.05	53.09	34.15	7.90	34.52			
AV	5.96G	98.39	Inf	-Inf	7.45	3	Horizontal	325	1.05	90.94	34.10	7.89	34.54			
PK	5.91G	74.90	88.20	-13.30	7.57	3	Horizontal	325	1.05	67.33	34.18	7.90	34.51			
PK	5.961G	112.57	Inf	-Inf	7.45	3	Horizontal	325	1.05	105.12	34.10	7.89	34.54			


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	11.91464G	42.33	54.00	-11.67	3	Vertical	325	1.31
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9248G	57.77	68.20	-10.43	3	Horizontal	317	2.31
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	12.44852G	42.00	54.00	-12.00	3	Horizontal	198	2.87
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	12.69251G	42.94	54.00	-11.06	3	Horizontal	131	1.95
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	12.2313G	42.13	54.00	-11.87	3	Vertical	177	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.3809G	43.61	54.00	-10.39	3	Vertical	269	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.39724G	43.10	54.00	-10.90	3	Vertical	114	2.98
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.25335G	43.10	54.00	-10.90	3	Vertical	54	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.33183G	43.27	54.00	-10.73	3	Vertical	19	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9241G	52.06	68.20	-16.14	3	Vertical	30	1.50
5955MHz	Pass	AV	5.9505G	103.60	Inf	-Inf	3	Vertical	30	1.50
5955MHz	Pass	PK	5.9235G	68.01	88.20	-20.19	3	Vertical	30	1.50
5955MHz	Pass	PK	5.9523G	115.85	Inf	-Inf	3	Vertical	30	1.50
5955MHz	Pass	AV	5.9244G	51.88	68.20	-16.32	3	Horizontal	316	2.47
5955MHz	Pass	AV	5.9589G	105.05	Inf	-Inf	3	Horizontal	316	2.47
5955MHz	Pass	PK	5.9241G	69.68	88.20	-18.52	3	Horizontal	316	2.47
5955MHz	Pass	PK	5.9595G	116.28	Inf	-Inf	3	Horizontal	316	2.47
5955MHz	Pass	AV	11.91464G	42.33	54.00	-11.67	3	Vertical	325	1.31
5955MHz	Pass	PK	11.91812G	54.33	74.00	-19.67	3	Vertical	325	1.31
5955MHz	Pass	AV	11.91792G	42.06	54.00	-11.94	3	Horizontal	267	1.22
5955MHz	Pass	PK	11.89144G	54.20	74.00	-19.80	3	Horizontal	267	1.22
6195MHz	Pass	AV	12.40944G	42.16	54.00	-11.84	3	Vertical	268	1.50
6195MHz	Pass	PK	12.39932G	54.91	74.00	-19.09	3	Vertical	268	1.50
6195MHz	Pass	AV	12.40696G	42.17	54.00	-11.83	3	Horizontal	332	1.35
6195MHz	Pass	PK	12.37948G	54.49	74.00	-19.51	3	Horizontal	332	1.35
6415MHz	Pass	AV	12.84548G	43.88	68.20	-24.32	3	Vertical	242	1.02
6415MHz	Pass	PK	12.837G	56.03	88.20	-32.17	3	Vertical	242	1.02
6415MHz	Pass	AV	12.83948G	43.80	68.20	-24.40	3	Horizontal	35	1.50
6415MHz	Pass	PK	12.84404G	56.19	88.20	-32.01	3	Horizontal	35	1.50
6535MHz	Pass	AV	13.06264G	43.31	68.20	-24.89	3	Vertical	193	2.70
6535MHz	Pass	PK	13.06628G	55.89	88.20	-32.31	3	Vertical	193	2.70
6535MHz	Pass	AV	13.06966G	43.44	68.20	-24.76	3	Horizontal	201	1.50
6535MHz	Pass	PK	13.07118G	54.77	88.20	-33.43	3	Horizontal	201	1.50
6695MHz	Pass	AV	13.3809G	43.61	54.00	-10.39	3	Vertical	269	1.50
6695MHz	Pass	PK	13.38178G	55.72	74.00	-18.28	3	Vertical	269	1.50
6695MHz	Pass	AV	13.38812G	43.60	54.00	-10.40	3	Horizontal	292	1.50
6695MHz	Pass	PK	13.3964G	55.47	74.00	-18.53	3	Horizontal	292	1.50
6855MHz	Pass	AV	13.71932G	43.49	68.20	-24.71	3	Vertical	30	1.50
6855MHz	Pass	PK	13.7173G	55.41	88.20	-32.79	3	Vertical	30	1.50
6855MHz	Pass	AV	13.71998G	43.72	68.20	-24.48	3	Horizontal	45	2.51
6855MHz	Pass	PK	13.70532G	56.41	88.20	-31.79	3	Horizontal	45	2.51
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9245G	57.62	68.20	-10.58	3	Vertical	29	1.50
5965MHz	Pass	AV	5.9527G	100.79	Inf	-Inf	3	Vertical	29	1.50
5965MHz	Pass	PK	5.9167G	72.50	88.20	-15.70	3	Vertical	29	1.50
5965MHz	Pass	PK	5.9515G	111.77	Inf	-Inf	3	Vertical	29	1.50
5965MHz	Pass	AV	5.9248G	57.77	68.20	-10.43	3	Horizontal	317	2.31
5965MHz	Pass	AV	5.9482G	102.25	Inf	-Inf	3	Horizontal	317	2.31
5965MHz	Pass	PK	5.9242G	73.02	88.20	-15.18	3	Horizontal	317	2.31
5965MHz	Pass	PK	5.9539G	112.13	Inf	-Inf	3	Horizontal	317	2.31
5965MHz	Pass	AV	11.91662G	40.91	54.00	-13.09	3	Vertical	19	1.50
5965MHz	Pass	PK	11.9468G	52.82	74.00	-21.18	3	Vertical	19	1.50
5965MHz	Pass	AV	11.90858G	42.77	54.00	-11.23	3	Horizontal	303	1.01
5965MHz	Pass	PK	11.91902G	55.20	74.00	-18.80	3	Horizontal	303	1.01
6205MHz	Pass	AV	12.43952G	42.09	54.00	-11.91	3	Vertical	227	1.04
6205MHz	Pass	PK	12.40886G	53.45	74.00	-20.55	3	Vertical	227	1.04
6205MHz	Pass	AV	12.42302G	42.05	54.00	-11.95	3	Horizontal	52	2.08
6205MHz	Pass	PK	12.43502G	53.70	74.00	-20.30	3	Horizontal	52	2.08
6405MHz	Pass	AV	12.8391G	43.14	68.20	-25.06	3	Vertical	98	1.50
6405MHz	Pass	PK	12.8331G	55.72	88.20	-32.48	3	Vertical	98	1.50
6405MHz	Pass	AV	12.831G	43.16	68.20	-25.04	3	Horizontal	219	1.50
6405MHz	Pass	PK	12.80598G	55.71	88.20	-32.49	3	Horizontal	219	1.50
6565MHz	Pass	AV	13.13078G	42.69	68.20	-25.51	3	Vertical	105	1.50
6565MHz	Pass	PK	13.13474G	54.33	88.20	-33.87	3	Vertical	105	1.50
6565MHz	Pass	AV	13.1537G	42.73	68.20	-25.47	3	Horizontal	129	2.94
6565MHz	Pass	PK	13.1075G	54.94	88.20	-33.26	3	Horizontal	129	2.94
6685MHz	Pass	AV	13.39724G	43.10	54.00	-10.90	3	Vertical	114	2.98
6685MHz	Pass	PK	13.3982G	54.68	74.00	-19.32	3	Vertical	114	2.98
6685MHz	Pass	AV	13.38386G	42.91	54.00	-11.09	3	Horizontal	185	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.39826G	54.48	74.00	-19.52	3	Horizontal	185	1.50
6845MHz	Pass	AV	13.7194G	43.15	68.20	-25.05	3	Vertical	152	1.50
6845MHz	Pass	PK	13.69756G	55.43	88.20	-32.77	3	Vertical	152	1.50
6845MHz	Pass	AV	13.7167G	43.17	68.20	-25.03	3	Horizontal	302	2.80
6845MHz	Pass	PK	13.71814G	54.91	88.20	-33.29	3	Horizontal	302	2.80
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.922G	55.54	68.20	-12.66	3	Vertical	29	1.50
5985MHz	Pass	AV	5.9605G	98.07	Inf	-Inf	3	Vertical	29	1.50
5985MHz	Pass	PK	5.925G	72.28	88.20	-15.92	3	Vertical	29	1.50
5985MHz	Pass	PK	5.9565G	109.42	Inf	-Inf	3	Vertical	29	1.50
5985MHz	Pass	AV	5.9245G	53.50	68.20	-14.70	3	Horizontal	321	2.44
5985MHz	Pass	AV	5.959G	100.05	Inf	-Inf	3	Horizontal	321	2.44
5985MHz	Pass	PK	5.9235G	72.48	88.20	-15.72	3	Horizontal	321	2.44
5985MHz	Pass	PK	5.954G	110.33	Inf	-Inf	3	Horizontal	321	2.44
5985MHz	Pass	AV	11.97361G	40.60	54.00	-13.40	3	Vertical	112	1.73
5985MHz	Pass	PK	11.9691G	52.63	74.00	-21.37	3	Vertical	112	1.73
5985MHz	Pass	AV	11.97454G	40.59	54.00	-13.41	3	Horizontal	248	2.67
5985MHz	Pass	PK	11.97103G	52.19	74.00	-21.81	3	Horizontal	248	2.67
6225MHz	Pass	AV	12.44889G	41.84	54.00	-12.16	3	Vertical	177	1.50
6225MHz	Pass	PK	12.44689G	53.81	74.00	-20.19	3	Vertical	177	1.50
6225MHz	Pass	AV	12.44852G	42.00	54.00	-12.00	3	Horizontal	198	2.87
6225MHz	Pass	PK	12.44541G	53.70	74.00	-20.30	3	Horizontal	198	2.87
6385MHz	Pass	AV	12.7748G	41.97	68.20	-26.23	3	Vertical	231	2.35
6385MHz	Pass	PK	12.77372G	53.55	88.20	-34.65	3	Vertical	231	2.35
6385MHz	Pass	AV	12.7725G	42.07	68.20	-26.13	3	Horizontal	194	2.02
6385MHz	Pass	PK	12.76794G	54.20	88.20	-34.00	3	Horizontal	194	2.02
6625MHz	Pass	AV	13.25335G	43.10	54.00	-10.90	3	Vertical	54	1.50
6625MHz	Pass	PK	13.25247G	55.49	74.00	-18.51	3	Vertical	54	1.50
6625MHz	Pass	AV	13.2547G	43.03	54.00	-10.97	3	Horizontal	57	2.65
6625MHz	Pass	PK	13.25499G	55.58	74.00	-18.42	3	Horizontal	57	2.65
6705MHz	Pass	AV	13.40785G	43.47	68.20	-24.73	3	Vertical	270	2.30
6705MHz	Pass	PK	13.41208G	55.34	88.20	-32.86	3	Vertical	270	2.30
6705MHz	Pass	AV	13.4052G	43.44	68.20	-24.76	3	Horizontal	360	2.85
6705MHz	Pass	PK	13.40989G	55.71	88.20	-32.49	3	Horizontal	360	2.85
6785MHz	Pass	AV	13.57264G	43.68	68.20	-24.52	3	Vertical	267	1.50
6785MHz	Pass	PK	13.56816G	56.53	88.20	-31.67	3	Vertical	267	1.50
6785MHz	Pass	AV	13.56551G	43.71	68.20	-24.49	3	Horizontal	194	1.07
6785MHz	Pass	PK	13.56819G	56.10	88.20	-32.10	3	Horizontal	194	1.07
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.924G	50.99	68.20	-17.21	3	Vertical	306	1.64
6025MHz	Pass	AV	5.9475G	94.69	Inf	-Inf	3	Vertical	306	1.64
6025MHz	Pass	PK	5.923G	66.28	88.20	-21.92	3	Vertical	306	1.64
6025MHz	Pass	PK	5.953G	107.38	Inf	-Inf	3	Vertical	306	1.64
6025MHz	Pass	AV	5.9245G	50.66	68.20	-17.54	3	Horizontal	325	1.02
6025MHz	Pass	AV	5.961G	96.72	Inf	-Inf	3	Horizontal	325	1.02
6025MHz	Pass	PK	5.921G	67.17	88.20	-21.03	3	Horizontal	325	1.02
6025MHz	Pass	PK	5.9505G	109.06	Inf	-Inf	3	Horizontal	325	1.02
6025MHz	Pass	AV	12.05033G	41.70	54.00	-12.30	3	Vertical	156	2.61
6025MHz	Pass	PK	12.04948G	53.99	74.00	-20.01	3	Vertical	156	2.61
6025MHz	Pass	AV	12.052G	41.72	54.00	-12.28	3	Horizontal	149	1.50
6025MHz	Pass	PK	12.0549G	53.97	74.00	-20.03	3	Horizontal	149	1.50
6185MHz	Pass	AV	12.36664G	41.74	54.00	-12.26	3	Vertical	327	1.50
6185MHz	Pass	PK	12.36961G	54.04	74.00	-19.96	3	Vertical	327	1.50
6185MHz	Pass	AV	12.36916G	41.74	54.00	-12.26	3	Horizontal	157	1.68
6185MHz	Pass	PK	12.36929G	54.67	74.00	-19.33	3	Horizontal	157	1.68
6345MHz	Pass	AV	12.69215G	42.87	54.00	-11.13	3	Vertical	257	1.50
6345MHz	Pass	PK	12.69352G	55.78	74.00	-18.22	3	Vertical	257	1.50
6345MHz	Pass	AV	12.69251G	42.94	54.00	-11.06	3	Horizontal	131	1.95
6345MHz	Pass	PK	12.68823G	55.16	74.00	-18.84	3	Horizontal	131	1.95
6665MHz	Pass	AV	13.33183G	43.27	54.00	-10.73	3	Vertical	19	1.50
6665MHz	Pass	PK	13.33402G	55.11	74.00	-18.89	3	Vertical	19	1.50
6665MHz	Pass	AV	13.33481G	43.19	54.00	-10.81	3	Horizontal	125	1.50




RSE TX above 1GHz _Beamforming_Radio 0_AP66_outdoor Appendix E.28

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.33087G	55.52	74.00	-18.48	3	Horizontal	125	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	48.51	68.20	-19.69	3	Vertical	304	1.53
6105MHz	Pass	AV	5.953G	92.38	Inf	-Inf	3	Vertical	304	1.53
6105MHz	Pass	PK	5.905G	60.40	88.20	-27.80	3	Vertical	304	1.53
6105MHz	Pass	PK	5.952G	107.27	Inf	-Inf	3	Vertical	304	1.53
6105MHz	Pass	AV	5.925G	50.06	68.20	-18.14	3	Horizontal	312	2.25
6105MHz	Pass	AV	5.958G	96.30	Inf	-Inf	3	Horizontal	312	2.25
6105MHz	Pass	PK	5.924G	66.65	88.20	-21.55	3	Horizontal	312	2.25
6105MHz	Pass	PK	5.953G	108.81	Inf	-Inf	3	Horizontal	312	2.25
6105MHz	Pass	AV	12.2313G	42.13	54.00	-11.87	3	Vertical	177	1.50
6105MHz	Pass	PK	12.19015G	54.39	74.00	-19.61	3	Vertical	177	1.50
6105MHz	Pass	AV	12.23315G	42.11	54.00	-11.89	3	Horizontal	324	1.50
6105MHz	Pass	PK	12.1899G	53.80	74.00	-20.20	3	Horizontal	324	1.50
6265MHz	Pass	AV	12.52175G	42.09	54.00	-11.91	3	Vertical	113	1.50
6265MHz	Pass	PK	12.52365G	54.26	74.00	-19.74	3	Vertical	113	1.50
6265MHz	Pass	AV	12.5341G	42.13	54.00	-11.87	3	Horizontal	290	1.50
6265MHz	Pass	PK	12.5309G	54.39	74.00	-19.61	3	Horizontal	290	1.50


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	48.51	68.20	-19.69	7.53	3	Vertical	304	1.53	40.98	34.15	7.90	34.52
AV	5.953G	92.38	Inf	-Inf	7.46	3	Vertical	304	1.53	84.92	34.10	7.89	34.53
PK	5.905G	60.40	88.20	-27.80	7.58	3	Vertical	304	1.53	52.82	34.19	7.90	34.51
PK	5.952G	107.27	Inf	-Inf	7.46	3	Vertical	304	1.53	99.81	34.10	7.89	34.53

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	50.06	68.20	-18.14	7.53	3	Horizontal	312	2.25	42.53	34.15	7.90	34.52
AV	5.958G	96.30	Inf	-Inf	7.45	3	Horizontal	312	2.25	88.85	34.10	7.89	34.54
PK	5.924G	66.65	88.20	-21.55	7.53	3	Horizontal	312	2.25	59.12	34.15	7.90	34.52
PK	5.953G	108.81	Inf	-Inf	7.46	3	Horizontal	312	2.25	101.35	34.10	7.89	34.53


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX





RSE TX below 1GHz _Non-Beamforming_Radio
0_AP66D_indoor_Full RU

Appendix E.29

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	239.52M	34.16	46.00	-11.84	3	Horizontal	0	1.00



RSE TX below 1GHz _Non-Beamforming_Radio
0_AP66D_indoor_Full RU


Appendix E.29

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6695MHz	Pass	PK	31.94M	27.24	40.00	-12.76	3	Vertical	360	1.00
6695MHz	Pass	PK	90.14M	23.45	43.50	-20.05	3	Vertical	360	1.00
6695MHz	Pass	PK	136.7M	21.75	43.50	-21.75	3	Vertical	360	1.00
6695MHz	Pass	PK	239.52M	31.04	46.00	-14.96	3	Vertical	360	1.00
6695MHz	Pass	PK	365.62M	23.11	46.00	-22.89	3	Vertical	360	1.00
6695MHz	Pass	PK	627.52M	27.33	46.00	-18.67	3	Vertical	360	1.00
6695MHz	Pass	PK	30M	18.51	40.00	-21.49	3	Horizontal	0	1.00
6695MHz	Pass	PK	95.96M	25.52	43.50	-17.98	3	Horizontal	0	1.00
6695MHz	Pass	PK	200.72M	23.69	43.50	-19.81	3	Horizontal	0	1.00
6695MHz	Pass	PK	239.52M	34.16	46.00	-11.84	3	Horizontal	0	1.00
6695MHz	Pass	PK	365.62M	24.76	46.00	-21.24	3	Horizontal	0	1.00
6695MHz	Pass	PK	511.12M	25.77	46.00	-20.23	3	Horizontal	0	1.00


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_PoE



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_PoE





RSE TX above 1GHz _Non-Beamforming_Radio
0_AP66D_indoor_Full RU

Appendix E.30

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.38996G	47.36	54.00	-6.64	3	Vertical	346	1.61
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.923G	68.03	68.20	-0.17	3	Horizontal	360	1.80
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.923G	66.79	68.20	-1.41	3	Horizontal	358	1.83
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.9205G	64.40	68.20	-3.80	3	Horizontal	358	1.61
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	5.925G	67.05	68.20	-1.15	3	Horizontal	360	1.79
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.39136G	51.08	54.00	-2.92	3	Horizontal	28	1.36
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.37168G	48.92	54.00	-5.08	3	Horizontal	28	1.36
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.25336G	45.17	54.00	-8.83	3	Vertical	0	1.63
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.34952G	44.00	54.00	-10.00	3	Horizontal	28	1.50



RSE TX above 1GHz _Non-Beamforming_Radio
0_AP66D_indoor_Full RU

Appendix E.30

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	61.20	68.20	-7.00	3	Vertical	0	1.82
5955MHz	Pass	AV	5.9592G	108.51	Inf	-Inf	3	Vertical	0	1.82
5955MHz	Pass	PK	5.925G	77.39	88.20	-10.81	3	Vertical	0	1.82
5955MHz	Pass	PK	5.9517G	119.92	Inf	-Inf	3	Vertical	0	1.82
5955MHz	Pass	AV	5.925G	61.33	68.20	-6.87	3	Horizontal	2	1.74
5955MHz	Pass	AV	5.9604G	108.98	Inf	-Inf	3	Horizontal	2	1.74
5955MHz	Pass	PK	5.925G	77.72	88.20	-10.48	3	Horizontal	2	1.74
5955MHz	Pass	PK	5.958G	120.19	Inf	-Inf	3	Horizontal	2	1.74
5955MHz	Pass	AV	11.90932G	45.13	54.00	-8.87	3	Vertical	30	1.15
5955MHz	Pass	PK	11.90968G	58.57	74.00	-15.43	3	Vertical	30	1.15
5955MHz	Pass	AV	11.90916G	43.84	54.00	-10.16	3	Horizontal	39	1.50
5955MHz	Pass	PK	11.9116G	57.47	74.00	-16.53	3	Horizontal	39	1.50
6195MHz	Pass	AV	12.38996G	47.36	54.00	-6.64	3	Vertical	346	1.61
6195MHz	Pass	PK	12.3902G	62.95	74.00	-11.05	3	Vertical	346	1.61
6195MHz	Pass	AV	12.389G	46.54	54.00	-7.46	3	Horizontal	357	1.53
6195MHz	Pass	PK	12.38856G	60.09	74.00	-13.91	3	Horizontal	357	1.53
6415MHz	Pass	AV	12.82884G	50.82	68.20	-17.38	3	Vertical	48	1.60
6415MHz	Pass	PK	12.83104G	65.44	88.20	-22.76	3	Vertical	48	1.60
6415MHz	Pass	AV	12.82868G	49.27	68.20	-18.93	3	Horizontal	301	1.50
6415MHz	Pass	PK	12.82844G	64.00	88.20	-24.20	3	Horizontal	301	1.50
6535MHz	Pass	AV	13.07072G	48.12	68.20	-20.08	3	Vertical	338	1.50
6535MHz	Pass	PK	13.06832G	61.15	88.20	-27.05	3	Vertical	338	1.50
6535MHz	Pass	AV	13.06952G	52.04	68.20	-16.16	3	Horizontal	37	2.50
6535MHz	Pass	PK	13.06992G	66.50	88.20	-21.70	3	Horizontal	37	2.50
6695MHz	Pass	AV	13.39064G	50.38	54.00	-3.62	3	Vertical	0	1.50
6695MHz	Pass	PK	13.3884G	66.87	74.00	-7.13	3	Vertical	0	1.50
6695MHz	Pass	AV	13.39136G	51.08	54.00	-2.92	3	Horizontal	28	1.36
6695MHz	Pass	PK	13.39376G	66.09	74.00	-7.91	3	Horizontal	28	1.36
6855MHz	Pass	AV	13.70984G	50.61	68.20	-17.59	3	Vertical	36	1.55
6855MHz	Pass	PK	13.7098G	66.35	88.20	-21.85	3	Vertical	36	1.55
6855MHz	Pass	AV	13.71104G	54.32	68.20	-13.88	3	Horizontal	351	2.06
6855MHz	Pass	PK	13.70848G	70.48	88.20	-17.72	3	Horizontal	351	2.06
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9242G	67.06	68.20	-1.14	3	Vertical	360	1.71
5965MHz	Pass	AV	5.9716G	106.23	Inf	-Inf	3	Vertical	360	1.71
5965MHz	Pass	PK	5.9239G	84.51	88.20	-3.69	3	Vertical	360	1.71
5965MHz	Pass	PK	5.9518G	117.35	Inf	-Inf	3	Vertical	360	1.71
5965MHz	Pass	AV	5.923G	68.03	68.20	-0.17	3	Horizontal	360	1.80
5965MHz	Pass	AV	5.9704G	106.21	Inf	-Inf	3	Horizontal	360	1.80
5965MHz	Pass	PK	5.923G	81.59	88.20	-6.61	3	Horizontal	360	1.80
5965MHz	Pass	PK	5.9686G	116.86	Inf	-Inf	3	Horizontal	360	1.80
5965MHz	Pass	AV	11.92672G	43.45	54.00	-10.55	3	Vertical	29	1.09
5965MHz	Pass	PK	11.93448G	56.73	74.00	-17.27	3	Vertical	29	1.09
5965MHz	Pass	AV	11.92936G	43.03	54.00	-10.97	3	Horizontal	318	1.48
5965MHz	Pass	PK	11.92176G	55.88	74.00	-18.12	3	Horizontal	318	1.48
6205MHz	Pass	AV	12.40984G	44.35	54.00	-9.65	3	Vertical	347	1.50
6205MHz	Pass	PK	12.40992G	58.38	74.00	-15.62	3	Vertical	347	1.50
6205MHz	Pass	AV	12.4104G	44.11	54.00	-9.89	3	Horizontal	344	1.53
6205MHz	Pass	PK	12.41016G	58.30	74.00	-15.70	3	Horizontal	344	1.53
6405MHz	Pass	AV	12.8112G	48.61	68.20	-19.59	3	Vertical	49	1.66
6405MHz	Pass	PK	12.81136G	62.04	88.20	-26.16	3	Vertical	49	1.66
6405MHz	Pass	AV	12.81104G	46.69	68.20	-21.51	3	Horizontal	299	1.50
6405MHz	Pass	PK	12.80608G	59.48	88.20	-28.72	3	Horizontal	299	1.50
6565MHz	Pass	AV	13.12624G	44.95	68.20	-23.25	3	Vertical	348	2.10
6565MHz	Pass	PK	13.12864G	58.81	88.20	-29.39	3	Vertical	348	2.10
6565MHz	Pass	AV	13.13G	48.73	68.20	-19.47	3	Horizontal	34	2.51
6565MHz	Pass	PK	13.12992G	61.66	88.20	-26.54	3	Horizontal	34	2.51
6685MHz	Pass	AV	13.37072G	48.14	54.00	-5.86	3	Vertical	0	1.50
6685MHz	Pass	PK	13.37064G	62.65	74.00	-11.35	3	Vertical	0	1.50
6685MHz	Pass	AV	13.37168G	48.92	54.00	-5.08	3	Horizontal	28	1.36



RSE TX above 1GHz _Non-Beamforming_Radio
0_AP66D_indoor_Full RU

Appendix E.30

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.3712G	63.16	74.00	-10.84	3	Horizontal	28	1.36
6845MHz	Pass	AV	13.6908G	48.77	68.20	-19.43	3	Vertical	323	1.45
6845MHz	Pass	PK	13.69072G	63.05	88.20	-25.15	3	Vertical	323	1.45
6845MHz	Pass	AV	13.6912G	52.11	68.20	-16.09	3	Horizontal	351	2.03
6845MHz	Pass	PK	13.6984G	67.50	88.20	-20.70	3	Horizontal	351	2.03
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.924G	66.20	68.20	-2.00	3	Vertical	358	1.80
5985MHz	Pass	AV	6.014G	104.15	Inf	-Inf	3	Vertical	358	1.80
5985MHz	Pass	PK	5.924G	83.35	88.20	-4.85	3	Vertical	358	1.80
5985MHz	Pass	PK	6.012G	115.28	Inf	-Inf	3	Vertical	358	1.80
5985MHz	Pass	AV	5.923G	66.79	68.20	-1.41	3	Horizontal	358	1.83
5985MHz	Pass	AV	6.0155G	103.96	Inf	-Inf	3	Horizontal	358	1.83
5985MHz	Pass	PK	5.925G	84.17	88.20	-4.03	3	Horizontal	358	1.83
5985MHz	Pass	PK	6.0155G	116.24	Inf	-Inf	3	Horizontal	358	1.83
5985MHz	Pass	AV	11.96984G	42.31	54.00	-11.69	3	Vertical	27	1.33
5985MHz	Pass	PK	11.95448G	55.76	74.00	-18.24	3	Vertical	27	1.33
5985MHz	Pass	AV	11.96936G	41.98	54.00	-12.02	3	Horizontal	317	1.50
5985MHz	Pass	PK	11.96904G	55.68	74.00	-18.32	3	Horizontal	317	1.50
6225MHz	Pass	AV	12.45256G	42.98	54.00	-11.02	3	Vertical	346	1.64
6225MHz	Pass	PK	12.46072G	56.97	74.00	-17.03	3	Vertical	346	1.64
6225MHz	Pass	AV	12.45032G	42.60	54.00	-11.40	3	Horizontal	345	1.50
6225MHz	Pass	PK	12.466G	55.85	74.00	-18.15	3	Horizontal	345	1.50
6385MHz	Pass	AV	12.77144G	45.44	68.20	-22.76	3	Vertical	48	1.68
6385MHz	Pass	PK	12.78136G	58.71	88.20	-29.49	3	Vertical	48	1.68
6385MHz	Pass	AV	12.7812G	43.27	68.20	-24.93	3	Horizontal	301	1.48
6385MHz	Pass	PK	12.78776G	57.52	88.20	-30.68	3	Horizontal	301	1.48
6625MHz	Pass	AV	13.25336G	45.17	54.00	-8.83	3	Vertical	0	1.63
6625MHz	Pass	PK	13.23736G	59.59	88.20	-28.61	3	Vertical	0	1.63
6625MHz	Pass	AV	13.23784G	46.51	68.20	-21.69	3	Horizontal	33	2.52
6625MHz	Pass	PK	13.23064G	59.14	88.20	-29.06	3	Horizontal	33	2.52
6705MHz	Pass	AV	13.4108G	45.91	68.20	-22.29	3	Vertical	0	1.50
6705MHz	Pass	PK	13.42616G	61.01	88.20	-27.19	3	Vertical	0	1.50
6705MHz	Pass	AV	13.41544G	46.18	68.20	-22.02	3	Horizontal	29	2.51
6705MHz	Pass	PK	13.42584G	59.66	88.20	-28.54	3	Horizontal	29	2.51
6785MHz	Pass	AV	13.5756G	47.22	68.20	-20.98	3	Vertical	321	1.47
6785MHz	Pass	PK	13.55816G	61.50	88.20	-26.70	3	Vertical	321	1.47
6785MHz	Pass	AV	13.57368G	46.36	68.20	-21.84	3	Horizontal	303	1.80
6785MHz	Pass	PK	13.58776G	60.62	88.20	-27.58	3	Horizontal	303	1.80
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.924G	63.62	68.20	-4.58	3	Vertical	357	1.71
6025MHz	Pass	AV	6.0845G	101.50	Inf	-Inf	3	Vertical	357	1.71
6025MHz	Pass	PK	5.9185G	82.13	88.20	-6.07	3	Vertical	357	1.71
6025MHz	Pass	PK	6.0845G	113.35	Inf	-Inf	3	Vertical	357	1.71
6025MHz	Pass	AV	5.9205G	64.40	68.20	-3.80	3	Horizontal	358	1.61
6025MHz	Pass	AV	6.0855G	101.76	Inf	-Inf	3	Horizontal	358	1.61
6025MHz	Pass	PK	5.925G	83.57	88.20	-4.63	3	Horizontal	358	1.61
6025MHz	Pass	PK	6.0855G	112.88	Inf	-Inf	3	Horizontal	358	1.61
6025MHz	Pass	AV	12.0676G	40.98	54.00	-13.02	3	Vertical	347	1.49
6025MHz	Pass	PK	12.0404G	54.09	74.00	-19.91	3	Vertical	347	1.49
6025MHz	Pass	AV	12.06312G	41.48	54.00	-12.52	3	Horizontal	293	1.82
6025MHz	Pass	PK	12.04072G	55.52	74.00	-18.48	3	Horizontal	293	1.82
6185MHz	Pass	AV	12.36488G	41.53	54.00	-12.47	3	Vertical	349	1.44
6185MHz	Pass	PK	12.3604G	55.96	74.00	-18.04	3	Vertical	349	1.44
6185MHz	Pass	AV	12.3716G	41.56	54.00	-12.44	3	Horizontal	358	1.66
6185MHz	Pass	PK	12.3796G	54.00	74.00	-20.00	3	Horizontal	358	1.66
6345MHz	Pass	AV	12.69864G	42.70	54.00	-11.30	3	Vertical	50	1.58
6345MHz	Pass	PK	12.67336G	55.02	74.00	-18.98	3	Vertical	50	1.58
6345MHz	Pass	AV	12.73608G	41.08	68.20	-27.12	3	Horizontal	301	1.50
6345MHz	Pass	PK	12.698G	54.49	74.00	-19.51	3	Horizontal	301	1.50
6665MHz	Pass	AV	13.33064G	43.92	54.00	-10.08	3	Vertical	0	1.53
6665MHz	Pass	PK	13.3204G	58.21	74.00	-15.79	3	Vertical	0	1.53
6665MHz	Pass	AV	13.34952G	44.00	54.00	-10.00	3	Horizontal	28	1.50



RSE TX above 1GHz _Non-Beamforming_Radio
0_AP66D_indoor_Full RU


Appendix E.30

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.34728G	56.74	74.00	-17.26	3	Horizontal	28	1.50
802.11be EHT320_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	65.46	68.20	-2.74	3	Vertical	353	1.75
6105MHz	Pass	AV	6.069G	99.20	Inf	-Inf	3	Vertical	353	1.75
6105MHz	Pass	PK	5.918G	80.75	88.20	-7.45	3	Vertical	353	1.75
6105MHz	Pass	PK	6.262G	110.72	Inf	-Inf	3	Vertical	353	1.75
6105MHz	Pass	AV	5.925G	67.05	68.20	-1.15	3	Horizontal	360	1.79
6105MHz	Pass	AV	6.14G	99.38	Inf	-Inf	3	Horizontal	360	1.79
6105MHz	Pass	PK	5.921G	80.93	88.20	-7.27	3	Horizontal	360	1.79
6105MHz	Pass	PK	6.12G	111.39	Inf	-Inf	3	Horizontal	360	1.79
6105MHz	Pass	AV	12.19016G	41.48	54.00	-12.52	3	Vertical	349	2.42
6105MHz	Pass	PK	12.29064G	54.45	74.00	-19.55	3	Vertical	349	2.42
6105MHz	Pass	AV	12.30152G	41.23	54.00	-12.77	3	Horizontal	357	1.65
6105MHz	Pass	PK	12.274G	53.14	74.00	-20.86	3	Horizontal	357	1.65
6265MHz	Pass	AV	12.51016G	42.06	54.00	-11.94	3	Vertical	345	2.32
6265MHz	Pass	PK	12.5204G	54.89	74.00	-19.11	3	Vertical	345	2.32
6265MHz	Pass	AV	12.48264G	41.61	54.00	-12.39	3	Horizontal	343	1.50
6265MHz	Pass	PK	12.49288G	53.87	74.00	-20.13	3	Horizontal	343	1.50




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	67.06	68.20	-1.14	1.66	3	Vertical	360	1.71	65.40	34.35	5.18	37.87
AV	5.9716G	106.23	Inf	-Inf	1.72	3	Vertical	360	1.71	104.51	34.30	5.25	37.83
PK	5.9239G	84.51	88.20	-3.69	1.66	3	Vertical	360	1.71	82.85	34.35	5.18	37.87
PK	5.9518G	117.35	Inf	-Inf	1.67	3	Vertical	360	1.71	115.68	34.30	5.22	37.85

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	68.03	68.20	-0.17	1.65	3	Horizontal	360	1.80	66.38	34.35	5.17	37.87
AV	5.9704G	106.21	Inf	-Inf	1.72	3	Horizontal	360	1.80	104.49	34.30	5.25	37.83
PK	5.923G	81.59	88.20	-6.61	1.65	3	Horizontal	360	1.80	79.94	34.35	5.17	37.87
PK	5.9686G	116.86	Inf	-Inf	1.71	3	Horizontal	360	1.80	115.15	34.30	5.24	37.83




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6695MHz_TX






6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6685MHz_TX






6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6625MHz_TX






6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX





RSE TX above 1GHz _Non-Beamforming_Radio
0_AP66D_indoor_Multi-RU

Appendix E.31

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.925G	61.34	68.20	-6.86	3	Horizontal	360	1.81
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX	Pass	AV	5.923G	61.87	68.20	-6.33	3	Horizontal	359	1.75
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX	Pass	AV	5.925G	66.57	68.20	-1.63	3	Horizontal	355	1.90

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.924G	60.01	68.20	-8.19	3	Vertical	359	1.79
5985MHz	Pass	AV	5.972G	103.33	Inf	-Inf	3	Vertical	359	1.79
5985MHz	Pass	PK	5.922G	78.17	88.20	-10.03	3	Vertical	359	1.79
5985MHz	Pass	PK	5.97G	113.09	Inf	-Inf	3	Vertical	359	1.79
5985MHz	Pass	AV	5.925G	61.34	68.20	-6.86	3	Horizontal	360	1.81
5985MHz	Pass	AV	6.015G	103.71	Inf	-Inf	3	Horizontal	360	1.81
5985MHz	Pass	PK	5.906G	79.35	88.20	-8.85	3	Horizontal	360	1.81
5985MHz	Pass	PK	5.976G	114.12	Inf	-Inf	3	Horizontal	360	1.81
5985MHz	Pass	AV	11.98744G	42.40	54.00	-11.60	3	Vertical	27	1.50
5985MHz	Pass	PK	11.96984G	55.14	74.00	-18.86	3	Vertical	27	1.50
5985MHz	Pass	AV	11.98728G	42.34	54.00	-11.66	3	Horizontal	316	1.67
5985MHz	Pass	PK	11.97144G	54.59	74.00	-19.41	3	Horizontal	316	1.67
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9215G	61.32	68.20	-6.88	3	Vertical	359	1.75
6025MHz	Pass	AV	6.0845G	101.06	Inf	-Inf	3	Vertical	359	1.75
6025MHz	Pass	PK	5.9195G	78.49	88.20	-9.71	3	Vertical	359	1.75
6025MHz	Pass	PK	6.0845G	112.19	Inf	-Inf	3	Vertical	359	1.75
6025MHz	Pass	AV	5.923G	61.87	68.20	-6.33	3	Horizontal	359	1.75
6025MHz	Pass	AV	6.083G	101.70	Inf	-Inf	3	Horizontal	359	1.75
6025MHz	Pass	PK	5.921G	77.91	88.20	-10.29	3	Horizontal	359	1.75
6025MHz	Pass	PK	6.083G	112.45	Inf	-Inf	3	Horizontal	359	1.75
6025MHz	Pass	AV	11.98952G	41.63	54.00	-12.37	3	Vertical	26	1.42
6025MHz	Pass	PK	11.99496G	52.90	74.00	-21.10	3	Vertical	26	1.42
6025MHz	Pass	AV	12.03304G	41.65	54.00	-12.35	3	Horizontal	312	1.91
6025MHz	Pass	PK	11.98568G	53.58	74.00	-20.42	3	Horizontal	312	1.91
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.924G	58.90	68.20	-9.30	3	Vertical	357	1.75
6025MHz	Pass	AV	5.999G	101.07	Inf	-Inf	3	Vertical	357	1.75
6025MHz	Pass	PK	5.913G	78.05	88.20	-10.15	3	Vertical	357	1.75
6025MHz	Pass	PK	5.9915G	112.88	Inf	-Inf	3	Vertical	357	1.75
6025MHz	Pass	AV	5.925G	60.30	68.20	-7.90	3	Horizontal	360	1.98
6025MHz	Pass	AV	6.0005G	101.24	Inf	-Inf	3	Horizontal	360	1.98
6025MHz	Pass	PK	5.9215G	80.56	88.20	-7.64	3	Horizontal	360	1.98
6025MHz	Pass	PK	5.998G	112.89	Inf	-Inf	3	Horizontal	360	1.98
6025MHz	Pass	AV	12.00488G	41.68	54.00	-12.32	3	Vertical	26	1.45
6025MHz	Pass	PK	11.99944G	54.30	74.00	-19.70	3	Vertical	26	1.45
6025MHz	Pass	AV	12.00296G	41.87	54.00	-12.13	3	Horizontal	312	1.71
6025MHz	Pass	PK	12.0052G	53.73	74.00	-20.27	3	Horizontal	312	1.71
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	65.31	68.20	-2.89	3	Vertical	359	1.84
6105MHz	Pass	AV	6.134G	99.40	Inf	-Inf	3	Vertical	359	1.84
6105MHz	Pass	PK	5.924G	78.30	88.20	-9.90	3	Vertical	359	1.84
6105MHz	Pass	PK	6.26G	111.13	Inf	-Inf	3	Vertical	359	1.84
6105MHz	Pass	AV	5.925G	66.57	68.20	-1.63	3	Horizontal	355	1.90
6105MHz	Pass	AV	6.133G	99.99	Inf	-Inf	3	Horizontal	355	1.90
6105MHz	Pass	PK	5.925G	79.17	88.20	-9.03	3	Horizontal	355	1.90
6105MHz	Pass	PK	6.248G	111.62	Inf	-Inf	3	Horizontal	355	1.90
6105MHz	Pass	AV	12.27784G	41.50	54.00	-12.50	3	Vertical	350	1.71
6105MHz	Pass	PK	12.35336G	53.12	74.00	-20.88	3	Vertical	350	1.71
6105MHz	Pass	AV	12.25416G	41.44	54.00	-12.56	3	Horizontal	360	1.76
6105MHz	Pass	PK	12.27016G	52.71	74.00	-21.29	3	Horizontal	360	1.76
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	62.49	68.20	-5.71	3	Vertical	360	1.94
6105MHz	Pass	AV	6.134G	99.35	Inf	-Inf	3	Vertical	360	1.94
6105MHz	Pass	PK	5.921G	75.64	88.20	-12.56	3	Vertical	360	1.94
6105MHz	Pass	PK	6.262G	111.03	Inf	-Inf	3	Vertical	360	1.94
6105MHz	Pass	AV	5.925G	63.49	68.20	-4.71	3	Horizontal	356	1.74
6105MHz	Pass	AV	6.133G	100.00	Inf	-Inf	3	Horizontal	356	1.74
6105MHz	Pass	PK	5.921G	76.55	88.20	-11.65	3	Horizontal	356	1.74
6105MHz	Pass	PK	6.156G	111.01	Inf	-Inf	3	Horizontal	356	1.74




RSE TX above 1GHz _Non-Beamforming_Radio
0_AP66D_indoor_Multi-RU

Appendix E.31

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.27144G	40.86	54.00	-13.14	3	Vertical	19	1.68
6105MHz	Pass	PK	12.37G	52.47	74.00	-21.53	3	Vertical	19	1.68
6105MHz	Pass	AV	12.36424G	41.43	54.00	-12.57	3	Horizontal	357	1.50
6105MHz	Pass	PK	12.31944G	53.11	74.00	-20.89	3	Horizontal	357	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 4_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	58.21	68.20	-9.99	3	Vertical	358	1.92
6105MHz	Pass	AV	6.134G	99.49	Inf	-Inf	3	Vertical	358	1.92
6105MHz	Pass	PK	5.917G	76.66	88.20	-11.54	3	Vertical	358	1.92
6105MHz	Pass	PK	6.059G	110.36	Inf	-Inf	3	Vertical	358	1.92
6105MHz	Pass	AV	5.925G	59.41	68.20	-8.79	3	Horizontal	360	1.89
6105MHz	Pass	AV	6.136G	99.87	Inf	-Inf	3	Horizontal	360	1.89
6105MHz	Pass	PK	5.925G	77.98	88.20	-10.22	3	Horizontal	360	1.89
6105MHz	Pass	PK	6.143G	111.49	Inf	-Inf	3	Horizontal	360	1.89
6105MHz	Pass	AV	12.2676G	40.93	54.00	-13.07	3	Vertical	348	2.60
6105MHz	Pass	PK	12.2708G	52.21	74.00	-21.79	3	Vertical	348	2.60
6105MHz	Pass	AV	12.28104G	41.08	54.00	-12.92	3	Horizontal	358	1.49
6105MHz	Pass	PK	12.31432G	53.43	74.00	-20.57	3	Horizontal	358	1.49


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5985MHz_TX






5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX


6025MHz_TX






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX


6025MHz_TX





5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.924G	65.31	68.20	-2.89	1.66	3	Vertical	359	1.84	63.65	34.35	5.18	37.87
AV	6.134G	99.40	Inf	-Inf	1.93	3	Vertical	359	1.84	97.47	34.30	5.34	37.71
PK	5.924G	78.30	88.20	-9.90	1.66	3	Vertical	359	1.84	76.64	34.35	5.18	37.87
PK	6.26G	111.13	Inf	-Inf	2.22	3	Vertical	359	1.84	108.91	34.42	5.42	37.62

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX

6105MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	66.57	68.20	-1.63	1.66	3	Horizontal	355	1.90	64.91	34.35	5.18	37.87
AV	6.133G	99.99	Inf	-Inf	1.93	3	Horizontal	355	1.90	98.06	34.30	5.34	37.71
PK	5.925G	79.17	88.20	-9.03	1.66	3	Horizontal	355	1.90	77.51	34.35	5.18	37.87
PK	6.248G	111.62	Inf	-Inf	2.18	3	Horizontal	355	1.90	109.44	34.40	5.41	37.63




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX

6105MHz_TX





RSE TX below 1GHz
_Non-Beamforming_Radio 0_AP66D_outdoor_Full RU

Appendix E.32

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	239.52M	34.23	46.00	-11.77	3	Horizontal	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6695MHz	Pass	PK	31.94M	26.90	40.00	-13.10	3	Vertical	360	1.00
6695MHz	Pass	PK	90.14M	23.55	43.50	-19.95	3	Vertical	360	1.00
6695MHz	Pass	PK	113.42M	22.86	43.50	-20.64	3	Vertical	360	1.00
6695MHz	Pass	PK	239.52M	30.42	46.00	-15.58	3	Vertical	360	1.00
6695MHz	Pass	PK	515M	26.86	46.00	-19.14	3	Vertical	360	1.00
6695MHz	Pass	PK	555.74M	27.21	46.00	-18.79	3	Vertical	360	1.00
6695MHz	Pass	PK	30M	18.64	40.00	-21.36	3	Horizontal	0	1.00
6695MHz	Pass	PK	92.08M	26.47	43.50	-17.03	3	Horizontal	0	1.00
6695MHz	Pass	PK	202.66M	23.84	43.50	-19.66	3	Horizontal	0	1.00
6695MHz	Pass	PK	239.52M	34.23	46.00	-11.77	3	Horizontal	0	1.00
6695MHz	Pass	PK	365.62M	23.79	46.00	-22.21	3	Horizontal	0	1.00
6695MHz	Pass	PK	559.62M	27.00	46.00	-19.00	3	Horizontal	0	1.00

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6695MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	26.90	40.00	-13.10	-4.98	3	Vertical	360	1.00	31.88	21.98	0.43	27.39
PK	90.14M	23.55	43.50	-19.95	-12.18	3	Vertical	360	1.00	35.73	14.35	0.72	27.25
PK	113.42M	22.86	43.50	-20.64	-9.38	3	Vertical	360	1.00	32.24	16.99	0.81	27.18
PK	239.52M	30.42	46.00	-15.58	-9.06	3	Vertical	360	1.00	39.48	16.39	1.18	26.63
PK	515M	26.86	46.00	-19.14	-3.78	3	Vertical	360	1.00	30.64	22.62	1.71	28.11
PK	555.74M	27.21	46.00	-18.79	-2.38	3	Vertical	360	1.00	29.59	23.99	1.75	28.12

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	18.64	40.00	-21.36	-4.71	3	Horizontal	0	1.00	23.35	22.26	0.42	27.39
PK	92.08M	26.47	43.50	-17.03	-11.90	3	Horizontal	0	1.00	38.37	14.63	0.72	27.25
PK	202.66M	23.84	43.50	-19.66	-11.27	3	Horizontal	0	1.00	35.11	14.42	1.10	26.79
PK	239.52M	34.23	46.00	-11.77	-9.06	3	Horizontal	0	1.00	43.29	16.39	1.18	26.63
PK	365.62M	23.79	46.00	-22.21	-5.87	3	Horizontal	0	1.00	29.66	19.75	1.46	27.08
PK	559.62M	27.00	46.00	-19.00	-2.36	3	Horizontal	0	1.00	29.36	24.01	1.76	28.13



RSE TX above 1GHz
_Non-Beamforming_Radio 0_AP66D_outdoor_Full RU

Appendix E.33

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.38772G	39.90	54.00	-14.10	3	Horizontal	355	2.88
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	12.41276G	39.74	54.00	-14.26	3	Horizontal	58	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	12.45636G	39.71	54.00	-14.29	3	Vertical	8	2.07
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	12.36148G	39.90	54.00	-14.10	3	Vertical	302	2.35
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	12.52032G	39.57	54.00	-14.43	3	Vertical	37	1.79
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.38872G	41.12	54.00	-12.88	3	Horizontal	352	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.3686G	40.98	54.00	-13.02	3	Horizontal	26	1.41
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.25664G	40.43	54.00	-13.57	3	Horizontal	17	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.33004G	40.57	54.00	-13.43	3	Vertical	280	1.16

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	47.20	68.20	-21.00	3	Vertical	0	1.82
5955MHz	Pass	AV	5.9514G	102.13	Inf	-Inf	3	Vertical	0	1.82
5955MHz	Pass	PK	5.9238G	56.70	88.20	-31.50	3	Vertical	0	1.82
5955MHz	Pass	PK	5.949G	112.72	Inf	-Inf	3	Vertical	0	1.82
5955MHz	Pass	AV	5.9235G	45.41	68.20	-22.79	3	Horizontal	360	1.63
5955MHz	Pass	AV	5.9481G	102.39	Inf	-Inf	3	Horizontal	360	1.63
5955MHz	Pass	PK	5.925G	56.54	88.20	-31.66	3	Horizontal	360	1.63
5955MHz	Pass	PK	5.9628G	114.30	Inf	-Inf	3	Horizontal	360	1.63
5955MHz	Pass	AV	11.908G	39.77	54.00	-14.23	3	Vertical	21	1.40
5955MHz	Pass	PK	11.90936G	52.46	74.00	-21.54	3	Vertical	21	1.40
5955MHz	Pass	AV	11.90928G	39.76	54.00	-14.24	3	Horizontal	320	1.50
5955MHz	Pass	PK	11.90936G	52.08	74.00	-21.92	3	Horizontal	320	1.50
6195MHz	Pass	AV	12.38952G	39.81	54.00	-14.19	3	Vertical	347	2.07
6195MHz	Pass	PK	12.38336G	52.93	74.00	-21.07	3	Vertical	347	2.07
6195MHz	Pass	AV	12.38772G	39.90	54.00	-14.10	3	Horizontal	355	2.88
6195MHz	Pass	PK	12.3874G	52.40	74.00	-21.60	3	Horizontal	355	2.88
6415MHz	Pass	AV	12.83136G	40.54	68.20	-27.66	3	Vertical	20	2.78
6415MHz	Pass	PK	12.82912G	53.20	88.20	-35.00	3	Vertical	20	2.78
6415MHz	Pass	AV	12.82836G	40.52	68.20	-27.68	3	Horizontal	307	1.50
6415MHz	Pass	PK	12.82152G	53.31	88.20	-34.89	3	Horizontal	307	1.50
6535MHz	Pass	AV	13.06628G	40.07	68.20	-28.13	3	Vertical	72	1.91
6535MHz	Pass	PK	13.07288G	52.65	88.20	-35.55	3	Vertical	72	1.91
6535MHz	Pass	AV	13.07132G	40.08	68.20	-28.12	3	Horizontal	360	1.50
6535MHz	Pass	PK	13.07724G	52.92	88.20	-35.28	3	Horizontal	360	1.50
6695MHz	Pass	AV	13.39476G	40.91	54.00	-13.09	3	Vertical	73	1.50
6695MHz	Pass	PK	13.38732G	53.52	74.00	-20.48	3	Vertical	73	1.50
6695MHz	Pass	AV	13.38872G	41.12	54.00	-12.88	3	Horizontal	352	1.50
6695MHz	Pass	PK	13.39612G	53.54	74.00	-20.46	3	Horizontal	352	1.50
6855MHz	Pass	AV	13.70536G	41.27	68.20	-26.93	3	Vertical	360	1.91
6855MHz	Pass	PK	13.708G	53.39	88.20	-34.81	3	Vertical	360	1.91
6855MHz	Pass	AV	13.70212G	41.18	68.20	-27.02	3	Horizontal	328	1.31
6855MHz	Pass	PK	13.7148G	53.42	88.20	-34.78	3	Horizontal	328	1.31
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9242G	45.82	68.20	-22.38	3	Vertical	360	1.94
5965MHz	Pass	AV	5.9767G	99.78	Inf	-Inf	3	Vertical	360	1.94
5965MHz	Pass	PK	5.923G	59.97	88.20	-28.23	3	Vertical	360	1.94
5965MHz	Pass	PK	5.9767G	112.29	Inf	-Inf	3	Vertical	360	1.94
5965MHz	Pass	AV	5.9248G	45.95	68.20	-22.25	3	Horizontal	360	1.93
5965MHz	Pass	AV	5.9728G	99.79	Inf	-Inf	3	Horizontal	360	1.93
5965MHz	Pass	PK	5.9239G	59.43	88.20	-28.77	3	Horizontal	360	1.93
5965MHz	Pass	PK	5.9806G	111.58	Inf	-Inf	3	Horizontal	360	1.93
5965MHz	Pass	AV	11.93848G	39.43	54.00	-14.57	3	Vertical	166	1.50
5965MHz	Pass	PK	11.92888G	51.86	74.00	-22.14	3	Vertical	166	1.50
5965MHz	Pass	AV	11.93996G	39.52	54.00	-14.48	3	Horizontal	34	1.50
5965MHz	Pass	PK	11.92688G	51.31	74.00	-22.69	3	Horizontal	34	1.50
6205MHz	Pass	AV	12.40136G	39.58	54.00	-14.42	3	Vertical	31	2.46
6205MHz	Pass	PK	12.41336G	51.81	74.00	-22.19	3	Vertical	31	2.46
6205MHz	Pass	AV	12.41276G	39.74	54.00	-14.26	3	Horizontal	58	1.50
6205MHz	Pass	PK	12.41628G	52.15	74.00	-21.85	3	Horizontal	58	1.50
6405MHz	Pass	AV	12.8182G	40.50	68.20	-27.70	3	Vertical	297	1.50
6405MHz	Pass	PK	12.818G	53.38	88.20	-34.82	3	Vertical	297	1.50
6405MHz	Pass	AV	12.81868G	40.50	68.20	-27.70	3	Horizontal	78	2.14
6405MHz	Pass	PK	12.81576G	53.24	88.20	-34.96	3	Horizontal	78	2.14
6565MHz	Pass	AV	13.12412G	39.92	68.20	-28.28	3	Vertical	350	1.50
6565MHz	Pass	PK	13.1346G	52.44	88.20	-35.76	3	Vertical	350	1.50
6565MHz	Pass	AV	13.12012G	39.89	68.20	-28.31	3	Horizontal	39	1.50
6565MHz	Pass	PK	13.13452G	52.35	88.20	-35.85	3	Horizontal	39	1.50
6685MHz	Pass	AV	13.36432G	40.77	54.00	-13.23	3	Vertical	212	1.46
6685MHz	Pass	PK	13.37608G	53.38	74.00	-20.62	3	Vertical	212	1.46
6685MHz	Pass	AV	13.3686G	40.98	54.00	-13.02	3	Horizontal	26	1.41

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.36256G	53.41	74.00	-20.59	3	Horizontal	26	1.41
6845MHz	Pass	AV	13.69708G	41.01	68.20	-27.19	3	Vertical	251	1.50
6845MHz	Pass	PK	13.69464G	53.04	88.20	-35.16	3	Vertical	251	1.50
6845MHz	Pass	AV	13.69776G	41.01	68.20	-27.19	3	Horizontal	180	1.50
6845MHz	Pass	PK	13.69544G	53.26	88.20	-34.94	3	Horizontal	180	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.921G	45.12	68.20	-23.08	3	Vertical	359	1.99
5985MHz	Pass	AV	5.999G	97.06	Inf	-Inf	3	Vertical	359	1.99
5985MHz	Pass	PK	5.92G	56.48	88.20	-31.72	3	Vertical	359	1.99
5985MHz	Pass	PK	6.0145G	109.18	Inf	-Inf	3	Vertical	359	1.99
5985MHz	Pass	AV	5.9245G	45.68	68.20	-22.52	3	Horizontal	359	2.01
5985MHz	Pass	AV	6.013G	97.17	Inf	-Inf	3	Horizontal	359	2.01
5985MHz	Pass	PK	5.9035G	57.34	88.20	-30.86	3	Horizontal	359	2.01
5985MHz	Pass	PK	5.9725G	109.07	Inf	-Inf	3	Horizontal	359	2.01
5985MHz	Pass	AV	11.9724G	39.55	54.00	-14.45	3	Vertical	155	2.82
5985MHz	Pass	PK	11.97368G	51.90	74.00	-22.10	3	Vertical	155	2.82
5985MHz	Pass	AV	11.97212G	39.56	54.00	-14.44	3	Horizontal	317	2.70
5985MHz	Pass	PK	11.97188G	51.58	74.00	-22.42	3	Horizontal	317	2.70
6225MHz	Pass	AV	12.45636G	39.71	54.00	-14.29	3	Vertical	8	2.07
6225MHz	Pass	PK	12.45588G	52.18	74.00	-21.82	3	Vertical	8	2.07
6225MHz	Pass	AV	12.4564G	39.71	54.00	-14.29	3	Horizontal	126	1.50
6225MHz	Pass	PK	12.4454G	52.30	74.00	-21.70	3	Horizontal	126	1.50
6385MHz	Pass	AV	12.77812G	40.07	68.20	-28.13	3	Vertical	336	1.50
6385MHz	Pass	PK	12.76808G	52.49	88.20	-35.71	3	Vertical	336	1.50
6385MHz	Pass	AV	12.77808G	40.07	68.20	-28.13	3	Horizontal	250	1.03
6385MHz	Pass	PK	12.77488G	52.84	88.20	-35.36	3	Horizontal	250	1.03
6625MHz	Pass	AV	13.25424G	40.40	54.00	-13.60	3	Vertical	7	2.31
6625MHz	Pass	PK	13.249G	52.65	88.20	-35.55	3	Vertical	7	2.31
6625MHz	Pass	AV	13.25664G	40.43	54.00	-13.57	3	Horizontal	17	1.50
6625MHz	Pass	PK	13.25216G	53.39	74.00	-20.61	3	Horizontal	17	1.50
6705MHz	Pass	AV	13.41984G	40.81	68.20	-27.39	3	Vertical	172	2.07
6705MHz	Pass	PK	13.40764G	53.43	88.20	-34.77	3	Vertical	172	2.07
6705MHz	Pass	AV	13.41844G	40.80	68.20	-27.40	3	Horizontal	261	1.50
6705MHz	Pass	PK	13.4188G	53.48	88.20	-34.72	3	Horizontal	261	1.50
6785MHz	Pass	AV	13.57G	41.27	68.20	-26.93	3	Vertical	70	1.50
6785MHz	Pass	PK	13.57448G	53.93	88.20	-34.27	3	Vertical	70	1.50
6785MHz	Pass	AV	13.57224G	41.26	68.20	-26.94	3	Horizontal	235	1.50
6785MHz	Pass	PK	13.5736G	53.83	88.20	-34.37	3	Horizontal	235	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9115G	44.06	68.20	-24.14	3	Vertical	353	1.86
6025MHz	Pass	AV	6.102G	94.06	Inf	-Inf	3	Vertical	353	1.86
6025MHz	Pass	PK	5.8895G	56.04	88.20	-32.16	3	Vertical	353	1.86
6025MHz	Pass	PK	6.039G	105.58	Inf	-Inf	3	Vertical	353	1.86
6025MHz	Pass	AV	5.923G	44.34	68.20	-23.86	3	Horizontal	360	1.71
6025MHz	Pass	AV	6.1005G	94.64	Inf	-Inf	3	Horizontal	360	1.71
6025MHz	Pass	PK	5.9215G	55.69	88.20	-32.51	3	Horizontal	360	1.71
6025MHz	Pass	PK	6.083G	105.86	Inf	-Inf	3	Horizontal	360	1.71
6025MHz	Pass	AV	12.06824G	39.69	54.00	-14.31	3	Vertical	155	1.38
6025MHz	Pass	PK	12.0644G	52.69	74.00	-21.31	3	Vertical	155	1.38
6025MHz	Pass	AV	12.03528G	39.66	54.00	-14.34	3	Horizontal	232	1.50
6025MHz	Pass	PK	12.12328G	52.91	74.00	-21.09	3	Horizontal	232	1.50
6185MHz	Pass	AV	12.36148G	39.90	54.00	-14.10	3	Vertical	302	2.35
6185MHz	Pass	PK	12.36296G	53.18	74.00	-20.82	3	Vertical	302	2.35
6185MHz	Pass	AV	12.36624G	39.89	54.00	-14.11	3	Horizontal	360	2.87
6185MHz	Pass	PK	12.36092G	52.44	74.00	-21.56	3	Horizontal	360	2.87
6345MHz	Pass	AV	12.69892G	39.81	54.00	-14.19	3	Vertical	222	1.68
6345MHz	Pass	PK	12.68292G	52.61	74.00	-21.39	3	Vertical	222	1.68
6345MHz	Pass	AV	12.6984G	39.82	54.00	-14.18	3	Horizontal	219	2.68
6345MHz	Pass	PK	12.68792G	52.58	74.00	-21.42	3	Horizontal	219	2.68
6665MHz	Pass	AV	13.33004G	40.57	54.00	-13.43	3	Vertical	280	1.16
6665MHz	Pass	PK	13.33388G	52.67	74.00	-21.33	3	Vertical	280	1.16
6665MHz	Pass	AV	13.33272G	40.57	54.00	-13.43	3	Horizontal	158	1.50




RSE TX above 1GHz
_Non-Beamforming_Radio 0_AP66D_outdoor_Full RU

Appendix E.33

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.3384G	53.44	74.00	-20.56	3	Horizontal	158	1.50
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.909G	44.22	68.20	-23.98	3	Vertical	358	2.02
6105MHz	Pass	AV	6.074G	91.63	Inf	-Inf	3	Vertical	358	2.02
6105MHz	Pass	PK	5.922G	56.19	88.20	-32.01	3	Vertical	358	2.02
6105MHz	Pass	PK	6.074G	102.81	Inf	-Inf	3	Vertical	358	2.02
6105MHz	Pass	AV	5.915G	44.53	68.20	-23.67	3	Horizontal	358	1.83
6105MHz	Pass	AV	6.14G	91.83	Inf	-Inf	3	Horizontal	358	1.83
6105MHz	Pass	PK	5.915G	55.36	88.20	-32.84	3	Horizontal	358	1.83
6105MHz	Pass	PK	6.045G	103.70	Inf	-Inf	3	Horizontal	358	1.83
6105MHz	Pass	AV	12.20616G	39.50	54.00	-14.50	3	Vertical	245	2.24
6105MHz	Pass	PK	12.21976G	52.40	74.00	-21.60	3	Vertical	245	2.24
6105MHz	Pass	AV	12.21896G	39.41	54.00	-14.59	3	Horizontal	99	1.50
6105MHz	Pass	PK	12.2006G	51.85	74.00	-22.15	3	Horizontal	99	1.50
6265MHz	Pass	AV	12.52032G	39.57	54.00	-14.43	3	Vertical	37	1.79
6265MHz	Pass	PK	12.52384G	52.17	74.00	-21.83	3	Vertical	37	1.79
6265MHz	Pass	AV	12.52056G	39.57	54.00	-14.43	3	Horizontal	327	1.50
6265MHz	Pass	PK	12.5276G	52.43	74.00	-21.57	3	Horizontal	327	1.50


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX





RSE TX above 1GHz
_Non-Beamforming_Radio 0_AP66D_outdoor_Multi-RU

Appendix E.34

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	11.9708G	40.54	54.00	-13.46	3	Horizontal	19	2.17
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_2TX	Pass	AV	11.97384G	40.54	54.00	-13.46	3	Horizontal	338	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX	Pass	AV	12.25736G	40.79	54.00	-13.21	3	Vertical	221	2.46


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	45.28	68.20	-22.92	3	Vertical	360	1.77
5985MHz	Pass	AV	5.974G	96.03	Inf	-Inf	3	Vertical	360	1.77
5985MHz	Pass	PK	5.9185G	58.76	88.20	-29.44	3	Vertical	360	1.77
5985MHz	Pass	PK	5.9715G	107.32	Inf	-Inf	3	Vertical	360	1.77
5985MHz	Pass	AV	5.923G	45.26	68.20	-22.94	3	Horizontal	360	1.50
5985MHz	Pass	AV	6.0155G	96.07	Inf	-Inf	3	Horizontal	360	1.50
5985MHz	Pass	PK	5.9215G	57.56	88.20	-30.64	3	Horizontal	360	1.50
5985MHz	Pass	PK	5.983G	107.33	Inf	-Inf	3	Horizontal	360	1.50
5985MHz	Pass	AV	11.9572G	40.50	54.00	-13.50	3	Vertical	317	1.50
5985MHz	Pass	PK	11.95208G	53.01	74.00	-20.99	3	Vertical	317	1.50
5985MHz	Pass	AV	11.9708G	40.54	54.00	-13.46	3	Horizontal	19	2.17
5985MHz	Pass	PK	12.00616G	53.40	74.00	-20.60	3	Horizontal	19	2.17
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	44.04	68.20	-24.16	3	Vertical	356	1.91
6025MHz	Pass	AV	6.102G	93.79	Inf	-Inf	3	Vertical	356	1.91
6025MHz	Pass	PK	5.883G	56.23	88.20	-31.97	3	Vertical	356	1.91
6025MHz	Pass	PK	6.004G	104.69	Inf	-Inf	3	Vertical	356	1.91
6025MHz	Pass	AV	5.925G	44.20	68.20	-24.00	3	Horizontal	360	1.73
6025MHz	Pass	AV	6.1005G	94.11	Inf	-Inf	3	Horizontal	360	1.73
6025MHz	Pass	PK	5.9215G	56.03	88.20	-32.17	3	Horizontal	360	1.73
6025MHz	Pass	PK	6.081G	105.20	Inf	-Inf	3	Horizontal	360	1.73
6025MHz	Pass	AV	11.97128G	40.47	54.00	-13.53	3	Vertical	62	1.50
6025MHz	Pass	PK	11.9988G	53.56	74.00	-20.44	3	Vertical	62	1.50
6025MHz	Pass	AV	11.97384G	40.54	54.00	-13.46	3	Horizontal	338	1.50
6025MHz	Pass	PK	12.0404G	52.88	74.00	-21.12	3	Horizontal	338	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	44.04	68.20	-24.16	3	Vertical	355	1.96
6025MHz	Pass	AV	6.102G	93.65	Inf	-Inf	3	Vertical	355	1.96
6025MHz	Pass	PK	5.827G	55.96	88.20	-32.24	3	Vertical	355	1.96
6025MHz	Pass	PK	6.0045G	105.41	Inf	-Inf	3	Vertical	355	1.96
6025MHz	Pass	AV	5.9235G	44.20	68.20	-24.00	3	Horizontal	0	1.82
6025MHz	Pass	AV	6.1005G	94.21	Inf	-Inf	3	Horizontal	0	1.82
6025MHz	Pass	PK	5.8975G	55.82	88.20	-32.38	3	Horizontal	0	1.82
6025MHz	Pass	PK	6.1005G	106.00	Inf	-Inf	3	Horizontal	0	1.82
6025MHz	Pass	AV	11.97128G	40.54	54.00	-13.46	3	Vertical	200	2.34
6025MHz	Pass	PK	12.098G	52.90	74.00	-21.10	3	Vertical	200	2.34
6025MHz	Pass	AV	11.97128G	40.54	54.00	-13.46	3	Horizontal	74	1.32
6025MHz	Pass	PK	11.98888G	53.18	74.00	-20.82	3	Horizontal	74	1.32
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 6_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	44.20	68.20	-24.00	3	Vertical	354	1.64
6105MHz	Pass	AV	6.069G	90.90	Inf	-Inf	3	Vertical	354	1.64
6105MHz	Pass	PK	5.918G	56.14	88.20	-32.06	3	Vertical	354	1.64
6105MHz	Pass	PK	6.137G	101.89	Inf	-Inf	3	Vertical	354	1.64
6105MHz	Pass	AV	5.925G	44.68	68.20	-23.52	3	Horizontal	359	1.77
6105MHz	Pass	AV	6.07G	91.34	Inf	-Inf	3	Horizontal	359	1.77
6105MHz	Pass	PK	5.923G	56.63	88.20	-31.57	3	Horizontal	359	1.77
6105MHz	Pass	PK	6.135G	103.01	Inf	-Inf	3	Horizontal	359	1.77
6105MHz	Pass	AV	12.28808G	40.78	54.00	-13.22	3	Vertical	251	2.35
6105MHz	Pass	PK	12.27272G	53.63	74.00	-20.37	3	Vertical	251	2.35
6105MHz	Pass	AV	12.27912G	40.71	54.00	-13.29	3	Horizontal	115	1.52
6105MHz	Pass	PK	12.22984G	53.64	74.00	-20.36	3	Horizontal	115	1.52
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	44.04	68.20	-24.16	3	Vertical	356	1.93
6105MHz	Pass	AV	6.134G	91.12	Inf	-Inf	3	Vertical	356	1.93
6105MHz	Pass	PK	5.897G	56.24	88.20	-31.96	3	Vertical	356	1.93
6105MHz	Pass	PK	6.134G	103.14	Inf	-Inf	3	Vertical	356	1.93
6105MHz	Pass	AV	5.925G	44.37	68.20	-23.83	3	Horizontal	355	1.87
6105MHz	Pass	AV	6.135G	91.57	Inf	-Inf	3	Horizontal	355	1.87
6105MHz	Pass	PK	5.921G	56.36	88.20	-31.84	3	Horizontal	355	1.87
6105MHz	Pass	PK	6.141G	102.43	Inf	-Inf	3	Horizontal	355	1.87

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.28872G	40.70	54.00	-13.30	3	Vertical	108	1.50
6105MHz	Pass	PK	12.34824G	53.87	74.00	-20.13	3	Vertical	108	1.50
6105MHz	Pass	AV	12.27208G	40.71	54.00	-13.29	3	Horizontal	275	1.50
6105MHz	Pass	PK	12.3412G	53.10	74.00	-20.90	3	Horizontal	275	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	43.87	68.20	-24.33	3	Vertical	358	1.50
6105MHz	Pass	AV	6.069G	90.74	Inf	-Inf	3	Vertical	358	1.50
6105MHz	Pass	PK	5.922G	56.16	88.20	-32.04	3	Vertical	358	1.50
6105MHz	Pass	PK	6.069G	101.33	Inf	-Inf	3	Vertical	358	1.50
6105MHz	Pass	AV	5.924G	43.87	68.20	-24.33	3	Horizontal	360	1.49
6105MHz	Pass	AV	6.068G	90.95	Inf	-Inf	3	Horizontal	360	1.49
6105MHz	Pass	PK	5.907G	56.67	88.20	-31.53	3	Horizontal	360	1.49
6105MHz	Pass	PK	6.07G	101.77	Inf	-Inf	3	Horizontal	360	1.49
6105MHz	Pass	AV	12.25736G	40.79	54.00	-13.21	3	Vertical	221	2.46
6105MHz	Pass	PK	12.27208G	53.52	74.00	-20.48	3	Vertical	221	2.46
6105MHz	Pass	AV	12.25672G	40.72	54.00	-13.28	3	Horizontal	264	2.92
6105MHz	Pass	PK	12.33864G	53.29	74.00	-20.71	3	Horizontal	264	2.92


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	43.87	68.20	-24.33	1.66	3	Vertical	358	1.50	42.21	34.35	5.18	37.87
AV	6.069G	90.74	Inf	-Inf	1.85	3	Vertical	358	1.50	88.89	34.30	5.31	37.76
PK	5.922G	56.16	88.20	-32.04	1.66	3	Vertical	358	1.50	54.50	34.36	5.17	37.87
PK	6.069G	101.33	Inf	-Inf	1.85	3	Vertical	358	1.50	99.48	34.30	5.31	37.76

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	43.87	68.20	-24.33	1.66	3	Horizontal	360	1.49	42.21	34.35	5.18	37.87
AV	6.068G	90.95	Inf	-Inf	1.85	3	Horizontal	360	1.49	89.10	34.30	5.31	37.76
PK	5.907G	56.67	88.20	-31.53	1.66	3	Horizontal	360	1.49	55.01	34.39	5.15	37.88
PK	6.07G	101.77	Inf	-Inf	1.85	3	Horizontal	360	1.49	99.92	34.30	5.31	37.76


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX





RSE TX below 1GHz
_Non-Beamforming_Radio 3_AP66D_indoor

Appendix E.35

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	PK	245.34M	34.64	46.00	-11.36	3	Horizontal	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
6695MHz	Pass	PK	33.88M	25.97	40.00	-14.03	3	Vertical	0	1.00
6695MHz	Pass	PK	113.42M	23.93	43.50	-19.57	3	Vertical	0	1.00
6695MHz	Pass	PK	202.66M	23.71	43.50	-19.79	3	Vertical	0	1.00
6695MHz	Pass	PK	243.4M	29.39	46.00	-16.61	3	Vertical	0	1.00
6695MHz	Pass	PK	379.2M	23.58	46.00	-22.42	3	Vertical	0	1.00
6695MHz	Pass	PK	483.96M	25.87	46.00	-20.13	3	Vertical	0	1.00
6695MHz	Pass	PK	30M	17.89	40.00	-22.11	3	Horizontal	360	1.00
6695MHz	Pass	PK	95.96M	25.14	43.50	-18.36	3	Horizontal	360	1.00
6695MHz	Pass	PK	113.42M	23.94	43.50	-19.56	3	Horizontal	360	1.00
6695MHz	Pass	PK	245.34M	34.64	46.00	-11.36	3	Horizontal	360	1.00
6695MHz	Pass	PK	373.38M	24.25	46.00	-21.75	3	Horizontal	360	1.00
6695MHz	Pass	PK	547.98M	26.57	46.00	-19.43	3	Horizontal	360	1.00

6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX


6695MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	25.97	40.00	-14.03	-5.95	3	Vertical	0	1.00	31.92	20.99	0.44	27.38
PK	113.42M	23.93	43.50	-19.57	-9.38	3	Vertical	0	1.00	33.31	16.99	0.81	27.18
PK	202.66M	23.71	43.50	-19.79	-11.27	3	Vertical	0	1.00	34.98	14.42	1.10	26.79
PK	243.4M	29.39	46.00	-16.61	-8.62	3	Vertical	0	1.00	38.01	16.80	1.19	26.61
PK	379.2M	23.58	46.00	-22.42	-5.68	3	Vertical	0	1.00	29.26	20.06	1.48	27.22
PK	483.96M	25.87	46.00	-20.13	-3.94	3	Vertical	0	1.00	29.81	22.38	1.67	27.99

6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	17.89	40.00	-22.11	-4.71	3	Horizontal	360	1.00	22.60	22.26	0.42	27.39
PK	95.96M	25.14	43.50	-18.36	-11.25	3	Horizontal	360	1.00	36.39	15.25	0.74	27.24
PK	113.42M	23.94	43.50	-19.56	-9.38	3	Horizontal	360	1.00	33.32	16.99	0.81	27.18
PK	245.34M	34.64	46.00	-11.36	-8.39	3	Horizontal	360	1.00	43.03	17.01	1.20	26.60
PK	373.38M	24.25	46.00	-21.75	-5.78	3	Horizontal	360	1.00	30.03	19.91	1.47	27.16
PK	547.98M	26.57	46.00	-19.43	-2.38	3	Horizontal	360	1.00	28.95	23.99	1.74	28.11



RSE TX above 1GHz
_Non-Beamforming_Radio 3_AP66D_indoor

Appendix E.36

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	5.925G	56.89	68.20	-11.31	3	Horizontal	59	1.00
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	13.39636G	40.65	54.00	-13.35	3	Vertical	284	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	56.89	68.20	-11.31	3	Horizontal	59	1.00
5955MHz	Pass	AV	5.9538G	104.68	Inf	-Inf	3	Horizontal	59	1.00
5955MHz	Pass	PK	5.925G	71.77	88.20	-16.43	3	Horizontal	59	1.00
5955MHz	Pass	PK	5.9598G	114.44	Inf	-Inf	3	Horizontal	59	1.00
5955MHz	Pass	AV	11.90036G	38.93	54.00	-15.07	3	Vertical	49	2.38
5955MHz	Pass	PK	11.91908G	51.57	74.00	-22.43	3	Vertical	49	2.38
5955MHz	Pass	AV	11.9G	38.94	54.00	-15.06	3	Horizontal	188	2.31
5955MHz	Pass	PK	11.91424G	51.62	74.00	-22.38	3	Horizontal	188	2.31
6195MHz	Pass	AV	12.39088G	39.12	54.00	-14.88	3	Vertical	216	1.50
6195MHz	Pass	PK	12.3914G	52.41	74.00	-21.59	3	Vertical	216	1.50
6195MHz	Pass	AV	12.38772G	39.14	54.00	-14.86	3	Horizontal	284	2.30
6195MHz	Pass	PK	12.38008G	52.25	74.00	-21.75	3	Horizontal	284	2.30
6415MHz	Pass	AV	12.82116G	40.07	68.20	-28.13	3	Vertical	269	2.30
6415MHz	Pass	PK	12.82768G	52.71	88.20	-35.49	3	Vertical	269	2.30
6415MHz	Pass	AV	12.82252G	39.99	68.20	-28.21	3	Horizontal	243	1.94
6415MHz	Pass	PK	12.83884G	52.65	88.20	-35.55	3	Horizontal	243	1.94
6535MHz	Pass	AV	13.0632G	40.07	68.20	-28.13	3	Vertical	0	1.50
6535MHz	Pass	PK	13.07784G	52.98	88.20	-35.22	3	Vertical	0	1.50
6535MHz	Pass	AV	13.06604G	40.00	68.20	-28.20	3	Horizontal	37	1.31
6535MHz	Pass	PK	13.07488G	53.00	88.20	-35.20	3	Horizontal	37	1.31
6695MHz	Pass	AV	13.39636G	40.65	54.00	-13.35	3	Vertical	284	1.50
6695MHz	Pass	PK	13.38144G	53.52	74.00	-20.48	3	Vertical	284	1.50
6695MHz	Pass	AV	13.397G	40.65	54.00	-13.35	3	Horizontal	83	1.75
6695MHz	Pass	PK	13.39212G	53.88	74.00	-20.12	3	Horizontal	83	1.75
6855MHz	Pass	AV	13.7054G	40.87	68.20	-27.33	3	Vertical	322	1.23
6855MHz	Pass	PK	13.7082G	54.06	88.20	-34.14	3	Vertical	322	1.23
6855MHz	Pass	AV	13.70536G	40.87	68.20	-27.33	3	Horizontal	84	1.49
6855MHz	Pass	PK	13.71464G	53.07	88.20	-35.13	3	Horizontal	84	1.49


5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX

5955MHz_TX




5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX

5955MHz_TX




5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX

5955MHz_TX




6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_TX



6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_TX





RSE TX below 1GHz
_Non-Beamforming_Radio 3_AP66D_outdoor

Appendix E.37

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	PK	730.34M	37.39	46.00	-8.61	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
6695MHz	Pass	PK	31.94M	28.05	40.00	-11.95	3	Vertical	0	1.00
6695MHz	Pass	PK	90.14M	22.98	43.50	-20.52	3	Vertical	0	1.00
6695MHz	Pass	PK	113.42M	23.46	43.50	-20.04	3	Vertical	0	1.00
6695MHz	Pass	PK	200.72M	24.28	43.50	-19.22	3	Vertical	0	1.00
6695MHz	Pass	PK	255.04M	28.86	46.00	-17.14	3	Vertical	0	1.00
6695MHz	Pass	PK	730.34M	37.39	46.00	-8.61	3	Vertical	0	1.00
6695MHz	Pass	PK	94.02M	24.99	43.50	-18.51	3	Horizontal	360	1.00
6695MHz	Pass	PK	113.42M	23.82	43.50	-19.68	3	Horizontal	360	1.00
6695MHz	Pass	PK	202.66M	24.22	43.50	-19.28	3	Horizontal	360	1.00
6695MHz	Pass	PK	245.34M	35.96	46.00	-10.04	3	Horizontal	360	1.00
6695MHz	Pass	PK	350.1M	22.47	46.00	-23.53	3	Horizontal	360	1.00
6695MHz	Pass	PK	577.08M	26.72	46.00	-19.28	3	Horizontal	360	1.00

6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX


6695MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	28.05	40.00	-11.95	-4.98	3	Vertical	0	1.00	33.03	21.98	0.43	27.39
PK	90.14M	22.98	43.50	-20.52	-12.18	3	Vertical	0	1.00	35.16	14.35	0.72	27.25
PK	113.42M	23.46	43.50	-20.04	-9.38	3	Vertical	0	1.00	32.84	16.99	0.81	27.18
PK	200.72M	24.28	43.50	-19.22	-11.33	3	Vertical	0	1.00	35.61	14.38	1.09	26.80
PK	255.04M	28.86	46.00	-17.14	-7.12	3	Vertical	0	1.00	35.98	18.24	1.22	26.58
PK	730.34M	37.39	46.00	-8.61	-1.45	3	Vertical	0	1.00	38.84	24.64	2.03	28.12

6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	94.02M	24.99	43.50	-18.51	-11.59	3	Horizontal	360	1.00	36.58	14.92	0.73	27.24
PK	113.42M	23.82	43.50	-19.68	-9.38	3	Horizontal	360	1.00	33.20	16.99	0.81	27.18
PK	202.66M	24.22	43.50	-19.28	-11.27	3	Horizontal	360	1.00	35.49	14.42	1.10	26.79
PK	245.34M	35.96	46.00	-10.04	-8.39	3	Horizontal	360	1.00	44.35	17.01	1.20	26.60
PK	350.1M	22.47	46.00	-23.53	-5.98	3	Horizontal	360	1.00	28.45	19.52	1.43	26.93
PK	577.08M	26.72	46.00	-19.28	-2.57	3	Horizontal	360	1.00	29.29	23.81	1.79	28.17



RSE TX above 1GHz
_Non-Beamforming_Radio 3_AP66D_outdoor

Appendix E.38

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	12.38772G	39.14	54.00	-14.86	3	Horizontal	284	2.30
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	13.38812G	41.05	54.00	-12.95	3	Vertical	109	1.03

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	48.18	68.20	-20.02	3	Horizontal	60	1.05
5955MHz	Pass	AV	5.9568G	101.73	Inf	-Inf	3	Horizontal	60	1.05
5955MHz	Pass	PK	5.9208G	67.39	88.20	-20.81	3	Horizontal	60	1.05
5955MHz	Pass	PK	5.9523G	111.19	Inf	-Inf	3	Horizontal	60	1.05
5955MHz	Pass	AV	11.90782G	39.02	54.00	-14.98	3	Vertical	53	2.95
5955MHz	Pass	PK	11.90028G	51.81	74.00	-22.19	3	Vertical	53	2.95
5955MHz	Pass	AV	11.9055G	39.02	54.00	-14.98	3	Horizontal	110	1.50
5955MHz	Pass	PK	11.91784G	52.23	74.00	-21.77	3	Horizontal	110	1.50
6195MHz	Pass	AV	12.39088G	39.12	54.00	-14.88	3	Vertical	216	1.50
6195MHz	Pass	PK	12.3914G	52.41	74.00	-21.59	3	Vertical	216	1.50
6195MHz	Pass	AV	12.38772G	39.14	54.00	-14.86	3	Horizontal	284	2.30
6195MHz	Pass	PK	12.38008G	52.25	74.00	-21.75	3	Horizontal	284	2.30
6415MHz	Pass	AV	12.82792G	40.35	68.20	-27.85	3	Vertical	67	1.75
6415MHz	Pass	PK	12.83004G	52.92	88.20	-35.28	3	Vertical	67	1.75
6415MHz	Pass	AV	12.82572G	40.35	68.20	-27.85	3	Horizontal	112	1.50
6415MHz	Pass	PK	12.82518G	52.75	88.20	-35.45	3	Horizontal	112	1.50
6535MHz	Pass	AV	13.07304G	40.14	68.20	-28.06	3	Vertical	289	2.19
6535MHz	Pass	PK	13.06852G	52.60	88.20	-35.60	3	Vertical	289	2.19
6535MHz	Pass	AV	13.06984G	40.15	68.20	-28.05	3	Horizontal	55	1.48
6535MHz	Pass	PK	13.0657G	52.78	88.20	-35.42	3	Horizontal	55	1.48
6695MHz	Pass	AV	13.38812G	41.05	54.00	-12.95	3	Vertical	109	1.03
6695MHz	Pass	PK	13.38864G	53.55	74.00	-20.45	3	Vertical	109	1.03
6695MHz	Pass	AV	13.38846G	41.05	54.00	-12.95	3	Horizontal	150	1.50
6695MHz	Pass	PK	13.39142G	53.97	74.00	-20.03	3	Horizontal	150	1.50
6855MHz	Pass	AV	13.7054G	40.87	68.20	-27.33	3	Vertical	322	1.23
6855MHz	Pass	PK	13.7082G	54.06	88.20	-34.14	3	Vertical	322	1.23
6855MHz	Pass	AV	13.70536G	40.87	68.20	-27.33	3	Horizontal	84	1.49
6855MHz	Pass	PK	13.71464G	53.07	88.20	-35.13	3	Horizontal	84	1.49


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX

6195MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX

6195MHz_TX




6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_TX



6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9244G	61.64	68.20	-6.56	3	Horizontal	0	1.93
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.9236G	85.32	88.20	-2.88	3	Horizontal	5	1.82
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	66.29	68.20	-1.91	3	Horizontal	360	1.79
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	61.30	68.20	-6.90	3	Horizontal	0	1.99
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	5.924G	65.25	68.20	-2.95	3	Horizontal	360	2.12
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.3844G	52.62	54.00	-1.38	3	Horizontal	51	1.61
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.35168G	50.89	54.00	-3.11	3	Horizontal	27	1.31
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.3908G	46.99	54.00	-7.01	3	Horizontal	25	1.28
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.2516G	45.43	54.00	-8.57	3	Vertical	360	1.80

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9238G	59.80	68.20	-8.40	3	Vertical	0	1.94
5955MHz	Pass	AV	5.946G	110.57	Inf	-Inf	3	Vertical	0	1.94
5955MHz	Pass	PK	5.9208G	77.69	88.20	-10.51	3	Vertical	0	1.94
5955MHz	Pass	PK	5.9622G	119.09	Inf	-Inf	3	Vertical	0	1.94
5955MHz	Pass	AV	5.9244G	61.64	68.20	-6.56	3	Horizontal	0	1.93
5955MHz	Pass	AV	5.946G	113.21	Inf	-Inf	3	Horizontal	0	1.93
5955MHz	Pass	PK	5.9244G	77.98	88.20	-10.22	3	Horizontal	0	1.93
5955MHz	Pass	PK	5.946G	123.20	Inf	-Inf	3	Horizontal	0	1.93
5955MHz	Pass	AV	11.91052G	43.72	54.00	-10.28	3	Vertical	347	1.38
5955MHz	Pass	PK	11.90792G	57.50	74.00	-16.50	3	Vertical	347	1.38
5955MHz	Pass	AV	11.91004G	46.37	54.00	-7.63	3	Horizontal	309	1.58
5955MHz	Pass	PK	11.9064G	58.91	74.00	-15.09	3	Horizontal	309	1.58
6195MHz	Pass	AV	12.3898G	45.75	54.00	-8.25	3	Vertical	360	1.50
6195MHz	Pass	PK	12.39428G	60.37	74.00	-13.63	3	Vertical	360	1.50
6195MHz	Pass	AV	12.3874G	46.93	54.00	-7.07	3	Horizontal	340	1.53
6195MHz	Pass	PK	12.38752G	60.31	74.00	-13.69	3	Horizontal	340	1.53
6415MHz	Pass	AV	12.82336G	50.59	68.20	-17.61	3	Vertical	340	1.65
6415MHz	Pass	PK	12.82592G	63.39	88.20	-24.81	3	Vertical	340	1.65
6415MHz	Pass	AV	12.82784G	52.12	68.20	-16.08	3	Horizontal	333	1.44
6415MHz	Pass	PK	12.82344G	64.64	88.20	-23.56	3	Horizontal	333	1.44
6535MHz	Pass	AV	13.07004G	49.54	68.20	-18.66	3	Vertical	319	1.58
6535MHz	Pass	PK	13.07744G	63.87	88.20	-24.33	3	Vertical	319	1.58
6535MHz	Pass	AV	13.08G	52.12	68.20	-16.08	3	Horizontal	27	1.20
6535MHz	Pass	PK	13.07976G	65.71	88.20	-22.49	3	Horizontal	27	1.20
6695MHz	Pass	AV	13.391G	50.77	54.00	-3.23	3	Vertical	0	1.60
6695MHz	Pass	PK	13.3898G	66.97	74.00	-7.03	3	Vertical	0	1.60
6695MHz	Pass	AV	13.3844G	52.62	54.00	-1.38	3	Horizontal	51	1.61
6695MHz	Pass	PK	13.38672G	68.94	74.00	-5.06	3	Horizontal	51	1.61
6855MHz	Pass	AV	13.70936G	51.66	68.20	-16.54	3	Vertical	36	1.58
6855MHz	Pass	PK	13.71012G	66.46	88.20	-21.74	3	Vertical	36	1.58
6855MHz	Pass	AV	13.71508G	50.36	68.20	-17.84	3	Horizontal	314	1.53
6855MHz	Pass	PK	13.71552G	65.61	88.20	-22.59	3	Horizontal	314	1.53
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9245G	64.66	68.20	-3.54	3	Vertical	0	1.86
5965MHz	Pass	AV	5.9602G	102.62	Inf	-Inf	3	Vertical	0	1.86
5965MHz	Pass	PK	5.9245G	82.17	88.20	-6.03	3	Vertical	0	1.86
5965MHz	Pass	PK	5.9584G	115.07	Inf	-Inf	3	Vertical	0	1.86
5965MHz	Pass	AV	5.9248G	65.01	68.20	-3.19	3	Horizontal	5	1.82
5965MHz	Pass	AV	5.9764G	108.07	Inf	-Inf	3	Horizontal	5	1.82
5965MHz	Pass	PK	5.9236G	85.32	88.20	-2.88	3	Horizontal	5	1.82
5965MHz	Pass	PK	5.9803G	120.04	Inf	-Inf	3	Horizontal	5	1.82
5965MHz	Pass	AV	11.93104G	44.58	54.00	-9.42	3	Vertical	29	1.50
5965MHz	Pass	PK	11.9304G	56.76	74.00	-17.24	3	Vertical	29	1.50
5965MHz	Pass	AV	11.9292G	46.63	54.00	-7.37	3	Horizontal	317	1.29
5965MHz	Pass	PK	11.93008G	58.56	74.00	-15.44	3	Horizontal	317	1.29
6205MHz	Pass	AV	12.40952G	45.05	54.00	-8.95	3	Vertical	343	1.63
6205MHz	Pass	PK	12.40968G	58.12	74.00	-15.88	3	Vertical	343	1.63
6205MHz	Pass	AV	12.42528G	42.22	54.00	-11.78	3	Horizontal	54	1.50
6205MHz	Pass	PK	12.42G	54.10	74.00	-19.90	3	Horizontal	54	1.50
6405MHz	Pass	AV	12.81016G	51.51	68.20	-16.69	3	Vertical	56	1.76
6405MHz	Pass	PK	12.81G	64.07	88.20	-24.13	3	Vertical	56	1.76
6405MHz	Pass	AV	12.81352G	53.13	68.20	-15.07	3	Horizontal	50	2.78
6405MHz	Pass	PK	12.81048G	65.81	88.20	-22.39	3	Horizontal	50	2.78
6565MHz	Pass	AV	13.11184G	47.02	68.20	-21.18	3	Vertical	318	2.00
6565MHz	Pass	PK	13.12696G	60.30	88.20	-27.90	3	Vertical	318	2.00
6565MHz	Pass	AV	13.12984G	49.79	68.20	-18.41	3	Horizontal	354	2.67
6565MHz	Pass	PK	13.12928G	62.68	88.20	-25.52	3	Horizontal	354	2.67
6685MHz	Pass	AV	13.36784G	48.65	54.00	-5.35	3	Vertical	360	1.50
6685MHz	Pass	PK	13.35056G	65.16	74.00	-8.84	3	Vertical	360	1.50
6685MHz	Pass	AV	13.35168G	50.89	54.00	-3.11	3	Horizontal	27	1.31

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.35912G	64.54	74.00	-9.46	3	Horizontal	27	1.31
6845MHz	Pass	AV	13.68392G	49.10	68.20	-19.10	3	Vertical	321	1.50
6845MHz	Pass	PK	13.68304G	65.57	88.20	-22.63	3	Vertical	321	1.50
6845MHz	Pass	AV	13.6708G	48.94	68.20	-19.26	3	Horizontal	314	1.63
6845MHz	Pass	PK	13.67624G	63.89	88.20	-24.31	3	Horizontal	314	1.63
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	61.12	68.20	-7.08	3	Vertical	360	1.73
5985MHz	Pass	AV	6.0145G	104.13	Inf	-Inf	3	Vertical	360	1.73
5985MHz	Pass	PK	5.9095G	81.36	88.20	-6.84	3	Vertical	360	1.73
5985MHz	Pass	PK	5.959G	118.20	Inf	-Inf	3	Vertical	360	1.73
5985MHz	Pass	AV	5.925G	66.29	68.20	-1.91	3	Horizontal	360	1.79
5985MHz	Pass	AV	5.956G	106.22	Inf	-Inf	3	Horizontal	360	1.79
5985MHz	Pass	PK	5.9245G	83.40	88.20	-4.80	3	Horizontal	360	1.79
5985MHz	Pass	PK	5.951G	117.77	Inf	-Inf	3	Horizontal	360	1.79
5985MHz	Pass	AV	11.96888G	42.94	54.00	-11.06	3	Vertical	347	1.46
5985MHz	Pass	PK	11.99432G	54.83	74.00	-19.17	3	Vertical	347	1.46
5985MHz	Pass	AV	11.97016G	43.95	54.00	-10.05	3	Horizontal	316	1.37
5985MHz	Pass	PK	11.9676G	55.65	74.00	-18.35	3	Horizontal	316	1.37
6225MHz	Pass	AV	12.4492G	43.26	54.00	-10.74	3	Vertical	347	3.00
6225MHz	Pass	PK	12.48232G	54.86	74.00	-19.14	3	Vertical	347	3.00
6225MHz	Pass	AV	12.45256G	42.84	54.00	-11.16	3	Horizontal	308	1.41
6225MHz	Pass	PK	12.46648G	55.39	74.00	-18.61	3	Horizontal	308	1.41
6385MHz	Pass	AV	12.778G	46.62	68.20	-21.58	3	Vertical	57	1.82
6385MHz	Pass	PK	12.7884G	59.69	88.20	-28.51	3	Vertical	57	1.82
6385MHz	Pass	AV	12.7764G	49.07	68.20	-19.13	3	Horizontal	49	2.75
6385MHz	Pass	PK	12.78136G	62.29	88.20	-25.91	3	Horizontal	49	2.75
6625MHz	Pass	AV	13.25G	48.37	68.20	-19.83	3	Vertical	360	1.73
6625MHz	Pass	PK	13.27032G	61.36	74.00	-12.64	3	Vertical	360	1.73
6625MHz	Pass	AV	13.2476G	48.77	68.20	-19.43	3	Horizontal	28	1.35
6625MHz	Pass	PK	13.24984G	60.97	88.20	-27.23	3	Horizontal	28	1.35
6705MHz	Pass	AV	13.44632G	48.02	68.20	-20.18	3	Vertical	317	2.83
6705MHz	Pass	PK	13.4252G	61.84	88.20	-26.36	3	Vertical	317	2.83
6705MHz	Pass	AV	13.3908G	46.99	54.00	-7.01	3	Horizontal	25	1.28
6705MHz	Pass	PK	13.3972G	60.44	74.00	-13.56	3	Horizontal	25	1.28
6785MHz	Pass	AV	13.54712G	49.99	68.20	-18.21	3	Vertical	357	1.49
6785MHz	Pass	PK	13.54952G	62.44	88.20	-25.76	3	Vertical	357	1.49
6785MHz	Pass	AV	13.58568G	47.12	68.20	-21.08	3	Horizontal	304	1.67
6785MHz	Pass	PK	13.59064G	60.21	88.20	-27.99	3	Horizontal	304	1.67
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	56.40	68.20	-11.80	3	Vertical	360	1.33
6025MHz	Pass	AV	6.091G	101.05	Inf	-Inf	3	Vertical	360	1.33
6025MHz	Pass	PK	5.9135G	78.62	88.20	-9.58	3	Vertical	360	1.33
6025MHz	Pass	PK	6.095G	112.99	Inf	-Inf	3	Vertical	360	1.33
6025MHz	Pass	AV	5.925G	61.30	68.20	-6.90	3	Horizontal	0	1.99
6025MHz	Pass	AV	5.956G	103.40	Inf	-Inf	3	Horizontal	0	1.99
6025MHz	Pass	PK	5.9165G	76.76	88.20	-11.44	3	Horizontal	0	1.99
6025MHz	Pass	PK	5.947G	114.46	Inf	-Inf	3	Horizontal	0	1.99
6025MHz	Pass	AV	12.04936G	42.41	54.00	-11.59	3	Vertical	18	2.54
6025MHz	Pass	PK	12.03912G	54.49	74.00	-19.51	3	Vertical	18	2.54
6025MHz	Pass	AV	11.98728G	40.86	54.00	-13.14	3	Horizontal	323	1.50
6025MHz	Pass	PK	11.97512G	52.03	74.00	-21.97	3	Horizontal	323	1.50
6185MHz	Pass	AV	12.37064G	42.41	54.00	-11.59	3	Vertical	347	1.64
6185MHz	Pass	PK	12.34248G	53.84	74.00	-20.16	3	Vertical	347	1.64
6185MHz	Pass	AV	12.37064G	41.67	54.00	-12.33	3	Horizontal	343	1.54
6185MHz	Pass	PK	12.37128G	53.98	74.00	-20.02	3	Horizontal	343	1.54
6345MHz	Pass	AV	12.69608G	42.39	54.00	-11.61	3	Vertical	47	1.50
6345MHz	Pass	PK	12.70184G	53.53	88.20	-34.67	3	Vertical	47	1.50
6345MHz	Pass	AV	12.6996G	42.02	54.00	-11.98	3	Horizontal	298	1.63
6345MHz	Pass	PK	12.72584G	53.92	88.20	-34.28	3	Horizontal	298	1.63
6665MHz	Pass	AV	13.2516G	45.43	54.00	-8.57	3	Vertical	360	1.80
6665MHz	Pass	PK	13.29864G	56.68	74.00	-17.32	3	Vertical	360	1.80
6665MHz	Pass	AV	13.31496G	45.19	54.00	-8.81	3	Horizontal	30	1.36

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.31496G	56.76	74.00	-17.24	3	Horizontal	30	1.36
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	62.01	68.20	-6.19	3	Vertical	360	1.42
6105MHz	Pass	AV	6.153G	98.14	Inf	-Inf	3	Vertical	360	1.42
6105MHz	Pass	PK	5.924G	81.34	88.20	-6.86	3	Vertical	360	1.42
6105MHz	Pass	PK	5.949G	116.79	Inf	-Inf	3	Vertical	360	1.42
6105MHz	Pass	AV	5.924G	65.25	68.20	-2.95	3	Horizontal	360	2.12
6105MHz	Pass	AV	5.962G	101.84	Inf	-Inf	3	Horizontal	360	2.12
6105MHz	Pass	PK	5.909G	78.97	88.20	-9.23	3	Horizontal	360	2.12
6105MHz	Pass	PK	5.947G	113.96	Inf	-Inf	3	Horizontal	360	2.12
6105MHz	Pass	AV	12.30536G	41.22	54.00	-12.78	3	Vertical	0	1.50
6105MHz	Pass	PK	12.24776G	52.66	74.00	-21.34	3	Vertical	0	1.50
6105MHz	Pass	AV	12.29064G	41.48	54.00	-12.52	3	Horizontal	341	1.46
6105MHz	Pass	PK	12.24136G	52.88	74.00	-21.12	3	Horizontal	341	1.46
6265MHz	Pass	AV	12.51784G	42.05	54.00	-11.95	3	Vertical	352	2.06
6265MHz	Pass	PK	12.53064G	54.15	74.00	-19.85	3	Vertical	352	2.06
6265MHz	Pass	AV	12.52936G	42.29	54.00	-11.71	3	Horizontal	345	1.55
6265MHz	Pass	PK	12.51016G	53.28	74.00	-20.72	3	Horizontal	345	1.55


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	62.01	68.20	-6.19	1.66	3	Vertical	360	1.42	60.35	34.35	5.18	37.87
AV	6.153G	98.14	Inf	-Inf	1.94	3	Vertical	360	1.42	96.20	34.30	5.34	37.70
PK	5.924G	81.34	88.20	-6.86	1.66	3	Vertical	360	1.42	79.68	34.35	5.18	37.87
PK	5.949G	116.79	Inf	-Inf	1.66	3	Vertical	360	1.42	115.13	34.30	5.21	37.85

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	65.25	68.20	-2.95	1.66	3	Horizontal	360	2.12	63.59	34.35	5.18	37.87
AV	5.962G	101.84	Inf	-Inf	1.69	3	Horizontal	360	2.12	100.15	34.30	5.23	37.84
PK	5.909G	78.97	88.20	-9.23	1.65	3	Horizontal	360	2.12	77.32	34.38	5.15	37.88
PK	5.947G	113.96	Inf	-Inf	1.67	3	Horizontal	360	2.12	112.29	34.31	5.21	37.85


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX





RSE TX above 1GHz
_Beamforming_Radio 0_AP66D_outdoor

Appendix E.40

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.38188G	40.33	54.00	-13.67	3	Vertical	201	1.14
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	12.41984G	40.28	54.00	-13.72	3	Horizontal	109	1.15
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	12.48376G	40.58	54.00	-13.42	3	Horizontal	339	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	12.44904G	40.44	54.00	-13.56	3	Vertical	259	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	12.5012G	40.59	54.00	-13.41	3	Vertical	46	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.39684G	40.97	54.00	-13.03	3	Horizontal	83	2.62
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.38664G	40.80	54.00	-13.20	3	Horizontal	188	1.87
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	PK	13.28712G	54.24	74.00	-19.76	3	Horizontal	43	1.74
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.25032G	41.49	54.00	-12.51	3	Vertical	226	2.66



RSE TX above 1GHz
_Beamforming_Radio 0_AP66D_outdoor

Appendix E.40

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	45.93	68.20	-22.27	3	Vertical	0	1.97
5955MHz	Pass	AV	5.9634G	102.70	Inf	-Inf	3	Vertical	0	1.97
5955MHz	Pass	PK	5.9244G	55.65	88.20	-32.55	3	Vertical	0	1.97
5955MHz	Pass	PK	5.9622G	112.03	Inf	-Inf	3	Vertical	0	1.97
5955MHz	Pass	AV	5.9244G	44.40	68.20	-23.80	3	Horizontal	6	1.61
5955MHz	Pass	AV	5.9484G	100.41	Inf	-Inf	3	Horizontal	6	1.61
5955MHz	Pass	PK	5.8278G	54.77	88.20	-33.43	3	Horizontal	6	1.61
5955MHz	Pass	PK	5.9478G	111.23	Inf	-Inf	3	Horizontal	6	1.61
5955MHz	Pass	AV	11.91032G	40.12	54.00	-13.88	3	Vertical	302	1.50
5955MHz	Pass	PK	11.90216G	53.43	74.00	-20.57	3	Vertical	302	1.50
5955MHz	Pass	AV	11.91032G	40.04	54.00	-13.96	3	Horizontal	23	1.50
5955MHz	Pass	PK	11.91304G	52.54	74.00	-21.46	3	Horizontal	23	1.50
6195MHz	Pass	AV	12.38188G	40.33	54.00	-13.67	3	Vertical	201	1.14
6195MHz	Pass	PK	12.39956G	52.10	74.00	-21.90	3	Vertical	201	1.14
6195MHz	Pass	AV	12.39588G	40.33	54.00	-13.67	3	Horizontal	297	1.50
6195MHz	Pass	PK	12.38564G	52.03	74.00	-21.97	3	Horizontal	297	1.50
6415MHz	Pass	AV	12.83332G	41.33	68.20	-26.87	3	Vertical	89	2.70
6415MHz	Pass	PK	12.83416G	53.36	88.20	-34.84	3	Vertical	89	2.70
6415MHz	Pass	AV	12.82768G	41.58	68.20	-26.62	3	Horizontal	343	1.33
6415MHz	Pass	PK	12.82324G	53.77	88.20	-34.43	3	Horizontal	343	1.33
6535MHz	Pass	AV	13.07732G	40.57	68.20	-27.63	3	Vertical	38	1.50
6535MHz	Pass	PK	13.06312G	52.76	88.20	-35.44	3	Vertical	38	1.50
6535MHz	Pass	AV	13.07836G	40.65	68.20	-27.55	3	Horizontal	304	2.38
6535MHz	Pass	PK	13.06228G	53.47	88.20	-34.73	3	Horizontal	304	2.38
6695MHz	Pass	AV	13.3964G	40.82	54.00	-13.18	3	Vertical	228	2.75
6695MHz	Pass	PK	13.39908G	52.59	74.00	-21.41	3	Vertical	228	2.75
6695MHz	Pass	AV	13.39684G	40.97	54.00	-13.03	3	Horizontal	83	2.62
6695MHz	Pass	PK	13.38504G	52.97	74.00	-21.03	3	Horizontal	83	2.62
6855MHz	Pass	AV	13.7188G	40.95	68.20	-27.25	3	Vertical	166	2.41
6855MHz	Pass	PK	13.71908G	53.06	88.20	-35.14	3	Vertical	166	2.41
6855MHz	Pass	AV	13.7182G	41.03	68.20	-27.17	3	Horizontal	229	1.99
6855MHz	Pass	PK	13.71776G	53.19	88.20	-35.01	3	Horizontal	229	1.99
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9233G	44.40	68.20	-23.80	3	Vertical	0	1.66
5965MHz	Pass	AV	5.9767G	97.12	Inf	-Inf	3	Vertical	0	1.66
5965MHz	Pass	PK	5.8783G	56.11	88.20	-32.09	3	Vertical	0	1.66
5965MHz	Pass	PK	5.9779G	108.55	Inf	-Inf	3	Vertical	0	1.66
5965MHz	Pass	AV	5.9239G	44.56	68.20	-23.64	3	Horizontal	0	1.50
5965MHz	Pass	AV	5.9608G	97.37	Inf	-Inf	3	Horizontal	0	1.50
5965MHz	Pass	PK	5.9236G	56.53	88.20	-31.67	3	Horizontal	0	1.50
5965MHz	Pass	PK	5.9596G	109.51	Inf	-Inf	3	Horizontal	0	1.50
5965MHz	Pass	AV	11.92468G	39.90	54.00	-14.10	3	Vertical	339	2.87
5965MHz	Pass	PK	11.92184G	51.51	74.00	-22.49	3	Vertical	339	2.87
5965MHz	Pass	AV	11.92292G	39.99	54.00	-14.01	3	Horizontal	312	2.19
5965MHz	Pass	PK	11.93312G	51.94	74.00	-22.06	3	Horizontal	312	2.19
6205MHz	Pass	AV	12.41636G	40.23	54.00	-13.77	3	Vertical	53	1.59
6205MHz	Pass	PK	12.41456G	52.15	74.00	-21.85	3	Vertical	53	1.59
6205MHz	Pass	AV	12.41984G	40.28	54.00	-13.72	3	Horizontal	109	1.15
6205MHz	Pass	PK	12.41916G	52.43	74.00	-21.57	3	Horizontal	109	1.15
6405MHz	Pass	AV	12.80544G	41.24	68.20	-26.96	3	Vertical	87	2.72
6405MHz	Pass	PK	12.80784G	53.38	88.20	-34.82	3	Vertical	87	2.72
6405MHz	Pass	AV	12.81988G	41.25	68.20	-26.95	3	Horizontal	316	1.02
6405MHz	Pass	PK	12.81772G	53.55	88.20	-34.65	3	Horizontal	316	1.02
6565MHz	Pass	AV	13.14376G	41.44	68.20	-26.76	3	Vertical	254	2.86
6565MHz	Pass	PK	13.14288G	53.25	88.20	-34.95	3	Vertical	254	2.86
6565MHz	Pass	AV	13.14992G	41.45	68.20	-26.75	3	Horizontal	124	1.50
6565MHz	Pass	PK	13.12864G	53.06	88.20	-35.14	3	Horizontal	124	1.50
6685MHz	Pass	AV	13.38112G	40.71	54.00	-13.29	3	Vertical	211	1.14
6685MHz	Pass	PK	13.39G	53.50	74.00	-20.50	3	Vertical	211	1.14
6685MHz	Pass	AV	13.38664G	40.80	54.00	-13.20	3	Horizontal	188	1.87



RSE TX above 1GHz
_Beamforming_Radio 0_AP66D_outdoor

Appendix E.40

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.35096G	53.32	74.00	-20.68	3	Horizontal	188	1.87
6845MHz	Pass	AV	13.69944G	40.96	68.20	-27.24	3	Vertical	8	1.50
6845MHz	Pass	PK	13.68008G	53.93	88.20	-34.27	3	Vertical	8	1.50
6845MHz	Pass	AV	13.69952G	40.96	68.20	-27.24	3	Horizontal	307	1.50
6845MHz	Pass	PK	13.6912G	53.15	88.20	-35.05	3	Horizontal	307	1.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	44.41	68.20	-23.79	3	Vertical	0	1.96
5985MHz	Pass	AV	5.9585G	94.85	Inf	-Inf	3	Vertical	0	1.96
5985MHz	Pass	PK	5.911G	56.78	88.20	-31.42	3	Vertical	0	1.96
5985MHz	Pass	PK	5.9625G	106.36	Inf	-Inf	3	Vertical	0	1.96
5985MHz	Pass	AV	5.925G	44.57	68.20	-23.63	3	Horizontal	0	1.87
5985MHz	Pass	AV	5.961G	95.10	Inf	-Inf	3	Horizontal	0	1.87
5985MHz	Pass	PK	5.9245G	56.18	88.20	-32.02	3	Horizontal	0	1.87
5985MHz	Pass	PK	5.957G	107.22	Inf	-Inf	3	Horizontal	0	1.87
5985MHz	Pass	AV	12.0044G	39.90	54.00	-14.10	3	Vertical	62	2.56
5985MHz	Pass	PK	11.93304G	52.62	74.00	-21.38	3	Vertical	62	2.56
5985MHz	Pass	AV	11.9724G	39.88	54.00	-14.12	3	Horizontal	288	1.50
5985MHz	Pass	PK	11.9732G	52.53	74.00	-21.47	3	Horizontal	288	1.50
6225MHz	Pass	AV	12.4492G	40.52	54.00	-13.48	3	Vertical	349	2.75
6225MHz	Pass	PK	12.45368G	52.67	74.00	-21.33	3	Vertical	349	2.75
6225MHz	Pass	AV	12.48376G	40.58	54.00	-13.42	3	Horizontal	339	1.50
6225MHz	Pass	PK	12.42376G	52.67	74.00	-21.33	3	Horizontal	339	1.50
6385MHz	Pass	AV	12.80328G	41.08	68.20	-27.12	3	Vertical	192	1.01
6385MHz	Pass	PK	12.78728G	52.89	88.20	-35.31	3	Vertical	192	1.01
6385MHz	Pass	AV	12.80344G	41.08	68.20	-27.12	3	Horizontal	360	1.50
6385MHz	Pass	PK	12.80392G	53.13	88.20	-35.07	3	Horizontal	360	1.50
6625MHz	Pass	AV	13.21G	41.39	68.20	-26.81	3	Vertical	6	1.50
6625MHz	Pass	PK	13.27848G	54.08	74.00	-19.92	3	Vertical	6	1.50
6625MHz	Pass	AV	13.2276G	41.38	68.20	-26.82	3	Horizontal	43	1.74
6625MHz	Pass	PK	13.28712G	54.24	74.00	-19.76	3	Horizontal	43	1.74
6705MHz	Pass	AV	13.44824G	42.09	68.20	-26.11	3	Vertical	243	2.94
6705MHz	Pass	PK	13.44152G	53.47	88.20	-34.73	3	Vertical	243	2.94
6705MHz	Pass	AV	13.4484G	42.09	68.20	-26.11	3	Horizontal	73	1.42
6705MHz	Pass	PK	13.44824G	53.19	88.20	-35.01	3	Horizontal	73	1.42
6785MHz	Pass	AV	13.54776G	42.48	68.20	-25.72	3	Vertical	53	2.58
6785MHz	Pass	PK	13.5596G	55.08	88.20	-33.12	3	Vertical	53	2.58
6785MHz	Pass	AV	13.53384G	42.47	68.20	-25.73	3	Horizontal	351	2.80
6785MHz	Pass	PK	13.54024G	56.69	88.20	-31.51	3	Horizontal	351	2.80
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	43.44	68.20	-24.76	3	Vertical	360	1.93
6025MHz	Pass	AV	6.0005G	91.94	Inf	-Inf	3	Vertical	360	1.93
6025MHz	Pass	PK	5.893G	55.03	88.20	-33.17	3	Vertical	360	1.93
6025MHz	Pass	PK	6.006G	104.42	Inf	-Inf	3	Vertical	360	1.93
6025MHz	Pass	AV	5.924G	43.43	68.20	-24.77	3	Horizontal	357	2.23
6025MHz	Pass	AV	6.1015G	91.81	Inf	-Inf	3	Horizontal	357	2.23
6025MHz	Pass	PK	5.8445G	55.59	88.20	-32.61	3	Horizontal	357	2.23
6025MHz	Pass	PK	5.9615G	108.01	Inf	-Inf	3	Horizontal	357	2.23
6025MHz	Pass	AV	11.97256G	39.95	54.00	-14.05	3	Vertical	139	1.50
6025MHz	Pass	PK	11.9732G	51.46	74.00	-22.54	3	Vertical	139	1.50
6025MHz	Pass	AV	11.97256G	39.95	54.00	-14.05	3	Horizontal	167	1.47
6025MHz	Pass	PK	12.01928G	51.76	74.00	-22.24	3	Horizontal	167	1.47
6185MHz	Pass	AV	12.44904G	40.44	54.00	-13.56	3	Vertical	259	1.50
6185MHz	Pass	PK	12.3044G	51.84	74.00	-22.16	3	Vertical	259	1.50
6185MHz	Pass	AV	12.43912G	40.44	54.00	-13.56	3	Horizontal	21	2.44
6185MHz	Pass	PK	12.32328G	52.08	74.00	-21.92	3	Horizontal	21	2.44
6345MHz	Pass	AV	12.77G	40.79	68.20	-27.41	3	Vertical	156	1.50
6345MHz	Pass	PK	12.75752G	51.86	88.20	-36.34	3	Vertical	156	1.50
6345MHz	Pass	AV	12.75272G	40.82	68.20	-27.38	3	Horizontal	11	1.50
6345MHz	Pass	PK	12.76872G	52.31	88.20	-35.89	3	Horizontal	11	1.50
6665MHz	Pass	AV	13.25032G	41.49	54.00	-12.51	3	Vertical	226	2.66
6665MHz	Pass	PK	13.30856G	53.80	74.00	-20.20	3	Vertical	226	2.66
6665MHz	Pass	AV	13.25032G	41.49	54.00	-12.51	3	Horizontal	80	1.50




RSE TX above 1GHz
_Beamforming_Radio 0_AP66D_outdoor

Appendix E.40

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.30824G	53.15	74.00	-20.85	3	Horizontal	80	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	43.61	68.20	-24.59	3	Vertical	0	2.18
6105MHz	Pass	AV	5.958G	89.37	Inf	-Inf	3	Vertical	0	2.18
6105MHz	Pass	PK	5.887G	54.89	88.20	-33.31	3	Vertical	0	2.18
6105MHz	Pass	PK	5.953G	107.31	Inf	-Inf	3	Vertical	0	2.18
6105MHz	Pass	AV	5.925G	43.77	68.20	-24.43	3	Horizontal	11	2.06
6105MHz	Pass	AV	5.955G	90.79	Inf	-Inf	3	Horizontal	11	2.06
6105MHz	Pass	PK	5.895G	56.56	88.20	-31.64	3	Horizontal	11	2.06
6105MHz	Pass	PK	6.14G	101.82	Inf	-Inf	3	Horizontal	11	2.06
6105MHz	Pass	AV	12.36744G	40.04	54.00	-13.96	3	Vertical	118	2.83
6105MHz	Pass	PK	12.22408G	52.07	74.00	-21.93	3	Vertical	118	2.83
6105MHz	Pass	AV	12.36744G	40.04	54.00	-13.96	3	Horizontal	178	1.50
6105MHz	Pass	PK	12.22344G	52.05	74.00	-21.95	3	Horizontal	178	1.50
6265MHz	Pass	AV	12.5012G	40.59	54.00	-13.41	3	Vertical	46	1.50
6265MHz	Pass	PK	12.5204G	51.89	74.00	-22.11	3	Vertical	46	1.50
6265MHz	Pass	AV	12.50056G	40.59	54.00	-13.41	3	Horizontal	113	2.53
6265MHz	Pass	PK	12.53896G	51.78	74.00	-22.22	3	Horizontal	113	2.53


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	13.26376G	47.90	54.00	-6.10	Horizontal
Mode 2	Pass	AV	7.31175G	49.13	54.00	-4.87	Vertical
Mode 3	Pass	AV	7.31178G	49.09	54.00	-4.91	Vertical
Mode 4	Pass	AV	13.36625G	48.65	54.00	-5.35	Horizontal
Mode 5	Pass	AV	13.36707G	48.50	54.00	-5.50	Horizontal
Mode 6	Pass	AV	13.39302G	48.45	54.00	-5.55	Horizontal


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.92393G	39.96	54.00	-14.04	3	Vertical	315	1.12	-
Mode 1	Pass	AV	4.93503G	36.20	54.00	-17.80	3	Vertical	237	1.50	-
Mode 1	Pass	AV	7.38743G	45.79	54.00	-8.21	3	Vertical	16	1.13	-
Mode 1	Pass	AV	11.60295G	46.09	54.00	-7.91	3	Vertical	205	2.00	-
Mode 1	Pass	AV	12.31083G	47.34	54.00	-6.66	3	Vertical	38	1.63	-
Mode 1	Pass	AV	13.26139G	47.74	54.00	-6.26	3	Vertical	118	1.50	-
Mode 1	Pass	PK	4.92388G	48.94	74.00	-25.06	3	Vertical	315	1.12	-
Mode 1	Pass	PK	4.95609G	48.37	74.00	-25.63	3	Vertical	237	1.50	-
Mode 1	Pass	PK	7.38423G	55.00	74.00	-19.00	3	Vertical	16	1.13	-
Mode 1	Pass	PK	11.57797G	57.98	74.00	-16.02	3	Vertical	205	2.00	-
Mode 1	Pass	PK	12.31345G	59.35	74.00	-14.65	3	Vertical	38	1.63	-
Mode 1	Pass	PK	13.26387G	60.03	74.00	-13.97	3	Vertical	118	1.50	-
Mode 1	Pass	AV	4.92403G	38.31	54.00	-15.69	3	Horizontal	43	1.50	-
Mode 1	Pass	AV	4.9401G	36.23	54.00	-17.77	3	Horizontal	1	1.50	-
Mode 1	Pass	AV	7.38777G	43.93	54.00	-10.07	3	Horizontal	289	1.50	-
Mode 1	Pass	AV	11.60151G	46.32	54.00	-7.68	3	Horizontal	160	1.50	-
Mode 1	Pass	AV	12.30909G	47.66	54.00	-6.34	3	Horizontal	308	1.32	-
Mode 1	Pass	AV	13.26376G	47.90	54.00	-6.10	3	Horizontal	65	1.50	-
Mode 1	Pass	PK	4.92385G	48.09	74.00	-25.91	3	Horizontal	43	1.50	-
Mode 1	Pass	PK	4.95249G	47.92	74.00	-26.08	3	Horizontal	1	1.50	-
Mode 1	Pass	PK	7.38464G	53.87	74.00	-20.13	3	Horizontal	289	1.50	-
Mode 1	Pass	PK	11.59461G	58.75	74.00	-15.25	3	Horizontal	160	1.50	-
Mode 1	Pass	PK	12.31114G	59.22	74.00	-14.78	3	Horizontal	308	1.32	-
Mode 1	Pass	PK	13.26208G	59.61	74.00	-14.39	3	Horizontal	65	1.50	-
Mode 2	Pass	AV	4.87395G	36.89	54.00	-17.11	3	Vertical	17	1.56	-
Mode 2	Pass	AV	4.88175G	35.54	54.00	-18.46	3	Vertical	360	1.50	-
Mode 2	Pass	AV	7.31175G	49.13	54.00	-4.87	3	Vertical	355	1.36	-
Mode 2	Pass	AV	11.15982G	45.45	54.00	-8.55	3	Vertical	209	1.50	-
Mode 2	Pass	AV	11.40504G	45.57	54.00	-8.43	3	Vertical	95	1.50	-
Mode 2	Pass	AV	13.35547G	48.35	54.00	-5.65	3	Vertical	271	1.50	-
Mode 2	Pass	PK	4.87765G	47.81	74.00	-26.19	3	Vertical	360	1.50	-
Mode 2	Pass	PK	4.87802G	47.66	74.00	-26.34	3	Vertical	17	1.56	-
Mode 2	Pass	PK	7.31084G	57.44	74.00	-16.56	3	Vertical	355	1.36	-
Mode 2	Pass	PK	11.16095G	57.63	74.00	-16.37	3	Vertical	209	1.50	-
Mode 2	Pass	PK	11.4021G	57.66	74.00	-16.34	3	Vertical	95	1.50	-
Mode 2	Pass	PK	13.37101G	60.49	74.00	-13.51	3	Vertical	271	1.50	-
Mode 2	Pass	AV	4.87389G	38.21	54.00	-15.79	3	Horizontal	343	1.98	-
Mode 2	Pass	AV	4.8778G	35.56	54.00	-18.44	3	Horizontal	193	1.50	-
Mode 2	Pass	AV	7.31193G	47.83	54.00	-6.17	3	Horizontal	44	1.99	-
Mode 2	Pass	AV	11.15803G	45.52	54.00	-8.48	3	Horizontal	125	1.50	-
Mode 2	Pass	AV	11.39616G	45.68	54.00	-8.32	3	Horizontal	202	1.50	-
Mode 2	Pass	AV	13.37779G	48.37	54.00	-5.63	3	Horizontal	253	1.50	-
Mode 2	Pass	PK	4.87411G	47.83	74.00	-26.17	3	Horizontal	343	1.98	-
Mode 2	Pass	PK	4.87856G	47.24	74.00	-26.76	3	Horizontal	193	1.50	-
Mode 2	Pass	PK	7.31001G	56.68	74.00	-17.32	3	Horizontal	44	1.99	-
Mode 2	Pass	PK	11.15517G	57.82	74.00	-16.18	3	Horizontal	125	1.50	-
Mode 2	Pass	PK	11.38608G	57.43	74.00	-16.57	3	Horizontal	202	1.50	-
Mode 2	Pass	PK	13.3817G	60.84	74.00	-13.16	3	Horizontal	253	1.50	-
Mode 3	Pass	AV	4.87403G	36.89	54.00	-17.11	3	Vertical	17	1.47	-
Mode 3	Pass	AV	4.87842G	35.50	54.00	-18.50	3	Vertical	0	1.50	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 3	Pass	AV	7.31178G	49.09	54.00	-4.91	3	Vertical	356	1.34	-
Mode 3	Pass	AV	11.39096G	45.70	54.00	-8.30	3	Vertical	303	1.50	-
Mode 3	Pass	AV	13.38388G	48.36	54.00	-5.64	3	Vertical	337	1.64	-
Mode 3	Pass	AV	13.39068G	48.46	54.00	-5.54	3	Vertical	15	1.50	-
Mode 3	Pass	PK	4.87417G	48.09	74.00	-25.91	3	Vertical	17	1.47	-
Mode 3	Pass	PK	4.88456G	47.32	74.00	-26.68	3	Vertical	0	1.50	-
Mode 3	Pass	PK	7.31185G	57.08	74.00	-16.92	3	Vertical	356	1.34	-
Mode 3	Pass	PK	11.4063G	57.53	74.00	-16.47	3	Vertical	303	1.50	-
Mode 3	Pass	PK	13.36897G	60.21	74.00	-13.79	3	Vertical	337	1.64	-
Mode 3	Pass	PK	13.38661G	60.18	74.00	-13.82	3	Vertical	15	1.50	-
Mode 3	Pass	AV	4.87393G	38.02	54.00	-15.98	3	Horizontal	345	1.86	-
Mode 3	Pass	AV	4.87704G	35.36	54.00	-18.64	3	Horizontal	276	1.50	-
Mode 3	Pass	AV	7.31179G	47.53	54.00	-6.47	3	Horizontal	48	1.98	-
Mode 3	Pass	AV	11.39499G	45.55	54.00	-8.45	3	Horizontal	1	1.50	-
Mode 3	Pass	AV	13.35856G	48.48	54.00	-5.52	3	Horizontal	112	1.50	-
Mode 3	Pass	AV	13.39241G	48.30	54.00	-5.70	3	Horizontal	113	1.03	-
Mode 3	Pass	PK	4.87411G	48.57	74.00	-25.43	3	Horizontal	345	1.86	-
Mode 3	Pass	PK	4.8772G	47.83	74.00	-26.17	3	Horizontal	276	1.50	-
Mode 3	Pass	PK	7.30933G	56.54	74.00	-17.46	3	Horizontal	48	1.98	-
Mode 3	Pass	PK	11.38632G	58.06	74.00	-15.94	3	Horizontal	1	1.50	-
Mode 3	Pass	PK	13.38107G	61.37	74.00	-12.63	3	Horizontal	112	1.50	-
Mode 3	Pass	PK	13.38701G	60.64	74.00	-13.36	3	Horizontal	113	1.03	-
Mode 4	Pass	AV	4.87395G	38.49	54.00	-15.51	3	Vertical	16	1.58	-
Mode 4	Pass	AV	4.95809G	35.91	54.00	-18.09	3	Vertical	35	1.29	-
Mode 4	Pass	AV	7.30993G	45.07	54.00	-8.93	3	Vertical	357	1.50	-
Mode 4	Pass	AV	11.39855G	45.39	54.00	-8.61	3	Vertical	358	1.40	-
Mode 4	Pass	AV	13.372G	48.26	54.00	-5.74	3	Vertical	304	2.57	-
Mode 4	Pass	PK	4.87424G	49.38	74.00	-24.62	3	Vertical	16	1.58	-
Mode 4	Pass	PK	4.96206G	48.20	74.00	-25.80	3	Vertical	35	1.29	-
Mode 4	Pass	PK	7.31076G	56.11	74.00	-17.89	3	Vertical	357	1.50	-
Mode 4	Pass	PK	11.39936G	57.58	74.00	-16.42	3	Vertical	358	1.40	-
Mode 4	Pass	PK	13.36773G	60.29	74.00	-13.71	3	Vertical	304	2.57	-
Mode 4	Pass	AV	4.87395G	39.80	54.00	-14.20	3	Horizontal	61	1.03	-
Mode 4	Pass	AV	4.95597G	35.69	54.00	-18.31	3	Horizontal	45	1.50	-
Mode 4	Pass	AV	7.3119G	44.54	54.00	-9.46	3	Horizontal	46	2.00	-
Mode 4	Pass	AV	11.40035G	45.38	54.00	-8.62	3	Horizontal	169	1.79	-
Mode 4	Pass	AV	13.36625G	48.65	54.00	-5.35	3	Horizontal	352	1.50	-
Mode 4	Pass	PK	4.8742G	48.91	74.00	-25.09	3	Horizontal	61	1.03	-
Mode 4	Pass	PK	4.95791G	48.24	74.00	-25.76	3	Horizontal	45	1.50	-
Mode 4	Pass	PK	7.31381G	55.20	74.00	-18.80	3	Horizontal	46	2.00	-
Mode 4	Pass	PK	11.4034G	57.67	74.00	-16.33	3	Horizontal	169	1.79	-
Mode 4	Pass	PK	13.36637G	60.69	74.00	-13.31	3	Horizontal	352	1.50	-
Mode 5	Pass	AV	4.87388G	37.88	54.00	-16.12	3	Vertical	13	1.52	-
Mode 5	Pass	AV	4.95507G	35.96	54.00	-18.04	3	Vertical	18	1.53	-
Mode 5	Pass	AV	7.30986G	45.20	54.00	-8.80	3	Vertical	356	1.37	-
Mode 5	Pass	AV	11.40337G	45.47	54.00	-8.53	3	Vertical	2	1.64	-
Mode 5	Pass	AV	11.60182G	45.79	54.00	-8.21	3	Vertical	215	2.30	-
Mode 5	Pass	AV	13.37151G	48.34	54.00	-5.66	3	Vertical	92	2.81	-
Mode 5	Pass	PK	4.87383G	47.86	74.00	-26.14	3	Vertical	13	1.52	-
Mode 5	Pass	PK	4.95745G	48.53	74.00	-25.47	3	Vertical	18	1.53	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 5	Pass	PK	7.30991G	56.21	74.00	-17.79	3	Vertical	356	1.37	-
Mode 5	Pass	PK	11.40303G	56.83	74.00	-17.17	3	Vertical	2	1.64	-
Mode 5	Pass	PK	11.60434G	57.42	74.00	-16.58	3	Vertical	215	2.30	-
Mode 5	Pass	PK	13.36888G	59.89	74.00	-14.11	3	Vertical	92	2.81	-
Mode 5	Pass	AV	4.87387G	39.32	54.00	-14.68	3	Horizontal	348	2.00	-
Mode 5	Pass	AV	4.95508G	35.57	54.00	-18.43	3	Horizontal	293	1.76	-
Mode 5	Pass	AV	7.31197G	44.32	54.00	-9.68	3	Horizontal	44	2.00	-
Mode 5	Pass	AV	11.39594G	45.27	54.00	-8.73	3	Horizontal	356	2.00	-
Mode 5	Pass	AV	11.605G	45.91	54.00	-8.09	3	Horizontal	133	1.18	-
Mode 5	Pass	AV	13.36707G	48.50	54.00	-5.50	3	Horizontal	177	1.50	-
Mode 5	Pass	PK	4.87368G	49.19	74.00	-24.81	3	Horizontal	348	2.00	-
Mode 5	Pass	PK	4.96178G	47.59	74.00	-26.41	3	Horizontal	293	1.76	-
Mode 5	Pass	PK	7.30828G	54.80	74.00	-19.20	3	Horizontal	44	2.00	-
Mode 5	Pass	PK	11.40383G	57.57	74.00	-16.43	3	Horizontal	356	2.00	-
Mode 5	Pass	PK	11.60317G	57.39	74.00	-16.61	3	Horizontal	133	1.18	-
Mode 5	Pass	PK	13.36726G	60.63	74.00	-13.37	3	Horizontal	177	1.50	-
Mode 6	Pass	AV	4.87392G	38.17	54.00	-15.83	3	Vertical	18	1.56	-
Mode 6	Pass	AV	4.95786G	35.85	54.00	-18.15	3	Vertical	37	1.28	-
Mode 6	Pass	AV	7.3101G	45.04	54.00	-8.96	3	Vertical	356	1.50	-
Mode 6	Pass	AV	11.39709G	45.41	54.00	-8.59	3	Vertical	21	1.39	-
Mode 6	Pass	AV	13.36536G	48.22	54.00	-5.78	3	Vertical	126	2.49	-
Mode 6	Pass	AV	13.39036G	48.32	54.00	-5.68	3	Vertical	278	2.64	-
Mode 6	Pass	PK	4.87409G	49.15	74.00	-24.85	3	Vertical	18	1.56	-
Mode 6	Pass	PK	4.9581G	48.72	74.00	-25.28	3	Vertical	37	1.28	-
Mode 6	Pass	PK	7.30992G	55.76	74.00	-18.24	3	Vertical	356	1.50	-
Mode 6	Pass	PK	11.3979G	57.64	74.00	-16.36	3	Vertical	21	1.39	-
Mode 6	Pass	PK	13.3745G	59.99	74.00	-14.01	3	Vertical	126	2.49	-
Mode 6	Pass	PK	13.38864G	60.10	74.00	-13.90	3	Vertical	278	2.64	-
Mode 6	Pass	AV	4.874G	39.92	54.00	-14.08	3	Horizontal	60	1.06	-
Mode 6	Pass	AV	4.95649G	35.69	54.00	-18.31	3	Horizontal	77	1.50	-
Mode 6	Pass	AV	7.31011G	44.18	54.00	-9.82	3	Horizontal	47	2.00	-
Mode 6	Pass	AV	11.39712G	45.54	54.00	-8.46	3	Horizontal	259	2.00	-
Mode 6	Pass	AV	13.37383G	48.39	54.00	-5.61	3	Horizontal	26	1.25	-
Mode 6	Pass	AV	13.39302G	48.45	54.00	-5.55	3	Horizontal	353	1.52	-
Mode 6	Pass	PK	4.87395G	48.63	74.00	-25.37	3	Horizontal	60	1.06	-
Mode 6	Pass	PK	4.96261G	47.65	74.00	-26.35	3	Horizontal	77	1.50	-
Mode 6	Pass	PK	7.31201G	55.80	74.00	-18.20	3	Horizontal	47	2.00	-
Mode 6	Pass	PK	11.39932G	58.34	74.00	-15.66	3	Horizontal	259	2.00	-
Mode 6	Pass	PK	13.36923G	60.47	74.00	-13.53	3	Horizontal	26	1.25	-
Mode 6	Pass	PK	13.39048G	60.29	74.00	-13.71	3	Horizontal	353	1.52	-


Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 2



Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87403G	36.89	54.00	-17.11	5.05	3	Vertical	17	1.47	31.84	32.60	7.70	35.25
AV	4.87842G	35.50	54.00	-18.50	5.06	3	Vertical	0	1.50	30.44	32.61	7.70	35.25
AV	7.31178G	49.09	54.00	-4.91	10.29	3	Vertical	356	1.34	38.80	36.65	8.96	35.32
AV	11.39096G	45.70	54.00	-8.30	14.63	3	Vertical	303	1.50	31.07	38.72	11.21	35.30
AV	13.38388G	48.36	54.00	-5.64	18.42	3	Vertical	337	1.64	29.94	39.90	11.95	33.43
AV	13.39068G	48.46	54.00	-5.54	18.43	3	Vertical	15	1.50	30.03	39.90	11.95	33.42
PK	4.87417G	48.09	74.00	-25.91	5.05	3	Vertical	17	1.47	43.04	32.60	7.70	35.25
PK	4.88456G	47.32	74.00	-26.68	5.09	3	Vertical	0	1.50	42.23	32.64	7.70	35.25
PK	7.31185G	57.08	74.00	-16.92	10.29	3	Vertical	356	1.34	46.79	36.65	8.96	35.32
PK	11.4063G	57.53	74.00	-16.47	14.63	3	Vertical	303	1.50	42.90	38.70	11.23	35.30
PK	13.36897G	60.21	74.00	-13.79	18.37	3	Vertical	337	1.64	41.84	39.90	11.94	33.47
PK	13.38661G	60.18	74.00	-13.82	18.42	3	Vertical	15	1.50	41.76	39.90	11.95	33.43

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87393G	38.02	54.00	-15.98	5.05	3	Horizontal	345	1.86	32.97	32.60	7.70	35.25
AV	4.87704G	35.36	54.00	-18.64	5.06	3	Horizontal	276	1.50	30.30	32.61	7.70	35.25
AV	7.31179G	47.53	54.00	-6.47	10.29	3	Horizontal	48	1.98	37.24	36.65	8.96	35.32
AV	11.39499G	45.55	54.00	-8.45	14.63	3	Horizontal	1	1.50	30.92	38.71	11.22	35.30
AV	13.35856G	48.48	54.00	-5.52	18.35	3	Horizontal	112	1.50	30.13	39.90	11.94	33.49
AV	13.39241G	48.30	54.00	-5.70	18.43	3	Horizontal	113	1.03	29.87	39.90	11.95	33.42
PK	4.87411G	48.57	74.00	-25.43	5.05	3	Horizontal	345	1.86	43.52	32.60	7.70	35.25
PK	4.8772G	47.83	74.00	-26.17	5.06	3	Horizontal	276	1.50	42.77	32.61	7.70	35.25
PK	7.30933G	56.54	74.00	-17.46	10.30	3	Horizontal	48	1.98	46.24	36.66	8.96	35.32
PK	11.38632G	58.06	74.00	-15.94	14.63	3	Horizontal	1	1.50	43.43	38.73	11.21	35.31
PK	13.38107G	61.37	74.00	-12.63	18.40	3	Horizontal	112	1.50	42.97	39.90	11.94	33.44
PK	13.38701G	60.64	74.00	-13.36	18.42	3	Horizontal	113	1.03	42.22	39.90	11.95	33.43


Radiated Emissions above 1GHz_Mode 4



Radiated Emissions above 1GHz_Mode 4




Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87388G	37.88	54.00	-16.12	5.05	3	Vertical	13	1.52	32.83	32.60	7.70	35.25
AV	4.95507G	35.96	54.00	-18.04	5.45	3	Vertical	18	1.53	30.51	32.92	7.76	35.23
AV	7.30986G	45.20	54.00	-8.80	10.30	3	Vertical	356	1.37	34.90	36.66	8.96	35.32
AV	11.40337G	45.47	54.00	-8.53	14.62	3	Vertical	2	1.64	30.85	38.70	11.22	35.30
AV	11.60182G	45.79	54.00	-8.21	14.39	3	Vertical	215	2.30	31.40	38.30	11.36	35.27
AV	13.37151G	48.34	54.00	-5.66	18.38	3	Vertical	92	2.81	29.96	39.90	11.94	33.46
PK	4.87383G	47.86	74.00	-26.14	5.05	3	Vertical	13	1.52	42.81	32.60	7.70	35.25
PK	4.95745G	48.53	74.00	-25.47	5.46	3	Vertical	18	1.53	43.07	32.93	7.76	35.23
PK	7.30991G	56.21	74.00	-17.79	10.30	3	Vertical	356	1.37	45.91	36.66	8.96	35.32
PK	11.40303G	56.83	74.00	-17.17	14.62	3	Vertical	2	1.64	42.21	38.70	11.22	35.30
PK	11.60434G	57.42	74.00	-16.58	14.38	3	Vertical	215	2.30	43.04	38.29	11.36	35.27
PK	13.36888G	59.89	74.00	-14.11	18.37	3	Vertical	92	2.81	41.52	39.90	11.94	33.47

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87387G	39.32	54.00	-14.68	5.05	3	Horizontal	348	2.00	34.27	32.60	7.70	35.25
AV	4.95508G	35.57	54.00	-18.43	5.45	3	Horizontal	293	1.76	30.12	32.92	7.76	35.23
AV	7.31197G	44.32	54.00	-9.68	10.29	3	Horizontal	44	2.00	34.03	36.65	8.96	35.32
AV	11.39594G	45.27	54.00	-8.73	14.63	3	Horizontal	356	2.00	30.64	38.71	11.22	35.30
AV	11.605G	45.91	54.00	-8.09	14.38	3	Horizontal	133	1.18	31.53	38.29	11.36	35.27
AV	13.36707G	48.50	54.00	-5.50	18.37	3	Horizontal	177	1.50	30.13	39.90	11.94	33.47
PK	4.87368G	49.19	74.00	-24.81	5.04	3	Horizontal	348	2.00	44.15	32.59	7.70	35.25
PK	4.96178G	47.59	74.00	-26.41	5.48	3	Horizontal	293	1.76	42.11	32.95	7.76	35.23
PK	7.30828G	54.80	74.00	-19.20	10.30	3	Horizontal	44	2.00	44.50	36.67	8.95	35.32
PK	11.40383G	57.57	74.00	-16.43	14.62	3	Horizontal	356	2.00	42.95	38.70	11.22	35.30
PK	11.60317G	57.39	74.00	-16.61	14.38	3	Horizontal	133	1.18	43.01	38.29	11.36	35.27
PK	13.36726G	60.63	74.00	-13.37	18.37	3	Horizontal	177	1.50	42.26	39.90	11.94	33.47

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87392G	38.17	54.00	-15.83	5.05	3	Vertical	18	1.56	33.12	32.60	7.70	35.25
AV	4.95786G	35.85	54.00	-18.15	5.46	3	Vertical	37	1.28	30.39	32.93	7.76	35.23
AV	7.3101G	45.04	54.00	-8.96	10.30	3	Vertical	356	1.50	34.74	36.66	8.96	35.32
AV	11.39709G	45.41	54.00	-8.59	14.63	3	Vertical	21	1.39	30.78	38.71	11.22	35.30
AV	13.36536G	48.22	54.00	-5.78	18.36	3	Vertical	126	2.49	29.86	39.90	11.94	33.48
AV	13.39036G	48.32	54.00	-5.68	18.43	3	Vertical	278	2.64	29.89	39.90	11.95	33.42
PK	4.87409G	49.15	74.00	-24.85	5.05	3	Vertical	18	1.56	44.10	32.60	7.70	35.25
PK	4.9581G	48.72	74.00	-25.28	5.46	3	Vertical	37	1.28	43.26	32.93	7.76	35.23
PK	7.30992G	55.76	74.00	-18.24	10.30	3	Vertical	356	1.50	45.46	36.66	8.96	35.32
PK	11.3979G	57.64	74.00	-16.36	14.62	3	Vertical	21	1.39	43.02	38.70	11.22	35.30
PK	13.3745G	59.99	74.00	-14.01	18.38	3	Vertical	126	2.49	41.61	39.90	11.94	33.46
PK	13.38864G	60.10	74.00	-13.90	18.43	3	Vertical	278	2.64	41.67	39.90	11.95	33.42

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.874G	39.92	54.00	-14.08	5.05	3	Horizontal	60	1.06	34.87	32.60	7.70	35.25
AV	4.95649G	35.69	54.00	-18.31	5.46	3	Horizontal	77	1.50	30.23	32.93	7.76	35.23
AV	7.31011G	44.18	54.00	-9.82	10.30	3	Horizontal	47	2.00	33.88	36.66	8.96	35.32
AV	11.39712G	45.54	54.00	-8.46	14.63	3	Horizontal	259	2.00	30.91	38.71	11.22	35.30
AV	13.37383G	48.39	54.00	-5.61	18.38	3	Horizontal	26	1.25	30.01	39.90	11.94	33.46
AV	13.39302G	48.45	54.00	-5.55	18.44	3	Horizontal	353	1.52	30.01	39.90	11.95	33.41
PK	4.87395G	48.63	74.00	-25.37	5.05	3	Horizontal	60	1.06	43.58	32.60	7.70	35.25
PK	4.96261G	47.65	74.00	-26.35	5.48	3	Horizontal	77	1.50	42.17	32.95	7.76	35.23
PK	7.31201G	55.80	74.00	-18.20	10.29	3	Horizontal	47	2.00	45.51	36.65	8.96	35.32
PK	11.39932G	58.34	74.00	-15.66	14.62	3	Horizontal	259	2.00	43.72	38.70	11.22	35.30
PK	13.36923G	60.47	74.00	-13.53	18.37	3	Horizontal	26	1.25	42.10	39.90	11.94	33.47
PK	13.39048G	60.29	74.00	-13.71	18.43	3	Horizontal	353	1.52	41.86	39.90	11.95	33.42

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	7.3103G	53.29	54.00	-0.71	Vertical
Mode 2	Pass	AV	7.31178G	52.66	54.00	-1.34	Horizontal
Mode 3	Pass	AV	7.3118G	52.44	54.00	-1.56	Vertical
Mode 4	Pass	AV	7.31172G	52.24	54.00	-1.76	Horizontal
Mode 5	Pass	AV	7.31028G	52.95	54.00	-1.05	Vertical
Mode 6	Pass	AV	7.31182G	52.83	54.00	-1.17	Vertical


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.87402G	49.09	54.00	-4.91	3	Vertical	20	2.14
Mode 1	Pass	AV	4.96034G	32.95	54.00	-21.05	3	Vertical	111	1.51
Mode 1	Pass	AV	7.3103G	53.29	54.00	-0.71	3	Vertical	40	1.67
Mode 1	Pass	AV	11.49196G	46.36	54.00	-7.64	3	Vertical	23	2.39
Mode 1	Pass	AV	13.38992G	45.88	54.00	-8.12	3	Vertical	9	2.43
Mode 1	Pass	PK	4.87406G	52.62	74.00	-21.38	3	Vertical	20	2.14
Mode 1	Pass	PK	4.95934G	44.76	74.00	-29.24	3	Vertical	111	1.51
Mode 1	Pass	PK	7.3106G	57.96	74.00	-16.04	3	Vertical	40	1.67
Mode 1	Pass	PK	11.49158G	58.54	74.00	-15.46	3	Vertical	23	2.39
Mode 1	Pass	PK	13.38974G	57.75	74.00	-16.25	3	Vertical	9	2.43
Mode 1	Pass	AV	4.87398G	44.42	54.00	-9.58	3	Horizontal	24	1.50
Mode 1	Pass	AV	4.96926G	33.09	54.00	-20.91	3	Horizontal	348	1.06
Mode 1	Pass	AV	7.31022G	52.92	54.00	-1.08	3	Horizontal	357	1.78
Mode 1	Pass	AV	11.49262G	43.06	54.00	-10.94	3	Horizontal	196	1.89
Mode 1	Pass	AV	13.39024G	45.54	54.00	-8.46	3	Horizontal	15	2.08
Mode 1	Pass	PK	4.87396G	48.71	74.00	-25.29	3	Horizontal	24	1.50
Mode 1	Pass	PK	4.96914G	44.10	74.00	-29.90	3	Horizontal	348	1.06
Mode 1	Pass	PK	7.31044G	57.54	74.00	-16.46	3	Horizontal	357	1.78
Mode 1	Pass	PK	11.4897G	55.12	74.00	-18.88	3	Horizontal	196	1.89
Mode 1	Pass	PK	13.39894G	56.62	74.00	-17.38	3	Horizontal	15	2.08
Mode 2	Pass	AV	4.87404G	49.48	54.00	-4.52	3	Vertical	16	2.44
Mode 2	Pass	AV	4.96726G	33.03	54.00	-20.97	3	Vertical	55	1.32
Mode 2	Pass	AV	7.31024G	52.11	54.00	-1.89	3	Vertical	37	1.50
Mode 2	Pass	AV	11.48232G	42.93	54.00	-11.07	3	Vertical	121	1.92
Mode 2	Pass	AV	13.39162G	45.59	54.00	-8.41	3	Vertical	316	1.66
Mode 2	Pass	PK	4.87396G	52.03	74.00	-21.97	3	Vertical	16	2.44
Mode 2	Pass	PK	4.96638G	44.71	74.00	-29.29	3	Vertical	55	1.32
Mode 2	Pass	PK	7.31194G	57.31	74.00	-16.69	3	Vertical	37	1.50
Mode 2	Pass	PK	11.48152G	55.05	74.00	-18.95	3	Vertical	121	1.92
Mode 2	Pass	PK	13.38982G	57.12	74.00	-16.88	3	Vertical	316	1.66
Mode 2	Pass	AV	4.87398G	46.46	54.00	-7.54	3	Horizontal	293	1.01
Mode 2	Pass	AV	4.95374G	32.90	54.00	-21.10	3	Horizontal	183	2.20
Mode 2	Pass	AV	7.31178G	52.66	54.00	-1.34	3	Horizontal	355	1.82
Mode 2	Pass	AV	11.4904G	43.07	54.00	-10.93	3	Horizontal	284	2.13
Mode 2	Pass	AV	13.38964G	45.40	54.00	-8.60	3	Horizontal	19	2.05
Mode 2	Pass	PK	4.87382G	49.83	74.00	-24.17	3	Horizontal	293	1.01
Mode 2	Pass	PK	4.96652G	45.10	74.00	-28.90	3	Horizontal	183	2.20
Mode 2	Pass	PK	7.31188G	57.46	74.00	-16.54	3	Horizontal	355	1.82
Mode 2	Pass	PK	11.4977G	54.64	74.00	-19.36	3	Horizontal	284	2.13
Mode 2	Pass	PK	13.39006G	57.05	74.00	-16.95	3	Horizontal	19	2.05
Mode 3	Pass	AV	4.874G	49.35	54.00	-4.65	3	Vertical	19	2.13
Mode 3	Pass	AV	4.96016G	33.20	54.00	-20.80	3	Vertical	152	1.88
Mode 3	Pass	AV	7.3118G	52.44	54.00	-1.56	3	Vertical	40	1.53
Mode 3	Pass	AV	11.49154G	42.96	54.00	-11.04	3	Vertical	166	1.69
Mode 3	Pass	AV	13.38964G	45.77	54.00	-8.23	3	Vertical	320	1.64
Mode 3	Pass	PK	4.87406G	52.35	74.00	-21.65	3	Vertical	19	2.13
Mode 3	Pass	PK	4.96676G	45.26	74.00	-28.74	3	Vertical	152	1.88
Mode 3	Pass	PK	7.31068G	57.02	74.00	-16.98	3	Vertical	40	1.53
Mode 3	Pass	PK	11.48886G	55.22	74.00	-18.78	3	Vertical	166	1.69
Mode 3	Pass	PK	13.38254G	56.87	74.00	-17.13	3	Vertical	320	1.64


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 3	Pass	AV	4.87398G	46.53	54.00	-7.47	3	Horizontal	299	1.06
Mode 3	Pass	AV	4.96908G	33.08	54.00	-20.92	3	Horizontal	316	2.33
Mode 3	Pass	AV	7.31024G	52.36	54.00	-1.64	3	Horizontal	357	1.76
Mode 3	Pass	AV	11.48038G	43.09	54.00	-10.91	3	Horizontal	210	1.33
Mode 3	Pass	AV	13.38846G	45.34	54.00	-8.66	3	Horizontal	336	1.50
Mode 3	Pass	PK	4.87402G	50.33	74.00	-23.67	3	Horizontal	299	1.06
Mode 3	Pass	PK	4.95714G	44.63	74.00	-29.37	3	Horizontal	316	2.33
Mode 3	Pass	PK	7.31118G	57.38	74.00	-16.62	3	Horizontal	357	1.76
Mode 3	Pass	PK	11.49096G	54.95	74.00	-19.05	3	Horizontal	210	1.33
Mode 3	Pass	PK	13.39032G	56.13	74.00	-17.87	3	Horizontal	336	1.50
Mode 4	Pass	AV	4.87398G	49.02	54.00	-4.98	3	Vertical	19	2.45
Mode 4	Pass	AV	4.9685G	25.22	54.00	-28.78	3	Vertical	273	1.79
Mode 4	Pass	AV	7.31028G	52.12	54.00	-1.88	3	Vertical	36	1.58
Mode 4	Pass	AV	11.48604G	43.28	54.00	-10.72	3	Vertical	177	1.84
Mode 4	Pass	AV	13.38692G	45.62	54.00	-8.38	3	Vertical	314	1.67
Mode 4	Pass	PK	4.874G	51.91	74.00	-22.09	3	Vertical	19	2.45
Mode 4	Pass	PK	4.9685G	45.22	74.00	-28.78	3	Vertical	273	1.79
Mode 4	Pass	PK	7.31124G	56.97	74.00	-17.03	3	Vertical	36	1.58
Mode 4	Pass	PK	11.4872G	54.93	74.00	-19.07	3	Vertical	177	1.84
Mode 4	Pass	PK	13.39136G	57.02	74.00	-16.98	3	Vertical	314	1.67
Mode 4	Pass	AV	4.874G	46.83	54.00	-7.17	3	Horizontal	294	1.01
Mode 4	Pass	AV	4.96942G	24.44	54.00	-29.56	3	Horizontal	175	2.09
Mode 4	Pass	AV	7.31172G	52.24	54.00	-1.76	3	Horizontal	355	1.68
Mode 4	Pass	AV	11.48978G	43.31	54.00	-10.69	3	Horizontal	149	1.08
Mode 4	Pass	AV	13.39108G	45.35	54.00	-8.65	3	Horizontal	321	1.52
Mode 4	Pass	PK	4.87394G	50.66	74.00	-23.34	3	Horizontal	294	1.01
Mode 4	Pass	PK	4.96942G	44.44	74.00	-29.56	3	Horizontal	175	2.09
Mode 4	Pass	PK	7.31186G	57.22	74.00	-16.78	3	Horizontal	355	1.68
Mode 4	Pass	PK	11.48598G	54.64	74.00	-19.36	3	Horizontal	149	1.08
Mode 4	Pass	PK	13.39492G	56.59	74.00	-17.41	3	Horizontal	321	1.52
Mode 5	Pass	AV	4.87394G	48.92	54.00	-5.08	3	Vertical	19	1.66
Mode 5	Pass	AV	4.96948G	25.21	54.00	-28.79	3	Vertical	225	1.67
Mode 5	Pass	AV	7.31028G	52.95	54.00	-1.05	3	Vertical	41	1.68
Mode 5	Pass	AV	11.48238G	43.25	54.00	-10.75	3	Vertical	218	2.65
Mode 5	Pass	AV	13.38962G	45.63	54.00	-8.37	3	Vertical	300	1.72
Mode 5	Pass	PK	4.87398G	52.00	74.00	-22.00	3	Vertical	19	1.66
Mode 5	Pass	PK	4.96948G	45.21	74.00	-28.79	3	Vertical	225	1.67
Mode 5	Pass	PK	7.31026G	57.68	74.00	-16.32	3	Vertical	41	1.68
Mode 5	Pass	PK	11.48372G	55.04	74.00	-18.96	3	Vertical	218	2.65
Mode 5	Pass	PK	13.38756G	56.82	74.00	-17.18	3	Vertical	300	1.72
Mode 5	Pass	AV	4.87398G	47.09	54.00	-6.91	3	Horizontal	295	1.00
Mode 5	Pass	AV	4.96818G	24.76	54.00	-29.24	3	Horizontal	128	1.49
Mode 5	Pass	AV	7.3119G	52.10	54.00	-1.90	3	Horizontal	360	1.79
Mode 5	Pass	AV	11.48186G	43.24	54.00	-10.76	3	Horizontal	360	1.34
Mode 5	Pass	AV	13.39654G	45.30	54.00	-8.70	3	Horizontal	334	1.50
Mode 5	Pass	PK	4.87396G	50.55	74.00	-23.45	3	Horizontal	295	1.00
Mode 5	Pass	PK	4.96818G	44.76	74.00	-29.24	3	Horizontal	128	1.49
Mode 5	Pass	PK	7.3101G	56.84	74.00	-17.16	3	Horizontal	360	1.79
Mode 5	Pass	PK	11.4881G	55.68	74.00	-18.32	3	Horizontal	360	1.34
Mode 5	Pass	PK	13.3822G	57.17	74.00	-16.83	3	Horizontal	334	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 6	Pass	AV	4.87398G	49.55	54.00	-4.45	3	Vertical	17	2.15
Mode 6	Pass	AV	4.96896G	25.58	54.00	-28.42	3	Vertical	82	1.43
Mode 6	Pass	AV	7.31182G	52.83	54.00	-1.17	3	Vertical	38	1.65
Mode 6	Pass	AV	11.48252G	43.28	54.00	-10.72	3	Vertical	296	1.97
Mode 6	Pass	AV	13.38922G	45.56	54.00	-8.44	3	Vertical	315	1.75
Mode 6	Pass	PK	4.874G	52.34	74.00	-21.66	3	Vertical	17	2.15
Mode 6	Pass	PK	4.96896G	45.58	74.00	-28.42	3	Vertical	82	1.43
Mode 6	Pass	PK	7.31154G	57.44	74.00	-16.56	3	Vertical	38	1.65
Mode 6	Pass	PK	11.49318G	54.45	74.00	-19.55	3	Vertical	296	1.97
Mode 6	Pass	PK	13.39162G	56.60	74.00	-17.40	3	Vertical	315	1.75
Mode 6	Pass	AV	4.87402G	46.67	54.00	-7.33	3	Horizontal	297	1.03
Mode 6	Pass	AV	4.96064G	24.70	54.00	-29.30	3	Horizontal	353	1.50
Mode 6	Pass	AV	7.31174G	52.16	54.00	-1.84	3	Horizontal	334	1.85
Mode 6	Pass	AV	11.48362G	43.32	54.00	-10.68	3	Horizontal	64	1.10
Mode 6	Pass	AV	13.39456G	45.21	54.00	-8.79	3	Horizontal	322	1.47
Mode 6	Pass	PK	4.87384G	50.19	74.00	-23.81	3	Horizontal	297	1.03
Mode 6	Pass	PK	4.96064G	44.70	74.00	-29.30	3	Horizontal	353	1.50
Mode 6	Pass	PK	7.31124G	57.10	74.00	-16.90	3	Horizontal	334	1.85
Mode 6	Pass	PK	11.4847G	54.66	74.00	-19.34	3	Horizontal	64	1.10
Mode 6	Pass	PK	13.38422G	56.68	74.00	-17.32	3	Horizontal	322	1.47


Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 3




Radiated Emissions above 1GHz_Mode 3




Radiated Emissions above 1GHz_Mode 4




Radiated Emissions above 1GHz_Mode 4




Radiated Emissions above 1GHz_Mode 5



Radiated Emissions above 1GHz_Mode 5



Radiated Emissions above 1GHz_Mode 6



Radiated Emissions above 1GHz_Mode 6

