




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5775MHz

12/09/2025

CF (Hz)
5.775G
Span (Hz)
120M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
39.792
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.08	1.08	-1.79	-1.98



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
a20_Nss1,(6Mbps)_1TX	6.71
5.25-5.35GHz	-
a20_Nss1,(6Mbps)_1TX	5.94
5.47-5.725GHz	-
a20_Nss1,(6Mbps)_1TX	6.74
5.725-5.85GHz	-
a20_Nss1,(6Mbps)_1TX	5.38

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	3.20	3.94	3.94	17.00
5200MHz	Pass	3.20	6.71	6.71	17.00
5240MHz	Pass	3.20	6.65	6.65	17.00
5260MHz	Pass	4.00	5.94	5.94	11.00
5300MHz	Pass	4.00	5.74	5.74	11.00
5320MHz	Pass	4.00	5.74	5.74	11.00
5500MHz	Pass	4.90	4.99	4.99	11.00
5580MHz	Pass	4.90	6.35	6.35	11.00
5700MHz	Pass	4.90	4.78	4.78	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.90	6.74	6.74	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.40	5.20	5.20	30.00
5745MHz	Pass	5.40	5.38	5.38	30.00
5785MHz	Pass	5.40	5.28	5.28	30.00
5825MHz	Pass	5.40	5.13	5.13	30.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX

PSD

5200MHz

10/09/2025

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20.961

Detector Type
RMS



Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
6.71	6.71	6.71

5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX

PSD

5260MHz

10/09/2025

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20.961

Detector Type
RMS




Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
5.94	5.94	5.94

5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

10/09/2025




5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

PSD

5745MHz

10/09/2025





Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
a20_Nss1,(6Mbps)_1TX	3.76
5.25-5.35GHz	-
a20_Nss1,(6Mbps)_1TX	5.94
5.47-5.725GHz	-
a20_Nss1,(6Mbps)_1TX	6.74
5.725-5.85GHz	-
a20_Nss1,(6Mbps)_1TX	5.38

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	3.20	3.76	3.76	17.00
5200MHz	Pass	3.20	3.71	3.71	17.00
5240MHz	Pass	3.20	3.73	3.73	17.00
5260MHz	Pass	4.00	5.94	5.94	11.00
5300MHz	Pass	4.00	5.74	5.74	11.00
5320MHz	Pass	4.00	5.74	5.74	11.00
5500MHz	Pass	4.90	4.99	4.99	11.00
5580MHz	Pass	4.90	6.35	6.35	11.00
5700MHz	Pass	4.90	4.78	4.78	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.90	6.74	6.74	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.40	5.20	5.20	30.00
5745MHz	Pass	5.40	5.38	5.38	30.00
5785MHz	Pass	5.40	5.28	5.28	30.00
5825MHz	Pass	5.40	5.13	5.13	30.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX

PSD

5180MHz

23/09/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20.961

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.76	3.76	3.76

5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX

PSD

5260MHz

10/09/2025

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20.961

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.94	5.94	5.94

5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

10/09/2025




5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

PSD

5745MHz

10/09/2025





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	QP	34.11M	35.98	40.00	-4.02	3	Vertical	105	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	107.6M	29.78	43.50	-13.72	3	Vertical	360	1.00
5775MHz	Pass	PK	171.62M	28.53	43.50	-14.97	3	Vertical	360	1.00
5775MHz	Pass	PK	243.4M	33.99	46.00	-12.01	3	Vertical	360	1.00
5775MHz	Pass	PK	513.06M	34.40	46.00	-11.60	3	Vertical	360	1.00
5775MHz	Pass	QP	34.11M	35.98	40.00	-4.02	3	Vertical	105	1.00
5775MHz	Pass	QP	45.25M	24.37	40.00	-15.63	3	Vertical	285	1.00
5775MHz	Pass	PK	35.82M	27.93	40.00	-12.07	3	Horizontal	0	1.00
5775MHz	Pass	PK	95.96M	24.45	43.50	-19.05	3	Horizontal	0	1.00
5775MHz	Pass	PK	152.22M	25.09	43.50	-18.41	3	Horizontal	0	1.00
5775MHz	Pass	PK	243.4M	38.06	46.00	-7.94	3	Horizontal	0	1.00
5775MHz	Pass	PK	359.8M	25.25	46.00	-20.75	3	Horizontal	0	1.00
5775MHz	Pass	PK	515M	25.56	46.00	-20.44	3	Horizontal	0	1.00


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_PoE



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_PoE



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	44.60	54.00	-9.40	3	Horizontal	315	2.08
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	45.87	54.00	-8.13	3	Horizontal	46	1.00
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.83	54.00	-1.17	3	Horizontal	48	1.16
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.148G	53.26	54.00	-0.74	3	Horizontal	43	1.11
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3502G	42.99	54.00	-11.01	3	Horizontal	44	1.23
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3606G	44.91	54.00	-9.09	3	Horizontal	39	1.00
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	48.12	54.00	-5.88	3	Vertical	43	2.73
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.351G	51.30	54.00	-2.70	3	Horizontal	39	1.03
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.36	54.00	-0.64	3	Horizontal	43	1.30
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7256G	67.06	68.20	-1.14	3	Horizontal	51	2.65
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.47G	67.86	68.20	-0.34	3	Horizontal	44	2.70
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.466G	67.24	68.20	-0.96	3	Horizontal	44	2.71
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.461G	66.23	68.20	-1.97	3	Horizontal	41	2.66
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.4656G	66.76	68.20	-1.44	3	Horizontal	44	2.93
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.6358G	56.97	68.20	-11.23	3	Horizontal	45	2.75
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	6.01724G	57.18	68.20	-11.02	3	Horizontal	45	3.00
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.611G	57.24	68.20	-10.96	3	Horizontal	45	2.88
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.6682G	75.37	81.67	-6.30	3	Horizontal	37	2.90

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1484G	43.58	54.00	-10.42	3	Vertical	318	1.95
5180MHz	Pass	AV	5.1828G	102.86	Inf	-Inf	3	Vertical	318	1.95
5180MHz	Pass	PK	5.149G	57.47	74.00	-16.53	3	Vertical	318	1.95
5180MHz	Pass	PK	5.1832G	113.44	Inf	-Inf	3	Vertical	318	1.95
5180MHz	Pass	AV	5.15G	44.60	54.00	-9.40	3	Horizontal	315	2.08
5180MHz	Pass	AV	5.181G	104.10	Inf	-Inf	3	Horizontal	315	2.08
5180MHz	Pass	PK	5.1398G	59.11	74.00	-14.89	3	Horizontal	315	2.08
5180MHz	Pass	PK	5.1858G	113.94	Inf	-Inf	3	Horizontal	315	2.08
5180MHz	Pass	PK	10.35108G	52.05	68.20	-16.15	3	Vertical	225	2.40
5180MHz	Pass	PK	10.36484G	52.30	68.20	-15.90	3	Horizontal	86	1.50
5200MHz	Pass	AV	5.15G	41.63	54.00	-12.37	3	Vertical	42	2.53
5200MHz	Pass	AV	5.2048G	102.11	Inf	-Inf	3	Vertical	42	2.53
5200MHz	Pass	PK	5.148G	55.28	74.00	-18.72	3	Vertical	42	2.53
5200MHz	Pass	PK	5.2048G	113.87	Inf	-Inf	3	Vertical	42	2.53
5200MHz	Pass	AV	5.15G	42.35	54.00	-11.65	3	Horizontal	42	1.02
5200MHz	Pass	AV	5.2008G	103.88	Inf	-Inf	3	Horizontal	42	1.02
5200MHz	Pass	PK	5.1172G	55.33	74.00	-18.67	3	Horizontal	42	1.02
5200MHz	Pass	PK	5.2056G	114.09	Inf	-Inf	3	Horizontal	42	1.02
5200MHz	Pass	PK	10.39972G	52.43	68.20	-15.77	3	Vertical	320	1.50
5200MHz	Pass	PK	10.40128G	51.88	68.20	-16.32	3	Horizontal	73	2.10
5240MHz	Pass	AV	5.15G	40.41	54.00	-13.59	3	Vertical	46	2.96
5240MHz	Pass	AV	5.2448G	102.13	Inf	-Inf	3	Vertical	46	2.96
5240MHz	Pass	AV	5.3546G	41.27	54.00	-12.73	3	Vertical	46	2.96
5240MHz	Pass	PK	5.15G	54.38	74.00	-19.62	3	Vertical	46	2.96
5240MHz	Pass	PK	5.2442G	113.49	Inf	-Inf	3	Vertical	46	2.96
5240MHz	Pass	PK	5.3582G	54.97	74.00	-19.03	3	Vertical	46	2.96
5240MHz	Pass	AV	5.15G	41.38	54.00	-12.62	3	Horizontal	47	1.05
5240MHz	Pass	AV	5.246G	104.49	Inf	-Inf	3	Horizontal	47	1.05
5240MHz	Pass	AV	5.35G	41.89	54.00	-12.11	3	Horizontal	47	1.05
5240MHz	Pass	PK	5.1476G	54.51	74.00	-19.49	3	Horizontal	47	1.05
5240MHz	Pass	PK	5.246G	114.85	Inf	-Inf	3	Horizontal	47	1.05
5240MHz	Pass	PK	5.3522G	55.05	74.00	-18.95	3	Horizontal	47	1.05
5240MHz	Pass	PK	10.4744G	52.57	68.20	-15.63	3	Vertical	85	2.73
5240MHz	Pass	PK	10.47104G	51.99	68.20	-16.21	3	Horizontal	19	1.44
5260MHz	Pass	AV	5.149G	40.40	54.00	-13.60	3	Vertical	46	2.79
5260MHz	Pass	AV	5.2564G	101.44	Inf	-Inf	3	Vertical	46	2.79
5260MHz	Pass	AV	5.3578G	41.57	54.00	-12.43	3	Vertical	46	2.79
5260MHz	Pass	PK	5.1484G	54.25	74.00	-19.75	3	Vertical	46	2.79
5260MHz	Pass	PK	5.2564G	111.60	Inf	-Inf	3	Vertical	46	2.79
5260MHz	Pass	PK	5.392G	55.02	74.00	-18.98	3	Vertical	46	2.79
5260MHz	Pass	AV	5.1448G	40.44	54.00	-13.56	3	Horizontal	360	3.00
5260MHz	Pass	AV	5.2624G	98.33	Inf	-Inf	3	Horizontal	360	3.00
5260MHz	Pass	AV	5.3512G	41.42	54.00	-12.58	3	Horizontal	360	3.00
5260MHz	Pass	PK	5.1106G	53.76	74.00	-20.24	3	Horizontal	360	3.00
5260MHz	Pass	PK	5.2636G	109.46	Inf	-Inf	3	Horizontal	360	3.00
5260MHz	Pass	PK	5.389G	55.49	74.00	-18.51	3	Horizontal	360	3.00
5260MHz	Pass	PK	10.5112G	51.45	68.20	-16.75	3	Vertical	0	1.50
5260MHz	Pass	PK	10.51796G	51.70	68.20	-16.50	3	Horizontal	197	1.50
5300MHz	Pass	AV	5.2948G	102.23	Inf	-Inf	3	Vertical	41	2.76
5300MHz	Pass	AV	5.3508G	41.82	54.00	-12.18	3	Vertical	41	2.76
5300MHz	Pass	PK	5.2944G	112.32	Inf	-Inf	3	Vertical	41	2.76
5300MHz	Pass	PK	5.3988G	55.43	74.00	-18.57	3	Vertical	41	2.76
5300MHz	Pass	AV	5.296G	102.97	Inf	-Inf	3	Horizontal	45	1.00
5300MHz	Pass	AV	5.3508G	42.04	54.00	-11.96	3	Horizontal	45	1.00
5300MHz	Pass	PK	5.296G	112.69	Inf	-Inf	3	Horizontal	45	1.00
5300MHz	Pass	PK	5.35G	56.33	74.00	-17.67	3	Horizontal	45	1.00
5300MHz	Pass	PK	10.59132G	52.11	68.20	-16.09	3	Vertical	360	1.50
5300MHz	Pass	PK	10.59864G	52.24	68.20	-15.96	3	Horizontal	58	3.00
5320MHz	Pass	AV	5.3148G	101.09	Inf	-Inf	3	Vertical	43	2.73
5320MHz	Pass	AV	5.35G	42.86	54.00	-11.14	3	Vertical	43	2.73



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.324G	112.58	Inf	-Inf	3	Vertical	43	2.73
5320MHz	Pass	PK	5.3604G	59.21	74.00	-14.79	3	Vertical	43	2.73
5320MHz	Pass	AV	5.316G	101.19	Inf	-Inf	3	Horizontal	44	1.23
5320MHz	Pass	AV	5.3502G	42.99	54.00	-11.01	3	Horizontal	44	1.23
5320MHz	Pass	PK	5.3154G	112.21	Inf	-Inf	3	Horizontal	44	1.23
5320MHz	Pass	PK	5.3604G	60.06	74.00	-13.94	3	Horizontal	44	1.23
5320MHz	Pass	AV	10.64354G	37.96	54.00	-16.04	3	Vertical	277	1.40
5320MHz	Pass	PK	10.64108G	51.84	74.00	-22.16	3	Vertical	277	1.40
5320MHz	Pass	AV	10.6439G	37.97	54.00	-16.03	3	Horizontal	135	1.50
5320MHz	Pass	PK	10.64382G	52.04	74.00	-21.96	3	Horizontal	135	1.50
5500MHz	Pass	AV	5.4592G	44.01	54.00	-9.99	3	Vertical	46	2.71
5500MHz	Pass	AV	5.5046G	102.37	Inf	-Inf	3	Vertical	46	2.71
5500MHz	Pass	PK	5.459G	57.94	74.00	-16.06	3	Vertical	46	2.71
5500MHz	Pass	PK	5.47G	62.55	68.20	-5.65	3	Vertical	46	2.71
5500MHz	Pass	PK	5.5044G	112.78	Inf	-Inf	3	Vertical	46	2.71
5500MHz	Pass	AV	5.46G	43.99	54.00	-10.01	3	Horizontal	46	2.69
5500MHz	Pass	AV	5.5012G	103.41	Inf	-Inf	3	Horizontal	46	2.69
5500MHz	Pass	PK	5.459G	58.18	74.00	-15.82	3	Horizontal	46	2.69
5500MHz	Pass	PK	5.47G	66.76	68.20	-1.44	3	Horizontal	46	2.69
5500MHz	Pass	PK	5.4958G	113.77	Inf	-Inf	3	Horizontal	46	2.69
5500MHz	Pass	AV	10.99582G	37.76	54.00	-16.24	3	Vertical	242	1.68
5500MHz	Pass	PK	10.99802G	51.16	74.00	-22.84	3	Vertical	242	1.68
5500MHz	Pass	AV	10.99514G	37.77	54.00	-16.23	3	Horizontal	214	2.72
5500MHz	Pass	PK	10.99872G	51.12	74.00	-22.88	3	Horizontal	214	2.72
5580MHz	Pass	AV	5.4534G	41.18	54.00	-12.82	3	Vertical	46	2.78
5580MHz	Pass	AV	5.5746G	102.42	Inf	-Inf	3	Vertical	46	2.78
5580MHz	Pass	PK	5.4594G	55.21	74.00	-18.79	3	Vertical	46	2.78
5580MHz	Pass	PK	5.4666G	54.71	68.20	-13.49	3	Vertical	46	2.78
5580MHz	Pass	PK	5.5746G	112.70	Inf	-Inf	3	Vertical	46	2.78
5580MHz	Pass	PK	5.727G	54.43	68.20	-13.77	3	Vertical	46	2.78
5580MHz	Pass	AV	5.451G	41.42	54.00	-12.58	3	Horizontal	44	2.74
5580MHz	Pass	AV	5.5764G	104.21	Inf	-Inf	3	Horizontal	44	2.74
5580MHz	Pass	PK	5.4594G	55.21	74.00	-18.79	3	Horizontal	44	2.74
5580MHz	Pass	PK	5.4654G	54.98	68.20	-13.22	3	Horizontal	44	2.74
5580MHz	Pass	PK	5.5812G	114.50	Inf	-Inf	3	Horizontal	44	2.74
5580MHz	Pass	PK	5.7294G	54.42	68.20	-13.78	3	Horizontal	44	2.74
5580MHz	Pass	AV	11.16336G	38.19	54.00	-15.81	3	Vertical	305	1.50
5580MHz	Pass	PK	11.15798G	51.93	74.00	-22.07	3	Vertical	305	1.50
5580MHz	Pass	AV	11.1646G	38.21	54.00	-15.79	3	Horizontal	214	1.50
5580MHz	Pass	PK	11.1647G	52.78	74.00	-21.22	3	Horizontal	214	1.50
5700MHz	Pass	AV	5.6924G	97.88	Inf	-Inf	3	Vertical	57	1.02
5700MHz	Pass	PK	5.698G	108.84	Inf	-Inf	3	Vertical	57	1.02
5700MHz	Pass	PK	5.7268G	64.40	68.20	-3.80	3	Vertical	57	1.02
5700MHz	Pass	AV	5.696G	100.12	Inf	-Inf	3	Horizontal	51	2.65
5700MHz	Pass	PK	5.6956G	110.06	Inf	-Inf	3	Horizontal	51	2.65
5700MHz	Pass	PK	5.7256G	67.06	68.20	-1.14	3	Horizontal	51	2.65
5700MHz	Pass	AV	11.40352G	38.62	54.00	-15.38	3	Vertical	21	2.58
5700MHz	Pass	PK	11.39834G	52.28	74.00	-21.72	3	Vertical	21	2.58
5700MHz	Pass	AV	11.40412G	38.64	54.00	-15.36	3	Horizontal	318	1.43
5700MHz	Pass	PK	11.39716G	51.74	74.00	-22.26	3	Horizontal	318	1.43
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4476G	40.99	54.00	-13.01	3	Vertical	37	2.79
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	100.79	Inf	-Inf	3	Vertical	37	2.79
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.42G	54.05	74.00	-19.95	3	Vertical	37	2.79
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	53.65	68.20	-14.55	3	Vertical	37	2.79
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	111.00	Inf	-Inf	3	Vertical	37	2.79
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9444G	57.04	68.20	-11.16	3	Vertical	37	2.79
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	40.97	54.00	-13.03	3	Horizontal	44	2.63
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	102.99	Inf	-Inf	3	Horizontal	44	2.63
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4536G	54.80	74.00	-19.20	3	Horizontal	44	2.63
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	54.19	68.20	-14.01	3	Horizontal	44	2.63
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	113.16	Inf	-Inf	3	Horizontal	44	2.63
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9852G	56.31	68.20	-11.89	3	Horizontal	44	2.63



RSE TX above 1GHz Non-Beamforming_Radio 1_AP66_Full RU

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43576G	38.34	54.00	-15.66	3	Vertical	263	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44604G	52.30	74.00	-21.70	3	Vertical	263	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.439G	38.41	54.00	-15.59	3	Horizontal	347	1.54
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4478G	51.91	74.00	-22.09	3	Horizontal	347	1.54
5745MHz	Pass	AV	5.4462G	41.16	54.00	-12.84	3	Vertical	46	2.93
5745MHz	Pass	AV	5.739G	101.89	Inf	-Inf	3	Vertical	46	2.93
5745MHz	Pass	PK	5.511G	56.05	68.20	-12.15	3	Vertical	46	2.93
5745MHz	Pass	PK	5.7498G	112.51	Inf	-Inf	3	Vertical	46	2.93
5745MHz	Pass	PK	5.9874G	56.58	68.20	-11.62	3	Vertical	46	2.93
5745MHz	Pass	AV	5.4486G	41.18	54.00	-12.82	3	Horizontal	45	2.75
5745MHz	Pass	AV	5.7462G	104.41	Inf	-Inf	3	Horizontal	45	2.75
5745MHz	Pass	PK	5.6358G	56.97	68.20	-11.23	3	Horizontal	45	2.75
5745MHz	Pass	PK	5.7414G	114.35	Inf	-Inf	3	Horizontal	45	2.75
5745MHz	Pass	PK	6.0294G	56.49	68.20	-11.71	3	Horizontal	45	2.75
5745MHz	Pass	AV	11.48556G	38.20	54.00	-15.80	3	Vertical	155	2.31
5745MHz	Pass	PK	11.48852G	51.51	74.00	-22.49	3	Vertical	155	2.31
5745MHz	Pass	AV	11.48574G	38.24	54.00	-15.76	3	Horizontal	316	2.67
5745MHz	Pass	PK	11.48876G	51.64	74.00	-22.36	3	Horizontal	316	2.67
5785MHz	Pass	AV	5.78976G	102.80	Inf	-Inf	3	Vertical	39	2.88
5785MHz	Pass	PK	5.63004G	56.48	68.20	-11.72	3	Vertical	39	2.88
5785MHz	Pass	PK	5.78855G	113.49	Inf	-Inf	3	Vertical	39	2.88
5785MHz	Pass	PK	6.04386G	56.96	68.20	-11.24	3	Vertical	39	2.88
5785MHz	Pass	AV	5.79218G	105.38	Inf	-Inf	3	Horizontal	46	3.00
5785MHz	Pass	PK	5.63246G	56.24	68.20	-11.96	3	Horizontal	46	3.00
5785MHz	Pass	PK	5.79097G	115.36	Inf	-Inf	3	Horizontal	46	3.00
5785MHz	Pass	PK	6.0608G	56.15	68.20	-12.05	3	Horizontal	46	3.00
5785MHz	Pass	AV	11.56542G	38.01	54.00	-15.99	3	Vertical	33	1.46
5785MHz	Pass	PK	11.5712G	51.37	74.00	-22.63	3	Vertical	33	1.46
5785MHz	Pass	AV	11.56532G	38.00	54.00	-16.00	3	Horizontal	68	2.30
5785MHz	Pass	PK	11.56708G	51.63	74.00	-22.37	3	Horizontal	68	2.30
5825MHz	Pass	AV	5.819G	101.65	Inf	-Inf	3	Vertical	40	2.84
5825MHz	Pass	PK	5.5346G	55.09	68.20	-13.11	3	Vertical	40	2.84
5825MHz	Pass	PK	5.819G	112.17	Inf	-Inf	3	Vertical	40	2.84
5825MHz	Pass	PK	6.0026G	56.86	68.20	-11.34	3	Vertical	40	2.84
5825MHz	Pass	AV	5.8214G	104.10	Inf	-Inf	3	Horizontal	43	2.99
5825MHz	Pass	PK	5.6414G	55.66	68.20	-12.54	3	Horizontal	43	2.99
5825MHz	Pass	PK	5.8214G	114.18	Inf	-Inf	3	Horizontal	43	2.99
5825MHz	Pass	PK	5.9858G	56.45	68.20	-11.75	3	Horizontal	43	2.99
5825MHz	Pass	AV	11.65456G	37.87	54.00	-16.13	3	Vertical	192	1.50
5825MHz	Pass	PK	11.64894G	51.58	74.00	-22.42	3	Vertical	192	1.50
5825MHz	Pass	AV	11.65476G	37.91	54.00	-16.09	3	Horizontal	37	1.50
5825MHz	Pass	PK	11.64822G	51.33	74.00	-22.67	3	Horizontal	37	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	44.02	54.00	-9.98	3	Vertical	41	2.57
5180MHz	Pass	AV	5.185G	101.38	Inf	-Inf	3	Vertical	41	2.57
5180MHz	Pass	PK	5.1402G	60.62	74.00	-13.38	3	Vertical	41	2.57
5180MHz	Pass	PK	5.1824G	115.37	Inf	-Inf	3	Vertical	41	2.57
5180MHz	Pass	AV	5.15G	45.87	54.00	-8.13	3	Horizontal	46	1.00
5180MHz	Pass	AV	5.1854G	103.28	Inf	-Inf	3	Horizontal	46	1.00
5180MHz	Pass	PK	5.1402G	64.22	74.00	-9.78	3	Horizontal	46	1.00
5180MHz	Pass	PK	5.1806G	116.35	Inf	-Inf	3	Horizontal	46	1.00
5180MHz	Pass	PK	10.36108G	52.43	68.20	-15.77	3	Vertical	360	1.50
5180MHz	Pass	PK	10.36044G	51.76	68.20	-16.44	3	Horizontal	178	1.50
5200MHz	Pass	AV	5.1496G	41.92	54.00	-12.08	3	Vertical	49	2.99
5200MHz	Pass	AV	5.2048G	101.68	Inf	-Inf	3	Vertical	49	2.99
5200MHz	Pass	PK	5.148G	54.38	74.00	-19.62	3	Vertical	49	2.99
5200MHz	Pass	PK	5.2076G	115.05	Inf	-Inf	3	Vertical	49	2.99
5200MHz	Pass	AV	5.15G	43.23	54.00	-10.77	3	Horizontal	49	1.01
5200MHz	Pass	AV	5.2028G	103.25	Inf	-Inf	3	Horizontal	49	1.01
5200MHz	Pass	PK	5.1496G	58.29	74.00	-15.71	3	Horizontal	49	1.01
5200MHz	Pass	PK	5.1976G	115.65	Inf	-Inf	3	Horizontal	49	1.01
5200MHz	Pass	PK	10.4054G	52.01	68.20	-16.19	3	Vertical	53	2.19



RSE TX above 1GHz Non-Beamforming_Radio 1_AP66_Full RU

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5200MHz	Pass	PK	10.40592G	52.04	68.20	-16.16	3	Horizontal	171	2.23
5240MHz	Pass	AV	5.1476G	40.90	54.00	-13.10	3	Vertical	39	2.65
5240MHz	Pass	AV	5.2448G	102.16	Inf	-Inf	3	Vertical	39	2.65
5240MHz	Pass	AV	5.3876G	41.56	54.00	-12.44	3	Vertical	39	2.65
5240MHz	Pass	PK	5.1398G	54.38	74.00	-19.62	3	Vertical	39	2.65
5240MHz	Pass	PK	5.2478G	114.74	Inf	-Inf	3	Vertical	39	2.65
5240MHz	Pass	PK	5.3726G	55.73	74.00	-18.27	3	Vertical	39	2.65
5240MHz	Pass	AV	5.1482G	41.27	54.00	-12.73	3	Horizontal	47	1.16
5240MHz	Pass	AV	5.2454G	103.76	Inf	-Inf	3	Horizontal	47	1.16
5240MHz	Pass	AV	5.35G	41.72	54.00	-12.28	3	Horizontal	47	1.16
5240MHz	Pass	PK	5.1482G	55.18	74.00	-18.82	3	Horizontal	47	1.16
5240MHz	Pass	PK	5.2352G	116.89	Inf	-Inf	3	Horizontal	47	1.16
5240MHz	Pass	PK	5.3666G	55.25	74.00	-18.75	3	Horizontal	47	1.16
5240MHz	Pass	PK	10.47204G	52.11	68.20	-16.09	3	Vertical	283	2.36
5240MHz	Pass	PK	10.47092G	51.99	68.20	-16.21	3	Horizontal	183	1.82
5260MHz	Pass	AV	5.15G	40.77	54.00	-13.23	3	Vertical	36	1.04
5260MHz	Pass	AV	5.2564G	101.69	Inf	-Inf	3	Vertical	36	1.04
5260MHz	Pass	AV	5.3536G	41.59	54.00	-12.41	3	Vertical	36	1.04
5260MHz	Pass	PK	5.1412G	55.00	74.00	-19.00	3	Vertical	36	1.04
5260MHz	Pass	PK	5.2564G	114.10	Inf	-Inf	3	Vertical	36	1.04
5260MHz	Pass	PK	5.3992G	54.82	74.00	-19.18	3	Vertical	36	1.04
5260MHz	Pass	AV	5.15G	40.88	54.00	-13.12	3	Horizontal	43	1.09
5260MHz	Pass	AV	5.2582G	102.68	Inf	-Inf	3	Horizontal	43	1.09
5260MHz	Pass	AV	5.3512G	41.45	54.00	-12.55	3	Horizontal	43	1.09
5260MHz	Pass	PK	5.1394G	54.12	74.00	-19.88	3	Horizontal	43	1.09
5260MHz	Pass	PK	5.2576G	115.31	Inf	-Inf	3	Horizontal	43	1.09
5260MHz	Pass	PK	5.3932G	55.00	74.00	-19.00	3	Horizontal	43	1.09
5260MHz	Pass	PK	10.52054G	51.56	68.20	-16.64	3	Vertical	344	1.50
5260MHz	Pass	PK	10.5156G	51.19	68.20	-17.01	3	Horizontal	11	1.03
5300MHz	Pass	AV	5.2972G	101.16	Inf	-Inf	3	Vertical	43	2.89
5300MHz	Pass	AV	5.3508G	42.12	54.00	-11.88	3	Vertical	43	2.89
5300MHz	Pass	PK	5.3076G	114.69	Inf	-Inf	3	Vertical	43	2.89
5300MHz	Pass	PK	5.3524G	55.23	74.00	-18.77	3	Vertical	43	2.89
5300MHz	Pass	AV	5.2956G	101.91	Inf	-Inf	3	Horizontal	46	1.00
5300MHz	Pass	AV	5.35G	42.05	54.00	-11.95	3	Horizontal	46	1.00
5300MHz	Pass	PK	5.3028G	114.34	Inf	-Inf	3	Horizontal	46	1.00
5300MHz	Pass	PK	5.372G	55.75	74.00	-18.25	3	Horizontal	46	1.00
5300MHz	Pass	PK	10.60494G	51.84	74.00	-22.16	3	Vertical	210	1.50
5300MHz	Pass	PK	10.59986G	52.21	68.20	-15.99	3	Horizontal	58	1.50
5320MHz	Pass	AV	5.3138G	100.80	Inf	-Inf	3	Vertical	33	1.01
5320MHz	Pass	AV	5.3614G	44.53	54.00	-9.47	3	Vertical	33	1.01
5320MHz	Pass	PK	5.3188G	113.82	Inf	-Inf	3	Vertical	33	1.01
5320MHz	Pass	PK	5.3614G	59.67	74.00	-14.33	3	Vertical	33	1.01
5320MHz	Pass	AV	5.3128G	101.29	Inf	-Inf	3	Horizontal	39	1.00
5320MHz	Pass	AV	5.3606G	44.91	54.00	-9.09	3	Horizontal	39	1.00
5320MHz	Pass	PK	5.3128G	114.73	Inf	-Inf	3	Horizontal	39	1.00
5320MHz	Pass	PK	5.3608G	60.98	74.00	-13.02	3	Horizontal	39	1.00
5320MHz	Pass	AV	10.64414G	37.93	54.00	-16.07	3	Vertical	4	1.50
5320MHz	Pass	PK	10.64352G	52.48	74.00	-21.52	3	Vertical	4	1.50
5320MHz	Pass	AV	10.6449G	37.95	54.00	-16.05	3	Horizontal	294	2.05
5320MHz	Pass	PK	10.63592G	51.93	74.00	-22.07	3	Horizontal	294	2.05
5500MHz	Pass	AV	5.4594G	45.23	54.00	-8.77	3	Vertical	45	2.71
5500MHz	Pass	AV	5.5024G	101.79	Inf	-Inf	3	Vertical	45	2.71
5500MHz	Pass	PK	5.4598G	61.39	74.00	-12.61	3	Vertical	45	2.71
5500MHz	Pass	PK	5.4698G	65.55	68.20	-2.65	3	Vertical	45	2.71
5500MHz	Pass	PK	5.4948G	114.82	Inf	-Inf	3	Vertical	45	2.71
5500MHz	Pass	AV	5.4598G	45.49	54.00	-8.51	3	Horizontal	44	2.70
5500MHz	Pass	AV	5.4982G	102.92	Inf	-Inf	3	Horizontal	44	2.70
5500MHz	Pass	PK	5.4598G	62.76	74.00	-11.24	3	Horizontal	44	2.70
5500MHz	Pass	PK	5.47G	67.86	68.20	-0.34	3	Horizontal	44	2.70
5500MHz	Pass	PK	5.5034G	115.99	Inf	-Inf	3	Horizontal	44	2.70
5500MHz	Pass	AV	10.99442G	38.07	54.00	-15.93	3	Vertical	240	1.94

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	11.01266G	52.44	74.00	-21.56	3	Vertical	240	1.94
5500MHz	Pass	AV	10.99334G	38.07	54.00	-15.93	3	Horizontal	279	2.26
5500MHz	Pass	PK	10.99004G	51.76	74.00	-22.24	3	Horizontal	279	2.26
5580MHz	Pass	AV	5.46G	41.29	54.00	-12.71	3	Vertical	48	2.76
5580MHz	Pass	AV	5.5746G	101.52	Inf	-Inf	3	Vertical	48	2.76
5580MHz	Pass	PK	5.4558G	55.10	74.00	-18.90	3	Vertical	48	2.76
5580MHz	Pass	PK	5.4648G	55.00	68.20	-13.20	3	Vertical	48	2.76
5580MHz	Pass	PK	5.5752G	114.55	Inf	-Inf	3	Vertical	48	2.76
5580MHz	Pass	PK	5.7288G	54.33	68.20	-13.87	3	Vertical	48	2.76
5580MHz	Pass	AV	5.4534G	41.16	54.00	-12.84	3	Horizontal	43	2.91
5580MHz	Pass	AV	5.5884G	103.33	Inf	-Inf	3	Horizontal	43	2.91
5580MHz	Pass	PK	5.4474G	54.78	74.00	-19.22	3	Horizontal	43	2.91
5580MHz	Pass	PK	5.4654G	54.43	68.20	-13.77	3	Horizontal	43	2.91
5580MHz	Pass	PK	5.5884G	116.04	Inf	-Inf	3	Horizontal	43	2.91
5580MHz	Pass	PK	5.7276G	55.39	68.20	-12.81	3	Horizontal	43	2.91
5580MHz	Pass	AV	11.16558G	38.41	54.00	-15.59	3	Vertical	89	2.99
5580MHz	Pass	PK	11.16324G	51.69	74.00	-22.31	3	Vertical	89	2.99
5580MHz	Pass	AV	11.16726G	38.47	54.00	-15.53	3	Horizontal	301	2.52
5580MHz	Pass	PK	11.16978G	52.13	74.00	-21.87	3	Horizontal	301	2.52
5700MHz	Pass	AV	5.6972G	94.93	Inf	-Inf	3	Vertical	43	2.95
5700MHz	Pass	PK	5.6924G	108.74	Inf	-Inf	3	Vertical	43	2.95
5700MHz	Pass	PK	5.7252G	64.54	68.20	-3.66	3	Vertical	43	2.95
5700MHz	Pass	AV	5.6956G	97.01	Inf	-Inf	3	Horizontal	45	2.95
5700MHz	Pass	PK	5.7056G	109.80	Inf	-Inf	3	Horizontal	45	2.95
5700MHz	Pass	PK	5.7256G	67.49	68.20	-0.71	3	Horizontal	45	2.95
5700MHz	Pass	AV	11.39052G	38.93	54.00	-15.07	3	Vertical	128	1.57
5700MHz	Pass	PK	11.38752G	52.72	74.00	-21.28	3	Vertical	128	1.57
5700MHz	Pass	AV	11.38812G	38.93	54.00	-15.07	3	Horizontal	73	2.11
5700MHz	Pass	PK	11.4072G	52.79	74.00	-21.21	3	Horizontal	73	2.11
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	40.74	54.00	-13.26	3	Vertical	52	2.06
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	99.55	Inf	-Inf	3	Vertical	52	2.06
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4464G	54.22	74.00	-19.78	3	Vertical	52	2.06
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	54.22	68.20	-13.98	3	Vertical	52	2.06
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	112.06	Inf	-Inf	3	Vertical	52	2.06
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9156G	56.07	68.20	-12.13	3	Vertical	52	2.06
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	41.05	54.00	-12.95	3	Horizontal	47	2.64
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	102.04	Inf	-Inf	3	Horizontal	47	2.64
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4332G	54.98	74.00	-19.02	3	Horizontal	47	2.64
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	53.76	68.20	-14.44	3	Horizontal	47	2.64
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	114.08	Inf	-Inf	3	Horizontal	47	2.64
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9636G	56.11	68.20	-12.09	3	Horizontal	47	2.64
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43706G	38.65	54.00	-15.35	3	Vertical	319	1.93
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43472G	52.12	74.00	-21.88	3	Vertical	319	1.93
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.42566G	38.59	54.00	-15.41	3	Horizontal	325	1.57
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43934G	51.81	74.00	-22.19	3	Horizontal	325	1.57
5745MHz	Pass	AV	5.451G	40.91	54.00	-13.09	3	Vertical	42	2.93
5745MHz	Pass	AV	5.7402G	101.01	Inf	-Inf	3	Vertical	42	2.93
5745MHz	Pass	PK	5.589G	55.58	68.20	-12.62	3	Vertical	42	2.93
5745MHz	Pass	PK	5.7378G	114.29	Inf	-Inf	3	Vertical	42	2.93
5745MHz	Pass	PK	6.0414G	56.50	68.20	-11.70	3	Vertical	42	2.93
5745MHz	Pass	AV	5.4558G	41.05	54.00	-12.95	3	Horizontal	46	2.94
5745MHz	Pass	AV	5.7438G	103.26	Inf	-Inf	3	Horizontal	46	2.94
5745MHz	Pass	PK	5.6394G	55.94	68.20	-12.26	3	Horizontal	46	2.94
5745MHz	Pass	PK	5.745G	115.80	Inf	-Inf	3	Horizontal	46	2.94
5745MHz	Pass	PK	6.027G	56.53	68.20	-11.67	3	Horizontal	46	2.94
5745MHz	Pass	AV	11.4859G	38.20	54.00	-15.80	3	Vertical	26	1.50
5745MHz	Pass	PK	11.49094G	51.91	74.00	-22.09	3	Vertical	26	1.50
5745MHz	Pass	AV	11.48602G	38.27	54.00	-15.73	3	Horizontal	35	1.50
5745MHz	Pass	PK	11.49228G	51.44	74.00	-22.56	3	Horizontal	35	1.50
5785MHz	Pass	AV	5.78976G	101.50	Inf	-Inf	3	Vertical	41	2.87
5785MHz	Pass	PK	5.55018G	54.88	68.20	-13.32	3	Vertical	41	2.87
5785MHz	Pass	PK	5.78734G	114.46	Inf	-Inf	3	Vertical	41	2.87

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	5.97852G	56.15	68.20	-12.05	3	Vertical	41	2.87
5785MHz	Pass	AV	5.79339G	104.58	Inf	-Inf	3	Horizontal	45	3.00
5785MHz	Pass	PK	5.62762G	56.26	68.20	-11.94	3	Horizontal	45	3.00
5785MHz	Pass	PK	5.78129G	117.48	Inf	-Inf	3	Horizontal	45	3.00
5785MHz	Pass	PK	6.01724G	57.18	68.20	-11.02	3	Horizontal	45	3.00
5785MHz	Pass	AV	11.5672G	37.86	54.00	-16.14	3	Vertical	310	1.50
5785MHz	Pass	PK	11.5693G	51.67	74.00	-22.33	3	Vertical	310	1.50
5785MHz	Pass	AV	11.56506G	37.93	54.00	-16.07	3	Horizontal	272	2.74
5785MHz	Pass	PK	11.5687G	52.39	74.00	-21.61	3	Horizontal	272	2.74
5825MHz	Pass	AV	5.8166G	100.33	Inf	-Inf	3	Vertical	39	2.86
5825MHz	Pass	PK	5.6162G	55.31	68.20	-12.89	3	Vertical	39	2.86
5825MHz	Pass	PK	5.8166G	112.90	Inf	-Inf	3	Vertical	39	2.86
5825MHz	Pass	PK	6.1118G	56.80	68.20	-11.40	3	Vertical	39	2.86
5825MHz	Pass	AV	5.819G	100.45	Inf	-Inf	3	Horizontal	311	1.00
5825MHz	Pass	PK	5.597G	54.68	68.20	-13.52	3	Horizontal	311	1.00
5825MHz	Pass	PK	5.8166G	112.36	Inf	-Inf	3	Horizontal	311	1.00
5825MHz	Pass	PK	5.9846G	56.23	68.20	-11.97	3	Horizontal	311	1.00
5825MHz	Pass	AV	11.65478G	37.85	54.00	-16.15	3	Vertical	241	2.13
5825MHz	Pass	PK	11.65376G	51.66	74.00	-22.34	3	Vertical	241	2.13
5825MHz	Pass	AV	11.65442G	37.90	54.00	-16.10	3	Horizontal	37	1.67
5825MHz	Pass	PK	11.64996G	52.02	74.00	-21.98	3	Horizontal	37	1.67
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1492G	51.64	54.00	-2.36	3	Vertical	41	1.00
5190MHz	Pass	AV	5.1816G	99.08	Inf	-Inf	3	Vertical	41	1.00
5190MHz	Pass	PK	5.1492G	66.52	74.00	-7.48	3	Vertical	41	1.00
5190MHz	Pass	PK	5.184G	112.46	Inf	-Inf	3	Vertical	41	1.00
5190MHz	Pass	AV	5.15G	52.83	54.00	-1.17	3	Horizontal	48	1.16
5190MHz	Pass	AV	5.2056G	100.06	Inf	-Inf	3	Horizontal	48	1.16
5190MHz	Pass	PK	5.1484G	67.56	74.00	-6.44	3	Horizontal	48	1.16
5190MHz	Pass	PK	5.2052G	113.66	Inf	-Inf	3	Horizontal	48	1.16
5190MHz	Pass	PK	10.36912G	52.19	68.20	-16.01	3	Vertical	348	1.62
5190MHz	Pass	PK	10.3912G	51.77	68.20	-16.43	3	Horizontal	340	2.23
5230MHz	Pass	AV	5.1492G	42.71	54.00	-11.29	3	Vertical	36	1.15
5230MHz	Pass	AV	5.2288G	99.23	Inf	-Inf	3	Vertical	36	1.15
5230MHz	Pass	PK	5.1488G	55.83	74.00	-18.17	3	Vertical	36	1.15
5230MHz	Pass	PK	5.2288G	113.20	Inf	-Inf	3	Vertical	36	1.15
5230MHz	Pass	AV	5.15G	44.17	54.00	-9.83	3	Horizontal	44	1.14
5230MHz	Pass	AV	5.2356G	100.61	Inf	-Inf	3	Horizontal	44	1.14
5230MHz	Pass	PK	5.15G	57.43	74.00	-16.57	3	Horizontal	44	1.14
5230MHz	Pass	PK	5.2456G	113.75	Inf	-Inf	3	Horizontal	44	1.14
5230MHz	Pass	PK	10.45272G	52.52	68.20	-15.68	3	Vertical	93	1.50
5230MHz	Pass	PK	10.45648G	52.31	68.20	-15.89	3	Horizontal	57	2.58
5270MHz	Pass	AV	5.2648G	99.05	Inf	-Inf	3	Vertical	45	2.91
5270MHz	Pass	AV	5.35G	42.85	54.00	-11.15	3	Vertical	45	2.91
5270MHz	Pass	PK	5.2624G	112.37	Inf	-Inf	3	Vertical	45	2.91
5270MHz	Pass	PK	5.3584G	56.26	74.00	-17.74	3	Vertical	45	2.91
5270MHz	Pass	AV	5.2556G	100.09	Inf	-Inf	3	Horizontal	40	1.17
5270MHz	Pass	AV	5.3508G	42.68	54.00	-11.32	3	Horizontal	40	1.17
5270MHz	Pass	PK	5.2728G	113.01	Inf	-Inf	3	Horizontal	40	1.17
5270MHz	Pass	PK	5.3512G	55.64	74.00	-18.36	3	Horizontal	40	1.17
5270MHz	Pass	PK	10.5436G	51.15	68.20	-17.05	3	Vertical	0	1.14
5270MHz	Pass	PK	10.54158G	52.56	68.20	-15.64	3	Horizontal	206	2.14
5310MHz	Pass	AV	5.3152G	98.66	Inf	-Inf	3	Vertical	43	2.73
5310MHz	Pass	AV	5.35G	48.12	54.00	-5.88	3	Vertical	43	2.73
5310MHz	Pass	PK	5.3172G	112.37	Inf	-Inf	3	Vertical	43	2.73
5310MHz	Pass	PK	5.35G	62.75	74.00	-11.25	3	Vertical	43	2.73
5310MHz	Pass	AV	5.2928G	98.88	Inf	-Inf	3	Horizontal	46	1.38
5310MHz	Pass	AV	5.3504G	47.60	54.00	-6.40	3	Horizontal	46	1.38
5310MHz	Pass	PK	5.3128G	112.65	Inf	-Inf	3	Horizontal	46	1.38
5310MHz	Pass	PK	5.3548G	64.36	74.00	-9.64	3	Horizontal	46	1.38
5310MHz	Pass	AV	10.6151G	37.97	54.00	-16.03	3	Vertical	242	2.84
5310MHz	Pass	PK	10.62136G	52.00	74.00	-22.00	3	Vertical	242	2.84



RSE TX above 1GHz Non-Beamforming_Radio 1_AP66_Full RU

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	10.61546G	37.95	54.00	-16.05	3	Horizontal	51	1.50
5310MHz	Pass	PK	10.6231G	52.02	74.00	-21.98	3	Horizontal	51	1.50
5510MHz	Pass	AV	5.46G	44.70	54.00	-9.30	3	Vertical	46	2.70
5510MHz	Pass	AV	5.5024G	95.68	Inf	-Inf	3	Vertical	46	2.70
5510MHz	Pass	PK	5.46G	61.66	74.00	-12.34	3	Vertical	46	2.70
5510MHz	Pass	PK	5.47G	63.29	68.20	-4.91	3	Vertical	46	2.70
5510MHz	Pass	PK	5.4996G	108.95	Inf	-Inf	3	Vertical	46	2.70
5510MHz	Pass	AV	5.46G	46.67	54.00	-7.33	3	Horizontal	44	2.71
5510MHz	Pass	AV	5.5032G	96.77	Inf	-Inf	3	Horizontal	44	2.71
5510MHz	Pass	PK	5.458G	65.14	74.00	-8.86	3	Horizontal	44	2.71
5510MHz	Pass	PK	5.466G	67.24	68.20	-0.96	3	Horizontal	44	2.71
5510MHz	Pass	PK	5.5052G	110.50	Inf	-Inf	3	Horizontal	44	2.71
5510MHz	Pass	AV	11.02544G	37.75	54.00	-16.25	3	Vertical	168	1.59
5510MHz	Pass	PK	11.01224G	51.64	74.00	-22.36	3	Vertical	168	1.59
5510MHz	Pass	AV	11.02628G	37.82	54.00	-16.18	3	Horizontal	178	2.20
5510MHz	Pass	PK	11.02612G	51.23	74.00	-22.77	3	Horizontal	178	2.20
5550MHz	Pass	AV	5.4596G	42.34	54.00	-11.66	3	Vertical	41	2.82
5550MHz	Pass	AV	5.5448G	98.80	Inf	-Inf	3	Vertical	41	2.82
5550MHz	Pass	PK	5.458G	56.28	74.00	-17.72	3	Vertical	41	2.82
5550MHz	Pass	PK	5.4672G	56.66	68.20	-11.54	3	Vertical	41	2.82
5550MHz	Pass	PK	5.54G	111.94	Inf	-Inf	3	Vertical	41	2.82
5550MHz	Pass	AV	5.46G	42.61	54.00	-11.39	3	Horizontal	42	2.80
5550MHz	Pass	AV	5.5432G	100.28	Inf	-Inf	3	Horizontal	42	2.80
5550MHz	Pass	PK	5.4552G	55.77	74.00	-18.23	3	Horizontal	42	2.80
5550MHz	Pass	PK	5.468G	56.18	68.20	-12.02	3	Horizontal	42	2.80
5550MHz	Pass	PK	5.5408G	113.93	Inf	-Inf	3	Horizontal	42	2.80
5550MHz	Pass	AV	11.10512G	37.85	54.00	-16.15	3	Vertical	304	2.76
5550MHz	Pass	PK	11.09752G	52.01	74.00	-21.99	3	Vertical	304	2.76
5550MHz	Pass	AV	11.10256G	37.88	54.00	-16.12	3	Horizontal	342	1.95
5550MHz	Pass	PK	11.103G	52.42	74.00	-21.58	3	Horizontal	342	1.95
5670MHz	Pass	AV	5.6562G	96.71	Inf	-Inf	3	Vertical	31	1.41
5670MHz	Pass	PK	5.6538G	109.81	Inf	-Inf	3	Vertical	31	1.41
5670MHz	Pass	PK	5.7252G	59.08	68.20	-9.12	3	Vertical	31	1.41
5670MHz	Pass	AV	5.6556G	99.22	Inf	-Inf	3	Horizontal	46	2.90
5670MHz	Pass	PK	5.6682G	112.33	Inf	-Inf	3	Horizontal	46	2.90
5670MHz	Pass	PK	5.7252G	67.09	68.20	-1.11	3	Horizontal	46	2.90
5670MHz	Pass	AV	11.34008G	38.84	54.00	-15.16	3	Vertical	68	1.48
5670MHz	Pass	PK	11.33268G	52.47	74.00	-21.53	3	Vertical	68	1.48
5670MHz	Pass	AV	11.3438G	38.86	54.00	-15.14	3	Horizontal	305	2.26
5670MHz	Pass	PK	11.34648G	52.50	74.00	-21.50	3	Horizontal	305	2.26
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	40.86	54.00	-13.14	3	Vertical	50	2.22
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6956G	96.65	Inf	-Inf	3	Vertical	50	2.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4352G	54.47	74.00	-19.53	3	Vertical	50	2.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	53.44	68.20	-14.76	3	Vertical	50	2.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.698G	109.23	Inf	-Inf	3	Vertical	50	2.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.86G	55.75	68.20	-12.45	3	Vertical	50	2.22
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	41.10	54.00	-12.90	3	Horizontal	46	2.66
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6932G	98.58	Inf	-Inf	3	Horizontal	46	2.66
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4196G	54.88	74.00	-19.12	3	Horizontal	46	2.66
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	54.39	68.20	-13.81	3	Horizontal	46	2.66
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	111.42	Inf	-Inf	3	Horizontal	46	2.66
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.896G	55.99	68.20	-12.21	3	Horizontal	46	2.66
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42032G	38.51	54.00	-15.49	3	Vertical	336	1.68
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42648G	52.89	74.00	-21.11	3	Vertical	336	1.68
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41084G	38.55	54.00	-15.45	3	Horizontal	71	1.48
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41568G	52.37	74.00	-21.63	3	Horizontal	71	1.48
5755MHz	Pass	AV	5.4562G	41.08	54.00	-12.92	3	Vertical	38	2.92
5755MHz	Pass	AV	5.7454G	97.41	Inf	-Inf	3	Vertical	38	2.92
5755MHz	Pass	PK	5.5618G	55.92	68.20	-12.28	3	Vertical	38	2.92
5755MHz	Pass	PK	5.7598G	110.01	Inf	-Inf	3	Vertical	38	2.92
5755MHz	Pass	PK	6.001G	56.09	68.20	-12.11	3	Vertical	38	2.92
5755MHz	Pass	AV	5.4598G	41.01	54.00	-12.99	3	Horizontal	45	2.88



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	AV	5.7682G	99.62	Inf	-Inf	3	Horizontal	45	2.88
5755MHz	Pass	PK	5.611G	57.24	68.20	-10.96	3	Horizontal	45	2.88
5755MHz	Pass	PK	5.7634G	111.73	Inf	-Inf	3	Horizontal	45	2.88
5755MHz	Pass	PK	5.9662G	56.25	68.20	-11.95	3	Horizontal	45	2.88
5755MHz	Pass	AV	11.50676G	38.00	54.00	-16.00	3	Vertical	44	3.00
5755MHz	Pass	PK	11.50842G	51.74	74.00	-22.26	3	Vertical	44	3.00
5755MHz	Pass	AV	11.5121G	38.00	54.00	-16.00	3	Horizontal	360	1.50
5755MHz	Pass	PK	11.5116G	51.07	74.00	-22.93	3	Horizontal	360	1.50
5795MHz	Pass	AV	5.7998G	97.85	Inf	-Inf	3	Vertical	40	2.87
5795MHz	Pass	PK	5.6474G	55.54	68.20	-12.66	3	Vertical	40	2.87
5795MHz	Pass	PK	5.7926G	110.55	Inf	-Inf	3	Vertical	40	2.87
5795MHz	Pass	PK	5.9582G	56.23	68.20	-11.97	3	Vertical	40	2.87
5795MHz	Pass	AV	5.7974G	98.01	Inf	-Inf	3	Horizontal	308	1.05
5795MHz	Pass	PK	5.579G	54.62	68.20	-13.58	3	Horizontal	308	1.05
5795MHz	Pass	PK	5.7998G	110.98	Inf	-Inf	3	Horizontal	308	1.05
5795MHz	Pass	PK	6.047G	56.51	68.20	-11.69	3	Horizontal	308	1.05
5795MHz	Pass	AV	11.5933G	37.65	54.00	-16.35	3	Vertical	170	1.94
5795MHz	Pass	PK	11.58912G	51.76	74.00	-22.24	3	Vertical	170	1.94
5795MHz	Pass	AV	11.59306G	37.64	54.00	-16.36	3	Horizontal	157	1.50
5795MHz	Pass	PK	11.59344G	51.31	74.00	-22.69	3	Horizontal	157	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	51.23	54.00	-2.77	3	Vertical	35	1.05
5210MHz	Pass	AV	5.219G	95.73	Inf	-Inf	3	Vertical	35	1.05
5210MHz	Pass	AV	5.351G	42.24	54.00	-11.76	3	Vertical	35	1.05
5210MHz	Pass	PK	5.149G	64.09	74.00	-9.91	3	Vertical	35	1.05
5210MHz	Pass	PK	5.217G	108.63	Inf	-Inf	3	Vertical	35	1.05
5210MHz	Pass	PK	5.352G	55.59	74.00	-18.41	3	Vertical	35	1.05
5210MHz	Pass	AV	5.148G	53.26	54.00	-0.74	3	Horizontal	43	1.11
5210MHz	Pass	AV	5.223G	96.57	Inf	-Inf	3	Horizontal	43	1.11
5210MHz	Pass	AV	5.35G	42.07	54.00	-11.93	3	Horizontal	43	1.11
5210MHz	Pass	PK	5.149G	66.31	74.00	-7.69	3	Horizontal	43	1.11
5210MHz	Pass	PK	5.241G	109.98	Inf	-Inf	3	Horizontal	43	1.11
5210MHz	Pass	PK	5.351G	55.58	74.00	-18.42	3	Horizontal	43	1.11
5210MHz	Pass	PK	10.42032G	51.74	68.20	-16.46	3	Vertical	262	1.50
5210MHz	Pass	PK	10.42496G	52.00	68.20	-16.20	3	Horizontal	206	1.50
5290MHz	Pass	AV	5.146G	41.74	54.00	-12.26	3	Vertical	36	1.16
5290MHz	Pass	AV	5.276G	95.62	Inf	-Inf	3	Vertical	36	1.16
5290MHz	Pass	AV	5.352G	50.58	54.00	-3.42	3	Vertical	36	1.16
5290MHz	Pass	PK	5.143G	54.33	74.00	-19.67	3	Vertical	36	1.16
5290MHz	Pass	PK	5.286G	108.88	Inf	-Inf	3	Vertical	36	1.16
5290MHz	Pass	PK	5.361G	62.68	74.00	-11.32	3	Vertical	36	1.16
5290MHz	Pass	PK	5.462G	55.32	68.20	-12.88	3	Vertical	36	1.16
5290MHz	Pass	AV	5.15G	41.74	54.00	-12.26	3	Horizontal	39	1.03
5290MHz	Pass	AV	5.278G	96.31	Inf	-Inf	3	Horizontal	39	1.03
5290MHz	Pass	AV	5.351G	51.30	54.00	-2.70	3	Horizontal	39	1.03
5290MHz	Pass	PK	5.142G	54.88	74.00	-19.12	3	Horizontal	39	1.03
5290MHz	Pass	PK	5.28G	109.37	Inf	-Inf	3	Horizontal	39	1.03
5290MHz	Pass	PK	5.353G	63.52	74.00	-10.48	3	Horizontal	39	1.03
5290MHz	Pass	PK	5.481G	55.53	68.20	-12.67	3	Horizontal	39	1.03
5290MHz	Pass	PK	10.5761G	50.96	68.20	-17.24	3	Vertical	229	1.36
5290MHz	Pass	PK	10.581G	52.31	68.20	-15.89	3	Horizontal	339	1.33
5530MHz	Pass	AV	5.35G	40.68	54.00	-13.32	3	Vertical	46	2.94
5530MHz	Pass	AV	5.46G	48.70	54.00	-5.30	3	Vertical	46	2.94
5530MHz	Pass	AV	5.54G	92.71	Inf	-Inf	3	Vertical	46	2.94
5530MHz	Pass	PK	5.316G	54.56	68.20	-13.64	3	Vertical	46	2.94
5530MHz	Pass	PK	5.455G	61.46	74.00	-12.54	3	Vertical	46	2.94
5530MHz	Pass	PK	5.462G	62.08	68.20	-6.12	3	Vertical	46	2.94
5530MHz	Pass	PK	5.545G	106.12	Inf	-Inf	3	Vertical	46	2.94
5530MHz	Pass	PK	5.725G	54.96	68.20	-13.24	3	Vertical	46	2.94
5530MHz	Pass	AV	5.35G	40.85	54.00	-13.15	3	Horizontal	41	2.66
5530MHz	Pass	AV	5.46G	51.81	54.00	-2.19	3	Horizontal	41	2.66
5530MHz	Pass	AV	5.516G	94.04	Inf	-Inf	3	Horizontal	41	2.66




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	PK	5.306G	54.17	68.20	-14.03	3	Horizontal	41	2.66
5530MHz	Pass	PK	5.456G	64.88	74.00	-9.12	3	Horizontal	41	2.66
5530MHz	Pass	PK	5.461G	66.23	68.20	-1.97	3	Horizontal	41	2.66
5530MHz	Pass	PK	5.518G	107.28	Inf	-Inf	3	Horizontal	41	2.66
5530MHz	Pass	PK	5.762G	55.49	68.20	-12.71	3	Horizontal	41	2.66
5530MHz	Pass	AV	11.0575G	37.68	54.00	-16.32	3	Vertical	314	1.50
5530MHz	Pass	PK	11.05844G	51.12	74.00	-22.88	3	Vertical	314	1.50
5530MHz	Pass	AV	11.05578G	37.73	54.00	-16.27	3	Horizontal	104	1.20
5530MHz	Pass	PK	11.0644G	51.04	74.00	-22.96	3	Horizontal	104	1.20
5610MHz	Pass	AV	5.459G	42.31	54.00	-11.69	3	Vertical	26	1.23
5610MHz	Pass	AV	5.624G	94.79	Inf	-Inf	3	Vertical	26	1.23
5610MHz	Pass	PK	5.456G	55.43	74.00	-18.57	3	Vertical	26	1.23
5610MHz	Pass	PK	5.468G	55.88	68.20	-12.32	3	Vertical	26	1.23
5610MHz	Pass	PK	5.619G	107.68	Inf	-Inf	3	Vertical	26	1.23
5610MHz	Pass	PK	5.751G	55.74	68.20	-12.46	3	Vertical	26	1.23
5610MHz	Pass	AV	5.46G	43.31	54.00	-10.69	3	Horizontal	49	2.76
5610MHz	Pass	AV	5.623G	97.17	Inf	-Inf	3	Horizontal	49	2.76
5610MHz	Pass	PK	5.456G	57.20	74.00	-16.80	3	Horizontal	49	2.76
5610MHz	Pass	PK	5.463G	57.01	68.20	-11.19	3	Horizontal	49	2.76
5610MHz	Pass	PK	5.638G	111.21	Inf	-Inf	3	Horizontal	49	2.76
5610MHz	Pass	PK	5.751G	56.86	68.20	-11.34	3	Horizontal	49	2.76
5610MHz	Pass	AV	11.21556G	38.32	54.00	-15.68	3	Vertical	174	2.49
5610MHz	Pass	PK	11.224G	52.05	74.00	-21.95	3	Vertical	174	2.49
5610MHz	Pass	AV	11.2151G	38.36	54.00	-15.64	3	Horizontal	97	1.50
5610MHz	Pass	PK	11.21838G	52.33	74.00	-21.67	3	Horizontal	97	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	40.85	54.00	-13.15	3	Vertical	28	2.69
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	94.10	Inf	-Inf	3	Vertical	28	2.69
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4536G	54.10	74.00	-19.90	3	Vertical	28	2.69
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	54.07	68.20	-14.13	3	Vertical	28	2.69
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6696G	106.82	Inf	-Inf	3	Vertical	28	2.69
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9744G	56.22	68.20	-11.98	3	Vertical	28	2.69
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	40.74	54.00	-13.26	3	Horizontal	307	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6588G	93.68	Inf	-Inf	3	Horizontal	307	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4344G	54.53	74.00	-19.47	3	Horizontal	307	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	54.29	68.20	-13.91	3	Horizontal	307	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6924G	105.83	Inf	-Inf	3	Horizontal	307	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8604G	55.98	68.20	-12.22	3	Horizontal	307	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37624G	38.90	54.00	-15.10	3	Vertical	314	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37836G	52.16	74.00	-21.84	3	Vertical	314	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3755G	38.93	54.00	-15.07	3	Horizontal	64	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37588G	53.12	74.00	-20.88	3	Horizontal	64	1.50
5775MHz	Pass	AV	5.787G	94.65	Inf	-Inf	3	Vertical	36	2.89
5775MHz	Pass	PK	5.6418G	58.18	68.20	-10.02	3	Vertical	36	2.89
5775MHz	Pass	PK	5.787G	107.26	Inf	-Inf	3	Vertical	36	2.89
5775MHz	Pass	PK	5.9442G	56.69	68.20	-11.51	3	Vertical	36	2.89
5775MHz	Pass	AV	5.7882G	96.98	Inf	-Inf	3	Horizontal	37	2.90
5775MHz	Pass	PK	5.6682G	75.37	81.67	-6.30	3	Horizontal	37	2.90
5775MHz	Pass	PK	5.7834G	111.06	Inf	-Inf	3	Horizontal	37	2.90
5775MHz	Pass	PK	5.9514G	56.62	68.20	-11.58	3	Horizontal	37	2.90
5775MHz	Pass	AV	11.54662G	37.92	54.00	-16.08	3	Vertical	272	1.50
5775MHz	Pass	PK	11.54856G	52.05	74.00	-21.95	3	Vertical	272	1.50
5775MHz	Pass	AV	11.54822G	37.96	54.00	-16.04	3	Horizontal	134	1.50
5775MHz	Pass	PK	11.55214G	51.56	74.00	-22.44	3	Horizontal	134	1.50
802.11be EHT160_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	51.70	54.00	-2.30	3	Vertical	39	1.10
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2236G	91.75	Inf	-Inf	3	Vertical	39	1.10
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	50.59	54.00	-3.41	3	Vertical	39	1.10
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1288G	68.17	74.00	-5.83	3	Vertical	39	1.10
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1888G	105.09	Inf	-Inf	3	Vertical	39	1.10
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.352G	68.05	74.00	-5.95	3	Vertical	39	1.10
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4612G	56.80	68.20	-11.40	3	Vertical	39	1.10
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	53.36	54.00	-0.64	3	Horizontal	43	1.30



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.22G	92.23	Inf	-Inf	3	Horizontal	43	1.30
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3508G	50.89	54.00	-3.11	3	Horizontal	43	1.30
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	70.25	74.00	-3.75	3	Horizontal	43	1.30
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2152G	105.88	Inf	-Inf	3	Horizontal	43	1.30
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3712G	71.19	74.00	-2.81	3	Horizontal	43	1.30
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4936G	56.22	68.20	-11.98	3	Horizontal	43	1.30
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.51014G	51.67	68.20	-16.53	3	Vertical	24	2.61
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.51386G	51.03	68.20	-17.17	3	Horizontal	239	1.67
5570MHz	Pass	AV	5.4584G	48.78	54.00	-5.22	3	Vertical	31	1.00
5570MHz	Pass	AV	5.4932G	88.95	Inf	-Inf	3	Vertical	31	1.00
5570MHz	Pass	PK	5.3252G	54.52	68.20	-13.68	3	Vertical	31	1.00
5570MHz	Pass	PK	5.4524G	64.84	74.00	-9.16	3	Vertical	31	1.00
5570MHz	Pass	PK	5.468G	65.49	68.20	-2.71	3	Vertical	31	1.00
5570MHz	Pass	PK	5.5112G	101.82	Inf	-Inf	3	Vertical	31	1.00
5570MHz	Pass	PK	5.7392G	56.10	68.20	-12.10	3	Vertical	31	1.00
5570MHz	Pass	AV	5.4584G	50.16	54.00	-3.84	3	Horizontal	44	2.93
5570MHz	Pass	AV	5.5952G	90.72	Inf	-Inf	3	Horizontal	44	2.93
5570MHz	Pass	PK	5.342G	54.96	68.20	-13.24	3	Horizontal	44	2.93
5570MHz	Pass	PK	5.4596G	66.41	74.00	-7.59	3	Horizontal	44	2.93
5570MHz	Pass	PK	5.4656G	66.76	68.20	-1.44	3	Horizontal	44	2.93
5570MHz	Pass	PK	5.606G	103.92	Inf	-Inf	3	Horizontal	44	2.93
5570MHz	Pass	PK	5.7284G	59.30	68.20	-8.90	3	Horizontal	44	2.93
5570MHz	Pass	AV	11.13508G	38.10	54.00	-15.90	3	Vertical	307	2.55
5570MHz	Pass	PK	11.15068G	52.03	74.00	-21.97	3	Vertical	307	2.55
5570MHz	Pass	AV	11.13532G	38.06	54.00	-15.94	3	Horizontal	86	1.78
5570MHz	Pass	PK	11.13394G	52.23	74.00	-21.77	3	Horizontal	86	1.78


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	51.23	54.00	-2.77	-0.54	3	Vertical	35	1.05	51.77	33.20	4.37	38.11
AV	5.219G	95.73	Inf	-Inf	-0.55	3	Vertical	35	1.05	96.28	33.16	4.41	38.12
AV	5.351G	42.24	54.00	-11.76	-0.58	3	Vertical	35	1.05	42.82	33.00	4.57	38.15
PK	5.149G	64.09	74.00	-9.91	-0.54	3	Vertical	35	1.05	64.63	33.20	4.37	38.11
PK	5.217G	108.63	Inf	-Inf	-0.54	3	Vertical	35	1.05	109.17	33.17	4.41	38.12
PK	5.352G	55.59	74.00	-18.41	-0.58	3	Vertical	35	1.05	56.17	33.00	4.57	38.15

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.26	54.00	-0.74	-0.54	3	Horizontal	43	1.11	53.80	33.20	4.37	38.11
AV	5.223G	96.57	Inf	-Inf	-0.55	3	Horizontal	43	1.11	97.12	33.15	4.42	38.12
AV	5.35G	42.07	54.00	-11.93	-0.58	3	Horizontal	43	1.11	42.65	33.00	4.57	38.15
PK	5.149G	66.31	74.00	-7.69	-0.54	3	Horizontal	43	1.11	66.85	33.20	4.37	38.11
PK	5.241G	109.98	Inf	-Inf	-0.57	3	Horizontal	43	1.11	110.55	33.12	4.44	38.13
PK	5.351G	55.58	74.00	-18.42	-0.58	3	Horizontal	43	1.11	56.16	33.00	4.57	38.15


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	45.23	54.00	-8.77	-0.46	3	Vertical	45	2.71	45.69	33.00	4.72	38.18
AV	5.5024G	101.79	Inf	-Inf	-0.40	3	Vertical	45	2.71	102.19	33.00	4.79	38.19
PK	5.4598G	61.39	74.00	-12.61	-0.46	3	Vertical	45	2.71	61.85	33.00	4.72	38.18
PK	5.4698G	65.55	68.20	-2.65	-0.44	3	Vertical	45	2.71	65.99	33.00	4.74	38.18
PK	5.4948G	114.82	Inf	-Inf	-0.41	3	Vertical	45	2.71	115.23	33.00	4.78	38.19

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	45.49	54.00	-8.51	-0.46	3	Horizontal	44	2.70	45.95	33.00	4.72	38.18
AV	5.4982G	102.92	Inf	-Inf	-0.41	3	Horizontal	44	2.70	103.33	33.00	4.78	38.19
PK	5.4598G	62.76	74.00	-11.24	-0.46	3	Horizontal	44	2.70	63.22	33.00	4.72	38.18
PK	5.47G	67.86	68.20	-0.34	-0.44	3	Horizontal	44	2.70	68.30	33.00	4.74	38.18
PK	5.5034G	115.99	Inf	-Inf	-0.40	3	Horizontal	44	2.70	116.39	33.00	4.79	38.19


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	40.68	54.00	-13.32	-0.58	3	Vertical	46	2.94	41.26	33.00	4.57	38.15
AV	5.46G	48.70	54.00	-5.30	-0.46	3	Vertical	46	2.94	49.16	33.00	4.72	38.18
AV	5.54G	92.71	Inf	-Inf	-0.31	3	Vertical	46	2.94	93.02	33.00	4.85	38.16
PK	5.316G	54.56	68.20	-13.64	-0.69	3	Vertical	46	2.94	55.25	32.93	4.53	38.15
PK	5.455G	61.46	74.00	-12.54	-0.46	3	Vertical	46	2.94	61.92	33.00	4.72	38.18
PK	5.462G	62.08	68.20	-6.12	-0.45	3	Vertical	46	2.94	62.53	33.00	4.73	38.18
PK	5.545G	106.12	Inf	-Inf	-0.31	3	Vertical	46	2.94	106.43	33.00	4.85	38.16
PK	5.725G	54.96	68.20	-13.24	0.65	3	Vertical	46	2.94	54.31	33.70	4.97	38.02

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	40.85	54.00	-13.15	-0.58	3	Horizontal	41	2.66	41.43	33.00	4.57	38.15
AV	5.46G	51.81	54.00	-2.19	-0.46	3	Horizontal	41	2.66	52.27	33.00	4.72	38.18
AV	5.516G	94.04	Inf	-Inf	-0.37	3	Horizontal	41	2.66	94.41	33.00	4.81	38.18
PK	5.306G	54.17	68.20	-14.03	-0.71	3	Horizontal	41	2.66	54.88	32.91	4.52	38.14
PK	5.456G	64.88	74.00	-9.12	-0.46	3	Horizontal	41	2.66	65.34	33.00	4.72	38.18
PK	5.461G	66.23	68.20	-1.97	-0.46	3	Horizontal	41	2.66	66.69	33.00	4.72	38.18
PK	5.518G	107.28	Inf	-Inf	-0.37	3	Horizontal	41	2.66	107.65	33.00	4.81	38.18
PK	5.762G	55.49	68.20	-12.71	0.86	3	Horizontal	41	2.66	54.63	33.87	4.98	37.99


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4462G	41.16	54.00	-12.84	-0.49	3	Vertical	46	2.93	41.65	32.99	4.70	38.18
AV	5.739G	101.89	Inf	-Inf	0.72	3	Vertical	46	2.93	101.17	33.76	4.97	38.01
PK	5.511G	56.05	68.20	-12.15	-0.38	3	Vertical	46	2.93	56.43	33.00	4.80	38.18
PK	5.7498G	112.51	Inf	-Inf	0.78	3	Vertical	46	2.93	111.73	33.80	4.98	38.00
PK	5.9874G	56.58	68.20	-11.62	1.75	3	Vertical	46	2.93	54.83	34.30	5.27	37.82

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4486G	41.18	54.00	-12.82	-0.47	3	Horizontal	45	2.75	41.65	33.00	4.71	38.18
AV	5.7462G	104.41	Inf	-Inf	0.76	3	Horizontal	45	2.75	103.65	33.78	4.98	38.00
PK	5.6358G	56.97	68.20	-11.23	0.00	3	Horizontal	45	2.75	56.97	33.14	4.95	38.09
PK	5.7414G	114.35	Inf	-Inf	0.74	3	Horizontal	45	2.75	113.61	33.77	4.98	38.01
PK	6.0294G	56.49	68.20	-11.71	1.81	3	Horizontal	45	2.75	54.68	34.30	5.30	37.79


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	41.08	54.00	-12.92	-0.46	3	Vertical	38	2.92	41.54	33.00	4.72	38.18
AV	5.7454G	97.41	Inf	-Inf	0.76	3	Vertical	38	2.92	96.65	33.78	4.98	38.00
PK	5.5618G	55.92	68.20	-12.28	-0.26	3	Vertical	38	2.92	56.18	33.00	4.88	38.14
PK	5.7598G	110.01	Inf	-Inf	0.85	3	Vertical	38	2.92	109.16	33.86	4.98	37.99
PK	6.001G	56.09	68.20	-12.11	1.78	3	Vertical	38	2.92	54.31	34.30	5.29	37.81

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	41.01	54.00	-12.99	-0.46	3	Horizontal	45	2.88	41.47	33.00	4.72	38.18
AV	5.7682G	99.62	Inf	-Inf	0.90	3	Horizontal	45	2.88	98.72	33.91	4.98	37.99
PK	5.611G	57.24	68.20	-10.96	-0.13	3	Horizontal	45	2.88	57.37	33.04	4.94	38.11
PK	5.7634G	111.73	Inf	-Inf	0.87	3	Horizontal	45	2.88	110.86	33.88	4.98	37.99
PK	5.9662G	56.25	68.20	-11.95	1.70	3	Horizontal	45	2.88	54.55	34.30	5.24	37.84


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.146G	53.46	54.00	-0.54	3	Horizontal	45	1.01
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX	Pass	AV	5.15G	53.74	54.00	-0.26	3	Horizontal	46	1.08
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	Pass	AV	5.353G	53.88	54.00	-0.12	3	Horizontal	53	2.57
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.461G	67.49	68.20	-0.71	3	Horizontal	41	2.96
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	Pass	PK	5.4692G	68.11	68.20	-0.09	3	Horizontal	51	2.89
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.643G	67.42	68.20	-0.78	3	Horizontal	48	3.00

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	51.78	54.00	-2.22	3	Vertical	38	1.01
5210MHz	Pass	AV	5.196G	96.77	Inf	-Inf	3	Vertical	38	1.01
5210MHz	Pass	AV	5.426G	49.41	54.00	-4.59	3	Vertical	38	1.01
5210MHz	Pass	PK	5.138G	71.64	74.00	-2.36	3	Vertical	38	1.01
5210MHz	Pass	PK	5.196G	108.28	Inf	-Inf	3	Vertical	38	1.01
5210MHz	Pass	PK	5.379G	61.73	74.00	-12.27	3	Vertical	38	1.01
5210MHz	Pass	AV	5.146G	53.46	54.00	-0.54	3	Horizontal	45	1.01
5210MHz	Pass	AV	5.24G	97.82	Inf	-Inf	3	Horizontal	45	1.01
5210MHz	Pass	AV	5.43G	49.43	54.00	-4.57	3	Horizontal	45	1.01
5210MHz	Pass	PK	5.146G	73.45	74.00	-0.55	3	Horizontal	45	1.01
5210MHz	Pass	PK	5.178G	109.17	Inf	-Inf	3	Horizontal	45	1.01
5210MHz	Pass	PK	5.455G	62.02	74.00	-11.98	3	Horizontal	45	1.01
5210MHz	Pass	PK	10.44064G	53.89	68.20	-14.31	3	Vertical	37	1.50
5210MHz	Pass	PK	10.3756G	54.00	68.20	-14.20	3	Horizontal	220	1.45
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.145G	48.63	54.00	-5.37	3	Vertical	40	2.90
5290MHz	Pass	AV	5.26G	97.04	Inf	-Inf	3	Vertical	40	2.90
5290MHz	Pass	AV	5.35G	51.81	54.00	-2.19	3	Vertical	40	2.90
5290MHz	Pass	PK	5.097G	60.38	74.00	-13.62	3	Vertical	40	2.90
5290MHz	Pass	PK	5.26G	108.11	Inf	-Inf	3	Vertical	40	2.90
5290MHz	Pass	PK	5.36G	66.22	74.00	-7.78	3	Vertical	40	2.90
5290MHz	Pass	PK	5.498G	61.38	68.20	-6.82	3	Vertical	40	2.90
5290MHz	Pass	AV	5.15G	48.72	54.00	-5.28	3	Horizontal	53	2.57
5290MHz	Pass	AV	5.261G	98.66	Inf	-Inf	3	Horizontal	53	2.57
5290MHz	Pass	AV	5.353G	53.88	54.00	-0.12	3	Horizontal	53	2.57
5290MHz	Pass	PK	5.118G	60.99	74.00	-13.01	3	Horizontal	53	2.57
5290MHz	Pass	PK	5.253G	110.19	Inf	-Inf	3	Horizontal	53	2.57
5290MHz	Pass	PK	5.361G	71.33	74.00	-2.67	3	Horizontal	53	2.57
5290MHz	Pass	PK	5.532G	61.77	68.20	-6.43	3	Horizontal	53	2.57
5290MHz	Pass	PK	10.61816G	54.07	74.00	-19.93	3	Vertical	294	1.91
5290MHz	Pass	PK	10.6148G	54.34	74.00	-19.66	3	Horizontal	316	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	48.23	54.00	-5.77	3	Vertical	41	3.00
5530MHz	Pass	AV	5.46G	50.15	54.00	-3.85	3	Vertical	41	3.00
5530MHz	Pass	AV	5.517G	93.23	Inf	-Inf	3	Vertical	41	3.00
5530MHz	Pass	PK	5.326G	60.10	68.20	-8.10	3	Vertical	41	3.00
5530MHz	Pass	PK	5.455G	65.02	74.00	-8.98	3	Vertical	41	3.00
5530MHz	Pass	PK	5.469G	64.50	68.20	-3.70	3	Vertical	41	3.00
5530MHz	Pass	PK	5.512G	105.15	Inf	-Inf	3	Vertical	41	3.00
5530MHz	Pass	PK	5.771G	61.88	68.20	-6.32	3	Vertical	41	3.00
5530MHz	Pass	AV	5.35G	48.20	54.00	-5.80	3	Horizontal	41	2.96
5530MHz	Pass	AV	5.46G	51.08	54.00	-2.92	3	Horizontal	41	2.96
5530MHz	Pass	AV	5.518G	94.92	Inf	-Inf	3	Horizontal	41	2.96
5530MHz	Pass	PK	5.313G	60.63	68.20	-7.57	3	Horizontal	41	2.96
5530MHz	Pass	PK	5.456G	68.13	74.00	-5.87	3	Horizontal	41	2.96
5530MHz	Pass	PK	5.461G	67.49	68.20	-0.71	3	Horizontal	41	2.96
5530MHz	Pass	PK	5.506G	105.82	Inf	-Inf	3	Horizontal	41	2.96
5530MHz	Pass	PK	5.732G	62.01	68.20	-6.19	3	Horizontal	41	2.96
5530MHz	Pass	AV	11.11304G	41.44	54.00	-12.56	3	Vertical	80	1.50
5530MHz	Pass	PK	11.08904G	54.23	74.00	-19.77	3	Vertical	80	1.50
5530MHz	Pass	AV	11.10896G	41.38	54.00	-12.62	3	Horizontal	156	1.34
5530MHz	Pass	PK	11.06768G	54.20	74.00	-19.80	3	Horizontal	156	1.34
5610MHz	Pass	AV	5.459G	49.02	54.00	-4.98	3	Vertical	59	1.01
5610MHz	Pass	AV	5.601G	98.04	Inf	-Inf	3	Vertical	59	1.01
5610MHz	Pass	PK	5.444G	61.47	74.00	-12.53	3	Vertical	59	1.01
5610MHz	Pass	PK	5.469G	61.64	68.20	-6.56	3	Vertical	59	1.01
5610MHz	Pass	PK	5.637G	109.05	Inf	-Inf	3	Vertical	59	1.01
5610MHz	Pass	PK	5.83G	62.68	68.20	-5.52	3	Vertical	59	1.01
5610MHz	Pass	AV	5.46G	49.27	54.00	-4.73	3	Horizontal	50	2.91
5610MHz	Pass	AV	5.641G	99.66	Inf	-Inf	3	Horizontal	50	2.91

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	PK	5.438G	61.04	74.00	-12.96	3	Horizontal	50	2.91
5610MHz	Pass	PK	5.47G	62.81	68.20	-5.39	3	Horizontal	50	2.91
5610MHz	Pass	PK	5.64G	111.94	Inf	-Inf	3	Horizontal	50	2.91
5610MHz	Pass	PK	5.857G	62.44	68.20	-5.76	3	Horizontal	50	2.91
5610MHz	Pass	AV	11.27328G	41.79	54.00	-12.21	3	Vertical	217	1.50
5610MHz	Pass	PK	11.24976G	54.57	74.00	-19.43	3	Vertical	217	1.50
5610MHz	Pass	AV	11.27256G	41.76	54.00	-12.24	3	Horizontal	317	2.68
5610MHz	Pass	PK	11.26176G	54.32	74.00	-19.68	3	Horizontal	317	2.68
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	48.64	54.00	-5.36	3	Vertical	59	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6612G	96.64	Inf	-Inf	3	Vertical	59	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4044G	60.70	74.00	-13.30	3	Vertical	59	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	60.04	68.20	-8.16	3	Vertical	59	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6768G	107.27	Inf	-Inf	3	Vertical	59	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9396G	63.34	68.20	-4.86	3	Vertical	59	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	48.69	54.00	-5.31	3	Horizontal	47	2.82
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.66G	99.35	Inf	-Inf	3	Horizontal	47	2.82
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4236G	60.68	74.00	-13.32	3	Horizontal	47	2.82
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	60.11	68.20	-8.09	3	Horizontal	47	2.82
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6732G	110.52	Inf	-Inf	3	Horizontal	47	2.82
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8904G	62.79	68.20	-5.41	3	Horizontal	47	2.82
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.4364G	42.24	54.00	-11.76	3	Vertical	171	2.63
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.32408G	55.18	74.00	-18.82	3	Vertical	171	2.63
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.43952G	42.24	54.00	-11.76	3	Horizontal	105	2.63
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40952G	55.09	74.00	-18.91	3	Horizontal	105	2.63
5775MHz	Pass	AV	5.8038G	98.00	Inf	-Inf	3	Vertical	56	2.15
5775MHz	Pass	PK	5.6502G	62.61	68.35	-5.74	3	Vertical	56	2.15
5775MHz	Pass	PK	5.8014G	109.81	Inf	-Inf	3	Vertical	56	2.15
5775MHz	Pass	PK	5.937G	62.77	68.20	-5.43	3	Vertical	56	2.15
5775MHz	Pass	AV	5.8062G	100.10	Inf	-Inf	3	Horizontal	48	3.00
5775MHz	Pass	PK	5.643G	67.42	68.20	-0.78	3	Horizontal	48	3.00
5775MHz	Pass	PK	5.7954G	111.34	Inf	-Inf	3	Horizontal	48	3.00
5775MHz	Pass	PK	6.027G	62.54	68.20	-5.66	3	Horizontal	48	3.00
5775MHz	Pass	AV	11.52576G	42.40	54.00	-11.60	3	Vertical	0	1.50
5775MHz	Pass	PK	11.5608G	55.22	74.00	-18.78	3	Vertical	0	1.50
5775MHz	Pass	AV	11.52912G	42.40	54.00	-11.60	3	Horizontal	0	1.94
5775MHz	Pass	PK	11.50992G	55.13	74.00	-18.87	3	Horizontal	0	1.94
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1492G	51.91	54.00	-2.09	3	Vertical	40	1.03
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.226G	93.95	Inf	-Inf	3	Vertical	40	1.03
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3508G	50.72	54.00	-3.28	3	Vertical	40	1.03
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1492G	65.76	74.00	-8.24	3	Vertical	40	1.03
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1864G	105.69	Inf	-Inf	3	Vertical	40	1.03
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3508G	63.07	74.00	-10.93	3	Vertical	40	1.03
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.502G	61.22	68.20	-6.98	3	Vertical	40	1.03
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.15G	53.74	54.00	-0.26	3	Horizontal	46	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2248G	94.25	Inf	-Inf	3	Horizontal	46	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3508G	51.54	54.00	-2.46	3	Horizontal	46	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1432G	68.15	74.00	-5.85	3	Horizontal	46	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2224G	105.72	Inf	-Inf	3	Horizontal	46	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.376G	66.26	74.00	-7.74	3	Horizontal	46	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5464G	61.40	68.20	-6.80	3	Horizontal	46	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.5936G	54.21	68.20	-13.99	3	Vertical	237	1.29
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.52832G	54.70	68.20	-13.50	3	Horizontal	167	2.13
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1444G	51.04	54.00	-2.96	3	Vertical	38	1.05
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2236G	94.02	Inf	-Inf	3	Vertical	38	1.05
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.35G	49.74	54.00	-4.26	3	Vertical	38	1.05
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1384G	70.46	74.00	-3.54	3	Vertical	38	1.05
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2344G	105.15	Inf	-Inf	3	Vertical	38	1.05
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3532G	61.51	74.00	-12.49	3	Vertical	38	1.05
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5128G	61.25	68.20	-6.95	3	Vertical	38	1.05
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.15G	51.92	54.00	-2.08	3	Horizontal	39	1.08

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.226G	94.17	Inf	-Inf	3	Horizontal	39	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3508G	49.90	54.00	-4.10	3	Horizontal	39	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1408G	72.96	74.00	-1.04	3	Horizontal	39	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.22G	105.82	Inf	-Inf	3	Horizontal	39	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.358G	61.92	74.00	-12.08	3	Horizontal	39	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5068G	62.36	68.20	-5.84	3	Horizontal	39	1.08
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.6056G	54.22	74.00	-19.78	3	Vertical	244	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.56192G	54.70	68.20	-13.50	3	Horizontal	346	1.54
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4596G	50.64	54.00	-3.36	3	Vertical	44	2.83
5570MHz	Pass	AV	5.5076G	91.72	Inf	-Inf	3	Vertical	44	2.83
5570MHz	Pass	PK	5.3372G	61.07	68.20	-7.13	3	Vertical	44	2.83
5570MHz	Pass	PK	5.4344G	62.08	74.00	-11.92	3	Vertical	44	2.83
5570MHz	Pass	PK	5.4688G	64.54	68.20	-3.66	3	Vertical	44	2.83
5570MHz	Pass	PK	5.5124G	102.98	Inf	-Inf	3	Vertical	44	2.83
5570MHz	Pass	PK	5.8496G	62.76	68.20	-5.44	3	Vertical	44	2.83
5570MHz	Pass	AV	5.456G	53.56	54.00	-0.44	3	Horizontal	51	3.00
5570MHz	Pass	AV	5.6336G	94.03	Inf	-Inf	3	Horizontal	51	3.00
5570MHz	Pass	PK	5.324G	60.92	68.20	-7.28	3	Horizontal	51	3.00
5570MHz	Pass	PK	5.456G	68.22	74.00	-5.78	3	Horizontal	51	3.00
5570MHz	Pass	PK	5.4692G	67.93	68.20	-0.27	3	Horizontal	51	3.00
5570MHz	Pass	PK	5.6312G	105.32	Inf	-Inf	3	Horizontal	51	3.00
5570MHz	Pass	PK	5.7536G	62.80	68.20	-5.40	3	Horizontal	51	3.00
5570MHz	Pass	AV	11.26G	41.77	54.00	-12.23	3	Vertical	256	1.50
5570MHz	Pass	PK	11.23264G	54.55	74.00	-19.45	3	Vertical	256	1.50
5570MHz	Pass	AV	11.25952G	41.71	54.00	-12.29	3	Horizontal	247	1.39
5570MHz	Pass	PK	11.22256G	54.01	74.00	-19.99	3	Horizontal	247	1.39
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4596G	49.73	54.00	-4.27	3	Vertical	302	1.07
5570MHz	Pass	AV	5.4944G	90.70	Inf	-Inf	3	Vertical	302	1.07
5570MHz	Pass	PK	5.2844G	60.48	68.20	-7.72	3	Vertical	302	1.07
5570MHz	Pass	PK	5.4584G	63.36	74.00	-10.64	3	Vertical	302	1.07
5570MHz	Pass	PK	5.4692G	64.26	68.20	-3.94	3	Vertical	302	1.07
5570MHz	Pass	PK	5.4944G	101.50	Inf	-Inf	3	Vertical	302	1.07
5570MHz	Pass	PK	5.8676G	62.92	68.20	-5.28	3	Vertical	302	1.07
5570MHz	Pass	AV	5.456G	51.09	54.00	-2.91	3	Horizontal	51	2.89
5570MHz	Pass	AV	5.6336G	93.45	Inf	-Inf	3	Horizontal	51	2.89
5570MHz	Pass	PK	5.288G	60.38	68.20	-7.82	3	Horizontal	51	2.89
5570MHz	Pass	PK	5.4572G	66.83	74.00	-7.17	3	Horizontal	51	2.89
5570MHz	Pass	PK	5.4692G	68.11	68.20	-0.09	3	Horizontal	51	2.89
5570MHz	Pass	PK	5.6432G	104.95	Inf	-Inf	3	Horizontal	51	2.89
5570MHz	Pass	PK	5.7704G	62.39	68.20	-5.81	3	Horizontal	51	2.89
5570MHz	Pass	AV	11.26G	41.70	54.00	-12.30	3	Vertical	356	1.50
5570MHz	Pass	PK	11.11888G	54.65	74.00	-19.35	3	Vertical	356	1.50
5570MHz	Pass	AV	11.25904G	41.68	54.00	-12.32	3	Horizontal	72	1.50
5570MHz	Pass	PK	11.0248G	55.41	74.00	-18.59	3	Horizontal	72	1.50


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	48.23	54.00	-5.77	6.08	3	Vertical	41	3.00	42.15	33.00	8.14	35.06
AV	5.46G	50.15	54.00	-3.85	6.36	3	Vertical	41	3.00	43.79	33.20	8.24	35.08
AV	5.517G	93.23	Inf	-Inf	6.42	3	Vertical	41	3.00	86.81	33.23	8.28	35.09
PK	5.326G	60.10	68.20	-8.10	6.11	3	Vertical	41	3.00	53.99	33.05	8.12	35.06
PK	5.455G	65.02	74.00	-8.98	6.36	3	Vertical	41	3.00	58.66	33.20	8.24	35.08
PK	5.469G	64.50	68.20	-3.70	6.36	3	Vertical	41	3.00	58.14	33.20	8.24	35.08
PK	5.512G	105.15	Inf	-Inf	6.40	3	Vertical	41	3.00	98.75	33.22	8.27	35.09
PK	5.771G	61.88	68.20	-6.32	7.59	3	Vertical	41	3.00	54.29	34.13	8.58	35.12

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	48.20	54.00	-5.80	6.08	3	Horizontal	41	2.96	42.12	33.00	8.14	35.06
AV	5.46G	51.08	54.00	-2.92	6.36	3	Horizontal	41	2.96	44.72	33.20	8.24	35.08
AV	5.518G	94.92	Inf	-Inf	6.43	3	Horizontal	41	2.96	88.49	33.24	8.28	35.09
PK	5.313G	60.63	68.20	-7.57	6.11	3	Horizontal	41	2.96	54.52	33.07	8.10	35.06
PK	5.456G	68.13	74.00	-5.87	6.36	3	Horizontal	41	2.96	61.77	33.20	8.24	35.08
PK	5.461G	67.49	68.20	-0.71	6.36	3	Horizontal	41	2.96	61.13	33.20	8.24	35.08
PK	5.506G	105.82	Inf	-Inf	6.39	3	Horizontal	41	2.96	99.43	33.21	8.27	35.09
PK	5.732G	62.01	68.20	-6.19	7.30	3	Horizontal	41	2.96	54.71	33.89	8.52	35.11


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8038G	98.00	Inf	-Inf	7.81	3	Vertical	56	2.15	90.19	34.31	8.62	35.12
PK	5.6502G	62.61	68.35	-5.74	6.79	3	Vertical	56	2.15	55.82	33.50	8.40	35.11
PK	5.8014G	109.81	Inf	-Inf	7.80	3	Vertical	56	2.15	102.01	34.30	8.62	35.12
PK	5.937G	62.77	68.20	-5.43	7.94	3	Vertical	56	2.15	54.83	34.43	8.64	35.13

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8062G	100.10	Inf	-Inf	7.81	3	Horizontal	48	3.00	92.29	34.31	8.62	35.12
PK	5.643G	67.42	68.20	-0.78	6.76	3	Horizontal	48	3.00	60.66	33.47	8.39	35.10
PK	5.7954G	111.34	Inf	-Inf	7.76	3	Horizontal	48	3.00	103.58	34.27	8.61	35.12
PK	6.027G	62.54	68.20	-5.66	7.81	3	Horizontal	48	3.00	54.73	34.30	8.66	35.15


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	QP	33.98M	36.33	40.00	-3.67	3	Vertical	34	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5785MHz	Pass	PK	90.14M	27.20	43.50	-16.30	3	Vertical	360	1.00
5785MHz	Pass	PK	165.8M	28.09	43.50	-15.41	3	Vertical	360	1.00
5785MHz	Pass	PK	243.4M	34.20	46.00	-11.80	3	Vertical	360	1.00
5785MHz	Pass	PK	441.28M	24.31	46.00	-21.69	3	Vertical	360	1.00
5785MHz	Pass	PK	515M	35.81	46.00	-10.19	3	Vertical	360	1.00
5785MHz	Pass	QP	33.98M	36.33	40.00	-3.67	3	Vertical	34	1.00
5785MHz	Pass	PK	33.88M	27.72	40.00	-12.28	3	Horizontal	0	1.00
5785MHz	Pass	PK	95.96M	25.20	43.50	-18.30	3	Horizontal	0	1.00
5785MHz	Pass	PK	152.22M	25.41	43.50	-18.09	3	Horizontal	0	1.00
5785MHz	Pass	PK	243.4M	38.33	46.00	-7.67	3	Horizontal	0	1.00
5785MHz	Pass	PK	352.04M	24.57	46.00	-21.43	3	Horizontal	0	1.00
5785MHz	Pass	PK	515M	33.98	46.00	-12.02	3	Horizontal	0	1.00

5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX


5785MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	90.14M	27.20	43.50	-16.30	-12.18	3	Vertical	360	1.00	39.38	14.35	0.72	27.25
PK	165.8M	28.09	43.50	-15.41	-11.01	3	Vertical	360	1.00	39.10	14.98	0.97	26.96
PK	243.4M	34.20	46.00	-11.80	-8.62	3	Vertical	360	1.00	42.82	16.80	1.19	26.61
PK	441.28M	24.31	46.00	-21.69	-4.55	3	Vertical	360	1.00	28.86	21.55	1.59	27.69
PK	515M	35.81	46.00	-10.19	-3.78	3	Vertical	360	1.00	39.59	22.62	1.71	28.11
QP	33.98M	36.33	40.00	-3.67	-5.99	3	Vertical	34	1.00	42.32	20.95	0.44	27.38

5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5785MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	27.72	40.00	-12.28	-5.95	3	Horizontal	0	1.00	33.67	20.99	0.44	27.38
PK	95.96M	25.20	43.50	-18.30	-11.25	3	Horizontal	0	1.00	36.45	15.25	0.74	27.24
PK	152.22M	25.41	43.50	-18.09	-10.59	3	Horizontal	0	1.00	36.00	15.50	0.93	27.02
PK	243.4M	38.33	46.00	-7.67	-8.62	3	Horizontal	0	1.00	46.95	16.80	1.19	26.61
PK	352.04M	24.57	46.00	-21.43	-5.92	3	Horizontal	0	1.00	30.49	19.60	1.43	26.95
PK	515M	33.98	46.00	-12.02	-3.78	3	Horizontal	0	1.00	37.76	22.62	1.71	28.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	5.1496G	53.36	54.00	-0.64	3	Horizontal	323	2.70
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	5.35G	53.16	54.00	-0.84	3	Horizontal	326	2.55
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	PK	5.4686G	67.84	68.20	-0.36	3	Horizontal	310	2.82
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	PK	5.9834G	56.95	68.20	-11.25	3	Horizontal	312	3.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	52.95	54.00	-1.05	3	Horizontal	323	2.63
5180MHz	Pass	AV	5.1814G	100.98	Inf	-Inf	3	Horizontal	323	2.63
5180MHz	Pass	PK	5.1444G	69.17	74.00	-4.83	3	Horizontal	323	2.63
5180MHz	Pass	PK	5.183G	110.80	Inf	-Inf	3	Horizontal	323	2.63
5180MHz	Pass	PK	10.3567G	51.33	68.20	-16.87	3	Vertical	24	1.50
5180MHz	Pass	PK	10.35508G	51.12	68.20	-17.08	3	Horizontal	161	1.50
5200MHz	Pass	AV	5.1496G	53.36	54.00	-0.64	3	Horizontal	323	2.70
5200MHz	Pass	AV	5.198G	103.50	Inf	-Inf	3	Horizontal	323	2.70
5200MHz	Pass	PK	5.148G	68.07	74.00	-5.93	3	Horizontal	323	2.70
5200MHz	Pass	PK	5.1972G	113.10	Inf	-Inf	3	Horizontal	323	2.70
5200MHz	Pass	PK	10.4012G	50.73	68.20	-17.47	3	Vertical	355	1.50
5200MHz	Pass	PK	10.40396G	50.73	68.20	-17.47	3	Horizontal	357	1.49
5240MHz	Pass	AV	5.15G	42.67	54.00	-11.33	3	Horizontal	327	2.54
5240MHz	Pass	AV	5.2388G	102.77	Inf	-Inf	3	Horizontal	327	2.54
5240MHz	Pass	AV	5.35G	41.96	54.00	-12.04	3	Horizontal	327	2.54
5240MHz	Pass	PK	5.1446G	55.29	74.00	-18.71	3	Horizontal	327	2.54
5240MHz	Pass	PK	5.2406G	112.51	Inf	-Inf	3	Horizontal	327	2.54
5240MHz	Pass	PK	5.3612G	54.35	74.00	-19.65	3	Horizontal	327	2.54
5240MHz	Pass	PK	10.47196G	50.74	68.20	-17.46	3	Vertical	345	1.50
5240MHz	Pass	PK	10.48412G	50.93	68.20	-17.27	3	Horizontal	353	2.94
5260MHz	Pass	AV	5.1496G	41.36	54.00	-12.64	3	Horizontal	325	2.69
5260MHz	Pass	AV	5.2612G	102.82	Inf	-Inf	3	Horizontal	325	2.69
5260MHz	Pass	AV	5.3512G	42.27	54.00	-11.73	3	Horizontal	325	2.69
5260MHz	Pass	PK	5.1382G	53.61	74.00	-20.39	3	Horizontal	325	2.69
5260MHz	Pass	PK	5.257G	112.48	Inf	-Inf	3	Horizontal	325	2.69
5260MHz	Pass	PK	5.35G	54.84	74.00	-19.16	3	Horizontal	325	2.69
5260MHz	Pass	PK	10.51988G	51.48	68.20	-16.72	3	Vertical	37	2.30
5260MHz	Pass	PK	10.52248G	51.25	68.20	-16.95	3	Horizontal	117	1.19
5300MHz	Pass	AV	5.3024G	103.25	Inf	-Inf	3	Horizontal	325	2.78
5300MHz	Pass	AV	5.35G	51.90	54.00	-2.10	3	Horizontal	325	2.78
5300MHz	Pass	PK	5.2956G	113.26	Inf	-Inf	3	Horizontal	325	2.78
5300MHz	Pass	PK	5.3508G	69.81	74.00	-4.19	3	Horizontal	325	2.78
5300MHz	Pass	PK	10.59228G	51.43	68.20	-16.77	3	Vertical	104	2.94
5300MHz	Pass	PK	10.59208G	51.79	68.20	-16.41	3	Horizontal	68	2.73
5320MHz	Pass	AV	5.3216G	101.16	Inf	-Inf	3	Horizontal	326	2.55
5320MHz	Pass	AV	5.35G	53.16	54.00	-0.84	3	Horizontal	326	2.55
5320MHz	Pass	PK	5.3188G	110.90	Inf	-Inf	3	Horizontal	326	2.55
5320MHz	Pass	PK	5.35G	70.96	74.00	-3.04	3	Horizontal	326	2.55
5320MHz	Pass	AV	10.64948G	39.60	54.00	-14.40	3	Vertical	90	1.74
5320MHz	Pass	PK	10.64484G	53.31	74.00	-20.69	3	Vertical	90	1.74
5320MHz	Pass	AV	10.65G	39.51	54.00	-14.49	3	Horizontal	109	1.50
5320MHz	Pass	PK	10.63328G	51.98	74.00	-22.02	3	Horizontal	109	1.50
5500MHz	Pass	AV	5.4598G	43.36	54.00	-10.64	3	Horizontal	310	2.82
5500MHz	Pass	AV	5.4974G	100.56	Inf	-Inf	3	Horizontal	310	2.82
5500MHz	Pass	PK	5.4576G	64.46	74.00	-9.54	3	Horizontal	310	2.82
5500MHz	Pass	PK	5.4686G	67.84	68.20	-0.36	3	Horizontal	310	2.82
5500MHz	Pass	PK	5.5044G	110.54	Inf	-Inf	3	Horizontal	310	2.82
5500MHz	Pass	AV	11.00888G	38.67	54.00	-15.33	3	Vertical	292	2.42
5500MHz	Pass	PK	10.99492G	51.06	74.00	-22.94	3	Vertical	292	2.42
5500MHz	Pass	AV	11.0072G	38.67	54.00	-15.33	3	Horizontal	29	1.50
5500MHz	Pass	PK	10.99564G	51.08	74.00	-22.92	3	Horizontal	29	1.50
5580MHz	Pass	AV	5.4552G	41.48	54.00	-12.52	3	Horizontal	329	2.77
5580MHz	Pass	AV	5.5782G	102.79	Inf	-Inf	3	Horizontal	329	2.77
5580MHz	Pass	PK	5.457G	53.52	74.00	-20.48	3	Horizontal	329	2.77
5580MHz	Pass	PK	5.4678G	53.64	68.20	-14.56	3	Horizontal	329	2.77
5580MHz	Pass	PK	5.5848G	112.72	Inf	-Inf	3	Horizontal	329	2.77
5580MHz	Pass	PK	5.7264G	53.00	68.20	-15.20	3	Horizontal	329	2.77
5580MHz	Pass	AV	11.1502G	39.72	54.00	-14.28	3	Vertical	317	2.99
5580MHz	Pass	PK	11.15612G	51.96	74.00	-22.04	3	Vertical	317	2.99
5580MHz	Pass	AV	11.16764G	39.66	54.00	-14.34	3	Horizontal	319	1.50




RSE TX above 1GHz Non-Beamforming_Radio 3_AP66_Full RU

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.15072G	52.26	74.00	-21.74	3	Horizontal	319	1.50
5700MHz	Pass	AV	5.6972G	99.61	Inf	-Inf	3	Horizontal	311	2.95
5700MHz	Pass	PK	5.7G	109.40	Inf	-Inf	3	Horizontal	311	2.95
5700MHz	Pass	PK	5.7272G	67.30	68.20	-0.90	3	Horizontal	311	2.95
5700MHz	Pass	AV	11.39148G	39.24	54.00	-14.76	3	Vertical	346	2.02
5700MHz	Pass	PK	11.40816G	52.05	74.00	-21.95	3	Vertical	346	2.02
5700MHz	Pass	AV	11.40616G	39.23	54.00	-14.77	3	Horizontal	167	1.50
5700MHz	Pass	PK	11.40612G	51.90	74.00	-22.10	3	Horizontal	167	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	40.98	54.00	-13.02	3	Horizontal	310	2.11
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	104.05	Inf	-Inf	3	Horizontal	310	2.11
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4416G	53.08	74.00	-20.92	3	Horizontal	310	2.11
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	51.90	68.20	-16.30	3	Horizontal	310	2.11
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	113.05	Inf	-Inf	3	Horizontal	310	2.11
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8832G	56.80	68.20	-11.40	3	Horizontal	310	2.11
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43568G	38.69	54.00	-15.31	3	Vertical	146	2.33
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43644G	51.49	74.00	-22.51	3	Vertical	146	2.33
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43568G	38.69	54.00	-15.31	3	Horizontal	280	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43748G	51.29	74.00	-22.71	3	Horizontal	280	1.50
5745MHz	Pass	AV	5.4558G	41.15	54.00	-12.85	3	Horizontal	305	2.21
5745MHz	Pass	AV	5.7462G	104.49	Inf	-Inf	3	Horizontal	305	2.21
5745MHz	Pass	PK	5.5878G	54.24	68.20	-13.96	3	Horizontal	305	2.21
5745MHz	Pass	PK	5.739G	113.58	Inf	-Inf	3	Horizontal	305	2.21
5745MHz	Pass	PK	6.021G	56.34	68.20	-11.86	3	Horizontal	305	2.21
5745MHz	Pass	AV	11.48304G	38.74	54.00	-15.26	3	Vertical	36	2.13
5745MHz	Pass	PK	11.48028G	50.96	74.00	-23.04	3	Vertical	36	2.13
5745MHz	Pass	AV	11.48644G	38.66	54.00	-15.34	3	Horizontal	308	1.50
5745MHz	Pass	PK	11.487G	51.30	74.00	-22.70	3	Horizontal	308	1.50
5785MHz	Pass	AV	5.78613G	105.35	Inf	-Inf	3	Horizontal	306	3.00
5785MHz	Pass	PK	5.63246G	54.74	68.20	-13.46	3	Horizontal	306	3.00
5785MHz	Pass	PK	5.78855G	114.67	Inf	-Inf	3	Horizontal	306	3.00
5785MHz	Pass	PK	5.94464G	56.19	68.20	-12.01	3	Horizontal	306	3.00
5785MHz	Pass	AV	11.56404G	38.98	54.00	-15.02	3	Vertical	356	1.50
5785MHz	Pass	PK	11.56128G	51.11	74.00	-22.89	3	Vertical	356	1.50
5785MHz	Pass	AV	11.5634G	38.98	54.00	-15.02	3	Horizontal	11	1.50
5785MHz	Pass	PK	11.56068G	50.87	74.00	-23.13	3	Horizontal	11	1.50
5825MHz	Pass	AV	5.8274G	105.34	Inf	-Inf	3	Horizontal	312	3.00
5825MHz	Pass	PK	5.5538G	54.50	68.20	-13.70	3	Horizontal	312	3.00
5825MHz	Pass	PK	5.8262G	114.84	Inf	-Inf	3	Horizontal	312	3.00
5825MHz	Pass	PK	5.9834G	56.95	68.20	-11.25	3	Horizontal	312	3.00
5825MHz	Pass	AV	11.6598G	38.93	54.00	-15.07	3	Vertical	2	1.50
5825MHz	Pass	PK	11.6508G	51.16	74.00	-22.84	3	Vertical	2	1.50
5825MHz	Pass	AV	11.6598G	38.93	54.00	-15.07	3	Horizontal	304	2.11
5825MHz	Pass	PK	11.65676G	51.14	74.00	-22.86	3	Horizontal	304	2.11


5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX

5200MHz_TX




5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX

5200MHz_TX




5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX

5200MHz_TX




5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX

5320MHz_TX



5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4598G	43.36	54.00	-10.64	-0.46	3	Horizontal	310	2.82	43.82	33.00	4.72	38.18				
AV	5.4974G	100.56	Inf	-Inf	-0.41	3	Horizontal	310	2.82	100.97	33.00	4.78	38.19				
PK	5.4576G	64.46	74.00	-9.54	-0.46	3	Horizontal	310	2.82	64.92	33.00	4.72	38.18				
PK	5.4686G	67.84	68.20	-0.36	-0.44	3	Horizontal	310	2.82	68.28	33.00	4.74	38.18				
PK	5.5044G	110.54	Inf	-Inf	-0.40	3	Horizontal	310	2.82	110.94	33.00	4.79	38.19				

5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	11.00888G	38.67	54.00	-15.33	9.20	3	Vertical	292	2.42	29.47	38.98	7.89	37.67				
PK	10.99492G	51.06	74.00	-22.94	9.23	3	Vertical	292	2.42	41.83	39.01	7.89	37.67				


5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX

5500MHz_TX




5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5825MHz_TX




5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5825MHz_TX



5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5825MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	41.64M	36.88	40.00	-3.12	3	Horizontal	0	1.00

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_PoE	Pass	PK	30M	36.35	40.00	-3.65	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	41.64M	36.42	40.00	-3.58	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	95.96M	37.11	43.50	-6.39	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	274.44M	31.35	46.00	-14.65	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	385.02M	27.27	46.00	-18.73	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	483.96M	30.25	46.00	-15.75	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	41.64M	36.88	40.00	-3.12	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	95.96M	37.05	43.50	-6.45	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	165.8M	27.25	43.50	-16.25	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	274.44M	31.16	46.00	-14.84	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	385.02M	27.83	46.00	-18.17	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	482.02M	30.49	46.00	-15.51	3	Horizontal	0	1.00

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	36.35	40.00	-3.65	-19.80	3	Vertical	360	1.00	56.15	23.79	0.78	44.37
PK	41.64M	36.42	40.00	-3.58	-24.75	3	Vertical	360	1.00	61.17	18.98	0.84	44.57
PK	95.96M	37.11	43.50	-6.39	-27.50	3	Vertical	360	1.00	64.61	15.90	1.14	44.54
PK	274.44M	31.35	46.00	-14.65	-23.32	3	Vertical	360	1.00	54.67	19.07	1.90	44.29
PK	385.02M	27.27	46.00	-18.73	-20.30	3	Vertical	360	1.00	47.57	21.57	2.24	44.11
PK	483.96M	30.25	46.00	-15.75	-17.40	3	Vertical	360	1.00	47.65	24.02	2.57	43.99

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	41.64M	36.88	40.00	-3.12	-24.75	3	Horizontal	0	1.00	61.63	18.98	0.84	44.57
PK	95.96M	37.05	43.50	-6.45	-27.50	3	Horizontal	0	1.00	64.55	15.90	1.14	44.54
PK	165.8M	27.25	43.50	-16.25	-26.72	3	Horizontal	0	1.00	53.97	16.32	1.48	44.52
PK	274.44M	31.16	46.00	-14.84	-23.32	3	Horizontal	0	1.00	54.48	19.07	1.90	44.29
PK	385.02M	27.83	46.00	-18.17	-20.30	3	Horizontal	0	1.00	48.13	21.57	2.24	44.11
PK	482.02M	30.49	46.00	-15.51	-17.48	3	Horizontal	0	1.00	47.97	23.95	2.56	43.99

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	51.84	54.00	-2.16	3	Horizontal	0	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.37	54.00	-1.63	3	Horizontal	360	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.76	54.00	-0.24	3	Horizontal	360	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.148G	53.54	54.00	-0.46	3	Horizontal	359	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3602G	51.77	54.00	-2.23	3	Horizontal	0	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3604G	53.16	54.00	-0.84	3	Horizontal	360	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3504G	53.97	54.00	-0.03	3	Horizontal	359	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.78	54.00	-0.22	3	Vertical	357	1.55
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.07	54.00	-0.93	3	Horizontal	360	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7252G	67.75	68.20	-0.45	3	Horizontal	360	1.58
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.4598G	53.32	54.00	-0.68	3	Horizontal	1	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	68.14	68.20	-0.06	3	Horizontal	1	1.59
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.455G	53.24	54.00	-0.76	3	Horizontal	0	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.4596G	52.33	54.00	-1.67	3	Horizontal	0	1.48
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.4534G	49.17	54.00	-4.83	3	Horizontal	3	1.63
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.4486G	49.17	54.00	-4.83	3	Horizontal	3	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.4586G	49.47	54.00	-4.53	3	Horizontal	360	1.49
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.6442G	65.54	68.20	-2.66	3	Horizontal	0	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1486G	51.34	54.00	-2.66	3	Vertical	360	1.50
5180MHz	Pass	AV	5.183G	109.34	Inf	-Inf	3	Vertical	360	1.50
5180MHz	Pass	PK	5.1386G	64.74	74.00	-9.26	3	Vertical	360	1.50
5180MHz	Pass	PK	5.1832G	118.23	Inf	-Inf	3	Vertical	360	1.50
5180MHz	Pass	AV	5.15G	51.84	54.00	-2.16	3	Horizontal	0	1.50
5180MHz	Pass	AV	5.1856G	110.47	Inf	-Inf	3	Horizontal	0	1.50
5180MHz	Pass	PK	5.14G	64.93	74.00	-9.07	3	Horizontal	0	1.50
5180MHz	Pass	PK	5.181G	119.31	Inf	-Inf	3	Horizontal	0	1.50
5180MHz	Pass	PK	10.36882G	57.14	68.20	-11.06	3	Vertical	59	1.58
5180MHz	Pass	PK	10.3615G	58.77	68.20	-9.43	3	Horizontal	355	1.30
5200MHz	Pass	AV	5.15G	49.99	54.00	-4.01	3	Vertical	357	1.50
5200MHz	Pass	AV	5.2032G	109.80	Inf	-Inf	3	Vertical	357	1.50
5200MHz	Pass	PK	5.122G	62.18	74.00	-11.82	3	Vertical	357	1.50
5200MHz	Pass	PK	5.1932G	118.22	Inf	-Inf	3	Vertical	357	1.50
5200MHz	Pass	AV	5.15G	50.16	54.00	-3.84	3	Horizontal	360	1.49
5200MHz	Pass	AV	5.2056G	110.42	Inf	-Inf	3	Horizontal	360	1.49
5200MHz	Pass	PK	5.1496G	61.92	74.00	-12.08	3	Horizontal	360	1.49
5200MHz	Pass	PK	5.2056G	119.19	Inf	-Inf	3	Horizontal	360	1.49
5200MHz	Pass	PK	10.39508G	60.32	68.20	-7.88	3	Vertical	356	2.07
5200MHz	Pass	PK	10.40618G	60.15	68.20	-8.05	3	Horizontal	355	1.50
5240MHz	Pass	AV	5.15G	49.06	54.00	-4.94	3	Vertical	358	1.50
5240MHz	Pass	AV	5.2328G	109.68	Inf	-Inf	3	Vertical	358	1.50
5240MHz	Pass	AV	5.375G	49.47	54.00	-4.53	3	Vertical	358	1.50
5240MHz	Pass	PK	5.1434G	61.19	74.00	-12.81	3	Vertical	358	1.50
5240MHz	Pass	PK	5.2328G	118.36	Inf	-Inf	3	Vertical	358	1.50
5240MHz	Pass	PK	5.3648G	61.45	74.00	-12.55	3	Vertical	358	1.50
5240MHz	Pass	AV	5.147G	49.19	54.00	-4.81	3	Horizontal	359	1.50
5240MHz	Pass	AV	5.2352G	110.25	Inf	-Inf	3	Horizontal	359	1.50
5240MHz	Pass	AV	5.384G	49.55	54.00	-4.45	3	Horizontal	359	1.50
5240MHz	Pass	PK	5.1002G	61.56	74.00	-12.44	3	Horizontal	359	1.50
5240MHz	Pass	PK	5.2358G	119.11	Inf	-Inf	3	Horizontal	359	1.50
5240MHz	Pass	PK	5.39G	61.29	74.00	-12.71	3	Horizontal	359	1.50
5240MHz	Pass	PK	10.4785G	60.06	68.20	-8.14	3	Vertical	356	1.61
5240MHz	Pass	PK	10.4809G	59.18	68.20	-9.02	3	Horizontal	354	1.33
5260MHz	Pass	AV	5.15G	48.81	54.00	-5.19	3	Vertical	356	1.49
5260MHz	Pass	AV	5.2528G	108.55	Inf	-Inf	3	Vertical	356	1.49
5260MHz	Pass	AV	5.3512G	49.43	54.00	-4.57	3	Vertical	356	1.49
5260MHz	Pass	PK	5.1448G	61.05	74.00	-12.95	3	Vertical	356	1.49
5260MHz	Pass	PK	5.2528G	116.73	Inf	-Inf	3	Vertical	356	1.49
5260MHz	Pass	PK	5.386G	62.22	74.00	-11.78	3	Vertical	356	1.49
5260MHz	Pass	AV	5.1472G	48.88	54.00	-5.12	3	Horizontal	357	1.50
5260MHz	Pass	AV	5.2558G	109.40	Inf	-Inf	3	Horizontal	357	1.50
5260MHz	Pass	AV	5.374G	49.56	54.00	-4.44	3	Horizontal	357	1.50
5260MHz	Pass	PK	5.1346G	61.65	74.00	-12.35	3	Horizontal	357	1.50
5260MHz	Pass	PK	5.2558G	118.30	Inf	-Inf	3	Horizontal	357	1.50
5260MHz	Pass	PK	5.4094G	62.35	74.00	-11.65	3	Horizontal	357	1.50
5260MHz	Pass	PK	10.51904G	58.95	68.20	-9.25	3	Vertical	356	1.58
5260MHz	Pass	PK	10.5152G	57.58	68.20	-10.62	3	Horizontal	355	1.42
5300MHz	Pass	AV	5.3028G	108.44	Inf	-Inf	3	Vertical	356	1.56
5300MHz	Pass	AV	5.352G	50.21	54.00	-3.79	3	Vertical	356	1.56
5300MHz	Pass	PK	5.3028G	117.29	Inf	-Inf	3	Vertical	356	1.56
5300MHz	Pass	PK	5.3504G	62.98	74.00	-11.02	3	Vertical	356	1.56
5300MHz	Pass	AV	5.2952G	108.20	Inf	-Inf	3	Horizontal	357	1.50
5300MHz	Pass	AV	5.3504G	50.35	54.00	-3.65	3	Horizontal	357	1.50
5300MHz	Pass	PK	5.2956G	116.82	Inf	-Inf	3	Horizontal	357	1.50
5300MHz	Pass	PK	5.38G	62.58	74.00	-11.42	3	Horizontal	357	1.50
5300MHz	Pass	AV	10.6024G	44.76	54.00	-9.24	3	Vertical	355	1.64
5300MHz	Pass	PK	10.60432G	58.06	74.00	-15.94	3	Vertical	355	1.64
5300MHz	Pass	AV	10.60132G	43.93	54.00	-10.07	3	Horizontal	293	1.69
5300MHz	Pass	PK	10.60132G	57.05	74.00	-16.95	3	Horizontal	293	1.69

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.3278G	108.12	Inf	-Inf	3	Vertical	360	1.50
5320MHz	Pass	AV	5.3524G	51.19	54.00	-2.81	3	Vertical	360	1.50
5320MHz	Pass	PK	5.3176G	117.26	Inf	-Inf	3	Vertical	360	1.50
5320MHz	Pass	PK	5.363G	64.93	74.00	-9.07	3	Vertical	360	1.50
5320MHz	Pass	AV	5.3254G	108.67	Inf	-Inf	3	Horizontal	0	1.50
5320MHz	Pass	AV	5.3602G	51.77	54.00	-2.23	3	Horizontal	0	1.50
5320MHz	Pass	PK	5.3248G	117.54	Inf	-Inf	3	Horizontal	0	1.50
5320MHz	Pass	PK	5.36G	66.05	74.00	-7.95	3	Horizontal	0	1.50
5320MHz	Pass	AV	10.64252G	46.06	54.00	-7.94	3	Vertical	356	1.58
5320MHz	Pass	PK	10.63808G	58.90	74.00	-15.10	3	Vertical	356	1.58
5320MHz	Pass	AV	10.64216G	44.74	54.00	-9.26	3	Horizontal	293	1.70
5320MHz	Pass	PK	10.64252G	58.10	74.00	-15.90	3	Horizontal	293	1.70
5500MHz	Pass	AV	5.4582G	51.53	54.00	-2.47	3	Vertical	1	1.50
5500MHz	Pass	AV	5.5026G	109.67	Inf	-Inf	3	Vertical	1	1.50
5500MHz	Pass	PK	5.4576G	64.34	74.00	-9.66	3	Vertical	1	1.50
5500MHz	Pass	PK	5.468G	63.52	68.20	-4.68	3	Vertical	1	1.50
5500MHz	Pass	PK	5.5026G	118.27	Inf	-Inf	3	Vertical	1	1.50
5500MHz	Pass	AV	5.46G	52.14	54.00	-1.86	3	Horizontal	3	1.50
5500MHz	Pass	AV	5.5054G	110.08	Inf	-Inf	3	Horizontal	3	1.50
5500MHz	Pass	PK	5.4598G	66.69	74.00	-7.31	3	Horizontal	3	1.50
5500MHz	Pass	PK	5.4604G	65.11	68.20	-3.09	3	Horizontal	3	1.50
5500MHz	Pass	PK	5.505G	119.33	Inf	-Inf	3	Horizontal	3	1.50
5500MHz	Pass	AV	11.0003G	44.49	54.00	-9.51	3	Vertical	1	1.50
5500MHz	Pass	PK	10.99508G	57.21	74.00	-16.79	3	Vertical	1	1.50
5500MHz	Pass	AV	10.99742G	43.04	54.00	-10.96	3	Horizontal	293	1.35
5500MHz	Pass	PK	10.99748G	56.12	74.00	-17.88	3	Horizontal	293	1.35
5580MHz	Pass	AV	5.4576G	49.34	54.00	-4.66	3	Vertical	357	1.50
5580MHz	Pass	AV	5.583G	109.39	Inf	-Inf	3	Vertical	357	1.50
5580MHz	Pass	PK	5.4558G	61.91	74.00	-12.09	3	Vertical	357	1.50
5580MHz	Pass	PK	5.4696G	61.34	68.20	-6.86	3	Vertical	357	1.50
5580MHz	Pass	PK	5.5776G	118.35	Inf	-Inf	3	Vertical	357	1.50
5580MHz	Pass	PK	5.7258G	61.92	68.20	-6.28	3	Vertical	357	1.50
5580MHz	Pass	AV	5.46G	49.39	54.00	-4.61	3	Horizontal	1	1.48
5580MHz	Pass	AV	5.5854G	110.39	Inf	-Inf	3	Horizontal	1	1.48
5580MHz	Pass	PK	5.4558G	61.36	74.00	-12.64	3	Horizontal	1	1.48
5580MHz	Pass	PK	5.4696G	61.36	68.20	-6.84	3	Horizontal	1	1.48
5580MHz	Pass	PK	5.5854G	118.95	Inf	-Inf	3	Horizontal	1	1.48
5580MHz	Pass	PK	5.7276G	61.28	68.20	-6.92	3	Horizontal	1	1.48
5580MHz	Pass	AV	11.1588G	44.46	54.00	-9.54	3	Vertical	5	1.97
5580MHz	Pass	PK	11.1591G	56.96	74.00	-17.04	3	Vertical	5	1.97
5580MHz	Pass	AV	11.15808G	43.87	54.00	-10.13	3	Horizontal	57	1.49
5580MHz	Pass	PK	11.15988G	56.79	74.00	-17.21	3	Horizontal	57	1.49
5700MHz	Pass	AV	5.6976G	107.48	Inf	-Inf	3	Vertical	358	1.49
5700MHz	Pass	PK	5.7028G	116.37	Inf	-Inf	3	Vertical	358	1.49
5700MHz	Pass	PK	5.7264G	67.13	68.20	-1.07	3	Vertical	358	1.49
5700MHz	Pass	AV	5.6952G	107.86	Inf	-Inf	3	Horizontal	360	1.58
5700MHz	Pass	PK	5.6952G	115.91	Inf	-Inf	3	Horizontal	360	1.58
5700MHz	Pass	PK	5.7252G	67.75	68.20	-0.45	3	Horizontal	360	1.58
5700MHz	Pass	AV	11.40216G	43.96	54.00	-10.04	3	Vertical	350	1.91
5700MHz	Pass	PK	11.40126G	57.48	74.00	-16.52	3	Vertical	350	1.91
5700MHz	Pass	AV	11.4015G	43.55	54.00	-10.45	3	Horizontal	0	1.50
5700MHz	Pass	PK	11.4021G	56.07	74.00	-17.93	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	49.01	54.00	-4.99	3	Vertical	0	1.48
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	110.03	Inf	-Inf	3	Vertical	0	1.48
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4464G	61.00	74.00	-13.00	3	Vertical	0	1.48
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	61.06	68.20	-7.14	3	Vertical	0	1.48
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	117.95	Inf	-Inf	3	Vertical	0	1.48
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.954G	62.13	68.20	-6.07	3	Vertical	0	1.48
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4428G	49.03	54.00	-4.97	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	110.29	Inf	-Inf	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4584G	60.99	74.00	-13.01	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	60.69	68.20	-7.51	3	Horizontal	0	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	118.72	Inf	-Inf	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8736G	62.68	68.20	-5.52	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44162G	46.05	54.00	-7.95	3	Vertical	353	1.81
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44144G	59.29	74.00	-14.71	3	Vertical	353	1.81
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4412G	45.49	54.00	-8.51	3	Horizontal	356	1.67
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4361G	58.93	74.00	-15.07	3	Horizontal	356	1.67
5745MHz	Pass	AV	5.4594G	49.12	54.00	-4.88	3	Vertical	357	1.61
5745MHz	Pass	AV	5.7378G	110.92	Inf	-Inf	3	Vertical	357	1.61
5745MHz	Pass	PK	5.6142G	62.26	68.20	-5.94	3	Vertical	357	1.61
5745MHz	Pass	PK	5.7426G	119.54	Inf	-Inf	3	Vertical	357	1.61
5745MHz	Pass	PK	5.9442G	62.64	68.20	-5.56	3	Vertical	357	1.61
5745MHz	Pass	AV	5.4534G	49.17	54.00	-4.83	3	Horizontal	3	1.63
5745MHz	Pass	AV	5.7402G	110.65	Inf	-Inf	3	Horizontal	3	1.63
5745MHz	Pass	PK	5.5866G	62.31	68.20	-5.89	3	Horizontal	3	1.63
5745MHz	Pass	PK	5.7402G	119.69	Inf	-Inf	3	Horizontal	3	1.63
5745MHz	Pass	PK	5.9406G	62.75	68.20	-5.45	3	Horizontal	3	1.63
5745MHz	Pass	AV	11.49114G	46.88	54.00	-7.12	3	Vertical	351	1.74
5745MHz	Pass	PK	11.4864G	59.51	74.00	-14.49	3	Vertical	351	1.74
5745MHz	Pass	AV	11.49132G	45.95	54.00	-8.05	3	Horizontal	357	1.50
5745MHz	Pass	PK	11.48676G	59.42	74.00	-14.58	3	Horizontal	357	1.50
5785MHz	Pass	AV	5.78734G	109.96	Inf	-Inf	3	Vertical	356	1.50
5785MHz	Pass	PK	5.64335G	62.58	68.20	-5.62	3	Vertical	356	1.50
5785MHz	Pass	PK	5.7825G	118.54	Inf	-Inf	3	Vertical	356	1.50
5785MHz	Pass	PK	6.04991G	62.59	68.20	-5.61	3	Vertical	356	1.50
5785MHz	Pass	AV	5.78008G	109.90	Inf	-Inf	3	Horizontal	0	1.50
5785MHz	Pass	PK	5.63125G	62.16	68.20	-6.04	3	Horizontal	0	1.50
5785MHz	Pass	PK	5.78008G	118.20	Inf	-Inf	3	Horizontal	0	1.50
5785MHz	Pass	PK	6.01845G	63.26	68.20	-4.94	3	Horizontal	0	1.50
5785MHz	Pass	AV	11.57018G	46.46	54.00	-7.54	3	Vertical	349	1.20
5785MHz	Pass	PK	11.57018G	60.42	74.00	-13.58	3	Vertical	349	1.20
5785MHz	Pass	AV	11.57156G	45.43	54.00	-8.57	3	Horizontal	359	1.50
5785MHz	Pass	PK	11.57198G	58.62	74.00	-15.38	3	Horizontal	359	1.50
5825MHz	Pass	AV	5.8274G	109.42	Inf	-Inf	3	Vertical	357	1.49
5825MHz	Pass	PK	5.6474G	62.86	68.20	-5.34	3	Vertical	357	1.49
5825MHz	Pass	PK	5.8226G	118.47	Inf	-Inf	3	Vertical	357	1.49
5825MHz	Pass	PK	5.939G	63.08	68.20	-5.12	3	Vertical	357	1.49
5825MHz	Pass	AV	5.8298G	109.39	Inf	-Inf	3	Horizontal	0	1.50
5825MHz	Pass	PK	5.6366G	62.48	68.20	-5.72	3	Horizontal	0	1.50
5825MHz	Pass	PK	5.8298G	118.56	Inf	-Inf	3	Horizontal	0	1.50
5825MHz	Pass	PK	6.125G	62.83	68.20	-5.37	3	Horizontal	0	1.50
5825MHz	Pass	AV	11.64982G	46.50	54.00	-7.50	3	Vertical	356	1.60
5825MHz	Pass	PK	11.6551G	59.35	74.00	-14.65	3	Vertical	356	1.60
5825MHz	Pass	AV	11.65168G	45.34	54.00	-8.66	3	Horizontal	356	1.44
5825MHz	Pass	PK	11.6515G	57.66	74.00	-16.34	3	Horizontal	356	1.44
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.149G	52.08	54.00	-1.92	3	Vertical	360	1.45
5180MHz	Pass	AV	5.1866G	108.54	Inf	-Inf	3	Vertical	360	1.45
5180MHz	Pass	PK	5.1394G	66.39	74.00	-7.61	3	Vertical	360	1.45
5180MHz	Pass	PK	5.1842G	119.90	Inf	-Inf	3	Vertical	360	1.45
5180MHz	Pass	AV	5.15G	52.37	54.00	-1.63	3	Horizontal	360	1.50
5180MHz	Pass	AV	5.1878G	108.95	Inf	-Inf	3	Horizontal	360	1.50
5180MHz	Pass	PK	5.1402G	66.24	74.00	-7.76	3	Horizontal	360	1.50
5180MHz	Pass	PK	5.173G	120.15	Inf	-Inf	3	Horizontal	360	1.50
5180MHz	Pass	PK	10.3573G	56.90	68.20	-11.30	3	Vertical	59	1.58
5180MHz	Pass	PK	10.36294G	57.93	68.20	-10.27	3	Horizontal	355	1.47
5200MHz	Pass	AV	5.1492G	50.00	54.00	-4.00	3	Vertical	360	1.50
5200MHz	Pass	AV	5.204G	108.64	Inf	-Inf	3	Vertical	360	1.50
5200MHz	Pass	PK	5.1448G	61.94	74.00	-12.06	3	Vertical	360	1.50
5200MHz	Pass	PK	5.194G	120.15	Inf	-Inf	3	Vertical	360	1.50
5200MHz	Pass	AV	5.1496G	50.26	54.00	-3.74	3	Horizontal	357	1.50
5200MHz	Pass	AV	5.2052G	109.56	Inf	-Inf	3	Horizontal	357	1.50
5200MHz	Pass	PK	5.118G	62.11	74.00	-11.89	3	Horizontal	357	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5200MHz	Pass	PK	5.2028G	120.74	Inf	-Inf	3	Horizontal	357	1.50
5200MHz	Pass	PK	10.40216G	57.38	68.20	-10.82	3	Vertical	59	1.50
5200MHz	Pass	PK	10.40072G	59.14	68.20	-9.06	3	Horizontal	356	1.50
5240MHz	Pass	AV	5.1494G	48.94	54.00	-5.06	3	Vertical	0	1.50
5240MHz	Pass	AV	5.234G	108.66	Inf	-Inf	3	Vertical	0	1.50
5240MHz	Pass	AV	5.3786G	49.42	54.00	-4.58	3	Vertical	0	1.50
5240MHz	Pass	PK	5.1278G	60.67	74.00	-13.33	3	Vertical	0	1.50
5240MHz	Pass	PK	5.2442G	120.82	Inf	-Inf	3	Vertical	0	1.50
5240MHz	Pass	PK	5.3522G	61.83	74.00	-12.17	3	Vertical	0	1.50
5240MHz	Pass	AV	5.1458G	49.04	54.00	-4.96	3	Horizontal	360	1.50
5240MHz	Pass	AV	5.2352G	109.18	Inf	-Inf	3	Horizontal	360	1.50
5240MHz	Pass	AV	5.3744G	49.56	54.00	-4.44	3	Horizontal	360	1.50
5240MHz	Pass	PK	5.1344G	60.81	74.00	-13.19	3	Horizontal	360	1.50
5240MHz	Pass	PK	5.2376G	120.57	Inf	-Inf	3	Horizontal	360	1.50
5240MHz	Pass	PK	5.3894G	61.90	74.00	-12.10	3	Horizontal	360	1.50
5240MHz	Pass	PK	10.47616G	58.71	68.20	-9.49	3	Vertical	355	1.70
5240MHz	Pass	PK	10.47856G	58.54	68.20	-9.66	3	Horizontal	356	1.48
5260MHz	Pass	AV	5.1472G	48.80	54.00	-5.20	3	Vertical	356	1.50
5260MHz	Pass	AV	5.2516G	107.62	Inf	-Inf	3	Vertical	356	1.50
5260MHz	Pass	AV	5.3806G	49.43	54.00	-4.57	3	Vertical	356	1.50
5260MHz	Pass	PK	5.149G	60.93	74.00	-13.07	3	Vertical	356	1.50
5260MHz	Pass	PK	5.2564G	118.89	Inf	-Inf	3	Vertical	356	1.50
5260MHz	Pass	PK	5.368G	61.76	74.00	-12.24	3	Vertical	356	1.50
5260MHz	Pass	AV	5.15G	48.84	54.00	-5.16	3	Horizontal	360	1.50
5260MHz	Pass	AV	5.2528G	108.40	Inf	-Inf	3	Horizontal	360	1.50
5260MHz	Pass	AV	5.306G	49.52	54.00	-4.48	3	Horizontal	360	1.50
5260MHz	Pass	PK	5.1364G	62.26	74.00	-11.74	3	Horizontal	360	1.50
5260MHz	Pass	PK	5.2576G	119.79	Inf	-Inf	3	Horizontal	360	1.50
5260MHz	Pass	PK	5.401G	62.14	74.00	-11.86	3	Horizontal	360	1.50
5260MHz	Pass	PK	10.51892G	57.26	68.20	-10.94	3	Vertical	355	1.54
5260MHz	Pass	PK	10.52042G	56.81	68.20	-11.39	3	Horizontal	353	1.43
5300MHz	Pass	AV	5.3016G	107.37	Inf	-Inf	3	Vertical	349	1.24
5300MHz	Pass	AV	5.3516G	50.45	54.00	-3.55	3	Vertical	349	1.24
5300MHz	Pass	PK	5.3092G	119.19	Inf	-Inf	3	Vertical	349	1.24
5300MHz	Pass	PK	5.3624G	62.61	74.00	-11.39	3	Vertical	349	1.24
5300MHz	Pass	AV	5.3028G	107.23	Inf	-Inf	3	Horizontal	349	1.24
5300MHz	Pass	AV	5.3508G	50.50	54.00	-3.50	3	Horizontal	349	1.24
5300MHz	Pass	PK	5.3052G	118.41	Inf	-Inf	3	Horizontal	349	1.24
5300MHz	Pass	PK	5.3552G	62.28	74.00	-11.72	3	Horizontal	349	1.24
5300MHz	Pass	PK	10.61356G	57.96	74.00	-16.04	3	Vertical	356	1.50
5300MHz	Pass	PK	10.61055G	56.02	74.00	-17.98	3	Horizontal	291	1.50
5320MHz	Pass	AV	5.329G	107.86	Inf	-Inf	3	Vertical	356	1.69
5320MHz	Pass	AV	5.3614G	52.64	54.00	-1.36	3	Vertical	356	1.69
5320MHz	Pass	PK	5.3268G	119.05	Inf	-Inf	3	Vertical	356	1.69
5320MHz	Pass	PK	5.3614G	65.31	74.00	-8.69	3	Vertical	356	1.69
5320MHz	Pass	AV	5.3252G	107.88	Inf	-Inf	3	Horizontal	360	1.50
5320MHz	Pass	AV	5.3604G	53.16	54.00	-0.84	3	Horizontal	360	1.50
5320MHz	Pass	PK	5.3274G	119.27	Inf	-Inf	3	Horizontal	360	1.50
5320MHz	Pass	PK	5.36G	65.94	74.00	-8.06	3	Horizontal	360	1.50
5320MHz	Pass	AV	10.63886G	45.72	54.00	-8.28	3	Vertical	356	1.60
5320MHz	Pass	PK	10.64372G	58.33	74.00	-15.67	3	Vertical	356	1.60
5320MHz	Pass	AV	10.64102G	44.43	54.00	-9.57	3	Horizontal	294	1.61
5320MHz	Pass	PK	10.63868G	57.08	74.00	-16.92	3	Horizontal	294	1.61
5500MHz	Pass	AV	5.4586G	53.11	54.00	-0.89	3	Vertical	1	1.42
5500MHz	Pass	AV	5.5038G	109.07	Inf	-Inf	3	Vertical	1	1.42
5500MHz	Pass	PK	5.4588G	66.65	74.00	-7.35	3	Vertical	1	1.42
5500MHz	Pass	PK	5.4612G	67.36	68.20	-0.84	3	Vertical	1	1.42
5500MHz	Pass	PK	5.504G	121.17	Inf	-Inf	3	Vertical	1	1.42
5500MHz	Pass	AV	5.4598G	53.32	54.00	-0.68	3	Horizontal	1	1.50
5500MHz	Pass	AV	5.5026G	109.55	Inf	-Inf	3	Horizontal	1	1.50
5500MHz	Pass	PK	5.4594G	70.32	74.00	-3.68	3	Horizontal	1	1.50
5500MHz	Pass	PK	5.4604G	66.36	68.20	-1.84	3	Horizontal	1	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	5.5074G	121.71	Inf	-Inf	3	Horizontal	1	1.50
5500MHz	Pass	AV	10.99982G	44.26	54.00	-9.74	3	Vertical	358	1.40
5500MHz	Pass	PK	11.00516G	57.13	74.00	-16.87	3	Vertical	358	1.40
5500MHz	Pass	AV	10.99886G	42.89	54.00	-11.11	3	Horizontal	293	1.41
5500MHz	Pass	PK	10.99886G	55.35	74.00	-18.65	3	Horizontal	293	1.41
5580MHz	Pass	AV	5.4594G	49.36	54.00	-4.64	3	Vertical	359	1.50
5580MHz	Pass	AV	5.5866G	108.71	Inf	-Inf	3	Vertical	359	1.50
5580MHz	Pass	PK	5.4558G	61.76	74.00	-12.24	3	Vertical	359	1.50
5580MHz	Pass	PK	5.4642G	61.04	68.20	-7.16	3	Vertical	359	1.50
5580MHz	Pass	PK	5.574G	120.09	Inf	-Inf	3	Vertical	359	1.50
5580MHz	Pass	PK	5.7294G	61.75	68.20	-6.45	3	Vertical	359	1.50
5580MHz	Pass	AV	5.46G	49.42	54.00	-4.58	3	Horizontal	360	1.50
5580MHz	Pass	AV	5.5854G	109.59	Inf	-Inf	3	Horizontal	360	1.50
5580MHz	Pass	PK	5.4588G	62.04	74.00	-11.96	3	Horizontal	360	1.50
5580MHz	Pass	PK	5.4618G	61.62	68.20	-6.58	3	Horizontal	360	1.50
5580MHz	Pass	PK	5.583G	120.70	Inf	-Inf	3	Horizontal	360	1.50
5580MHz	Pass	PK	5.727G	61.79	68.20	-6.41	3	Horizontal	360	1.50
5580MHz	Pass	AV	11.15988G	43.72	54.00	-10.28	3	Vertical	3	1.35
5580MHz	Pass	PK	11.16258G	56.48	74.00	-17.52	3	Vertical	3	1.35
5580MHz	Pass	AV	11.15928G	43.85	54.00	-10.15	3	Horizontal	58	1.54
5580MHz	Pass	PK	11.1543G	57.07	74.00	-16.93	3	Horizontal	58	1.54
5700MHz	Pass	AV	5.6988G	105.37	Inf	-Inf	3	Vertical	360	1.50
5700MHz	Pass	PK	5.694G	116.49	Inf	-Inf	3	Vertical	360	1.50
5700MHz	Pass	PK	5.726G	63.70	68.20	-4.50	3	Vertical	360	1.50
5700MHz	Pass	AV	5.6952G	106.03	Inf	-Inf	3	Horizontal	0	1.50
5700MHz	Pass	PK	5.6972G	117.81	Inf	-Inf	3	Horizontal	0	1.50
5700MHz	Pass	PK	5.726G	64.60	68.20	-3.60	3	Horizontal	0	1.50
5700MHz	Pass	AV	11.39958G	42.52	54.00	-11.48	3	Vertical	129	1.50
5700MHz	Pass	PK	11.3955G	55.53	74.00	-18.47	3	Vertical	129	1.50
5700MHz	Pass	AV	11.40072G	42.96	54.00	-11.04	3	Horizontal	0	1.25
5700MHz	Pass	PK	11.40906G	55.55	74.00	-18.45	3	Horizontal	0	1.25
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	48.96	54.00	-5.04	3	Vertical	357	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	109.03	Inf	-Inf	3	Vertical	357	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.456G	61.05	74.00	-12.95	3	Vertical	357	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	60.56	68.20	-7.64	3	Vertical	357	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7116G	119.64	Inf	-Inf	3	Vertical	357	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9612G	63.12	68.20	-5.08	3	Vertical	357	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	49.12	54.00	-4.88	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	109.62	Inf	-Inf	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4524G	61.14	74.00	-12.86	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	61.21	68.20	-6.99	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	120.85	Inf	-Inf	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9768G	64.09	68.20	-4.11	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43844G	45.76	54.00	-8.24	3	Vertical	351	1.74
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44048G	58.70	74.00	-15.30	3	Vertical	351	1.74
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4382G	44.61	54.00	-9.39	3	Horizontal	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44054G	57.18	74.00	-16.82	3	Horizontal	360	1.50
5745MHz	Pass	AV	5.4594G	49.06	54.00	-4.94	3	Vertical	0	1.40
5745MHz	Pass	AV	5.739G	109.64	Inf	-Inf	3	Vertical	0	1.40
5745MHz	Pass	PK	5.5806G	61.26	68.20	-6.94	3	Vertical	0	1.40
5745MHz	Pass	PK	5.739G	120.18	Inf	-Inf	3	Vertical	0	1.40
5745MHz	Pass	PK	5.9346G	63.04	68.20	-5.16	3	Vertical	0	1.40
5745MHz	Pass	AV	5.4486G	49.17	54.00	-4.83	3	Horizontal	3	1.50
5745MHz	Pass	AV	5.7402G	109.40	Inf	-Inf	3	Horizontal	3	1.50
5745MHz	Pass	PK	5.637G	61.79	68.20	-6.41	3	Horizontal	3	1.50
5745MHz	Pass	PK	5.7426G	120.56	Inf	-Inf	3	Horizontal	3	1.50
5745MHz	Pass	PK	6.0342G	62.54	68.20	-5.66	3	Horizontal	3	1.50
5745MHz	Pass	AV	11.49072G	46.58	54.00	-7.42	3	Vertical	352	1.69
5745MHz	Pass	PK	11.48328G	59.05	74.00	-14.95	3	Vertical	352	1.69
5745MHz	Pass	AV	11.49072G	45.61	54.00	-8.39	3	Horizontal	357	1.34
5745MHz	Pass	PK	11.4879G	58.05	74.00	-15.95	3	Horizontal	357	1.34
5785MHz	Pass	AV	5.78371G	109.09	Inf	-Inf	3	Vertical	356	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	5.61794G	62.20	68.20	-6.00	3	Vertical	356	1.50
5785MHz	Pass	PK	5.77887G	120.86	Inf	-Inf	3	Vertical	356	1.50
5785MHz	Pass	PK	6.08137G	62.46	68.20	-5.74	3	Vertical	356	1.50
5785MHz	Pass	AV	5.78008G	109.24	Inf	-Inf	3	Horizontal	0	1.49
5785MHz	Pass	PK	5.62036G	62.47	68.20	-5.73	3	Horizontal	0	1.49
5785MHz	Pass	PK	5.78976G	120.70	Inf	-Inf	3	Horizontal	0	1.49
5785MHz	Pass	PK	5.93859G	62.44	68.20	-5.76	3	Horizontal	0	1.49
5785MHz	Pass	AV	11.5706G	45.84	54.00	-8.16	3	Vertical	352	1.67
5785MHz	Pass	PK	11.56814G	59.23	74.00	-14.77	3	Vertical	352	1.67
5785MHz	Pass	AV	11.57084G	45.41	54.00	-8.59	3	Horizontal	359	1.29
5785MHz	Pass	PK	11.5685G	57.51	74.00	-16.49	3	Horizontal	359	1.29
5825MHz	Pass	AV	5.8262G	108.43	Inf	-Inf	3	Vertical	357	1.49
5825MHz	Pass	PK	5.6462G	61.62	68.20	-6.58	3	Vertical	357	1.49
5825MHz	Pass	PK	5.8166G	120.53	Inf	-Inf	3	Vertical	357	1.49
5825MHz	Pass	PK	6.0314G	62.83	68.20	-5.37	3	Vertical	357	1.49
5825MHz	Pass	AV	5.8226G	108.52	Inf	-Inf	3	Horizontal	0	1.50
5825MHz	Pass	PK	5.5994G	61.91	68.20	-6.29	3	Horizontal	0	1.50
5825MHz	Pass	PK	5.8226G	119.71	Inf	-Inf	3	Horizontal	0	1.50
5825MHz	Pass	PK	6.0878G	62.90	68.20	-5.30	3	Horizontal	0	1.50
5825MHz	Pass	AV	11.65024G	45.64	54.00	-8.36	3	Vertical	353	1.50
5825MHz	Pass	PK	11.6575G	58.23	74.00	-15.77	3	Vertical	353	1.50
5825MHz	Pass	AV	11.64814G	45.01	54.00	-8.99	3	Horizontal	357	1.52
5825MHz	Pass	PK	11.6458G	57.64	74.00	-16.36	3	Horizontal	357	1.52
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1488G	53.48	54.00	-0.52	3	Vertical	360	1.49
5190MHz	Pass	AV	5.1892G	105.85	Inf	-Inf	3	Vertical	360	1.49
5190MHz	Pass	PK	5.1496G	65.23	74.00	-8.77	3	Vertical	360	1.49
5190MHz	Pass	PK	5.184G	117.84	Inf	-Inf	3	Vertical	360	1.49
5190MHz	Pass	AV	5.15G	53.76	54.00	-0.24	3	Horizontal	360	1.50
5190MHz	Pass	AV	5.1952G	106.57	Inf	-Inf	3	Horizontal	360	1.50
5190MHz	Pass	PK	5.1496G	64.87	74.00	-9.13	3	Horizontal	360	1.50
5190MHz	Pass	PK	5.1728G	118.25	Inf	-Inf	3	Horizontal	360	1.50
5190MHz	Pass	PK	10.37928G	55.61	68.20	-12.59	3	Vertical	56	1.50
5190MHz	Pass	PK	10.37844G	56.72	68.20	-11.48	3	Horizontal	66	1.50
5230MHz	Pass	AV	5.1492G	50.40	54.00	-3.60	3	Vertical	355	1.46
5230MHz	Pass	AV	5.2216G	106.21	Inf	-Inf	3	Vertical	355	1.46
5230MHz	Pass	PK	5.146G	61.97	74.00	-12.03	3	Vertical	355	1.46
5230MHz	Pass	PK	5.2164G	117.61	Inf	-Inf	3	Vertical	355	1.46
5230MHz	Pass	AV	5.15G	50.76	54.00	-3.24	3	Horizontal	0	1.50
5230MHz	Pass	AV	5.2228G	106.87	Inf	-Inf	3	Horizontal	0	1.50
5230MHz	Pass	PK	5.148G	63.13	74.00	-10.87	3	Horizontal	0	1.50
5230MHz	Pass	PK	5.2124G	118.58	Inf	-Inf	3	Horizontal	0	1.50
5230MHz	Pass	PK	10.45616G	57.84	68.20	-10.36	3	Vertical	356	1.80
5230MHz	Pass	PK	10.46048G	57.84	68.20	-10.36	3	Horizontal	356	1.50
5270MHz	Pass	AV	5.2564G	105.47	Inf	-Inf	3	Vertical	359	1.50
5270MHz	Pass	AV	5.3516G	51.30	54.00	-2.70	3	Vertical	359	1.50
5270MHz	Pass	PK	5.284G	116.43	Inf	-Inf	3	Vertical	359	1.50
5270MHz	Pass	PK	5.3516G	65.94	74.00	-8.06	3	Vertical	359	1.50
5270MHz	Pass	AV	5.2552G	106.42	Inf	-Inf	3	Horizontal	357	1.50
5270MHz	Pass	AV	5.3504G	51.57	54.00	-2.43	3	Horizontal	357	1.50
5270MHz	Pass	PK	5.2528G	117.64	Inf	-Inf	3	Horizontal	357	1.50
5270MHz	Pass	PK	5.3508G	65.89	74.00	-8.11	3	Horizontal	357	1.50
5270MHz	Pass	PK	10.53952G	57.08	68.20	-11.12	3	Vertical	356	1.55
5270MHz	Pass	PK	10.53436G	55.95	68.20	-12.25	3	Horizontal	354	1.24
5310MHz	Pass	AV	5.3264G	103.77	Inf	-Inf	3	Vertical	0	1.50
5310MHz	Pass	AV	5.3512G	53.15	54.00	-0.85	3	Vertical	0	1.50
5310MHz	Pass	PK	5.3088G	116.03	Inf	-Inf	3	Vertical	0	1.50
5310MHz	Pass	PK	5.352G	66.19	74.00	-7.81	3	Vertical	0	1.50
5310MHz	Pass	AV	5.3252G	104.15	Inf	-Inf	3	Horizontal	359	1.50
5310MHz	Pass	AV	5.3504G	53.97	54.00	-0.03	3	Horizontal	359	1.50
5310MHz	Pass	PK	5.3252G	115.70	Inf	-Inf	3	Horizontal	359	1.50
5310MHz	Pass	PK	5.3552G	66.37	74.00	-7.63	3	Horizontal	359	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	10.62156G	43.62	54.00	-10.38	3	Vertical	356	1.68
5310MHz	Pass	PK	10.61904G	55.86	74.00	-18.14	3	Vertical	356	1.68
5310MHz	Pass	AV	10.61988G	42.74	54.00	-11.26	3	Horizontal	67	1.70
5310MHz	Pass	PK	10.62756G	55.60	74.00	-18.40	3	Horizontal	67	1.70
5510MHz	Pass	AV	5.4592G	51.90	54.00	-2.10	3	Vertical	357	1.50
5510MHz	Pass	AV	5.504G	105.38	Inf	-Inf	3	Vertical	357	1.50
5510MHz	Pass	PK	5.4592G	63.70	74.00	-10.30	3	Vertical	357	1.50
5510MHz	Pass	PK	5.4664G	66.61	68.20	-1.59	3	Vertical	357	1.50
5510MHz	Pass	PK	5.504G	117.28	Inf	-Inf	3	Vertical	357	1.50
5510MHz	Pass	AV	5.46G	52.59	54.00	-1.41	3	Horizontal	2	1.50
5510MHz	Pass	AV	5.5052G	106.35	Inf	-Inf	3	Horizontal	2	1.50
5510MHz	Pass	PK	5.46G	63.76	74.00	-10.24	3	Horizontal	2	1.50
5510MHz	Pass	PK	5.47G	67.62	68.20	-0.58	3	Horizontal	2	1.50
5510MHz	Pass	PK	5.5048G	117.96	Inf	-Inf	3	Horizontal	2	1.50
5510MHz	Pass	AV	11.02024G	42.92	54.00	-11.08	3	Vertical	0	1.44
5510MHz	Pass	PK	11.02G	56.02	74.00	-17.98	3	Vertical	0	1.44
5510MHz	Pass	AV	11.02132G	42.06	54.00	-11.94	3	Horizontal	62	1.50
5510MHz	Pass	PK	11.03704G	55.20	74.00	-18.80	3	Horizontal	62	1.50
5550MHz	Pass	AV	5.4588G	50.66	54.00	-3.34	3	Vertical	0	1.50
5550MHz	Pass	AV	5.544G	105.90	Inf	-Inf	3	Vertical	0	1.50
5550MHz	Pass	PK	5.4588G	62.31	74.00	-11.69	3	Vertical	0	1.50
5550MHz	Pass	PK	5.4608G	64.00	68.20	-4.20	3	Vertical	0	1.50
5550MHz	Pass	PK	5.5636G	117.30	Inf	-Inf	3	Vertical	0	1.50
5550MHz	Pass	AV	5.4596G	51.02	54.00	-2.98	3	Horizontal	360	1.50
5550MHz	Pass	AV	5.5424G	106.91	Inf	-Inf	3	Horizontal	360	1.50
5550MHz	Pass	PK	5.46G	62.78	74.00	-11.22	3	Horizontal	360	1.50
5550MHz	Pass	PK	5.4696G	64.05	68.20	-4.15	3	Horizontal	360	1.50
5550MHz	Pass	PK	5.54G	118.66	Inf	-Inf	3	Horizontal	360	1.50
5550MHz	Pass	AV	11.097G	43.74	54.00	-10.26	3	Vertical	5	2.11
5550MHz	Pass	PK	11.10744G	56.63	74.00	-17.37	3	Vertical	5	2.11
5550MHz	Pass	AV	11.09904G	43.23	54.00	-10.77	3	Horizontal	58	1.70
5550MHz	Pass	PK	11.07012G	55.83	74.00	-18.17	3	Horizontal	58	1.70
5670MHz	Pass	AV	5.664G	103.58	Inf	-Inf	3	Vertical	360	1.50
5670MHz	Pass	PK	5.6862G	114.78	Inf	-Inf	3	Vertical	360	1.50
5670MHz	Pass	PK	5.7264G	65.94	68.20	-2.26	3	Vertical	360	1.50
5670MHz	Pass	AV	5.6652G	104.40	Inf	-Inf	3	Horizontal	1	1.59
5670MHz	Pass	PK	5.6724G	115.60	Inf	-Inf	3	Horizontal	1	1.59
5670MHz	Pass	PK	5.7252G	68.14	68.20	-0.06	3	Horizontal	1	1.59
5670MHz	Pass	AV	11.36112G	42.33	54.00	-11.67	3	Vertical	76	1.63
5670MHz	Pass	PK	11.34408G	55.66	74.00	-18.34	3	Vertical	76	1.63
5670MHz	Pass	AV	11.36268G	42.34	54.00	-11.66	3	Horizontal	164	1.50
5670MHz	Pass	PK	11.31396G	55.63	74.00	-18.37	3	Horizontal	164	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	49.23	54.00	-4.77	3	Vertical	360	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6968G	107.09	Inf	-Inf	3	Vertical	360	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4244G	61.15	74.00	-12.85	3	Vertical	360	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	60.66	68.20	-7.54	3	Vertical	360	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6968G	118.23	Inf	-Inf	3	Vertical	360	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8648G	62.52	68.20	-5.68	3	Vertical	360	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	49.39	54.00	-4.61	3	Horizontal	0	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6956G	107.46	Inf	-Inf	3	Horizontal	0	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4376G	61.57	74.00	-12.43	3	Horizontal	0	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	60.97	68.20	-7.23	3	Horizontal	0	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7028G	119.09	Inf	-Inf	3	Horizontal	0	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9428G	62.79	68.20	-5.41	3	Horizontal	0	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41844G	45.19	54.00	-8.81	3	Vertical	353	1.78
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4164G	58.19	74.00	-15.81	3	Vertical	353	1.78
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41592G	44.07	54.00	-9.93	3	Horizontal	0	1.37
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4134G	56.36	74.00	-17.64	3	Horizontal	0	1.37
5755MHz	Pass	AV	5.4562G	49.34	54.00	-4.66	3	Vertical	358	1.50
5755MHz	Pass	AV	5.7418G	107.87	Inf	-Inf	3	Vertical	358	1.50
5755MHz	Pass	PK	5.6434G	63.07	68.20	-5.13	3	Vertical	358	1.50
5755MHz	Pass	PK	5.7562G	119.58	Inf	-Inf	3	Vertical	358	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	PK	6.0358G	62.62	68.20	-5.58	3	Vertical	358	1.50
5755MHz	Pass	AV	5.4586G	49.47	54.00	-4.53	3	Horizontal	360	1.49
5755MHz	Pass	AV	5.743G	107.74	Inf	-Inf	3	Horizontal	360	1.49
5755MHz	Pass	PK	5.6014G	63.24	68.20	-4.96	3	Horizontal	360	1.49
5755MHz	Pass	PK	5.743G	119.22	Inf	-Inf	3	Horizontal	360	1.49
5755MHz	Pass	PK	5.9314G	63.30	68.20	-4.90	3	Horizontal	360	1.49
5755MHz	Pass	AV	11.51264G	45.99	54.00	-8.01	3	Vertical	348	1.25
5755MHz	Pass	PK	11.51564G	58.65	74.00	-15.35	3	Vertical	348	1.25
5755MHz	Pass	AV	11.51084G	45.76	54.00	-8.24	3	Horizontal	360	1.17
5755MHz	Pass	PK	11.50676G	58.78	74.00	-15.22	3	Horizontal	360	1.17
5795MHz	Pass	AV	5.7986G	107.30	Inf	-Inf	3	Vertical	358	1.50
5795MHz	Pass	PK	5.6402G	62.93	68.20	-5.27	3	Vertical	358	1.50
5795MHz	Pass	PK	5.8046G	118.18	Inf	-Inf	3	Vertical	358	1.50
5795MHz	Pass	PK	6.0146G	63.02	68.20	-5.18	3	Vertical	358	1.50
5795MHz	Pass	AV	5.7902G	107.07	Inf	-Inf	3	Horizontal	3	1.50
5795MHz	Pass	PK	5.5778G	63.25	68.20	-4.95	3	Horizontal	3	1.50
5795MHz	Pass	PK	5.7806G	119.12	Inf	-Inf	3	Horizontal	3	1.50
5795MHz	Pass	PK	5.9642G	62.54	68.20	-5.66	3	Horizontal	3	1.50
5795MHz	Pass	AV	11.59G	46.18	54.00	-7.82	3	Vertical	349	1.15
5795MHz	Pass	PK	11.61268G	58.81	74.00	-15.19	3	Vertical	349	1.15
5795MHz	Pass	AV	11.59072G	45.49	54.00	-8.51	3	Horizontal	357	1.60
5795MHz	Pass	PK	11.58808G	58.30	74.00	-15.70	3	Horizontal	357	1.60
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.147G	53.03	54.00	-0.97	3	Vertical	358	1.50
5210MHz	Pass	AV	5.222G	102.25	Inf	-Inf	3	Vertical	358	1.50
5210MHz	Pass	AV	5.36G	49.95	54.00	-4.05	3	Vertical	358	1.50
5210MHz	Pass	PK	5.139G	64.26	74.00	-9.74	3	Vertical	358	1.50
5210MHz	Pass	PK	5.202G	113.38	Inf	-Inf	3	Vertical	358	1.50
5210MHz	Pass	PK	5.385G	62.25	74.00	-11.75	3	Vertical	358	1.50
5210MHz	Pass	AV	5.148G	53.54	54.00	-0.46	3	Horizontal	359	1.50
5210MHz	Pass	AV	5.22G	102.97	Inf	-Inf	3	Horizontal	359	1.50
5210MHz	Pass	AV	5.378G	50.05	54.00	-3.95	3	Horizontal	359	1.50
5210MHz	Pass	PK	5.143G	65.40	74.00	-8.60	3	Horizontal	359	1.50
5210MHz	Pass	PK	5.223G	114.18	Inf	-Inf	3	Horizontal	359	1.50
5210MHz	Pass	PK	5.428G	62.98	74.00	-11.02	3	Horizontal	359	1.50
5210MHz	Pass	PK	10.42984G	55.54	68.20	-12.66	3	Vertical	354	1.65
5210MHz	Pass	PK	10.37824G	55.06	68.20	-13.14	3	Horizontal	354	1.33
5290MHz	Pass	AV	5.149G	49.11	54.00	-4.89	3	Vertical	357	1.55
5290MHz	Pass	AV	5.259G	99.80	Inf	-Inf	3	Vertical	357	1.55
5290MHz	Pass	AV	5.35G	53.78	54.00	-0.22	3	Vertical	357	1.55
5290MHz	Pass	PK	5.147G	60.88	74.00	-13.12	3	Vertical	357	1.55
5290MHz	Pass	PK	5.302G	111.44	Inf	-Inf	3	Vertical	357	1.55
5290MHz	Pass	PK	5.35G	65.19	74.00	-8.81	3	Vertical	357	1.55
5290MHz	Pass	PK	5.479G	62.72	68.20	-5.48	3	Vertical	357	1.55
5290MHz	Pass	AV	5.15G	49.20	54.00	-4.80	3	Horizontal	360	1.50
5290MHz	Pass	AV	5.253G	100.11	Inf	-Inf	3	Horizontal	360	1.50
5290MHz	Pass	AV	5.35G	53.54	54.00	-0.46	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.135G	60.97	74.00	-13.03	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.328G	111.84	Inf	-Inf	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.35G	65.05	74.00	-8.95	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.472G	62.86	68.20	-5.34	3	Horizontal	360	1.50
5290MHz	Pass	AV	10.6208G	41.97	54.00	-12.03	3	Vertical	355	2.06
5290MHz	Pass	PK	10.60532G	55.64	74.00	-18.36	3	Vertical	355	2.06
5290MHz	Pass	AV	10.6184G	41.96	54.00	-12.04	3	Horizontal	28	1.56
5290MHz	Pass	PK	10.61336G	54.75	74.00	-19.25	3	Horizontal	28	1.56
5530MHz	Pass	AV	5.35G	48.99	54.00	-5.01	3	Vertical	360	1.50
5530MHz	Pass	AV	5.459G	52.85	54.00	-1.15	3	Vertical	360	1.50
5530MHz	Pass	AV	5.516G	101.42	Inf	-Inf	3	Vertical	360	1.50
5530MHz	Pass	PK	5.339G	61.15	68.20	-7.05	3	Vertical	360	1.50
5530MHz	Pass	PK	5.454G	64.73	74.00	-9.27	3	Vertical	360	1.50
5530MHz	Pass	PK	5.469G	66.72	68.20	-1.48	3	Vertical	360	1.50
5530MHz	Pass	PK	5.504G	112.78	Inf	-Inf	3	Vertical	360	1.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	PK	5.756G	62.76	68.20	-5.44	3	Vertical	360	1.50
5530MHz	Pass	AV	5.35G	49.14	54.00	-4.86	3	Horizontal	0	1.50
5530MHz	Pass	AV	5.455G	53.24	54.00	-0.76	3	Horizontal	0	1.50
5530MHz	Pass	AV	5.52G	102.46	Inf	-Inf	3	Horizontal	0	1.50
5530MHz	Pass	PK	5.346G	61.13	68.20	-7.07	3	Horizontal	0	1.50
5530MHz	Pass	PK	5.455G	64.94	74.00	-9.06	3	Horizontal	0	1.50
5530MHz	Pass	PK	5.465G	65.55	68.20	-2.65	3	Horizontal	0	1.50
5530MHz	Pass	PK	5.52G	114.02	Inf	-Inf	3	Horizontal	0	1.50
5530MHz	Pass	PK	5.743G	63.31	68.20	-4.89	3	Horizontal	0	1.50
5530MHz	Pass	AV	11.07296G	42.08	54.00	-11.92	3	Vertical	360	1.50
5530MHz	Pass	PK	11.06768G	55.33	74.00	-18.67	3	Vertical	360	1.50
5530MHz	Pass	AV	11.06912G	41.87	54.00	-12.13	3	Horizontal	50	2.06
5530MHz	Pass	PK	11.0816G	54.82	74.00	-19.18	3	Horizontal	50	2.06
5610MHz	Pass	AV	5.459G	51.19	54.00	-2.81	3	Vertical	0	1.56
5610MHz	Pass	AV	5.619G	104.31	Inf	-Inf	3	Vertical	0	1.56
5610MHz	Pass	PK	5.448G	62.96	74.00	-11.04	3	Vertical	0	1.56
5610MHz	Pass	PK	5.461G	63.81	68.20	-4.39	3	Vertical	0	1.56
5610MHz	Pass	PK	5.614G	116.29	Inf	-Inf	3	Vertical	0	1.56
5610MHz	Pass	PK	5.732G	64.95	68.20	-3.25	3	Vertical	0	1.56
5610MHz	Pass	AV	5.46G	51.45	54.00	-2.55	3	Horizontal	360	1.50
5610MHz	Pass	AV	5.62G	104.64	Inf	-Inf	3	Horizontal	360	1.50
5610MHz	Pass	PK	5.456G	63.25	74.00	-10.75	3	Horizontal	360	1.50
5610MHz	Pass	PK	5.462G	63.74	68.20	-4.46	3	Horizontal	360	1.50
5610MHz	Pass	PK	5.605G	116.13	Inf	-Inf	3	Horizontal	360	1.50
5610MHz	Pass	PK	5.726G	65.32	68.20	-2.88	3	Horizontal	360	1.50
5610MHz	Pass	AV	11.2368G	43.07	54.00	-10.93	3	Vertical	360	2.32
5610MHz	Pass	PK	11.26104G	55.67	74.00	-18.33	3	Vertical	360	2.32
5610MHz	Pass	AV	11.23584G	42.67	54.00	-11.33	3	Horizontal	360	1.97
5610MHz	Pass	PK	11.23512G	55.17	74.00	-18.83	3	Horizontal	360	1.97
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	49.60	54.00	-4.40	3	Vertical	358	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6984G	104.02	Inf	-Inf	3	Vertical	358	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4548G	61.58	74.00	-12.42	3	Vertical	358	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	61.21	68.20	-6.99	3	Vertical	358	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6756G	115.48	Inf	-Inf	3	Vertical	358	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9408G	62.50	68.20	-5.70	3	Vertical	358	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	49.76	54.00	-4.24	3	Horizontal	2	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	104.61	Inf	-Inf	3	Horizontal	2	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.444G	62.28	74.00	-11.72	3	Horizontal	2	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	61.48	68.20	-6.72	3	Horizontal	2	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6804G	117.08	Inf	-Inf	3	Horizontal	2	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9108G	63.37	68.20	-4.83	3	Horizontal	2	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3896G	43.16	54.00	-10.84	3	Vertical	7	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.35024G	55.81	74.00	-18.19	3	Vertical	7	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3656G	43.16	54.00	-10.84	3	Horizontal	360	1.67
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34736G	55.90	74.00	-18.10	3	Horizontal	360	1.67
5775MHz	Pass	AV	5.7642G	103.83	Inf	-Inf	3	Vertical	360	1.50
5775MHz	Pass	PK	5.649G	65.07	68.20	-3.13	3	Vertical	360	1.50
5775MHz	Pass	PK	5.7462G	115.58	Inf	-Inf	3	Vertical	360	1.50
5775MHz	Pass	PK	5.9538G	63.27	68.20	-4.93	3	Vertical	360	1.50
5775MHz	Pass	AV	5.763G	104.07	Inf	-Inf	3	Horizontal	0	1.50
5775MHz	Pass	PK	5.6442G	65.54	68.20	-2.66	3	Horizontal	0	1.50
5775MHz	Pass	PK	5.7822G	115.72	Inf	-Inf	3	Horizontal	0	1.50
5775MHz	Pass	PK	5.9298G	62.71	68.20	-5.49	3	Horizontal	0	1.50
5775MHz	Pass	AV	11.55288G	43.78	54.00	-10.22	3	Vertical	349	1.24
5775MHz	Pass	PK	11.56488G	56.42	74.00	-17.58	3	Vertical	349	1.24
5775MHz	Pass	AV	11.52792G	43.76	54.00	-10.24	3	Horizontal	358	1.57
5775MHz	Pass	PK	11.54808G	56.23	74.00	-17.77	3	Horizontal	358	1.57
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	52.95	54.00	-1.05	3	Vertical	354	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2212G	97.21	Inf	-Inf	3	Vertical	354	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.352G	51.43	54.00	-2.57	3	Vertical	354	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	65.67	74.00	-8.33	3	Vertical	354	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1912G	109.27	Inf	-Inf	3	Vertical	354	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3616G	63.18	74.00	-10.82	3	Vertical	354	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5464G	61.90	68.20	-6.30	3	Vertical	354	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	53.07	54.00	-0.93	3	Horizontal	360	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2248G	97.83	Inf	-Inf	3	Horizontal	360	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3748G	51.70	54.00	-2.30	3	Horizontal	360	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1408G	65.66	74.00	-8.34	3	Horizontal	360	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2272G	109.32	Inf	-Inf	3	Horizontal	360	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3628G	64.27	74.00	-9.73	3	Horizontal	360	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5272G	62.40	68.20	-5.80	3	Horizontal	360	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	10.61952G	41.85	54.00	-12.15	3	Vertical	229	1.25
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.60352G	55.03	74.00	-18.97	3	Vertical	229	1.25
5250MHz Straddle 5.25-5.35GHz	Pass	AV	10.61904G	41.86	54.00	-12.14	3	Horizontal	5	1.10
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.61328G	54.22	74.00	-19.78	3	Horizontal	5	1.10
5570MHz	Pass	AV	5.4584G	51.76	54.00	-2.24	3	Vertical	0	1.50
5570MHz	Pass	AV	5.4932G	97.64	Inf	-Inf	3	Vertical	0	1.50
5570MHz	Pass	PK	5.3108G	60.96	68.20	-7.24	3	Vertical	0	1.50
5570MHz	Pass	PK	5.4056G	65.96	74.00	-8.04	3	Vertical	0	1.50
5570MHz	Pass	PK	5.468G	64.55	68.20	-3.65	3	Vertical	0	1.50
5570MHz	Pass	PK	5.504G	109.11	Inf	-Inf	3	Vertical	0	1.50
5570MHz	Pass	PK	5.7332G	62.42	68.20	-5.78	3	Vertical	0	1.50
5570MHz	Pass	AV	5.4596G	52.33	54.00	-1.67	3	Horizontal	0	1.48
5570MHz	Pass	AV	5.5076G	98.52	Inf	-Inf	3	Horizontal	0	1.48
5570MHz	Pass	PK	5.3492G	61.33	68.20	-6.87	3	Horizontal	0	1.48
5570MHz	Pass	PK	5.456G	65.34	74.00	-8.66	3	Horizontal	0	1.48
5570MHz	Pass	PK	5.4644G	65.00	68.20	-3.20	3	Horizontal	0	1.48
5570MHz	Pass	PK	5.5076G	110.28	Inf	-Inf	3	Horizontal	0	1.48
5570MHz	Pass	PK	5.7452G	63.81	68.20	-4.39	3	Horizontal	0	1.48
5570MHz	Pass	AV	11.23408G	41.96	54.00	-12.04	3	Vertical	104	1.35
5570MHz	Pass	PK	11.10544G	54.36	74.00	-19.64	3	Vertical	104	1.35
5570MHz	Pass	AV	11.24608G	42.03	54.00	-11.97	3	Horizontal	94	1.50
5570MHz	Pass	PK	11.10688G	55.71	74.00	-18.29	3	Horizontal	94	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	53.03	54.00	-0.97	6.31	3	Vertical	358	1.50	46.72	33.39	7.95	35.03
AV	5.222G	102.25	Inf	-Inf	6.32	3	Vertical	358	1.50	95.93	33.36	8.00	35.04
AV	5.36G	49.95	54.00	-4.05	6.12	3	Vertical	358	1.50	43.83	33.02	8.16	35.06
PK	5.139G	64.26	74.00	-9.74	6.29	3	Vertical	358	1.50	57.97	33.38	7.94	35.03
PK	5.202G	113.38	Inf	-Inf	6.34	3	Vertical	358	1.50	107.04	33.40	7.98	35.04
PK	5.385G	62.25	74.00	-11.75	6.18	3	Vertical	358	1.50	56.07	33.07	8.18	35.07

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.54	54.00	-0.46	6.32	3	Horizontal	359	1.50	47.22	33.40	7.95	35.03
AV	5.22G	102.97	Inf	-Inf	6.32	3	Horizontal	359	1.50	96.65	33.36	8.00	35.04
AV	5.378G	50.05	54.00	-3.95	6.17	3	Horizontal	359	1.50	43.88	33.06	8.18	35.07
PK	5.143G	65.40	74.00	-8.60	6.31	3	Horizontal	359	1.50	59.09	33.39	7.95	35.03
PK	5.223G	114.18	Inf	-Inf	6.32	3	Horizontal	359	1.50	107.86	33.35	8.01	35.04
PK	5.428G	62.98	74.00	-11.02	6.30	3	Horizontal	359	1.50	56.68	33.16	8.22	35.08


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	53.11	54.00	-0.89	6.36	3	Vertical	1	1.42	46.75	33.20	8.24	35.08
AV	5.5038G	109.07	Inf	-Inf	6.39	3	Vertical	1	1.42	102.68	33.21	8.27	35.09
PK	5.4588G	66.65	74.00	-7.35	6.36	3	Vertical	1	1.42	60.29	33.20	8.24	35.08
PK	5.4612G	67.36	68.20	-0.84	6.36	3	Vertical	1	1.42	61.00	33.20	8.24	35.08
PK	5.504G	121.17	Inf	-Inf	6.39	3	Vertical	1	1.42	114.78	33.21	8.27	35.09

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	53.32	54.00	-0.68	6.36	3	Horizontal	1	1.50	46.96	33.20	8.24	35.08
AV	5.5026G	109.55	Inf	-Inf	6.39	3	Horizontal	1	1.50	103.16	33.21	8.27	35.09
PK	5.4594G	70.32	74.00	-3.68	6.36	3	Horizontal	1	1.50	63.96	33.20	8.24	35.08
PK	5.4604G	66.36	68.20	-1.84	6.36	3	Horizontal	1	1.50	60.00	33.20	8.24	35.08
PK	5.5074G	121.71	Inf	-Inf	6.39	3	Horizontal	1	1.50	115.32	33.21	8.27	35.09


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	48.99	54.00	-5.01	6.08	3	Vertical	360	1.50	42.91	33.00	8.14	35.06
AV	5.459G	52.85	54.00	-1.15	6.36	3	Vertical	360	1.50	46.49	33.20	8.24	35.08
AV	5.516G	101.42	Inf	-Inf	6.42	3	Vertical	360	1.50	95.00	33.23	8.28	35.09
PK	5.339G	61.15	68.20	-7.05	6.09	3	Vertical	360	1.50	55.06	33.02	8.13	35.06
PK	5.454G	64.73	74.00	-9.27	6.36	3	Vertical	360	1.50	58.37	33.20	8.24	35.08
PK	5.469G	66.72	68.20	-1.48	6.36	3	Vertical	360	1.50	60.36	33.20	8.24	35.08
PK	5.504G	112.78	Inf	-Inf	6.39	3	Vertical	360	1.50	106.39	33.21	8.27	35.09
PK	5.756G	62.76	68.20	-5.44	7.48	3	Vertical	360	1.50	55.28	34.04	8.56	35.12

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.14	54.00	-4.86	6.08	3	Horizontal	0	1.50	43.06	33.00	8.14	35.06
AV	5.455G	53.24	54.00	-0.76	6.36	3	Horizontal	0	1.50	46.88	33.20	8.24	35.08
AV	5.52G	102.46	Inf	-Inf	6.43	3	Horizontal	0	1.50	96.03	33.24	8.28	35.09
PK	5.346G	61.13	68.20	-7.07	6.09	3	Horizontal	0	1.50	55.04	33.01	8.14	35.06
PK	5.455G	64.94	74.00	-9.06	6.36	3	Horizontal	0	1.50	58.58	33.20	8.24	35.08
PK	5.465G	65.55	68.20	-2.65	6.36	3	Horizontal	0	1.50	59.19	33.20	8.24	35.08
PK	5.52G	114.02	Inf	-Inf	6.43	3	Horizontal	0	1.50	107.59	33.24	8.28	35.09
PK	5.743G	63.31	68.20	-4.89	7.39	3	Horizontal	0	1.50	55.92	33.96	8.54	35.11


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	49.06	54.00	-4.94	6.36	3	Vertical	0	1.40	42.70	33.20	8.24	35.08
AV	5.739G	109.64	Inf	-Inf	7.35	3	Vertical	0	1.40	102.29	33.93	8.53	35.11
PK	5.806G	61.26	68.20	-6.94	6.52	3	Vertical	0	1.40	54.74	33.30	8.32	35.10
PK	5.739G	120.18	Inf	-Inf	7.35	3	Vertical	0	1.40	112.83	33.93	8.53	35.11
PK	5.9346G	63.04	68.20	-5.16	7.94	3	Vertical	0	1.40	55.10	34.43	8.64	35.13

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4486G	49.17	54.00	-4.83	6.35	3	Horizontal	3	1.50	42.82	33.20	8.23	35.08
AV	5.7402G	109.40	Inf	-Inf	7.36	3	Horizontal	3	1.50	102.04	33.94	8.53	35.11
PK	5.637G	61.79	68.20	-6.41	6.73	3	Horizontal	3	1.50	55.06	33.45	8.38	35.10
PK	5.7426G	120.56	Inf	-Inf	7.39	3	Horizontal	3	1.50	113.17	33.96	8.54	35.11
PK	6.0342G	62.54	68.20	-5.66	7.82	3	Horizontal	3	1.50	54.72	34.30	8.67	35.15


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	49.34	54.00	-4.66	6.36	3	Vertical	358	1.50	42.98	33.20	8.24	35.08
AV	5.7418G	107.87	Inf	-Inf	7.38	3	Vertical	358	1.50	100.49	33.95	8.54	35.11
PK	5.6434G	63.07	68.20	-5.13	6.76	3	Vertical	358	1.50	56.31	33.47	8.39	35.10
PK	5.7562G	119.58	Inf	-Inf	7.48	3	Vertical	358	1.50	112.10	34.04	8.56	35.12
PK	6.0358G	62.62	68.20	-5.58	7.82	3	Vertical	358	1.50	54.80	34.30	8.67	35.15

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	49.47	54.00	-4.53	6.36	3	Horizontal	360	1.49	43.11	33.20	8.24	35.08
AV	5.743G	107.74	Inf	-Inf	7.39	3	Horizontal	360	1.49	100.35	33.96	8.54	35.11
PK	5.6014G	63.24	68.20	-4.96	6.54	3	Horizontal	360	1.49	56.70	33.31	8.33	35.10
PK	5.743G	119.22	Inf	-Inf	7.39	3	Horizontal	360	1.49	111.83	33.96	8.54	35.11
PK	5.9314G	63.30	68.20	-4.90	7.95	3	Horizontal	360	1.49	55.35	34.44	8.64	35.13


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX





RSE TX above 1GHz Non-Beamforming_Radio 1_AP66D _Multi RU

Appendix E.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.143G	48.47	54.00	-5.53	3	Vertical	8	1.32
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_2TX	Pass	PK	5.4684G	62.54	68.20	-5.66	3	Horizontal	360	1.36
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	Pass	AV	5.35G	48.12	54.00	-5.88	3	Vertical	5	1.13
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.466G	65.03	68.20	-3.17	3	Vertical	23	1.34
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	Pass	PK	5.4608G	63.83	68.20	-4.37	3	Vertical	26	1.49
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.9466G	62.97	68.20	-5.23	3	Vertical	339	1.50

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.143G	48.47	54.00	-5.53	3	Vertical	8	1.32
5210MHz	Pass	AV	5.202G	95.95	Inf	-Inf	3	Vertical	8	1.32
5210MHz	Pass	AV	5.426G	48.08	54.00	-5.92	3	Vertical	8	1.32
5210MHz	Pass	PK	5.149G	61.84	74.00	-12.16	3	Vertical	8	1.32
5210MHz	Pass	PK	5.205G	108.69	Inf	-Inf	3	Vertical	8	1.32
5210MHz	Pass	PK	5.424G	62.46	74.00	-11.54	3	Vertical	8	1.32
5210MHz	Pass	AV	5.144G	48.31	54.00	-5.69	3	Horizontal	0	1.50
5210MHz	Pass	AV	5.2G	95.74	Inf	-Inf	3	Horizontal	0	1.50
5210MHz	Pass	AV	5.42G	48.02	54.00	-5.98	3	Horizontal	0	1.50
5210MHz	Pass	PK	5.136G	63.62	74.00	-10.38	3	Horizontal	0	1.50
5210MHz	Pass	PK	5.208G	108.85	Inf	-Inf	3	Horizontal	0	1.50
5210MHz	Pass	PK	5.434G	61.83	74.00	-12.17	3	Horizontal	0	1.50
5210MHz	Pass	PK	10.36624G	54.86	68.20	-13.34	3	Vertical	279	1.50
5210MHz	Pass	PK	10.47232G	54.41	68.20	-13.79	3	Horizontal	187	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.149G	47.04	54.00	-6.96	3	Vertical	5	1.13
5290MHz	Pass	AV	5.277G	92.84	Inf	-Inf	3	Vertical	5	1.13
5290MHz	Pass	AV	5.35G	48.12	54.00	-5.88	3	Vertical	5	1.13
5290MHz	Pass	PK	5.134G	60.49	74.00	-13.51	3	Vertical	5	1.13
5290MHz	Pass	PK	5.282G	105.61	Inf	-Inf	3	Vertical	5	1.13
5290MHz	Pass	PK	5.352G	62.07	74.00	-11.93	3	Vertical	5	1.13
5290MHz	Pass	PK	5.521G	61.57	68.20	-6.63	3	Vertical	5	1.13
5290MHz	Pass	AV	5.135G	47.03	54.00	-6.97	3	Horizontal	0	1.01
5290MHz	Pass	AV	5.275G	92.42	Inf	-Inf	3	Horizontal	0	1.01
5290MHz	Pass	AV	5.415G	48.04	54.00	-5.96	3	Horizontal	0	1.01
5290MHz	Pass	PK	5.057G	61.20	74.00	-12.80	3	Horizontal	0	1.01
5290MHz	Pass	PK	5.273G	105.17	Inf	-Inf	3	Horizontal	0	1.01
5290MHz	Pass	PK	5.415G	62.13	74.00	-11.87	3	Horizontal	0	1.01
5290MHz	Pass	PK	5.506G	61.35	68.20	-6.85	3	Horizontal	0	1.01
5290MHz	Pass	PK	10.544G	54.96	68.20	-13.24	3	Vertical	74	1.50
5290MHz	Pass	PK	10.59176G	54.28	68.20	-13.92	3	Horizontal	176	2.54
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	46.69	54.00	-7.31	3	Vertical	23	1.34
5530MHz	Pass	AV	5.453G	47.94	54.00	-6.06	3	Vertical	23	1.34
5530MHz	Pass	AV	5.518G	93.92	Inf	-Inf	3	Vertical	23	1.34
5530MHz	Pass	PK	5.338G	60.68	68.20	-7.52	3	Vertical	23	1.34
5530MHz	Pass	PK	5.46G	64.15	74.00	-9.85	3	Vertical	23	1.34
5530MHz	Pass	PK	5.466G	65.03	68.20	-3.17	3	Vertical	23	1.34
5530MHz	Pass	PK	5.505G	106.38	Inf	-Inf	3	Vertical	23	1.34
5530MHz	Pass	PK	5.752G	62.67	68.20	-5.53	3	Vertical	23	1.34
5530MHz	Pass	AV	5.35G	46.77	54.00	-7.23	3	Horizontal	5	2.95
5530MHz	Pass	AV	5.458G	47.89	54.00	-6.11	3	Horizontal	5	2.95
5530MHz	Pass	AV	5.516G	94.01	Inf	-Inf	3	Horizontal	5	2.95
5530MHz	Pass	PK	5.339G	61.32	68.20	-6.88	3	Horizontal	5	2.95
5530MHz	Pass	PK	5.457G	64.29	74.00	-9.71	3	Horizontal	5	2.95
5530MHz	Pass	PK	5.461G	63.26	68.20	-4.94	3	Horizontal	5	2.95
5530MHz	Pass	PK	5.498G	106.97	Inf	-Inf	3	Horizontal	5	2.95
5530MHz	Pass	PK	5.749G	61.87	68.20	-6.33	3	Horizontal	5	2.95
5530MHz	Pass	AV	11.08472G	41.38	54.00	-12.62	3	Vertical	28	2.34
5530MHz	Pass	PK	11.00624G	54.66	74.00	-19.34	3	Vertical	28	2.34
5530MHz	Pass	AV	11.08088G	41.35	54.00	-12.65	3	Horizontal	231	1.46
5530MHz	Pass	PK	11.1068G	54.74	74.00	-19.26	3	Horizontal	231	1.46
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.457G	47.48	54.00	-6.52	3	Vertical	20	1.50
5610MHz	Pass	AV	5.62G	93.95	Inf	-Inf	3	Vertical	20	1.50
5610MHz	Pass	PK	5.427G	60.70	74.00	-13.30	3	Vertical	20	1.50
5610MHz	Pass	PK	5.463G	60.44	68.20	-7.76	3	Vertical	20	1.50
5610MHz	Pass	PK	5.628G	106.79	Inf	-Inf	3	Vertical	20	1.50
5610MHz	Pass	PK	5.834G	62.50	68.20	-5.70	3	Vertical	20	1.50
5610MHz	Pass	AV	5.46G	47.39	54.00	-6.61	3	Horizontal	329	2.77

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.621G	93.16	Inf	-Inf	3	Horizontal	329	2.77
5610MHz	Pass	PK	5.437G	61.28	74.00	-12.72	3	Horizontal	329	2.77
5610MHz	Pass	PK	5.464G	60.46	68.20	-7.74	3	Horizontal	329	2.77
5610MHz	Pass	PK	5.614G	105.88	Inf	-Inf	3	Horizontal	329	2.77
5610MHz	Pass	PK	5.851G	62.49	68.20	-5.71	3	Horizontal	329	2.77
5610MHz	Pass	AV	11.2608G	41.74	54.00	-12.26	3	Vertical	152	2.24
5610MHz	Pass	PK	11.2692G	54.48	74.00	-19.52	3	Vertical	152	2.24
5610MHz	Pass	AV	11.25984G	41.86	54.00	-12.14	3	Horizontal	351	2.22
5610MHz	Pass	PK	11.2548G	54.65	74.00	-19.35	3	Horizontal	351	2.22
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX										
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4272G	47.00	54.00	-7.00	3	Vertical	341	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6804G	93.54	Inf	-Inf	3	Vertical	341	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.3948G	60.43	74.00	-13.57	3	Vertical	341	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	60.14	68.20	-8.06	3	Vertical	341	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.678G	106.62	Inf	-Inf	3	Vertical	341	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.936G	62.95	68.20	-5.25	3	Vertical	341	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	47.02	54.00	-6.98	3	Horizontal	13	2.90
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6756G	94.38	Inf	-Inf	3	Horizontal	13	2.90
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4296G	61.19	74.00	-12.81	3	Horizontal	13	2.90
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	60.34	68.20	-7.86	3	Horizontal	13	2.90
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6864G	107.54	Inf	-Inf	3	Horizontal	13	2.90
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9672G	62.34	68.20	-5.86	3	Horizontal	13	2.90
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40112G	42.19	54.00	-11.81	3	Vertical	83	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.4388G	54.86	74.00	-19.14	3	Vertical	83	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39944G	42.22	54.00	-11.78	3	Horizontal	302	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34664G	55.41	74.00	-18.59	3	Horizontal	302	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX										
5775MHz	Pass	AV	5.7606G	94.65	Inf	-Inf	3	Vertical	339	1.50
5775MHz	Pass	PK	5.6094G	60.89	68.20	-7.31	3	Vertical	339	1.50
5775MHz	Pass	PK	5.7678G	104.27	Inf	-Inf	3	Vertical	339	1.50
5775MHz	Pass	PK	5.9466G	62.97	68.20	-5.23	3	Vertical	339	1.50
5775MHz	Pass	AV	5.763G	93.88	Inf	-Inf	3	Horizontal	19	1.66
5775MHz	Pass	PK	5.6298G	61.40	68.20	-6.80	3	Horizontal	19	1.66
5775MHz	Pass	PK	5.7666G	104.49	Inf	-Inf	3	Horizontal	19	1.66
5775MHz	Pass	PK	5.9406G	62.87	68.20	-5.33	3	Horizontal	19	1.66
5775MHz	Pass	AV	11.52504G	42.26	54.00	-11.74	3	Vertical	155	2.46
5775MHz	Pass	PK	11.56128G	55.14	74.00	-18.86	3	Vertical	155	2.46
5775MHz	Pass	AV	11.52504G	42.25	54.00	-11.75	3	Horizontal	287	1.50
5775MHz	Pass	PK	11.5128G	55.08	74.00	-18.92	3	Horizontal	287	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_2TX										
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1492G	47.78	54.00	-6.22	3	Vertical	0	1.16
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2272G	90.32	Inf	-Inf	3	Vertical	0	1.16
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4168G	48.15	54.00	-5.85	3	Vertical	0	1.16
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1396G	61.20	74.00	-12.80	3	Vertical	0	1.16
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2248G	103.60	Inf	-Inf	3	Vertical	0	1.16
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4024G	61.89	74.00	-12.11	3	Vertical	0	1.16
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4756G	61.72	68.20	-6.48	3	Vertical	0	1.16
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.15G	47.80	54.00	-6.20	3	Horizontal	360	1.36
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.226G	90.25	Inf	-Inf	3	Horizontal	360	1.36
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4312G	48.05	54.00	-5.95	3	Horizontal	360	1.36
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1408G	60.79	74.00	-13.21	3	Horizontal	360	1.36
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2176G	103.75	Inf	-Inf	3	Horizontal	360	1.36
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3808G	61.77	74.00	-12.23	3	Horizontal	360	1.36
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4684G	62.54	68.20	-5.66	3	Horizontal	360	1.36
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.3944G	54.49	68.20	-13.71	3	Vertical	58	2.56
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.56384G	54.24	68.20	-13.96	3	Horizontal	6	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX										
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1492G	47.62	54.00	-6.38	3	Vertical	7	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1864G	89.97	Inf	-Inf	3	Vertical	7	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4192G	48.11	54.00	-5.89	3	Vertical	7	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1192G	60.98	74.00	-13.02	3	Vertical	7	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2692G	102.72	Inf	-Inf	3	Vertical	7	1.48

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3868G	62.42	74.00	-11.58	3	Vertical	7	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5308G	61.83	68.20	-6.37	3	Vertical	7	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.15G	47.45	54.00	-6.55	3	Horizontal	0	1.37
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1876G	90.32	Inf	-Inf	3	Horizontal	0	1.37
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4276G	47.99	54.00	-6.01	3	Horizontal	0	1.37
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.0472G	61.73	74.00	-12.27	3	Horizontal	0	1.37
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1876G	103.38	Inf	-Inf	3	Horizontal	0	1.37
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.448G	61.59	74.00	-12.41	3	Horizontal	0	1.37
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5476G	61.86	68.20	-6.34	3	Horizontal	0	1.37
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.58016G	55.21	68.20	-12.99	3	Vertical	279	1.43
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.46304G	54.27	68.20	-13.93	3	Horizontal	139	1.06
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4596G	48.15	54.00	-5.85	3	Vertical	20	1.45
5570MHz	Pass	AV	5.5076G	90.74	Inf	-Inf	3	Vertical	20	1.45
5570MHz	Pass	PK	5.342G	61.15	68.20	-7.05	3	Vertical	20	1.45
5570MHz	Pass	PK	5.4404G	61.96	74.00	-12.04	3	Vertical	20	1.45
5570MHz	Pass	PK	5.4632G	61.29	68.20	-6.91	3	Vertical	20	1.45
5570MHz	Pass	PK	5.5232G	104.26	Inf	-Inf	3	Vertical	20	1.45
5570MHz	Pass	PK	5.8316G	62.23	68.20	-5.97	3	Vertical	20	1.45
5570MHz	Pass	AV	5.4512G	48.12	54.00	-5.88	3	Horizontal	5	3.00
5570MHz	Pass	AV	5.4932G	90.84	Inf	-Inf	3	Horizontal	5	3.00
5570MHz	Pass	PK	5.3252G	60.71	68.20	-7.49	3	Horizontal	5	3.00
5570MHz	Pass	PK	5.4548G	61.59	74.00	-12.41	3	Horizontal	5	3.00
5570MHz	Pass	PK	5.4656G	61.60	68.20	-6.60	3	Horizontal	5	3.00
5570MHz	Pass	PK	5.498G	104.13	Inf	-Inf	3	Horizontal	5	3.00
5570MHz	Pass	PK	5.7968G	62.15	68.20	-6.05	3	Horizontal	5	3.00
5570MHz	Pass	AV	11.25952G	41.72	54.00	-12.28	3	Vertical	232	1.56
5570MHz	Pass	PK	11.2264G	54.73	74.00	-19.27	3	Vertical	232	1.56
5570MHz	Pass	AV	11.24896G	41.79	54.00	-12.21	3	Horizontal	5	1.25
5570MHz	Pass	PK	11.23456G	55.12	74.00	-18.88	3	Horizontal	5	1.25
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4476G	47.59	54.00	-6.41	3	Vertical	26	1.49
5570MHz	Pass	AV	5.5076G	90.39	Inf	-Inf	3	Vertical	26	1.49
5570MHz	Pass	PK	5.2964G	60.62	68.20	-7.58	3	Vertical	26	1.49
5570MHz	Pass	PK	5.4488G	62.52	74.00	-11.48	3	Vertical	26	1.49
5570MHz	Pass	PK	5.4608G	63.83	68.20	-4.37	3	Vertical	26	1.49
5570MHz	Pass	PK	5.5184G	103.81	Inf	-Inf	3	Vertical	26	1.49
5570MHz	Pass	PK	5.8556G	62.99	68.20	-5.21	3	Vertical	26	1.49
5570MHz	Pass	AV	5.4284G	47.66	54.00	-6.34	3	Horizontal	9	3.00
5570MHz	Pass	AV	5.5088G	91.08	Inf	-Inf	3	Horizontal	9	3.00
5570MHz	Pass	PK	5.2796G	60.67	68.20	-7.53	3	Horizontal	9	3.00
5570MHz	Pass	PK	5.4344G	62.18	74.00	-11.82	3	Horizontal	9	3.00
5570MHz	Pass	PK	5.4608G	63.56	68.20	-4.64	3	Horizontal	9	3.00
5570MHz	Pass	PK	5.504G	104.36	Inf	-Inf	3	Horizontal	9	3.00
5570MHz	Pass	PK	5.8244G	62.39	68.20	-5.81	3	Horizontal	9	3.00
5570MHz	Pass	AV	11.22976G	41.80	54.00	-12.20	3	Vertical	109	1.50
5570MHz	Pass	PK	11.06272G	54.55	74.00	-19.45	3	Vertical	109	1.50
5570MHz	Pass	AV	11.26G	41.83	54.00	-12.17	3	Horizontal	30	2.59
5570MHz	Pass	PK	11.2504G	54.46	74.00	-19.54	3	Horizontal	30	2.59


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.69	54.00	-7.31	6.08	3	Vertical	23	1.34	40.61	33.00	8.14	35.06
AV	5.453G	47.94	54.00	-6.06	6.35	3	Vertical	23	1.34	41.59	33.20	8.23	35.08
AV	5.518G	93.92	Inf	-Inf	6.43	3	Vertical	23	1.34	87.49	33.24	8.28	35.09
PK	5.338G	60.68	68.20	-7.52	6.09	3	Vertical	23	1.34	54.59	33.02	8.13	35.06
PK	5.46G	64.15	74.00	-9.85	6.36	3	Vertical	23	1.34	57.79	33.20	8.24	35.08
PK	5.466G	65.03	68.20	-3.17	6.36	3	Vertical	23	1.34	58.67	33.20	8.24	35.08
PK	5.505G	106.38	Inf	-Inf	6.39	3	Vertical	23	1.34	99.99	33.21	8.27	35.09
PK	5.752G	62.67	68.20	-5.53	7.44	3	Vertical	23	1.34	55.23	34.01	8.55	35.12

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.77	54.00	-7.23	6.08	3	Horizontal	5	2.95	40.69	33.00	8.14	35.06
AV	5.458G	47.89	54.00	-6.11	6.36	3	Horizontal	5	2.95	41.53	33.20	8.24	35.08
AV	5.516G	94.01	Inf	-Inf	6.42	3	Horizontal	5	2.95	87.59	33.23	8.28	35.09
PK	5.339G	61.32	68.20	-6.88	6.09	3	Horizontal	5	2.95	55.23	33.02	8.13	35.06
PK	5.457G	64.29	74.00	-9.71	6.36	3	Horizontal	5	2.95	57.93	33.20	8.24	35.08
PK	5.461G	63.26	68.20	-4.94	6.36	3	Horizontal	5	2.95	56.90	33.20	8.24	35.08
PK	5.498G	106.97	Inf	-Inf	6.37	3	Horizontal	5	2.95	100.60	33.20	8.26	35.09
PK	5.749G	61.87	68.20	-6.33	7.43	3	Horizontal	5	2.95	54.44	33.99	8.55	35.11


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	PK	39.7M	36.43	40.00	-3.57	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5785MHz_PoE	Pass	PK	39.7M	36.43	40.00	-3.57	3	Vertical	0	1.00
5785MHz_PoE	Pass	PK	59.1M	35.79	40.00	-4.21	3	Vertical	0	1.00
5785MHz_PoE	Pass	PK	82.38M	34.55	40.00	-5.45	3	Vertical	0	1.00
5785MHz_PoE	Pass	PK	146.4M	26.54	43.50	-16.96	3	Vertical	0	1.00
5785MHz_PoE	Pass	PK	255.04M	28.45	46.00	-17.55	3	Vertical	0	1.00
5785MHz_PoE	Pass	PK	396.66M	22.52	46.00	-23.48	3	Vertical	0	1.00
5785MHz_PoE	Pass	PK	41.64M	30.52	40.00	-9.48	3	Horizontal	360	1.00
5785MHz_PoE	Pass	PK	84.32M	19.89	40.00	-20.11	3	Horizontal	360	1.00
5785MHz_PoE	Pass	PK	121.18M	22.05	43.50	-21.45	3	Horizontal	360	1.00
5785MHz_PoE	Pass	PK	167.74M	23.27	43.50	-20.23	3	Horizontal	360	1.00
5785MHz_PoE	Pass	PK	256.98M	32.75	46.00	-13.25	3	Horizontal	360	1.00
5785MHz_PoE	Pass	PK	396.66M	22.57	46.00	-23.43	3	Horizontal	360	1.00

5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX


5785MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	36.43	40.00	-3.57	-23.74	3	Vertical	0	1.00	60.17	19.96	0.87	44.57
PK	59.1M	35.79	40.00	-4.21	-31.71	3	Vertical	0	1.00	67.50	12.02	0.89	44.62
PK	82.38M	34.55	40.00	-5.45	-29.41	3	Vertical	0	1.00	63.96	14.12	1.07	44.60
PK	146.4M	26.54	43.50	-16.96	-25.47	3	Vertical	0	1.00	52.01	17.70	1.39	44.56
PK	255.04M	28.45	46.00	-17.55	-22.92	3	Vertical	0	1.00	51.37	19.59	1.83	44.34
PK	396.66M	22.52	46.00	-23.48	-19.86	3	Vertical	0	1.00	42.38	21.97	2.26	44.09

5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5785MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	41.64M	30.52	40.00	-9.48	-24.75	3	Horizontal	360	1.00	55.27	18.98	0.84	44.57
PK	84.32M	19.89	40.00	-20.11	-29.09	3	Horizontal	360	1.00	48.98	14.42	1.08	44.59
PK	121.18M	22.05	43.50	-21.45	-25.33	3	Horizontal	360	1.00	47.38	17.96	1.28	44.57
PK	167.74M	23.27	43.50	-20.23	-26.84	3	Horizontal	360	1.00	50.11	16.18	1.49	44.51
PK	256.98M	32.75	46.00	-13.25	-22.58	3	Horizontal	360	1.00	55.33	19.91	1.84	44.33
PK	396.66M	22.57	46.00	-23.43	-19.86	3	Horizontal	360	1.00	42.43	21.97	2.26	44.09

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	5.15G	52.87	54.00	-1.13	3	Horizontal	42	1.80
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	5.35G	53.56	54.00	-0.44	3	Vertical	305	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	PK	5.726G	67.52	68.20	-0.68	3	Horizontal	48	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	PK	5.9346G	63.33	68.20	-4.87	3	Vertical	352	1.21

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	49.41	54.00	-4.59	3	Vertical	305	1.75
5180MHz	Pass	AV	5.1812G	95.49	Inf	-Inf	3	Vertical	305	1.75
5180MHz	Pass	PK	5.1498G	63.02	74.00	-10.98	3	Vertical	305	1.75
5180MHz	Pass	PK	5.1848G	104.57	Inf	-Inf	3	Vertical	305	1.75
5180MHz	Pass	AV	5.15G	52.59	54.00	-1.41	3	Horizontal	40	1.65
5180MHz	Pass	AV	5.1786G	100.69	Inf	-Inf	3	Horizontal	40	1.65
5180MHz	Pass	PK	5.1462G	69.25	74.00	-4.75	3	Horizontal	40	1.65
5180MHz	Pass	PK	5.1846G	111.05	Inf	-Inf	3	Horizontal	40	1.65
5180MHz	Pass	PK	10.36576G	53.62	68.20	-14.58	3	Vertical	20	1.50
5180MHz	Pass	PK	10.35636G	53.35	68.20	-14.85	3	Horizontal	285	1.50
5200MHz	Pass	AV	5.15G	49.42	54.00	-4.58	3	Vertical	305	1.60
5200MHz	Pass	AV	5.2064G	98.24	Inf	-Inf	3	Vertical	305	1.60
5200MHz	Pass	PK	5.1484G	62.56	74.00	-11.44	3	Vertical	305	1.60
5200MHz	Pass	PK	5.206G	107.63	Inf	-Inf	3	Vertical	305	1.60
5200MHz	Pass	AV	5.15G	52.87	54.00	-1.13	3	Horizontal	42	1.80
5200MHz	Pass	AV	5.2024G	104.38	Inf	-Inf	3	Horizontal	42	1.80
5200MHz	Pass	PK	5.15G	67.05	74.00	-6.95	3	Horizontal	42	1.80
5200MHz	Pass	PK	5.2036G	113.89	Inf	-Inf	3	Horizontal	42	1.80
5200MHz	Pass	PK	10.39428G	53.48	68.20	-14.72	3	Vertical	173	1.50
5200MHz	Pass	PK	10.4094G	53.44	68.20	-14.76	3	Horizontal	272	1.61
5240MHz	Pass	AV	5.1434G	48.17	54.00	-5.83	3	Vertical	305	1.49
5240MHz	Pass	AV	5.2418G	98.75	Inf	-Inf	3	Vertical	305	1.49
5240MHz	Pass	AV	5.3846G	48.87	54.00	-5.13	3	Vertical	305	1.49
5240MHz	Pass	PK	5.1494G	60.26	74.00	-13.74	3	Vertical	305	1.49
5240MHz	Pass	PK	5.2376G	108.04	Inf	-Inf	3	Vertical	305	1.49
5240MHz	Pass	PK	5.3528G	60.39	74.00	-13.61	3	Vertical	305	1.49
5240MHz	Pass	AV	5.1494G	48.36	54.00	-5.64	3	Horizontal	39	1.50
5240MHz	Pass	AV	5.2382G	104.26	Inf	-Inf	3	Horizontal	39	1.50
5240MHz	Pass	AV	5.3858G	48.87	54.00	-5.13	3	Horizontal	39	1.50
5240MHz	Pass	PK	5.1326G	60.23	74.00	-13.77	3	Horizontal	39	1.50
5240MHz	Pass	PK	5.2418G	113.83	Inf	-Inf	3	Horizontal	39	1.50
5240MHz	Pass	PK	5.3768G	61.08	74.00	-12.92	3	Horizontal	39	1.50
5240MHz	Pass	PK	10.47952G	53.72	68.20	-14.48	3	Vertical	345	1.53
5240MHz	Pass	PK	10.4888G	53.43	68.20	-14.77	3	Horizontal	221	1.50
5260MHz	Pass	AV	5.1412G	48.22	54.00	-5.78	3	Vertical	38	1.50
5260MHz	Pass	AV	5.2552G	103.04	Inf	-Inf	3	Vertical	38	1.50
5260MHz	Pass	AV	5.4058G	48.93	54.00	-5.07	3	Vertical	38	1.50
5260MHz	Pass	PK	5.1454G	59.69	74.00	-14.31	3	Vertical	38	1.50
5260MHz	Pass	PK	5.2582G	112.74	Inf	-Inf	3	Vertical	38	1.50
5260MHz	Pass	PK	5.383G	60.68	74.00	-13.32	3	Vertical	38	1.50
5260MHz	Pass	AV	5.1382G	48.26	54.00	-5.74	3	Horizontal	38	1.50
5260MHz	Pass	AV	5.2564G	103.00	Inf	-Inf	3	Horizontal	38	1.50
5260MHz	Pass	AV	5.404G	48.92	54.00	-5.08	3	Horizontal	38	1.50
5260MHz	Pass	PK	5.1352G	60.19	74.00	-13.81	3	Horizontal	38	1.50
5260MHz	Pass	PK	5.2558G	112.46	Inf	-Inf	3	Horizontal	38	1.50
5260MHz	Pass	PK	5.404G	61.20	74.00	-12.80	3	Horizontal	38	1.50
5260MHz	Pass	PK	10.51384G	53.83	68.20	-14.37	3	Vertical	291	1.08
5260MHz	Pass	PK	10.51708G	54.73	68.20	-13.47	3	Horizontal	19	1.50
5300MHz	Pass	AV	5.298G	98.56	Inf	-Inf	3	Vertical	305	1.55
5300MHz	Pass	AV	5.3504G	48.78	54.00	-5.22	3	Vertical	305	1.55
5300MHz	Pass	PK	5.298G	108.52	Inf	-Inf	3	Vertical	305	1.55
5300MHz	Pass	PK	5.3536G	61.56	74.00	-12.44	3	Vertical	305	1.55
5300MHz	Pass	AV	5.298G	101.36	Inf	-Inf	3	Horizontal	39	1.50
5300MHz	Pass	AV	5.35G	48.95	54.00	-5.05	3	Horizontal	39	1.50
5300MHz	Pass	PK	5.2992G	110.86	Inf	-Inf	3	Horizontal	39	1.50
5300MHz	Pass	PK	5.3872G	61.15	74.00	-12.85	3	Horizontal	39	1.50
5300MHz	Pass	PK	10.59224G	54.14	68.20	-14.06	3	Vertical	78	2.34
5300MHz	Pass	PK	10.59776G	53.93	68.20	-14.27	3	Horizontal	317	2.17
5320MHz	Pass	AV	5.3216G	98.18	Inf	-Inf	3	Vertical	305	1.50
5320MHz	Pass	AV	5.35G	53.56	54.00	-0.44	3	Vertical	305	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.3228G	107.19	Inf	-Inf	3	Vertical	305	1.50
5320MHz	Pass	PK	5.3508G	68.58	74.00	-5.42	3	Vertical	305	1.50
5320MHz	Pass	AV	5.3182G	100.06	Inf	-Inf	3	Horizontal	37	1.50
5320MHz	Pass	AV	5.35G	53.55	54.00	-0.45	3	Horizontal	37	1.50
5320MHz	Pass	PK	5.3166G	109.51	Inf	-Inf	3	Horizontal	37	1.50
5320MHz	Pass	PK	5.354G	70.78	74.00	-3.22	3	Horizontal	37	1.50
5320MHz	Pass	AV	10.6498G	41.53	54.00	-12.47	3	Vertical	354	1.50
5320MHz	Pass	PK	10.63676G	53.47	74.00	-20.53	3	Vertical	354	1.50
5320MHz	Pass	AV	10.6492G	41.51	54.00	-12.49	3	Horizontal	254	2.63
5320MHz	Pass	PK	10.64088G	53.83	74.00	-20.17	3	Horizontal	254	2.63
5500MHz	Pass	AV	5.4582G	48.90	54.00	-5.10	3	Vertical	309	1.21
5500MHz	Pass	AV	5.5026G	95.92	Inf	-Inf	3	Vertical	309	1.21
5500MHz	Pass	PK	5.4576G	61.90	74.00	-12.10	3	Vertical	309	1.21
5500MHz	Pass	PK	5.4678G	64.05	68.20	-4.15	3	Vertical	309	1.21
5500MHz	Pass	PK	5.504G	104.85	Inf	-Inf	3	Vertical	309	1.21
5500MHz	Pass	AV	5.46G	49.20	54.00	-4.80	3	Horizontal	42	1.64
5500MHz	Pass	AV	5.5014G	98.85	Inf	-Inf	3	Horizontal	42	1.64
5500MHz	Pass	PK	5.4526G	62.86	74.00	-11.14	3	Horizontal	42	1.64
5500MHz	Pass	PK	5.4642G	66.20	68.20	-2.00	3	Horizontal	42	1.64
5500MHz	Pass	PK	5.5016G	107.99	Inf	-Inf	3	Horizontal	42	1.64
5500MHz	Pass	AV	10.99004G	41.37	54.00	-12.63	3	Vertical	292	1.50
5500MHz	Pass	PK	11.00952G	54.27	74.00	-19.73	3	Vertical	292	1.50
5500MHz	Pass	AV	10.99072G	41.37	54.00	-12.63	3	Horizontal	156	2.78
5500MHz	Pass	PK	10.994G	54.18	74.00	-19.82	3	Horizontal	156	2.78
5580MHz	Pass	AV	5.4552G	48.46	54.00	-5.54	3	Vertical	348	1.33
5580MHz	Pass	AV	5.577G	98.28	Inf	-Inf	3	Vertical	348	1.33
5580MHz	Pass	PK	5.4594G	60.08	74.00	-13.92	3	Vertical	348	1.33
5580MHz	Pass	PK	5.4666G	59.65	68.20	-8.55	3	Vertical	348	1.33
5580MHz	Pass	PK	5.583G	107.09	Inf	-Inf	3	Vertical	348	1.33
5580MHz	Pass	PK	5.7258G	61.48	68.20	-6.72	3	Vertical	348	1.33
5580MHz	Pass	AV	5.4594G	48.49	54.00	-5.51	3	Horizontal	49	1.66
5580MHz	Pass	AV	5.5842G	102.37	Inf	-Inf	3	Horizontal	49	1.66
5580MHz	Pass	PK	5.4492G	60.26	74.00	-13.74	3	Horizontal	49	1.66
5580MHz	Pass	PK	5.4636G	59.47	68.20	-8.73	3	Horizontal	49	1.66
5580MHz	Pass	PK	5.586G	111.98	Inf	-Inf	3	Horizontal	49	1.66
5580MHz	Pass	PK	5.7282G	61.11	68.20	-7.09	3	Horizontal	49	1.66
5580MHz	Pass	AV	11.15008G	41.52	54.00	-12.48	3	Vertical	289	1.50
5580MHz	Pass	PK	11.16652G	54.39	74.00	-19.61	3	Vertical	289	1.50
5580MHz	Pass	AV	11.15012G	41.48	54.00	-12.52	3	Horizontal	46	1.50
5580MHz	Pass	PK	11.15208G	53.41	74.00	-20.59	3	Horizontal	46	1.50
5700MHz	Pass	AV	5.7012G	96.13	Inf	-Inf	3	Vertical	354	1.32
5700MHz	Pass	PK	5.7032G	104.99	Inf	-Inf	3	Vertical	354	1.32
5700MHz	Pass	PK	5.7296G	66.19	68.20	-2.01	3	Vertical	354	1.32
5700MHz	Pass	AV	5.6964G	99.11	Inf	-Inf	3	Horizontal	48	1.50
5700MHz	Pass	PK	5.6972G	108.37	Inf	-Inf	3	Horizontal	48	1.50
5700MHz	Pass	PK	5.726G	67.52	68.20	-0.68	3	Horizontal	48	1.50
5700MHz	Pass	AV	11.4008G	42.09	54.00	-11.91	3	Vertical	268	1.50
5700MHz	Pass	PK	11.39304G	55.07	74.00	-18.93	3	Vertical	268	1.50
5700MHz	Pass	AV	11.40088G	42.09	54.00	-11.91	3	Horizontal	111	1.50
5700MHz	Pass	PK	11.4096G	54.72	74.00	-19.28	3	Horizontal	111	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	48.69	54.00	-5.31	3	Vertical	353	1.24
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	98.55	Inf	-Inf	3	Vertical	353	1.24
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4356G	60.07	74.00	-13.93	3	Vertical	353	1.24
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	60.00	68.20	-8.20	3	Vertical	353	1.24
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	107.73	Inf	-Inf	3	Vertical	353	1.24
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.882G	62.24	68.20	-5.96	3	Vertical	353	1.24
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4248G	48.65	54.00	-5.35	3	Horizontal	60	1.61
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	101.61	Inf	-Inf	3	Horizontal	60	1.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4272G	60.32	74.00	-13.68	3	Horizontal	60	1.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	60.05	68.20	-8.15	3	Horizontal	60	1.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	110.37	Inf	-Inf	3	Horizontal	60	1.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9408G	63.40	68.20	-4.80	3	Horizontal	60	1.61

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43816G	42.01	54.00	-11.99	3	Vertical	344	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44888G	54.69	74.00	-19.31	3	Vertical	344	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43872G	42.00	54.00	-12.00	3	Horizontal	269	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44364G	54.70	74.00	-19.30	3	Horizontal	269	1.50
5745MHz	Pass	AV	5.4594G	48.61	54.00	-5.39	3	Vertical	352	1.21
5745MHz	Pass	AV	5.7414G	98.18	Inf	-Inf	3	Vertical	352	1.21
5745MHz	Pass	PK	5.6418G	60.76	68.20	-7.44	3	Vertical	352	1.21
5745MHz	Pass	PK	5.7486G	107.47	Inf	-Inf	3	Vertical	352	1.21
5745MHz	Pass	PK	5.9346G	63.33	68.20	-4.87	3	Vertical	352	1.21
5745MHz	Pass	AV	5.4582G	48.69	54.00	-5.31	3	Horizontal	60	1.59
5745MHz	Pass	AV	5.7462G	101.00	Inf	-Inf	3	Horizontal	60	1.59
5745MHz	Pass	PK	5.577G	60.64	68.20	-7.56	3	Horizontal	60	1.59
5745MHz	Pass	PK	5.7438G	110.35	Inf	-Inf	3	Horizontal	60	1.59
5745MHz	Pass	PK	5.9406G	62.24	68.20	-5.96	3	Horizontal	60	1.59
5745MHz	Pass	AV	11.48044G	42.14	54.00	-11.86	3	Vertical	226	1.25
5745MHz	Pass	PK	11.48428G	55.35	74.00	-18.65	3	Vertical	226	1.25
5745MHz	Pass	AV	11.48076G	42.15	54.00	-11.85	3	Horizontal	29	1.50
5745MHz	Pass	PK	11.48408G	54.55	74.00	-19.45	3	Horizontal	29	1.50
5785MHz	Pass	AV	5.7862G	96.32	Inf	-Inf	3	Vertical	305	1.47
5785MHz	Pass	PK	5.6458G	60.96	68.20	-7.24	3	Vertical	305	1.47
5785MHz	Pass	PK	5.7898G	105.30	Inf	-Inf	3	Vertical	305	1.47
5785MHz	Pass	PK	6.0154G	62.49	68.20	-5.71	3	Vertical	305	1.47
5785MHz	Pass	AV	5.7826G	101.54	Inf	-Inf	3	Horizontal	328	1.57
5785MHz	Pass	PK	5.6482G	61.77	68.20	-6.43	3	Horizontal	328	1.57
5785MHz	Pass	PK	5.7826G	110.39	Inf	-Inf	3	Horizontal	328	1.57
5785MHz	Pass	PK	6.0466G	62.01	68.20	-6.19	3	Horizontal	328	1.57
5785MHz	Pass	AV	11.567G	42.07	54.00	-11.93	3	Vertical	352	1.50
5785MHz	Pass	PK	11.56996G	54.52	74.00	-19.48	3	Vertical	352	1.50
5785MHz	Pass	AV	11.56644G	42.05	54.00	-11.95	3	Horizontal	158	1.50
5785MHz	Pass	PK	11.57256G	54.72	74.00	-19.28	3	Horizontal	158	1.50
5825MHz	Pass	AV	5.8286G	97.78	Inf	-Inf	3	Vertical	308	1.05
5825MHz	Pass	PK	5.6006G	61.70	68.20	-6.50	3	Vertical	308	1.05
5825MHz	Pass	PK	5.8274G	106.54	Inf	-Inf	3	Vertical	308	1.05
5825MHz	Pass	PK	5.9294G	62.57	68.20	-5.63	3	Vertical	308	1.05
5825MHz	Pass	AV	5.8286G	102.20	Inf	-Inf	3	Horizontal	334	2.73
5825MHz	Pass	PK	5.6378G	60.47	68.20	-7.73	3	Horizontal	334	2.73
5825MHz	Pass	PK	5.8262G	111.21	Inf	-Inf	3	Horizontal	334	2.73
5825MHz	Pass	PK	6.0254G	62.51	68.20	-5.69	3	Horizontal	334	2.73
5825MHz	Pass	AV	11.6476G	42.04	54.00	-11.96	3	Vertical	297	2.88
5825MHz	Pass	PK	11.64416G	54.79	74.00	-19.21	3	Vertical	297	2.88
5825MHz	Pass	AV	11.64768G	42.04	54.00	-11.96	3	Horizontal	168	1.50
5825MHz	Pass	PK	11.64312G	54.09	74.00	-19.91	3	Horizontal	168	1.50


5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX

5200MHz_TX




5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX

5200MHz_TX




5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX

5200MHz_TX




5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX

5200MHz_TX




5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX

5320MHz_TX




5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX

5700MHz_TX



5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	48.61	54.00	-5.39	6.36	3	Vertical	352	1.21	42.25	33.20	8.24	35.08
AV	5.7414G	98.18	Inf	-Inf	7.38	3	Vertical	352	1.21	90.80	33.95	8.54	35.11
PK	5.6418G	60.76	68.20	-7.44	6.76	3	Vertical	352	1.21	54.00	33.47	8.39	35.10
PK	5.7486G	107.47	Inf	-Inf	7.43	3	Vertical	352	1.21	100.04	33.99	8.55	35.11
PK	5.9346G	63.33	68.20	-4.87	7.94	3	Vertical	352	1.21	55.39	34.43	8.64	35.13

5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	48.69	54.00	-5.31	6.36	3	Horizontal	60	1.59	42.33	33.20	8.24	35.08
AV	5.7462G	101.00	Inf	-Inf	7.41	3	Horizontal	60	1.59	93.59	33.98	8.54	35.11
PK	5.577G	60.64	68.20	-7.56	6.52	3	Horizontal	60	1.59	54.12	33.30	8.32	35.10
PK	5.7438G	110.35	Inf	-Inf	7.39	3	Horizontal	60	1.59	102.96	33.96	8.54	35.11
PK	5.9406G	62.24	68.20	-5.96	7.93	3	Horizontal	60	1.59	54.31	34.42	8.64	35.13


5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5745MHz_TX



5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5745MHz_TX



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	7.30972G	52.95	54.00	-1.05	Horizontal
Mode 2	Pass	AV	7.3102G	53.74	54.00	-0.26	Horizontal
Mode 3	Pass	AV	7.31172G	53.34	54.00	-0.66	Horizontal
Mode 4	Pass	AV	7.31022G	53.71	54.00	-0.29	Horizontal

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.87392G	43.15	54.00	-10.85	3	Vertical	76	1.77
Mode 1	Pass	AV	4.87904G	32.80	54.00	-21.20	3	Vertical	64	1.50
Mode 1	Pass	AV	7.31176G	49.87	54.00	-4.13	3	Vertical	348	1.60
Mode 1	Pass	AV	11.39928G	42.82	54.00	-11.18	3	Vertical	175	1.50
Mode 1	Pass	PK	4.874G	47.43	74.00	-26.57	3	Vertical	76	1.77
Mode 1	Pass	PK	4.88019G	44.81	74.00	-29.19	3	Vertical	64	1.50
Mode 1	Pass	PK	7.31004G	55.42	74.00	-18.58	3	Vertical	348	1.60
Mode 1	Pass	PK	11.39937G	55.09	74.00	-18.91	3	Vertical	175	1.50
Mode 1	Pass	AV	4.87394G	50.07	54.00	-3.93	3	Horizontal	322	1.07
Mode 1	Pass	AV	4.87902G	36.42	54.00	-17.58	3	Horizontal	314	1.00
Mode 1	Pass	AV	7.30972G	52.95	54.00	-1.05	3	Horizontal	3	1.34
Mode 1	Pass	AV	11.40014G	42.82	54.00	-11.18	3	Horizontal	168	1.50
Mode 1	Pass	PK	4.87392G	52.87	74.00	-21.13	3	Horizontal	322	1.07
Mode 1	Pass	PK	4.8798G	44.75	74.00	-29.25	3	Horizontal	314	1.00
Mode 1	Pass	PK	7.31096G	57.84	74.00	-16.16	3	Horizontal	3	1.34
Mode 1	Pass	PK	11.40009G	54.62	74.00	-19.38	3	Horizontal	168	1.50
Mode 2	Pass	AV	4.87392G	44.34	54.00	-9.66	3	Vertical	330	1.10
Mode 2	Pass	AV	4.88035G	32.71	54.00	-21.29	3	Vertical	344	1.89
Mode 2	Pass	AV	7.31168G	52.98	54.00	-1.02	3	Vertical	349	1.22
Mode 2	Pass	AV	11.15212G	42.03	54.00	-11.97	3	Vertical	100	1.67
Mode 2	Pass	AV	11.4023G	42.73	54.00	-11.27	3	Vertical	34	1.59
Mode 2	Pass	PK	4.87416G	49.49	74.00	-24.51	3	Vertical	330	1.10
Mode 2	Pass	PK	4.8801G	45.77	74.00	-28.23	3	Vertical	344	1.89
Mode 2	Pass	PK	7.32068G	57.73	74.00	-16.27	3	Vertical	349	1.22
Mode 2	Pass	PK	11.1518G	53.42	74.00	-20.58	3	Vertical	100	1.67
Mode 2	Pass	PK	11.4027G	54.17	74.00	-19.83	3	Vertical	34	1.59
Mode 2	Pass	AV	4.87398G	48.98	54.00	-5.02	3	Horizontal	320	1.01
Mode 2	Pass	AV	4.87955G	32.90	54.00	-21.10	3	Horizontal	123	2.11
Mode 2	Pass	AV	7.3102G	53.74	54.00	-0.26	3	Horizontal	0	2.35
Mode 2	Pass	AV	11.15218G	41.93	54.00	-12.07	3	Horizontal	183	1.63
Mode 2	Pass	AV	11.39242G	42.82	54.00	-11.18	3	Horizontal	224	1.37
Mode 2	Pass	PK	4.87396G	52.28	74.00	-21.72	3	Horizontal	320	1.01
Mode 2	Pass	PK	4.87964G	45.77	74.00	-28.23	3	Horizontal	123	2.11
Mode 2	Pass	PK	7.31926G	62.63	74.00	-11.37	3	Horizontal	0	2.35
Mode 2	Pass	PK	11.15518G	53.70	74.00	-20.30	3	Horizontal	183	1.63
Mode 2	Pass	PK	11.39874G	54.78	74.00	-19.22	3	Horizontal	224	1.37
Mode 3	Pass	AV	4.87386G	44.27	54.00	-9.73	3	Vertical	325	1.43
Mode 3	Pass	AV	4.96458G	24.38	54.00	-29.62	3	Vertical	199	2.05
Mode 3	Pass	AV	7.31174G	52.60	54.00	-1.40	3	Vertical	348	1.23
Mode 3	Pass	AV	11.4016G	42.80	54.00	-11.20	3	Vertical	217	1.95
Mode 3	Pass	PK	4.87404G	48.25	74.00	-25.75	3	Vertical	325	1.43
Mode 3	Pass	PK	4.96458G	44.38	74.00	-29.62	3	Vertical	199	2.05
Mode 3	Pass	PK	7.31196G	57.28	74.00	-16.72	3	Vertical	348	1.23
Mode 3	Pass	PK	11.393G	54.05	74.00	-19.95	3	Vertical	217	1.95
Mode 3	Pass	AV	4.87396G	49.72	54.00	-4.28	3	Horizontal	315	1.00
Mode 3	Pass	AV	4.95896G	24.90	54.00	-29.10	3	Horizontal	138	1.77
Mode 3	Pass	AV	7.31172G	53.34	54.00	-0.66	3	Horizontal	0	2.25
Mode 3	Pass	AV	11.39956G	42.88	54.00	-11.12	3	Horizontal	12	1.53
Mode 3	Pass	PK	4.8739G	52.72	74.00	-21.28	3	Horizontal	315	1.00
Mode 3	Pass	PK	4.95896G	44.90	74.00	-29.10	3	Horizontal	138	1.77

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 3	Pass	PK	7.31066G	57.93	74.00	-16.07	3	Horizontal	0	2.25
Mode 3	Pass	PK	11.40188G	53.90	74.00	-20.10	3	Horizontal	12	1.53
Mode 4	Pass	AV	4.87404G	43.96	54.00	-10.04	3	Vertical	328	1.10
Mode 4	Pass	AV	4.95902G	30.17	54.00	-23.83	3	Vertical	52	1.00
Mode 4	Pass	AV	7.31176G	52.57	54.00	-1.43	3	Vertical	349	1.23
Mode 4	Pass	AV	11.15124G	41.99	54.00	-12.01	3	Vertical	166	2.25
Mode 4	Pass	AV	11.40126G	42.83	54.00	-11.17	3	Vertical	113	1.54
Mode 4	Pass	PK	4.8739G	48.35	74.00	-25.65	3	Vertical	328	1.10
Mode 4	Pass	PK	4.95902G	50.17	74.00	-23.83	3	Vertical	52	1.00
Mode 4	Pass	PK	7.3099G	57.09	74.00	-16.91	3	Vertical	349	1.23
Mode 4	Pass	PK	11.16096G	53.00	74.00	-21.00	3	Vertical	166	2.25
Mode 4	Pass	PK	11.39778G	54.69	74.00	-19.31	3	Vertical	113	1.54
Mode 4	Pass	AV	4.87392G	47.78	54.00	-6.22	3	Horizontal	321	1.13
Mode 4	Pass	AV	4.95892G	34.86	54.00	-19.14	3	Horizontal	319	1.50
Mode 4	Pass	AV	7.31022G	53.71	54.00	-0.29	3	Horizontal	6	2.58
Mode 4	Pass	AV	11.15624G	42.08	54.00	-11.92	3	Horizontal	237	1.44
Mode 4	Pass	AV	11.40446G	42.86	54.00	-11.14	3	Horizontal	158	1.83
Mode 4	Pass	PK	4.87386G	51.17	74.00	-22.83	3	Horizontal	321	1.13
Mode 4	Pass	PK	4.95892G	54.86	74.00	-19.14	3	Horizontal	319	1.50
Mode 4	Pass	PK	7.31144G	58.30	74.00	-15.70	3	Horizontal	6	2.58
Mode 4	Pass	PK	11.15212G	53.14	74.00	-20.86	3	Horizontal	237	1.44
Mode 4	Pass	PK	11.39556G	54.58	74.00	-19.42	3	Horizontal	158	1.83


Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 3




Radiated Emissions above 1GHz_Mode 3



Radiated Emissions above 1GHz_Mode 4



Radiated Emissions above 1GHz_Mode 4



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	7.31026G	53.17	54.00	-0.83	Vertical
Mode 2	Pass	AV	7.31184G	53.60	54.00	-0.40	Vertical
Mode 3	Pass	AV	7.31186G	53.73	54.00	-0.27	Vertical
Mode 4	Pass	AV	11.49206G	44.90	54.00	-9.10	Vertical

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.87396G	49.37	54.00	-4.63	3	Vertical	19	2.45
Mode 1	Pass	AV	4.9689G	33.27	54.00	-20.73	3	Vertical	3	1.88
Mode 1	Pass	AV	7.31026G	53.17	54.00	-0.83	3	Vertical	38	1.50
Mode 1	Pass	AV	11.49194G	46.37	54.00	-7.63	3	Vertical	21	1.36
Mode 1	Pass	PK	4.87396G	52.46	74.00	-21.54	3	Vertical	19	2.45
Mode 1	Pass	PK	4.9603G	45.23	74.00	-28.77	3	Vertical	3	1.88
Mode 1	Pass	PK	7.31066G	58.06	74.00	-15.94	3	Vertical	38	1.50
Mode 1	Pass	PK	11.49658G	58.65	74.00	-15.35	3	Vertical	21	1.36
Mode 1	Pass	AV	4.87402G	48.49	54.00	-5.51	3	Horizontal	319	2.38
Mode 1	Pass	AV	4.96992G	33.02	54.00	-20.98	3	Horizontal	336	3.00
Mode 1	Pass	AV	7.31026G	52.65	54.00	-1.35	3	Horizontal	360	1.78
Mode 1	Pass	AV	11.48756G	44.59	54.00	-9.41	3	Horizontal	348	2.23
Mode 1	Pass	PK	4.87412G	51.60	74.00	-22.40	3	Horizontal	319	2.38
Mode 1	Pass	PK	4.9632G	45.40	74.00	-28.60	3	Horizontal	336	3.00
Mode 1	Pass	PK	7.31118G	57.56	74.00	-16.44	3	Horizontal	360	1.78
Mode 1	Pass	PK	11.48714G	56.10	74.00	-17.90	3	Horizontal	348	2.23
Mode 2	Pass	AV	4.87406G	49.22	54.00	-4.78	3	Vertical	19	1.73
Mode 2	Pass	AV	4.9694G	33.23	54.00	-20.77	3	Vertical	350	2.86
Mode 2	Pass	AV	7.31184G	53.60	54.00	-0.40	3	Vertical	39	1.61
Mode 2	Pass	AV	11.49174G	46.20	54.00	-7.80	3	Vertical	21	1.50
Mode 2	Pass	PK	4.87396G	52.10	74.00	-21.90	3	Vertical	19	1.73
Mode 2	Pass	PK	4.9522G	45.12	74.00	-28.88	3	Vertical	350	2.86
Mode 2	Pass	PK	7.31198G	58.60	74.00	-15.40	3	Vertical	39	1.61
Mode 2	Pass	PK	11.49198G	57.93	74.00	-16.07	3	Vertical	21	1.50
Mode 2	Pass	AV	4.87398G	49.45	54.00	-4.55	3	Horizontal	316	2.39
Mode 2	Pass	AV	4.9626G	33.21	54.00	-20.79	3	Horizontal	323	1.50
Mode 2	Pass	AV	7.31018G	52.86	54.00	-1.14	3	Horizontal	354	1.62
Mode 2	Pass	AV	11.4924G	44.86	54.00	-9.14	3	Horizontal	333	1.39
Mode 2	Pass	PK	4.87404G	52.40	74.00	-21.60	3	Horizontal	316	2.39
Mode 2	Pass	PK	4.96804G	45.51	74.00	-28.49	3	Horizontal	323	1.50
Mode 2	Pass	PK	7.3107G	57.67	74.00	-16.33	3	Horizontal	354	1.62
Mode 2	Pass	PK	11.4878G	56.97	74.00	-17.03	3	Horizontal	333	1.39
Mode 3	Pass	AV	4.87396G	48.82	54.00	-5.18	3	Vertical	22	1.69
Mode 3	Pass	AV	4.97272G	25.49	54.00	-28.51	3	Vertical	2	1.50
Mode 3	Pass	AV	7.31186G	53.73	54.00	-0.27	3	Vertical	42	1.68
Mode 3	Pass	AV	11.48896G	44.94	54.00	-9.06	3	Vertical	351	1.25
Mode 3	Pass	PK	4.87388G	52.25	74.00	-21.75	3	Vertical	22	1.69
Mode 3	Pass	PK	4.97272G	45.49	74.00	-28.51	3	Vertical	2	1.50
Mode 3	Pass	PK	7.3119G	58.05	74.00	-15.95	3	Vertical	42	1.68
Mode 3	Pass	PK	11.48172G	56.96	74.00	-17.04	3	Vertical	351	1.25
Mode 3	Pass	AV	4.87402G	47.90	54.00	-6.10	3	Horizontal	324	2.38
Mode 3	Pass	AV	4.972G	26.26	54.00	-27.74	3	Horizontal	2	1.49
Mode 3	Pass	AV	7.31026G	52.92	54.00	-1.08	3	Horizontal	355	1.61
Mode 3	Pass	AV	11.48962G	44.35	54.00	-9.65	3	Horizontal	55	1.71
Mode 3	Pass	PK	4.87404G	51.85	74.00	-22.15	3	Horizontal	324	2.38
Mode 3	Pass	PK	4.96231G	46.26	74.00	-27.74	3	Horizontal	2	1.49
Mode 3	Pass	PK	7.31006G	57.72	74.00	-16.28	3	Horizontal	355	1.61
Mode 3	Pass	PK	11.48934G	56.44	74.00	-17.56	3	Horizontal	55	1.71
Mode 4	Pass	AV	4.87256G	37.84	54.00	-16.16	3	Vertical	23	1.71
Mode 4	Pass	AV	4.97488G	25.45	54.00	-28.55	3	Vertical	0	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 4	Pass	AV	7.30899G	44.81	54.00	-9.19	3	Vertical	340	1.68
Mode 4	Pass	AV	11.49206G	44.90	54.00	-9.10	3	Vertical	350	1.34
Mode 4	Pass	PK	4.87235G	49.56	74.00	-24.44	3	Vertical	23	1.71
Mode 4	Pass	PK	4.97488G	45.45	74.00	-28.55	3	Vertical	0	1.50
Mode 4	Pass	PK	7.31856G	58.36	74.00	-15.64	3	Vertical	340	1.68
Mode 4	Pass	PK	11.48732G	56.76	74.00	-17.24	3	Vertical	350	1.34
Mode 4	Pass	AV	4.87226G	38.92	54.00	-15.08	3	Horizontal	320	2.46
Mode 4	Pass	AV	4.97137G	25.74	54.00	-28.26	3	Horizontal	360	1.50
Mode 4	Pass	AV	7.30758G	44.38	54.00	-9.62	3	Horizontal	341	2.37
Mode 4	Pass	AV	11.49038G	44.28	54.00	-9.72	3	Horizontal	52	1.65
Mode 4	Pass	PK	4.87229G	49.92	74.00	-24.08	3	Horizontal	320	2.46
Mode 4	Pass	PK	4.97137G	45.74	74.00	-28.26	3	Horizontal	360	1.50
Mode 4	Pass	PK	7.31286G	56.61	74.00	-17.39	3	Horizontal	341	2.37
Mode 4	Pass	PK	11.48326G	57.03	74.00	-16.97	3	Horizontal	52	1.65


Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 3



Radiated Emissions above 1GHz_Mode 3



Radiated Emissions above 1GHz_Mode 4



Radiated Emissions above 1GHz_Mode 4

