



**Radiated PSD_Beamforming_
Radio 0_Outdoor_Full RU_ATS-OO-2456-466-4NP-36**

Appendix D.12

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	9.65
802.11be EHT40-BF_Nss1,(MCS0)_2TX	7.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	3.82
802.11be EHT160-BF_Nss1,(MCS0)_2TX	0.77
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-3.88
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	10.72
802.11be EHT40-BF_Nss1,(MCS0)_2TX	8.31
802.11be EHT80-BF_Nss1,(MCS0)_2TX	3.79
802.11be EHT160-BF_Nss1,(MCS0)_2TX	0.94

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



**Radiated PSD_Beamforming_
Radio 0_Outdoor_Full RU_ATS-OO-2456-466-4NP-36**

Appendix D.12

Result


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	9.65	23.00
6195MHz	Pass	9.31	23.00
6415MHz	Pass	9.42	23.00
6535MHz	Pass	9.95	23.00
6695MHz	Pass	10.72	23.00
6855MHz	Pass	9.89	23.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	7.00	23.00
6205MHz	Pass	4.69	23.00
6405MHz	Pass	6.30	23.00
6565MHz	Pass	8.31	23.00
6685MHz	Pass	7.51	23.00
6845MHz	Pass	5.90	23.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	3.82	23.00
6225MHz	Pass	3.09	23.00
6385MHz	Pass	3.63	23.00
6625MHz	Pass	3.79	23.00
6705MHz	Pass	3.05	23.00
6785MHz	Pass	3.05	23.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	-0.42	23.00
6185MHz	Pass	0.77	23.00
6345MHz	Pass	-0.31	23.00
6665MHz	Pass	0.94	23.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	-5.22	23.00
6265MHz	Pass	-3.88	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.




03/07/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX



04/07/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX






**Radiated PSD_Beamforming_
Radio 0_Outdoor_Full RU_ATS-OO-2456-466-4NP-36**

Appendix D.12


03/07/2026

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX



05/07/2026


EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX






03/07/2026

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX



04/07/2026


EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX






04/07/2026

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX



04/07/2026


EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX





03/07/2026

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX





***Radiated PSD_Beamforming_
Radio 0_Indoor_Full RU_ATS-OP-2456-81010-4NP-36***

Appendix D.13

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	22.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	20.11
802.11be EHT80-BF_Nss1,(MCS0)_2TX	17.19
802.11be EHT160-BF_Nss1,(MCS0)_2TX	18.42
802.11be EHT320-BF_Nss1,(MCS0)_2TX	8.56
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	22.46
802.11be EHT40-BF_Nss1,(MCS0)_2TX	20.66
802.11be EHT80-BF_Nss1,(MCS0)_2TX	16.44
802.11be EHT160-BF_Nss1,(MCS0)_2TX	14.04

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



**Radiated PSD_Beamforming_
Radio 0_Indoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix D.13

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	22.00	23.00
6195MHz	Pass	19.32	23.00
6415MHz	Pass	19.80	23.00
6535MHz	Pass	22.46	23.00
6695MHz	Pass	20.98	23.00
6855MHz	Pass	18.29	23.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	13.88	23.00
6205MHz	Pass	18.21	23.00
6405MHz	Pass	20.11	23.00
6565MHz	Pass	19.89	23.00
6685MHz	Pass	18.38	23.00
6845MHz	Pass	20.66	23.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	9.62	23.00
6225MHz	Pass	17.19	23.00
6385MHz	Pass	16.35	23.00
6625MHz	Pass	16.44	23.00
6705MHz	Pass	11.02	23.00
6785MHz	Pass	15.10	23.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	12.61	23.00
6185MHz	Pass	12.36	23.00
6345MHz	Pass	18.42	23.00
6665MHz	Pass	14.04	23.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	8.56	23.00
6265MHz	Pass	6.56	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.



03/06/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX

CF Freq
5.955GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
20MHz




Page 6
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
22				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.64	11.42	6.07	37.84	57.55

03/06/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX

CF Freq
6.405GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
40MHz



Page 6
Horizontal


EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
20.11				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.40	11.35	6.36	37.50	58.20



03/06/2026

EIRP PSD:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX

CF Freq
6.225GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 5
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
17.19				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.39	11.70	6.20	37.64	57.94

03/06/2026

EIRP PSD:Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX

CF Freq
6.345GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
2.4ms
Detector Type
RMS
CP BW
160MHz




Page 6
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
18.42				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.27	11.70	6.31	37.55	58.09




03/06/2026

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX



03/06/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX






03/06/2026

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX

CF Freq
6.845GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
40MHz




Page 6
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
20.66				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.99	11.20	6.58	37.48	58.77

03/06/2026

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX

CF Freq
6.625GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 6
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
16.44				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.25	10.70	6.39	37.45	58.45



03/06/2026

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX





**Radiated PSD_Non-Beamforming_
Radio 0_Outdoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix D.14

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	14.53
802.11be EHT40-BF_Nss1,(MCS0)_2TX	10.75
802.11be EHT80-BF_Nss1,(MCS0)_2TX	11.52
802.11be EHT160-BF_Nss1,(MCS0)_2TX	8.69
802.11be EHT320-BF_Nss1,(MCS0)_2TX	5.31
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	17.94
802.11be EHT40-BF_Nss1,(MCS0)_2TX	13.49
802.11be EHT80-BF_Nss1,(MCS0)_2TX	7.18
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.67

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



**Radiated PSD_Non-Beamforming_
Radio 0_Outdoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix D.14

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	12.64	23.00
6195MHz	Pass	14.53	23.00
6415MHz	Pass	11.54	23.00
6535MHz	Pass	17.94	23.00
6695MHz	Pass	16.65	23.00
6855MHz	Pass	16.11	23.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	10.75	23.00
6205MHz	Pass	10.43	23.00
6405MHz	Pass	9.98	23.00
6565MHz	Pass	13.49	23.00
6685MHz	Pass	11.83	23.00
6845MHz	Pass	10.83	23.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	7.66	23.00
6225MHz	Pass	11.52	23.00
6385MHz	Pass	6.08	23.00
6625MHz	Pass	7.18	23.00
6705MHz	Pass	3.25	23.00
6785MHz	Pass	4.99	23.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	8.69	23.00
6185MHz	Pass	5.67	23.00
6345MHz	Pass	7.62	23.00
6665MHz	Pass	4.67	23.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	5.31	23.00
6265MHz	Pass	3.11	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.




**Radiated PSD_Non-Beamforming_
Radio 0_Outdoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix D.14


04/06/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX



05/06/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX






**Radiated PSD_Non-Beamforming_
Radio 0_Outdoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix D.14


10/06/2026

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX



10/06/2026

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX






**Radiated PSD_Non-Beamforming_
Radio 0_Outdoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix D.14

10/06/2026

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz




Page 6
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
5.31				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.39	11.70	6.17	37.66	57.89

05/06/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX

CF Freq
6.535GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
20MHz



Page 6
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
17.94				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.67	11.00	6.37	37.44	58.34




**Radiated PSD_Non-Beamforming_
Radio 0_Outdoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix D.14


10/06/2026

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX



10/06/2026

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX






10/06/2026

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX

CF Freq
6.665GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
2.4ms
Detector Type
RMS
CP BW
160MHz



Page 6
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.67		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.02	10.70	6.39	37.45	58.45



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	5.946877G	2.76	5.9764G	-25.42	-17.37	-8.05	2
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.198952G	6.48	6.2659G	-38.96	-33.33	-5.63	2
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	5.9969G	0.63	6.1093G	-46.40	-39.37	-7.03	2
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.08618G	4.42	6.2346G	-32.06	-29.67	-2.39	2
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	6.07221G	3.94	6.6394G	-40.99	-35.96	-5.03	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.861348G	3.04	6.88665G	-49.82	-36.82	-13.00	2
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.569449G	4.23	6.62725G	-46.80	-35.77	-11.03	2
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.6351G	-0.54	6.7466G	-51.08	-40.39	-10.69	1
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.68779G	2.68	6.91G	-45.68	-36.96	-8.72	2

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.948802G	2.53	5.932575G	-25.95	-17.59	-8.36	1
5955MHz	Pass	5.946877G	2.76	5.9764G	-25.42	-17.37	-8.05	2
6195MHz	Pass	6.191301G	2.76	6.225575G	-46.96	-35.63	-11.33	1
6195MHz	Pass	6.193975G	3.08	6.2259G	-45.70	-34.97	-10.73	2
6415MHz	Pass	6.409901G	1.90	6.396175G	-37.56	-24.18	-13.38	1
6415MHz	Pass	6.415475G	2.12	6.44575G	-49.68	-36.29	-13.39	2
6535MHz	Pass	6.541973G	0.72	6.56565G	-52.14	-37.40	-14.74	1
6535MHz	Pass	6.540349G	2.06	6.56565G	-49.56	-36.15	-13.41	2
6695MHz	Pass	6.688077G	1.10	6.72575G	-53.65	-37.40	-16.25	1
6695MHz	Pass	6.6961G	1.84	6.725575G	-51.06	-36.37	-14.69	2
6855MHz	Pass	6.848027G	2.23	6.88575G	-49.58	-36.53	-13.05	1
6855MHz	Pass	6.861348G	3.04	6.88665G	-49.82	-36.82	-13.00	2
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.969349G	2.53	5.92925G	-30.42	-18.43	-11.99	1
5965MHz	Pass	5.951203G	2.73	5.9959G	-27.09	-18.55	-8.54	2
6205MHz	Pass	6.199851G	5.98	6.27635G	-45.24	-33.81	-11.43	1
6205MHz	Pass	6.198952G	6.48	6.2659G	-38.96	-33.33	-5.63	2
6405MHz	Pass	6.413398G	4.18	6.35815G	-38.23	-27.30	-10.93	1
6405MHz	Pass	6.408999G	4.73	6.4659G	-46.02	-34.99	-11.03	2
6565MHz	Pass	6.560301G	2.70	6.62755G	-50.33	-37.30	-13.03	1
6565MHz	Pass	6.569449G	4.23	6.62725G	-46.80	-35.77	-11.03	2
6685MHz	Pass	6.692498G	2.86	6.7465G	-51.14	-37.14	-14.00	1
6685MHz	Pass	6.699846G	3.68	6.7459G	-48.94	-36.04	-12.90	2
6845MHz	Pass	6.840551G	4.02	6.90625G	-48.58	-35.98	-12.60	1
6845MHz	Pass	6.838302G	4.75	6.90645G	-46.93	-35.25	-11.68	2
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9944G	0.97	6.1052G	-45.55	-38.47	-7.08	1
5985MHz	Pass	5.9969G	0.63	6.1093G	-46.40	-39.37	-7.03	2
6225MHz	Pass	6.2203G	2.10	6.348G	-47.25	-37.90	-9.35	1
6225MHz	Pass	6.2082G	2.42	6.3471G	-44.99	-37.48	-7.51	2
6385MHz	Pass	6.374G	1.28	6.2636G	-49.51	-38.71	-10.80	1
6385MHz	Pass	6.3737G	1.73	6.5078G	-48.68	-38.27	-10.41	2
6625MHz	Pass	6.6351G	-0.54	6.7466G	-51.08	-40.39	-10.69	1
6625MHz	Pass	6.6412G	0.68	6.7473G	-50.55	-39.32	-11.23	2
6705MHz	Pass	6.7167G	-0.26	6.8269G	-51.79	-40.20	-11.59	1
6705MHz	Pass	6.6961G	0.66	6.8282G	-50.30	-39.34	-10.96	2
6785MHz	Pass	6.7784G	0.93	6.9087G	-50.17	-39.07	-11.10	1
6785MHz	Pass	6.7968G	1.64	6.9069G	-49.43	-38.36	-11.07	2
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04899G	4.40	6.2896G	-40.55	-35.60	-4.95	1
6025MHz	Pass	6.08618G	4.42	6.2346G	-32.06	-29.67	-2.39	2
6185MHz	Pass	6.21039G	3.64	6.43G	-43.98	-36.19	-7.79	1
6185MHz	Pass	6.2036G	4.35	6.4722G	-43.81	-35.25	-8.56	2
6345MHz	Pass	6.32061G	3.07	6.1018G	-45.58	-36.49	-9.09	1
6345MHz	Pass	6.37239G	3.57	6.589G	-44.24	-35.92	-8.32	2
6665MHz	Pass	6.69119G	1.77	6.4214G	-46.53	-37.76	-8.77	1
6665MHz	Pass	6.68779G	2.68	6.91G	-45.68	-36.96	-8.72	2
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07021G	3.54	6.6006G	-42.24	-36.41	-5.83	1
6105MHz	Pass	6.07221G	3.94	6.6394G	-40.99	-35.96	-5.03	2
6265MHz	Pass	6.31179G	2.56	6.7614G	-44.09	-37.44	-6.65	1
6265MHz	Pass	6.36418G	3.16	6.7634G	-41.92	-36.84	-5.08	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

17/06/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

17/06/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

17/06/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

17/06/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

17/06/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

17/06/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

17/06/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

17/06/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

17/06/2026

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69119G	1.77	6.4214G	-46.53	-37.76	-8.77	1
6.68779G	2.68	6.91G	-45.68	-36.96	-8.72	2

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX	Pass	5.9944G	0.53	5.932G	-33.16	-21.78	-11.38	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX	Pass	6.04899G	4.08	6.23G	-33.65	-29.35	-4.30	2
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	Pass	6.07381G	3.09	6.9034G	-46.18	-36.91	-9.27	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9963G	0.95	5.9275G	-34.30	-22.23	-12.07	1
5985MHz	Pass	5.9944G	0.53	5.932G	-33.16	-21.78	-11.38	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04859G	4.24	6.2886G	-43.10	-35.71	-7.39	1
6025MHz	Pass	6.04899G	4.08	6.23G	-33.65	-29.35	-4.30	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05419G	3.99	6.3112G	-47.85	-36.01	-11.84	1
6025MHz	Pass	6.05359G	3.90	6.2692G	-45.44	-35.15	-10.29	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07381G	3.30	6.6026G	-46.02	-36.70	-9.32	1
6105MHz	Pass	6.07061G	3.76	6.6458G	-45.52	-36.24	-9.28	2
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07381G	3.09	6.9034G	-46.18	-36.91	-9.27	1
6105MHz	Pass	6.07181G	3.85	6.8962G	-45.76	-36.15	-9.61	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07221G	3.31	6.9002G	-46.16	-36.69	-9.47	1
6105MHz	Pass	6.07021G	3.73	6.8986G	-45.94	-36.27	-9.67	2


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

MASK

5985MHz_TX

18/06/2026

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9963G	0.95	5.9275G	-34.30	-22.23	-12.07	1
5.9944G	0.53	5.932G	-33.16	-21.78	-11.38	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX

MASK

6025MHz_TX

18/06/2026

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04859G	4.24	6.2886G	-43.10	-35.71	-7.39	1
6.04899G	4.08	6.23G	-33.65	-29.35	-4.30	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

MASK

6105MHz_TX

18/06/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.07381G	3.09	6.9034G	-46.18	-36.91	-9.27	1
6.07181G	3.85	6.8962G	-45.76	-36.15	-9.61	2

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.41415G	-5.41	6.384225G	-58.87	-44.28	-14.59	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.399351G	-4.24	6.3434G	-53.79	-44.24	-9.55	1
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.2125G	-7.24	6.3793G	-53.69	-47.24	-6.45	1
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.08738G	-4.31	6.376G	-48.69	-44.31	-4.38	2
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	6.31019G	-6.46	6.995G	-49.49	-46.46	-3.03	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.854025G	-6.24	6.9011G	-58.76	-46.24	-12.52	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.561201G	-5.10	6.6315G	-53.99	-45.10	-8.89	1
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.7188G	-9.74	6.8912G	-56.42	-49.74	-6.68	1
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.72499G	-5.88	6.9722G	-51.47	-45.88	-5.59	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.960224G	-6.09	5.9859G	-59.82	-44.41	-15.41	1
5955MHz	Pass	5.9567G	-5.48	5.985525G	-59.84	-43.99	-15.85	2
6195MHz	Pass	6.203523G	-5.07	6.22575G	-59.01	-43.73	-15.28	1
6195MHz	Pass	6.201023G	-3.74	6.2257G	-58.37	-42.35	-16.02	2
6415MHz	Pass	6.41415G	-5.41	6.384225G	-58.87	-44.28	-14.59	1
6415MHz	Pass	6.406677G	-4.62	6.3845G	-58.71	-43.28	-15.43	2
6535MHz	Pass	6.544173G	-6.20	6.502075G	-59.08	-46.20	-12.88	1
6535MHz	Pass	6.542223G	-4.38	6.5032G	-58.57	-44.33	-14.24	2
6695MHz	Pass	6.697199G	-6.57	6.731175G	-61.59	-46.57	-15.02	1
6695MHz	Pass	6.687627G	-5.21	6.725625G	-59.04	-43.73	-15.31	2
6855MHz	Pass	6.854025G	-6.24	6.9011G	-58.76	-46.24	-12.52	1
6855MHz	Pass	6.8531G	-5.61	6.886525G	-58.24	-45.61	-12.63	2
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.970499G	-3.23	6.02635G	-53.91	-43.21	-10.70	1
5965MHz	Pass	5.957002G	-2.56	6.02915G	-54.27	-42.56	-11.71	2
6205MHz	Pass	6.200501G	-3.02	6.28725G	-53.60	-43.02	-10.58	1
6205MHz	Pass	6.196002G	-2.10	6.2769G	-53.14	-42.10	-11.04	2
6405MHz	Pass	6.399351G	-4.24	6.3434G	-53.79	-44.24	-9.55	1
6405MHz	Pass	6.407499G	-3.25	6.3428G	-53.67	-43.25	-10.42	2
6565MHz	Pass	6.561201G	-5.10	6.6315G	-53.99	-45.10	-8.89	1
6565MHz	Pass	6.558652G	-2.60	6.62645G	-53.30	-42.60	-10.70	2
6685MHz	Pass	6.693948G	-4.70	6.74925G	-54.25	-44.70	-9.55	1
6685MHz	Pass	6.68305G	-3.15	6.75085G	-54.15	-43.15	-11.00	2
6845MHz	Pass	6.838352G	-3.81	6.9136G	-52.79	-43.81	-8.98	1
6845MHz	Pass	6.840301G	-2.87	6.90635G	-52.58	-42.87	-9.71	2
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9948G	-6.35	6.141G	-53.91	-46.35	-7.56	1
5985MHz	Pass	5.9989G	-6.44	6.1066G	-53.82	-46.44	-7.38	2
6225MHz	Pass	6.2125G	-7.24	6.3793G	-53.69	-47.24	-6.45	1
6225MHz	Pass	6.2159G	-5.99	6.3929G	-53.66	-45.99	-7.67	2
6385MHz	Pass	6.3756G	-7.05	6.5082G	-53.86	-47.05	-6.81	1
6385MHz	Pass	6.3777G	-5.97	6.5077G	-54.21	-45.95	-8.26	2
6625MHz	Pass	6.6377G	-8.57	6.4858G	-56.53	-48.57	-7.96	1
6625MHz	Pass	6.6134G	-6.97	6.5023G	-56.37	-46.97	-9.40	2
6705MHz	Pass	6.7188G	-9.74	6.8912G	-56.42	-49.74	-6.68	1
6705MHz	Pass	6.7132G	-7.92	6.8844G	-56.24	-47.92	-8.32	2
6785MHz	Pass	6.7778G	-7.20	6.9407G	-55.89	-47.20	-8.69	1
6785MHz	Pass	6.7964G	-6.72	6.9069G	-55.72	-46.72	-9.00	2
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05199G	-4.48	6.3496G	-48.98	-44.48	-4.50	1
6025MHz	Pass	6.08738G	-4.31	6.376G	-48.69	-44.31	-4.38	2
6185MHz	Pass	6.21179G	-5.37	6.431G	-52.40	-45.34	-7.06	1
6185MHz	Pass	6.16241G	-4.37	6.4882G	-52.05	-44.37	-7.68	2
6345MHz	Pass	6.31561G	-5.49	6.7266G	-49.89	-45.49	-4.40	1
6345MHz	Pass	6.37159G	-4.69	6.7272G	-49.46	-44.69	-4.77	2
6665MHz	Pass	6.72499G	-5.88	6.9722G	-51.47	-45.88	-5.59	1
6665MHz	Pass	6.69139G	-4.83	6.9546G	-51.47	-44.83	-6.64	2
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07261G	-5.70	6.9038G	-50.05	-45.70	-4.35	1
6105MHz	Pass	6.07341G	-4.80	6.899G	-49.94	-44.80	-5.14	2
6265MHz	Pass	6.31019G	-6.46	6.995G	-49.49	-46.46	-3.03	1
6265MHz	Pass	6.30059G	-5.56	7.0026G	-49.36	-45.56	-3.80	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

18/06/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

17/06/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

17/06/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

17/06/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

18/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31019G	-6.46	6.995G	-49.49	-46.46	-3.03	1
6.30059G	-5.56	7.0026G	-49.36	-45.56	-3.80	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

17/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.854025G	-6.24	6.9011G	-58.76	-46.24	-12.52	1
6.8531G	-5.61	6.886525G	-58.24	-45.61	-12.63	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

17/06/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

18/06/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

18/06/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.72499G	-5.88	6.9722G	-51.47	-45.88	-5.59	1
6.69139G	-4.83	6.9546G	-51.47	-44.83	-6.64	2

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	Pass	5.9994G	-6.55	6.107G	-56.96	-46.55	-10.41	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX	Pass	6.08778G	-5.46	6.2702G	-52.07	-45.03	-7.04	1
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_2TX	Pass	6.07261G	-5.78	6.889G	-50.02	-45.78	-4.24	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9976G	-6.67	6.1388G	-57.13	-46.67	-10.46	1
5985MHz	Pass	5.9994G	-6.55	6.107G	-56.96	-46.55	-10.41	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08778G	-5.46	6.2702G	-52.07	-45.03	-7.04	1
6025MHz	Pass	6.08838G	-4.55	6.2718G	-51.98	-44.55	-7.43	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08059G	-5.15	6.268G	-51.86	-44.40	-7.46	1
6025MHz	Pass	6.08179G	-4.15	6.2686G	-51.62	-43.77	-7.85	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07181G	-5.56	6.8918G	-49.92	-45.56	-4.36	1
6105MHz	Pass	6.07381G	-4.69	6.9026G	-49.70	-44.69	-5.01	2
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07261G	-5.78	6.889G	-50.02	-45.78	-4.24	1
6105MHz	Pass	6.07501G	-5.29	6.875G	-49.80	-45.29	-4.51	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 7_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07261G	-5.56	6.893G	-49.95	-45.56	-4.39	1
6105MHz	Pass	6.07221G	-4.70	6.8962G	-49.77	-44.70	-5.07	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

MASK

5985MHz_TX

18/06/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX

MASK

6025MHz_TX

18/06/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

MASK

6025MHz_TX

18/06/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_2TX

MASK

6105MHz_TX

19/06/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_2TX

MASK

6105MHz_TX

19/06/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 7_2TX

MASK

6105MHz_TX

19/06/2026





Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	6.193725G	4.27	6.212625G	-26.07	-15.87	-10.2	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	6.699824G	4.4	6.71325G	-24.11	-15.67	-8.44	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.950926G	4.49	5.9357G	-25.94	-15.51	-10.43	1
6195MHz	Pass	6.193725G	4.27	6.212625G	-26.07	-15.87	-10.2	1
6415MHz	Pass	6.417424G	4.12	6.39895G	-26.86	-16.13	-10.73	1
6535MHz	Pass	6.537524G	4.22	6.5507G	-24.73	-16.04	-8.69	1
6695MHz	Pass	6.699824G	4.4	6.71325G	-24.11	-15.67	-8.44	1
6855MHz	Pass	6.85625G	4.19	6.876475G	-27.71	-15.9	-11.81	1

5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX

MASK

6195MHz_TX

03/09/2025




6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

MASK

6695MHz_TX

04/09/2025



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	6.41615G	0.49	6.3853G	-52.46	-37.34	-15.12	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	6.858449G	1.02	6.8379G	-34.1	-23.47	-10.63	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.95685G	0.6	5.98555G	-53.35	-38.02	-15.33	1
6195MHz	Pass	6.198574G	0.36	6.226775G	-55.14	-39.29	-15.85	1
6415MHz	Pass	6.41615G	0.49	6.3853G	-52.46	-37.34	-15.12	1
6535MHz	Pass	6.538449G	1.34	6.502925G	-52.65	-38.46	-14.19	1
6695MHz	Pass	6.696775G	0.18	6.72665G	-54.63	-39.42	-15.21	1
6855MHz	Pass	6.858449G	1.02	6.8379G	-34.1	-23.47	-10.63	1

5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX

MASK

6415MHz_TX

04/09/2025




6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

MASK

6855MHz_TX

04/09/2025



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.188377G	3.94	6.227475G	-43.88	-36.03	-7.85	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	5.961101G	1.85	5.93365G	-28.39	-21.22	-7.17	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.25459G	3.39	6.347G	-40.35	-36.61	-3.74	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.10078G	3.37	6.2328G	-33.90	-30.46	-3.44	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.40217G	4.15	6.7586G	-38.94	-35.75	-3.19	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.689001G	4.20	6.7284G	-43.29	-35.80	-7.49	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.680601G	6.19	6.7462G	-40.35	-33.81	-6.54	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.67931G	3.26	6.8283G	-43.09	-36.74	-6.35	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.68759G	4.38	6.419G	-40.79	-35.59	-5.20	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963948G	2.23	5.93205G	-26.83	-17.77	-9.06	1
5955MHz	Pass	5.947927G	3.13	5.976125G	-24.95	-16.95	-8.00	2
6195MHz	Pass	6.200599G	4.07	6.178225G	-29.33	-18.55	-10.78	1
6195MHz	Pass	6.188377G	3.94	6.227475G	-43.88	-36.03	-7.85	2
6415MHz	Pass	6.408127G	4.38	6.397475G	-26.19	-16.10	-10.09	1
6415MHz	Pass	6.419799G	4.61	6.3989G	-26.28	-15.70	-10.58	2
6535MHz	Pass	6.5339G	3.08	6.5651G	-45.10	-34.95	-10.15	1
6535MHz	Pass	6.532826G	3.70	6.563875G	-41.31	-32.77	-8.54	2
6695MHz	Pass	6.692976G	4.06	6.6632G	-44.76	-35.70	-9.06	1
6695MHz	Pass	6.689001G	4.20	6.7284G	-43.29	-35.80	-7.49	2
6855MHz	Pass	6.860049G	2.78	6.8856G	-45.90	-35.63	-10.27	1
6855MHz	Pass	6.856025G	3.17	6.839925G	-31.90	-17.29	-14.61	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.979696G	2.59	5.9976G	-29.79	-20.04	-9.75	1
5965MHz	Pass	5.961101G	1.85	5.93365G	-28.39	-21.22	-7.17	2
6205MHz	Pass	6.191403G	6.28	6.2667G	-41.23	-33.24	-7.99	1
6205MHz	Pass	6.209399G	6.58	6.2822G	-45.06	-32.51	-12.55	2
6405MHz	Pass	6.392753G	6.13	6.3673G	-26.21	-14.75	-11.46	1
6405MHz	Pass	6.400051G	6.66	6.3723G	-24.21	-14.57	-9.64	2
6565MHz	Pass	6.5637G	5.07	6.62465G	-45.14	-34.30	-10.84	1
6565MHz	Pass	6.576297G	5.63	6.62745G	-41.34	-34.13	-7.21	2
6685MHz	Pass	6.681601G	6.21	6.7469G	-42.87	-33.79	-9.08	1
6685MHz	Pass	6.680601G	6.19	6.7462G	-40.35	-33.81	-6.54	2
6845MHz	Pass	6.838752G	4.37	6.907G	-44.88	-35.63	-9.25	1
6845MHz	Pass	6.855797G	5.06	6.7825G	-44.37	-34.94	-9.43	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01599G	1.27	6.1068G	-45.74	-38.73	-7.01	1
5985MHz	Pass	5.9735G	0.60	5.9335G	-29.74	-20.90	-8.84	2
6225MHz	Pass	6.2095G	3.42	6.3459G	-43.62	-36.23	-7.39	1
6225MHz	Pass	6.25459G	3.39	6.347G	-40.35	-36.61	-3.74	2
6385MHz	Pass	6.35541G	3.37	6.2997G	-32.87	-25.92	-6.95	1
6385MHz	Pass	6.3998G	3.70	6.2632G	-44.03	-36.30	-7.73	2
6625MHz	Pass	6.65739G	1.71	6.7497G	-46.85	-38.29	-8.56	1
6625MHz	Pass	6.64G	2.30	6.7472G	-44.57	-37.70	-6.87	2
6705MHz	Pass	6.6906G	2.92	6.8264G	-45.83	-37.08	-8.75	1
6705MHz	Pass	6.67931G	3.26	6.8283G	-43.09	-36.74	-6.35	2
6785MHz	Pass	6.7688G	3.11	6.9072G	-45.40	-36.89	-8.51	1
6785MHz	Pass	6.776G	2.44	6.9068G	-44.81	-37.18	-7.63	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0424G	3.60	6.2248G	-35.82	-28.63	-7.19	1
6025MHz	Pass	6.10078G	3.37	6.2328G	-33.90	-30.46	-3.44	2
6185MHz	Pass	6.20999G	5.36	6.4298G	-40.62	-34.25	-6.37	1
6185MHz	Pass	6.24758G	5.26	6.4834G	-41.64	-34.36	-7.28	2
6345MHz	Pass	6.36779G	4.41	6.1024G	-41.68	-34.14	-7.54	1
6345MHz	Pass	6.40558G	5.46	6.1004G	-39.91	-33.93	-5.98	2
6665MHz	Pass	6.68939G	4.13	6.4202G	-42.22	-35.76	-6.46	1
6665MHz	Pass	6.68759G	4.38	6.419G	-40.79	-35.59	-5.20	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13739G	3.58	6.5934G	-42.61	-36.03	-6.58	1
6105MHz	Pass	6.07501G	3.11	6.6458G	-40.53	-36.89	-3.64	2
6265MHz	Pass	6.21821G	4.24	6.7598G	-41.14	-35.76	-5.38	1
6265MHz	Pass	6.40217G	4.15	6.7586G	-38.94	-35.75	-3.19	2


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

17/07/2026

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.200599G	4.07	6.178225G	-29.33	-18.55	-10.78	1
6.188377G	3.94	6.227475G	-43.88	-36.03	-7.85	2


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

19/07/2026

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.979696G	2.59	5.9976G	-29.79	-20.04	-9.75	1
5.961101G	1.85	5.93365G	-28.39	-21.22	-7.17	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

17/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2095G	3.42	6.3459G	-43.62	-36.23	-7.39	1
6.25459G	3.39	6.347G	-40.35	-36.61	-3.74	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

19/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0424G	3.60	6.2248G	-35.82	-28.63	-7.19	1
6.10078G	3.37	6.2328G	-33.90	-30.46	-3.44	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

19/07/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

17/07/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

17/07/2026

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.681601G	6.21	6.7469G	-42.87	-33.79	-9.08	1
6.680601G	6.19	6.7462G	-40.35	-33.81	-6.54	2


6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

17/07/2026

CF (Hz)
6.705G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6906G	2.92	6.8264G	-45.83	-37.08	-8.75	1
6.67931G	3.26	6.8283G	-43.09	-36.74	-6.35	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

17/07/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68939G	4.13	6.4202G	-42.22	-35.76	-6.46	1
6.68759G	4.38	6.419G	-40.79	-35.59	-5.20	2

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	5.951001G	-4.70	5.989425G	-57.64	-44.70	-12.94	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.400701G	-2.61	6.3433G	-52.81	-42.61	-10.20	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	5.9718G	-3.83	6.1084G	-52.42	-43.83	-8.59	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.36919G	-3.00	6.0854G	-48.74	-43.00	-5.74	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.21301G	-3.32	7.0046G	-45.60	-43.32	-2.28	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.856525G	-3.49	6.887125G	-57.06	-43.49	-13.57	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.831703G	-1.75	6.9305G	-52.22	-41.75	-10.47	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.67611G	-4.73	6.8867G	-52.64	-44.73	-7.91	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.74118G	-3.86	6.9818G	-47.51	-43.86	-3.65	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.951001G	-4.70	5.989425G	-57.64	-44.70	-12.94	1
5955MHz	Pass	5.961123G	-4.31	6.0021G	-57.83	-44.31	-13.52	2
6195MHz	Pass	6.198174G	-4.55	6.2325G	-57.86	-44.55	-13.31	1
6195MHz	Pass	6.195875G	-4.03	6.234375G	-57.95	-44.03	-13.92	2
6415MHz	Pass	6.4162G	-3.15	6.374525G	-57.73	-43.15	-14.58	1
6415MHz	Pass	6.420824G	-2.43	6.445625G	-55.57	-40.79	-14.78	2
6535MHz	Pass	6.531551G	-3.03	6.50415G	-56.90	-42.83	-14.07	1
6535MHz	Pass	6.542523G	-1.68	6.50435G	-55.37	-40.23	-15.14	2
6695MHz	Pass	6.689526G	-2.25	6.7257G	-56.01	-40.25	-15.76	1
6695MHz	Pass	6.692426G	-1.43	6.725625G	-55.49	-40.13	-15.36	2
6855MHz	Pass	6.856525G	-3.49	6.887125G	-57.06	-43.49	-13.57	1
6855MHz	Pass	6.852626G	-2.86	6.885775G	-55.65	-41.21	-14.44	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.981946G	-1.05	6.02675G	-51.51	-40.88	-10.63	1
5965MHz	Pass	5.969599G	-0.88	6.02815G	-51.66	-40.88	-10.78	2
6205MHz	Pass	6.209999G	-1.39	6.1429G	-52.88	-41.39	-11.49	1
6205MHz	Pass	6.221396G	-1.53	6.2661G	-52.53	-41.53	-11.00	2
6405MHz	Pass	6.400701G	-2.61	6.3433G	-52.81	-42.61	-10.20	1
6405MHz	Pass	6.409599G	-1.95	6.3438G	-52.63	-41.94	-10.69	2
6565MHz	Pass	6.570499G	-1.86	6.5024G	-52.88	-41.86	-11.02	1
6565MHz	Pass	6.573598G	-0.63	6.503G	-52.49	-40.63	-11.86	2
6685MHz	Pass	6.672253G	-1.31	6.74725G	-53.24	-41.31	-11.93	1
6685MHz	Pass	6.679301G	-0.87	6.6232G	-52.75	-40.87	-11.88	2
6845MHz	Pass	6.831703G	-1.75	6.9305G	-52.22	-41.75	-10.47	1
6845MHz	Pass	6.841201G	-0.99	6.9079G	-52.41	-40.99	-11.42	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01479G	-2.72	6.1073G	-52.55	-42.72	-9.83	1
5985MHz	Pass	5.9718G	-3.83	6.1084G	-52.42	-43.83	-8.59	2
6225MHz	Pass	6.2371G	-3.10	6.0383G	-52.76	-43.10	-9.66	1
6225MHz	Pass	6.2436G	-2.20	6.1018G	-52.43	-42.20	-10.23	2
6385MHz	Pass	6.3769G	-4.09	6.2268G	-53.02	-44.09	-8.93	1
6385MHz	Pass	6.4021G	-3.32	6.5068G	-53.14	-43.32	-9.82	2
6625MHz	Pass	6.6385G	-4.76	6.7467G	-52.71	-44.74	-7.97	1
6625MHz	Pass	6.6387G	-3.35	6.7543G	-52.62	-43.35	-9.27	2
6705MHz	Pass	6.67611G	-4.73	6.8867G	-52.64	-44.73	-7.91	1
6705MHz	Pass	6.7149G	-3.81	6.8939G	-52.52	-43.81	-8.71	2
6785MHz	Pass	6.75551G	-3.06	6.9749G	-52.14	-43.06	-9.08	1
6785MHz	Pass	6.75541G	-3.23	6.9428G	-52.14	-43.23	-8.91	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.00321G	-1.09	5.6466G	-48.82	-41.09	-7.73	1
6025MHz	Pass	6.09978G	-0.90	6.269G	-47.81	-40.58	-7.23	2
6185MHz	Pass	6.21039G	-2.81	5.9402G	-48.68	-42.70	-5.98	1
6185MHz	Pass	6.11042G	-1.56	6.4416G	-48.61	-41.56	-7.05	2
6345MHz	Pass	6.36919G	-3.00	6.0854G	-48.74	-43.00	-5.74	1
6345MHz	Pass	6.40658G	-1.63	6.0986G	-48.30	-41.47	-6.83	2
6665MHz	Pass	6.74118G	-3.86	6.9818G	-47.51	-43.86	-3.65	1
6665MHz	Pass	6.685G	-2.14	6.956G	-47.65	-42.14	-5.51	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.20897G	-1.16	6.9018G	-46.32	-41.16	-5.16	1
6105MHz	Pass	6.07261G	-0.95	5.4906G	-46.29	-40.95	-5.34	2
6265MHz	Pass	6.21301G	-3.32	7.0046G	-45.60	-43.32	-2.28	1
6265MHz	Pass	6.40616G	-3.09	6.9946G	-45.60	-43.09	-2.51	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

19/07/2026

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.951001G	-4.70	5.989425G	-57.64	-44.70	-12.94	1
5.961123G	-4.31	6.0021G	-57.83	-44.31	-13.52	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

19/07/2026

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.400701G	-2.61	6.3433G	-52.81	-42.61	-10.20	1
6.409599G	-1.95	6.3438G	-52.63	-41.94	-10.69	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

19/07/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

19/07/2026




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

19/07/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

19/07/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

19/07/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

19/07/2026




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

19/07/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74118G	-3.86	6.9818G	-47.51	-43.86	-3.65	1
6.685G	-2.14	6.956G	-47.65	-42.14	-5.51	2



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	PK	41.64M	35.50	40.00	-4.50	3	Vertical	0	1.00



**RSE TX below 1GHz_Non-Beamforming_
Radio 0_Indoor/Outdoor_Full RU_ATS-OO-2456-466-4NP-36**


Appendix E.9

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	PK	31.94M	35.27	40.00	-4.73	3	Vertical	0	1.00
6105MHz	Pass	PK	41.64M	35.50	40.00	-4.50	3	Vertical	0	1.00
6105MHz	Pass	PK	86.26M	28.69	40.00	-11.31	3	Vertical	0	1.00
6105MHz	Pass	PK	121.18M	24.91	43.50	-18.59	3	Vertical	0	1.00
6105MHz	Pass	PK	231.76M	38.04	46.00	-7.96	3	Vertical	0	1.00
6105MHz	Pass	PK	359.8M	29.57	46.00	-16.43	3	Vertical	0	1.00
6105MHz	Pass	PK	30M	27.00	40.00	-13.00	3	Horizontal	360	1.00
6105MHz	Pass	PK	72.68M	26.91	40.00	-13.09	3	Horizontal	360	1.00
6105MHz	Pass	PK	138.64M	26.93	43.50	-16.57	3	Horizontal	360	1.00
6105MHz	Pass	PK	233.7M	39.26	46.00	-6.74	3	Horizontal	360	1.00
6105MHz	Pass	PK	303.54M	31.96	46.00	-14.04	3	Horizontal	360	1.00
6105MHz	Pass	PK	361.74M	31.06	46.00	-14.94	3	Horizontal	360	1.00

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	35.27	40.00	-4.73	-4.64	3	Vertical	0	1.00	39.91	22.27	0.45	27.36
PK	41.64M	35.50	40.00	-4.50	-9.56	3	Vertical	0	1.00	45.06	17.27	0.51	27.34
PK	86.26M	28.69	40.00	-11.31	-12.91	3	Vertical	0	1.00	41.60	13.53	0.79	27.23
PK	121.18M	24.91	43.50	-18.59	-8.94	3	Vertical	0	1.00	33.85	17.25	0.93	27.12
PK	231.76M	38.04	46.00	-7.96	-9.91	3	Vertical	0	1.00	47.95	15.48	1.24	26.63
PK	359.8M	29.57	46.00	-16.43	-5.89	3	Vertical	0	1.00	35.46	19.66	1.48	27.03

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	27.00	40.00	-13.00	-3.55	3	Horizontal	360	1.00	30.55	23.39	0.42	27.36
PK	72.68M	26.91	40.00	-13.09	-15.09	3	Horizontal	360	1.00	42.00	11.41	0.76	27.26
PK	138.64M	26.93	43.50	-16.57	-9.89	3	Horizontal	360	1.00	36.82	16.19	0.98	27.06
PK	233.7M	39.26	46.00	-6.74	-9.68	3	Horizontal	360	1.00	48.94	15.70	1.24	26.62
PK	303.54M	31.96	46.00	-14.04	-6.90	3	Horizontal	360	1.00	38.86	18.30	1.37	26.57
PK	361.74M	31.06	46.00	-14.94	-5.85	3	Horizontal	360	1.00	36.91	19.71	1.49	27.05



***RSE TX above 1GHz_Non-Beamforming_
Radio 0_Indoor_Full RU_ATS-OO-2456-466-4NP-36***

Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.9238G	64.96	68.20	-3.24	3	Vertical	195	1.59
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	67.32	68.20	-0.88	3	Vertical	143	1.71
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	67.62	68.20	-0.58	3	Vertical	145	1.72
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	67.44	68.20	-0.76	3	Vertical	146	1.50
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	5.924G	66.41	68.20	-1.79	3	Vertical	146	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.38604G	39.85	54.00	-14.15	3	Horizontal	77	1.76
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.35536G	39.84	54.00	-14.16	3	Vertical	183	2.32
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.28872G	39.79	54.00	-14.21	3	Vertical	35	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.29384G	39.87	54.00	-14.13	3	Vertical	240	1.38



**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Indoor_Full RU_ATS-OO-2456-466-4NP-36**

Appendix E.10

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9238G	64.96	68.20	-3.24	3	Vertical	195	1.59
5955MHz	Pass	AV	5.949G	105.44	Inf	-Inf	3	Vertical	195	1.59
5955MHz	Pass	PK	5.9238G	82.64	88.20	-5.56	3	Vertical	195	1.59
5955MHz	Pass	PK	5.9514G	117.95	Inf	-Inf	3	Vertical	195	1.59
5955MHz	Pass	AV	11.90536G	38.70	54.00	-15.30	3	Vertical	125	1.50
5955MHz	Pass	PK	11.91612G	52.90	74.00	-21.10	3	Vertical	125	1.50
5955MHz	Pass	AV	11.904G	38.73	54.00	-15.27	3	Horizontal	158	1.50
5955MHz	Pass	PK	11.90172G	52.96	74.00	-21.04	3	Horizontal	158	1.50
6195MHz	Pass	AV	12.3918G	38.83	54.00	-15.17	3	Vertical	168	1.16
6195MHz	Pass	PK	12.3968G	54.20	74.00	-19.80	3	Vertical	168	1.16
6195MHz	Pass	AV	12.39572G	38.13	54.00	-15.87	3	Horizontal	221	1.50
6195MHz	Pass	PK	12.38176G	52.98	74.00	-21.02	3	Horizontal	221	1.50
6415MHz	Pass	AV	12.83824G	39.00	68.20	-29.20	3	Vertical	264	1.00
6415MHz	Pass	PK	12.82552G	53.90	88.20	-34.30	3	Vertical	264	1.00
6415MHz	Pass	AV	12.83816G	38.95	68.20	-29.25	3	Horizontal	346	1.58
6415MHz	Pass	PK	12.83692G	53.43	88.20	-34.77	3	Horizontal	346	1.58
6535MHz	Pass	AV	13.07064G	39.42	68.20	-28.78	3	Vertical	103	1.50
6535MHz	Pass	PK	13.0632G	54.42	88.20	-33.78	3	Vertical	103	1.50
6535MHz	Pass	AV	13.07268G	39.43	68.20	-28.77	3	Horizontal	353	1.12
6535MHz	Pass	PK	13.07268G	53.71	88.20	-34.49	3	Horizontal	353	1.12
6695MHz	Pass	AV	13.38712G	39.83	54.00	-14.17	3	Vertical	90	1.50
6695MHz	Pass	PK	13.3902G	54.09	74.00	-19.91	3	Vertical	90	1.50
6695MHz	Pass	AV	13.38604G	39.85	54.00	-14.15	3	Horizontal	77	1.76
6695MHz	Pass	PK	13.39652G	54.00	74.00	-20.00	3	Horizontal	77	1.76
6855MHz	Pass	AV	13.70812G	40.22	68.20	-27.98	3	Vertical	190	1.37
6855MHz	Pass	PK	13.70904G	55.10	88.20	-33.10	3	Vertical	190	1.37
6855MHz	Pass	AV	13.7086G	39.95	68.20	-28.25	3	Horizontal	38	2.53
6855MHz	Pass	PK	13.7088G	54.45	88.20	-33.75	3	Horizontal	38	2.53
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9245G	67.32	68.20	-0.88	3	Vertical	143	1.71
5965MHz	Pass	AV	5.9821G	101.64	Inf	-Inf	3	Vertical	143	1.71
5965MHz	Pass	PK	5.9242G	85.05	88.20	-3.15	3	Vertical	143	1.71
5965MHz	Pass	PK	5.9797G	115.72	Inf	-Inf	3	Vertical	143	1.71
5965MHz	Pass	AV	11.93768G	38.47	54.00	-15.53	3	Vertical	122	1.85
5965MHz	Pass	PK	11.93856G	52.74	74.00	-21.26	3	Vertical	122	1.85
5965MHz	Pass	AV	11.93832G	38.45	54.00	-15.55	3	Horizontal	0	1.50
5965MHz	Pass	PK	11.94144G	52.94	74.00	-21.06	3	Horizontal	0	1.50
6205MHz	Pass	AV	12.4296G	38.33	54.00	-15.67	3	Vertical	179	1.16
6205MHz	Pass	PK	12.39776G	52.74	74.00	-21.26	3	Vertical	179	1.16
6205MHz	Pass	AV	12.43G	38.23	54.00	-15.77	3	Horizontal	0	1.47
6205MHz	Pass	PK	12.39672G	52.55	74.00	-21.45	3	Horizontal	0	1.47
6405MHz	Pass	AV	12.81072G	38.80	68.20	-29.40	3	Vertical	93	2.73
6405MHz	Pass	PK	12.80952G	53.93	88.20	-34.27	3	Vertical	93	2.73
6405MHz	Pass	AV	12.81056G	38.77	68.20	-29.43	3	Horizontal	208	1.42
6405MHz	Pass	PK	12.80232G	53.20	88.20	-35.00	3	Horizontal	208	1.42
6565MHz	Pass	AV	13.14824G	39.53	68.20	-28.67	3	Vertical	246	1.94
6565MHz	Pass	PK	13.1108G	54.36	88.20	-33.84	3	Vertical	246	1.94
6565MHz	Pass	AV	13.14936G	39.56	68.20	-28.64	3	Horizontal	42	2.51
6565MHz	Pass	PK	13.11464G	55.16	88.20	-33.04	3	Horizontal	42	2.51
6685MHz	Pass	AV	13.35536G	39.84	54.00	-14.16	3	Vertical	183	2.32
6685MHz	Pass	PK	13.37672G	54.63	74.00	-19.37	3	Vertical	183	2.32
6685MHz	Pass	AV	13.38632G	39.82	54.00	-14.18	3	Horizontal	82	2.21
6685MHz	Pass	PK	13.35864G	54.54	74.00	-19.46	3	Horizontal	82	2.21
6845MHz	Pass	AV	13.70912G	39.92	68.20	-28.28	3	Vertical	20	1.50
6845MHz	Pass	PK	13.70128G	54.62	88.20	-33.58	3	Vertical	20	1.50
6845MHz	Pass	AV	13.70992G	39.93	68.20	-28.27	3	Horizontal	338	2.62
6845MHz	Pass	PK	13.70744G	54.44	88.20	-33.76	3	Horizontal	338	2.62
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	67.62	68.20	-0.58	3	Vertical	145	1.72
5985MHz	Pass	AV	6.015G	100.24	Inf	-Inf	3	Vertical	145	1.72




**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Indoor_Full RU_ATS-OO-2456-466-4NP-36**

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	PK	5.9245G	82.95	88.20	-5.25	3	Vertical	145	1.72
5985MHz	Pass	PK	6.005G	113.63	Inf	-Inf	3	Vertical	145	1.72
5985MHz	Pass	AV	11.982G	38.38	54.00	-15.62	3	Vertical	41	1.50
5985MHz	Pass	PK	11.93784G	53.47	74.00	-20.53	3	Vertical	41	1.50
5985MHz	Pass	AV	11.96808G	38.36	54.00	-15.64	3	Horizontal	20	1.50
5985MHz	Pass	PK	11.93224G	53.07	74.00	-20.93	3	Horizontal	20	1.50
6225MHz	Pass	AV	12.48888G	38.56	54.00	-15.44	3	Vertical	246	3.00
6225MHz	Pass	PK	12.48792G	53.04	74.00	-20.96	3	Vertical	246	3.00
6225MHz	Pass	AV	12.48984G	38.55	54.00	-15.45	3	Horizontal	138	1.25
6225MHz	Pass	PK	12.4588G	53.98	74.00	-20.02	3	Horizontal	138	1.25
6385MHz	Pass	AV	12.7516G	39.03	68.20	-29.17	3	Vertical	107	3.00
6385MHz	Pass	PK	12.7724G	53.57	88.20	-34.63	3	Vertical	107	3.00
6385MHz	Pass	AV	12.75128G	39.04	68.20	-29.16	3	Horizontal	246	1.50
6385MHz	Pass	PK	12.75416G	53.40	88.20	-34.80	3	Horizontal	246	1.50
6625MHz	Pass	AV	13.28872G	39.79	54.00	-14.21	3	Vertical	35	1.50
6625MHz	Pass	PK	13.2396G	54.11	88.20	-34.09	3	Vertical	35	1.50
6625MHz	Pass	AV	13.28984G	39.79	54.00	-14.21	3	Horizontal	258	1.50
6625MHz	Pass	PK	13.23368G	54.17	88.20	-34.03	3	Horizontal	258	1.50
6705MHz	Pass	AV	13.44728G	40.19	68.20	-28.01	3	Vertical	15	2.99
6705MHz	Pass	PK	13.38904G	54.84	74.00	-19.16	3	Vertical	15	2.99
6705MHz	Pass	AV	13.44856G	40.17	68.20	-28.03	3	Horizontal	201	1.50
6705MHz	Pass	PK	13.43144G	55.08	88.20	-33.12	3	Horizontal	201	1.50
6785MHz	Pass	AV	13.53576G	40.24	68.20	-27.96	3	Vertical	208	1.82
6785MHz	Pass	PK	13.58056G	54.74	88.20	-33.46	3	Vertical	208	1.82
6785MHz	Pass	AV	13.53816G	40.22	68.20	-27.98	3	Horizontal	116	1.50
6785MHz	Pass	PK	13.53224G	54.71	88.20	-33.49	3	Horizontal	116	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	67.44	68.20	-0.76	3	Vertical	146	1.50
6025MHz	Pass	AV	6.0525G	98.40	Inf	-Inf	3	Vertical	146	1.50
6025MHz	Pass	PK	5.92G	82.50	88.20	-5.70	3	Vertical	146	1.50
6025MHz	Pass	PK	6.0525G	111.53	Inf	-Inf	3	Vertical	146	1.50
6025MHz	Pass	AV	12.09352G	39.12	54.00	-14.88	3	Vertical	306	1.46
6025MHz	Pass	PK	12.06184G	53.58	74.00	-20.42	3	Vertical	306	1.46
6025MHz	Pass	AV	12.09768G	39.04	54.00	-14.96	3	Horizontal	299	2.12
6025MHz	Pass	PK	12.09896G	54.17	74.00	-19.83	3	Horizontal	299	2.12
6185MHz	Pass	AV	12.44968G	38.50	54.00	-15.50	3	Vertical	168	1.96
6185MHz	Pass	PK	12.44456G	52.92	74.00	-21.08	3	Vertical	168	1.96
6185MHz	Pass	AV	12.45G	38.48	54.00	-15.52	3	Horizontal	185	1.50
6185MHz	Pass	PK	12.38216G	52.72	74.00	-21.28	3	Horizontal	185	1.50
6345MHz	Pass	AV	12.75048G	39.25	68.20	-28.95	3	Vertical	209	1.50
6345MHz	Pass	PK	12.75784G	54.30	88.20	-33.90	3	Vertical	209	1.50
6345MHz	Pass	AV	12.7492G	39.27	68.20	-28.93	3	Horizontal	344	1.50
6345MHz	Pass	PK	12.72616G	53.51	88.20	-34.69	3	Horizontal	344	1.50
6665MHz	Pass	AV	13.29384G	39.87	54.00	-14.13	3	Vertical	240	1.38
6665MHz	Pass	PK	13.35624G	54.70	74.00	-19.30	3	Vertical	240	1.38
6665MHz	Pass	AV	13.29576G	39.87	54.00	-14.13	3	Horizontal	5	1.50
6665MHz	Pass	PK	13.3204G	54.46	74.00	-19.54	3	Horizontal	5	1.50
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	66.41	68.20	-1.79	3	Vertical	146	1.50
6105MHz	Pass	AV	6.067G	95.37	Inf	-Inf	3	Vertical	146	1.50
6105MHz	Pass	PK	5.924G	80.58	88.20	-7.62	3	Vertical	146	1.50
6105MHz	Pass	PK	6.057G	108.76	Inf	-Inf	3	Vertical	146	1.50
6105MHz	Pass	AV	12.20488G	39.13	54.00	-14.87	3	Vertical	360	2.03
6105MHz	Pass	PK	12.2356G	53.58	74.00	-20.42	3	Vertical	360	2.03
6105MHz	Pass	AV	12.20424G	39.11	54.00	-14.89	3	Horizontal	168	2.49
6105MHz	Pass	PK	12.14152G	53.17	74.00	-20.83	3	Horizontal	168	2.49
6265MHz	Pass	AV	12.60552G	38.98	54.00	-15.02	3	Vertical	315	1.38
6265MHz	Pass	PK	12.53192G	53.29	74.00	-20.71	3	Vertical	315	1.38
6265MHz	Pass	AV	12.57672G	38.95	54.00	-15.05	3	Horizontal	0	1.50
6265MHz	Pass	PK	12.51464G	53.46	74.00	-20.54	3	Horizontal	0	1.50

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9238G	64.96	68.20	-3.24	2.54	3	Vertical	195	1.59	62.42	34.35	6.06	37.87
AV	5.949G	105.44	Inf	-Inf	2.52	3	Vertical	195	1.59	102.92	34.30	6.07	37.85
PK	5.9238G	82.64	88.20	-5.56	2.54	3	Vertical	195	1.59	80.10	34.35	6.06	37.87
PK	5.9514G	117.95	Inf	-Inf	2.52	3	Vertical	195	1.59	115.43	34.30	6.07	37.85

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90536G	38.70	54.00	-15.30	9.62	3	Vertical	125	1.50	29.08	38.91	8.69	37.98
PK	11.91612G	52.90	74.00	-21.10	9.63	3	Vertical	125	1.50	43.27	38.93	8.69	37.99


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX






5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	67.62	68.20	-0.58	2.54	3	Vertical	145	1.72	65.08	34.35	6.06	37.87
AV	6.015G	100.24	Inf	-Inf	2.60	3	Vertical	145	1.72	97.64	34.30	6.10	37.80
PK	5.9245G	82.95	88.20	-5.25	2.54	3	Vertical	145	1.72	80.41	34.35	6.06	37.87
PK	6.005G	113.63	Inf	-Inf	2.58	3	Vertical	145	1.72	111.05	34.30	6.09	37.81

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.982G	38.38	54.00	-15.62	9.69	3	Vertical	41	1.50	28.69	39.00	8.71	38.02
PK	11.93784G	53.47	74.00	-20.53	9.68	3	Vertical	41	1.50	43.79	38.98	8.70	38.00


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	66.41	68.20	-1.79	2.54	3	Vertical	146	1.50	63.87	34.35	6.06	37.87
AV	6.067G	95.37	Inf	-Inf	2.66	3	Vertical	146	1.50	92.71	34.30	6.12	37.76
PK	5.924G	80.58	88.20	-7.62	2.54	3	Vertical	146	1.50	78.04	34.35	6.06	37.87
PK	6.057G	108.76	Inf	-Inf	2.64	3	Vertical	146	1.50	106.12	34.30	6.11	37.77

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.20488G	39.13	54.00	-14.87	9.99	3	Vertical	360	2.03	29.14	39.30	8.79	38.10
PK	12.2356G	53.58	74.00	-20.42	10.00	3	Vertical	360	2.03	43.58	39.30	8.81	38.11


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX





6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)			
AV	13.29576G	39.87	54.00	-14.13	10.39	3	Horizontal	5	1.50	29.48	39.88	9.23	38.72			
PK	13.3204G	54.46	74.00	-19.54	10.46	3	Horizontal	5	1.50	44.00	39.94	9.24	38.72			



**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Indoor_Multi RU_ATS-OO-2456-466-4NP-36**

Appendix E.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX	Pass	PK	5.924G	83.03	88.20	-5.17	3	Vertical	188	2.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX	Pass	AV	5.924G	63.93	68.20	-4.27	3	Vertical	190	2.07
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX	Pass	AV	5.924G	63.75	68.20	-4.45	3	Vertical	187	2.22



**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Indoor_Multi RU_ATS-OO-2456-466-4NP-36**

Appendix E.11

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.922G	62.91	68.20	-5.29	3	Vertical	188	2.00
5985MHz	Pass	AV	5.997G	99.55	Inf	-Inf	3	Vertical	188	2.00
5985MHz	Pass	PK	5.924G	83.03	88.20	-5.17	3	Vertical	188	2.00
5985MHz	Pass	PK	6.0025G	112.28	Inf	-Inf	3	Vertical	188	2.00
5985MHz	Pass	AV	5.9235G	47.72	68.20	-20.48	3	Horizontal	176	1.50
5985MHz	Pass	AV	5.994G	84.85	Inf	-Inf	3	Horizontal	176	1.50
5985MHz	Pass	PK	5.922G	62.85	88.20	-25.35	3	Horizontal	176	1.50
5985MHz	Pass	PK	5.9965G	98.19	Inf	-Inf	3	Horizontal	176	1.50
5985MHz	Pass	AV	11.9702G	39.43	54.00	-14.57	3	Vertical	73	1.50
5985MHz	Pass	PK	11.97796G	53.23	74.00	-20.77	3	Vertical	73	1.50
5985MHz	Pass	AV	11.9692G	39.41	54.00	-14.59	3	Horizontal	222	2.43
5985MHz	Pass	PK	11.96428G	52.51	74.00	-21.49	3	Horizontal	222	2.43
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.924G	63.93	68.20	-4.27	3	Vertical	190	2.07
6025MHz	Pass	AV	6.052G	96.79	Inf	-Inf	3	Vertical	190	2.07
6025MHz	Pass	PK	5.9235G	79.60	88.20	-8.60	3	Vertical	190	2.07
6025MHz	Pass	PK	6.102G	110.39	Inf	-Inf	3	Vertical	190	2.07
6025MHz	Pass	AV	5.919G	48.39	68.20	-19.81	3	Horizontal	175	1.46
6025MHz	Pass	AV	6.1015G	84.20	Inf	-Inf	3	Horizontal	175	1.46
6025MHz	Pass	PK	5.9115G	62.84	88.20	-25.36	3	Horizontal	175	1.46
6025MHz	Pass	PK	6.1015G	97.09	Inf	-Inf	3	Horizontal	175	1.46
6025MHz	Pass	AV	12.04816G	39.62	54.00	-14.38	3	Vertical	181	2.76
6025MHz	Pass	PK	12.04588G	53.59	74.00	-20.41	3	Vertical	181	2.76
6025MHz	Pass	AV	12.047G	39.60	54.00	-14.40	3	Horizontal	316	1.50
6025MHz	Pass	PK	12.0442G	52.37	74.00	-21.63	3	Horizontal	316	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	62.51	68.20	-5.69	3	Vertical	186	1.99
6025MHz	Pass	AV	6.0875G	97.76	Inf	-Inf	3	Vertical	186	1.99
6025MHz	Pass	PK	5.922G	79.90	88.20	-8.30	3	Vertical	186	1.99
6025MHz	Pass	PK	6.0025G	111.34	Inf	-Inf	3	Vertical	186	1.99
6025MHz	Pass	AV	5.919G	46.19	68.20	-22.01	3	Horizontal	174	1.62
6025MHz	Pass	AV	6.102G	83.77	Inf	-Inf	3	Horizontal	174	1.62
6025MHz	Pass	PK	5.9175G	60.70	88.20	-27.50	3	Horizontal	174	1.62
6025MHz	Pass	PK	6.089G	96.28	Inf	-Inf	3	Horizontal	174	1.62
6025MHz	Pass	AV	12.04868G	39.70	54.00	-14.30	3	Vertical	276	1.50
6025MHz	Pass	PK	12.04564G	52.19	74.00	-21.81	3	Vertical	276	1.50
6025MHz	Pass	AV	12.0492G	39.65	54.00	-14.35	3	Horizontal	260	1.75
6025MHz	Pass	PK	12.04092G	52.46	74.00	-21.54	3	Horizontal	260	1.75
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	63.75	68.20	-4.45	3	Vertical	187	2.22
6105MHz	Pass	AV	6.135G	94.89	Inf	-Inf	3	Vertical	187	2.22
6105MHz	Pass	PK	5.923G	80.46	88.20	-7.74	3	Vertical	187	2.22
6105MHz	Pass	PK	6.114G	108.27	Inf	-Inf	3	Vertical	187	2.22
6105MHz	Pass	AV	5.917G	47.28	68.20	-20.92	3	Horizontal	182	1.59
6105MHz	Pass	AV	6.206G	81.45	Inf	-Inf	3	Horizontal	182	1.59
6105MHz	Pass	PK	5.923G	63.59	88.20	-24.61	3	Horizontal	182	1.59
6105MHz	Pass	PK	6.211G	94.39	Inf	-Inf	3	Horizontal	182	1.59
6105MHz	Pass	AV	12.20024G	39.20	54.00	-14.80	3	Vertical	109	1.14
6105MHz	Pass	PK	12.21468G	52.45	74.00	-21.55	3	Vertical	109	1.14
6105MHz	Pass	AV	12.2008G	39.23	54.00	-14.77	3	Horizontal	5	1.23
6105MHz	Pass	PK	12.20528G	52.37	74.00	-21.63	3	Horizontal	5	1.23
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	60.78	68.20	-7.42	3	Vertical	194	1.98
6105MHz	Pass	AV	6.129G	95.04	Inf	-Inf	3	Vertical	194	1.98
6105MHz	Pass	PK	5.923G	76.81	88.20	-11.39	3	Vertical	194	1.98
6105MHz	Pass	PK	6.059G	108.05	Inf	-Inf	3	Vertical	194	1.98
6105MHz	Pass	AV	5.924G	45.69	68.20	-22.51	3	Horizontal	175	1.50
6105MHz	Pass	AV	6.139G	81.15	Inf	-Inf	3	Horizontal	175	1.50
6105MHz	Pass	PK	5.923G	60.97	88.20	-27.23	3	Horizontal	175	1.50
6105MHz	Pass	PK	6.139G	94.06	Inf	-Inf	3	Horizontal	175	1.50




**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Indoor_Multi RU_ATS-OO-2456-466-4NP-36**

Appendix E.11

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.2056G	39.23	54.00	-14.77	3	Vertical	151	1.50
6105MHz	Pass	PK	12.21212G	52.30	74.00	-21.70	3	Vertical	151	1.50
6105MHz	Pass	AV	12.2018G	39.24	54.00	-14.76	3	Horizontal	318	2.42
6105MHz	Pass	PK	12.20412G	52.96	74.00	-21.04	3	Horizontal	318	2.42
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	57.75	68.20	-10.45	3	Vertical	185	2.20
6105MHz	Pass	AV	6.135G	95.16	Inf	-Inf	3	Vertical	185	2.20
6105MHz	Pass	PK	5.905G	73.10	88.20	-15.10	3	Vertical	185	2.20
6105MHz	Pass	PK	6.115G	108.15	Inf	-Inf	3	Vertical	185	2.20
6105MHz	Pass	AV	5.924G	43.23	68.20	-24.97	3	Horizontal	173	2.85
6105MHz	Pass	AV	6.142G	82.04	Inf	-Inf	3	Horizontal	173	2.85
6105MHz	Pass	PK	5.916G	56.22	88.20	-31.98	3	Horizontal	173	2.85
6105MHz	Pass	PK	6.147G	95.66	Inf	-Inf	3	Horizontal	173	2.85
6105MHz	Pass	AV	12.20004G	39.32	54.00	-14.68	3	Vertical	84	1.02
6105MHz	Pass	PK	12.20156G	52.11	74.00	-21.89	3	Vertical	84	1.02
6105MHz	Pass	AV	12.20116G	39.23	54.00	-14.77	3	Horizontal	360	1.50
6105MHz	Pass	PK	12.21792G	52.27	74.00	-21.73	3	Horizontal	360	1.50


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX


5985MHz_TX






5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX


5985MHz_TX






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX


6025MHz_TX






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX


6105MHz_TX






5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Outdoor_Full RU_ATS-OO-2456-466-4NP-36**

Appendix E.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	11.90576G	39.02	54.00	-14.98	3	Horizontal	326	1.55
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.9239G	75.87	88.20	-12.33	3	Vertical	205	1.74
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	11.96992G	39.30	54.00	-14.70	3	Vertical	16	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	12.04708G	39.36	54.00	-14.64	3	Horizontal	92	1.50
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	12.53532G	39.08	54.00	-14.92	3	Horizontal	340	2.54
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.39572G	40.22	54.00	-13.78	3	Horizontal	98	1.54
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.36316G	40.22	54.00	-13.78	3	Horizontal	149	1.00
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.25528G	40.03	54.00	-13.97	3	Vertical	66	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.32372G	40.19	54.00	-13.81	3	Vertical	72	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Outdoor_Full RU_ATS-OO-2456-466-4NP-36**

Appendix E.12

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9235G	47.55	68.20	-20.65	3	Vertical	205	1.86
5955MHz	Pass	AV	5.9487G	100.12	Inf	-Inf	3	Vertical	205	1.86
5955MHz	Pass	PK	5.9241G	70.09	88.20	-18.11	3	Vertical	205	1.86
5955MHz	Pass	PK	5.9541G	113.15	Inf	-Inf	3	Vertical	205	1.86
5955MHz	Pass	AV	5.925G	42.06	68.20	-26.14	3	Horizontal	116	1.47
5955MHz	Pass	AV	5.9532G	88.83	Inf	-Inf	3	Horizontal	116	1.47
5955MHz	Pass	PK	5.9232G	55.95	88.20	-32.25	3	Horizontal	116	1.47
5955MHz	Pass	PK	5.9538G	102.19	Inf	-Inf	3	Horizontal	116	1.47
5955MHz	Pass	AV	11.9072G	38.98	54.00	-15.02	3	Vertical	75	2.79
5955MHz	Pass	PK	11.91288G	52.03	74.00	-21.97	3	Vertical	75	2.79
5955MHz	Pass	AV	11.90576G	39.02	54.00	-14.98	3	Horizontal	326	1.55
5955MHz	Pass	PK	11.90004G	51.77	74.00	-22.23	3	Horizontal	326	1.55
6195MHz	Pass	AV	12.38156G	38.59	54.00	-15.41	3	Vertical	76	1.50
6195MHz	Pass	PK	12.38556G	52.64	74.00	-21.36	3	Vertical	76	1.50
6195MHz	Pass	AV	12.38208G	38.56	54.00	-15.44	3	Horizontal	333	1.85
6195MHz	Pass	PK	12.39096G	51.59	74.00	-22.41	3	Horizontal	333	1.85
6415MHz	Pass	AV	12.83716G	39.36	68.20	-28.84	3	Vertical	129	2.91
6415MHz	Pass	PK	12.83788G	52.72	88.20	-35.48	3	Vertical	129	2.91
6415MHz	Pass	AV	12.83648G	39.30	68.20	-28.90	3	Horizontal	234	1.50
6415MHz	Pass	PK	12.82212G	52.13	88.20	-36.07	3	Horizontal	234	1.50
6535MHz	Pass	AV	13.06172G	39.67	68.20	-28.53	3	Vertical	44	1.50
6535MHz	Pass	PK	13.06804G	53.22	88.20	-34.98	3	Vertical	44	1.50
6535MHz	Pass	AV	13.07596G	39.67	68.20	-28.53	3	Horizontal	272	1.50
6535MHz	Pass	PK	13.07556G	52.84	88.20	-35.36	3	Horizontal	272	1.50
6695MHz	Pass	AV	13.39564G	40.19	54.00	-13.81	3	Vertical	158	1.50
6695MHz	Pass	PK	13.38568G	54.37	74.00	-19.63	3	Vertical	158	1.50
6695MHz	Pass	AV	13.39572G	40.22	54.00	-13.78	3	Horizontal	98	1.54
6695MHz	Pass	PK	13.39524G	54.13	74.00	-19.87	3	Horizontal	98	1.54
6855MHz	Pass	AV	13.70608G	40.42	68.20	-27.78	3	Vertical	85	1.78
6855MHz	Pass	PK	13.70152G	53.68	88.20	-34.52	3	Vertical	85	1.78
6855MHz	Pass	AV	13.7058G	40.43	68.20	-27.77	3	Horizontal	63	1.50
6855MHz	Pass	PK	13.70768G	53.76	88.20	-34.44	3	Horizontal	63	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9236G	54.60	68.20	-13.60	3	Vertical	205	1.74
5965MHz	Pass	AV	5.956G	97.55	Inf	-Inf	3	Vertical	205	1.74
5965MHz	Pass	PK	5.9239G	75.87	88.20	-12.33	3	Vertical	205	1.74
5965MHz	Pass	PK	5.9536G	110.99	Inf	-Inf	3	Vertical	205	1.74
5965MHz	Pass	AV	5.9233G	44.22	68.20	-23.98	3	Horizontal	117	1.61
5965MHz	Pass	AV	5.9785G	86.89	Inf	-Inf	3	Horizontal	117	1.61
5965MHz	Pass	PK	5.9242G	66.14	88.20	-22.06	3	Horizontal	117	1.61
5965MHz	Pass	PK	5.9731G	100.01	Inf	-Inf	3	Horizontal	117	1.61
5965MHz	Pass	AV	11.93824G	39.38	54.00	-14.62	3	Vertical	244	1.50
5965MHz	Pass	PK	11.92228G	51.96	74.00	-22.04	3	Vertical	244	1.50
5965MHz	Pass	AV	11.93808G	39.31	54.00	-14.69	3	Horizontal	45	1.50
5965MHz	Pass	PK	11.93628G	52.51	74.00	-21.49	3	Horizontal	45	1.50
6205MHz	Pass	AV	12.41584G	38.67	54.00	-15.33	3	Vertical	195	1.07
6205MHz	Pass	PK	12.4136G	51.91	74.00	-22.09	3	Vertical	195	1.07
6205MHz	Pass	AV	12.4192G	38.52	54.00	-15.48	3	Horizontal	149	2.77
6205MHz	Pass	PK	12.41912G	51.47	74.00	-22.53	3	Horizontal	149	2.77
6405MHz	Pass	AV	12.80432G	39.30	68.20	-28.90	3	Vertical	139	2.39
6405MHz	Pass	PK	12.81564G	52.56	88.20	-35.64	3	Vertical	139	2.39
6405MHz	Pass	AV	12.81512G	39.31	68.20	-28.89	3	Horizontal	334	2.01
6405MHz	Pass	PK	12.80176G	53.64	88.20	-34.56	3	Horizontal	334	2.01
6565MHz	Pass	AV	13.13956G	39.83	68.20	-28.37	3	Vertical	151	2.95
6565MHz	Pass	PK	13.13584G	53.25	88.20	-34.95	3	Vertical	151	2.95
6565MHz	Pass	AV	13.13796G	39.80	68.20	-28.40	3	Horizontal	4	2.64
6565MHz	Pass	PK	13.12744G	52.68	88.20	-35.52	3	Horizontal	4	2.64
6685MHz	Pass	AV	13.36612G	40.18	54.00	-13.82	3	Vertical	345	1.50
6685MHz	Pass	PK	13.3648G	53.18	74.00	-20.82	3	Vertical	345	1.50
6685MHz	Pass	AV	13.36316G	40.22	54.00	-13.78	3	Horizontal	149	1.00



**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Outdoor_Full RU_ATS-OO-2456-466-4NP-36**

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.36916G	54.39	74.00	-19.61	3	Horizontal	149	1.00
6845MHz	Pass	AV	13.68116G	40.38	68.20	-27.82	3	Vertical	92	2.76
6845MHz	Pass	PK	13.69356G	53.61	88.20	-34.59	3	Vertical	92	2.76
6845MHz	Pass	AV	13.6818G	40.37	68.20	-27.83	3	Horizontal	326	1.50
6845MHz	Pass	PK	13.69748G	54.21	88.20	-33.99	3	Horizontal	326	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	47.38	68.20	-20.82	3	Vertical	182	1.78
5985MHz	Pass	AV	6.015G	94.29	Inf	-Inf	3	Vertical	182	1.78
5985MHz	Pass	PK	5.9195G	66.91	88.20	-21.29	3	Vertical	182	1.78
5985MHz	Pass	PK	6.015G	107.72	Inf	-Inf	3	Vertical	182	1.78
5985MHz	Pass	AV	5.9235G	42.01	68.20	-26.19	3	Horizontal	117	1.58
5985MHz	Pass	AV	5.9955G	83.65	Inf	-Inf	3	Horizontal	117	1.58
5985MHz	Pass	PK	5.918G	55.52	88.20	-32.68	3	Horizontal	117	1.58
5985MHz	Pass	PK	5.9935G	96.65	Inf	-Inf	3	Horizontal	117	1.58
5985MHz	Pass	AV	11.96992G	39.30	54.00	-14.70	3	Vertical	16	1.50
5985MHz	Pass	PK	11.97076G	51.55	74.00	-22.45	3	Vertical	16	1.50
5985MHz	Pass	AV	11.96888G	39.21	54.00	-14.79	3	Horizontal	249	1.50
5985MHz	Pass	PK	11.9706G	52.21	74.00	-21.79	3	Horizontal	249	1.50
6225MHz	Pass	AV	12.45528G	38.69	54.00	-15.31	3	Vertical	251	2.71
6225MHz	Pass	PK	12.445G	51.94	74.00	-22.06	3	Vertical	251	2.71
6225MHz	Pass	AV	12.45948G	38.70	54.00	-15.30	3	Horizontal	73	1.85
6225MHz	Pass	PK	12.45976G	51.72	74.00	-22.28	3	Horizontal	73	1.85
6385MHz	Pass	AV	12.7626G	39.44	68.20	-28.76	3	Vertical	89	1.94
6385MHz	Pass	PK	12.76328G	52.61	88.20	-35.59	3	Vertical	89	1.94
6385MHz	Pass	AV	12.7624G	39.44	68.20	-28.76	3	Horizontal	17	2.92
6385MHz	Pass	PK	12.77312G	52.21	88.20	-35.99	3	Horizontal	17	2.92
6625MHz	Pass	AV	13.25528G	40.03	54.00	-13.97	3	Vertical	66	1.50
6625MHz	Pass	PK	13.24948G	53.34	88.20	-34.86	3	Vertical	66	1.50
6625MHz	Pass	AV	13.25664G	40.03	54.00	-13.97	3	Horizontal	167	1.50
6625MHz	Pass	PK	13.24456G	52.75	88.20	-35.45	3	Horizontal	167	1.50
6705MHz	Pass	AV	13.41724G	40.36	68.20	-27.84	3	Vertical	135	1.45
6705MHz	Pass	PK	13.4026G	54.32	88.20	-33.88	3	Vertical	135	1.45
6705MHz	Pass	AV	13.41692G	40.36	68.20	-27.84	3	Horizontal	0	2.65
6705MHz	Pass	PK	13.40396G	53.17	88.20	-35.03	3	Horizontal	0	2.65
6785MHz	Pass	AV	13.56284G	40.95	68.20	-27.25	3	Vertical	53	1.50
6785MHz	Pass	PK	13.56464G	54.02	88.20	-34.18	3	Vertical	53	1.50
6785MHz	Pass	AV	13.56236G	40.90	68.20	-27.30	3	Horizontal	265	1.50
6785MHz	Pass	PK	13.5704G	53.60	88.20	-34.60	3	Horizontal	265	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	44.38	68.20	-23.82	3	Vertical	184	1.79
6025MHz	Pass	AV	6.087G	91.36	Inf	-Inf	3	Vertical	184	1.79
6025MHz	Pass	PK	5.916G	61.30	88.20	-26.90	3	Vertical	184	1.79
6025MHz	Pass	PK	6.052G	104.95	Inf	-Inf	3	Vertical	184	1.79
6025MHz	Pass	AV	5.923G	41.52	68.20	-26.68	3	Horizontal	116	1.54
6025MHz	Pass	AV	6.0485G	81.32	Inf	-Inf	3	Horizontal	116	1.54
6025MHz	Pass	PK	5.92G	55.46	88.20	-32.74	3	Horizontal	116	1.54
6025MHz	Pass	PK	6.054G	94.16	Inf	-Inf	3	Horizontal	116	1.54
6025MHz	Pass	AV	12.04784G	39.24	54.00	-14.76	3	Vertical	341	2.53
6025MHz	Pass	PK	12.04988G	51.97	74.00	-22.03	3	Vertical	341	2.53
6025MHz	Pass	AV	12.04708G	39.36	54.00	-14.64	3	Horizontal	92	1.50
6025MHz	Pass	PK	12.04944G	51.97	74.00	-22.03	3	Horizontal	92	1.50
6185MHz	Pass	AV	12.36496G	38.61	54.00	-15.39	3	Vertical	85	1.64
6185MHz	Pass	PK	12.37944G	51.70	74.00	-22.30	3	Vertical	85	1.64
6185MHz	Pass	AV	12.36368G	38.63	54.00	-15.37	3	Horizontal	246	2.44
6185MHz	Pass	PK	12.36832G	52.14	74.00	-21.86	3	Horizontal	246	2.44
6345MHz	Pass	AV	12.6958G	39.13	54.00	-14.87	3	Vertical	300	2.76
6345MHz	Pass	PK	12.6974G	52.41	74.00	-21.59	3	Vertical	300	2.76
6345MHz	Pass	AV	12.69752G	39.14	54.00	-14.86	3	Horizontal	121	1.47
6345MHz	Pass	PK	12.6852G	52.77	74.00	-21.23	3	Horizontal	121	1.47
6665MHz	Pass	AV	13.32372G	40.19	54.00	-13.81	3	Vertical	72	1.50
6665MHz	Pass	PK	13.32068G	53.34	74.00	-20.66	3	Vertical	72	1.50
6665MHz	Pass	AV	13.32156G	40.18	54.00	-13.82	3	Horizontal	318	1.50




**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Outdoor_Full RU_ATS-OO-2456-466-4NP-36**

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.32044G	52.87	74.00	-21.13	3	Horizontal	318	1.50
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	44.33	68.20	-23.87	3	Vertical	179	2.07
6105MHz	Pass	AV	6.203G	89.74	Inf	-Inf	3	Vertical	179	2.07
6105MHz	Pass	PK	5.916G	62.26	88.20	-25.94	3	Vertical	179	2.07
6105MHz	Pass	PK	6.205G	103.83	Inf	-Inf	3	Vertical	179	2.07
6105MHz	Pass	AV	5.918G	41.47	68.20	-26.73	3	Horizontal	116	1.48
6105MHz	Pass	AV	6.068G	78.63	Inf	-Inf	3	Horizontal	116	1.48
6105MHz	Pass	PK	5.907G	55.25	88.20	-32.95	3	Horizontal	116	1.48
6105MHz	Pass	PK	6.005G	92.41	Inf	-Inf	3	Horizontal	116	1.48
6105MHz	Pass	AV	12.21936G	38.88	54.00	-15.12	3	Vertical	22	1.50
6105MHz	Pass	PK	12.21804G	51.85	74.00	-22.15	3	Vertical	22	1.50
6105MHz	Pass	AV	12.21532G	38.88	54.00	-15.12	3	Horizontal	215	1.50
6105MHz	Pass	PK	12.20796G	51.23	74.00	-22.77	3	Horizontal	215	1.50
6265MHz	Pass	AV	12.52036G	39.04	54.00	-14.96	3	Vertical	136	2.37
6265MHz	Pass	PK	12.52744G	52.40	74.00	-21.60	3	Vertical	136	2.37
6265MHz	Pass	AV	12.53532G	39.08	54.00	-14.92	3	Horizontal	340	2.54
6265MHz	Pass	PK	12.52884G	51.94	74.00	-22.06	3	Horizontal	340	2.54


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX






5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6695MHz_TX






6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Outdoor_Multi RU_ATS-OO-2456-466-4NP-36**

Appendix E.13

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX	Pass	AV	11.97064G	39.63	54.00	-14.37	3	Vertical	0	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX	Pass	AV	11.97096G	39.62	54.00	-14.38	3	Vertical	168	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_2TX	Pass	AV	12.05G	39.59	54.00	-14.41	3	Vertical	34	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	43.59	68.20	-24.61	3	Vertical	139	1.93
5985MHz	Pass	AV	5.997G	94.01	Inf	-Inf	3	Vertical	139	1.93
5985MHz	Pass	PK	5.924G	55.99	88.20	-32.21	3	Vertical	139	1.93
5985MHz	Pass	PK	5.9875G	105.83	Inf	-Inf	3	Vertical	139	1.93
5985MHz	Pass	AV	5.924G	41.61	68.20	-26.59	3	Horizontal	158	1.96
5985MHz	Pass	AV	5.997G	80.64	Inf	-Inf	3	Horizontal	158	1.96
5985MHz	Pass	PK	5.8615G	55.46	88.20	-32.74	3	Horizontal	158	1.96
5985MHz	Pass	PK	6G	93.19	Inf	-Inf	3	Horizontal	158	1.96
5985MHz	Pass	AV	11.97064G	39.63	54.00	-14.37	3	Vertical	0	1.50
5985MHz	Pass	PK	11.9332G	54.11	74.00	-19.89	3	Vertical	0	1.50
5985MHz	Pass	AV	11.98536G	39.58	54.00	-14.42	3	Horizontal	87	1.50
5985MHz	Pass	PK	12.00152G	54.07	74.00	-19.93	3	Horizontal	87	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	42.98	68.20	-25.22	3	Vertical	141	2.00
6025MHz	Pass	AV	6.052G	91.31	Inf	-Inf	3	Vertical	141	2.00
6025MHz	Pass	PK	5.9135G	55.97	88.20	-32.23	3	Vertical	141	2.00
6025MHz	Pass	PK	6.0545G	104.68	Inf	-Inf	3	Vertical	141	2.00
6025MHz	Pass	AV	5.9245G	41.66	68.20	-26.54	3	Horizontal	158	1.70
6025MHz	Pass	AV	6.055G	81.34	Inf	-Inf	3	Horizontal	158	1.70
6025MHz	Pass	PK	5.8265G	56.10	88.20	-32.10	3	Horizontal	158	1.70
6025MHz	Pass	PK	6.053G	93.99	Inf	-Inf	3	Horizontal	158	1.70
6025MHz	Pass	AV	11.97096G	39.62	54.00	-14.38	3	Vertical	168	1.50
6025MHz	Pass	PK	12.04712G	54.61	74.00	-19.39	3	Vertical	168	1.50
6025MHz	Pass	AV	11.98472G	39.59	54.00	-14.41	3	Horizontal	141	1.50
6025MHz	Pass	PK	11.97704G	53.73	74.00	-20.27	3	Horizontal	141	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.922G	42.47	68.20	-25.73	3	Vertical	140	1.76
6025MHz	Pass	AV	6.007G	91.45	Inf	-Inf	3	Vertical	140	1.76
6025MHz	Pass	PK	5.9235G	56.14	88.20	-32.06	3	Vertical	140	1.76
6025MHz	Pass	PK	5.9995G	104.75	Inf	-Inf	3	Vertical	140	1.76
6025MHz	Pass	AV	5.912G	41.52	68.20	-26.68	3	Horizontal	158	1.67
6025MHz	Pass	AV	6.0875G	80.41	Inf	-Inf	3	Horizontal	158	1.67
6025MHz	Pass	PK	5.8905G	55.75	88.20	-32.45	3	Horizontal	158	1.67
6025MHz	Pass	PK	6.08G	92.66	Inf	-Inf	3	Horizontal	158	1.67
6025MHz	Pass	AV	12.0468G	39.59	54.00	-14.41	3	Vertical	353	1.49
6025MHz	Pass	PK	11.97672G	54.59	74.00	-19.41	3	Vertical	353	1.49
6025MHz	Pass	AV	12.0484G	39.59	54.00	-14.41	3	Horizontal	55	2.71
6025MHz	Pass	PK	11.98696G	54.30	74.00	-19.70	3	Horizontal	55	2.71
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	43.00	68.20	-25.20	3	Vertical	140	1.62
6105MHz	Pass	AV	6.01G	89.73	Inf	-Inf	3	Vertical	140	1.62
6105MHz	Pass	PK	5.924G	57.80	88.20	-30.40	3	Vertical	140	1.62
6105MHz	Pass	PK	6.007G	104.56	Inf	-Inf	3	Vertical	140	1.62
6105MHz	Pass	AV	5.921G	41.57	68.20	-26.63	3	Horizontal	159	1.57
6105MHz	Pass	AV	6.075G	79.14	Inf	-Inf	3	Horizontal	159	1.57
6105MHz	Pass	PK	5.924G	55.23	88.20	-32.97	3	Horizontal	159	1.57
6105MHz	Pass	PK	6.072G	91.55	Inf	-Inf	3	Horizontal	159	1.57
6105MHz	Pass	AV	12.05064G	39.51	54.00	-14.49	3	Vertical	319	1.50
6105MHz	Pass	PK	12.0596G	53.59	74.00	-20.41	3	Vertical	319	1.50
6105MHz	Pass	AV	12.05128G	39.49	54.00	-14.51	3	Horizontal	57	1.50
6105MHz	Pass	PK	12.23752G	53.57	74.00	-20.43	3	Horizontal	57	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.919G	42.94	68.20	-25.26	3	Vertical	141	1.64
6105MHz	Pass	AV	6.01G	89.70	Inf	-Inf	3	Vertical	141	1.64
6105MHz	Pass	PK	5.922G	56.08	88.20	-32.12	3	Vertical	141	1.64
6105MHz	Pass	PK	6.007G	104.03	Inf	-Inf	3	Vertical	141	1.64
6105MHz	Pass	AV	5.918G	41.64	68.20	-26.56	3	Horizontal	158	1.61
6105MHz	Pass	AV	6.12G	78.68	Inf	-Inf	3	Horizontal	158	1.61
6105MHz	Pass	PK	5.841G	55.60	88.20	-32.60	3	Horizontal	158	1.61
6105MHz	Pass	PK	6.14G	91.82	Inf	-Inf	3	Horizontal	158	1.61




**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Outdoor_Multi RU_ATS-OO-2456-466-4NP-36**

Appendix E.13

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.05192G	39.53	54.00	-14.47	3	Vertical	184	2.07
6105MHz	Pass	PK	12.19912G	53.42	74.00	-20.58	3	Vertical	184	2.07
6105MHz	Pass	AV	12.05064G	39.53	54.00	-14.47	3	Horizontal	17	2.11
6105MHz	Pass	PK	12.30152G	53.83	74.00	-20.17	3	Horizontal	17	2.11
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	42.48	68.20	-25.72	3	Vertical	141	1.64
6105MHz	Pass	AV	6.007G	89.75	Inf	-Inf	3	Vertical	141	1.64
6105MHz	Pass	PK	5.922G	55.74	88.20	-32.46	3	Vertical	141	1.64
6105MHz	Pass	PK	6.015G	103.12	Inf	-Inf	3	Vertical	141	1.64
6105MHz	Pass	AV	5.923G	41.56	68.20	-26.64	3	Horizontal	158	1.83
6105MHz	Pass	AV	6.067G	79.37	Inf	-Inf	3	Horizontal	158	1.83
6105MHz	Pass	PK	5.871G	55.73	88.20	-32.47	3	Horizontal	158	1.83
6105MHz	Pass	PK	6.067G	92.14	Inf	-Inf	3	Horizontal	158	1.83
6105MHz	Pass	AV	12.05G	39.59	54.00	-14.41	3	Vertical	34	1.50
6105MHz	Pass	PK	12.3252G	53.86	74.00	-20.14	3	Vertical	34	1.50
6105MHz	Pass	AV	12.05064G	39.46	54.00	-14.54	3	Horizontal	11	2.31
6105MHz	Pass	PK	12.31624G	53.84	74.00	-20.16	3	Horizontal	11	2.31


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX


6025MHz_TX






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_2TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)	(°)	(m)	(dBuV)	(dB)	(dB)	(dB)	(dB)
AV	5.921G	42.48	68.20	-25.72	2.54	3	Vertical	141	1.64	39.94	34.36	6.05	37.87
AV	6.007G	89.75	Inf	-Inf	2.59	3	Vertical	141	1.64	87.16	34.30	6.09	37.80
PK	5.922G	55.74	88.20	-32.46	2.54	3	Vertical	141	1.64	53.20	34.36	6.05	37.87
PK	6.015G	103.12	Inf	-Inf	2.60	3	Vertical	141	1.64	100.52	34.30	6.10	37.80

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_2TX

6105MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)	(°)	(m)	(dBuV)	(dB)	(dB)	(dB)	(dB)
AV	5.923G	41.56	68.20	-26.64	2.54	3	Horizontal	158	1.83	39.02	34.35	6.06	37.87
AV	6.067G	79.37	Inf	-Inf	2.66	3	Horizontal	158	1.83	76.71	34.30	6.12	37.76
PK	5.871G	55.73	88.20	-32.47	2.46	3	Horizontal	158	1.83	53.27	34.34	6.03	37.91
PK	6.067G	92.14	Inf	-Inf	2.66	3	Horizontal	158	1.83	89.48	34.30	6.12	37.76




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_2TX

6105MHz_TX





***RSE TX below 1GHz_Non-Beamforming_
Radio 0_Indoor/Outdoor_Full RU_ATS-OP-2456-81010-4NP-36 Appendix E.14***

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	PK	72.68M	27.38	40.00	-12.62	3	Vertical	0	1.00



**RSE TX below 1GHz_Non-Beamforming_
Radio 0_Indoor/Outdoor_Full RU_ATS-OP-2456-81010-4NP-36 Appendix E.14**


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	PK	72.68M	27.38	40.00	-12.62	3	Vertical	0	1.00
6105MHz	Pass	PK	134.76M	26.62	43.50	-16.88	3	Vertical	0	1.00
6105MHz	Pass	PK	233.7M	29.70	46.00	-16.30	3	Vertical	0	1.00
6105MHz	Pass	PK	363.68M	24.99	46.00	-21.01	3	Vertical	0	1.00
6105MHz	Pass	PK	586.78M	26.78	46.00	-19.22	3	Vertical	0	1.00
6105MHz	Pass	PK	903M	28.54	46.00	-17.46	3	Vertical	0	1.00
6105MHz	Pass	PK	84.32M	24.01	40.00	-15.99	3	Horizontal	360	1.00
6105MHz	Pass	PK	132.82M	25.68	43.50	-17.82	3	Horizontal	360	1.00
6105MHz	Pass	PK	235.64M	31.70	46.00	-14.30	3	Horizontal	360	1.00
6105MHz	Pass	PK	361.74M	24.75	46.00	-21.25	3	Horizontal	360	1.00
6105MHz	Pass	PK	722.58M	31.98	46.00	-14.02	3	Horizontal	360	1.00
6105MHz	Pass	PK	947.62M	28.64	46.00	-17.36	3	Horizontal	360	1.00



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	72.68M	27.38	40.00	-12.62	-15.09	3	Vertical	0	1.00	42.47	11.41	0.76	27.26
PK	134.76M	26.62	43.50	-16.88	-9.41	3	Vertical	0	1.00	36.03	16.70	0.97	27.08
PK	233.7M	29.70	46.00	-16.30	-9.68	3	Vertical	0	1.00	39.38	15.70	1.24	26.62
PK	363.68M	24.99	46.00	-21.01	-5.83	3	Vertical	0	1.00	30.82	19.75	1.49	27.07
PK	586.78M	26.78	46.00	-19.22	-2.69	3	Vertical	0	1.00	29.47	23.71	1.86	28.26
PK	903M	28.54	46.00	-17.46	0.25	3	Vertical	0	1.00	28.29	25.50	2.35	27.60

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	84.32M	24.01	40.00	-15.99	-13.19	3	Horizontal	360	1.00	37.20	13.25	0.79	27.23
PK	132.82M	25.68	43.50	-17.82	-9.29	3	Horizontal	360	1.00	34.97	16.83	0.96	27.08
PK	235.64M	31.70	46.00	-14.30	-9.52	3	Horizontal	360	1.00	41.22	15.85	1.25	26.62
PK	361.74M	24.75	46.00	-21.25	-5.85	3	Horizontal	360	1.00	30.60	19.71	1.49	27.05
PK	722.58M	31.98	46.00	-14.02	-1.81	3	Horizontal	360	1.00	33.79	24.28	2.07	28.16
PK	947.62M	28.64	46.00	-17.36	0.75	3	Horizontal	360	1.00	27.89	25.87	2.32	27.44



**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Indoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix E.15

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.9232G	86.80	88.20	-1.40	3	Vertical	0	1.77
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.9239G	67.54	68.20	-0.66	3	Horizontal	0	2.06
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.9235G	67.94	68.20	-0.26	3	Horizontal	360	2.39
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.9235G	67.81	68.20	-0.39	3	Horizontal	0	2.39
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	5.924G	66.00	68.20	-2.20	3	Horizontal	353	2.29
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.38048G	40.23	54.00	-13.77	3	Horizontal	273	1.00
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.38056G	40.23	54.00	-13.77	3	Vertical	119	2.98
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.2844G	40.23	54.00	-13.77	3	Vertical	307	1.23
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.29896G	40.35	54.00	-13.65	3	Horizontal	161	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	66.69	68.20	-1.51	3	Vertical	0	1.77
5955MHz	Pass	AV	5.9505G	107.43	Inf	-Inf	3	Vertical	0	1.77
5955MHz	Pass	PK	5.9232G	86.80	88.20	-1.40	3	Vertical	0	1.77
5955MHz	Pass	PK	5.9625G	120.38	Inf	-Inf	3	Vertical	0	1.77
5955MHz	Pass	AV	5.9238G	66.30	68.20	-1.90	3	Horizontal	360	1.96
5955MHz	Pass	AV	5.9484G	107.72	Inf	-Inf	3	Horizontal	360	1.96
5955MHz	Pass	PK	5.9247G	82.85	88.20	-5.35	3	Horizontal	360	1.96
5955MHz	Pass	PK	5.9619G	121.02	Inf	-Inf	3	Horizontal	360	1.96
5955MHz	Pass	AV	11.91704G	39.06	54.00	-14.94	3	Vertical	39	1.50
5955MHz	Pass	PK	11.91548G	52.87	74.00	-21.13	3	Vertical	39	1.50
5955MHz	Pass	AV	11.90224G	39.08	54.00	-14.92	3	Horizontal	343	1.76
5955MHz	Pass	PK	11.91268G	52.14	74.00	-21.86	3	Horizontal	343	1.76
6195MHz	Pass	AV	12.3802G	38.88	54.00	-15.12	3	Vertical	196	1.50
6195MHz	Pass	PK	12.38916G	51.89	74.00	-22.11	3	Vertical	196	1.50
6195MHz	Pass	AV	12.38084G	38.94	54.00	-15.06	3	Horizontal	15	2.03
6195MHz	Pass	PK	12.392G	52.49	74.00	-21.51	3	Horizontal	15	2.03
6415MHz	Pass	AV	12.83916G	39.74	68.20	-28.46	3	Vertical	108	1.50
6415MHz	Pass	PK	12.83944G	53.31	88.20	-34.89	3	Vertical	108	1.50
6415MHz	Pass	AV	12.83768G	39.75	68.20	-28.45	3	Horizontal	149	1.85
6415MHz	Pass	PK	12.82048G	53.03	88.20	-35.17	3	Horizontal	149	1.85
6535MHz	Pass	AV	13.07664G	39.63	68.20	-28.57	3	Vertical	97	2.78
6535MHz	Pass	PK	13.073G	52.73	88.20	-35.47	3	Vertical	97	2.78
6535MHz	Pass	AV	13.07564G	39.61	68.20	-28.59	3	Horizontal	320	1.50
6535MHz	Pass	PK	13.071G	53.05	88.20	-35.15	3	Horizontal	320	1.50
6695MHz	Pass	AV	13.382G	40.22	54.00	-13.78	3	Vertical	319	1.50
6695MHz	Pass	PK	13.39612G	53.30	74.00	-20.70	3	Vertical	319	1.50
6695MHz	Pass	AV	13.38048G	40.23	54.00	-13.77	3	Horizontal	273	1.00
6695MHz	Pass	PK	13.38372G	53.21	74.00	-20.79	3	Horizontal	273	1.00
6855MHz	Pass	AV	13.71524G	40.52	68.20	-27.68	3	Vertical	347	1.50
6855MHz	Pass	PK	13.7044G	53.88	88.20	-34.32	3	Vertical	347	1.50
6855MHz	Pass	AV	13.71108G	40.55	68.20	-27.65	3	Horizontal	15	2.65
6855MHz	Pass	PK	13.70216G	53.40	88.20	-34.80	3	Horizontal	15	2.65
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	66.35	68.20	-1.85	3	Vertical	0	1.94
5965MHz	Pass	AV	5.9797G	102.74	Inf	-Inf	3	Vertical	0	1.94
5965MHz	Pass	PK	5.9221G	84.08	88.20	-4.12	3	Vertical	0	1.94
5965MHz	Pass	PK	5.9821G	115.97	Inf	-Inf	3	Vertical	0	1.94
5965MHz	Pass	AV	5.9239G	67.54	68.20	-0.66	3	Horizontal	0	2.06
5965MHz	Pass	AV	5.9512G	103.38	Inf	-Inf	3	Horizontal	0	2.06
5965MHz	Pass	PK	5.9236G	85.95	88.20	-2.25	3	Horizontal	0	2.06
5965MHz	Pass	PK	5.9788G	117.09	Inf	-Inf	3	Horizontal	0	2.06
5965MHz	Pass	AV	11.9344G	39.28	54.00	-14.72	3	Vertical	66	2.41
5965MHz	Pass	PK	11.93416G	52.16	74.00	-21.84	3	Vertical	66	2.41
5965MHz	Pass	AV	11.93344G	39.22	54.00	-14.78	3	Horizontal	175	1.78
5965MHz	Pass	PK	11.91624G	52.59	74.00	-21.41	3	Horizontal	175	1.78
6205MHz	Pass	AV	12.42472G	38.91	54.00	-15.09	3	Vertical	98	1.34
6205MHz	Pass	PK	12.39888G	52.37	74.00	-21.63	3	Vertical	98	1.34
6205MHz	Pass	AV	12.41G	38.86	54.00	-15.14	3	Horizontal	44	2.07
6205MHz	Pass	PK	12.41024G	52.47	74.00	-21.53	3	Horizontal	44	2.07
6405MHz	Pass	AV	12.80792G	39.77	68.20	-28.43	3	Vertical	77	2.59
6405MHz	Pass	PK	12.82296G	53.26	88.20	-34.94	3	Vertical	77	2.59
6405MHz	Pass	AV	12.79048G	39.77	68.20	-28.43	3	Horizontal	296	2.98
6405MHz	Pass	PK	12.7928G	53.36	88.20	-34.84	3	Horizontal	296	2.98
6565MHz	Pass	AV	13.14984G	40.00	68.20	-28.20	3	Vertical	357	1.50
6565MHz	Pass	PK	13.12384G	53.17	88.20	-35.03	3	Vertical	357	1.50
6565MHz	Pass	AV	13.14888G	39.97	68.20	-28.23	3	Horizontal	77	1.31
6565MHz	Pass	PK	13.1372G	53.75	88.20	-34.45	3	Horizontal	77	1.31
6685MHz	Pass	AV	13.38056G	40.23	54.00	-13.77	3	Vertical	119	2.98
6685MHz	Pass	PK	13.35752G	53.45	74.00	-20.55	3	Vertical	119	2.98
6685MHz	Pass	AV	13.36128G	40.18	54.00	-13.82	3	Horizontal	305	2.30



**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Indoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix E.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.37696G	53.61	74.00	-20.39	3	Horizontal	305	2.30
6845MHz	Pass	AV	13.68032G	40.56	68.20	-27.64	3	Vertical	99	2.82
6845MHz	Pass	PK	13.67024G	53.95	88.20	-34.25	3	Vertical	99	2.82
6845MHz	Pass	AV	13.68G	40.56	68.20	-27.64	3	Horizontal	334	2.65
6845MHz	Pass	PK	13.69856G	54.77	88.20	-33.43	3	Horizontal	334	2.65
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	67.27	68.20	-0.93	3	Vertical	0	2.04
5985MHz	Pass	AV	6.013G	101.46	Inf	-Inf	3	Vertical	0	2.04
5985MHz	Pass	PK	5.9245G	84.11	88.20	-4.09	3	Vertical	0	2.04
5985MHz	Pass	PK	6.015G	115.06	Inf	-Inf	3	Vertical	0	2.04
5985MHz	Pass	AV	5.9235G	67.94	68.20	-0.26	3	Horizontal	360	2.39
5985MHz	Pass	AV	6.016G	100.40	Inf	-Inf	3	Horizontal	360	2.39
5985MHz	Pass	PK	5.924G	84.78	88.20	-3.42	3	Horizontal	360	2.39
5985MHz	Pass	PK	5.999G	113.74	Inf	-Inf	3	Horizontal	360	2.39
5985MHz	Pass	AV	11.94904G	39.20	54.00	-14.80	3	Vertical	330	1.95
5985MHz	Pass	PK	11.97096G	51.91	74.00	-22.09	3	Vertical	330	1.95
5985MHz	Pass	AV	11.96728G	39.23	54.00	-14.77	3	Horizontal	321	2.14
5985MHz	Pass	PK	11.97944G	53.53	74.00	-20.47	3	Horizontal	321	2.14
6225MHz	Pass	AV	12.47656G	39.07	54.00	-14.93	3	Vertical	198	1.50
6225MHz	Pass	PK	12.46104G	52.87	74.00	-21.13	3	Vertical	198	1.50
6225MHz	Pass	AV	12.4892G	39.06	54.00	-14.94	3	Horizontal	304	2.52
6225MHz	Pass	PK	12.43896G	52.43	74.00	-21.57	3	Horizontal	304	2.52
6385MHz	Pass	AV	12.75848G	39.86	68.20	-28.34	3	Vertical	135	1.50
6385MHz	Pass	PK	12.76312G	52.82	88.20	-35.38	3	Vertical	135	1.50
6385MHz	Pass	AV	12.75752G	39.88	68.20	-28.32	3	Horizontal	261	2.44
6385MHz	Pass	PK	12.76024G	52.52	88.20	-35.68	3	Horizontal	261	2.44
6625MHz	Pass	AV	13.2844G	40.23	54.00	-13.77	3	Vertical	307	1.23
6625MHz	Pass	PK	13.26088G	53.21	74.00	-20.79	3	Vertical	307	1.23
6625MHz	Pass	AV	13.27976G	40.23	54.00	-13.77	3	Horizontal	37	2.51
6625MHz	Pass	PK	13.23448G	53.27	88.20	-34.93	3	Horizontal	37	2.51
6705MHz	Pass	AV	13.4452G	40.61	68.20	-27.59	3	Vertical	334	1.50
6705MHz	Pass	PK	13.39752G	53.99	74.00	-20.01	3	Vertical	334	1.50
6705MHz	Pass	AV	13.4492G	40.61	68.20	-27.59	3	Horizontal	26	1.50
6705MHz	Pass	PK	13.40392G	53.57	88.20	-34.63	3	Horizontal	26	1.50
6785MHz	Pass	AV	13.53624G	40.99	68.20	-27.21	3	Vertical	360	1.50
6785MHz	Pass	PK	13.5412G	53.68	88.20	-34.52	3	Vertical	360	1.50
6785MHz	Pass	AV	13.5388G	40.93	68.20	-27.27	3	Horizontal	28	1.50
6785MHz	Pass	PK	13.58264G	54.87	88.20	-33.33	3	Horizontal	28	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.923G	67.12	68.20	-1.08	3	Vertical	9	1.93
6025MHz	Pass	AV	6.0505G	99.63	Inf	-Inf	3	Vertical	9	1.93
6025MHz	Pass	PK	5.922G	84.16	88.20	-4.04	3	Vertical	9	1.93
6025MHz	Pass	PK	6.0455G	113.29	Inf	-Inf	3	Vertical	9	1.93
6025MHz	Pass	AV	5.9235G	67.81	68.20	-0.39	3	Horizontal	0	2.39
6025MHz	Pass	AV	6.0835G	99.05	Inf	-Inf	3	Horizontal	0	2.39
6025MHz	Pass	PK	5.922G	85.65	88.20	-2.55	3	Horizontal	0	2.39
6025MHz	Pass	PK	6.086G	113.77	Inf	-Inf	3	Horizontal	0	2.39
6025MHz	Pass	AV	12.02632G	39.23	54.00	-14.77	3	Vertical	0	1.50
6025MHz	Pass	PK	12.08552G	52.01	74.00	-21.99	3	Vertical	0	1.50
6025MHz	Pass	AV	11.98184G	39.26	54.00	-14.74	3	Horizontal	4	2.74
6025MHz	Pass	PK	12.09704G	52.40	74.00	-21.60	3	Horizontal	4	2.74
6185MHz	Pass	AV	12.34568G	39.02	54.00	-14.98	3	Vertical	189	2.34
6185MHz	Pass	PK	12.33544G	52.86	74.00	-21.14	3	Vertical	189	2.34
6185MHz	Pass	AV	12.33224G	39.01	54.00	-14.99	3	Horizontal	277	2.81
6185MHz	Pass	PK	12.41768G	52.70	74.00	-21.30	3	Horizontal	277	2.81
6345MHz	Pass	AV	12.7588G	39.84	68.20	-28.36	3	Vertical	0	1.50
6345MHz	Pass	PK	12.69672G	53.66	74.00	-20.34	3	Vertical	0	1.50
6345MHz	Pass	AV	12.75848G	39.88	68.20	-28.32	3	Horizontal	277	1.56
6345MHz	Pass	PK	12.75848G	52.44	88.20	-35.76	3	Horizontal	277	1.56
6665MHz	Pass	AV	13.2996G	40.31	54.00	-13.69	3	Vertical	15	1.48
6665MHz	Pass	PK	13.30792G	53.54	74.00	-20.46	3	Vertical	15	1.48
6665MHz	Pass	AV	13.29896G	40.35	54.00	-13.65	3	Horizontal	161	1.50




**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Indoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix E.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.3172G	54.35	74.00	-19.65	3	Horizontal	161	1.50
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	63.74	68.20	-4.46	3	Vertical	7	2.09
6105MHz	Pass	AV	6.073G	96.19	Inf	-Inf	3	Vertical	7	2.09
6105MHz	Pass	PK	5.924G	80.62	88.20	-7.58	3	Vertical	7	2.09
6105MHz	Pass	PK	6.083G	110.28	Inf	-Inf	3	Vertical	7	2.09
6105MHz	Pass	AV	5.924G	66.00	68.20	-2.20	3	Horizontal	353	2.29
6105MHz	Pass	AV	6.074G	96.85	Inf	-Inf	3	Horizontal	353	2.29
6105MHz	Pass	PK	5.924G	82.35	88.20	-5.85	3	Horizontal	353	2.29
6105MHz	Pass	PK	6.109G	110.44	Inf	-Inf	3	Horizontal	353	2.29
6105MHz	Pass	AV	12.33288G	39.20	54.00	-14.80	3	Vertical	102	2.82
6105MHz	Pass	PK	12.1204G	52.14	74.00	-21.86	3	Vertical	161	1.50
6105MHz	Pass	PK	12.1844G	52.33	74.00	-21.67	3	Vertical	102	2.82
6105MHz	Pass	AV	12.26632G	39.22	54.00	-14.78	3	Horizontal	265	1.50
6105MHz	Pass	PK	12.17544G	52.56	74.00	-21.44	3	Horizontal	265	1.50
6265MHz	Pass	AV	12.64712G	39.39	54.00	-14.61	3	Vertical	87	1.50
6265MHz	Pass	PK	12.49288G	53.78	74.00	-20.22	3	Vertical	87	1.50
6265MHz	Pass	AV	12.68168G	39.43	54.00	-14.57	3	Horizontal	0	1.59
6265MHz	Pass	PK	12.56904G	52.97	74.00	-21.03	3	Horizontal	0	1.59


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX






5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	67.27	68.20	-0.93	2.54	3	Vertical	0	2.04	64.73	34.35	6.06	37.87
AV	6.013G	101.46	Inf	-Inf	2.60	3	Vertical	0	2.04	98.86	34.30	6.10	37.80
PK	5.9245G	84.11	88.20	-4.09	2.54	3	Vertical	0	2.04	81.57	34.35	6.06	37.87
PK	6.015G	115.06	Inf	-Inf	2.60	3	Vertical	0	2.04	112.46	34.30	6.10	37.80

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9235G	67.94	68.20	-0.26	2.54	3	Horizontal	360	2.39	65.40	34.35	6.06	37.87
AV	6.016G	100.40	Inf	-Inf	2.60	3	Horizontal	360	2.39	97.80	34.30	6.10	37.80
PK	5.924G	84.78	88.20	-3.42	2.54	3	Horizontal	360	2.39	82.24	34.35	6.06	37.87
PK	5.999G	113.74	Inf	-Inf	2.58	3	Horizontal	360	2.39	111.16	34.30	6.09	37.81




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX






6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6695MHz_TX






6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6685MHz_TX






6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6625MHz_TX






6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Indoor_Multi RU_ATS-OP-2456-81010-4NP-36**

Appendix E.16

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX	Pass	AV	5.923G	61.30	68.20	-6.90	3	Horizontal	356	2.15
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX	Pass	AV	5.9205G	64.55	68.20	-3.65	3	Vertical	0	1.83
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX	Pass	PK	5.925G	82.13	88.20	-6.07	3	Horizontal	352	1.61

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	59.54	68.20	-8.66	3	Vertical	6	1.88
5985MHz	Pass	AV	5.998G	100.14	Inf	-Inf	3	Vertical	6	1.88
5985MHz	Pass	PK	5.9185G	79.51	88.20	-8.69	3	Vertical	6	1.88
5985MHz	Pass	PK	5.9925G	113.97	Inf	-Inf	3	Vertical	6	1.88
5985MHz	Pass	AV	5.923G	61.30	68.20	-6.90	3	Horizontal	356	2.15
5985MHz	Pass	AV	5.991G	99.51	Inf	-Inf	3	Horizontal	356	2.15
5985MHz	Pass	PK	5.9175G	80.53	88.20	-7.67	3	Horizontal	356	2.15
5985MHz	Pass	PK	5.983G	113.59	Inf	-Inf	3	Horizontal	356	2.15
5985MHz	Pass	AV	11.95572G	39.16	54.00	-14.84	3	Vertical	299	2.65
5985MHz	Pass	PK	11.97414G	51.61	74.00	-22.39	3	Vertical	299	2.65
5985MHz	Pass	AV	11.97168G	39.17	54.00	-14.83	3	Horizontal	117	1.95
5985MHz	Pass	PK	11.96526G	51.12	74.00	-22.88	3	Horizontal	117	1.95
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9205G	64.55	68.20	-3.65	3	Vertical	0	1.83
6025MHz	Pass	AV	6.053G	98.91	Inf	-Inf	3	Vertical	0	1.83
6025MHz	Pass	PK	5.923G	82.34	88.20	-5.86	3	Vertical	0	1.83
6025MHz	Pass	PK	5.993G	112.75	Inf	-Inf	3	Vertical	0	1.83
6025MHz	Pass	AV	5.9205G	64.55	68.20	-3.65	3	Horizontal	352	1.55
6025MHz	Pass	AV	6.1015G	99.17	Inf	-Inf	3	Horizontal	352	1.55
6025MHz	Pass	PK	5.9205G	82.03	88.20	-6.17	3	Horizontal	352	1.55
6025MHz	Pass	PK	6.0145G	113.21	Inf	-Inf	3	Horizontal	352	1.55
6025MHz	Pass	AV	12.04964G	39.37	54.00	-14.63	3	Vertical	34	2.32
6025MHz	Pass	PK	12.05368G	52.24	74.00	-21.76	3	Vertical	34	2.32
6025MHz	Pass	AV	12.05204G	39.45	54.00	-14.55	3	Horizontal	160	1.28
6025MHz	Pass	PK	12.0544G	52.96	74.00	-21.04	3	Horizontal	160	1.28
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	61.12	68.20	-7.08	3	Vertical	7	1.86
6025MHz	Pass	AV	6.053G	98.83	Inf	-Inf	3	Vertical	7	1.86
6025MHz	Pass	PK	5.916G	81.23	88.20	-6.97	3	Vertical	7	1.86
6025MHz	Pass	PK	6.0555G	112.58	Inf	-Inf	3	Vertical	7	1.86
6025MHz	Pass	AV	5.924G	62.02	68.20	-6.18	3	Horizontal	353	2.19
6025MHz	Pass	AV	6.0485G	98.75	Inf	-Inf	3	Horizontal	353	2.19
6025MHz	Pass	PK	5.916G	83.00	88.20	-5.20	3	Horizontal	353	2.19
6025MHz	Pass	PK	6.044G	112.16	Inf	-Inf	3	Horizontal	353	2.19
6025MHz	Pass	AV	12.05264G	39.30	54.00	-14.70	3	Vertical	360	1.50
6025MHz	Pass	PK	12.05028G	53.64	74.00	-20.36	3	Vertical	360	1.50
6025MHz	Pass	AV	12.05288G	39.52	54.00	-14.48	3	Horizontal	218	1.50
6025MHz	Pass	PK	12.046G	52.83	74.00	-21.17	3	Horizontal	218	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	59.72	68.20	-8.48	3	Vertical	7	1.90
6105MHz	Pass	AV	6.073G	95.52	Inf	-Inf	3	Vertical	7	1.90
6105MHz	Pass	PK	5.925G	79.89	88.20	-8.31	3	Vertical	7	1.90
6105MHz	Pass	PK	6.067G	110.11	Inf	-Inf	3	Vertical	7	1.90
6105MHz	Pass	AV	5.921G	62.07	68.20	-6.13	3	Horizontal	352	1.61
6105MHz	Pass	AV	6.074G	96.23	Inf	-Inf	3	Horizontal	352	1.61
6105MHz	Pass	PK	5.925G	82.13	88.20	-6.07	3	Horizontal	352	1.61
6105MHz	Pass	PK	6.061G	110.01	Inf	-Inf	3	Horizontal	352	1.61
6105MHz	Pass	AV	12.19908G	39.13	54.00	-14.87	3	Vertical	36	1.94
6105MHz	Pass	PK	12.22092G	52.97	74.00	-21.03	3	Vertical	36	1.94
6105MHz	Pass	AV	12.19512G	39.09	54.00	-14.91	3	Horizontal	127	1.22
6105MHz	Pass	PK	12.20544G	51.93	74.00	-22.07	3	Horizontal	127	1.22
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	57.58	68.20	-10.62	3	Vertical	0	1.98
6105MHz	Pass	AV	6.06G	95.52	Inf	-Inf	3	Vertical	0	1.98
6105MHz	Pass	PK	5.924G	75.73	88.20	-12.47	3	Vertical	0	1.98
6105MHz	Pass	PK	6.06G	109.62	Inf	-Inf	3	Vertical	0	1.98
6105MHz	Pass	AV	5.924G	59.92	68.20	-8.28	3	Horizontal	350	1.69
6105MHz	Pass	AV	6.071G	96.18	Inf	-Inf	3	Horizontal	350	1.69
6105MHz	Pass	PK	5.925G	77.39	88.20	-10.81	3	Horizontal	350	1.69
6105MHz	Pass	PK	6.078G	110.51	Inf	-Inf	3	Horizontal	350	1.69




**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Indoor_Multi RU_ATS-OP-2456-81010-4NP-36**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.19908G	39.08	54.00	-14.92	3	Vertical	299	1.43
6105MHz	Pass	PK	12.204G	51.82	74.00	-22.18	3	Vertical	299	1.43
6105MHz	Pass	AV	12.2139G	39.13	54.00	-14.87	3	Horizontal	89	2.76
6105MHz	Pass	PK	12.20106G	51.22	74.00	-22.78	3	Horizontal	89	2.76
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.918G	55.43	68.20	-12.77	3	Vertical	0	1.77
6105MHz	Pass	AV	6.003G	95.32	Inf	-Inf	3	Vertical	0	1.77
6105MHz	Pass	PK	5.925G	75.65	88.20	-12.55	3	Vertical	0	1.77
6105MHz	Pass	PK	6.008G	108.51	Inf	-Inf	3	Vertical	0	1.77
6105MHz	Pass	AV	5.925G	56.20	68.20	-12.00	3	Horizontal	350	1.74
6105MHz	Pass	AV	6.074G	96.10	Inf	-Inf	3	Horizontal	350	1.74
6105MHz	Pass	PK	5.922G	76.30	88.20	-11.90	3	Horizontal	350	1.74
6105MHz	Pass	PK	6.13G	110.19	Inf	-Inf	3	Horizontal	350	1.74
6105MHz	Pass	AV	12.21708G	38.95	54.00	-15.05	3	Vertical	0	1.50
6105MHz	Pass	PK	12.21164G	51.96	74.00	-22.04	3	Vertical	0	1.50
6105MHz	Pass	AV	12.2028G	39.02	54.00	-14.98	3	Horizontal	248	1.50
6105MHz	Pass	PK	12.2052G	52.00	74.00	-22.00	3	Horizontal	248	1.50


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX


5985MHz_TX






5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX


6025MHz_TX






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX


6025MHz_TX





5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	59.72	68.20	-8.48	2.54	3	Vertical	7	1.90	57.18	34.35	6.06	37.87
AV	6.073G	95.52	Inf	-Inf	2.66	3	Vertical	7	1.90	92.86	34.30	6.12	37.76
PK	5.925G	79.89	88.20	-8.31	2.54	3	Vertical	7	1.90	77.35	34.35	6.06	37.87
PK	6.067G	110.11	Inf	-Inf	2.66	3	Vertical	7	1.90	107.45	34.30	6.12	37.76

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.921G	62.07	68.20	-6.13	2.54	3	Horizontal	352	1.61	59.53	34.36	6.05	37.87
AV	6.074G	96.23	Inf	-Inf	2.66	3	Horizontal	352	1.61	93.57	34.30	6.12	37.76
PK	5.925G	82.13	88.20	-6.07	2.54	3	Horizontal	352	1.61	79.59	34.35	6.06	37.87
PK	6.061G	110.01	Inf	-Inf	2.65	3	Horizontal	352	1.61	107.36	34.30	6.11	37.76




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Outdoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix E.17

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	11.9022G	39.24	54.00	-14.76	3	Vertical	357	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	12.41G	39.28	54.00	-14.72	3	Horizontal	321	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	11.94744G	39.38	54.00	-14.62	3	Horizontal	265	1.79
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	12.442G	39.17	54.00	-14.83	3	Horizontal	30	1.50
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	12.68808G	39.53	54.00	-14.47	3	Vertical	360	2.70
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.39372G	40.49	54.00	-13.51	3	Horizontal	175	2.74
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.3648G	40.36	54.00	-13.64	3	Horizontal	81	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.2836G	40.18	54.00	-13.82	3	Vertical	205	1.60
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.39144G	40.46	54.00	-13.54	3	Vertical	21	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Outdoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix E.17

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9241G	44.27	68.20	-23.93	3	Vertical	6	2.03
5955MHz	Pass	AV	5.9511G	98.60	Inf	-Inf	3	Vertical	6	2.03
5955MHz	Pass	PK	5.9247G	60.32	88.20	-27.88	3	Vertical	6	2.03
5955MHz	Pass	PK	5.9469G	112.41	Inf	-Inf	3	Vertical	6	2.03
5955MHz	Pass	AV	5.9244G	44.79	68.20	-23.41	3	Horizontal	3	1.75
5955MHz	Pass	AV	5.9499G	98.78	Inf	-Inf	3	Horizontal	3	1.75
5955MHz	Pass	PK	5.9247G	59.40	88.20	-28.80	3	Horizontal	3	1.75
5955MHz	Pass	PK	5.9466G	112.41	Inf	-Inf	3	Horizontal	3	1.75
5955MHz	Pass	AV	11.9022G	39.24	54.00	-14.76	3	Vertical	357	1.50
5955MHz	Pass	PK	11.91484G	52.76	74.00	-21.24	3	Vertical	357	1.50
5955MHz	Pass	AV	11.9026G	39.24	54.00	-14.76	3	Horizontal	57	1.50
5955MHz	Pass	PK	11.91412G	52.59	74.00	-21.41	3	Horizontal	57	1.50
6195MHz	Pass	AV	12.3952G	38.93	54.00	-15.07	3	Vertical	0	1.50
6195MHz	Pass	PK	12.38788G	52.83	74.00	-21.17	3	Vertical	0	1.50
6195MHz	Pass	AV	12.39528G	38.99	54.00	-15.01	3	Horizontal	18	2.76
6195MHz	Pass	PK	12.38416G	52.31	74.00	-21.69	3	Horizontal	18	2.76
6415MHz	Pass	AV	12.8378G	39.89	68.20	-28.31	3	Vertical	68	2.71
6415MHz	Pass	PK	12.82732G	52.90	88.20	-35.30	3	Vertical	68	2.71
6415MHz	Pass	AV	12.83896G	39.91	68.20	-28.29	3	Horizontal	274	1.50
6415MHz	Pass	PK	12.82644G	53.86	88.20	-34.34	3	Horizontal	274	1.50
6535MHz	Pass	AV	13.0624G	39.81	68.20	-28.39	3	Vertical	284	1.50
6535MHz	Pass	PK	13.06068G	52.83	88.20	-35.37	3	Vertical	284	1.50
6535MHz	Pass	AV	13.07772G	39.74	68.20	-28.46	3	Horizontal	113	1.50
6535MHz	Pass	PK	13.07756G	52.62	88.20	-35.58	3	Horizontal	113	1.50
6695MHz	Pass	AV	13.39348G	40.42	54.00	-13.58	3	Vertical	252	1.10
6695MHz	Pass	PK	13.3966G	53.62	74.00	-20.38	3	Vertical	252	1.10
6695MHz	Pass	AV	13.39372G	40.49	54.00	-13.51	3	Horizontal	175	2.74
6695MHz	Pass	PK	13.39788G	52.96	74.00	-21.04	3	Horizontal	175	2.74
6855MHz	Pass	AV	13.70784G	40.65	68.20	-27.55	3	Vertical	341	1.50
6855MHz	Pass	PK	13.70072G	54.15	88.20	-34.05	3	Vertical	341	1.50
6855MHz	Pass	AV	13.706G	40.74	68.20	-27.46	3	Horizontal	197	2.10
6855MHz	Pass	PK	13.71708G	52.93	88.20	-35.27	3	Horizontal	197	2.10
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	45.24	68.20	-22.96	3	Vertical	5	1.84
5965MHz	Pass	AV	5.9512G	96.77	Inf	-Inf	3	Vertical	5	1.84
5965MHz	Pass	PK	5.9248G	70.74	88.20	-17.46	3	Vertical	5	1.84
5965MHz	Pass	PK	5.9821G	110.12	Inf	-Inf	3	Vertical	5	1.84
5965MHz	Pass	AV	5.9248G	45.50	68.20	-22.70	3	Horizontal	3	1.85
5965MHz	Pass	AV	5.9773G	96.41	Inf	-Inf	3	Horizontal	3	1.85
5965MHz	Pass	PK	5.9227G	67.42	88.20	-20.78	3	Horizontal	3	1.85
5965MHz	Pass	PK	5.9515G	109.98	Inf	-Inf	3	Horizontal	3	1.85
5965MHz	Pass	AV	11.94768G	39.20	54.00	-14.80	3	Vertical	74	1.50
5965MHz	Pass	PK	11.94816G	52.36	74.00	-21.64	3	Vertical	74	1.50
5965MHz	Pass	AV	11.93504G	39.23	54.00	-14.77	3	Horizontal	153	1.50
5965MHz	Pass	PK	11.9336G	52.21	74.00	-21.79	3	Horizontal	153	1.50
6205MHz	Pass	AV	12.42672G	39.10	54.00	-14.90	3	Vertical	222	1.50
6205MHz	Pass	PK	12.4128G	52.85	74.00	-21.15	3	Vertical	222	1.50
6205MHz	Pass	AV	12.41G	39.28	54.00	-14.72	3	Horizontal	321	1.50
6205MHz	Pass	PK	12.41576G	52.27	74.00	-21.73	3	Horizontal	321	1.50
6405MHz	Pass	AV	12.8116G	40.02	68.20	-28.18	3	Vertical	349	1.01
6405MHz	Pass	PK	12.80576G	53.13	88.20	-35.07	3	Vertical	349	1.01
6405MHz	Pass	AV	12.79016G	39.88	68.20	-28.32	3	Horizontal	212	2.99
6405MHz	Pass	PK	12.81808G	53.72	88.20	-34.48	3	Horizontal	212	2.99
6565MHz	Pass	AV	13.14904G	40.00	68.20	-28.20	3	Vertical	350	1.50
6565MHz	Pass	PK	13.12808G	53.25	88.20	-34.95	3	Vertical	350	1.50
6565MHz	Pass	AV	13.14984G	39.99	68.20	-28.21	3	Horizontal	17	1.10
6565MHz	Pass	PK	13.144G	53.34	88.20	-34.86	3	Horizontal	17	1.10
6685MHz	Pass	AV	13.3808G	40.32	54.00	-13.68	3	Vertical	43	1.50
6685MHz	Pass	PK	13.37808G	54.52	74.00	-19.48	3	Vertical	43	1.50
6685MHz	Pass	AV	13.3648G	40.36	54.00	-13.64	3	Horizontal	81	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Outdoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix E.17

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.35056G	53.65	74.00	-20.35	3	Horizontal	81	1.50
6845MHz	Pass	AV	13.6788G	40.63	68.20	-27.57	3	Vertical	77	1.65
6845MHz	Pass	PK	13.70264G	54.36	88.20	-33.84	3	Vertical	77	1.65
6845MHz	Pass	AV	13.67592G	40.64	68.20	-27.56	3	Horizontal	137	1.50
6845MHz	Pass	PK	13.68288G	53.94	88.20	-34.26	3	Horizontal	137	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9235G	44.32	68.20	-23.88	3	Vertical	6	2.02
5985MHz	Pass	AV	6.014G	93.41	Inf	-Inf	3	Vertical	6	2.02
5985MHz	Pass	PK	5.9235G	65.76	88.20	-22.44	3	Vertical	6	2.02
5985MHz	Pass	PK	5.9765G	107.21	Inf	-Inf	3	Vertical	6	2.02
5985MHz	Pass	AV	5.925G	44.62	68.20	-23.58	3	Horizontal	2	1.95
5985MHz	Pass	AV	6G	93.95	Inf	-Inf	3	Horizontal	2	1.95
5985MHz	Pass	PK	5.924G	61.37	88.20	-26.83	3	Horizontal	2	1.95
5985MHz	Pass	PK	6.0235G	107.28	Inf	-Inf	3	Horizontal	2	1.95
5985MHz	Pass	AV	11.95G	39.24	54.00	-14.76	3	Vertical	32	1.74
5985MHz	Pass	PK	12.00136G	52.30	74.00	-21.70	3	Vertical	32	1.74
5985MHz	Pass	AV	11.94744G	39.38	54.00	-14.62	3	Horizontal	265	1.79
5985MHz	Pass	PK	11.97528G	52.01	74.00	-21.99	3	Horizontal	265	1.79
6225MHz	Pass	AV	12.48904G	39.28	54.00	-14.72	3	Vertical	46	2.63
6225MHz	Pass	PK	12.43048G	52.96	74.00	-21.04	3	Vertical	46	2.63
6225MHz	Pass	AV	12.47272G	39.31	54.00	-14.69	3	Horizontal	170	1.50
6225MHz	Pass	PK	12.46152G	52.38	74.00	-21.62	3	Horizontal	170	1.50
6385MHz	Pass	AV	12.75192G	39.97	68.20	-28.23	3	Vertical	56	1.50
6385MHz	Pass	PK	12.7804G	52.73	88.20	-35.47	3	Vertical	56	1.50
6385MHz	Pass	AV	12.75944G	40.02	68.20	-28.18	3	Horizontal	345	1.93
6385MHz	Pass	PK	12.74152G	52.74	88.20	-35.46	3	Horizontal	345	1.93
6625MHz	Pass	AV	13.2836G	40.18	54.00	-13.82	3	Vertical	205	1.60
6625MHz	Pass	PK	13.28216G	53.61	74.00	-20.39	3	Vertical	205	1.60
6625MHz	Pass	AV	13.27528G	40.18	54.00	-13.82	3	Horizontal	278	1.50
6625MHz	Pass	PK	13.23944G	53.74	88.20	-34.46	3	Horizontal	278	1.50
6705MHz	Pass	AV	13.43752G	40.56	68.20	-27.64	3	Vertical	348	1.50
6705MHz	Pass	PK	13.39336G	53.45	74.00	-20.55	3	Vertical	348	1.50
6705MHz	Pass	AV	13.44136G	40.57	68.20	-27.63	3	Horizontal	103	2.12
6705MHz	Pass	PK	13.4268G	53.85	88.20	-34.35	3	Horizontal	103	2.12
6785MHz	Pass	AV	13.54984G	40.80	68.20	-27.40	3	Vertical	332	1.39
6785MHz	Pass	PK	13.56152G	54.00	88.20	-34.20	3	Vertical	332	1.39
6785MHz	Pass	AV	13.5492G	40.74	68.20	-27.46	3	Horizontal	281	1.50
6785MHz	Pass	PK	13.58456G	53.72	88.20	-34.48	3	Horizontal	281	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9235G	42.74	68.20	-25.46	3	Vertical	4	1.83
6025MHz	Pass	AV	6.0885G	90.95	Inf	-Inf	3	Vertical	4	1.83
6025MHz	Pass	PK	5.9225G	57.14	88.20	-31.06	3	Vertical	4	1.83
6025MHz	Pass	PK	6.084G	104.66	Inf	-Inf	3	Vertical	4	1.83
6025MHz	Pass	AV	5.9235G	42.66	68.20	-25.54	3	Horizontal	0	1.91
6025MHz	Pass	AV	6.0505G	90.55	Inf	-Inf	3	Horizontal	0	1.91
6025MHz	Pass	PK	5.8525G	55.32	88.20	-32.88	3	Horizontal	0	1.91
6025MHz	Pass	PK	6.05G	104.17	Inf	-Inf	3	Horizontal	0	1.91
6025MHz	Pass	AV	12.01096G	39.12	54.00	-14.88	3	Vertical	359	1.50
6025MHz	Pass	PK	11.98632G	52.41	74.00	-21.59	3	Vertical	359	1.50
6025MHz	Pass	AV	12.04264G	39.09	54.00	-14.91	3	Horizontal	269	1.50
6025MHz	Pass	PK	12.09416G	51.76	74.00	-22.24	3	Horizontal	269	1.50
6185MHz	Pass	AV	12.44168G	39.14	54.00	-14.86	3	Vertical	257	1.50
6185MHz	Pass	PK	12.36488G	52.52	74.00	-21.48	3	Vertical	257	1.50
6185MHz	Pass	AV	12.442G	39.17	54.00	-14.83	3	Horizontal	30	1.50
6185MHz	Pass	PK	12.29864G	51.81	74.00	-22.19	3	Horizontal	30	1.50
6345MHz	Pass	AV	12.75592G	40.00	68.20	-28.20	3	Vertical	296	1.05
6345MHz	Pass	PK	12.70696G	53.37	88.20	-34.83	3	Vertical	296	1.05
6345MHz	Pass	AV	12.75688G	40.08	68.20	-28.12	3	Horizontal	114	2.81
6345MHz	Pass	PK	12.746G	53.72	88.20	-34.48	3	Horizontal	114	2.81
6665MHz	Pass	AV	13.39144G	40.46	54.00	-13.54	3	Vertical	21	1.50
6665MHz	Pass	PK	13.35112G	54.35	74.00	-19.65	3	Vertical	21	1.50
6665MHz	Pass	AV	13.40264G	40.46	68.20	-27.74	3	Horizontal	127	1.50




**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Outdoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix E.17

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.35176G	53.64	74.00	-20.36	3	Horizontal	127	1.50
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	42.66	68.20	-25.54	3	Vertical	0	1.93
6105MHz	Pass	AV	6.074G	88.12	Inf	-Inf	3	Vertical	0	1.93
6105MHz	Pass	PK	5.912G	55.51	88.20	-32.69	3	Vertical	0	1.93
6105MHz	Pass	PK	6.071G	101.95	Inf	-Inf	3	Vertical	0	1.93
6105MHz	Pass	AV	5.923G	42.37	68.20	-25.83	3	Horizontal	0	1.71
6105MHz	Pass	AV	6.068G	86.96	Inf	-Inf	3	Horizontal	0	1.71
6105MHz	Pass	PK	5.907G	55.57	88.20	-32.63	3	Horizontal	0	1.71
6105MHz	Pass	PK	6.079G	100.64	Inf	-Inf	3	Horizontal	0	1.71
6105MHz	Pass	AV	12.34568G	39.18	54.00	-14.82	3	Vertical	360	1.98
6105MHz	Pass	PK	12.36232G	52.24	74.00	-21.76	3	Vertical	360	1.98
6105MHz	Pass	AV	12.34696G	39.25	54.00	-14.75	3	Horizontal	201	1.50
6105MHz	Pass	PK	12.08264G	53.17	74.00	-20.83	3	Horizontal	201	1.50
6265MHz	Pass	AV	12.68808G	39.53	54.00	-14.47	3	Vertical	360	2.70
6265MHz	Pass	PK	12.6772G	52.58	74.00	-21.42	3	Vertical	360	2.70
6265MHz	Pass	AV	12.65992G	39.49	54.00	-14.51	3	Horizontal	160	2.77
6265MHz	Pass	PK	12.55112G	53.30	74.00	-20.70	3	Horizontal	160	2.77


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Outdoor_Multi RU_ATS-OP-2456-81010-4NP-36**

Appendix E.18

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	Pass	AV	11.95524G	38.86	54.00	-15.14	3	Horizontal	214	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	AV	12.0506G	39.32	54.00	-14.68	3	Horizontal	286	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_2TX	Pass	AV	12.19548G	39.56	54.00	-14.44	3	Horizontal	345	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Outdoor_Multi RU_ATS-OP-2456-81010-4NP-36**

Appendix E.18

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9235G	42.99	68.20	-25.21	3	Vertical	5	2.30
5985MHz	Pass	AV	5.9975G	92.76	Inf	-Inf	3	Vertical	5	2.30
5985MHz	Pass	PK	5.916G	55.72	88.20	-32.48	3	Vertical	5	2.30
5985MHz	Pass	PK	5.99G	106.36	Inf	-Inf	3	Vertical	5	2.30
5985MHz	Pass	AV	5.925G	43.13	68.20	-25.07	3	Horizontal	354	2.06
5985MHz	Pass	AV	6.0135G	93.19	Inf	-Inf	3	Horizontal	354	2.06
5985MHz	Pass	PK	5.916G	56.88	88.20	-31.32	3	Horizontal	354	2.06
5985MHz	Pass	PK	6.0085G	106.73	Inf	-Inf	3	Horizontal	354	2.06
5985MHz	Pass	AV	11.97012G	38.65	54.00	-15.35	3	Vertical	357	2.03
5985MHz	Pass	PK	11.96994G	52.21	74.00	-21.79	3	Vertical	357	2.03
5985MHz	Pass	AV	11.95524G	38.86	54.00	-15.14	3	Horizontal	214	1.50
5985MHz	Pass	PK	11.96604G	51.78	74.00	-22.22	3	Horizontal	214	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.924G	42.11	68.20	-26.09	3	Vertical	4	1.90
6025MHz	Pass	AV	6.0425G	89.51	Inf	-Inf	3	Vertical	4	1.90
6025MHz	Pass	PK	5.9205G	57.19	88.20	-31.01	3	Vertical	4	1.90
6025MHz	Pass	PK	6.04G	103.17	Inf	-Inf	3	Vertical	4	1.90
6025MHz	Pass	AV	5.9215G	42.06	68.20	-26.14	3	Horizontal	360	2.24
6025MHz	Pass	AV	6.1015G	90.02	Inf	-Inf	3	Horizontal	360	2.24
6025MHz	Pass	PK	5.897G	54.94	88.20	-33.26	3	Horizontal	360	2.24
6025MHz	Pass	PK	6.003G	103.51	Inf	-Inf	3	Horizontal	360	2.24
6025MHz	Pass	AV	12.04526G	39.26	54.00	-14.74	3	Vertical	36	1.50
6025MHz	Pass	PK	12.03518G	52.59	74.00	-21.41	3	Vertical	36	1.50
6025MHz	Pass	AV	12.04784G	39.28	54.00	-14.72	3	Horizontal	354	2.48
6025MHz	Pass	PK	12.0443G	52.52	74.00	-21.48	3	Horizontal	354	2.48
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	41.95	68.20	-26.25	3	Vertical	2	1.95
6025MHz	Pass	AV	6.0505G	90.35	Inf	-Inf	3	Vertical	2	1.95
6025MHz	Pass	PK	5.9045G	55.39	88.20	-32.81	3	Vertical	2	1.95
6025MHz	Pass	PK	6.0425G	104.36	Inf	-Inf	3	Vertical	2	1.95
6025MHz	Pass	AV	5.9245G	41.88	68.20	-26.32	3	Horizontal	360	1.80
6025MHz	Pass	AV	6.101G	90.93	Inf	-Inf	3	Horizontal	360	1.80
6025MHz	Pass	PK	5.925G	56.66	88.20	-31.54	3	Horizontal	360	1.80
6025MHz	Pass	PK	6.0865G	104.28	Inf	-Inf	3	Horizontal	360	1.80
6025MHz	Pass	AV	12.04892G	39.28	54.00	-14.72	3	Vertical	128	1.50
6025MHz	Pass	PK	12.05156G	52.36	74.00	-21.64	3	Vertical	128	1.50
6025MHz	Pass	AV	12.0506G	39.32	54.00	-14.68	3	Horizontal	286	1.50
6025MHz	Pass	PK	12.05924G	52.65	74.00	-21.35	3	Horizontal	286	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	43.52	68.20	-24.68	3	Vertical	7	2.04
6105MHz	Pass	AV	6.071G	87.56	Inf	-Inf	3	Vertical	7	2.04
6105MHz	Pass	PK	5.899G	56.21	88.20	-31.99	3	Vertical	7	2.04
6105MHz	Pass	PK	6.059G	101.67	Inf	-Inf	3	Vertical	7	2.04
6105MHz	Pass	AV	5.923G	43.85	68.20	-24.35	3	Horizontal	353	2.19
6105MHz	Pass	AV	6.073G	88.34	Inf	-Inf	3	Horizontal	353	2.19
6105MHz	Pass	PK	5.913G	57.28	88.20	-30.92	3	Horizontal	353	2.19
6105MHz	Pass	PK	6.075G	102.06	Inf	-Inf	3	Horizontal	353	2.19
6105MHz	Pass	AV	12.19584G	39.39	54.00	-14.61	3	Vertical	230	2.58
6105MHz	Pass	PK	12.21594G	52.65	74.00	-21.35	3	Vertical	230	2.58
6105MHz	Pass	AV	12.19548G	39.56	54.00	-14.44	3	Horizontal	345	1.50
6105MHz	Pass	PK	12.20436G	52.14	74.00	-21.86	3	Horizontal	345	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	43.47	68.20	-24.73	3	Vertical	8	1.97
6105MHz	Pass	AV	6.071G	87.62	Inf	-Inf	3	Vertical	8	1.97
6105MHz	Pass	PK	5.847G	56.05	88.20	-32.15	3	Vertical	8	1.97
6105MHz	Pass	PK	6.051G	100.71	Inf	-Inf	3	Vertical	8	1.97
6105MHz	Pass	AV	5.925G	43.67	68.20	-24.53	3	Horizontal	358	2.03
6105MHz	Pass	AV	6.075G	88.54	Inf	-Inf	3	Horizontal	358	2.03
6105MHz	Pass	PK	5.909G	57.15	88.20	-31.05	3	Horizontal	358	2.03
6105MHz	Pass	PK	6.077G	101.91	Inf	-Inf	3	Horizontal	358	2.03




**RSE TX above 1GHz_Non-Beamforming_
Radio 0_Outdoor_Multi RU_ATS-OP-2456-81010-4NP-36**

Appendix E.18

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.19596G	39.44	54.00	-14.56	3	Vertical	311	1.50
6105MHz	Pass	PK	12.219G	52.25	74.00	-21.75	3	Vertical	311	1.50
6105MHz	Pass	AV	12.19506G	39.41	54.00	-14.59	3	Horizontal	292	2.09
6105MHz	Pass	PK	12.21768G	53.07	74.00	-20.93	3	Horizontal	292	2.09
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 7_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	43.31	68.20	-24.89	3	Vertical	0	2.06
6105MHz	Pass	AV	6.075G	87.41	Inf	-Inf	3	Vertical	0	2.06
6105MHz	Pass	PK	5.905G	56.69	88.20	-31.51	3	Vertical	0	2.06
6105MHz	Pass	PK	6.091G	100.56	Inf	-Inf	3	Vertical	0	2.06
6105MHz	Pass	AV	5.921G	43.36	68.20	-24.84	3	Horizontal	357	2.32
6105MHz	Pass	AV	6.073G	88.48	Inf	-Inf	3	Horizontal	357	2.32
6105MHz	Pass	PK	5.917G	56.70	88.20	-31.50	3	Horizontal	357	2.32
6105MHz	Pass	PK	6.101G	101.87	Inf	-Inf	3	Horizontal	357	2.32
6105MHz	Pass	AV	12.19512G	39.39	54.00	-14.61	3	Vertical	272	1.25
6105MHz	Pass	PK	12.22404G	52.24	74.00	-21.76	3	Vertical	272	1.25
6105MHz	Pass	AV	12.19608G	39.46	54.00	-14.54	3	Horizontal	56	1.50
6105MHz	Pass	PK	12.20028G	52.52	74.00	-21.48	3	Horizontal	56	1.50


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


6025MHz_TX






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	43.52	68.20	-24.68	2.54	3	Vertical	7	2.04	40.98	34.35	6.06	37.87
AV	6.071G	87.56	Inf	-Inf	2.66	3	Vertical	7	2.04	84.90	34.30	6.12	37.76
PK	5.899G	56.21	88.20	-31.99	2.55	3	Vertical	7	2.04	53.66	34.40	6.04	37.89
PK	6.059G	101.67	Inf	-Inf	2.64	3	Vertical	7	2.04	99.03	34.30	6.11	37.77

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	43.85	68.20	-24.35	2.54	3	Horizontal	353	2.19	41.31	34.35	6.06	37.87
AV	6.073G	88.34	Inf	-Inf	2.66	3	Horizontal	353	2.19	85.68	34.30	6.12	37.76
PK	5.913G	57.28	88.20	-30.92	2.54	3	Horizontal	353	2.19	54.74	34.37	6.05	37.88
PK	6.075G	102.06	Inf	-Inf	2.67	3	Horizontal	353	2.19	99.39	34.30	6.12	37.75


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_2TX

6105MHz_TX





**RSE TX below 1GHz_Non-Beamforming_
Radio 3_Indoor**

Appendix E.19

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	PK	253.1M	38.37	46.00	-7.63	3	Horizontal	360	1.00



**RSE TX below 1GHz_Non-Beamforming_
Radio 3_Indoor**


Appendix E.19

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
6695MHz	Pass	PK	78.5M	27.80	40.00	-12.20	3	Vertical	0	1.00
6695MHz	Pass	PK	224M	28.80	46.00	-17.20	3	Vertical	0	1.00
6695MHz	Pass	PK	251.16M	34.12	46.00	-11.88	3	Vertical	0	1.00
6695MHz	Pass	PK	419.94M	27.90	46.00	-18.10	3	Vertical	0	1.00
6695MHz	Pass	PK	567.38M	29.83	46.00	-16.17	3	Vertical	0	1.00
6695MHz	Pass	PK	875.84M	30.87	46.00	-15.13	3	Vertical	0	1.00
6695MHz	Pass	PK	30M	24.50	40.00	-15.50	3	Horizontal	360	1.00
6695MHz	Pass	PK	121.18M	24.44	43.50	-19.06	3	Horizontal	360	1.00
6695MHz	Pass	PK	253.1M	38.37	46.00	-7.63	3	Horizontal	360	1.00
6695MHz	Pass	PK	431.58M	27.75	46.00	-18.25	3	Horizontal	360	1.00
6695MHz	Pass	PK	559.62M	30.41	46.00	-15.59	3	Horizontal	360	1.00
6695MHz	Pass	PK	823.46M	30.06	46.00	-15.94	3	Horizontal	360	1.00

6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX


6695MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	78.5M	27.80	40.00	-12.20	-13.00	3	Vertical	0	1.00	40.80	12.96	1.39	27.35
PK	224M	28.80	46.00	-17.20	-8.73	3	Vertical	0	1.00	37.53	15.62	2.49	26.84
PK	251.16M	34.12	46.00	-11.88	-5.35	3	Vertical	0	1.00	39.47	18.71	2.68	26.74
PK	419.94M	27.90	46.00	-18.10	-1.66	3	Vertical	0	1.00	29.56	22.53	3.44	27.63
PK	567.38M	29.83	46.00	-16.17	0.71	3	Vertical	0	1.00	29.12	24.80	4.10	28.19
PK	875.84M	30.87	46.00	-15.13	4.05	3	Vertical	0	1.00	26.82	26.55	5.34	27.84

6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	24.50	40.00	-15.50	-2.20	3	Horizontal	360	1.00	26.70	24.27	1.04	27.51
PK	121.18M	24.44	43.50	-19.06	-7.00	3	Horizontal	360	1.00	31.44	18.45	1.77	27.22
PK	253.1M	38.37	46.00	-7.63	-5.09	3	Horizontal	360	1.00	43.46	18.96	2.69	26.74
PK	431.58M	27.75	46.00	-18.25	-1.60	3	Horizontal	360	1.00	29.35	22.63	3.49	27.72
PK	559.62M	30.41	46.00	-15.59	0.89	3	Horizontal	360	1.00	29.52	25.00	4.07	28.18
PK	823.46M	30.06	46.00	-15.94	3.65	3	Horizontal	360	1.00	26.41	26.37	5.28	28.00



**RSE TX above 1GHz_Non-Beamforming_
Radio 3_Indoor**

Appendix E.20

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	5.925G	60.50	68.20	-7.70	3	Horizontal	310	2.16
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	13.38214G	43.62	54.00	-10.38	3	Horizontal	207	2.22



RSE TX above 1GHz_Non-Beamforming_ Radio 3_Indoor


Appendix E.20

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	60.50	68.20	-7.70	3	Horizontal	310	2.16
5955MHz	Pass	AV	5.9526G	105.71	Inf	-Inf	3	Horizontal	310	2.16
5955MHz	Pass	PK	5.9226G	75.76	88.20	-12.44	3	Horizontal	310	2.16
5955MHz	Pass	PK	5.9535G	114.99	Inf	-Inf	3	Horizontal	310	2.16
5955MHz	Pass	AV	11.9168G	41.31	54.00	-12.69	3	Vertical	11	2.16
5955MHz	Pass	PK	11.9025G	54.06	74.00	-19.94	3	Vertical	11	2.16
5955MHz	Pass	AV	11.91992G	41.30	54.00	-12.70	3	Horizontal	124	1.21
5955MHz	Pass	PK	11.91312G	53.12	74.00	-20.88	3	Horizontal	124	1.21
6195MHz	Pass	AV	12.39876G	42.06	54.00	-11.94	3	Vertical	360	2.19
6195MHz	Pass	PK	12.39852G	54.18	74.00	-19.82	3	Vertical	360	2.19
6195MHz	Pass	AV	12.39846G	42.09	54.00	-11.91	3	Horizontal	246	1.50
6195MHz	Pass	PK	12.38594G	54.32	74.00	-19.68	3	Horizontal	246	1.50
6415MHz	Pass	AV	12.83518G	43.48	68.20	-24.72	3	Vertical	150	1.50
6415MHz	Pass	PK	12.83894G	56.05	88.20	-32.15	3	Vertical	150	1.50
6415MHz	Pass	AV	12.83838G	43.51	68.20	-24.69	3	Horizontal	196	1.83
6415MHz	Pass	PK	12.83052G	55.72	88.20	-32.48	3	Horizontal	196	1.83
6535MHz	Pass	AV	13.06374G	43.24	68.20	-24.96	3	Vertical	255	1.93
6535MHz	Pass	PK	13.062G	56.26	88.20	-31.94	3	Vertical	255	1.93
6535MHz	Pass	AV	13.06596G	43.24	68.20	-24.96	3	Horizontal	44	1.42
6535MHz	Pass	PK	13.07006G	55.77	88.20	-32.43	3	Horizontal	44	1.42
6695MHz	Pass	AV	13.38026G	43.61	54.00	-10.39	3	Vertical	360	1.50
6695MHz	Pass	PK	13.3981G	56.27	74.00	-17.73	3	Vertical	360	1.50
6695MHz	Pass	AV	13.38214G	43.62	54.00	-10.38	3	Horizontal	207	2.22
6695MHz	Pass	PK	13.39672G	55.81	74.00	-18.19	3	Horizontal	207	2.22
6855MHz	Pass	AV	13.7197G	43.44	68.20	-24.76	3	Vertical	141	1.50
6855MHz	Pass	PK	13.7156G	56.37	88.20	-31.83	3	Vertical	141	1.50
6855MHz	Pass	AV	13.7199G	43.43	68.20	-24.77	3	Horizontal	242	1.50
6855MHz	Pass	PK	13.71726G	55.99	88.20	-32.21	3	Horizontal	242	1.50

5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	60.50	68.20	-7.70	7.53	3	Horizontal	310	2.16	52.97	34.15	7.90	34.52
AV	5.9526G	105.71	Inf	-Inf	7.46	3	Horizontal	310	2.16	98.25	34.10	7.89	34.53
PK	5.9226G	75.76	88.20	-12.44	7.53	3	Horizontal	310	2.16	68.23	34.15	7.90	34.52
PK	5.9535G	114.99	Inf	-Inf	7.46	3	Horizontal	310	2.16	107.53	34.10	7.89	34.53

5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9168G	41.31	54.00	-12.69	16.12	3	Vertical	11	2.16	25.19	38.90	10.95	33.73
PK	11.9025G	54.06	74.00	-19.94	16.11	3	Vertical	11	2.16	37.95	38.90	10.94	33.73


5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX

5955MHz_TX




6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_TX



6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_TX





**RSE TX below 1GHz_Non-Beamforming_
Radio 3_Outdoor**

Appendix E.21

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	PK	253.1M	37.18	46.00	-8.82	3	Horizontal	0	1.00



**RSE TX below 1GHz_Non-Beamforming_
Radio 3_Outdoor**


Appendix E.21

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
6695MHz_PoE	Pass	PK	30M	27.62	40.00	-12.38	3	Vertical	360	1.00
6695MHz_PoE	Pass	PK	224M	30.35	46.00	-15.65	3	Vertical	360	1.00
6695MHz_PoE	Pass	PK	253.1M	35.04	46.00	-10.96	3	Vertical	360	1.00
6695MHz_PoE	Pass	PK	456.8M	28.34	46.00	-17.66	3	Vertical	360	1.00
6695MHz_PoE	Pass	PK	544.1M	30.06	46.00	-15.94	3	Vertical	360	1.00
6695MHz_PoE	Pass	PK	870.02M	31.24	46.00	-14.76	3	Vertical	360	1.00
6695MHz_PoE	Pass	PK	117.3M	24.45	43.50	-19.05	3	Horizontal	0	1.00
6695MHz_PoE	Pass	PK	224M	31.33	46.00	-14.67	3	Horizontal	0	1.00
6695MHz_PoE	Pass	PK	253.1M	37.18	46.00	-8.82	3	Horizontal	0	1.00
6695MHz_PoE	Pass	PK	435.46M	27.84	46.00	-18.16	3	Horizontal	0	1.00
6695MHz_PoE	Pass	PK	538.28M	30.34	46.00	-15.66	3	Horizontal	0	1.00
6695MHz_PoE	Pass	PK	848.68M	30.35	46.00	-15.65	3	Horizontal	0	1.00


6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_PoE



6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_PoE





**RSE TX above 1GHz_Non-Beamforming_
Radio 3_Outdoor**

Appendix E.22

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	12.3999G	42.02	54.00	-11.98	3	Vertical	18	2.12
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	13.38042G	43.61	54.00	-10.39	3	Horizontal	325	1.50



RSE TX above 1GHz_Non-Beamforming_ Radio 3_Outdoor


Appendix E.22

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	49.33	68.20	-18.87	3	Horizontal	46	1.06
5955MHz	Pass	AV	5.9574G	101.50	Inf	-Inf	3	Horizontal	46	1.06
5955MHz	Pass	PK	5.925G	68.20	88.20	-20.00	3	Horizontal	46	1.06
5955MHz	Pass	PK	5.9502G	110.98	Inf	-Inf	3	Horizontal	46	1.06
5955MHz	Pass	AV	11.91636G	41.22	54.00	-12.78	3	Vertical	51	3.00
5955MHz	Pass	PK	11.9113G	53.07	74.00	-20.93	3	Vertical	51	3.00
5955MHz	Pass	AV	11.91668G	41.23	54.00	-12.77	3	Horizontal	22	2.78
5955MHz	Pass	PK	11.90514G	52.98	74.00	-21.02	3	Horizontal	22	2.78
6195MHz	Pass	AV	12.3999G	42.02	54.00	-11.98	3	Vertical	18	2.12
6195MHz	Pass	PK	12.38362G	54.09	74.00	-19.91	3	Vertical	18	2.12
6195MHz	Pass	AV	12.39836G	41.99	54.00	-12.01	3	Horizontal	37	3.00
6195MHz	Pass	PK	12.3971G	54.62	74.00	-19.38	3	Horizontal	37	3.00
6415MHz	Pass	AV	12.83702G	43.40	68.20	-24.80	3	Vertical	86	1.47
6415MHz	Pass	PK	12.83756G	56.13	88.20	-32.07	3	Vertical	86	1.47
6415MHz	Pass	AV	12.836G	43.35	68.20	-24.85	3	Horizontal	335	1.36
6415MHz	Pass	PK	12.8371G	55.72	88.20	-32.48	3	Horizontal	335	1.36
6535MHz	Pass	AV	13.06376G	43.29	68.20	-24.91	3	Vertical	117	2.41
6535MHz	Pass	PK	13.06144G	55.58	88.20	-32.62	3	Vertical	117	2.41
6535MHz	Pass	AV	13.06132G	43.26	68.20	-24.94	3	Horizontal	3	2.46
6535MHz	Pass	PK	13.07152G	55.84	88.20	-32.36	3	Horizontal	3	2.46
6695MHz	Pass	AV	13.3814G	43.58	54.00	-10.42	3	Vertical	54	1.50
6695MHz	Pass	PK	13.39226G	55.44	74.00	-18.56	3	Vertical	54	1.50
6695MHz	Pass	AV	13.38042G	43.61	54.00	-10.39	3	Horizontal	325	1.50
6695MHz	Pass	PK	13.3876G	55.80	74.00	-18.20	3	Horizontal	325	1.50
6855MHz	Pass	AV	13.71998G	43.56	68.20	-24.64	3	Vertical	283	1.50
6855MHz	Pass	PK	13.70822G	55.81	88.20	-32.39	3	Vertical	283	1.50
6855MHz	Pass	AV	13.71976G	43.59	68.20	-24.61	3	Horizontal	11	1.36
6855MHz	Pass	PK	13.7199G	56.53	88.20	-31.67	3	Horizontal	11	1.36


5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX

6195MHz_TX




5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX

6195MHz_TX




6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_TX



6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_TX





**RSE TX above 1GHz_Beamforming_
Radio 0_Indoor_Full RU_ATS-OO-2456-466-4NP-36**

Appendix E.23

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	65.23	68.20	-2.97	3	Vertical	0	1.55
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9248G	68.07	68.20	-0.13	3	Vertical	311	1.80
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	67.63	68.20	-0.57	3	Vertical	3	1.69
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	68.06	68.20	-0.14	3	Vertical	0	1.63
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	5.924G	65.96	68.20	-2.24	3	Vertical	0	1.65
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.39688G	40.95	54.00	-13.05	3	Vertical	190	2.85
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.38552G	40.68	54.00	-13.32	3	Vertical	314	2.84
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.3076G	40.33	54.00	-13.67	3	Vertical	85	1.51
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.32228G	40.62	54.00	-13.38	3	Vertical	228	1.21



RSE TX above 1GHz_Beamforming
Radio 0_Indoor_Full RU_ATS-OO-2456-466-4NP-36

Appendix E.23

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	65.23	68.20	-2.97	3	Vertical	0	1.55
5955MHz	Pass	AV	5.9484G	106.00	Inf	-Inf	3	Vertical	0	1.55
5955MHz	Pass	PK	5.9232G	82.57	88.20	-5.63	3	Vertical	0	1.55
5955MHz	Pass	PK	5.952G	118.75	Inf	-Inf	3	Vertical	0	1.55
5955MHz	Pass	AV	5.925G	50.81	68.20	-17.39	3	Horizontal	87	1.06
5955MHz	Pass	AV	5.9538G	93.54	Inf	-Inf	3	Horizontal	87	1.06
5955MHz	Pass	PK	5.925G	66.65	88.20	-21.55	3	Horizontal	87	1.06
5955MHz	Pass	PK	5.9526G	105.28	Inf	-Inf	3	Horizontal	87	1.06
5955MHz	Pass	AV	11.90604G	39.14	54.00	-14.86	3	Vertical	337	2.32
5955MHz	Pass	PK	11.90372G	53.20	74.00	-20.80	3	Vertical	337	2.32
5955MHz	Pass	AV	11.9032G	39.19	54.00	-14.81	3	Horizontal	234	1.50
5955MHz	Pass	PK	11.904G	53.37	74.00	-20.63	3	Horizontal	234	1.50
6195MHz	Pass	AV	12.38984G	39.74	54.00	-14.26	3	Vertical	171	1.15
6195MHz	Pass	PK	12.38868G	52.37	74.00	-21.63	3	Vertical	171	1.15
6195MHz	Pass	AV	12.39604G	38.93	54.00	-15.07	3	Horizontal	146	1.50
6195MHz	Pass	PK	12.39332G	52.21	74.00	-21.79	3	Horizontal	146	1.50
6415MHz	Pass	AV	12.83628G	39.91	68.20	-28.29	3	Vertical	321	2.91
6415MHz	Pass	PK	12.83092G	53.36	88.20	-34.84	3	Vertical	321	2.91
6415MHz	Pass	AV	12.8306G	39.82	68.20	-28.38	3	Horizontal	48	1.50
6415MHz	Pass	PK	12.83172G	53.34	88.20	-34.86	3	Horizontal	48	1.50
6535MHz	Pass	AV	13.06292G	40.27	68.20	-27.93	3	Vertical	278	1.50
6535MHz	Pass	PK	13.0794G	53.13	88.20	-35.07	3	Vertical	278	1.50
6535MHz	Pass	AV	13.07596G	40.28	68.20	-27.92	3	Horizontal	57	2.54
6535MHz	Pass	PK	13.06528G	53.80	88.20	-34.40	3	Horizontal	57	2.54
6695MHz	Pass	AV	13.39688G	40.95	54.00	-13.05	3	Vertical	190	2.85
6695MHz	Pass	PK	13.39804G	54.06	74.00	-19.94	3	Vertical	190	2.85
6695MHz	Pass	AV	13.39296G	40.67	54.00	-13.33	3	Horizontal	15	2.87
6695MHz	Pass	PK	13.38596G	53.99	74.00	-20.01	3	Horizontal	15	2.87
6855MHz	Pass	AV	13.71688G	41.17	68.20	-27.03	3	Vertical	311	1.50
6855MHz	Pass	PK	13.70792G	54.63	88.20	-33.57	3	Vertical	311	1.50
6855MHz	Pass	AV	13.71572G	41.22	68.20	-26.98	3	Horizontal	152	1.50
6855MHz	Pass	PK	13.7122G	53.91	88.20	-34.29	3	Horizontal	152	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	68.07	68.20	-0.13	3	Vertical	311	1.80
5965MHz	Pass	AV	5.9698G	102.07	Inf	-Inf	3	Vertical	311	1.80
5965MHz	Pass	PK	5.9248G	84.81	88.20	-3.39	3	Vertical	311	1.80
5965MHz	Pass	PK	5.9722G	114.57	Inf	-Inf	3	Vertical	311	1.80
5965MHz	Pass	AV	5.923G	52.04	68.20	-16.16	3	Horizontal	83	1.90
5965MHz	Pass	AV	5.9806G	90.21	Inf	-Inf	3	Horizontal	83	1.90
5965MHz	Pass	PK	5.9248G	68.90	88.20	-19.30	3	Horizontal	83	1.90
5965MHz	Pass	PK	5.9812G	103.24	Inf	-Inf	3	Horizontal	83	1.90
5965MHz	Pass	AV	11.93952G	39.28	54.00	-14.72	3	Vertical	116	1.50
5965MHz	Pass	PK	11.9132G	52.99	74.00	-21.01	3	Vertical	116	1.50
5965MHz	Pass	AV	11.94832G	39.24	54.00	-14.76	3	Horizontal	255	1.50
5965MHz	Pass	PK	11.91056G	52.37	74.00	-21.63	3	Horizontal	255	1.50
6205MHz	Pass	AV	12.42872G	39.13	54.00	-14.87	3	Vertical	360	2.00
6205MHz	Pass	PK	12.40336G	52.55	74.00	-21.45	3	Vertical	360	2.00
6205MHz	Pass	AV	12.4288G	39.23	54.00	-14.77	3	Horizontal	25	2.60
6205MHz	Pass	PK	12.40432G	52.18	74.00	-21.82	3	Horizontal	25	2.60
6405MHz	Pass	AV	12.8152G	39.70	68.20	-28.50	3	Vertical	0	2.00
6405MHz	Pass	PK	12.81656G	53.03	88.20	-35.17	3	Vertical	0	2.00
6405MHz	Pass	AV	12.81432G	39.67	68.20	-28.53	3	Horizontal	116	1.27
6405MHz	Pass	PK	12.80568G	52.55	88.20	-35.65	3	Horizontal	116	1.27
6565MHz	Pass	AV	13.13608G	40.13	68.20	-28.07	3	Vertical	360	3.00
6565MHz	Pass	PK	13.13048G	53.82	88.20	-34.38	3	Vertical	360	3.00
6565MHz	Pass	AV	13.1104G	40.19	68.20	-28.01	3	Horizontal	27	2.62
6565MHz	Pass	PK	13.14944G	54.05	88.20	-34.15	3	Horizontal	27	2.62
6685MHz	Pass	AV	13.38552G	40.68	54.00	-13.32	3	Vertical	314	2.84
6685MHz	Pass	PK	13.35688G	54.27	74.00	-19.73	3	Vertical	314	2.84
6685MHz	Pass	AV	13.38704G	40.52	54.00	-13.48	3	Horizontal	90	1.29



RSE TX above 1GHz_Beamforming
Radio 0_Indoor_Full RU_ATS-OO-2456-466-4NP-36

Appendix E.23

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.36664G	54.23	74.00	-19.77	3	Horizontal	90	1.29
6845MHz	Pass	AV	13.67624G	40.95	68.20	-27.25	3	Vertical	224	1.87
6845MHz	Pass	PK	13.67576G	54.31	88.20	-33.89	3	Vertical	224	1.87
6845MHz	Pass	AV	13.67392G	41.00	68.20	-27.20	3	Horizontal	360	1.48
6845MHz	Pass	PK	13.70864G	54.03	88.20	-34.17	3	Horizontal	360	1.48
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	67.63	68.20	-0.57	3	Vertical	3	1.69
5985MHz	Pass	AV	5.98G	97.67	Inf	-Inf	3	Vertical	3	1.69
5985MHz	Pass	PK	5.922G	83.38	88.20	-4.82	3	Vertical	3	1.69
5985MHz	Pass	PK	5.957G	111.32	Inf	-Inf	3	Vertical	3	1.69
5985MHz	Pass	AV	5.925G	53.51	68.20	-14.69	3	Horizontal	84	1.00
5985MHz	Pass	AV	5.992G	86.14	Inf	-Inf	3	Horizontal	84	1.00
5985MHz	Pass	PK	5.921G	71.66	88.20	-16.54	3	Horizontal	84	1.00
5985MHz	Pass	PK	5.991G	99.55	Inf	-Inf	3	Horizontal	84	1.00
5985MHz	Pass	AV	11.9836G	39.15	54.00	-14.85	3	Vertical	253	2.56
5985MHz	Pass	PK	11.97864G	52.31	74.00	-21.69	3	Vertical	253	2.56
5985MHz	Pass	AV	11.98632G	39.13	54.00	-14.87	3	Horizontal	85	1.50
5985MHz	Pass	PK	11.98648G	52.27	74.00	-21.73	3	Horizontal	85	1.50
6225MHz	Pass	AV	12.47736G	39.36	54.00	-14.64	3	Vertical	349	1.95
6225MHz	Pass	PK	12.47768G	53.24	74.00	-20.76	3	Vertical	349	1.95
6225MHz	Pass	AV	12.4756G	39.45	54.00	-14.55	3	Horizontal	178	1.50
6225MHz	Pass	PK	12.46664G	53.12	74.00	-20.88	3	Horizontal	178	1.50
6385MHz	Pass	AV	12.76248G	39.73	68.20	-28.47	3	Vertical	151	2.62
6385MHz	Pass	PK	12.78152G	52.93	88.20	-35.27	3	Vertical	151	2.62
6385MHz	Pass	AV	12.7492G	39.73	68.20	-28.47	3	Horizontal	51	1.02
6385MHz	Pass	PK	12.7804G	53.21	88.20	-34.99	3	Horizontal	51	1.02
6625MHz	Pass	AV	13.3076G	40.33	54.00	-13.67	3	Vertical	85	1.51
6625MHz	Pass	PK	13.27112G	53.43	74.00	-20.57	3	Vertical	85	1.51
6625MHz	Pass	AV	13.30696G	40.31	54.00	-13.69	3	Horizontal	144	1.15
6625MHz	Pass	PK	13.25704G	52.21	74.00	-21.79	3	Horizontal	144	1.15
6705MHz	Pass	AV	13.50408G	40.75	68.20	-27.45	3	Vertical	295	1.42
6705MHz	Pass	PK	13.58248G	52.87	88.20	-35.33	3	Vertical	295	1.42
6705MHz	Pass	AV	13.55144G	40.76	68.20	-27.44	3	Horizontal	328	1.03
6705MHz	Pass	PK	13.61032G	53.41	88.20	-34.79	3	Horizontal	328	1.03
6785MHz	Pass	AV	13.53352G	40.79	68.20	-27.41	3	Vertical	265	1.17
6785MHz	Pass	PK	13.63368G	53.71	88.20	-34.49	3	Vertical	265	1.17
6785MHz	Pass	AV	13.50536G	40.80	68.20	-27.40	3	Horizontal	2	2.92
6785MHz	Pass	PK	13.53064G	53.32	88.20	-34.88	3	Horizontal	2	2.92
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	68.06	68.20	-0.14	3	Vertical	0	1.63
6025MHz	Pass	AV	6.102G	96.82	Inf	-Inf	3	Vertical	0	1.63
6025MHz	Pass	PK	5.923G	82.33	88.20	-5.87	3	Vertical	0	1.63
6025MHz	Pass	PK	5.947G	111.97	Inf	-Inf	3	Vertical	0	1.63
6025MHz	Pass	AV	5.924G	52.65	68.20	-15.55	3	Horizontal	62	1.04
6025MHz	Pass	AV	6.048G	87.11	Inf	-Inf	3	Horizontal	62	1.04
6025MHz	Pass	PK	5.921G	68.60	88.20	-19.60	3	Horizontal	62	1.04
6025MHz	Pass	PK	6.05G	100.36	Inf	-Inf	3	Horizontal	62	1.04
6025MHz	Pass	AV	12.04668G	39.36	54.00	-14.64	3	Vertical	245	1.96
6025MHz	Pass	PK	12.0522G	52.66	74.00	-21.34	3	Vertical	245	1.96
6025MHz	Pass	AV	12.04736G	39.40	54.00	-14.60	3	Horizontal	222	1.35
6025MHz	Pass	PK	12.04452G	52.65	74.00	-21.35	3	Horizontal	222	1.35
6185MHz	Pass	AV	12.36388G	39.02	54.00	-14.98	3	Vertical	95	1.25
6185MHz	Pass	PK	12.36336G	52.43	74.00	-21.57	3	Vertical	95	1.25
6185MHz	Pass	AV	12.36344G	39.06	54.00	-14.94	3	Horizontal	182	1.94
6185MHz	Pass	PK	12.36984G	51.87	74.00	-22.13	3	Horizontal	182	1.94
6345MHz	Pass	AV	12.69676G	39.62	54.00	-14.38	3	Vertical	46	1.50
6345MHz	Pass	PK	12.69256G	53.37	74.00	-20.63	3	Vertical	46	1.50
6345MHz	Pass	AV	12.69708G	39.63	54.00	-14.37	3	Horizontal	235	1.50
6345MHz	Pass	PK	12.68888G	53.57	74.00	-20.43	3	Horizontal	235	1.50
6665MHz	Pass	AV	13.32228G	40.62	54.00	-13.38	3	Vertical	228	1.21
6665MHz	Pass	PK	13.3212G	53.97	74.00	-20.03	3	Vertical	228	1.21
6665MHz	Pass	AV	13.3226G	40.58	54.00	-13.42	3	Horizontal	305	1.90




***RSE TX above 1GHz_Beamforming_
Radio 0_Indoor_Full RU_ATS-OO-2456-466-4NP-36***

Appendix E.23

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.33792G	54.46	74.00	-19.54	3	Horizontal	305	1.90
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	65.96	68.20	-2.24	3	Vertical	0	1.65
6105MHz	Pass	AV	6.137G	93.83	Inf	-Inf	3	Vertical	0	1.65
6105MHz	Pass	PK	5.923G	79.49	88.20	-8.71	3	Vertical	0	1.65
6105MHz	Pass	PK	5.948G	113.64	Inf	-Inf	3	Vertical	0	1.65
6105MHz	Pass	AV	5.919G	49.88	68.20	-18.32	3	Horizontal	84	2.93
6105MHz	Pass	AV	5.991G	81.26	Inf	-Inf	3	Horizontal	84	2.93
6105MHz	Pass	PK	5.923G	62.06	88.20	-26.14	3	Horizontal	84	2.93
6105MHz	Pass	PK	5.952G	100.16	Inf	-Inf	3	Horizontal	84	2.93
6105MHz	Pass	AV	12.20116G	39.20	54.00	-14.80	3	Vertical	282	1.58
6105MHz	Pass	PK	12.2002G	52.67	74.00	-21.33	3	Vertical	282	1.58
6105MHz	Pass	AV	12.20708G	39.14	54.00	-14.86	3	Horizontal	122	1.50
6105MHz	Pass	PK	12.21372G	53.35	74.00	-20.65	3	Horizontal	122	1.50
6265MHz	Pass	AV	12.52004G	39.43	54.00	-14.57	3	Vertical	89	1.41
6265MHz	Pass	PK	12.5364G	53.12	74.00	-20.88	3	Vertical	89	1.41
6265MHz	Pass	AV	12.52G	39.33	54.00	-14.67	3	Horizontal	356	1.25
6265MHz	Pass	PK	12.53308G	54.02	74.00	-19.98	3	Horizontal	356	1.25


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX





5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	68.06	68.20	-0.14	2.54	3	Vertical	0	1.63	65.52	34.35	6.06	37.87
AV	6.102G	96.82	Inf	-Inf	2.70	3	Vertical	0	1.63	94.12	34.30	6.13	37.73
PK	5.923G	82.33	88.20	-5.87	2.54	3	Vertical	0	1.63	79.79	34.35	6.06	37.87
PK	5.947G	111.97	Inf	-Inf	2.53	3	Vertical	0	1.63	109.44	34.31	6.07	37.85

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	52.65	68.20	-15.55	2.54	3	Horizontal	62	1.04	50.11	34.35	6.06	37.87
AV	6.048G	87.11	Inf	-Inf	2.64	3	Horizontal	62	1.04	84.47	34.30	6.11	37.77
PK	5.921G	68.60	88.20	-19.60	2.54	3	Horizontal	62	1.04	66.06	34.36	6.05	37.87
PK	6.05G	100.36	Inf	-Inf	2.64	3	Horizontal	62	1.04	97.72	34.30	6.11	37.77