



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	65.96	68.20	-2.24	2.54	3	Vertical	0	1.65	63.42	34.35	6.06	37.87
AV	6.137G	93.83	Inf	-Inf	2.73	3	Vertical	0	1.65	91.10	34.30	6.14	37.71
PK	5.923G	79.49	88.20	-8.71	2.54	3	Vertical	0	1.65	76.95	34.35	6.06	37.87
PK	5.948G	113.64	Inf	-Inf	2.52	3	Vertical	0	1.65	111.12	34.30	6.07	37.85

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	49.88	68.20	-18.32	2.54	3	Horizontal	84	2.93	47.34	34.36	6.05	37.87
AV	5.991G	81.26	Inf	-Inf	2.57	3	Horizontal	84	2.93	78.69	34.30	6.09	37.82
PK	5.923G	62.06	88.20	-26.14	2.54	3	Horizontal	84	2.93	59.52	34.35	6.06	37.87
PK	5.952G	100.16	Inf	-Inf	2.52	3	Horizontal	84	2.93	97.64	34.30	6.07	37.85




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX






6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX





**RSE TX above 1GHz_Beamforming_
Radio 0_Outdoor_Full RU_ATS-OO-2456-466-4NP-36**

Appendix E.24

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	11.9194G	39.04	54.00	-14.96	3	Horizontal	0	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9248G	58.98	68.20	-9.22	3	Vertical	194	2.09
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	55.56	68.20	-12.64	3	Vertical	194	2.29
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	12.64392G	40.04	54.00	-13.96	3	Vertical	144	1.49
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	12.64776G	39.99	54.00	-14.01	3	Vertical	230	2.25
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.3858G	40.68	54.00	-13.32	3	Vertical	83	2.96
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.36096G	40.72	54.00	-13.28	3	Vertical	155	1.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.27608G	40.59	54.00	-13.41	3	Vertical	65	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.31528G	40.81	54.00	-13.19	3	Vertical	248	1.50



**RSE TX above 1GHz_Beamforming_
Radio 0_Outdoor_Full RU_ATS-OO-2456-466-4NP-36**

Appendix E.24

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	51.06	68.20	-17.14	3	Vertical	204	1.84
5955MHz	Pass	AV	5.9565G	101.97	Inf	-Inf	3	Vertical	204	1.84
5955MHz	Pass	PK	5.9241G	71.30	88.20	-16.90	3	Vertical	204	1.84
5955MHz	Pass	PK	5.9475G	115.14	Inf	-Inf	3	Vertical	204	1.84
5955MHz	Pass	AV	11.90532G	38.98	54.00	-15.02	3	Vertical	18	1.13
5955MHz	Pass	PK	11.90868G	52.07	74.00	-21.93	3	Vertical	18	1.13
5955MHz	Pass	AV	11.9194G	39.04	54.00	-14.96	3	Horizontal	0	1.50
5955MHz	Pass	PK	11.91136G	52.30	74.00	-21.70	3	Horizontal	0	1.50
6195MHz	Pass	AV	12.38344G	38.95	54.00	-15.05	3	Vertical	339	1.50
6195MHz	Pass	PK	12.38072G	51.93	74.00	-22.07	3	Vertical	339	1.50
6195MHz	Pass	AV	12.38348G	38.99	54.00	-15.01	3	Horizontal	50	2.36
6195MHz	Pass	PK	12.38864G	51.88	74.00	-22.12	3	Horizontal	50	2.36
6415MHz	Pass	AV	12.83788G	39.85	68.20	-28.35	3	Vertical	76	1.65
6415MHz	Pass	PK	12.83288G	52.80	88.20	-35.40	3	Vertical	76	1.65
6415MHz	Pass	AV	12.82576G	39.95	68.20	-28.25	3	Horizontal	162	1.59
6415MHz	Pass	PK	12.83236G	53.93	88.20	-34.27	3	Horizontal	162	1.59
6535MHz	Pass	AV	13.07624G	40.21	68.20	-27.99	3	Vertical	4	1.50
6535MHz	Pass	PK	13.06504G	53.71	88.20	-34.49	3	Vertical	4	1.50
6535MHz	Pass	AV	13.06132G	40.18	68.20	-28.02	3	Horizontal	192	1.50
6535MHz	Pass	PK	13.07008G	53.16	88.20	-35.04	3	Horizontal	192	1.50
6695MHz	Pass	AV	13.3858G	40.68	54.00	-13.32	3	Vertical	83	2.96
6695MHz	Pass	PK	13.387G	54.37	74.00	-19.63	3	Vertical	83	2.96
6695MHz	Pass	AV	13.3814G	40.68	54.00	-13.32	3	Horizontal	153	2.43
6695MHz	Pass	PK	13.38368G	53.98	74.00	-20.02	3	Horizontal	153	2.43
6855MHz	Pass	AV	13.71788G	41.12	68.20	-27.08	3	Vertical	349	1.50
6855MHz	Pass	PK	13.71684G	54.07	88.20	-34.13	3	Vertical	349	1.50
6855MHz	Pass	AV	13.70992G	41.11	68.20	-27.09	3	Horizontal	260	1.72
6855MHz	Pass	PK	13.71988G	53.97	88.20	-34.23	3	Horizontal	260	1.72
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	58.98	68.20	-9.22	3	Vertical	194	2.09
5965MHz	Pass	AV	5.9794G	99.71	Inf	-Inf	3	Vertical	194	2.09
5965MHz	Pass	PK	5.9239G	76.62	88.20	-11.58	3	Vertical	194	2.09
5965MHz	Pass	PK	5.9818G	113.24	Inf	-Inf	3	Vertical	194	2.09
5965MHz	Pass	AV	11.94088G	39.34	54.00	-14.66	3	Vertical	243	1.50
5965MHz	Pass	PK	11.93816G	53.50	74.00	-20.50	3	Vertical	243	1.50
5965MHz	Pass	AV	11.93832G	39.31	54.00	-14.69	3	Horizontal	126	1.36
5965MHz	Pass	PK	11.94216G	52.60	74.00	-21.40	3	Horizontal	126	1.36
6205MHz	Pass	AV	12.41856G	39.11	54.00	-14.89	3	Vertical	0	1.50
6205MHz	Pass	PK	12.41616G	52.48	74.00	-21.52	3	Vertical	0	1.50
6205MHz	Pass	AV	12.41264G	39.13	54.00	-14.87	3	Horizontal	194	1.20
6205MHz	Pass	PK	12.42296G	52.47	74.00	-21.53	3	Horizontal	194	1.20
6405MHz	Pass	AV	12.8172G	40.03	68.20	-28.17	3	Vertical	217	1.46
6405MHz	Pass	PK	12.8164G	53.17	88.20	-35.03	3	Vertical	217	1.46
6405MHz	Pass	AV	12.81176G	39.97	68.20	-28.23	3	Horizontal	129	1.50
6405MHz	Pass	PK	12.8052G	52.85	88.20	-35.35	3	Horizontal	129	1.50
6565MHz	Pass	AV	13.14704G	40.40	68.20	-27.80	3	Vertical	253	1.50
6565MHz	Pass	PK	13.14056G	53.93	88.20	-34.27	3	Vertical	253	1.50
6565MHz	Pass	AV	13.14816G	40.37	68.20	-27.83	3	Horizontal	342	1.50
6565MHz	Pass	PK	13.11376G	54.06	88.20	-34.14	3	Horizontal	342	1.50
6685MHz	Pass	AV	13.36096G	40.72	54.00	-13.28	3	Vertical	155	1.50
6685MHz	Pass	PK	13.37632G	54.12	74.00	-19.88	3	Vertical	155	1.50
6685MHz	Pass	AV	13.36552G	40.70	54.00	-13.30	3	Horizontal	0	2.11
6685MHz	Pass	PK	13.35168G	54.10	74.00	-19.90	3	Horizontal	0	2.11
6845MHz	Pass	AV	13.7G	41.03	68.20	-27.17	3	Vertical	348	1.50
6845MHz	Pass	PK	13.6988G	55.38	88.20	-32.82	3	Vertical	348	1.50
6845MHz	Pass	AV	13.70928G	41.04	68.20	-27.16	3	Horizontal	130	1.50
6845MHz	Pass	PK	13.68976G	53.90	88.20	-34.30	3	Horizontal	130	1.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	55.56	68.20	-12.64	3	Vertical	194	2.29
5985MHz	Pass	AV	6.016G	96.65	Inf	-Inf	3	Vertical	194	2.29




**RSE TX above 1GHz_Beamforming_
Radio 0_Outdoor_Full RU_ATS-OO-2456-466-4NP-36**

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	PK	5.9195G	74.78	88.20	-13.42	3	Vertical	194	2.29
5985MHz	Pass	PK	6.0225G	109.99	Inf	-Inf	3	Vertical	194	2.29
5985MHz	Pass	AV	11.9844G	39.37	54.00	-14.63	3	Vertical	288	2.06
5985MHz	Pass	PK	11.95256G	52.43	74.00	-21.57	3	Vertical	288	2.06
5985MHz	Pass	AV	11.98808G	39.40	54.00	-14.60	3	Horizontal	345	1.72
5985MHz	Pass	PK	11.93336G	52.99	74.00	-21.01	3	Horizontal	345	1.72
6225MHz	Pass	AV	12.48728G	39.67	54.00	-14.33	3	Vertical	42	1.50
6225MHz	Pass	PK	12.46136G	53.47	74.00	-20.53	3	Vertical	42	1.50
6225MHz	Pass	AV	12.48776G	39.60	54.00	-14.40	3	Horizontal	93	1.50
6225MHz	Pass	PK	12.4572G	53.17	74.00	-20.83	3	Horizontal	93	1.50
6385MHz	Pass	AV	12.75G	40.00	68.20	-28.20	3	Vertical	0	1.50
6385MHz	Pass	PK	12.8036G	53.33	88.20	-34.87	3	Vertical	0	1.50
6385MHz	Pass	AV	12.7668G	40.02	68.20	-28.18	3	Horizontal	142	1.37
6385MHz	Pass	PK	12.76872G	52.87	88.20	-35.33	3	Horizontal	142	1.37
6625MHz	Pass	AV	13.27608G	40.59	54.00	-13.41	3	Vertical	65	1.50
6625MHz	Pass	PK	13.25848G	53.93	74.00	-20.07	3	Vertical	65	1.50
6625MHz	Pass	AV	13.28488G	40.56	54.00	-13.44	3	Horizontal	282	1.50
6625MHz	Pass	PK	13.2524G	54.12	74.00	-19.88	3	Horizontal	282	1.50
6705MHz	Pass	AV	13.43192G	40.86	68.20	-27.34	3	Vertical	123	2.20
6705MHz	Pass	PK	13.40584G	54.39	88.20	-33.81	3	Vertical	123	2.20
6705MHz	Pass	AV	13.4492G	40.86	68.20	-27.34	3	Horizontal	287	1.79
6705MHz	Pass	PK	13.42776G	54.12	88.20	-34.08	3	Horizontal	287	1.79
6785MHz	Pass	AV	13.566G	41.42	68.20	-26.78	3	Vertical	99	2.67
6785MHz	Pass	PK	13.56392G	54.37	88.20	-33.83	3	Vertical	99	2.67
6785MHz	Pass	AV	13.53672G	41.39	68.20	-26.81	3	Horizontal	231	1.20
6785MHz	Pass	PK	13.57128G	54.84	88.20	-33.36	3	Horizontal	231	1.20
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.914G	51.26	68.20	-16.94	3	Vertical	98	2.10
6025MHz	Pass	AV	6.04G	92.33	Inf	-Inf	3	Vertical	98	2.10
6025MHz	Pass	PK	5.9225G	67.95	88.20	-20.25	3	Vertical	98	2.10
6025MHz	Pass	PK	6.045G	105.94	Inf	-Inf	3	Vertical	98	2.10
6025MHz	Pass	AV	12.05128G	39.59	54.00	-14.41	3	Vertical	352	1.46
6025MHz	Pass	PK	12.05256G	52.65	74.00	-21.35	3	Vertical	352	1.46
6025MHz	Pass	AV	12.04744G	39.65	54.00	-14.35	3	Horizontal	113	1.50
6025MHz	Pass	PK	12.04584G	52.81	74.00	-21.19	3	Horizontal	113	1.50
6185MHz	Pass	AV	12.33352G	39.07	54.00	-14.93	3	Vertical	85	1.33
6185MHz	Pass	PK	12.35976G	52.58	74.00	-21.42	3	Vertical	85	1.33
6185MHz	Pass	AV	12.33416G	39.10	54.00	-14.90	3	Horizontal	236	1.50
6185MHz	Pass	PK	12.43176G	52.39	74.00	-21.61	3	Horizontal	236	1.50
6345MHz	Pass	AV	12.64392G	40.04	54.00	-13.96	3	Vertical	144	1.49
6345MHz	Pass	PK	12.6436G	53.76	74.00	-20.24	3	Vertical	144	1.49
6345MHz	Pass	AV	12.7556G	40.01	68.20	-28.19	3	Horizontal	68	2.52
6345MHz	Pass	PK	12.65032G	53.24	74.00	-20.76	3	Horizontal	68	2.52
6665MHz	Pass	AV	13.31528G	40.81	54.00	-13.19	3	Vertical	248	1.50
6665MHz	Pass	PK	13.36776G	53.93	74.00	-20.07	3	Vertical	248	1.50
6665MHz	Pass	AV	13.30024G	40.76	54.00	-13.24	3	Horizontal	158	2.18
6665MHz	Pass	PK	13.37256G	54.51	74.00	-19.49	3	Horizontal	158	2.18
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.919G	47.65	68.20	-20.55	3	Vertical	226	1.50
6105MHz	Pass	AV	6.017G	88.11	Inf	-Inf	3	Vertical	226	1.50
6105MHz	Pass	PK	5.905G	69.37	88.20	-18.83	3	Vertical	226	1.50
6105MHz	Pass	PK	5.949G	107.40	Inf	-Inf	3	Vertical	226	1.50
6105MHz	Pass	AV	12.05G	39.66	54.00	-14.34	3	Vertical	189	1.50
6105MHz	Pass	PK	12.06024G	53.74	74.00	-20.26	3	Vertical	189	1.50
6105MHz	Pass	AV	12.08072G	39.69	54.00	-14.31	3	Horizontal	48	1.50
6105MHz	Pass	PK	12.2676G	53.69	74.00	-20.31	3	Horizontal	48	1.50
6265MHz	Pass	AV	12.64776G	39.99	54.00	-14.01	3	Vertical	230	2.25
6265MHz	Pass	PK	12.5684G	54.25	74.00	-19.75	3	Vertical	230	2.25
6265MHz	Pass	AV	12.6804G	39.98	54.00	-14.02	3	Horizontal	59	1.50
6265MHz	Pass	PK	12.51272G	53.29	74.00	-20.71	3	Horizontal	59	1.50


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	55.56	68.20	-12.64	2.54	3	Vertical	194	2.29	53.02	34.35	6.06	37.87
AV	6.016G	96.65	Inf	-Inf	2.60	3	Vertical	194	2.29	94.05	34.30	6.10	37.80
PK	5.9195G	74.78	88.20	-13.42	2.54	3	Vertical	194	2.29	72.24	34.36	6.05	37.87
PK	6.0225G	109.99	Inf	-Inf	2.61	3	Vertical	194	2.29	107.38	34.30	6.10	37.79

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9844G	39.37	54.00	-14.63	9.69	3	Vertical	288	2.06	29.68	39.00	8.71	38.02
PK	11.95256G	52.43	74.00	-21.57	9.69	3	Vertical	288	2.06	42.74	39.00	8.70	38.01


5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6665MHz_TX





6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	13.30024G	40.76	54.00	-13.24	10.42	3	Horizontal	158	2.18	30.34	39.90	9.24	38.72				
PK	13.37256G	54.51	74.00	-19.49	10.51	3	Horizontal	158	2.18	44.00	39.95	9.27	38.71				



**RSE TX above 1GHz_Beamforming_
Radio 0_Indoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix E.25

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	67.04	68.20	-1.16	3	Vertical	0	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9248G	67.47	68.20	-0.73	3	Horizontal	356	1.70
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	66.62	68.20	-1.58	3	Horizontal	9	2.12
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.923G	67.14	68.20	-1.06	3	Horizontal	360	1.72
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	5.923G	67.78	68.20	-0.42	3	Horizontal	0	2.56
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.39652G	40.69	54.00	-13.31	3	Horizontal	360	2.51
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.38384G	40.68	54.00	-13.32	3	Vertical	54	1.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.2605G	40.43	54.00	-13.57	3	Vertical	189	2.70
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.31208G	40.71	54.00	-13.29	3	Horizontal	292	2.84



**RSE TX above 1GHz_Beamforming_
Radio 0_Indoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix E.25

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	67.04	68.20	-1.16	3	Vertical	0	1.50
5955MHz	Pass	AV	5.946G	113.12	Inf	-Inf	3	Vertical	0	1.50
5955MHz	Pass	PK	5.9226G	85.84	88.20	-2.36	3	Vertical	0	1.50
5955MHz	Pass	PK	5.9466G	122.00	Inf	-Inf	3	Vertical	0	1.50
5955MHz	Pass	AV	5.925G	62.86	68.20	-5.34	3	Horizontal	0	2.90
5955MHz	Pass	AV	5.9598G	114.83	Inf	-Inf	3	Horizontal	0	2.90
5955MHz	Pass	PK	5.925G	79.66	88.20	-8.54	3	Horizontal	0	2.90
5955MHz	Pass	PK	5.9598G	124.41	Inf	-Inf	3	Horizontal	0	2.90
5955MHz	Pass	AV	11.90136G	39.49	54.00	-14.51	3	Vertical	297	2.53
5955MHz	Pass	PK	11.90268G	52.79	74.00	-21.21	3	Vertical	297	2.53
5955MHz	Pass	AV	11.90052G	39.38	54.00	-14.62	3	Horizontal	60	1.50
5955MHz	Pass	PK	11.91824G	52.33	74.00	-21.67	3	Horizontal	60	1.50
6195MHz	Pass	AV	12.3812G	39.47	54.00	-14.53	3	Vertical	152	1.50
6195MHz	Pass	PK	12.39388G	52.79	74.00	-21.21	3	Vertical	152	1.50
6195MHz	Pass	AV	12.3818G	39.38	54.00	-14.62	3	Horizontal	314	1.50
6195MHz	Pass	PK	12.3986G	53.16	74.00	-20.84	3	Horizontal	314	1.50
6415MHz	Pass	AV	12.82288G	40.13	68.20	-28.07	3	Vertical	23	1.50
6415MHz	Pass	PK	12.83508G	52.91	88.20	-35.29	3	Vertical	23	1.50
6415MHz	Pass	AV	12.82484G	40.31	68.20	-27.89	3	Horizontal	326	1.50
6415MHz	Pass	PK	12.82624G	53.34	88.20	-34.86	3	Horizontal	326	1.50
6535MHz	Pass	AV	13.07672G	40.07	68.20	-28.13	3	Vertical	233	1.50
6535MHz	Pass	PK	13.0728G	52.98	88.20	-35.22	3	Vertical	233	1.50
6535MHz	Pass	AV	13.061G	40.05	68.20	-28.15	3	Horizontal	0	1.50
6535MHz	Pass	PK	13.06824G	53.08	88.20	-35.12	3	Horizontal	0	1.50
6695MHz	Pass	AV	13.39684G	40.61	54.00	-13.39	3	Vertical	353	1.50
6695MHz	Pass	PK	13.39516G	54.05	74.00	-19.95	3	Vertical	353	1.50
6695MHz	Pass	AV	13.39652G	40.69	54.00	-13.31	3	Horizontal	360	2.51
6695MHz	Pass	PK	13.38516G	53.84	74.00	-20.16	3	Horizontal	360	2.51
6855MHz	Pass	AV	13.70304G	40.96	68.20	-27.24	3	Vertical	124	2.19
6855MHz	Pass	PK	13.70092G	54.29	88.20	-33.91	3	Vertical	124	2.19
6855MHz	Pass	AV	13.71336G	40.96	68.20	-27.24	3	Horizontal	0	1.00
6855MHz	Pass	PK	13.709G	54.07	88.20	-34.13	3	Horizontal	0	1.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9206G	61.58	68.20	-6.62	3	Vertical	354	2.04
5965MHz	Pass	AV	5.98G	104.63	Inf	-Inf	3	Vertical	354	2.04
5965MHz	Pass	PK	5.9248G	79.20	88.20	-9.00	3	Vertical	354	2.04
5965MHz	Pass	PK	5.9782G	116.75	Inf	-Inf	3	Vertical	354	2.04
5965MHz	Pass	AV	5.9248G	67.47	68.20	-0.73	3	Horizontal	356	1.70
5965MHz	Pass	AV	5.956G	108.24	Inf	-Inf	3	Horizontal	356	1.70
5965MHz	Pass	PK	5.9182G	82.70	88.20	-5.50	3	Horizontal	356	1.70
5965MHz	Pass	PK	5.953G	119.11	Inf	-Inf	3	Horizontal	356	1.70
5965MHz	Pass	AV	11.94696G	39.47	54.00	-14.53	3	Vertical	116	1.95
5965MHz	Pass	PK	11.94608G	53.43	74.00	-20.57	3	Vertical	116	1.95
5965MHz	Pass	AV	11.9484G	39.51	54.00	-14.49	3	Horizontal	150	1.59
5965MHz	Pass	PK	11.92024G	52.26	74.00	-21.74	3	Horizontal	150	1.59
6205MHz	Pass	AV	12.40648G	39.25	54.00	-14.75	3	Vertical	351	1.50
6205MHz	Pass	PK	12.41824G	52.73	74.00	-21.27	3	Vertical	351	1.50
6205MHz	Pass	AV	12.40928G	39.29	54.00	-14.71	3	Horizontal	113	2.93
6205MHz	Pass	PK	12.42696G	52.66	74.00	-21.34	3	Horizontal	113	2.93
6405MHz	Pass	AV	12.81096G	40.24	68.20	-27.96	3	Vertical	186	1.11
6405MHz	Pass	PK	12.80296G	53.72	88.20	-34.48	3	Vertical	186	1.11
6405MHz	Pass	AV	12.8076G	40.27	68.20	-27.93	3	Horizontal	336	2.68
6405MHz	Pass	PK	12.82408G	53.33	88.20	-34.87	3	Horizontal	336	2.68
6565MHz	Pass	AV	13.14888G	40.51	68.20	-27.69	3	Vertical	109	1.50
6565MHz	Pass	PK	13.13224G	54.03	88.20	-34.17	3	Vertical	109	1.50
6565MHz	Pass	AV	13.1396G	40.45	68.20	-27.75	3	Horizontal	356	1.92
6565MHz	Pass	PK	13.14968G	54.20	88.20	-34.00	3	Horizontal	356	1.92
6685MHz	Pass	AV	13.38384G	40.68	54.00	-13.32	3	Vertical	54	1.00
6685MHz	Pass	PK	13.35432G	54.11	74.00	-19.89	3	Vertical	54	1.00
6685MHz	Pass	AV	13.37104G	40.68	54.00	-13.32	3	Horizontal	199	1.84



**RSE TX above 1GHz_Beamforming_
Radio 0_Indoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix E.25

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.36336G	53.65	74.00	-20.35	3	Horizontal	199	1.84
6845MHz	Pass	AV	13.67816G	40.95	68.20	-27.25	3	Vertical	7	2.82
6845MHz	Pass	PK	13.7016G	54.35	88.20	-33.85	3	Vertical	7	2.82
6845MHz	Pass	AV	13.67888G	40.87	68.20	-27.33	3	Horizontal	237	1.57
6845MHz	Pass	PK	13.68G	54.32	88.20	-33.88	3	Horizontal	237	1.57
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	56.20	68.20	-12.00	3	Vertical	9	1.43
5985MHz	Pass	AV	5.989G	102.37	Inf	-Inf	3	Vertical	9	1.43
5985MHz	Pass	PK	5.924G	80.27	88.20	-7.93	3	Vertical	9	1.43
5985MHz	Pass	PK	5.991G	115.51	Inf	-Inf	3	Vertical	9	1.43
5985MHz	Pass	AV	5.925G	66.62	68.20	-1.58	3	Horizontal	9	2.12
5985MHz	Pass	AV	6.015G	101.17	Inf	-Inf	3	Horizontal	9	2.12
5985MHz	Pass	PK	5.925G	83.97	88.20	-4.23	3	Horizontal	9	2.12
5985MHz	Pass	PK	5.951G	115.89	Inf	-Inf	3	Horizontal	9	2.12
5985MHz	Pass	AV	11.94936G	39.37	54.00	-14.63	3	Vertical	266	1.50
5985MHz	Pass	PK	11.94984G	52.29	74.00	-21.71	3	Vertical	266	1.50
5985MHz	Pass	AV	11.96616G	39.39	54.00	-14.61	3	Horizontal	310	1.00
5985MHz	Pass	PK	11.93912G	53.26	74.00	-20.74	3	Horizontal	310	1.00
6225MHz	Pass	AV	12.48408G	39.24	54.00	-14.76	3	Vertical	322	2.15
6225MHz	Pass	PK	12.41192G	52.66	74.00	-21.34	3	Vertical	322	2.15
6225MHz	Pass	AV	12.47496G	39.37	54.00	-14.63	3	Horizontal	338	1.50
6225MHz	Pass	PK	12.45192G	52.61	74.00	-21.39	3	Horizontal	338	1.50
6385MHz	Pass	AV	12.76216G	40.12	68.20	-28.08	3	Vertical	147	1.50
6385MHz	Pass	PK	12.78088G	53.69	88.20	-34.51	3	Vertical	147	1.50
6385MHz	Pass	AV	12.75928G	40.12	68.20	-28.08	3	Horizontal	315	1.50
6385MHz	Pass	PK	12.74264G	53.53	88.20	-34.67	3	Horizontal	315	1.50
6625MHz	Pass	AV	13.2605G	40.43	54.00	-13.57	3	Vertical	189	2.70
6625MHz	Pass	PK	13.26326G	52.83	74.00	-21.17	3	Vertical	189	2.70
6625MHz	Pass	AV	13.25258G	40.42	54.00	-13.58	3	Horizontal	323	2.07
6625MHz	Pass	PK	13.25996G	52.14	74.00	-21.86	3	Horizontal	323	2.07
6705MHz	Pass	AV	13.422G	40.62	68.20	-27.58	3	Vertical	6	2.42
6705MHz	Pass	PK	13.41618G	53.70	88.20	-34.50	3	Vertical	6	2.42
6705MHz	Pass	AV	13.4199G	40.69	68.20	-27.51	3	Horizontal	7	2.33
6705MHz	Pass	PK	13.41894G	54.23	88.20	-33.97	3	Horizontal	7	2.33
6785MHz	Pass	AV	13.55662G	41.22	68.20	-26.98	3	Vertical	88	2.68
6785MHz	Pass	PK	13.57858G	53.36	88.20	-34.84	3	Vertical	88	2.68
6785MHz	Pass	AV	13.55536G	41.22	68.20	-26.98	3	Horizontal	107	2.38
6785MHz	Pass	PK	13.57552G	53.45	88.20	-34.75	3	Horizontal	107	2.38
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.922G	61.29	68.20	-6.91	3	Vertical	360	1.50
6025MHz	Pass	AV	5.999G	104.05	Inf	-Inf	3	Vertical	360	1.50
6025MHz	Pass	PK	5.925G	80.51	88.20	-7.69	3	Vertical	360	1.50
6025MHz	Pass	PK	5.989G	117.88	Inf	-Inf	3	Vertical	360	1.50
6025MHz	Pass	AV	5.923G	67.14	68.20	-1.06	3	Horizontal	360	1.72
6025MHz	Pass	AV	6.072G	108.09	Inf	-Inf	3	Horizontal	360	1.72
6025MHz	Pass	PK	5.925G	82.83	88.20	-5.37	3	Horizontal	360	1.72
6025MHz	Pass	PK	6.071G	120.34	Inf	-Inf	3	Horizontal	360	1.72
6185MHz	Pass	AV	12.31112G	39.37	54.00	-14.63	3	Vertical	259	1.38
6185MHz	Pass	PK	12.36616G	53.28	74.00	-20.72	3	Vertical	259	1.38
6185MHz	Pass	AV	12.31592G	39.36	54.00	-14.64	3	Horizontal	82	1.50
6185MHz	Pass	PK	12.32808G	52.59	74.00	-21.41	3	Horizontal	82	1.50
6345MHz	Pass	AV	12.7572G	40.12	68.20	-28.08	3	Vertical	297	1.50
6345MHz	Pass	PK	12.75496G	52.96	88.20	-35.24	3	Vertical	297	1.50
6345MHz	Pass	AV	12.7588G	40.14	68.20	-28.06	3	Horizontal	280	2.53
6345MHz	Pass	PK	12.6244G	53.13	74.00	-20.87	3	Horizontal	280	2.53
6665MHz	Pass	AV	13.30408G	40.68	54.00	-13.32	3	Vertical	51	2.47
6665MHz	Pass	PK	13.37864G	54.36	74.00	-19.64	3	Vertical	51	2.47
6665MHz	Pass	AV	13.31208G	40.71	54.00	-13.29	3	Horizontal	292	2.84
6665MHz	Pass	PK	13.30952G	54.33	74.00	-19.67	3	Horizontal	292	2.84
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.919G	62.62	68.20	-5.58	3	Vertical	7	1.50
6105MHz	Pass	AV	5.991G	105.05	Inf	-Inf	3	Vertical	7	1.50




**RSE TX above 1GHz_Beamforming_
Radio 0_Indoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix E.25

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	PK	5.915G	79.43	88.20	-8.77	3	Vertical	7	1.50
6105MHz	Pass	PK	5.989G	116.36	Inf	-Inf	3	Vertical	7	1.50
6105MHz	Pass	AV	5.923G	67.78	68.20	-0.42	3	Horizontal	0	2.56
6105MHz	Pass	AV	6.139G	100.52	Inf	-Inf	3	Horizontal	0	2.56
6105MHz	Pass	PK	5.925G	82.99	88.20	-5.21	3	Horizontal	0	2.56
6105MHz	Pass	PK	5.957G	116.28	Inf	-Inf	3	Horizontal	0	2.56
6105MHz	Pass	AV	12.26056G	39.39	54.00	-14.61	3	Vertical	122	2.58
6105MHz	Pass	PK	12.26632G	52.92	74.00	-21.08	3	Vertical	122	2.58
6105MHz	Pass	AV	12.32968G	39.41	54.00	-14.59	3	Horizontal	185	1.50
6105MHz	Pass	PK	12.07496G	53.54	74.00	-20.46	3	Horizontal	185	1.50
6265MHz	Pass	AV	5.9194G	58.51	68.20	-9.69	3	Vertical	12	1.91
6265MHz	Pass	AV	6.31G	99.36	Inf	-Inf	3	Vertical	12	1.91
6265MHz	Pass	PK	5.914G	73.80	88.20	-14.40	3	Vertical	12	1.91
6265MHz	Pass	PK	6.292G	112.38	Inf	-Inf	3	Vertical	12	1.91
6265MHz	Pass	AV	5.9248G	60.92	68.20	-7.28	3	Horizontal	2	1.50
6265MHz	Pass	AV	6.364G	100.41	Inf	-Inf	3	Horizontal	2	1.50
6265MHz	Pass	PK	5.9086G	75.13	88.20	-13.07	3	Horizontal	2	1.50
6265MHz	Pass	PK	6.4198G	118.91	Inf	-Inf	3	Horizontal	2	1.50
6265MHz	Pass	AV	12.66952G	39.92	54.00	-14.08	3	Vertical	18	1.50
6265MHz	Pass	PK	12.66632G	53.42	74.00	-20.58	3	Vertical	18	1.50
6265MHz	Pass	AV	12.64456G	39.82	54.00	-14.18	3	Horizontal	187	2.12
6265MHz	Pass	PK	12.68488G	53.12	74.00	-20.88	3	Horizontal	187	2.12


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9206G	61.58	68.20	-6.62	2.54	3	Vertical	354	2.04	59.04	34.36	6.05	37.87
AV	5.98G	104.63	Inf	-Inf	2.55	3	Vertical	354	2.04	102.08	34.30	6.08	37.83
PK	5.9248G	79.20	88.20	-9.00	2.54	3	Vertical	354	2.04	76.66	34.35	6.06	37.87
PK	5.9782G	116.75	Inf	-Inf	2.55	3	Vertical	354	2.04	114.20	34.30	6.08	37.83

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	67.47	68.20	-0.73	2.54	3	Horizontal	356	1.70	64.93	34.35	6.06	37.87
AV	5.956G	108.24	Inf	-Inf	2.53	3	Horizontal	356	1.70	105.71	34.30	6.07	37.84
PK	5.9182G	82.70	88.20	-5.50	2.54	3	Horizontal	356	1.70	80.16	34.36	6.05	37.87
PK	5.953G	119.11	Inf	-Inf	2.52	3	Horizontal	356	1.70	116.59	34.30	6.07	37.85


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX






5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX





5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.922G	61.29	68.20	-6.91	2.54	3	Vertical	360	1.50	58.75	34.36	6.05	37.87
AV	5.999G	104.05	Inf	-Inf	2.58	3	Vertical	360	1.50	101.47	34.30	6.09	37.81
PK	5.925G	80.51	88.20	-7.69	2.54	3	Vertical	360	1.50	77.97	34.35	6.06	37.87
PK	5.989G	117.88	Inf	-Inf	2.57	3	Vertical	360	1.50	115.31	34.30	6.09	37.82

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	67.14	68.20	-1.06	2.54	3	Horizontal	360	1.72	64.60	34.35	6.06	37.87
AV	6.072G	108.09	Inf	-Inf	2.66	3	Horizontal	360	1.72	105.43	34.30	6.12	37.76
PK	5.925G	82.83	88.20	-5.37	2.54	3	Horizontal	360	1.72	80.29	34.35	6.06	37.87
PK	6.071G	120.34	Inf	-Inf	2.66	3	Horizontal	360	1.72	117.68	34.30	6.12	37.76

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	62.62	68.20	-5.58	2.54	3	Vertical	7	1.50	60.08	34.36	6.05	37.87
AV	5.991G	105.05	Inf	-Inf	2.57	3	Vertical	7	1.50	102.48	34.30	6.09	37.82
PK	5.915G	79.43	88.20	-8.77	2.55	3	Vertical	7	1.50	76.88	34.37	6.05	37.87
PK	5.989G	116.36	Inf	-Inf	2.57	3	Vertical	7	1.50	113.79	34.30	6.09	37.82

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	67.78	68.20	-0.42	2.54	3	Horizontal	0	2.56	65.24	34.35	6.06	37.87
AV	6.139G	100.52	Inf	-Inf	2.74	3	Horizontal	0	2.56	97.78	34.30	6.15	37.71
PK	5.925G	82.99	88.20	-5.21	2.54	3	Horizontal	0	2.56	80.45	34.35	6.06	37.87
PK	5.957G	116.28	Inf	-Inf	2.53	3	Horizontal	0	2.56	113.75	34.30	6.07	37.84




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6695MHz_TX






6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6685MHz_TX






6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX





**RSE TX above 1GHz_Beamforming_
Radio 0_Outdoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix E.26

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.38008G	39.42	54.00	-14.58	3	Horizontal	119	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.9221G	82.10	88.20	-6.10	3	Horizontal	0	2.90
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	11.98104G	39.40	54.00	-14.60	3	Horizontal	290	2.94
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	12.34472G	39.61	54.00	-14.39	3	Vertical	224	1.01
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	12.68936G	39.98	54.00	-14.02	3	Horizontal	160	1.63
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.38288G	40.83	54.00	-13.17	3	Vertical	55	1.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.35808G	40.90	54.00	-13.10	3	Horizontal	180	1.76
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.28392G	40.74	54.00	-13.26	3	Vertical	285	1.12
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.31112G	40.82	54.00	-13.18	3	Vertical	48	1.65



**RSE TX above 1GHz_Beamforming_
Radio 0_Outdoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix E.26

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	49.10	68.20	-19.10	3	Vertical	10	1.82
5955MHz	Pass	AV	5.9634G	105.08	Inf	-Inf	3	Vertical	10	1.82
5955MHz	Pass	PK	5.9241G	62.11	88.20	-26.09	3	Vertical	10	1.82
5955MHz	Pass	PK	5.9634G	118.07	Inf	-Inf	3	Vertical	10	1.82
5955MHz	Pass	AV	5.925G	45.15	68.20	-23.05	3	Horizontal	356	1.75
5955MHz	Pass	AV	5.9478G	108.74	Inf	-Inf	3	Horizontal	356	1.75
5955MHz	Pass	PK	5.9232G	62.87	88.20	-25.33	3	Horizontal	356	1.75
5955MHz	Pass	PK	5.9472G	120.22	Inf	-Inf	3	Horizontal	356	1.75
5955MHz	Pass	AV	11.9162G	39.39	54.00	-14.61	3	Vertical	249	2.40
5955MHz	Pass	PK	11.90508G	53.16	74.00	-20.84	3	Vertical	249	2.40
5955MHz	Pass	AV	11.90264G	39.37	54.00	-14.63	3	Horizontal	167	2.47
5955MHz	Pass	PK	11.9116G	52.49	74.00	-21.51	3	Horizontal	167	2.47
6195MHz	Pass	AV	12.38008G	39.41	54.00	-14.59	3	Vertical	218	2.30
6195MHz	Pass	PK	12.38564G	51.99	74.00	-22.01	3	Vertical	218	2.30
6195MHz	Pass	AV	12.38008G	39.42	54.00	-14.58	3	Horizontal	119	1.50
6195MHz	Pass	PK	12.39508G	52.63	74.00	-21.37	3	Horizontal	119	1.50
6415MHz	Pass	AV	12.8392G	40.27	68.20	-27.93	3	Vertical	192	1.24
6415MHz	Pass	PK	12.83616G	54.56	88.20	-33.64	3	Vertical	192	1.24
6415MHz	Pass	AV	12.8382G	40.31	68.20	-27.89	3	Horizontal	119	1.27
6415MHz	Pass	PK	12.83244G	54.22	88.20	-33.98	3	Horizontal	119	1.27
6535MHz	Pass	AV	13.07556G	40.14	68.20	-28.06	3	Vertical	22	1.50
6535MHz	Pass	PK	13.06296G	53.26	88.20	-34.94	3	Vertical	22	1.50
6535MHz	Pass	AV	13.0608G	40.11	68.20	-28.09	3	Horizontal	353	1.00
6535MHz	Pass	PK	13.07832G	53.07	88.20	-35.13	3	Horizontal	353	1.00
6695MHz	Pass	AV	13.38288G	40.83	54.00	-13.17	3	Vertical	55	1.00
6695MHz	Pass	PK	13.39256G	54.10	74.00	-19.90	3	Vertical	55	1.00
6695MHz	Pass	AV	13.3856G	40.82	54.00	-13.18	3	Horizontal	343	2.63
6695MHz	Pass	PK	13.38192G	53.76	74.00	-20.24	3	Horizontal	343	2.63
6855MHz	Pass	AV	13.70712G	41.03	68.20	-27.17	3	Vertical	360	1.50
6855MHz	Pass	PK	13.71764G	54.68	88.20	-33.52	3	Vertical	360	1.50
6855MHz	Pass	AV	13.71016G	41.06	68.20	-27.14	3	Horizontal	133	2.80
6855MHz	Pass	PK	13.7096G	54.49	88.20	-33.71	3	Horizontal	133	2.80
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9218G	49.60	68.20	-18.60	3	Vertical	19	2.77
5965MHz	Pass	AV	5.9836G	103.65	Inf	-Inf	3	Vertical	19	2.77
5965MHz	Pass	PK	5.92G	72.53	88.20	-15.67	3	Vertical	19	2.77
5965MHz	Pass	PK	5.9836G	116.19	Inf	-Inf	3	Vertical	19	2.77
5965MHz	Pass	AV	5.9248G	54.58	68.20	-13.62	3	Horizontal	0	2.90
5965MHz	Pass	AV	5.9464G	105.28	Inf	-Inf	3	Horizontal	0	2.90
5965MHz	Pass	PK	5.9221G	82.10	88.20	-6.10	3	Horizontal	0	2.90
5965MHz	Pass	PK	5.9623G	116.44	Inf	-Inf	3	Horizontal	0	2.90
5965MHz	Pass	AV	11.94728G	39.52	54.00	-14.48	3	Vertical	333	1.50
5965MHz	Pass	PK	11.93744G	53.08	74.00	-20.92	3	Vertical	333	1.50
5965MHz	Pass	AV	11.9484G	39.47	54.00	-14.53	3	Horizontal	177	1.22
5965MHz	Pass	PK	11.9408G	52.73	74.00	-21.27	3	Horizontal	177	1.22
6205MHz	Pass	AV	12.39496G	39.29	54.00	-14.71	3	Vertical	53	1.50
6205MHz	Pass	PK	12.40656G	52.80	74.00	-21.20	3	Vertical	53	1.50
6205MHz	Pass	AV	12.3908G	39.30	54.00	-14.70	3	Horizontal	282	1.50
6205MHz	Pass	PK	12.39104G	53.17	74.00	-20.83	3	Horizontal	282	1.50
6405MHz	Pass	AV	12.8136G	40.28	68.20	-27.92	3	Vertical	65	1.50
6405MHz	Pass	PK	12.82096G	53.37	88.20	-34.83	3	Vertical	65	1.50
6405MHz	Pass	AV	12.80552G	40.36	68.20	-27.84	3	Horizontal	244	2.46
6405MHz	Pass	PK	12.81224G	53.70	88.20	-34.50	3	Horizontal	244	2.46
6565MHz	Pass	AV	13.14408G	40.50	68.20	-27.70	3	Vertical	280	1.50
6565MHz	Pass	PK	13.12704G	53.74	88.20	-34.46	3	Vertical	280	1.50
6565MHz	Pass	AV	13.14856G	40.43	68.20	-27.77	3	Horizontal	7	1.50
6565MHz	Pass	PK	13.11488G	54.04	88.20	-34.16	3	Horizontal	7	1.50
6685MHz	Pass	AV	13.35728G	40.85	54.00	-13.15	3	Vertical	258	1.50
6685MHz	Pass	PK	13.3516G	54.32	74.00	-19.68	3	Vertical	258	1.50
6685MHz	Pass	AV	13.35808G	40.90	54.00	-13.10	3	Horizontal	180	1.76



**RSE TX above 1GHz_Beamforming_
Radio 0_Outdoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix E.26

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.36752G	53.86	74.00	-20.14	3	Horizontal	180	1.76
6845MHz	Pass	AV	13.69144G	41.07	68.20	-27.13	3	Vertical	3	1.10
6845MHz	Pass	PK	13.70512G	54.75	88.20	-33.45	3	Vertical	3	1.10
6845MHz	Pass	AV	13.68736G	41.05	68.20	-27.15	3	Horizontal	154	1.62
6845MHz	Pass	PK	13.692G	54.32	88.20	-33.88	3	Horizontal	154	1.62
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	43.97	68.20	-24.23	3	Vertical	346	2.80
5985MHz	Pass	AV	5.995G	99.37	Inf	-Inf	3	Vertical	346	2.80
5985MHz	Pass	PK	5.923G	64.87	88.20	-23.33	3	Vertical	346	2.80
5985MHz	Pass	PK	6.003G	112.02	Inf	-Inf	3	Vertical	346	2.80
5985MHz	Pass	AV	5.925G	51.22	68.20	-16.98	3	Horizontal	0	1.98
5985MHz	Pass	AV	5.957G	100.86	Inf	-Inf	3	Horizontal	0	1.98
5985MHz	Pass	PK	5.92G	72.58	88.20	-15.62	3	Horizontal	0	1.98
5985MHz	Pass	PK	5.955G	114.26	Inf	-Inf	3	Horizontal	0	1.98
5985MHz	Pass	AV	11.98072G	39.38	54.00	-14.62	3	Vertical	266	1.50
5985MHz	Pass	PK	11.978G	53.23	74.00	-20.77	3	Vertical	266	1.50
5985MHz	Pass	AV	11.98104G	39.40	54.00	-14.60	3	Horizontal	290	2.94
5985MHz	Pass	PK	11.95224G	52.98	74.00	-21.02	3	Horizontal	290	2.94
6225MHz	Pass	AV	12.47752G	39.15	54.00	-14.85	3	Vertical	186	1.79
6225MHz	Pass	PK	12.46536G	53.40	74.00	-20.60	3	Vertical	186	1.79
6225MHz	Pass	AV	12.47688G	39.19	54.00	-14.81	3	Horizontal	104	1.50
6225MHz	Pass	PK	12.45912G	52.82	74.00	-21.18	3	Horizontal	104	1.50
6385MHz	Pass	AV	12.75016G	40.20	68.20	-28.00	3	Vertical	173	3.00
6385MHz	Pass	PK	12.7364G	53.45	88.20	-34.75	3	Vertical	173	3.00
6385MHz	Pass	AV	12.78104G	40.22	68.20	-27.98	3	Horizontal	167	1.50
6385MHz	Pass	PK	12.74648G	53.91	88.20	-34.29	3	Horizontal	167	1.50
6625MHz	Pass	AV	13.28392G	40.74	54.00	-13.26	3	Vertical	285	1.12
6625MHz	Pass	PK	13.2588G	53.95	74.00	-20.05	3	Vertical	285	1.12
6625MHz	Pass	AV	13.28904G	40.70	54.00	-13.30	3	Horizontal	203	1.50
6625MHz	Pass	PK	13.22408G	53.99	88.20	-34.21	3	Horizontal	203	1.50
6705MHz	Pass	AV	13.44936G	40.92	68.20	-27.28	3	Vertical	170	1.50
6705MHz	Pass	PK	13.43512G	54.21	88.20	-33.99	3	Vertical	170	1.50
6705MHz	Pass	AV	13.45G	40.92	68.20	-27.28	3	Horizontal	312	1.50
6705MHz	Pass	PK	13.39272G	54.49	74.00	-19.51	3	Horizontal	312	1.50
6785MHz	Pass	AV	13.53784G	41.56	68.20	-26.64	3	Vertical	107	2.93
6785MHz	Pass	PK	13.5676G	54.60	88.20	-33.60	3	Vertical	107	2.93
6785MHz	Pass	AV	13.53432G	41.52	68.20	-26.68	3	Horizontal	160	1.54
6785MHz	Pass	PK	13.56264G	54.72	88.20	-33.48	3	Horizontal	160	1.54
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9225G	43.75	68.20	-24.45	3	Vertical	0	1.04
6025MHz	Pass	AV	6.0015G	100.08	Inf	-Inf	3	Vertical	0	1.04
6025MHz	Pass	PK	5.912G	59.82	88.20	-28.38	3	Vertical	0	1.04
6025MHz	Pass	PK	6.004G	111.99	Inf	-Inf	3	Vertical	0	1.04
6025MHz	Pass	AV	5.915G	45.75	68.20	-22.45	3	Horizontal	360	2.12
6025MHz	Pass	AV	6.081G	102.81	Inf	-Inf	3	Horizontal	360	2.12
6025MHz	Pass	PK	5.925G	68.66	88.20	-19.54	3	Horizontal	360	2.12
6025MHz	Pass	PK	6.082G	114.81	Inf	-Inf	3	Horizontal	360	2.12
6025MHz	Pass	AV	12.04616G	39.58	54.00	-14.42	3	Vertical	291	1.50
6025MHz	Pass	PK	11.97896G	52.77	74.00	-21.23	3	Vertical	291	1.50
6025MHz	Pass	AV	12.03048G	39.51	54.00	-14.49	3	Horizontal	334	1.21
6025MHz	Pass	PK	12.00936G	53.37	74.00	-20.63	3	Horizontal	334	1.21
6185MHz	Pass	AV	12.34472G	39.61	54.00	-14.39	3	Vertical	224	1.01
6185MHz	Pass	PK	12.36008G	53.06	74.00	-20.94	3	Vertical	224	1.01
6185MHz	Pass	AV	12.3444G	39.58	54.00	-14.42	3	Horizontal	322	2.38
6185MHz	Pass	PK	12.40488G	52.82	74.00	-21.18	3	Horizontal	322	2.38
6345MHz	Pass	AV	12.7556G	40.32	68.20	-27.88	3	Vertical	110	1.43
6345MHz	Pass	PK	12.69736G	53.15	74.00	-20.85	3	Vertical	110	1.43
6345MHz	Pass	AV	12.75464G	40.23	68.20	-27.97	3	Horizontal	247	1.50
6345MHz	Pass	PK	12.7108G	53.27	88.20	-34.93	3	Horizontal	247	1.50
6665MHz	Pass	AV	13.31112G	40.82	54.00	-13.18	3	Vertical	48	1.65
6665MHz	Pass	PK	13.3972G	53.77	74.00	-20.23	3	Vertical	48	1.65
6665MHz	Pass	AV	13.30632G	40.82	54.00	-13.18	3	Horizontal	336	1.50




**RSE TX above 1GHz_Beamforming_
Radio 0_Outdoor_Full RU_ATS-OP-2456-81010-4NP-36**

Appendix E.26

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.37608G	54.61	74.00	-19.39	3	Horizontal	336	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	45.33	68.20	-22.87	3	Vertical	360	2.27
6105MHz	Pass	AV	6.169G	93.80	Inf	-Inf	3	Vertical	360	2.27
6105MHz	Pass	PK	5.923G	61.02	88.20	-27.18	3	Vertical	360	2.27
6105MHz	Pass	PK	6.055G	107.21	Inf	-Inf	3	Vertical	360	2.27
6105MHz	Pass	AV	5.921G	50.20	68.20	-18.00	3	Horizontal	360	2.02
6105MHz	Pass	AV	5.957G	100.32	Inf	-Inf	3	Horizontal	360	2.02
6105MHz	Pass	PK	5.912G	67.07	88.20	-21.13	3	Horizontal	360	2.02
6105MHz	Pass	PK	5.952G	115.10	Inf	-Inf	3	Horizontal	360	2.02
6105MHz	Pass	AV	12.25032G	39.58	54.00	-14.42	3	Vertical	294	1.50
6105MHz	Pass	PK	12.31432G	53.73	74.00	-20.27	3	Vertical	294	1.50
6105MHz	Pass	AV	12.34632G	39.58	54.00	-14.42	3	Horizontal	137	3.00
6105MHz	Pass	PK	12.30472G	53.17	74.00	-20.83	3	Horizontal	137	3.00
6265MHz	Pass	AV	12.68232G	39.95	54.00	-14.05	3	Vertical	87	1.50
6265MHz	Pass	PK	12.60296G	54.18	74.00	-19.82	3	Vertical	87	1.50
6265MHz	Pass	AV	12.68936G	39.98	54.00	-14.02	3	Horizontal	160	1.63
6265MHz	Pass	PK	12.54408G	53.47	74.00	-20.53	3	Horizontal	160	1.63


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9218G	49.60	68.20	-18.60	2.54	3	Vertical	19	2.77	47.06	34.36	6.05	37.87
AV	5.9836G	103.65	Inf	-Inf	2.56	3	Vertical	19	2.77	101.09	34.30	6.08	37.82
PK	5.92G	72.53	88.20	-15.67	2.54	3	Vertical	19	2.77	69.99	34.36	6.05	37.87
PK	5.9836G	116.19	Inf	-Inf	2.56	3	Vertical	19	2.77	113.63	34.30	6.08	37.82

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	54.58	68.20	-13.62	2.54	3	Horizontal	0	2.90	52.04	34.35	6.06	37.87
AV	5.9464G	105.28	Inf	-Inf	2.53	3	Horizontal	0	2.90	102.75	34.31	6.07	37.85
PK	5.9221G	82.10	88.20	-6.10	2.54	3	Horizontal	0	2.90	79.56	34.36	6.05	37.87
PK	5.9623G	116.44	Inf	-Inf	2.53	3	Horizontal	0	2.90	113.91	34.30	6.07	37.84




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6685MHz_TX






6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6625MHz_TX






6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	13.33096G	42.11	54.00	-11.89	Vertical
Mode 2	Pass	AV	13.32756G	42.18	54.00	-11.82	Vertical
Mode 3	Pass	AV	13.39656G	42.39	54.00	-11.61	Horizontal
Mode 4	Pass	AV	13.338G	42.06	54.00	-11.94	Horizontal
Mode 5	Pass	AV	13.33592G	42.15	54.00	-11.85	Horizontal
Mode 6	Pass	AV	13.32756G	42.49	54.00	-11.51	Horizontal


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.87388G	32.70	54.00	-21.30	3	Vertical	185	3.00	-
Mode 1	Pass	AV	4.88178G	31.04	54.00	-22.96	3	Vertical	139	2.96	-
Mode 1	Pass	AV	7.30756G	36.97	54.00	-17.03	3	Vertical	1	2.11	-
Mode 1	Pass	AV	10.54746G	40.17	68.20	-28.03	3	Vertical	133	1.50	-
Mode 1	Pass	AV	13.33096G	42.11	54.00	-11.89	3	Vertical	300	1.50	-
Mode 1	Pass	PK	4.87396G	47.19	74.00	-26.81	3	Vertical	185	3.00	-
Mode 1	Pass	PK	4.87947G	43.01	74.00	-30.99	3	Vertical	139	2.96	-
Mode 1	Pass	PK	7.30788G	48.66	74.00	-25.34	3	Vertical	1	2.11	-
Mode 1	Pass	PK	10.54749G	52.48	88.20	-35.72	3	Vertical	133	1.50	-
Mode 1	Pass	PK	13.33184G	54.16	74.00	-19.84	3	Vertical	300	1.50	-
Mode 1	Pass	AV	4.87392G	30.14	54.00	-23.86	3	Horizontal	122	2.86	-
Mode 1	Pass	AV	4.87931G	30.80	54.00	-23.20	3	Horizontal	360	1.50	-
Mode 1	Pass	AV	7.31304G	37.13	54.00	-16.87	3	Horizontal	37	1.49	-
Mode 1	Pass	AV	10.54544G	39.94	68.20	-28.26	3	Horizontal	96	2.48	-
Mode 1	Pass	AV	13.33076G	41.98	54.00	-12.02	3	Horizontal	181	2.62	-
Mode 1	Pass	PK	4.874G	45.16	74.00	-28.84	3	Horizontal	122	2.86	-
Mode 1	Pass	PK	4.87814G	43.16	74.00	-30.84	3	Horizontal	360	1.50	-
Mode 1	Pass	PK	7.31248G	48.98	74.00	-25.02	3	Horizontal	37	1.49	-
Mode 1	Pass	PK	10.54328G	52.68	88.20	-35.52	3	Horizontal	96	2.48	-
Mode 1	Pass	PK	13.3284G	54.70	74.00	-19.30	3	Horizontal	181	2.62	-
Mode 2	Pass	AV	4.86416G	30.86	54.00	-23.14	3	Vertical	66	1.50	-
Mode 2	Pass	AV	4.88189G	31.06	54.00	-22.94	3	Vertical	67	1.50	-
Mode 2	Pass	AV	7.31048G	37.17	54.00	-16.83	3	Vertical	257	2.93	-
Mode 2	Pass	AV	10.533G	40.11	68.20	-28.09	3	Vertical	294	2.46	-
Mode 2	Pass	AV	11.16964G	40.30	54.00	-13.70	3	Vertical	18	1.61	-
Mode 2	Pass	AV	13.32756G	42.18	54.00	-11.82	3	Vertical	65	3.00	-
Mode 2	Pass	AV	16.73744G	40.44	68.20	-27.76	3	Vertical	34	2.91	-
Mode 2	Pass	PK	4.88058G	43.25	74.00	-30.75	3	Vertical	67	1.50	-
Mode 2	Pass	PK	4.88144G	43.49	74.00	-30.51	3	Vertical	66	1.50	-
Mode 2	Pass	PK	7.31036G	49.20	74.00	-24.80	3	Vertical	257	2.93	-
Mode 2	Pass	PK	10.54832G	52.40	88.20	-35.80	3	Vertical	294	2.46	-
Mode 2	Pass	PK	11.1634G	51.95	74.00	-22.05	3	Vertical	18	1.61	-
Mode 2	Pass	PK	13.32368G	54.60	74.00	-19.40	3	Vertical	65	3.00	-
Mode 2	Pass	PK	16.73328G	52.16	88.20	-36.04	3	Vertical	34	2.91	-
Mode 2	Pass	AV	4.86516G	30.93	54.00	-23.07	3	Horizontal	295	1.71	-
Mode 2	Pass	AV	4.87903G	30.79	54.00	-23.21	3	Horizontal	316	1.50	-
Mode 2	Pass	AV	7.309G	37.11	54.00	-16.89	3	Horizontal	14	1.45	-
Mode 2	Pass	AV	10.53288G	40.21	68.20	-27.99	3	Horizontal	188	1.24	-
Mode 2	Pass	AV	11.15416G	40.50	54.00	-13.50	3	Horizontal	251	2.53	-
Mode 2	Pass	AV	13.32364G	42.16	54.00	-11.84	3	Horizontal	56	2.28	-
Mode 2	Pass	AV	16.73028G	40.72	68.20	-27.48	3	Horizontal	87	1.06	-
Mode 2	Pass	PK	4.87104G	43.14	74.00	-30.86	3	Horizontal	295	1.71	-
Mode 2	Pass	PK	4.87826G	42.96	74.00	-31.04	3	Horizontal	316	1.50	-
Mode 2	Pass	PK	7.31392G	49.07	74.00	-24.93	3	Horizontal	14	1.45	-
Mode 2	Pass	PK	10.5354G	52.48	88.20	-35.72	3	Horizontal	188	1.24	-
Mode 2	Pass	PK	11.16992G	52.42	74.00	-21.58	3	Horizontal	251	2.53	-
Mode 2	Pass	PK	13.32768G	54.27	74.00	-19.73	3	Horizontal	56	2.28	-
Mode 2	Pass	PK	16.73544G	52.60	88.20	-35.60	3	Horizontal	87	1.06	-
Mode 3	Pass	AV	4.86552G	31.16	54.00	-22.84	3	Vertical	344	1.79	-
Mode 3	Pass	AV	4.88063G	31.15	54.00	-22.85	3	Vertical	233	2.08	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 3	Pass	AV	7.31492G	37.15	54.00	-16.85	3	Vertical	49	2.84	-
Mode 3	Pass	AV	10.53388G	39.89	68.20	-28.31	3	Vertical	166	2.85	-
Mode 3	Pass	AV	13.32124G	42.21	54.00	-11.79	3	Vertical	184	1.32	-
Mode 3	Pass	AV	13.38604G	42.36	54.00	-11.64	3	Vertical	20	2.07	-
Mode 3	Pass	PK	4.87324G	42.93	74.00	-31.07	3	Vertical	344	1.79	-
Mode 3	Pass	PK	4.87765G	43.15	74.00	-30.85	3	Vertical	233	2.08	-
Mode 3	Pass	PK	7.32068G	49.21	74.00	-24.79	3	Vertical	49	2.84	-
Mode 3	Pass	PK	10.53484G	51.79	88.20	-36.41	3	Vertical	166	2.85	-
Mode 3	Pass	PK	13.33384G	53.86	74.00	-20.14	3	Vertical	184	1.32	-
Mode 3	Pass	PK	13.38456G	54.20	74.00	-19.80	3	Vertical	20	2.07	-
Mode 3	Pass	AV	4.86632G	31.05	54.00	-22.95	3	Horizontal	35	2.98	-
Mode 3	Pass	AV	4.87979G	30.99	54.00	-23.01	3	Horizontal	335	2.95	-
Mode 3	Pass	AV	7.31324G	37.17	54.00	-16.83	3	Horizontal	119	2.67	-
Mode 3	Pass	AV	10.53132G	39.89	68.20	-28.31	3	Horizontal	283	1.31	-
Mode 3	Pass	AV	13.32592G	42.09	54.00	-11.91	3	Horizontal	116	2.01	-
Mode 3	Pass	AV	13.39656G	42.39	54.00	-11.61	3	Horizontal	167	2.34	-
Mode 3	Pass	PK	4.86424G	43.24	74.00	-30.76	3	Horizontal	35	2.98	-
Mode 3	Pass	PK	4.87763G	43.11	74.00	-30.89	3	Horizontal	335	2.95	-
Mode 3	Pass	PK	7.31412G	48.58	74.00	-25.42	3	Horizontal	119	2.67	-
Mode 3	Pass	PK	10.53064G	51.80	88.20	-36.40	3	Horizontal	283	1.31	-
Mode 3	Pass	PK	13.32448G	53.75	74.00	-20.25	3	Horizontal	116	2.01	-
Mode 3	Pass	PK	13.3866G	54.59	74.00	-19.41	3	Horizontal	167	2.34	-
Mode 4	Pass	AV	4.86724G	31.09	54.00	-22.91	3	Vertical	83	2.46	-
Mode 4	Pass	AV	4.95802G	31.54	54.00	-22.46	3	Vertical	278	2.96	-
Mode 4	Pass	AV	7.31404G	37.03	54.00	-16.97	3	Vertical	15	2.30	-
Mode 4	Pass	AV	10.53324G	39.98	68.20	-28.22	3	Vertical	82	2.14	-
Mode 4	Pass	AV	13.32008G	42.04	54.00	-11.96	3	Vertical	170	1.38	-
Mode 4	Pass	PK	4.88312G	42.79	74.00	-31.21	3	Vertical	83	2.46	-
Mode 4	Pass	PK	4.96011G	44.16	74.00	-29.84	3	Vertical	278	2.96	-
Mode 4	Pass	PK	7.31084G	49.89	74.00	-24.11	3	Vertical	15	2.30	-
Mode 4	Pass	PK	10.53216G	51.83	88.20	-36.37	3	Vertical	82	2.14	-
Mode 4	Pass	PK	13.32204G	54.08	74.00	-19.92	3	Vertical	170	1.38	-
Mode 4	Pass	AV	4.86432G	31.11	54.00	-22.89	3	Horizontal	52	1.60	-
Mode 4	Pass	AV	4.96174G	31.47	54.00	-22.53	3	Horizontal	279	1.75	-
Mode 4	Pass	AV	7.31424G	36.98	54.00	-17.02	3	Horizontal	315	1.05	-
Mode 4	Pass	AV	10.53144G	39.96	68.20	-28.24	3	Horizontal	210	1.19	-
Mode 4	Pass	AV	13.338G	42.06	54.00	-11.94	3	Horizontal	30	1.89	-
Mode 4	Pass	PK	4.86868G	42.95	74.00	-31.05	3	Horizontal	52	1.60	-
Mode 4	Pass	PK	4.95756G	43.27	74.00	-30.73	3	Horizontal	279	1.75	-
Mode 4	Pass	PK	7.30156G	48.87	74.00	-25.13	3	Horizontal	315	1.05	-
Mode 4	Pass	PK	10.54208G	51.77	88.20	-36.43	3	Horizontal	210	1.19	-
Mode 4	Pass	PK	13.33088G	54.50	74.00	-19.50	3	Horizontal	30	1.89	-
Mode 5	Pass	AV	4.8728G	31.11	54.00	-22.89	3	Vertical	226	1.33	-
Mode 5	Pass	AV	4.95962G	31.49	54.00	-22.51	3	Vertical	145	1.99	-
Mode 5	Pass	AV	7.31244G	37.19	54.00	-16.81	3	Vertical	91	2.77	-
Mode 5	Pass	AV	10.54992G	40.02	68.20	-28.18	3	Vertical	341	2.39	-
Mode 5	Pass	AV	11.16132G	40.40	54.00	-13.60	3	Vertical	103	2.86	-
Mode 5	Pass	AV	13.32832G	42.11	54.00	-11.89	3	Vertical	39	1.59	-
Mode 5	Pass	AV	16.7328G	40.54	68.20	-27.66	3	Vertical	190	1.76	-
Mode 5	Pass	PK	4.8712G	43.04	74.00	-30.96	3	Vertical	226	1.33	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 5	Pass	PK	4.95914G	43.75	74.00	-30.25	3	Vertical	145	1.99	-
Mode 5	Pass	PK	7.31436G	48.77	74.00	-25.23	3	Vertical	91	2.77	-
Mode 5	Pass	PK	10.53068G	52.19	88.20	-36.01	3	Vertical	341	2.39	-
Mode 5	Pass	PK	11.1582G	52.07	74.00	-21.93	3	Vertical	103	2.86	-
Mode 5	Pass	PK	13.32268G	53.60	74.00	-20.40	3	Vertical	39	1.59	-
Mode 5	Pass	PK	16.74276G	52.84	88.20	-35.36	3	Vertical	190	1.76	-
Mode 5	Pass	AV	4.86452G	31.05	54.00	-22.95	3	Horizontal	90	1.05	-
Mode 5	Pass	AV	4.9592G	31.43	54.00	-22.57	3	Horizontal	149	2.97	-
Mode 5	Pass	AV	7.3142G	37.10	54.00	-16.90	3	Horizontal	97	2.95	-
Mode 5	Pass	AV	10.5322G	40.11	68.20	-28.09	3	Horizontal	127	1.54	-
Mode 5	Pass	AV	11.1564G	40.38	54.00	-13.62	3	Horizontal	25	2.47	-
Mode 5	Pass	AV	13.33592G	42.15	54.00	-11.85	3	Horizontal	0	1.02	-
Mode 5	Pass	AV	16.7408G	40.57	68.20	-27.63	3	Horizontal	189	2.11	-
Mode 5	Pass	PK	4.86584G	42.89	74.00	-31.11	3	Horizontal	90	1.05	-
Mode 5	Pass	PK	4.96236G	43.34	74.00	-30.66	3	Horizontal	149	2.97	-
Mode 5	Pass	PK	7.31292G	48.82	74.00	-25.18	3	Horizontal	97	2.95	-
Mode 5	Pass	PK	10.53244G	51.64	88.20	-36.56	3	Horizontal	127	1.54	-
Mode 5	Pass	PK	11.16064G	52.09	74.00	-21.91	3	Horizontal	25	2.47	-
Mode 5	Pass	PK	13.33132G	54.07	74.00	-19.93	3	Horizontal	0	1.02	-
Mode 5	Pass	PK	16.73188G	51.84	88.20	-36.36	3	Horizontal	189	2.11	-
Mode 6	Pass	AV	4.86988G	31.05	54.00	-22.95	3	Vertical	16	1.80	-
Mode 6	Pass	AV	4.95813G	31.44	54.00	-22.56	3	Vertical	354	1.71	-
Mode 6	Pass	AV	7.31252G	36.99	54.00	-17.01	3	Vertical	159	2.51	-
Mode 6	Pass	AV	10.53316G	40.00	68.20	-28.20	3	Vertical	342	1.11	-
Mode 6	Pass	AV	13.3268G	42.14	54.00	-11.86	3	Vertical	144	1.74	-
Mode 6	Pass	AV	13.39808G	42.40	54.00	-11.60	3	Vertical	10	1.66	-
Mode 6	Pass	PK	4.86616G	43.00	74.00	-31.00	3	Vertical	16	1.80	-
Mode 6	Pass	PK	4.95983G	43.36	74.00	-30.64	3	Vertical	354	1.71	-
Mode 6	Pass	PK	7.3126G	48.73	74.00	-25.27	3	Vertical	159	2.51	-
Mode 6	Pass	PK	10.54212G	51.90	88.20	-36.30	3	Vertical	342	1.11	-
Mode 6	Pass	PK	13.324G	54.48	74.00	-19.52	3	Vertical	144	1.74	-
Mode 6	Pass	PK	13.38564G	54.48	74.00	-19.52	3	Vertical	10	1.66	-
Mode 6	Pass	AV	4.86572G	31.08	54.00	-22.92	3	Horizontal	159	1.08	-
Mode 6	Pass	AV	4.95751G	31.56	54.00	-22.44	3	Horizontal	246	1.88	-
Mode 6	Pass	AV	7.30944G	37.03	54.00	-16.97	3	Horizontal	135	2.43	-
Mode 6	Pass	AV	10.5302G	40.19	68.20	-28.01	3	Horizontal	175	2.48	-
Mode 6	Pass	AV	13.32756G	42.49	54.00	-11.51	3	Horizontal	138	2.64	-
Mode 6	Pass	AV	13.39552G	42.26	54.00	-11.74	3	Horizontal	57	2.86	-
Mode 6	Pass	PK	4.87188G	42.67	74.00	-31.33	3	Horizontal	159	1.08	-
Mode 6	Pass	PK	4.9621G	43.90	74.00	-30.10	3	Horizontal	246	1.88	-
Mode 6	Pass	PK	7.31368G	48.46	74.00	-25.54	3	Horizontal	135	2.43	-
Mode 6	Pass	PK	10.54536G	52.82	88.20	-35.38	3	Horizontal	175	2.48	-
Mode 6	Pass	PK	13.32312G	54.01	74.00	-19.99	3	Horizontal	138	2.64	-
Mode 6	Pass	PK	13.39952G	54.22	74.00	-19.78	3	Horizontal	57	2.86	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87388G	32.70	54.00	-21.30	-4.42	3	Vertical	185	3.00	37.12	32.85	7.04	44.31
AV	4.88178G	31.04	54.00	-22.96	-4.40	3	Vertical	139	2.96	35.44	32.86	7.05	44.31
AV	7.30756G	36.97	54.00	-17.03	1.67	3	Vertical	1	2.11	35.30	37.04	8.83	44.20
AV	10.54746G	40.17	68.20	-28.03	6.54	3	Vertical	133	1.50	33.63	38.69	10.28	42.43
AV	13.33096G	42.11	54.00	-11.89	8.44	3	Vertical	300	1.50	33.67	39.86	11.22	42.64
PK	4.87396G	47.19	74.00	-26.81	-4.42	3	Vertical	185	3.00	51.61	32.85	7.04	44.31
PK	4.87947G	43.01	74.00	-30.99	-4.40	3	Vertical	139	2.96	47.41	32.86	7.05	44.31
PK	7.30788G	48.66	74.00	-25.34	1.67	3	Vertical	1	2.11	46.99	37.04	8.83	44.20
PK	10.54749G	52.48	88.20	-35.72	6.54	3	Vertical	133	1.50	45.94	38.69	10.28	42.43
PK	13.33184G	54.16	74.00	-19.84	8.44	3	Vertical	300	1.50	45.72	39.86	11.22	42.64

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87392G	30.14	54.00	-23.86	-4.42	3	Horizontal	122	2.86	34.56	32.85	7.04	44.31
AV	4.87931G	30.80	54.00	-23.20	-4.40	3	Horizontal	360	1.50	35.20	32.86	7.05	44.31
AV	7.31304G	37.13	54.00	-16.87	1.63	3	Horizontal	37	1.49	35.50	37.00	8.83	44.20
AV	10.54544G	39.94	68.20	-28.26	6.55	3	Horizontal	96	2.48	33.39	38.69	10.28	42.42
AV	13.33076G	41.98	54.00	-12.02	8.44	3	Horizontal	181	2.62	33.54	39.86	11.22	42.64
PK	4.874G	45.16	74.00	-28.84	-4.42	3	Horizontal	122	2.86	49.58	32.85	7.04	44.31
PK	4.87814G	43.16	74.00	-30.84	-4.41	3	Horizontal	360	1.50	47.57	32.86	7.04	44.31
PK	7.31248G	48.98	74.00	-25.02	1.63	3	Horizontal	37	1.49	47.35	37.00	8.83	44.20
PK	10.54328G	52.68	88.20	-35.52	6.55	3	Horizontal	96	2.48	46.13	38.69	10.28	42.42
PK	13.3284G	54.70	74.00	-19.30	8.44	3	Horizontal	181	2.62	46.26	39.86	11.22	42.64

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86416G	30.86	54.00	-23.14	-4.45	3	Vertical	66	1.50	35.31	32.83	7.03	44.31
AV	4.88189G	31.06	54.00	-22.94	-4.40	3	Vertical	67	1.50	35.46	32.86	7.05	44.31
AV	7.31048G	37.17	54.00	-16.83	1.65	3	Vertical	257	2.93	35.52	37.02	8.83	44.20
AV	10.5333G	40.11	68.20	-28.09	6.54	3	Vertical	294	2.46	33.57	38.67	10.28	42.41
AV	11.16964G	40.30	54.00	-13.70	6.71	3	Vertical	18	1.61	33.59	38.82	10.51	42.62
AV	13.32756G	42.18	54.00	-11.82	8.44	3	Vertical	65	3.00	33.74	39.86	11.22	42.64
AV	16.73744G	40.44	68.20	-27.76	6.73	3	Vertical	34	2.91	33.71	37.95	12.34	43.56
PK	4.88058G	43.25	74.00	-30.75	-4.40	3	Vertical	67	1.50	47.65	32.86	7.05	44.31
PK	4.88144G	43.49	74.00	-30.51	-4.40	3	Vertical	66	1.50	47.89	32.86	7.05	44.31
PK	7.31036G	49.20	74.00	-24.80	1.65	3	Vertical	257	2.93	47.55	37.02	8.83	44.20
PK	10.54832G	52.40	88.20	-35.80	6.55	3	Vertical	294	2.46	45.85	38.70	10.28	42.43
PK	11.1634G	51.95	74.00	-22.05	6.65	3	Vertical	18	1.61	45.30	38.78	10.50	42.63
PK	13.32368G	54.60	74.00	-19.40	8.43	3	Vertical	65	3.00	46.17	39.85	11.22	42.64
PK	16.73328G	52.16	88.20	-36.04	6.75	3	Vertical	34	2.91	45.41	37.97	12.34	43.56

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86516G	30.93	54.00	-23.07	-4.44	3	Horizontal	295	1.71	35.37	32.83	7.04	44.31
AV	4.87903G	30.79	54.00	-23.21	-4.40	3	Horizontal	316	1.50	35.19	32.86	7.05	44.31
AV	7.309G	37.11	54.00	-16.89	1.66	3	Horizontal	14	1.45	35.45	37.03	8.83	44.20
AV	10.53288G	40.21	68.20	-27.99	6.54	3	Horizontal	188	1.24	33.67	38.67	10.28	42.41
AV	11.15416G	40.50	54.00	-13.50	6.59	3	Horizontal	251	2.53	33.91	38.72	10.50	42.63
AV	13.32364G	42.16	54.00	-11.84	8.43	3	Horizontal	56	2.28	33.73	39.85	11.22	42.64
AV	16.73028G	40.72	68.20	-27.48	6.75	3	Horizontal	87	1.06	33.97	37.98	12.33	43.56
PK	4.87104G	43.14	74.00	-30.86	-4.43	3	Horizontal	295	1.71	47.57	32.84	7.04	44.31
PK	4.87826G	42.96	74.00	-31.04	-4.41	3	Horizontal	316	1.50	47.37	32.86	7.04	44.31
PK	7.31392G	49.07	74.00	-24.93	1.62	3	Horizontal	14	1.45	47.45	36.99	8.83	44.20
PK	10.5354G	52.48	88.20	-35.72	6.53	3	Horizontal	188	1.24	45.95	38.67	10.28	42.42
PK	11.16992G	52.42	74.00	-21.58	6.71	3	Horizontal	251	2.53	45.71	38.82	10.51	42.62
PK	13.32768G	54.27	74.00	-19.73	8.44	3	Horizontal	56	2.28	45.83	39.86	11.22	42.64
PK	16.73544G	52.60	88.20	-35.60	6.74	3	Horizontal	87	1.06	45.86	37.96	12.34	43.56

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86552G	31.16	54.00	-22.84	-4.44	3	Vertical	344	1.79	35.60	32.83	7.04	44.31
AV	4.88063G	31.15	54.00	-22.85	-4.40	3	Vertical	233	2.08	35.55	32.86	7.05	44.31
AV	7.31492G	37.15	54.00	-16.85	1.61	3	Vertical	49	2.84	35.54	36.98	8.83	44.20
AV	10.53388G	39.89	68.20	-28.31	6.53	3	Vertical	166	2.85	33.36	38.67	10.28	42.42
AV	13.32124G	42.21	54.00	-11.79	8.42	3	Vertical	184	1.32	33.79	39.84	11.22	42.64
AV	13.38604G	42.36	54.00	-11.64	8.57	3	Vertical	20	2.07	33.79	39.97	11.24	42.64
PK	4.87324G	42.93	74.00	-31.07	-4.42	3	Vertical	344	1.79	47.35	32.85	7.04	44.31
PK	4.87765G	43.15	74.00	-30.85	-4.41	3	Vertical	233	2.08	47.56	32.86	7.04	44.31
PK	7.32068G	49.21	74.00	-24.79	1.58	3	Vertical	49	2.84	47.63	36.93	8.84	44.19
PK	10.53484G	51.79	88.20	-36.41	6.53	3	Vertical	166	2.85	45.26	38.67	10.28	42.42
PK	13.33384G	53.86	74.00	-20.14	8.45	3	Vertical	184	1.32	45.41	39.87	11.22	42.64
PK	13.38456G	54.20	74.00	-19.80	8.57	3	Vertical	20	2.07	45.63	39.97	11.24	42.64

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86632G	31.05	54.00	-22.95	-4.44	3	Horizontal	35	2.98	35.49	32.83	7.04	44.31
AV	4.87979G	30.99	54.00	-23.01	-4.40	3	Horizontal	335	2.95	35.39	32.86	7.05	44.31
AV	7.31324G	37.17	54.00	-16.83	1.62	3	Horizontal	119	2.67	35.55	36.99	8.83	44.20
AV	10.53132G	39.89	68.20	-28.31	6.53	3	Horizontal	283	1.31	33.36	38.66	10.28	42.41
AV	13.32592G	42.09	54.00	-11.91	8.43	3	Horizontal	116	2.01	33.66	39.85	11.22	42.64
AV	13.39656G	42.39	54.00	-11.61	8.59	3	Horizontal	167	2.34	33.80	39.99	11.24	42.64
PK	4.86424G	43.24	74.00	-30.76	-4.45	3	Horizontal	35	2.98	47.69	32.83	7.03	44.31
PK	4.87763G	43.11	74.00	-30.89	-4.41	3	Horizontal	335	2.95	47.52	32.86	7.04	44.31
PK	7.31412G	48.58	74.00	-25.42	1.62	3	Horizontal	119	2.67	46.96	36.99	8.83	44.20
PK	10.53064G	51.80	88.20	-36.40	6.53	3	Horizontal	283	1.31	45.27	38.66	10.28	42.41
PK	13.32448G	53.75	74.00	-20.25	8.43	3	Horizontal	116	2.01	45.32	39.85	11.22	42.64
PK	13.3866G	54.59	74.00	-19.41	8.57	3	Horizontal	167	2.34	46.02	39.97	11.24	42.64


Radiated Emissions above 1GHz_Mode 4



Radiated Emissions above 1GHz_Mode 4




Radiated Emissions above 1GHz_Mode 5




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)		
AV	4.8728G	31.11	54.00	-22.89	-4.42	3	Vertical	226	1.33	35.53	32.85	7.04	44.31		
AV	4.95962G	31.49	54.00	-22.51	-4.05	3	Vertical	145	1.99	35.54	33.16	7.10	44.31		
AV	7.31244G	37.19	54.00	-16.81	1.63	3	Vertical	91	2.77	35.56	37.00	8.83	44.20		
AV	10.54992G	40.02	68.20	-28.18	6.56	3	Vertical	341	2.39	33.46	38.70	10.29	42.43		
AV	11.16132G	40.40	54.00	-13.60	6.64	3	Vertical	103	2.86	33.76	38.77	10.50	42.63		
AV	13.32832G	42.11	54.00	-11.89	8.44	3	Vertical	39	1.59	33.67	39.86	11.22	42.64		
AV	16.7328G	40.54	68.20	-27.66	6.75	3	Vertical	190	1.76	33.79	37.97	12.34	43.56		
PK	4.8712G	43.04	74.00	-30.96	-4.43	3	Vertical	226	1.33	47.47	32.84	7.04	44.31		
PK	4.95914G	43.75	74.00	-30.25	-4.06	3	Vertical	145	1.99	47.81	33.15	7.10	44.31		
PK	7.31436G	48.77	74.00	-25.23	1.62	3	Vertical	91	2.77	47.15	36.99	8.83	44.20		
PK	10.53068G	52.19	88.20	-36.01	6.53	3	Vertical	341	2.39	45.66	38.66	10.28	42.41		
PK	11.1582G	52.07	74.00	-21.93	6.62	3	Vertical	103	2.86	45.45	38.75	10.50	42.63		
PK	13.32268G	53.60	74.00	-20.40	8.43	3	Vertical	39	1.59	45.17	39.85	11.22	42.64		
PK	16.74276G	52.84	88.20	-35.36	6.71	3	Vertical	190	1.76	46.13	37.93	12.34	43.56		

Radiated Emissions above 1GHz_Mode 5




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)		
AV	4.86452G	31.05	54.00	-22.95	-4.44	3	Horizontal	90	1.05	35.49	32.83	7.04	44.31		
AV	4.9592G	31.43	54.00	-22.57	-4.05	3	Horizontal	149	2.97	35.48	33.16	7.10	44.31		
AV	7.3142G	37.10	54.00	-16.90	1.62	3	Horizontal	97	2.95	35.48	36.99	8.83	44.20		
AV	10.5322G	40.11	68.20	-28.09	6.53	3	Horizontal	127	1.54	33.58	38.66	10.28	42.41		
AV	11.1564G	40.38	54.00	-13.62	6.61	3	Horizontal	25	2.47	33.77	38.74	10.50	42.63		
AV	13.33592G	42.15	54.00	-11.85	8.45	3	Horizontal	0	1.02	33.70	39.87	11.22	42.64		
AV	16.7408G	40.57	68.20	-27.63	6.72	3	Horizontal	189	2.11	33.85	37.94	12.34	43.56		
PK	4.86584G	42.89	74.00	-31.11	-4.44	3	Horizontal	90	1.05	47.33	32.83	7.04	44.31		
PK	4.96236G	43.34	74.00	-30.66	-4.04	3	Horizontal	149	2.97	47.38	33.17	7.10	44.31		
PK	7.31292G	48.82	74.00	-25.18	1.63	3	Horizontal	97	2.95	47.19	37.00	8.83	44.20		
PK	10.53244G	51.64	88.20	-36.56	6.53	3	Horizontal	127	1.54	45.11	38.66	10.28	42.41		
PK	11.16064G	52.09	74.00	-21.91	6.63	3	Horizontal	25	2.47	45.46	38.76	10.50	42.63		
PK	13.33132G	54.07	74.00	-19.93	8.44	3	Horizontal	0	1.02	45.63	39.86	11.22	42.64		
PK	16.73188G	51.84	88.20	-36.36	6.75	3	Horizontal	189	2.11	45.09	37.97	12.34	43.56		

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86988G	31.05	54.00	-22.95	-4.43	3	Vertical	16	1.80	35.48	32.84	7.04	44.31
AV	4.95813G	31.44	54.00	-22.56	-4.06	3	Vertical	354	1.71	35.50	33.15	7.10	44.31
AV	7.31252G	36.99	54.00	-17.01	1.63	3	Vertical	159	2.51	35.36	37.00	8.83	44.20
AV	10.53316G	40.00	68.20	-28.20	6.54	3	Vertical	342	1.11	33.46	38.67	10.28	42.41
AV	13.3268G	42.14	54.00	-11.86	8.43	3	Vertical	144	1.74	33.71	39.85	11.22	42.64
AV	13.39808G	42.40	54.00	-11.60	8.60	3	Vertical	10	1.66	33.80	40.00	11.24	42.64
PK	4.86616G	43.00	74.00	-31.00	-4.44	3	Vertical	16	1.80	47.44	32.83	7.04	44.31
PK	4.95983G	43.36	74.00	-30.64	-4.05	3	Vertical	354	1.71	47.41	33.16	7.10	44.31
PK	7.3126G	48.73	74.00	-25.27	1.63	3	Vertical	159	2.51	47.10	37.00	8.83	44.20
PK	10.54212G	51.90	88.20	-36.30	6.54	3	Vertical	342	1.11	45.36	38.68	10.28	42.42
PK	13.324G	54.48	74.00	-19.52	8.43	3	Vertical	144	1.74	46.05	39.85	11.22	42.64
PK	13.38564G	54.48	74.00	-19.52	8.57	3	Vertical	10	1.66	45.91	39.97	11.24	42.64

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86572G	31.08	54.00	-22.92	-4.44	3	Horizontal	159	1.08	35.52	32.83	7.04	44.31
AV	4.95751G	31.56	54.00	-22.44	-4.06	3	Horizontal	246	1.88	35.62	33.15	7.10	44.31
AV	7.30944G	37.03	54.00	-16.97	1.65	3	Horizontal	135	2.43	35.38	37.02	8.83	44.20
AV	10.5302G	40.19	68.20	-28.01	6.53	3	Horizontal	175	2.48	33.66	38.66	10.28	42.41
AV	13.32756G	42.49	54.00	-11.51	8.44	3	Horizontal	138	2.64	34.05	39.86	11.22	42.64
AV	13.39552G	42.26	54.00	-11.74	8.59	3	Horizontal	57	2.86	33.67	39.99	11.24	42.64
PK	4.87188G	42.67	74.00	-31.33	-4.43	3	Horizontal	159	1.08	47.10	32.84	7.04	44.31
PK	4.9621G	43.90	74.00	-30.10	-4.04	3	Horizontal	246	1.88	47.94	33.17	7.10	44.31
PK	7.31368G	48.46	74.00	-25.54	1.62	3	Horizontal	135	2.43	46.84	36.99	8.83	44.20
PK	10.54536G	52.82	88.20	-35.38	6.55	3	Horizontal	175	2.48	46.27	38.69	10.28	42.42
PK	13.32312G	54.01	74.00	-19.99	8.43	3	Horizontal	138	2.64	45.58	39.85	11.22	42.64
PK	13.39952G	54.22	74.00	-19.78	8.60	3	Horizontal	57	2.86	45.62	40.00	11.24	42.64