




802.11ax40 low channel Bandedge Horizontal




802.11ax40 low channel Bandedge Vertical



802.11ax40 high channel Bandedge Horizontal




802.11ax40 high channel Bandedge Vertical



802.11ax80 low channel Bandedge Horizontal

Project No.: 2502S55684E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax80 U-NII-2C low channel 5530MHz
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 326V-1
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5450.20	56.99	7.33	64.32	74.00	9.68	Peak
2	5450.20	39.91	7.33	47.24	54.00	6.76	Average
3	5460.00	53.76	7.33	61.09	74.00	12.91	Peak
4	5460.00	39.89	7.33	47.22	54.00	6.78	Average
5	5470.00	57.12	7.34	64.46	68.20	3.74	Peak

802.11ax80 low channel Bandedge Vertical

Project No.: 2502S55684E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax80 U-NII-2C low channel 5530MHz
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 326V-1
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	57.10	7.33	64.43	74.00	9.57	Peak
2	5460.00	39.55	7.33	46.88	54.00	7.12	Average
3	5469.08	57.86	7.34	65.20	68.20	3.00	Peak
4	5470.00	51.53	7.34	58.87	68.20	9.33	Peak

802.11ax80 high channel Bandedge Horizontal

Project No.: 2502S55684E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax80 U-NII-2C high channel 5610MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 326V-1
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	48.89	8.03	56.92	68.20	11.28	Peak
2	5746.14	51.19	8.07	59.26	68.20	8.94	Peak

802.11ax80 high channel Bandedge Vertical



Project No.: 2502S55684E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax80 U-NII-2C high channel 5610MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 326V-1
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	49.23	8.03	57.26	68.20	10.94	Peak
2	5753.58	51.20	8.08	59.28	68.20	8.92	Peak

5725-5850MHz:


802.11a low channel Bandedge Horizontal								802.11a low channel Bandedge Vertical							
Project No.: 2502S55684E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11a U-NII-3_low channel 5745MHz Peak:RBW:1MHz,VBW:3MHz Serial No.: 326V-1 Tester: Leo Xiao Date: 2025-05-27 								Project No.: 2502S55684E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11a U-NII-3_low channel 5745MHz Peak:RBW:1MHz,VBW:3MHz Serial No.: 326V-1 Tester: Leo Xiao Date: 2025-05-27 							
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	49.06	7.89	56.95	68.20	11.25	Peak	1	5650.00	49.28	7.89	57.17	68.20	11.03	Peak
2	5700.00	48.85	7.98	56.83	105.20	48.37	Peak	2	5700.00	49.32	7.98	57.30	105.20	47.90	Peak
3	5720.00	49.73	8.02	57.75	110.80	53.05	Peak	3	5720.00	50.26	8.02	58.28	110.80	52.52	Peak
4	5725.00	53.06	8.03	61.09	122.20	61.11	Peak	4	5725.00	51.14	8.03	59.17	122.20	63.03	Peak

802.11a high channel Bandedge Horizontal								802.11a high channel Bandedge Vertical							
Project No.: 2502S55684E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11a U-NII-3_high channel 5825MHz Peak:RBW:1MHz,VBW:3MHz Serial No.: 326V-1 Tester: Leo Xiao Date: 2025-05-27								Project No.: 2502S55684E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11a U-NII-3_high channel 5825MHz Peak:RBW:1MHz,VBW:3MHz Serial No.: 326V-1 Tester: Leo Xiao Date: 2025-05-27							
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	54.24	8.20	62.44	122.20	59.76	Peak	1	5850.00	50.28	8.20	58.48	122.20	63.72	Peak
2	5855.00	52.26	8.21	60.47	110.80	50.33	Peak	2	5855.00	49.42	8.21	57.63	110.80	53.17	Peak
3	5875.00	49.22	8.28	57.50	105.20	47.70	Peak	3	5875.00	49.31	8.28	57.59	105.20	47.61	Peak
4	5925.00	49.17	8.40	57.57	68.20	10.63	Peak	4	5925.00	48.45	8.40	56.85	68.20	11.35	Peak


802.11n20 low channel Bandedge Horizontal




802.11n20 low channel Bandedge Vertical




802.11n20 high channel Bandedge Horizontal




802.11n20 high channel Bandedge Vertical




802.11n40 low channel Bandedge Horizontal




802.11n40 low channel Bandedge Vertical




802.11n40 high channel Bandedge Horizontal




802.11n40 high channel Bandedge Vertical




802.11ax20 low channel Bandedge Horizontal




802.11ax20 low channel Bandedge Vertical



802.11ax20 high channel Bandedge Horizontal




802.11ax20 high channel Bandedge Vertical



802.11ax40 low channel Bandedge Horizontal

Project No.: 2502S55684E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax40_U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 326V-1
Tester: Ted Wang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	48.49	7.89	56.38	68.20	11.82	Peak
2	5700.00	51.17	7.98	59.15	105.20	46.05	Peak
3	5720.00	60.65	8.02	68.67	110.80	42.13	Peak
4	5725.00	62.50	8.03	70.53	122.20	51.67	Peak

802.11ax40 low channel Bandedge Vertical

Project No.: 2502S55684E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax40_U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 326V-1
Tester: Ted Wang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	49.32	7.89	57.21	68.20	10.99	Peak
2	5700.00	52.19	7.98	60.17	105.20	45.03	Peak
3	5720.00	59.28	8.02	67.30	110.80	43.50	Peak
4	5725.00	61.24	8.03	69.27	122.20	52.93	Peak

802.11ax40 high channel Bandedge Horizontal

Project No.: 2502S55684E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax40_U-NII-3 high channel 5795MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 326V-1
Tester: Ted Wang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	58.93	8.20	67.13	122.20	55.07	Peak
2	5855.00	54.70	8.21	62.91	110.80	47.89	Peak
3	5875.00	51.41	8.28	59.69	105.20	45.51	Peak
4	5925.00	48.90	8.40	57.30	68.20	10.90	Peak

802.11ax40 high channel Bandedge Vertical


Project No.: 2502S55684E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax40_U-NII-3 high channel 5795MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 326V-1
Tester: Ted Wang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	57.96	8.20	66.16	122.20	56.04	Peak
2	5855.00	54.65	8.21	62.86	110.80	47.94	Peak
3	5875.00	50.27	8.28	58.55	105.20	46.65	Peak
4	5925.00	48.52	8.40	56.92	68.20	11.28	Peak


802.11ac80 middle channel Bandedge Horizontal




802.11ac80 middle channel Bandedge Vertical



802.11ax80 middle channel Bandedge Horizontal



802.11ax80 middle channel Bandedge Vertical



5.3 Emission Bandwidth

Test Information:

Serial No.:	326V-2	Test Date:	2025/06/16~2025/7/23
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	26.1~26.8	Relative Humidity: (%)	51~52	ATM Pressure: (kPa)	99.6~100.1
----------------------	-----------	------------------------------	-------	------------------------	------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101589	2024/09/05	2025/09/04
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM504	2025/06/06	2026/06/05

** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:**26dB Emission Bandwidth
5150-5250MHz**

Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5180	26.324
	5200	23.716
	5240	30.363
802.11n20	5180	26.929
	5200	27.618
	5240	27.138
802.11n40	5190	47.367
	5230	61.284
802.11ac80	5210	135.463
802.11ax20_RU_Full	5180	26.164
	5200	26.638
	5240	26.267
802.11ax40_RU_Full	5190	45.846
	5230	46.446
802.11ax80_RU_Full	5210	86.086

5250-5350MHz

Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5260	33.118
	5280	33.452
	5320	29.507
802.11n20	5260	29.666
	5280	33.875
	5320	28.198
802.11n40	5270	46.446
	5310	46.446
802.11ac80	5290	88.689
802.11ax20_RU_Full	5260	25.580
	5280	26.621
	5320	25.974
802.11ax40_RU_Full	5270	45.245
	5310	45.145
802.11ax80_RU_Full	5290	87.287

5470-5725MHz


Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5500	26.649
	5580	26.643
	5700	26.338
	5720	25.234
802.11n20	5500	27.055
	5580	27.302
	5700	26.611
	5720	27.361
802.11n40	5510	47.548
	5550	47.848
	5670	46.947
	5710	47.447
802.11ac80	5530	89.690
	5610	90.490
	5690	87.888
802.11ax20_RU_Full	5500	24.114
	5580	26.544
	5700	26.376
	5720	25.945
802.11ax40_RU_Full	5510	46.547
	5550	46.046
	5670	46.847
	5710	46.647
802.11ax80_RU_Full	5530	87.287
	5610	86.086
	5690	88.488

**6dB Emission Bandwidth
5725-5850MHz**

Mode	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	5745	16.467	0.5	Pass
	5785	16.467	0.5	Pass
	5825	16.467	0.5	Pass
802.11n20	5745	17.718	0.5	Pass
	5785	17.718	0.5	Pass
	5825	17.668	0.5	Pass
802.11n40	5755	36.537	0.5	Pass
	5795	36.537	0.5	Pass
802.11ac80	5775	74.875	0.5	Pass
802.11ax20_RU_Full	5745	19.119	0.5	Pass
	5785	19.069	0.5	Pass
	5825	19.119	0.5	Pass
802.11ax40_RU_Full	5755	38.238	0.5	Pass
	5795	38.238	0.5	Pass
802.11ax80_RU_Full	5775	78.478	0.5	Pass


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:42:31

802.11a_5200MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:43:50

802.11a_5240MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:45:07

802.11n20_5180MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:47:30

802.11n20_5200MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:48:48

802.11n20_5240MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:50:02

802.11n40_5190MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 23.JUL.2025 10:27:44

802.11n40_5230MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:51:51

802.11ac80_5210MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:56:20

802.11ax20_5180MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:01:51

802.11ax20_5200MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:03:21

802.11ax20_5240MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:04:37

802.11ax40_5190MHz_RU_Full



ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:06:18


802.11ax40_5230MHz_RU_Full



ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:07:03


5250-5350MHz

802.11ax80_5210MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:08:15

802.11a_5260MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:14:46

802.11a_5280MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:16:03

802.11a_5320MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:17:19

802.11n20_5260MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:18:36

802.11n20_5280MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:21:03

802.11n20_5320MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:22:11

802.11n40_5270MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:23:15

802.11n40_5310MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:24:29

802.11ac80_5290MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:25:23

802.11ax20_5260MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:26:32

802.11ax20_5280MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:27:47

802.11ax20_5320MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:29:12

802.11ax40_5270MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:30:13

802.11ax40_5310MHz_RU_Full



ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:31:50


802.11ax80_5290MHz_RU_Full



ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:33:07


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:34:52

802.11a_5580MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:36:16

802.11a_5700MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:37:48

802.11a_5720MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:39:12

802.11n20_5500MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:40:47

802.11n20_5580MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:42:03

802.11n20_5700MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:43:30

802.11n20_5720MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:44:53

802.11n40_5510MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:46:33

802.11n40_5550MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:47:43

802.11n40_5670MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:49:11

802.11n40_5710MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:50:13

802.11ac80_5530MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:51:42

802.11ac80_5610MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:52:44

802.11ac80_5690MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:53:53

802.11ax20_5500MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:55:30

802.11ax20_5580MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:56:59

802.11ax20_5700MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 23.JUL.2025 10:39:40

802.11ax20_5720MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:00:08

802.11ax40_5510MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:01:37

802.11ax40_5550MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:02:34

802.11ax40_5670MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:03:32

802.11ax40_5710MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:04:38

802.11ax80_5530MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:05:56

802.11ax80_5610MHz_RU_Full



ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:07:03


802.11ax80_5690MHz_RU_Full



ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:08:25


5725-5850MHz

802.11a_5745MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:10:06

802.11a_5785MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:11:56

802.11a_5825MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:13:18

802.11n20_5745MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:14:36

802.11n20_5785MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:16:09

802.11n20_5825MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:17:38

802.11n40_5755MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:18:41

802.11n40_5795MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:19:37

802.11ac80_5775MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:21:15

802.11ax20_5745MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:23:49

802.11ax20_5785MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:25:36

802.11ax20_5825MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:26:59

802.11ax40_5755MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:29:01

802.11ax40_5795MHz_RU_Full



ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:31:15

802.11ax80_5775MHz_RU_Full



ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:32:53

5.4 99% Occupied Bandwidth

Test Information:

Serial No.:	326V-2	Test Date:	2025/06/16~2025/7/23
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	26.1~26.8	Relative Humidity: (%)	51~52	ATM Pressure: (kPa)	99.6~100.1
----------------------	-----------	---------------------------	-------	------------------------	------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101589	2024/09/05	2025/09/04
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM504	2025/06/06	2026/06/05

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5180	16.750
	5200	16.800
	5240	16.750
802.11n20	5180	18
	5200	18.050
	5240	18.050
802.11n40	5190	36.800
	5230	36.800
802.11ac80	5210	76.400
802.11ax20_RU_Full	5180	19.150
	5200	19.150
	5240	19.100
802.11ax40_RU_Full	5190	37.900
	5230	38
802.11ax80_RU_Full	5210	77.400

Note:

The 99% Occupied Bandwidth have not fall into the band 5250-5350MHz, please refer to the test plots of 99% Occupied Bandwidth.

5250-5350MHz

Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5260	17.050
	5280	17.050
	5320	17.050
802.11n20	5260	18.100
	5280	18.100
	5320	18.050
802.11n40	5270	36.700
	5310	36.700
802.11ac80	5290	76
802.11ax20_RU_Full	5260	19.200
	5280	19.100
	5320	19.100
802.11ax40_RU_Full	5270	38
	5310	38
802.11ax80_RU_Full	5290	77.400

5470-5725MHz

Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5500	16.850
	5580	16.800
	5700	16.900
	5720	16.800
802.11n20	5500	18.050
	5580	18.050
	5700	18.050
	5720	18.100
802.11n40	5510	36.900
	5550	37
	5670	37
	5710	37
802.11ac80	5530	76.200
	5610	76.600
	5690	76.200
802.11ax20_RU_Full	5500	19.200
	5580	19.250
	5700	19.150
	5720	19.300
802.11ax40_RU_Full	5510	38.100
	5550	38.100
	5670	38.200
	5710	38.100
802.11ax80_RU_Full	5530	78
	5610	77.600
	5690	77.600

5725-5850MHz


Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5745	16.850
	5785	16.950
	5825	16.850
802.11n20	5745	18.050
	5785	18.200
	5825	18.150
802.11n40	5755	37.200
	5795	37.200
802.11ac80	5775	77.400
802.11ax20_RU_Full	5745	19.150
	5785	19.250
	5825	19.250
802.11ax40_RU_Full	5755	38.300
	5795	38.300
802.11ax80_RU_Full	5775	79.600

Note:

The 99% Occupied Bandwidth have not fall into the band 5470-5725MHz, please refer to the test plots of 99% Occupied Bandwidth.


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:42:54

802.11a_5200MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:44:10

802.11a_5240MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:45:29

802.11n20_5180MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:47:53

802.11n20_5200MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:49:07

802.11n20_5240MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:50:22

802.11n40_5190MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:51:07

802.11n40_5230MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:52:04

802.11ac80_5210MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:56:34

802.11ax20_5180MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:02:16

802.11ax20_5200MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:03:43

802.11ax20_5240MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:04:59

802.11ax40_5190MHz_RU_Full




802.11ax40_5230MHz_RU_Full




5250-5350MHz


802.11ax80_5210MHz_RU_Full




802.11a_5260MHz




802.11a_5280MHz



802.11a_5320MHz




802.11n20_5260MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:18:58

802.11n20_5280MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:21:25

802.11n20_5320MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:22:34

802.11n40_5270MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:23:29

802.11n40_5310MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:24:44

802.11ac80_5290MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:25:37

802.11ax20_5260MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:26:54

802.11ax20_5280MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:28:12

802.11ax20_5320MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:29:34

802.11ax40_5270MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:30:27

802.11ax40_5310MHz_RU_Full



ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:32:03


802.11ax80_5290MHz_RU_Full



ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:33:22


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:35:17

802.11a_5580MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:36:41

802.11a_5700MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:38:17

802.11a_5720MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:39:35

802.11n20_5500MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:41:13

802.11n20_5580MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:42:28

802.11n20_5700MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:43:59

802.11n20_5720MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:45:18

802.11n40_5510MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:46:51

802.11n40_5550MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:47:59

802.11n40_5670MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:49:24

802.11n40_5710MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:50:26

802.11ac80_5530MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:51:59

802.11ac80_5610MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:53:04

802.11ac80_5690MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:54:11

802.11ax20_5500MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:55:56

802.11ax20_5580MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:57:25

802.11ax20_5700MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 23.JUL.2025 10:40:07

802.11ax20_5720MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:00:35

802.11ax40_5510MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:01:54

802.11ax40_5550MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:02:50

802.11ax40_5670MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:03:46

802.11ax40_5710MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:04:52

802.11ax80_5530MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:06:15

802.11ax80_5610MHz_RU_Full




802.11ax80_5690MHz_RU_Full




5725-5850MHz


802.11a_5745MHz




802.11a_5785MHz




802.11a_5825MHz



802.11n20_5745MHz




802.11n20_5785MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:16:42

802.11n20_5825MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:18:02

802.11n40_5755MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:18:57

802.11n40_5795MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:19:52

802.11ac80_5775MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:21:35

802.11ax20_5745MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:24:18

802.11ax20_5785MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:26:07

802.11ax20_5825MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:27:23

802.11ax40_5755MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:29:18

802.11ax40_5795MHz_RU_Full



ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:31:31

802.11ax80_5775MHz_RU_Full



ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 22:33:10

5.5 Maximum Conducted Output Power

Test Information:

Serial No.:	326V-2	Test Date:	2025/06/16~2025/07/23
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	26.1~26.8	Relative Humidity: (%)	51~52	ATM Pressure: (kPa)	99.6~100.1
----------------------	-----------	---------------------------	-------	------------------------	------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM504	2025/06/06	2026/06/05
Anritsu	Microwave Peak Power Sensor	MA24418A	12618	2025/06/11	2026/06/10

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5180	12.64	24	Pass
	5200	12.75	24	Pass
	5240	14.12	24	Pass
802.11n20	5180	12.45	24	Pass
	5200	12.73	24	Pass
	5240	13.38	24	Pass
802.11n40	5190	11.68	24	Pass
	5230	12.12	24	Pass
802.11ac80	5210	10.77	24	Pass
802.11ax20_RU_Full	5180	11.66	24	Pass
	5200	11.59	24	Pass
	5240	12.22	24	Pass
802.11ax40_RU_Full	5190	11.51	24	Pass
	5230	12.06	24	Pass
802.11ax80_RU_Full	5210	9.86	24	Pass

5250-5350MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5260	15.07	24	Pass
	5280	15.94	24	Pass
	5320	15.63	24	Pass
802.11n20	5260	14.38	24	Pass
	5280	14.45	24	Pass
	5320	14.41	24	Pass
802.11n40	5270	11.54	24	Pass
	5310	11.28	24	Pass
802.11ac80	5290	10.46	24	Pass
802.11ax20_RU_Full	5260	12.15	24	Pass
	5280	12.29	24	Pass
	5320	12.41	24	Pass
802.11ax40_RU_Full	5270	11.24	24	Pass
	5310	11.41	24	Pass
802.11ax80_RU_Full	5290	10.51	24	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Verdict
802.11a	5500	8.03	24	Pass
	5580	9.62	24	Pass
	5700	8.96	24	Pass
	5720	8.67	24	Pass
802.11n20	5500	7.82	24	Pass
	5580	8.62	24	Pass
	5700	8.53	24	Pass
	5720	7.22	24	Pass
802.11n40	5510	7.52	24	Pass
	5550	7.36	24	Pass
	5670	9.2	24	Pass
	5710	8.25	24	Pass
802.11ac80	5530	8.43	24	Pass
	5610	9.55	24	Pass
	5690	9.6	24	Pass
802.11ax20_RU_Full	5500	7.67	24	Pass
	5580	8.69	24	Pass
	5700	8.37	24	Pass
	5720	7.14	24	Pass
802.11ax40_RU_Full	5510	7.82	24	Pass
	5550	7.31	24	Pass
	5670	8.91	24	Pass
	5710	7.96	24	Pass
802.11ax80_RU_Full	5530	8.3	24	Pass
	5610	10.0	24	Pass
	5690	9.5	24	Pass

5725-5850MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5745	11.46	30	Pass
	5785	8.57	30	Pass
	5825	9.21	30	Pass
802.11n20	5745	10.74	30	Pass
	5785	9.75	30	Pass
	5825	9.02	30	Pass
802.11n40	5755	13.21	30	Pass
	5795	12.41	30	Pass
802.11ac80	5775	12.83	30	Pass
802.11ax20_RU_Full	5745	12.15	30	Pass
	5785	10.94	30	Pass
	5825	9.9	30	Pass
802.11ax40_RU_Full	5755	13.18	30	Pass
	5795	12.51	30	Pass
802.11ax80_RU_Full	5775	14.22	30	Pass

5.6 Power Spectral Density

Test Information:

Serial No.:	326V-2	Test Date:	2025/06/16~2025/07/23
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	26.1~26.8	Relative Humidity: (%)	51~52	ATM Pressure: (kPa)	99.6~100.1
----------------------	-----------	---------------------------	-------	------------------------	------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101589	2024/09/05	2025/09/04
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM504	2025/06/06	2026/06/05

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5180	-5.76	9.16	3.40	11	Pass
	5200	-5.36	9.16	3.80	11	Pass
	5240	-4.16	9.16	5.00	11	Pass
802.11n20	5180	-2.80	4.74	1.94	11	Pass
	5200	-2.81	4.74	1.93	11	Pass
	5240	-2.11	4.74	2.63	11	Pass
802.11n40	5190	-7.27	4.85	-2.42	11	Pass
	5230	-6.43	4.85	-1.58	11	Pass
802.11ac80	5210	-11.20	5.09	-6.11	11	Pass
802.11ax20_RU_Full	5180	-4.79	5.56	0.77	11	Pass
	5200	-4.45	5.56	1.11	11	Pass
	5240	-3.79	5.56	1.77	11	Pass
802.11ax40_RU_Full	5190	-7.56	5.56	-2.00	11	Pass
	5230	-7.02	5.56	-1.46	11	Pass
802.11ax80_RU_Full	5210	-12.23	5.71	-6.52	11	Pass

5250-5350MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5260	-2.37	9.16	6.79	11	Pass
	5280	-4.84	9.16	4.32	11	Pass
	5320	-3.83	9.16	5.33	11	Pass
802.11n20	5260	-1.11	4.74	3.63	11	Pass
	5280	-1.06	4.74	3.68	11	Pass
	5320	-0.91	4.74	3.83	11	Pass
802.11n40	5270	-7.32	4.85	-2.47	11	Pass
	5310	-7.29	4.85	-2.44	11	Pass
802.11ac80	5290	-10.82	5.09	-5.73	11	Pass
802.11ax20_RU_Full	5260	-3.87	5.56	1.69	11	Pass
	5280	-4.06	5.56	1.50	11	Pass
	5320	-4.27	5.56	1.29	11	Pass
802.11ax40_RU_Full	5270	-7.38	5.56	-1.82	11	Pass
	5310	-7.08	5.56	-1.52	11	Pass
802.11ax80_RU_Full	5290	-12.34	5.71	-6.63	11	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5500	-10.28	9.16	-1.12	11	Pass
	5580	-10.19	9.16	-1.03	11	Pass
	5700	-8.48	9.16	0.68	11	Pass
	5720	-10.12	9.16	-0.96	11	Pass
802.11n20	5500	-7.68	4.74	-2.94	11	Pass
	5580	-7.22	4.74	-2.48	11	Pass
	5700	-6.57	4.74	-1.83	11	Pass
	5720	-7.54	4.74	-2.80	11	Pass
802.11n40	5510	-11.35	4.85	-6.50	11	Pass
	5550	-11.41	4.85	-6.56	11	Pass
	5670	-9.74	4.85	-4.89	11	Pass
	5710	-10.18	4.85	-5.33	11	Pass
802.11ac80	5530	-13.81	5.09	-8.72	11	Pass
	5610	-12.44	5.09	-7.35	11	Pass
	5690	-12.38	5.09	-7.29	11	Pass
802.11ax20_RU_Full	5500	-8.32	5.56	-2.76	11	Pass
	5580	-7.66	5.56	-2.10	11	Pass
	5700	-7.90	5.56	3.09	11	Pass
	5720	-7.77	5.56	-2.21	11	Pass
802.11ax40_RU_Full	5510	-11.71	5.56	-6.15	11	Pass
	5550	-12.00	5.56	-6.44	11	Pass
	5670	-10.37	5.56	-4.81	11	Pass
	5710	-10.34	5.56	-4.78	11	Pass
802.11ax80_RU_Full	5530	-13.93	5.71	-8.22	11	Pass
	5610	-12.68	5.71	-6.97	11	Pass
	5690	-12.66	5.71	-8.58	11	Pass


5725-5850MHz

Mode	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	5745	-11.08	9.16	-1.92	30	Pass
	5785	-12.50	9.16	-3.34	30	Pass
	5825	-11.29	9.16	-2.13	30	Pass
802.11n20	5745	-7.72	4.74	-2.98	30	Pass
	5785	-8.38	4.74	-3.64	30	Pass
	5825	-9.65	4.74	-4.91	30	Pass
802.11n40	5755	-8.30	4.85	-3.45	30	Pass
	5795	-9.38	4.85	-4.53	30	Pass
802.11ac80	5775	-11.85	5.09	-6.76	30	Pass
802.11ax20_RU_Full	5745	-7.40	5.56	-1.84	30	Pass
	5785	-7.94	5.56	-2.38	30	Pass
	5825	-8.88	5.56	-3.32	30	Pass
802.11ax40_RU_Full	5755	-8.64	5.56	-3.08	30	Pass
	5795	-9.33	5.56	-3.77	30	Pass
802.11ax80_RU_Full	5775	-10.75	5.71	-5.04	30	Pass

Result = Reading + Duty Cycle Factor


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:43:12

802.11a_5200MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:44:29

802.11a_5240MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:45:49

802.11n20_5180MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:48:08

802.11n20_5200MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:49:25

802.11n20_5240MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:50:38

802.11n40_5190MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:51:23

802.11n40_5230MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:52:25

802.11ac80_5210MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 20:56:51

802.11ax20_5180MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:02:38

802.11ax20_5200MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:04:04

802.11ax20_5240MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:05:18

802.11ax40_5190MHz_RU_Full



ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:06:48


802.11ax40_5230MHz_RU_Full



ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:07:39


5250-5350MHz

802.11ax80_5210MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:08:58

802.11a_5260MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:15:31

802.11a_5280MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:16:47

802.11a_5320MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:18:00

802.11n20_5260MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:19:14

802.11n20_5280MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:21:43

802.11n20_5320MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:22:56

802.11n40_5270MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:23:54

802.11n40_5310MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:25:03

802.11ac80_5290MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:25:56


802.11ax20_5260MHz_RU_Full




802.11ax20_5280MHz_RU_Full




802.11ax20_5320MHz_RU_Full




802.11ax40_5270MHz_RU_Full



802.11ax40_5310MHz_RU_Full




802.11ax80_5290MHz_RU_Full




5470-5725MHz

802.11a_5500MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:35:37

802.11a_5580MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:37:04

802.11a_5700MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:38:40

802.11a_5720MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:40:10

802.11n20_5500MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:41:32

802.11n20_5580MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:42:48

802.11n20_5700MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:44:21

802.11n20_5720MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:45:56

802.11n40_5510MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:47:14

802.11n40_5550MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:48:22

802.11n40_5670MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:49:45

802.11n40_5710MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:51:03

802.11ac80_5530MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:52:21

802.11ac80_5610MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:53:29

802.11ac80_5690MHz




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:54:54

802.11ax20_5500MHz_RU_Full




ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:56:17

802.11ax20_5580MHz_RU_Full



ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 16.JUN.2025 21:57:45

802.11ax20_5700MHz_RU_Full



ProjectNo.:2502S55684E-RF Tester:Jeff Wei
Date: 23.JUL.2025 10:40:25