

Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Wide Band

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#1


Date: 2016/10/28

Temperature:24 °C

100.0 dBuV/m

Time: 下午 09:50:48

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 72.1MHz

Note :

Polarization: *Horizontal*


Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	72.0000	-3.90	peak	15.49	11.59	40.00	310	95	-28.41	
*	72.1003	67.47	peak	15.49	82.96	40.00	310	95	42.96	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	72MHz level	Delta	
82.96	11.59	71.37	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#3


Date: 2016/10/28

Temperature:24 °C

100.0 dBuV/m

Time: 下午 09:55:34

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

Polarization: **Vertical**

EUT : W6M21610-16289

Power : 120 Va.c.

M/N:

Distance: 3m


Test Mode : TX 72.1MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	72.0000	-2.07	peak	15.49	13.42	40.00	150	289	-26.58	
*	72.1003	65.11	peak	15.49	80.60	40.00	150	289	40.60	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	72MHz level	Delta	
80.6	13.42	67.18	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#2


Date: 2016/10/28

Temperature:24 °C

110.0 dBuV/m

Time: 下午 09:51:31

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

Polarization: *Horizontal*

EUT : W6M21610-16289

Power : 120 Va.c.

M/N:

Distance: 3m


Test Mode : TX 72.1MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
X	72.0000	59.23	peak	15.49	74.72	40.00	310	95	34.72	
*	72.0910	67.80	peak	15.49	83.29	40.00	310	95	43.29	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
83.29	71.37	11.92	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#4


Date: 2016/10/28

Temperature:24 °C

110.0 dBuV/m

Time: 下午 09:56:11

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

Polarization: **Vertical**

EUT : W6M21610-16289

Power : 120 Va.c.

M/N:

Distance: 3m


Test Mode : TX 72.1MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
X	72.0000	56.87	peak	15.49	72.36	40.00	150	289	32.36	
*	72.0910	65.46	peak	15.49	80.95	40.00	150	289	40.95	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
80.95	67.18	13.77	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#1


Date: 2016/10/28

Temperature:24 °C

100.0 dBuV/m

Time: 下午 10:03:07

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 72.9MHz

Note :

Polarization: *Horizontal*


Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	72.9003	71.01	peak	15.47	86.48	40.00	305	105	46.48	
	73.0000	-1.50	peak	15.46	13.96	40.00	305	105	-26.04	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	73MHz level	Delta	
86.48	13.96	72.52	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#3


Date: 2016/10/28

Temperature:24 °C

100.0 dBuV/m

Time: 下午 10:10:10

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 72.9MHz

Note :

Polarization: **Vertical**


Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	72.9003	69.49	peak	15.47	84.96	40.00	150	300	44.96	
	73.0000	-1.60	peak	15.46	13.86	40.00	150	300	-26.14	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	73MHz level	Delta	
84.96	13.86	71.1	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#2


Date: 2016/10/28

Temperature:24 °C

110.0 dBuV/m

Time: 下午 10:03:46

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 72.9MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	72.8910	71.36	peak	15.47	86.83	40.00	305	105	46.83	
X	73.0000	59.57	peak	15.46	75.03	40.00	305	105	35.03	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
86.83	72.52	14.31	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#4


Date: 2016/10/28

Temperature:24 °C

110.0 dBuV/m

Time: 下午 10:10:42

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 72.9MHz

Note :

Polarization: **Vertical**


Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	72.8910	69.82	peak	15.47	85.29	40.00	150	300	45.29	
X	73.0000	58.16	peak	15.46	73.62	40.00	150	300	33.62	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
85.29	71.1	14.19	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#1


Date: 2016/10/28

Temperature:24 °C

100.0 dBuV/m

Time: 下午 10:16:58

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 74.7MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.


Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	74.6000	2.29	peak	15.42	17.71	40.00	295	105	-22.29	
*	74.7003	75.77	peak	15.41	91.18	40.00	295	105	51.18	
	74.8000	3.31	peak	15.41	18.72	40.00	295	105	-21.28	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	74.6MHz level	Delta	
91.18	17.71	73.47	

RBW/VBW	3k/10k	span	300k
MAX PEAK	74.8MHz level	Delta	
91.18	18.72	72.46	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#3


Date: 2016/10/28

Temperature:24 °C

100.0 dBuV/m

Time: 下午 10:22:11

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 74.7MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.


Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	74.6000	2.05	peak	15.42	17.47	40.00	150	300	-22.53	
*	74.7003	75.88	peak	15.41	91.29	40.00	150	300	51.29	
	74.8000	4.11	peak	15.41	19.52	40.00	150	300	-20.48	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	74.6MHz level	Delta	
91.29	17.47	73.82	

RBW/VBW	3k/10k	span	300k
MAX PEAK	74.8MHz level	Delta	
91.29	19.52	71.77	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#2


Date: 2016/10/28

Temperature:24 °C

110.0 dBuV/m

Time: 下午 10:17:35

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

Polarization: *Horizontal*

EUT : W6M21610-16289

Power : 120 V.a.c.

M/N:

Distance: 3m

Test Mode : TX 74.7MHz


Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
X	74.6000	67.49	peak	15.42	82.91	40.00	295	105	42.91	
*	74.6910	76.10	peak	15.41	91.51	40.00	295	105	51.51	
X	74.8000	64.52	peak	15.41	79.93	40.00	295	105	39.93	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
91.51	73.47	18.04	<40

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
91.51	72.46	19.05	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#4


Date: 2016/10/28

Temperature:24 °C

110.0 dBuV/m

Time: 下午 10:22:43

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 74.7MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
X	74.6000	67.57	peak	15.42	82.99	40.00	150	300	42.99	
*	74.6910	76.18	peak	15.41	91.59	40.00	150	300	51.59	
X	74.8000	64.53	peak	15.41	79.94	40.00	150	300	39.94	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
91.59	73.82	17.77	<40

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
91.59	71.77	19.82	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#1


Date: 2016/10/28

Temperature:24 °C

100.0 dBuV/m

Time: 下午 10:33:50

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 75.3MHz

Note :

Polarization: *Horizontal*


Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	75.2000	-1.06	peak	15.40	14.34	40.00	300	105	-25.66	
*	75.3003	73.40	peak	15.40	88.80	40.00	300	105	48.80	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	75.2MHz level	Delta	
88.8	14.34	74.46	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#3


Date: 2016/10/28

Temperature:24 °C

100.0 dBuV/m

Time: 下午 10:38:31

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

Polarization: **Vertical**

EUT : W6M21610-16289

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 75.3MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	75.2000	1.05	peak	15.40	16.45	40.00	150	290	-23.55	
*	75.3003	74.53	peak	15.40	89.93	40.00	150	290	49.93	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	75.2MHz level	Delta	
89.93	16.45	73.48	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#2


Date: 2016/10/28

Temperature:24 °C

110.0 dBuV/m

Time: 下午 10:34:22

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 75.3MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
X	75.2000	65.14	peak	15.40	80.54	40.00	300	105	40.54	
*	75.2910	73.77	peak	15.40	89.17	40.00	300	105	49.17	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
89.17	74.46	14.71	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#4


Date: 2016/10/28

Temperature:24 °C

110.0 dBuV/m

Time: 下午 10:39:06

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

Polarization: **Vertical**

EUT : W6M21610-16289

Power : 120 Va.c.

M/N:

Distance: 3m


Test Mode : TX 75.3MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
X	75.2000	66.32	peak	15.40	81.72	40.00	150	290	41.72	
*	75.2910	74.86	peak	15.40	90.26	40.00	150	290	50.26	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
90.26	73.48	16.78	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#1


Date: 2016/10/28

Temperature:24 °C

100.0 dBuV/m

Time: 下午 10:44:16

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 75.9MHz

Note :

Polarization: *Horizontal*


Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.9003	70.16	peak	15.38	85.54	40.00	295	105	45.54	
	76.0000	-1.30	peak	15.38	14.08	40.00	295	105	-25.92	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	76MHz level	Delta	
85.54	14.08	71.46	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#3


Date: 2016/10/28

Temperature:24 °C

100.0 dBuV/m

Time: 下午 10:49:12

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 75.9MHz

Note :

Polarization: **Vertical**


Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.9003	72.36	peak	15.38	87.74	40.00	150	290	47.74	
	76.0000	-2.48	peak	15.38	12.90	40.00	150	290	-27.10	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	76MHz level	Delta	
87.74	12.9	74.84	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#2


Date: 2016/10/28

Temperature:24 °C

110.0 dBuV/m

Time: 下午 10:44:50

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

Polarization: *Horizontal*

EUT : W6M21610-16289

Power : 120 Va.c.

M/N:

Distance: 3m


Test Mode : TX 75.9MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.8910	70.49	peak	15.38	85.87	40.00	295	105	45.87	
X	76.0000	58.67	peak	15.38	74.05	40.00	295	105	34.05	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
85.87	71.46	14.41	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#4


Date: 2016/10/28

Temperature:24 °C

110.0 dBuV/m

Time: 下午 10:49:47

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 75.9MHz

Note :

Polarization: **Vertical**


Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.8910	72.70	peak	15.38	88.08	40.00	150	290	48.08	
X	76.0000	60.97	peak	15.38	76.35	40.00	150	290	36.35	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
88.08	74.84	13.24	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Helical Antenna

Narrow Band

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#1


Date: 2016/10/26

Temperature:24 °C

100.0 dBuV/m

Time: 下午 08:40:46

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

Polarization: *Horizontal*

EUT : W6M21610-16289

Power : 120 V.a.c.

M/N:

Distance: 3m


Test Mode : TX 72.025MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	72.0000	17.72	peak	15.49	33.21	40.00	400	50	-6.79	
*	72.0253	70.88	peak	15.49	86.37	40.00	400	50	46.37	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	72MHz level	Delta	
86.37	33.21	53.16	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#3


Date: 2016/10/26

Temperature:24 °C

100.0 dBuV/m

Time: 下午 07:49:05

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 72.025MHz

Note :

Polarization: Vertical


Power : 120 Vac.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	72.0000	22.06	peak	15.49	37.55	40.00	150	49	-2.45	
*	72.0253	75.31	peak	15.49	90.80	40.00	150	49	50.80	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	72MHz level	Delta	
90.8	37.55	53.25	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#2


Date: 2016/10/26

Temperature:24 °C

110.0 dBuV/m

Time: 下午 08:42:31

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 72.025MHz

Note :

Polarization: *Horizontal*


Power : 120 Vac.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
X	72.0000	70.60	peak	15.49	86.09	40.00	400	50	46.09	
*	72.0280	71.25	peak	15.49	86.74	40.00	400	50	46.74	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
86.74	53.16	33.58	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#4


Date: 2016/10/26

Temperature:24 °C

110.0 dBuV/m

Time: 下午 08:00:17

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

Polarization: **Vertical**

EUT : W6M21610-16289

Power : 120 V.a.c.

M/N:

Distance: 3m


Test Mode : TX 72.025MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
X	72.0000	75.04	peak	15.49	90.53	40.00	150	49	50.53	
*	72.0280	75.73	peak	15.49	91.22	40.00	150	49	51.22	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
91.22	53.25	37.97	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#1


Date: 2016/10/26

Temperature:24 °C

100.0 dBuV/m

Time: 下午 08:17:35

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 72.975MHz

Note :

Polarization: *Horizontal*


Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	72.9753	76.31	peak	15.46	91.77	40.00	310	35	51.77	
	73.0000	20.78	peak	15.46	36.24	40.00	310	35	-3.76	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	73MHz level	Delta	
91.77	36.24	55.53	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#3


Date: 2016/10/26

Temperature:24 °C

100.0 dBuV/m

Time: 下午 08:27:20

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 72.975MHz

Note :

Polarization: **Vertical**


Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	72.9753	75.20	peak	15.46	90.66	40.00	150	65	50.66	
	73.0000	19.40	peak	15.46	34.86	40.00	150	65	-5.14	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	73MHz level	Delta	
90.66	34.86	55.8	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#2


Date: 2016/10/26

Temperature:24 °C

120.0 dBuV/m

Time: 下午 08:19:56

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 72.975MHz

Note :

Polarization: *Horizontal*


Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	72.9720	76.76	peak	15.46	92.22	40.00	310	35	52.22	
X	73.0000	76.20	peak	15.46	91.66	40.00	310	35	51.66	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
92.22	55.53	36.69	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#4


Date: 2016/10/26

Temperature:24 °C

110.0 dBuV/m

Time: 下午 08:28:40

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 72.975MHz

Note :

Polarization: **Vertical**


Power : 120 Vac.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	72.9840	75.49	peak	15.46	90.95	40.00	150	65	50.95	
X	73.0000	74.99	peak	15.46	90.45	40.00	150	65	50.45	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
90.95	55.8	35.15	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#1


Date: 2016/10/26

Temperature:24 °C

100.0 dBuV/m

Time: 下午 08:53:21

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 74.625MHz

Note :

Polarization: *Horizontal*


Power : 120 Vac.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	74.6000	10.80	peak	15.42	26.22	40.00	390	359	-13.78	
*	74.6253	74.02	peak	15.42	89.44	40.00	390	359	49.44	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	74.6MHz level	Delta	
89.44	26.22	63.22	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#3


Date: 2016/10/26

Temperature:24 °C

100.0 dBuV/m

Time: 下午 09:10:29

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 74.625MHz

Note :

Polarization: **Vertical**


Power : 120 Vac.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	74.6000	11.61	peak	15.42	27.03	40.00	150	310	-12.97	
*	74.6255	72.85	peak	15.42	88.27	40.00	150	310	48.27	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	74.6MHz level	Delta	
88.27	27.03	61.24	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#2


Date: 2016/10/26

Temperature:24 °C

110.0 dBuV/m

Time: 下午 08:57:19

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

Polarization: *Horizontal*

EUT : W6M21610-16289

Power : 120 V.a.c.

M/N:

Distance: 3m


Test Mode : TX 74.625MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
X	74.6000	73.69	peak	15.42	89.11	40.00	390	359	49.11	
*	74.6280	74.32	peak	15.42	89.74	40.00	390	359	49.74	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
89.74	63.22	26.52	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#4


Date: 2016/10/26

Temperature:24 °C

110.0 dBuV/m

Time: 下午 09:11:59

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 74.625MHz

Note :

Polarization: **Vertical**


Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
X	74.6000	72.68	peak	15.42	88.10	40.00	150	310	48.10	
*	74.6280	73.31	peak	15.42	88.73	40.00	150	310	48.73	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
88.73	61.24	27.49	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#1


Date: 2016/10/26

Temperature:24 °C

100.0 dBuV/m

Time: 下午 09:17:37

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 74.775MHz

Note :

Polarization: *Horizontal*


Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	74.7755	74.67	peak	15.41	90.08	40.00	400	10	50.08	
	74.8000	13.27	peak	15.41	28.68	40.00	400	10	-11.32	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	74.8MHz level	Delta	
90.08	28.68	61.4	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#3


Date: 2016/10/26

Temperature:24 °C

100.0 dBuV/m

Time: 下午 09:23:18

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 74.775MHz

Note :

Polarization: **Vertical**


Power : 120 Vac.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	74.7753	73.19	peak	15.41	88.60	40.00	150	330	48.60	
	74.8000	11.39	peak	15.41	26.80	40.00	150	330	-13.20	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	74.8MHz level	Delta	
88.6	26.8	61.8	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#2


Date: 2016/10/26

Temperature:24 °C

110.0 dBuV/m

Time: 下午 09:19:02

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

Polarization: *Horizontal*

EUT : W6M21610-16289

Power : 120 V.a.c.

M/N:

Distance: 3m


Test Mode : TX 74.775MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	74.7780	75.08	peak	15.41	90.49	40.00	400	10	50.49	
X	74.8000	74.51	peak	15.41	89.92	40.00	400	10	49.92	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
90.49	61.4	29.09	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#4


Date: 2016/10/26

Temperature:24 °C

110.0 dBuV/m

Time: 下午 09:24:24

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

Polarization: **Vertical**

EUT : W6M21610-16289

Power : 120 V.a.c.

M/N:

Distance: 3m


Test Mode : TX 74.775MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	74.7780	73.55	peak	15.41	88.96	40.00	150	330	48.96	
X	74.8000	73.03	peak	15.41	88.44	40.00	150	330	48.44	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
88.96	61.8	27.16	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#1


Date: 2016/10/26

Temperature:24 °C

100.0 dBuV/m

Time: 下午 09:36:09

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 75.225MHz

Note :

Polarization: *Horizontal*


Power : 120 Vac.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	75.2000	12.79	peak	15.40	28.19	40.00	400	5	-11.81	
*	75.2253	75.59	peak	15.40	90.99	40.00	400	5	50.99	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	75.2MHz level	Delta	
90.99	28.19	62.8	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#3


Date: 2016/10/26

Temperature:24 °C

100.0 dBuV/m

Time: 下午 09:43:10

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 75.225MHz

Note :

Polarization: **Vertical**


Power : 120 Vac.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	75.2000	12.73	peak	15.40	28.13	40.00	150	340	-11.87	
*	75.2253	73.25	peak	15.40	88.65	40.00	150	340	48.65	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	75.2MHz level	Delta	
88.65	28.13	60.52	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#2


Date: 2016/10/26

Temperature:24 °C

110.0 dBuV/m

Time: 下午 09:38:08

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

Polarization: *Horizontal*

EUT : W6M21610-16289

Power : 120 V.a.c.

M/N:

Distance: 3m


Test Mode : TX 75.225MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
X	75.2000	75.32	peak	15.40	90.72	40.00	400	5	50.72	
*	75.2280	75.94	peak	15.40	91.34	40.00	400	5	51.34	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
91.34	62.8	28.54	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#4


Date: 2016/10/26

Temperature:24 °C

110.0 dBuV/m

Time: 下午 09:44:13

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 75.225MHz

Note :

Polarization: **Vertical**

Power : 120 Vac.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
X	75.2000	72.98	peak	15.40	88.38	40.00	150	340	48.38	
*	75.2280	73.59	peak	15.40	88.99	40.00	150	340	48.99	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
88.99	60.52	28.47	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#1


Date: 2016/10/26

Temperature:24 °C

100.0 dBuV/m

Time: 下午 09:50:47

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 75.975MHz

Note :

Polarization: *Horizontal*


Power : 120 Vac.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.9753	76.53	peak	15.38	91.91	40.00	395	10	51.91	
	76.0000	12.37	peak	15.38	27.75	40.00	395	10	-12.25	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	76MHz level	Delta	
91.91	27.75	64.16	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#3


Date: 2016/10/26

Temperature:24 °C

100.0 dBuV/m

Time: 下午 09:55:07

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 75.975MHz

Note :

Polarization: **Vertical**


Power : 120 Vac.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.9753	73.15	peak	15.38	88.53	40.00	150	340	48.53	
	76.0000	11.71	peak	15.38	27.09	40.00	150	340	-12.91	

Remark: Delta mark between fundamental and restrict band

RBW/VBW	3k/10k	span	300k
MAX PEAK	76MHz level	Delta	
88.53	27.09	61.44	



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#2


Date: 2016/10/26

Temperature:24 °C

110.0 dBuV/m

Time: 下午 09:51:47

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

EUT : W6M21610-16289

M/N:

Test Mode : TX 75.975MHz

Note :

Polarization: *Horizontal*


Power : 120 Vac.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.9780	76.92	peak	15.38	92.30	40.00	395	10	52.30	
X	76.0000	76.35	peak	15.38	91.73	40.00	395	10	51.73	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
92.3	64.16	28.14	<40



Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M21610-16289-C-1

FCC ID: 2AHER-MVALSSTFMD

Radiated Emission Measurement

Operator: Leon

File :bandedge

Data :#4


Date: 2016/10/26

Temperature:24 °C

110.0 dBuV/m

Time: 下午 09:56:49

Humidity:60 %



Site : Chamber

Condition : FCC 15.237 bandedge

Polarization: **Vertical**

EUT : W6M21610-16289

Power : 120 V.a.c.

M/N:

Distance: 3m

Test Mode : TX 75.975MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.9780	73.49	peak	15.38	88.87	40.00	150	340	48.87	
X	76.0000	72.97	peak	15.38	88.35	40.00	150	340	48.35	

Remark: according to Mark Delta measurement, the final results would be comply with limitation.

RBW/VBW	100k/300k	span	3M
MAX PEAK	Delta	Result	Limit
88.87	61.44	27.43	<40