


SHENZHEN YUSHENG COMMUNICATION EQUIPMENT CO., LTD

Add: 407-411, Floor 4, Building 2, Yuntai Chuanggu Park, southeast of the intersection of Guangming Avenue and Dongchang Road, Guangming District, Shenzhen

ANTENNA REPORT

	GTX25
BT--FPC	
2025-12-10	

BT SWR



BT efficiecy

BT Gain= -7.85dBi

Free-spac


Passive Test For 2400MHz~2500MHz				
Freq	Effi	Effi	Gain	
(MHz)	(%)	(dB)	(dBi)	
2400	13. 8%	-8. 60	-9. 45	
2410	14. 2%	-8. 48	-9. 21	
2420	14. 6%	-8. 36	-8. 78	
2430	14. 8%	-8. 30	-8. 69	
2440	15. 1%	-8. 21	-7. 91	
2450	15. 3%	-8. 15	-7. 85	
2460	14. 7%	-8. 33	-8. 73	
2470	14. 2%	-8. 48	-9. 18	
2480	13. 6%	-8. 66	-9. 52	

BT direction diagram

Theta

Azimuth:0
Elevation:0
Roll:0


Zoom Scale



Phi

Azimuth:0
Elevation:0
Roll:0


Zoom Scale




Total

Azimuth: 0
Elevation: 0
Roll: 0


Zoom Scale





Antenna size mm

BT



Thank you !