



3.5. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




3.6. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)




3.7. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.05	0.1	10	4.41	13	Pass




3.8. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	10	5.16	13	Pass




3.9. LTE Peak to Average Ratio_Part22-24-27(Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
847.85	0.1	10	3.66	13	Pass




3.10. LTE Peak to Average Ratio_Part22-24-27(Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)




3.11. LTE Peak to Average Ratio_Part22-24-27(Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
847.85	0.1	10	4.55	13	Pass




3.12. LTE Peak to Average Ratio_Part22-24-27(Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	10	5.02	13	Pass




3.13. LTE Peak to Average Ratio_Part22-24-27(Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
824.24	0.1	10	4.13	13	Pass




3.14. LTE Peak to Average Ratio_Part22-24-27(Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)




3.15. LTE Peak to Average Ratio_Part22-24-27(Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




3.16. LTE Peak to Average Ratio_Part22-24-27(Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)




3.17. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)



3.18. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)




3.19. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




3.20. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	10	5.16	13	Pass




3.21. LTE Peak to Average Ratio_Part22-24-27(Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




3.22. LTE Peak to Average Ratio_Part22-24-27(Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	10	4.45	13	Pass




3.23. LTE Peak to Average Ratio_Part22-24-27(Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
846.24	0.1	10	4.69	13	Pass



3.24. LTE Peak to Average Ratio_Part22-24-27(Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)




3.25. LTE Peak to Average Ratio_Part22-24-27(Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




3.26. LTE Peak to Average Ratio_Part22-24-27(Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	10	5.06	13	Pass




3.27. LTE Peak to Average Ratio_Part22-24-27(Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
824.34	0.1	10	5.16	13	Pass



3.28. LTE Peak to Average Ratio_Part22-24-27(Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)




3.29. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




3.30. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	10	4.5	13	Pass




3.31. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834.34	0.1	10	4.64	13	Pass




3.32. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)




3.33. LTE Peak to Average Ratio_Part22-24-27(Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
844.34	0.1	10	3.84	13	Pass




3.34. LTE Peak to Average Ratio_Part22-24-27(Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	10	4.59	13	Pass




3.35. LTE Peak to Average Ratio_Part22-24-27(Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
844.34	0.1	10	4.73	13	Pass




3.36. LTE Peak to Average Ratio_Part22-24-27(Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)



3.37. LTE Peak to Average Ratio_Part22-24-27(Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




3.38. LTE Peak to Average Ratio_Part22-24-27(Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)




3.39. LTE Peak to Average Ratio_Part22-24-27(Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
824.59	0.1	10	5.11	13	Pass




3.40. LTE Peak to Average Ratio_Part22-24-27(Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)




3.41. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




3.42. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)




3.43. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




3.44. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)




3.45. LTE Peak to Average Ratio_Part22-24-27(Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




3.46. LTE Peak to Average Ratio_Part22-24-27(Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)



3.47. LTE Peak to Average Ratio_Part22-24-27(Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




3.48. LTE Peak to Average Ratio_Part22-24-27(Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)




4. LTE_Band7

4.1. LTE Peak to Average Ratio_Part22-24-27(Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




4.2. LTE Peak to Average Ratio_Part22-24-27(Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	20	4.73	13	Pass




4.3. LTE Peak to Average Ratio_Part22-24-27(Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2500.34	0.1	20	5.16	13	Pass




4.4. LTE Peak to Average Ratio_Part22-24-27(Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	20	5.53	13	Pass




4.5. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




4.6. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	4.69	13	Pass




4.7. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2532.84	0.1	20	4.73	13	Pass




4.8. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	3.94	13	Pass




4.9. LTE Peak to Average Ratio_Part22-24-27(Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




4.10. LTE Peak to Average Ratio_Part22-24-27(Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	20	5.39	13	Pass




4.11. LTE Peak to Average Ratio_Part22-24-27(Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2565.34	0.1	20	5.91	13	Pass




4.12. LTE Peak to Average Ratio_Part22-24-27(Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	20	4.55	13	Pass




4.13. LTE Peak to Average Ratio_Part22-24-27(Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




4.14. LTE Peak to Average Ratio_Part22-24-27(Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	20	5.44	13	Pass




4.15. LTE Peak to Average Ratio_Part22-24-27(Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2500.59	0.1	20	6.14	13	Pass




4.16. LTE Peak to Average Ratio_Part22-24-27(Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	20	4.27	13	Pass




4.17. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




4.18. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	5.48	13	Pass




4.19. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)



4.20. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)




4.21. LTE Peak to Average Ratio_Part22-24-27(Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




4.22. LTE Peak to Average Ratio_Part22-24-27(Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	20	5.44	13	Pass




4.23. LTE Peak to Average Ratio_Part22-24-27(Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)



4.24. LTE Peak to Average Ratio_Part22-24-27(Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)




4.25. LTE Peak to Average Ratio_Part22-24-27(Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




4.26. LTE Peak to Average Ratio_Part22-24-27(Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	20	5.86	13	Pass




4.27. LTE Peak to Average Ratio_Part22-24-27(Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)



4.28. LTE Peak to Average Ratio_Part22-24-27(Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)




4.29. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




4.30. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	5.81	13	Pass



4.31. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




4.32. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)




4.33. LTE Peak to Average Ratio_Part22-24-27(Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2555.84	0.1	20	4.41	13	Pass



4.34. LTE Peak to Average Ratio_Part22-24-27(Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)




4.35. LTE Peak to Average Ratio_Part22-24-27(Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




4.36. LTE Peak to Average Ratio_Part22-24-27(Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	20	6	13	Pass




4.37. LTE Peak to Average Ratio_Part22-24-27(Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




4.38. LTE Peak to Average Ratio_Part22-24-27(Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)




4.39. LTE Peak to Average Ratio_Part22-24-27(Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




4.40. LTE Peak to Average Ratio_Part22-24-27(Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)



4.41. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




4.42. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)




4.43. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526.09	0.1	20	4.78	13	Pass




4.44. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)




4.45. LTE Peak to Average Ratio_Part22-24-27(Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




4.46. LTE Peak to Average Ratio_Part22-24-27(Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)



4.47. LTE Peak to Average Ratio_Part22-24-27(Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




4.48. LTE Peak to Average Ratio_Part22-24-27(Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)




5. LTE_Band12

5.1. LTE Peak to Average Ratio_Part22-24-27(Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




5.2. LTE Peak to Average Ratio_Part22-24-27(Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)




5.3. LTE Peak to Average Ratio_Part22-24-27(Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
699.25	0.1	10	5.39	13	Pass




5.4. LTE Peak to Average Ratio_Part22-24-27(Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)




5.5. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)



5.6. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)




5.7. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




5.8. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	4.41	13	Pass




5.9. LTE Peak to Average Ratio_Part22-24-27(Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




5.10. LTE Peak to Average Ratio_Part22-24-27(Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
715.3	0.1	10	4.45	13	Pass




5.11. LTE Peak to Average Ratio_Part22-24-27(Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




5.12. LTE Peak to Average Ratio_Part22-24-27(Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
715.3	0.1	10	5.44	13	Pass



5.13. LTE Peak to Average Ratio_Part22-24-27(Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




5.14. LTE Peak to Average Ratio_Part22-24-27(Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)




5.15. LTE Peak to Average Ratio_Part22-24-27(Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
699.24	0.1	10	4.73	13	Pass




5.16. LTE Peak to Average Ratio_Part22-24-27(Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
700.5	0.1	10	4.97	13	Pass




5.17. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.24	0.1	10	4.17	13	Pass




5.18. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)




5.19. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)



5.20. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)




5.21. LTE Peak to Average Ratio_Part22-24-27(Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




5.22. LTE Peak to Average Ratio_Part22-24-27(Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
714.5	0.1	10	4.41	13	Pass




5.23. LTE Peak to Average Ratio_Part22-24-27(Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
713.24	0.1	10	4.73	13	Pass




5.24. LTE Peak to Average Ratio_Part22-24-27(Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
714.5	0.1	10	5.34	13	Pass




5.25. LTE Peak to Average Ratio_Part22-24-27(Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
699.34	0.1	10	3.56	13	Pass




5.26. LTE Peak to Average Ratio_Part22-24-27(Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)



5.27. LTE Peak to Average Ratio_Part22-24-27(Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




5.28. LTE Peak to Average Ratio_Part22-24-27(Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)




5.29. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
705.34	0.1	10	4.31	13	Pass




5.30. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	4.78	13	Pass




5.31. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




5.32. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)



5.33. LTE Peak to Average Ratio_Part22-24-27(Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




5.34. LTE Peak to Average Ratio_Part22-24-27(Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)




5.35. LTE Peak to Average Ratio_Part22-24-27(Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
711.34	0.1	10	4.27	13	Pass




5.36. LTE Peak to Average Ratio_Part22-24-27(Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	10	5.44	13	Pass



5.37. LTE Peak to Average Ratio_Part22-24-27(Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




5.38. LTE Peak to Average Ratio_Part22-24-27(Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)




5.39. LTE Peak to Average Ratio_Part22-24-27(Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
699.59	0.1	10	4.73	13	Pass



5.40. LTE Peak to Average Ratio_Part22-24-27(Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)




5.41. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




5.42. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	5.16	13	Pass




5.43. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




5.44. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)




5.45. LTE Peak to Average Ratio_Part22-24-27(Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




5.46. LTE Peak to Average Ratio_Part22-24-27(Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)



5.47. LTE Peak to Average Ratio_Part22-24-27(Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




5.48. LTE Peak to Average Ratio_Part22-24-27(Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)




6. LTE_Band66

6.1. LTE Peak to Average Ratio_Part22-24-27(Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




6.2. LTE Peak to Average Ratio_Part22-24-27(Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1710.7	0.1	20	5.34	13	Pass




6.3. LTE Peak to Average Ratio_Part22-24-27(Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




6.4. LTE Peak to Average Ratio_Part22-24-27(Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1710.7	0.1	20	6.09	13	Pass




6.5. LTE Peak to Average Ratio_Part22-24-27(Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




6.6. LTE Peak to Average Ratio_Part22-24-27(Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	5.77	13	Pass




6.7. LTE Peak to Average Ratio_Part22-24-27(Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1744.55	0.1	20	6.47	13	Pass




6.8. LTE Peak to Average Ratio_Part22-24-27(Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6.09	13	Pass




6.9. LTE Peak to Average Ratio_Part22-24-27(Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




6.10. LTE Peak to Average Ratio_Part22-24-27(Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)



6.11. LTE Peak to Average Ratio_Part22-24-27(Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




6.12. LTE Peak to Average Ratio_Part22-24-27(Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)




6.13. LTE Peak to Average Ratio_Part22-24-27(Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1710.24	0.1	20	5.58	13	Pass



6.14. LTE Peak to Average Ratio_Part22-24-27(Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)



6.15. LTE Peak to Average Ratio_Part22-24-27(Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

