


Annex A.5 Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.5. GSM Spurious Emission at Antenna Terminals_Part22-24(Channel:128)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-38.13	-13	25.13	Pass	401
0.15	30	0.01	Peak	0.15	-39.48	-13	26.48	Pass	5971
30	500	0.1	Peak	498.55	-42.17	-13	29.17	Pass	9401
500	1000	0.1	Peak	824.15	32.19	-13	-45.19	N/A	10001
1000	10000	1	Peak	7619	-19.62	-13	6.62	Pass	18001




1.6. GSM Spurious Emission at Antenna Terminals_Part22-24(Channel:190)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.92	-13	24.92	Pass	401
0.15	30	0.01	Peak	0.17	-40.12	-13	27.12	Pass	5971
30	500	0.1	Peak	434.35	-42.03	-13	29.03	Pass	9401
500	1000	0.1	Peak	836.55	32	-13	-45	N/A	10001
1000	10000	1	Peak	7586	-19.58	-13	6.58	Pass	18001



1.7. GSM Spurious Emission at Antenna Terminals_Part22-24(Channel:251)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.17	-13	23.17	Pass	401
0.15	30	0.01	Peak	0.16	-40.68	-13	27.68	Pass	5971
30	500	0.1	Peak	477.5	-42.55	-13	29.55	Pass	9401
500	1000	0.1	Peak	848.85	32.23	-13	-45.23	N/A	10001
1000	10000	1	Peak	8126	-19.09	-13	6.09	Pass	18001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(Channel:512)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.57	-13	31.57	Pass	401
0.15	30	0.01	Peak	0.16	-47.82	-13	34.82	Pass	5971
30	1000	0.1	Peak	937.9	-46.78	-13	33.78	Pass	19401
1000	3000	1	Peak	1850.5	28.75	-13	-41.75	N/A	4001
3000	20000	1	Peak	19994	-37.31	-13	24.31	Pass	34001




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(Channel:661)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.09	-13	30.09	Pass	401
0.15	30	0.01	Peak	0.15	-45.84	-13	32.84	Pass	5971
30	1000	0.1	Peak	912.8	-46.47	-13	33.47	Pass	19401
1000	3000	1	Peak	1880	28.95	-13	-41.95	N/A	4001
3000	20000	1	Peak	19890	-37.52	-13	24.52	Pass	34001



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(Channel:810)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-43.22	-13	30.22	Pass	401
0.15	30	0.01	Peak	0.155	-47.1	-13	34.1	Pass	5971
30	1000	0.1	Peak	920.45	-46.73	-13	33.73	Pass	19401
1000	3000	1	Peak	1909.5	28.73	-13	-41.73	N/A	4001
3000	20000	1	Peak	19964.5	-37.19	-13	24.19	Pass	34001




GPRS

1. GPRS_GSM850


1.4. GPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:128)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-38.9	-13	25.9	Pass	401
0.15	30	0.01	Peak	0.15	-40.88	-13	27.88	Pass	5971
30	500	0.1	Peak	401.25	-42.4	-13	29.4	Pass	9401
500	1000	0.1	Peak	824.2	32.06	-13	-45.06	N/A	10001
1000	10000	1	Peak	7505	-18.91	-13	5.91	Pass	18001




1.5. GPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:190)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.82	-13	24.82	Pass	401
0.15	30	0.01	Peak	0.15	-40.03	-13	27.03	Pass	5971
30	500	0.1	Peak	457.45	-42.4	-13	29.4	Pass	9401
500	1000	0.1	Peak	836.65	32.24	-13	-45.24	N/A	10001
1000	10000	1	Peak	7588.5	-19.04	-13	6.04	Pass	18001



1.6. GPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:251)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-38.07	-13	25.07	Pass	401
0.15	30	0.01	Peak	0.165	-41.03	-13	28.03	Pass	5971
30	500	0.1	Peak	489.85	-42.41	-13	29.41	Pass	9401
500	1000	0.1	Peak	848.8	32.02	-13	-45.02	N/A	10001
1000	10000	1	Peak	7584	-19.14	-13	6.14	Pass	18001



2. GPRS_PCS


2.1. GPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:512)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.46	-13	31.46	Pass	401
0.15	30	0.01	Peak	0.16	-47.74	-13	34.74	Pass	5971
30	1000	0.1	Peak	857.05	-46.28	-13	33.28	Pass	19401
1000	3000	1	Peak	1850.5	29.09	-13	-42.09	N/A	4001
3000	20000	1	Peak	19933	-36.77	-13	23.77	Pass	34001




2.2. GPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:661)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.16	-13	31.16	Pass	401
0.15	30	0.01	Peak	0.155	-45.12	-13	32.12	Pass	5971
30	1000	0.1	Peak	908.2	-46.48	-13	33.48	Pass	19401
1000	3000	1	Peak	1879.5	27.16	-13	-40.16	N/A	4001
3000	20000	1	Peak	19788.5	-36.06	-13	23.06	Pass	34001



2.3. GPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:810)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.99	-13	29.99	Pass	401
0.15	30	0.01	Peak	0.155	-45.67	-13	32.67	Pass	5971
30	1000	0.1	Peak	897.3	-45.76	-13	32.76	Pass	19401
1000	3000	1	Peak	1910	29.13	-13	-42.13	N/A	4001
3000	20000	1	Peak	19885.5	-36.86	-13	23.86	Pass	34001




EGPRS

1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:128)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-38.51	-13	25.51	Pass	401
0.15	30	0.01	Peak	0.155	-40.77	-13	27.77	Pass	5971
30	500	0.1	Peak	384.4	-42.72	-13	29.72	Pass	9401
500	1000	0.1	Peak	824.2	27.96	-13	-40.96	N/A	10001
1000	10000	1	Peak	8117.5	-19.36	-13	6.36	Pass	18001




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:190)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.65	-13	23.65	Pass	401
0.15	30	0.01	Peak	0.16	-40.28	-13	27.28	Pass	5971
30	500	0.1	Peak	438.7	-42.6	-13	29.6	Pass	9401
500	1000	0.1	Peak	836.7	25.77	-13	-38.77	N/A	10001
1000	10000	1	Peak	7530	-19.38	-13	6.38	Pass	18001



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:251)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-38.39	-13	25.39	Pass	401
0.15	30	0.01	Peak	0.15	-39.23	-13	26.23	Pass	5971
30	500	0.1	Peak	476.7	-42.39	-13	29.39	Pass	9401
500	1000	0.1	Peak	848.75	27.63	-13	-40.63	N/A	10001
1000	10000	1	Peak	7611	-19.1	-13	6.1	Pass	18001



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:512)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.44	-13	31.44	Pass	401
0.15	30	0.01	Peak	0.15	-47.06	-13	34.06	Pass	5971
30	1000	0.1	Peak	802.65	-46.28	-13	33.28	Pass	19401
1000	3000	1	Peak	1850.5	27.94	-13	-40.94	N/A	4001
3000	20000	1	Peak	19944	-36.32	-13	23.32	Pass	34001




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:661)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.19	-13	32.19	Pass	401
0.15	30	0.01	Peak	0.165	-46.95	-13	33.95	Pass	5971
30	1000	0.1	Peak	778.7	-46.26	-13	33.26	Pass	19401
1000	3000	1	Peak	1880.5	24.77	-13	-37.77	N/A	4001
3000	20000	1	Peak	19369.5	-36.94	-13	23.94	Pass	34001



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:810)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-43.58	-13	30.58	Pass	401
0.15	30	0.01	Peak	0.15	-45.44	-13	32.44	Pass	5971
30	1000	0.1	Peak	809.9	-46.66	-13	33.66	Pass	19401
1000	3000	1	Peak	1910	27.24	-13	-40.24	N/A	4001
3000	20000	1	Peak	19968	-36.64	-13	23.64	Pass	34001




WCDMA

1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:9262)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-48.21	-13	35.21	Pass	401
0.15	30	0.01	Peak	0.155	-51.66	-13	38.66	Pass	5971
30	1000	0.1	Peak	843.6	-50.22	-13	37.22	Pass	19401
1000	3000	1	Peak	1853.5	22.47	-13	-35.47	N/A	4001
3000	20000	1	Peak	19966	-17.64	-13	4.64	Pass	34001




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:9400)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-47.97	-13	34.97	Pass	401
0.15	30	0.01	Peak	0.15	-50.52	-13	37.52	Pass	5971
30	1000	0.1	Peak	810.6	-50.98	-13	37.98	Pass	19401
1000	3000	1	Peak	1878.5	22.28	-13	-35.28	N/A	4001
3000	20000	1	Peak	19943	-17.67	-13	4.67	Pass	34001



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:9538)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-47.83	-13	34.83	Pass	401
0.15	30	0.01	Peak	0.15	-50.49	-13	37.49	Pass	5971
30	1000	0.1	Peak	950.35	-50.47	-13	37.47	Pass	19401
1000	3000	1	Peak	1909	22.36	-13	-35.36	N/A	4001
3000	20000	1	Peak	19967	-18.02	-13	5.02	Pass	34001



2. WCDMA_Band5


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:4132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-48.8	-13	35.8	Pass	401
0.15	30	0.01	Peak	0.155	-50.89	-13	37.89	Pass	5971
30	500	0.1	Peak	395.25	-52.19	-13	39.19	Pass	9401
500	1000	0.1	Peak	827.6	17.2	-13	-30.2	N/A	10001
1000	10000	1	Peak	8024	-28.82	-13	15.82	Pass	18001




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:4182)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-48.81	-13	35.81	Pass	401
0.15	30	0.01	Peak	0.155	-52.17	-13	39.17	Pass	5971
30	500	0.1	Peak	494.55	-51.75	-13	38.75	Pass	9401
500	1000	0.1	Peak	836.05	17.41	-13	-30.41	N/A	10001
1000	10000	1	Peak	7101	-30.02	-13	17.02	Pass	18001



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:4233)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.06	-13	35.06	Pass	401
0.15	30	0.01	Peak	0.15	-51.24	-13	38.24	Pass	5971
30	500	0.1	Peak	377.55	-52.26	-13	39.26	Pass	9401
500	1000	0.1	Peak	847.85	16.89	-13	-29.89	N/A	10001
1000	10000	1	Peak	7493.5	-29.11	-13	16.11	Pass	18001




LTE

1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.86	-13	61.86	Pass	401
0.15	30	0.01	RMS	0.21	-71.03	-13	58.03	Pass	5971
30	1000	0.1	RMS	904.868	-63	-13	50	Pass	19402
1000	1840	1	RMS	1839.5	-49.81	-13	36.81	Pass	1681
1840	1920	1	RMS	1850.2	23.11	60	36.89	Pass	401
1920	3000	1	RMS	2958	-48.38	-13	35.38	Pass	2161
3000	12000	1	RMS	3700.5	-36.82	-13	23.82	Pass	18003
12000	20000	1	RMS	19804	-28.18	-13	15.18	Pass	16002




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.18	-13	61.18	Pass	401
0.15	30	0.01	RMS	0.295	-70.84	-13	57.84	Pass	5971
30	1000	0.1	RMS	995.098	-63.2	-13	50.2	Pass	19402
1000	1840	1	RMS	1839.5	-49.87	-13	36.87	Pass	1681
1840	1920	1	RMS	1850.2	22.78	60	37.22	Pass	401
1920	3000	1	RMS	2963.5	-48.28	-13	35.28	Pass	2161
3000	12000	1	RMS	3700.5	-36.17	-13	23.17	Pass	18003
12000	20000	1	RMS	19799	-28.21	-13	15.21	Pass	16002




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.86	-13	61.86	Pass	401
0.15	30	0.01	RMS	0.265	-71.4	-13	58.4	Pass	5971
30	1000	0.1	RMS	997.049	-62.89	-13	49.89	Pass	19402
1000	1840	1	RMS	1826.5	-51.45	-13	38.45	Pass	1681
1840	1920	1	RMS	1879.4	22.95	60	37.05	Pass	401
1920	3000	1	RMS	2958	-48.34	-13	35.34	Pass	2161
3000	12000	1	RMS	3759	-38.64	-13	25.64	Pass	18003
12000	20000	1	RMS	19798.5	-28.14	-13	15.14	Pass	16002




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.24	-13	61.24	Pass	401
0.15	30	0.01	RMS	0.205	-71	-13	58	Pass	5971
30	1000	0.1	RMS	982.044	-63.09	-13	50.09	Pass	19402
1000	1840	1	RMS	1838	-51.52	-13	38.52	Pass	1681
1840	1920	1	RMS	1879.4	21.61	60	38.39	Pass	401
1920	3000	1	RMS	2970.5	-48.3	-13	35.3	Pass	2161
3000	12000	1	RMS	11496	-39.03	-13	26.03	Pass	18003
12000	20000	1	RMS	19800.5	-28.18	-13	15.18	Pass	16002




**1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.22	-13	62.22	Pass	401
0.15	30	0.01	RMS	0.2	-71.25	-13	58.25	Pass	5971
30	1000	0.1	RMS	867.756	-63.24	-13	50.24	Pass	19402
1000	1840	1	RMS	1808.5	-51.46	-13	38.46	Pass	1681
1840	1920	1	RMS	1908.8	23.17	60	36.83	Pass	401
1920	3000	1	RMS	2992	-48.35	-13	35.35	Pass	2161
3000	12000	1	RMS	3817.5	-31.75	-13	18.75	Pass	18003
12000	20000	1	RMS	19801.5	-28.13	-13	15.13	Pass	16002




**1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.44	-13	61.44	Pass	401
0.15	30	0.01	RMS	0.255	-71.12	-13	58.12	Pass	5971
30	1000	0.1	RMS	905.119	-63.27	-13	50.27	Pass	19402
1000	1840	1	RMS	1812.5	-51.49	-13	38.49	Pass	1681
1840	1920	1	RMS	1908.8	22.62	60	37.38	Pass	401
1920	3000	1	RMS	2981	-48.41	-13	35.41	Pass	2161
3000	12000	1	RMS	3817.5	-32.43	-13	19.43	Pass	18003
12000	20000	1	RMS	19809	-28.19	-13	15.19	Pass	16002




**1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.26	-13	61.26	Pass	401
0.15	30	0.01	RMS	0.225	-71.15	-13	58.15	Pass	5971
30	1000	0.1	RMS	899.117	-63.24	-13	50.24	Pass	19402
1000	1840	1	RMS	1840	-49.14	-13	36.14	Pass	1681
1840	1920	1	RMS	1850.2	21.27	60	38.73	Pass	401
1920	3000	1	RMS	2964	-48.34	-13	35.34	Pass	2161
3000	12000	1	RMS	3700.5	-38.36	-13	25.36	Pass	18003
12000	20000	1	RMS	19798.5	-28.1	-13	15.1	Pass	16002




**1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.77	-13	60.77	Pass	401
0.15	30	0.01	RMS	0.245	-70.38	-13	57.38	Pass	5971
30	1000	0.1	RMS	922.474	-63.27	-13	50.27	Pass	19402
1000	1840	1	RMS	1839.5	-49.83	-13	36.83	Pass	1681
1840	1920	1	RMS	1850.2	20.16	60	39.84	Pass	401
1920	3000	1	RMS	2973.5	-48.34	-13	35.34	Pass	2161
3000	12000	1	RMS	11491.5	-38.92	-13	25.92	Pass	18003
12000	20000	1	RMS	19791	-28.2	-13	15.2	Pass	16002




**1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.82	-13	60.82	Pass	401
0.15	30	0.01	RMS	0.18	-70.72	-13	57.72	Pass	5971
30	1000	0.1	RMS	903.018	-63.43	-13	50.43	Pass	19402
1000	1840	1	RMS	1835.5	-51.41	-13	38.41	Pass	1681
1840	1920	1	RMS	1878.6	23.08	60	36.92	Pass	401
1920	3000	1	RMS	2994	-48.39	-13	35.39	Pass	2161
3000	12000	1	RMS	3757.5	-38.55	-13	25.55	Pass	18003
12000	20000	1	RMS	19792	-28.2	-13	15.2	Pass	16002




**1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.79	-13	61.79	Pass	401
0.15	30	0.01	RMS	0.225	-71.26	-13	58.26	Pass	5971
30	1000	0.1	RMS	997.249	-63.31	-13	50.31	Pass	19402
1000	1840	1	RMS	1838.5	-51.45	-13	38.45	Pass	1681
1840	1920	1	RMS	1878.6	22.39	60	37.61	Pass	401
1920	3000	1	RMS	2969	-48.39	-13	35.39	Pass	2161
3000	12000	1	RMS	3757.5	-39.02	-13	26.02	Pass	18003
12000	20000	1	RMS	19808.5	-28.23	-13	15.23	Pass	16002




**1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.43	-13	60.43	Pass	401
0.15	30	0.01	RMS	0.225	-71.01	-13	58.01	Pass	5971
30	1000	0.1	RMS	990.397	-63.43	-13	50.43	Pass	19402
1000	1840	1	RMS	1826.5	-51.5	-13	38.5	Pass	1681
1840	1920	1	RMS	1907.2	23.05	60	36.95	Pass	401
1920	3000	1	RMS	2969	-48.38	-13	35.38	Pass	2161
3000	12000	1	RMS	3814.5	-32.26	-13	19.26	Pass	18003
12000	20000	1	RMS	19801.5	-28.27	-13	15.27	Pass	16002




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.67	-13	61.67	Pass	401
0.15	30	0.01	RMS	0.26	-70.32	-13	57.32	Pass	5971
30	1000	0.1	RMS	889.513	-63.13	-13	50.13	Pass	19402
1000	1840	1	RMS	1811	-51.59	-13	38.59	Pass	1681
1840	1920	1	RMS	1907.2	19.63	60	40.37	Pass	401
1920	3000	1	RMS	2977	-48.32	-13	35.32	Pass	2161
3000	12000	1	RMS	3814.5	-36.94	-13	23.94	Pass	18003
12000	20000	1	RMS	19789	-28.14	-13	15.14	Pass	16002




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.72	-13	61.72	Pass	401
0.15	30	0.01	RMS	0.155	-70.57	-13	57.57	Pass	5971
30	1000	0.1	RMS	888.613	-63.19	-13	50.19	Pass	19402
1000	1840	1	RMS	1840	-49.47	-13	36.47	Pass	1681
1840	1920	1	RMS	1850.2	21.18	60	38.82	Pass	401
1920	3000	1	RMS	2997.5	-48.32	-13	35.32	Pass	2161
3000	12000	1	RMS	3700.5	-38.23	-13	25.23	Pass	18003
12000	20000	1	RMS	19799	-28.16	-13	15.16	Pass	16002




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.52	-13	60.52	Pass	401
0.15	30	0.01	RMS	0.195	-70.62	-13	57.62	Pass	5971
30	1000	0.1	RMS	918.223	-63.38	-13	50.38	Pass	19402
1000	1840	1	RMS	1840	-49.32	-13	36.32	Pass	1681
1840	1920	1	RMS	1850.2	21.56	60	38.44	Pass	401
1920	3000	1	RMS	2961.5	-48.41	-13	35.41	Pass	2161
3000	12000	1	RMS	3700.5	-37.96	-13	24.96	Pass	18003
12000	20000	1	RMS	19795.5	-28.21	-13	15.21	Pass	16002




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.04	-13	62.04	Pass	401
0.15	30	0.01	RMS	0.185	-71.06	-13	58.06	Pass	5971
30	1000	0.1	RMS	899.617	-63.41	-13	50.41	Pass	19402
1000	1840	1	RMS	1839	-51.44	-13	38.44	Pass	1681
1840	1920	1	RMS	1877.8	23.06	60	36.94	Pass	401
1920	3000	1	RMS	2985	-48.4	-13	35.4	Pass	2161
3000	12000	1	RMS	3755.5	-38	-13	25	Pass	18003
12000	20000	1	RMS	19770.5	-28.14	-13	15.14	Pass	16002




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.35	-13	61.35	Pass	401
0.15	30	0.01	RMS	0.22	-70.91	-13	57.91	Pass	5971
30	1000	0.1	RMS	905.119	-63.43	-13	50.43	Pass	19402
1000	1840	1	RMS	1835	-51.53	-13	38.53	Pass	1681
1840	1920	1	RMS	1877.8	21.76	60	38.24	Pass	401
1920	3000	1	RMS	2975.5	-48.39	-13	35.39	Pass	2161
3000	12000	1	RMS	11489	-39.13	-13	26.13	Pass	18003
12000	20000	1	RMS	19791.5	-28.12	-13	15.12	Pass	16002




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.18	-13	62.18	Pass	401
0.15	30	0.01	RMS	0.165	-71.43	-13	58.43	Pass	5971
30	1000	0.1	RMS	998.55	-63.23	-13	50.23	Pass	19402
1000	1840	1	RMS	1838.5	-51.57	-13	38.57	Pass	1681
1840	1920	1	RMS	1905.2	23.06	60	36.94	Pass	401
1920	3000	1	RMS	2979.5	-48.42	-13	35.42	Pass	2161
3000	12000	1	RMS	3810.5	-33.44	-13	20.44	Pass	18003
12000	20000	1	RMS	19799.5	-28.11	-13	15.11	Pass	16002




**1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.65	-13	60.65	Pass	401
0.15	30	0.01	RMS	0.175	-71.05	-13	58.05	Pass	5971
30	1000	0.1	RMS	907.219	-63.17	-13	50.17	Pass	19402
1000	1840	1	RMS	1805.5	-51.56	-13	38.56	Pass	1681
1840	1920	1	RMS	1905.2	20.02	60	39.98	Pass	401
1920	3000	1	RMS	2987	-48.24	-13	35.24	Pass	2161
3000	12000	1	RMS	3810.5	-37.74	-13	24.74	Pass	18003
12000	20000	1	RMS	19800.5	-28.22	-13	15.22	Pass	16002




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.71	-13	61.71	Pass	401
0.15	30	0.01	RMS	0.245	-70.69	-13	57.69	Pass	5971
30	1000	0.1	RMS	900.667	-63.18	-13	50.18	Pass	19402
1000	1840	1	RMS	1833	-45.5	-13	32.5	Pass	1681
1840	1920	1	RMS	1850.4	21.21	60	38.79	Pass	401
1920	3000	1	RMS	2992.5	-48.27	-13	35.27	Pass	2161
3000	12000	1	RMS	3701	-37.3	-13	24.3	Pass	18003
12000	20000	1	RMS	19804	-28.2	-13	15.2	Pass	16002




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.34	-13	61.34	Pass	401
0.15	30	0.01	RMS	0.205	-70.96	-13	57.96	Pass	5971
30	1000	0.1	RMS	876.759	-63.3	-13	50.3	Pass	19402
1000	1840	1	RMS	1833	-46.89	-13	33.89	Pass	1681
1840	1920	1	RMS	1850.4	20.12	60	39.88	Pass	401
1920	3000	1	RMS	2987.5	-48.38	-13	35.38	Pass	2161
3000	12000	1	RMS	3701	-38.36	-13	25.36	Pass	18003
12000	20000	1	RMS	19788	-28.22	-13	15.22	Pass	16002




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.14	-13	61.14	Pass	401
0.15	30	0.01	RMS	0.175	-71.25	-13	58.25	Pass	5971
30	1000	0.1	RMS	876.909	-63.22	-13	50.22	Pass	19402
1000	1840	1	RMS	1834.5	-51.38	-13	38.38	Pass	1681
1840	1920	1	RMS	1875.4	20.98	60	39.02	Pass	401
1920	3000	1	RMS	2966.5	-48.39	-13	35.39	Pass	2161
3000	12000	1	RMS	11497	-38.97	-13	25.97	Pass	18003
12000	20000	1	RMS	19794.5	-28.21	-13	15.21	Pass	16002




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.77	-13	61.77	Pass	401
0.15	30	0.01	RMS	0.165	-69.96	-13	56.96	Pass	5971
30	1000	0.1	RMS	905.669	-63.32	-13	50.32	Pass	19402
1000	1840	1	RMS	1836.5	-51.34	-13	38.34	Pass	1681
1840	1920	1	RMS	1875.4	22.67	60	37.33	Pass	401
1920	3000	1	RMS	2988.5	-48.33	-13	35.33	Pass	2161
3000	12000	1	RMS	3751	-38.55	-13	25.55	Pass	18003
12000	20000	1	RMS	19794	-28.14	-13	15.14	Pass	16002




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.62	-13	61.62	Pass	401
0.15	30	0.01	RMS	0.195	-70.59	-13	57.59	Pass	5971
30	1000	0.1	RMS	990.797	-63.42	-13	50.42	Pass	19402
1000	1840	1	RMS	1839	-51.13	-13	38.13	Pass	1681
1840	1920	1	RMS	1900.4	23.05	60	36.95	Pass	401
1920	3000	1	RMS	2985.5	-48.36	-13	35.36	Pass	2161
3000	12000	1	RMS	3801	-35.71	-13	22.71	Pass	18003
12000	20000	1	RMS	19788	-28.18	-13	15.18	Pass	16002




1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.54	-13	60.54	Pass	401
0.15	30	0.01	RMS	0.155	-70.7	-13	57.7	Pass	5971
30	1000	0.1	RMS	893.065	-63.3	-13	50.3	Pass	19402
1000	1840	1	RMS	1839	-51.5	-13	38.5	Pass	1681
1840	1920	1	RMS	1900.4	19.79	60	40.21	Pass	401
1920	3000	1	RMS	2990.5	-48.37	-13	35.37	Pass	2161
3000	12000	1	RMS	11502	-39	-13	26	Pass	18003
12000	20000	1	RMS	19795	-28.19	-13	15.19	Pass	16002




1.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.65	-13	60.65	Pass	401
0.15	30	0.01	RMS	0.165	-71.84	-13	58.84	Pass	5971
30	1000	0.1	RMS	907.719	-63.22	-13	50.22	Pass	19402
1000	1840	1	RMS	1837.5	-44.29	-13	31.29	Pass	1681
1840	1920	1	RMS	1850.8	21.23	60	38.77	Pass	401
1920	3000	1	RMS	2990.5	-48.37	-13	35.37	Pass	2161
3000	12000	1	RMS	3701.5	-38.35	-13	25.35	Pass	18003
12000	20000	1	RMS	19803	-28.13	-13	15.13	Pass	16002




1.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.18	-13	61.18	Pass	401
0.15	30	0.01	RMS	0.315	-71.08	-13	58.08	Pass	5971
30	1000	0.1	RMS	976.442	-63.38	-13	50.38	Pass	19402
1000	1840	1	RMS	1837.5	-43.22	-13	30.22	Pass	1681
1840	1920	1	RMS	1850.8	21.86	60	38.14	Pass	401
1920	3000	1	RMS	2987.5	-48.29	-13	35.29	Pass	2161
3000	12000	1	RMS	3701.5	-38.77	-13	25.77	Pass	18003
12000	20000	1	RMS	19814	-28.2	-13	15.2	Pass	16002




**1.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.04	-13	62.04	Pass	401
0.15	30	0.01	RMS	0.165	-70.83	-13	57.83	Pass	5971
30	1000	0.1	RMS	903.168	-63.4	-13	50.4	Pass	19402
1000	1840	1	RMS	1807.5	-50.72	-13	37.72	Pass	1681
1840	1920	1	RMS	1873.2	22.99	60	37.01	Pass	401
1920	3000	1	RMS	2972	-48.36	-13	35.36	Pass	2161
3000	12000	1	RMS	3746.5	-38.17	-13	25.17	Pass	18003
12000	20000	1	RMS	19804	-28.1	-13	15.1	Pass	16002




1.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.6	-13	60.6	Pass	401
0.15	30	0.01	RMS	0.16	-70.92	-13	57.92	Pass	5971
30	1000	0.1	RMS	874.959	-63.52	-13	50.52	Pass	19402
1000	1840	1	RMS	1807.5	-51.14	-13	38.14	Pass	1681
1840	1920	1	RMS	1873.2	22.33	60	37.67	Pass	401
1920	3000	1	RMS	2984.5	-48.36	-13	35.36	Pass	2161
3000	12000	1	RMS	3746.5	-38.75	-13	25.75	Pass	18003
12000	20000	1	RMS	19801	-28.2	-13	15.2	Pass	16002




**1.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.07	-13	61.07	Pass	401
0.15	30	0.01	RMS	0.28	-71.08	-13	58.08	Pass	5971
30	1000	0.1	RMS	991.097	-63.38	-13	50.38	Pass	19402
1000	1840	1	RMS	1834.5	-49.79	-13	36.79	Pass	1681
1840	1920	1	RMS	1895.8	23.02	60	36.98	Pass	401
1920	3000	1	RMS	2985	-48.43	-13	35.43	Pass	2161
3000	12000	1	RMS	3791.5	-38.41	-13	25.41	Pass	18003
12000	20000	1	RMS	19796	-28.2	-13	15.2	Pass	16002




1.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.06	-13	61.06	Pass	401
0.15	30	0.01	RMS	0.235	-70.83	-13	57.83	Pass	5971
30	1000	0.1	RMS	897.416	-63.44	-13	50.44	Pass	19402
1000	1840	1	RMS	1834.5	-50.49	-13	37.49	Pass	1681
1840	1920	1	RMS	1895.8	22.04	60	37.96	Pass	401
1920	3000	1	RMS	2983.5	-48.37	-13	35.37	Pass	2161
3000	12000	1	RMS	11506.5	-38.98	-13	25.98	Pass	18003
12000	20000	1	RMS	19777.5	-28.19	-13	15.19	Pass	16002




1.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.95	-13	60.95	Pass	401
0.15	30	0.01	RMS	0.17	-70.7	-13	57.7	Pass	5971
30	1000	0.1	RMS	995.599	-63.41	-13	50.41	Pass	19402
1000	1840	1	RMS	1833.5	-43.39	-13	30.39	Pass	1681
1840	1920	1	RMS	1851	23.2	60	36.8	Pass	401
1920	3000	1	RMS	2979.5	-48.41	-13	35.41	Pass	2161
3000	12000	1	RMS	3702	-36.83	-13	23.83	Pass	18003
12000	20000	1	RMS	19800.5	-28.09	-13	15.09	Pass	16002




1.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.56	-13	61.56	Pass	401
0.15	30	0.01	RMS	0.155	-71.2	-13	58.2	Pass	5971
30	1000	0.1	RMS	856.602	-63.34	-13	50.34	Pass	19402
1000	1840	1	RMS	1833.5	-44.73	-13	31.73	Pass	1681
1840	1920	1	RMS	1851	22.16	60	37.84	Pass	401
1920	3000	1	RMS	2991	-48.34	-13	35.34	Pass	2161
3000	12000	1	RMS	3702	-38.21	-13	25.21	Pass	18003
12000	20000	1	RMS	19814	-28.07	-13	15.07	Pass	16002




1.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.76	-13	60.76	Pass	401
0.15	30	0.01	RMS	0.16	-71.28	-13	58.28	Pass	5971
30	1000	0.1	RMS	906.119	-63.13	-13	50.13	Pass	19402
1000	1840	1	RMS	1835.5	-42.5	-13	29.5	Pass	1681
1840	1920	1	RMS	1871	23.23	60	36.77	Pass	401
1920	3000	1	RMS	2970	-48.29	-13	35.29	Pass	2161
3000	12000	1	RMS	3742	-37.55	-13	24.55	Pass	18003
12000	20000	1	RMS	19806.5	-28.24	-13	15.24	Pass	16002




1.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.08	-13	61.08	Pass	401
0.15	30	0.01	RMS	0.22	-70.98	-13	57.98	Pass	5971
30	1000	0.1	RMS	846.6	-63.31	-13	50.31	Pass	19402
1000	1840	1	RMS	1835.5	-45.67	-13	32.67	Pass	1681
1840	1920	1	RMS	1871	21.78	60	38.22	Pass	401
1920	3000	1	RMS	2996.5	-48.32	-13	35.32	Pass	2161
3000	12000	1	RMS	11501.5	-38.86	-13	25.86	Pass	18003
12000	20000	1	RMS	19800.5	-28.15	-13	15.15	Pass	16002




1.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.91	-13	61.91	Pass	401
0.15	30	0.01	RMS	0.15	-70.11	-13	57.11	Pass	5971
30	1000	0.1	RMS	911.471	-63.26	-13	50.26	Pass	19402
1000	1840	1	RMS	1829.5	-47.16	-13	34.16	Pass	1681
1840	1920	1	RMS	1891	23.08	60	36.92	Pass	401
1920	3000	1	RMS	2986	-48.37	-13	35.37	Pass	2161
3000	12000	1	RMS	3782	-38.32	-13	25.32	Pass	18003
12000	20000	1	RMS	19791	-28.21	-13	15.21	Pass	16002



1.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.63	-13	60.63	Pass	401
0.15	30	0.01	RMS	0.165	-70.79	-13	57.79	Pass	5971
30	1000	0.1	RMS	899.567	-63.33	-13	50.33	Pass	19402
1000	1840	1	RMS	1829.5	-48	-13	35	Pass	1681
1840	1920	1	RMS	1891	22.08	60	37.92	Pass	401
1920	3000	1	RMS	2981	-48.38	-13	35.38	Pass	2161
3000	12000	1	RMS	11502	-38.99	-13	25.99	Pass	18003
12000	20000	1	RMS	19804	-28.2	-13	15.2	Pass	16002



2. LTE_Band4


2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.57	-13	61.57	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-13	57.82	Pass	5971
30	1000	0.1	RMS	906.019	-63.17	-13	50.17	Pass	19402
1000	1700	1	RMS	1699.5	-49.9	-13	36.9	Pass	1401
1700	1765	1	RMS	1710.238	23.48	60	36.52	Pass	401
1765	3000	1	RMS	2985	-48.3	-13	35.3	Pass	2471
3000	12000	1	RMS	11496	-39.04	-13	26.04	Pass	18003
12000	20000	1	RMS	19803.5	-28.2	-13	15.2	Pass	16002




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.26	-13	61.26	Pass	401
0.15	30	0.01	RMS	0.185	-71.08	-13	58.08	Pass	5971
30	1000	0.1	RMS	892.865	-63.33	-13	50.33	Pass	19402
1000	1700	1	RMS	1699.5	-50.26	-13	37.26	Pass	1401
1700	1765	1	RMS	1710.238	22.47	60	37.53	Pass	401
1765	3000	1	RMS	2986.5	-48.34	-13	35.34	Pass	2471
3000	12000	1	RMS	11498.5	-38.92	-13	25.92	Pass	18003
12000	20000	1	RMS	19796	-28.14	-13	15.14	Pass	16002




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.47	-13	61.47	Pass	401
0.15	30	0.01	RMS	0.205	-71.56	-13	58.56	Pass	5971
30	1000	0.1	RMS	998.149	-63.22	-13	50.22	Pass	19402
1000	1700	1	RMS	1698.5	-51.87	-13	38.87	Pass	1401
1700	1765	1	RMS	1732.013	21.46	60	38.54	Pass	401
1765	3000	1	RMS	2989.5	-48.26	-13	35.26	Pass	2471
3000	12000	1	RMS	11500.5	-39	-13	26	Pass	18003
12000	20000	1	RMS	19805.5	-28.18	-13	15.18	Pass	16002




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.11	-13	62.11	Pass	401
0.15	30	0.01	RMS	0.16	-70.38	-13	57.38	Pass	5971
30	1000	0.1	RMS	989.046	-63.19	-13	50.19	Pass	19402
1000	1700	1	RMS	1700	-51.88	-13	38.88	Pass	1401
1700	1765	1	RMS	1732.013	20.11	60	39.89	Pass	401
1765	3000	1	RMS	2989.5	-48.34	-13	35.34	Pass	2471
3000	12000	1	RMS	11496.5	-39.05	-13	26.05	Pass	18003
12000	20000	1	RMS	19802	-28.18	-13	15.18	Pass	16002




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.38	-13	61.38	Pass	401
0.15	30	0.01	RMS	0.22	-71.54	-13	58.54	Pass	5971
30	1000	0.1	RMS	919.073	-63.19	-13	50.19	Pass	19402
1000	1700	1	RMS	1697	-51.88	-13	38.88	Pass	1401
1700	1765	1	RMS	1753.788	21.99	60	38.01	Pass	401
1765	3000	1	RMS	2964	-48.29	-13	35.29	Pass	2471
3000	12000	1	RMS	11500	-39.05	-13	26.05	Pass	18003
12000	20000	1	RMS	19800.5	-28.18	-13	15.18	Pass	16002




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.07	-13	61.07	Pass	401
0.15	30	0.01	RMS	0.295	-71.29	-13	58.29	Pass	5971
30	1000	0.1	RMS	918.373	-63.11	-13	50.11	Pass	19402
1000	1700	1	RMS	1699.5	-51.85	-13	38.85	Pass	1401
1700	1765	1	RMS	1753.788	21.38	60	38.62	Pass	401
1765	3000	1	RMS	2984	-48.35	-13	35.35	Pass	2471
3000	12000	1	RMS	11501	-38.96	-13	25.96	Pass	18003
12000	20000	1	RMS	19798.5	-28.24	-13	15.24	Pass	16002




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.07	-13	61.07	Pass	401
0.15	30	0.01	RMS	0.295	-71.14	-13	58.14	Pass	5971
30	1000	0.1	RMS	988.546	-63.17	-13	50.17	Pass	19402
1000	1700	1	RMS	1700	-49.23	-13	36.23	Pass	1401
1700	1765	1	RMS	1710.075	21.46	60	38.54	Pass	401
1765	3000	1	RMS	2995	-48.35	-13	35.35	Pass	2471
3000	12000	1	RMS	11497.5	-39.05	-13	26.05	Pass	18003
12000	20000	1	RMS	19801.5	-28.29	-13	15.29	Pass	16002




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.61	-13	61.61	Pass	401
0.15	30	0.01	RMS	0.23	-70.99	-13	57.99	Pass	5971
30	1000	0.1	RMS	906.769	-63.4	-13	50.4	Pass	19402
1000	1700	1	RMS	1700	-49.64	-13	36.64	Pass	1401
1700	1765	1	RMS	1710.075	20.14	60	39.86	Pass	401
1765	3000	1	RMS	2986.5	-48.29	-13	35.29	Pass	2471
3000	12000	1	RMS	11491.5	-39.01	-13	26.01	Pass	18003
12000	20000	1	RMS	19805.5	-28.12	-13	15.12	Pass	16002




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.13	-13	62.13	Pass	401
0.15	30	0.01	RMS	0.15	-70.74	-13	57.74	Pass	5971
30	1000	0.1	RMS	905.919	-63.06	-13	50.06	Pass	19402
1000	1700	1	RMS	1700	-51.66	-13	38.66	Pass	1401
1700	1765	1	RMS	1731.2	21.48	60	38.52	Pass	401
1765	3000	1	RMS	2973.5	-48.3	-13	35.3	Pass	2471
3000	12000	1	RMS	11500.5	-38.94	-13	25.94	Pass	18003
12000	20000	1	RMS	19796.5	-28.08	-13	15.08	Pass	16002




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.18	-13	61.18	Pass	401
0.15	30	0.01	RMS	0.205	-70.9	-13	57.9	Pass	5971
30	1000	0.1	RMS	904.218	-63.18	-13	50.18	Pass	19402
1000	1700	1	RMS	1700	-51.7	-13	38.7	Pass	1401
1700	1765	1	RMS	1731.2	21.02	60	38.98	Pass	401
1765	3000	1	RMS	2985	-48.3	-13	35.3	Pass	2471
3000	12000	1	RMS	11487	-38.98	-13	25.98	Pass	18003
12000	20000	1	RMS	19793.5	-28.19	-13	15.19	Pass	16002




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.15	-13	61.15	Pass	401
0.15	30	0.01	RMS	0.295	-70.85	-13	57.85	Pass	5971
30	1000	0.1	RMS	910.77	-62.87	-13	49.87	Pass	19402
1000	1700	1	RMS	1697.5	-51.85	-13	38.85	Pass	1401
1700	1765	1	RMS	1752.163	21.96	60	38.04	Pass	401
1765	3000	1	RMS	2973.5	-48.32	-13	35.32	Pass	2471
3000	12000	1	RMS	11490.5	-38.89	-13	25.89	Pass	18003
12000	20000	1	RMS	19788	-28.13	-13	15.13	Pass	16002




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.95	-13	60.95	Pass	401
0.15	30	0.01	RMS	0.585	-71.48	-13	58.48	Pass	5971
30	1000	0.1	RMS	908.27	-63.04	-13	50.04	Pass	19402
1000	1700	1	RMS	1699	-51.89	-13	38.89	Pass	1401
1700	1765	1	RMS	1752.163	21.06	60	38.94	Pass	401
1765	3000	1	RMS	2991	-48.27	-13	35.27	Pass	2471
3000	12000	1	RMS	11502.5	-38.76	-13	25.76	Pass	18003
12000	20000	1	RMS	19793	-28.19	-13	15.19	Pass	16002




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.12	-13	61.12	Pass	401
0.15	30	0.01	RMS	0.19	-70.51	-13	57.51	Pass	5971
30	1000	0.1	RMS	989.196	-63.02	-13	50.02	Pass	19402
1000	1700	1	RMS	1700	-49.78	-13	36.78	Pass	1401
1700	1765	1	RMS	1710.238	21.42	60	38.58	Pass	401
1765	3000	1	RMS	2998	-48.3	-13	35.3	Pass	2471
3000	12000	1	RMS	11495	-38.89	-13	25.89	Pass	18003
12000	20000	1	RMS	19792	-28.2	-13	15.2	Pass	16002




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.68	-13	61.68	Pass	401
0.15	30	0.01	RMS	0.305	-70.96	-13	57.96	Pass	5971
30	1000	0.1	RMS	902.318	-63.16	-13	50.16	Pass	19402
1000	1700	1	RMS	1699.5	-50.25	-13	37.25	Pass	1401
1700	1765	1	RMS	1710.238	19.79	60	40.21	Pass	401
1765	3000	1	RMS	2981.5	-48.33	-13	35.33	Pass	2471
3000	12000	1	RMS	11502.5	-38.95	-13	25.95	Pass	18003
12000	20000	1	RMS	19806.5	-28.09	-13	15.09	Pass	16002




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.21	-13	61.21	Pass	401
0.15	30	0.01	RMS	0.285	-71.33	-13	58.33	Pass	5971
30	1000	0.1	RMS	916.672	-63.03	-13	50.03	Pass	19402
1000	1700	1	RMS	1695.5	-51.65	-13	38.65	Pass	1401
1700	1765	1	RMS	1730.225	21.47	60	38.53	Pass	401
1765	3000	1	RMS	2972	-48.22	-13	35.22	Pass	2471
3000	12000	1	RMS	11505.5	-38.94	-13	25.94	Pass	18003
12000	20000	1	RMS	19802.5	-28.08	-13	15.08	Pass	16002




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.21	-13	62.21	Pass	401
0.15	30	0.01	RMS	0.355	-70.78	-13	57.78	Pass	5971
30	1000	0.1	RMS	907.219	-63.3	-13	50.3	Pass	19402
1000	1700	1	RMS	1700	-51.59	-13	38.59	Pass	1401
1700	1765	1	RMS	1730.225	20.56	60	39.44	Pass	401
1765	3000	1	RMS	2480.5	-46.73	-13	33.73	Pass	2471
3000	12000	1	RMS	11497.5	-38.97	-13	25.97	Pass	18003
12000	20000	1	RMS	19802	-28.13	-13	15.13	Pass	16002




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.32	-13	60.32	Pass	401
0.15	30	0.01	RMS	0.18	-70.54	-13	57.54	Pass	5971
30	1000	0.1	RMS	891.414	-62.93	-13	49.93	Pass	19402
1000	1700	1	RMS	1698	-51.86	-13	38.86	Pass	1401
1700	1765	1	RMS	1750.213	21.72	60	38.28	Pass	401
1765	3000	1	RMS	2980	-48.31	-13	35.31	Pass	2471
3000	12000	1	RMS	11497.5	-38.9	-13	25.9	Pass	18003
12000	20000	1	RMS	19801	-28.06	-13	15.06	Pass	16002




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.28	-13	62.28	Pass	401
0.15	30	0.01	RMS	0.155	-71.66	-13	58.66	Pass	5971
30	1000	0.1	RMS	909.17	-63.05	-13	50.05	Pass	19402
1000	1700	1	RMS	1698.5	-51.94	-13	38.94	Pass	1401
1700	1765	1	RMS	1750.213	20.95	60	39.05	Pass	401
1765	3000	1	RMS	2987	-48.33	-13	35.33	Pass	2471
3000	12000	1	RMS	11504	-38.97	-13	25.97	Pass	18003
12000	20000	1	RMS	19798.5	-28.15	-13	15.15	Pass	16002




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.51	-13	61.51	Pass	401
0.15	30	0.01	RMS	0.16	-71.07	-13	58.07	Pass	5971
30	1000	0.1	RMS	907.119	-63.15	-13	50.15	Pass	19402
1000	1700	1	RMS	1693	-45	-13	32	Pass	1401
1700	1765	1	RMS	1710.563	21.53	60	38.47	Pass	401
1765	3000	1	RMS	2983	-48.28	-13	35.28	Pass	2471
3000	12000	1	RMS	11500	-38.94	-13	25.94	Pass	18003
12000	20000	1	RMS	19795	-28.15	-13	15.15	Pass	16002




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.46	-13	62.46	Pass	401
0.15	30	0.01	RMS	0.165	-70.42	-13	57.42	Pass	5971
30	1000	0.1	RMS	896.116	-63.12	-13	50.12	Pass	19402
1000	1700	1	RMS	1693	-46.17	-13	33.17	Pass	1401
1700	1765	1	RMS	1710.563	20.34	60	39.66	Pass	401
1765	3000	1	RMS	2987.5	-48.36	-13	35.36	Pass	2471
3000	12000	1	RMS	11504	-38.96	-13	25.96	Pass	18003
12000	20000	1	RMS	19793.5	-28.23	-13	15.23	Pass	16002




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.93	-13	60.93	Pass	401
0.15	30	0.01	RMS	0.24	-71.58	-13	58.58	Pass	5971
30	1000	0.1	RMS	899.567	-62.98	-13	49.98	Pass	19402
1000	1700	1	RMS	1700	-51.6	-13	38.6	Pass	1401
1700	1765	1	RMS	1727.95	21.5	60	38.5	Pass	401
1765	3000	1	RMS	2993	-48.28	-13	35.28	Pass	2471
3000	12000	1	RMS	11492.5	-39.04	-13	26.04	Pass	18003
12000	20000	1	RMS	19797	-28.16	-13	15.16	Pass	16002




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.22	-13	60.22	Pass	401
0.15	30	0.01	RMS	0.19	-71.04	-13	58.04	Pass	5971
30	1000	0.1	RMS	921.574	-63.08	-13	50.08	Pass	19402
1000	1700	1	RMS	1698.5	-51.62	-13	38.62	Pass	1401
1700	1765	1	RMS	1727.95	21.04	60	38.96	Pass	401
1765	3000	1	RMS	2989	-48.21	-13	35.21	Pass	2471
3000	12000	1	RMS	11501	-38.89	-13	25.89	Pass	18003
12000	20000	1	RMS	19786	-28.15	-13	15.15	Pass	16002




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.68	-13	60.68	Pass	401
0.15	30	0.01	RMS	0.18	-71.16	-13	58.16	Pass	5971
30	1000	0.1	RMS	898.566	-63.14	-13	50.14	Pass	19402
1000	1700	1	RMS	1696.5	-51.78	-13	38.78	Pass	1401
1700	1765	1	RMS	1745.5	22.12	60	37.88	Pass	401
1765	3000	1	RMS	2977	-48.37	-13	35.37	Pass	2471
3000	12000	1	RMS	11500.5	-38.89	-13	25.89	Pass	18003
12000	20000	1	RMS	19794.5	-28.22	-13	15.22	Pass	16002




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.255	-70.33	-13	57.33	Pass	5971
30	1000	0.1	RMS	906.869	-63.23	-13	50.23	Pass	19402
1000	1700	1	RMS	1699.5	-51.78	-13	38.78	Pass	1401
1700	1765	1	RMS	1745.5	20.48	60	39.52	Pass	401
1765	3000	1	RMS	2993.5	-48.35	-13	35.35	Pass	2471
3000	12000	1	RMS	11491	-38.98	-13	25.98	Pass	18003
12000	20000	1	RMS	19800	-28.08	-13	15.08	Pass	16002




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.43	-13	61.43	Pass	401
0.15	30	0.01	RMS	0.245	-70.96	-13	57.96	Pass	5971
30	1000	0.1	RMS	882.961	-63.13	-13	50.13	Pass	19402
1000	1700	1	RMS	1697.5	-44.17	-13	31.17	Pass	1401
1700	1765	1	RMS	1710.725	21.48	60	38.52	Pass	401
1765	3000	1	RMS	1772.5	-47.83	-13	34.83	Pass	2471
3000	12000	1	RMS	11500.5	-39	-13	26	Pass	18003
12000	20000	1	RMS	19780	-28.16	-13	15.16	Pass	16002




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-13	60.97	Pass	401
0.15	30	0.01	RMS	0.155	-71.59	-13	58.59	Pass	5971
30	1000	0.1	RMS	870.007	-63.11	-13	50.11	Pass	19402
1000	1700	1	RMS	1697.5	-46.44	-13	33.44	Pass	1401
1700	1765	1	RMS	1710.725	20.15	60	39.85	Pass	401
1765	3000	1	RMS	2989	-48.29	-13	35.29	Pass	2471
3000	12000	1	RMS	11499	-38.94	-13	25.94	Pass	18003
12000	20000	1	RMS	19791	-28.1	-13	15.1	Pass	16002




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.17	-13	61.17	Pass	401
0.15	30	0.01	RMS	0.245	-70.47	-13	57.47	Pass	5971
30	1000	0.1	RMS	907.319	-63.12	-13	50.12	Pass	19402
1000	1700	1	RMS	1699	-44.41	-13	31.41	Pass	1401
1700	1765	1	RMS	1725.675	21.51	60	38.49	Pass	401
1765	3000	1	RMS	2968	-48.36	-13	35.36	Pass	2471
3000	12000	1	RMS	11493	-38.95	-13	25.95	Pass	18003
12000	20000	1	RMS	19799.5	-28.16	-13	15.16	Pass	16002




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.42	-13	61.42	Pass	401
0.15	30	0.01	RMS	0.16	-70.92	-13	57.92	Pass	5971
30	1000	0.1	RMS	989.046	-62.97	-13	49.97	Pass	19402
1000	1700	1	RMS	1699	-45.9	-13	32.9	Pass	1401
1700	1765	1	RMS	1725.675	20.46	60	39.54	Pass	401
1765	3000	1	RMS	2970.5	-48.27	-13	35.27	Pass	2471
3000	12000	1	RMS	11501.5	-38.94	-13	25.94	Pass	18003
12000	20000	1	RMS	19802	-28.21	-13	15.21	Pass	16002




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.54	-13	61.54	Pass	401
0.15	30	0.01	RMS	0.27	-70.77	-13	57.77	Pass	5971
30	1000	0.1	RMS	999.85	-63.57	-13	50.57	Pass	19402
1000	1700	1	RMS	1698	-51.79	-13	38.79	Pass	1401
1700	1765	1	RMS	1740.788	21.81	60	38.19	Pass	401
1765	3000	1	RMS	1767.5	-33.02	-13	20.02	Pass	2471
3000	12000	1	RMS	11486	-39.07	-13	26.07	Pass	18003
12000	20000	1	RMS	19796	-28.21	-13	15.21	Pass	16002




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-75.11	-13	62.11	Pass	401
0.15	30	0.01	RMS	0.175	-70.38	-13	57.38	Pass	5971
30	1000	0.1	RMS	992.798	-63.3	-13	50.3	Pass	19402
1000	1700	1	RMS	1699.5	-51.82	-13	38.82	Pass	1401
1700	1765	1	RMS	1740.788	20.75	60	39.25	Pass	401
1765	3000	1	RMS	1767.5	-35.68	-13	22.68	Pass	2471
3000	12000	1	RMS	11500.5	-38.94	-13	25.94	Pass	18003
12000	20000	1	RMS	19790.5	-28.16	-13	15.16	Pass	16002




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.71	-13	60.71	Pass	401
0.15	30	0.01	RMS	0.16	-71.46	-13	58.46	Pass	5971
30	1000	0.1	RMS	914.072	-63.23	-13	50.23	Pass	19402
1000	1700	1	RMS	1693	-47.08	-13	34.08	Pass	1401
1700	1765	1	RMS	1711.05	21.44	60	38.56	Pass	401
1765	3000	1	RMS	1772.5	-42.39	-13	29.39	Pass	2471
3000	12000	1	RMS	11502	-38.83	-13	25.83	Pass	18003
12000	20000	1	RMS	19795.5	-28.23	-13	15.23	Pass	16002




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.83	-13	61.83	Pass	401
0.15	30	0.01	RMS	0.21	-71.3	-13	58.3	Pass	5971
30	1000	0.1	RMS	894.465	-63.16	-13	50.16	Pass	19402
1000	1700	1	RMS	1693.5	-48.85	-13	35.85	Pass	1401
1700	1765	1	RMS	1711.05	20.22	60	39.78	Pass	401
1765	3000	1	RMS	1772.5	-43.75	-13	30.75	Pass	2471
3000	12000	1	RMS	11499.5	-38.98	-13	25.98	Pass	18003
12000	20000	1	RMS	19808.5	-28.11	-13	15.11	Pass	16002




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.8	-13	60.8	Pass	401
0.15	30	0.01	RMS	0.205	-69.99	-13	56.99	Pass	5971
30	1000	0.1	RMS	996.899	-63.28	-13	50.28	Pass	19402
1000	1700	1	RMS	1688	-48.38	-13	35.38	Pass	1401
1700	1765	1	RMS	1723.563	21.41	60	38.59	Pass	401
1765	3000	1	RMS	1785	-43.29	-13	30.29	Pass	2471
3000	12000	1	RMS	11491.5	-39.09	-13	26.09	Pass	18003
12000	20000	1	RMS	19815.5	-28.14	-13	15.14	Pass	16002




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.11	-13	61.11	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-13	58.18	Pass	5971
30	1000	0.1	RMS	917.123	-63.33	-13	50.33	Pass	19402
1000	1700	1	RMS	1688	-49.54	-13	36.54	Pass	1401
1700	1765	1	RMS	1723.563	20.23	60	39.77	Pass	401
1765	3000	1	RMS	1785	-44.62	-13	31.62	Pass	2471
3000	12000	1	RMS	11500	-39.06	-13	26.06	Pass	18003
12000	20000	1	RMS	19803.5	-28.15	-13	15.15	Pass	16002




2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.03	-13	62.03	Pass	401
0.15	30	0.01	RMS	0.455	-71.31	-13	58.31	Pass	5971
30	1000	0.1	RMS	999.9	-63.14	-13	50.14	Pass	19402
1000	1700	1	RMS	1700	-45.16	-13	32.16	Pass	1401
1700	1765	1	RMS	1736.075	21.66	60	38.34	Pass	401
1765	3000	1	RMS	1772	-31.4	-13	18.4	Pass	2471
3000	12000	1	RMS	11501.5	-39.01	-13	26.01	Pass	18003
12000	20000	1	RMS	19809	-28.11	-13	15.11	Pass	16002



2.37. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.89	-13	60.89	Pass	401
0.15	30	0.01	RMS	0.17	-71.07	-13	58.07	Pass	5971
30	1000	0.1	RMS	893.965	-63.42	-13	50.42	Pass	19402
1000	1700	1	RMS	1700	-45.84	-13	32.84	Pass	1401
1700	1765	1	RMS	1736.075	20.86	60	39.14	Pass	401
1765	3000	1	RMS	1771.5	-33.17	-13	20.17	Pass	2471
3000	12000	1	RMS	11497.5	-39.01	-13	26.01	Pass	18003
12000	20000	1	RMS	19798.5	-28.21	-13	15.21	Pass	16002



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.11	-13	61.11	Pass	401
0.15	30	0.01	RMS	0.255	-70.79	-13	57.79	Pass	5971
30	814	0.1	RMS	810.35	-62.26	-13	49.26	Pass	15681
814	860	0.1	RMS	824.25	21.03	60	38.97	Pass	921
860	1000	0.1	RMS	880.9	-63.43	-13	50.43	Pass	2801
1000	3000	1	RMS	2972.5	-48.35	-13	35.35	Pass	4001
3000	10000	1	RMS	9998.5	-40.63	-13	27.63	Pass	14002




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.36	-13	61.36	Pass	401
0.15	30	0.01	RMS	0.325	-70.8	-13	57.8	Pass	5971
30	814	0.1	RMS	810.35	-62.31	-13	49.31	Pass	15681
814	860	0.1	RMS	824.25	20.05	60	39.95	Pass	921
860	1000	0.1	RMS	891.75	-63.11	-13	50.11	Pass	2801
1000	3000	1	RMS	2992	-48.37	-13	35.37	Pass	4001
3000	10000	1	RMS	9990	-40.44	-13	27.44	Pass	14002




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.78	-13	61.78	Pass	401
0.15	30	0.01	RMS	0.19	-71.46	-13	58.46	Pass	5971
30	814	0.1	RMS	472.754	-63.8	-13	50.8	Pass	15681
814	860	0.1	RMS	836.05	21.1	60	38.9	Pass	921
860	1000	0.1	RMS	983.8	-63.32	-13	50.32	Pass	2801
1000	3000	1	RMS	1672	-45.25	-13	32.25	Pass	4001
3000	10000	1	RMS	9999.5	-40.49	-13	27.49	Pass	14002




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.07	-13	61.07	Pass	401
0.15	30	0.01	RMS	0.215	-71	-13	58	Pass	5971
30	814	0.1	RMS	486.756	-63.96	-13	50.96	Pass	15681
814	860	0.1	RMS	836.05	20.51	60	39.49	Pass	921
860	1000	0.1	RMS	897.55	-63.4	-13	50.4	Pass	2801
1000	3000	1	RMS	1672	-45.7	-13	32.7	Pass	4001
3000	10000	1	RMS	9986	-40.71	-13	27.71	Pass	14002




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.6	-13	61.6	Pass	401
0.15	30	0.01	RMS	0.21	-70.61	-13	57.61	Pass	5971
30	814	0.1	RMS	776.745	-63.84	-13	50.84	Pass	15681
814	860	0.1	RMS	847.85	21.34	60	38.66	Pass	921
860	1000	0.1	RMS	902.7	-63.32	-13	50.32	Pass	2801
1000	3000	1	RMS	1695.5	-41.97	-13	28.97	Pass	4001
3000	10000	1	RMS	9994	-40.59	-13	27.59	Pass	14002




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.6	-13	61.6	Pass	401
0.15	30	0.01	RMS	0.155	-70.98	-13	57.98	Pass	5971
30	814	0.1	RMS	797.748	-63.68	-13	50.68	Pass	15681
814	860	0.1	RMS	847.85	18.16	60	41.84	Pass	921
860	1000	0.1	RMS	983.1	-63.04	-13	50.04	Pass	2801
1000	3000	1	RMS	1695.5	-45.79	-13	32.79	Pass	4001
3000	10000	1	RMS	9987.5	-40.58	-13	27.58	Pass	14002




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.05	-13	61.05	Pass	401
0.15	30	0.01	RMS	0.175	-71.16	-13	58.16	Pass	5971
30	814	0.1	RMS	810.35	-62.92	-13	49.92	Pass	15681
814	860	0.1	RMS	824.25	19.55	60	40.45	Pass	921
860	1000	0.1	RMS	892.95	-63.09	-13	50.09	Pass	2801
1000	3000	1	RMS	2480	-47.19	-13	34.19	Pass	4001
3000	10000	1	RMS	9993.5	-40.62	-13	27.62	Pass	14002




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.33	-13	41.33	Pass	401
0.15	30	0.01	RMS	0.15	-57.75	-13	44.75	Pass	5971
30	814	0.1	RMS	759.25	-61.74	-13	48.74	Pass	15681
814	860	0.1	RMS	824.25	20.07	60	39.93	Pass	921
860	1000	0.1	RMS	902.15	-61.56	-13	48.56	Pass	2801
1000	3000	1	RMS	2472.5	-45.44	-13	32.44	Pass	4001
3000	10000	1	RMS	7593.5	-40.84	-13	27.84	Pass	14001




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.17	-13	42.17	Pass	401
0.15	30	0.01	RMS	0.15	-57.24	-13	44.24	Pass	5971
30	814	0.1	RMS	807.95	-61.59	-13	48.59	Pass	15681
814	860	0.1	RMS	835.25	21.34	60	38.66	Pass	921
860	1000	0.1	RMS	892.4	-61.61	-13	48.61	Pass	2801
1000	3000	1	RMS	1670.5	-42.42	-13	29.42	Pass	4001
3000	10000	1	RMS	7598	-40.92	-13	27.92	Pass	14001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.42	-13	61.42	Pass	401
0.15	30	0.01	RMS	0.465	-71.43	-13	58.43	Pass	5971
30	814	0.1	RMS	734.989	-63.65	-13	50.65	Pass	15681
814	860	0.1	RMS	835.25	19.63	60	40.37	Pass	921
860	1000	0.1	RMS	907.4	-63.07	-13	50.07	Pass	2801
1000	3000	1	RMS	1670.5	-45.42	-13	32.42	Pass	4001
3000	10000	1	RMS	9996	-40.52	-13	27.52	Pass	14002




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.78	-13	61.78	Pass	401
0.15	30	0.01	RMS	0.155	-71.25	-13	58.25	Pass	5971
30	814	0.1	RMS	481.056	-63.7	-13	50.7	Pass	15681
814	860	0.1	RMS	846.25	21.23	60	38.77	Pass	921
860	1000	0.1	RMS	923.05	-62.94	-13	49.94	Pass	2801
1000	3000	1	RMS	1692.5	-42.98	-13	29.98	Pass	4001
3000	10000	1	RMS	9995.5	-40.57	-13	27.57	Pass	14002




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.235	-70.45	-13	57.45	Pass	5971
30	814	0.1	RMS	802.899	-63.68	-13	50.68	Pass	15681
814	860	0.1	RMS	846.25	20.43	60	39.57	Pass	921
860	1000	0.1	RMS	985	-63.25	-13	50.25	Pass	2801
1000	3000	1	RMS	1692.5	-43.82	-13	30.82	Pass	4001
3000	10000	1	RMS	9977.5	-40.63	-13	27.63	Pass	14002




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.36	-13	61.36	Pass	401
0.15	30	0.01	RMS	0.205	-71.09	-13	58.09	Pass	5971
30	814	0.1	RMS	810.4	-61.89	-13	48.89	Pass	15681
814	860	0.1	RMS	824.35	20.84	60	39.16	Pass	921
860	1000	0.1	RMS	904.55	-63.09	-13	50.09	Pass	2801
1000	3000	1	RMS	2985.5	-48.39	-13	35.39	Pass	4001
3000	10000	1	RMS	9990	-40.55	-13	27.55	Pass	14002




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.46	-13	61.46	Pass	401
0.15	30	0.01	RMS	0.26	-70.85	-13	57.85	Pass	5971
30	814	0.1	RMS	814	-62.04	-13	49.04	Pass	15681
814	860	0.1	RMS	824.35	19.52	60	40.48	Pass	921
860	1000	0.1	RMS	913.25	-62.89	-13	49.89	Pass	2801
1000	3000	1	RMS	2965.5	-48.38	-13	35.38	Pass	4001
3000	10000	1	RMS	9997	-40.58	-13	27.58	Pass	14002




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.16	-13	61.16	Pass	401
0.15	30	0.01	RMS	0.18	-71.23	-13	58.23	Pass	5971
30	814	0.1	RMS	813.5	-63.63	-13	50.63	Pass	15681
814	860	0.1	RMS	834.35	21.06	60	38.94	Pass	921
860	1000	0.1	RMS	906.4	-62.94	-13	49.94	Pass	2801
1000	3000	1	RMS	1668.5	-43.74	-13	30.74	Pass	4001
3000	10000	1	RMS	9993	-40.48	-13	27.48	Pass	14002




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.89	-13	61.89	Pass	401
0.15	30	0.01	RMS	0.2	-71.07	-13	58.07	Pass	5971
30	814	0.1	RMS	798.098	-63.74	-13	50.74	Pass	15681
814	860	0.1	RMS	834.35	20.06	60	39.94	Pass	921
860	1000	0.1	RMS	914.4	-63.14	-13	50.14	Pass	2801
1000	3000	1	RMS	1668.5	-44.81	-13	31.81	Pass	4001
3000	10000	1	RMS	9996	-40.5	-13	27.5	Pass	14002




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.62	-13	61.62	Pass	401
0.15	30	0.01	RMS	0.17	-71.35	-13	58.35	Pass	5971
30	814	0.1	RMS	748.991	-63.68	-13	50.68	Pass	15681
814	860	0.1	RMS	844.3	20.94	60	39.06	Pass	921
860	1000	0.1	RMS	994.25	-63.06	-13	50.06	Pass	2801
1000	3000	1	RMS	1688.5	-45.19	-13	32.19	Pass	4001
3000	10000	1	RMS	9993.5	-40.51	-13	27.51	Pass	14002




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.18	-13	62.18	Pass	401
0.15	30	0.01	RMS	0.2	-71.03	-13	58.03	Pass	5971
30	814	0.1	RMS	641.177	-63.54	-13	50.54	Pass	15681
814	860	0.1	RMS	844.35	20.44	60	39.56	Pass	921
860	1000	0.1	RMS	908.45	-63.33	-13	50.33	Pass	2801
1000	3000	1	RMS	1688.5	-46.25	-13	33.25	Pass	4001
3000	10000	1	RMS	9985.5	-40.51	-13	27.51	Pass	14002




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.06	-13	61.06	Pass	401
0.15	30	0.01	RMS	0.325	-71.59	-13	58.59	Pass	5971
30	814	0.1	RMS	810.7	-61.83	-13	48.83	Pass	15681
814	860	0.1	RMS	824.6	21.24	60	38.76	Pass	921
860	1000	0.1	RMS	978.65	-63.12	-13	50.12	Pass	2801
1000	3000	1	RMS	2426.5	-47.51	-13	34.51	Pass	4001
3000	10000	1	RMS	9983.5	-40.5	-13	27.5	Pass	14002




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.58	-13	60.58	Pass	401
0.15	30	0.01	RMS	0.245	-71.29	-13	58.29	Pass	5971
30	814	0.1	RMS	810.7	-62.11	-13	49.11	Pass	15681
814	860	0.1	RMS	824.6	19.83	60	40.17	Pass	921
860	1000	0.1	RMS	975.8	-63.11	-13	50.11	Pass	2801
1000	3000	1	RMS	2426.5	-47.84	-13	34.84	Pass	4001
3000	10000	1	RMS	9999.5	-40.5	-13	27.5	Pass	14002




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.14	-13	62.14	Pass	401
0.15	30	0.01	RMS	0.155	-71.51	-13	58.51	Pass	5971
30	814	0.1	RMS	814	-62.47	-13	49.47	Pass	15681
814	860	0.1	RMS	832.1	21.29	60	38.71	Pass	921
860	1000	0.1	RMS	904.5	-63.06	-13	50.06	Pass	2801
1000	3000	1	RMS	1664	-42.65	-13	29.65	Pass	4001
3000	10000	1	RMS	9996.5	-40.61	-13	27.61	Pass	14002




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.62	-13	61.62	Pass	401
0.15	30	0.01	RMS	0.19	-70.83	-13	57.83	Pass	5971
30	814	0.1	RMS	652.478	-63.63	-13	50.63	Pass	15681
814	860	0.1	RMS	832.1	20.14	60	39.86	Pass	921
860	1000	0.1	RMS	889.95	-63.13	-13	50.13	Pass	2801
1000	3000	1	RMS	1664	-43.72	-13	30.72	Pass	4001
3000	10000	1	RMS	9992.5	-40.55	-13	27.55	Pass	14002




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.44	-13	61.44	Pass	401
0.15	30	0.01	RMS	0.215	-70.76	-13	57.76	Pass	5971
30	814	0.1	RMS	480.505	-63.36	-13	50.36	Pass	15681
814	860	0.1	RMS	839.6	21.16	60	38.84	Pass	921
860	1000	0.1	RMS	920	-63.05	-13	50.05	Pass	2801
1000	3000	1	RMS	2987	-48.36	-13	35.36	Pass	4001
3000	10000	1	RMS	9992.5	-40.54	-13	27.54	Pass	14002



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.79	-13	60.79	Pass	401
0.15	30	0.01	RMS	0.16	-70.36	-13	57.36	Pass	5971
30	814	0.1	RMS	754.142	-63.53	-13	50.53	Pass	15681
814	860	0.1	RMS	839.6	19.87	60	40.13	Pass	921
860	1000	0.1	RMS	880.4	-62.77	-13	49.77	Pass	2801
1000	3000	1	RMS	2996	-48.3	-13	35.3	Pass	4001
3000	10000	1	RMS	9994	-40.5	-13	27.5	Pass	14002



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74	-25	49	Pass	401
0.15	30	0.01	RMS	0.215	-71.06	-25	46.06	Pass	5971
30	1000	0.1	RMS	992.998	-63.25	-25	38.25	Pass	19402
1000	2490	1	RMS	2490	-48.59	-25	23.59	Pass	2981
2490	2580	1	RMS	2500.125	22.12	60	37.88	Pass	401
2580	3000	1	RMS	2972.5	-48.39	-25	23.39	Pass	841
3000	12000	1	RMS	5000.5	-45.47	-25	20.47	Pass	18003
12000	26000	1	RMS	25105.5	-43.6	-25	18.6	Pass	28004




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.88	-25	49.88	Pass	401
0.15	30	0.01	RMS	0.315	-71.24	-25	46.24	Pass	5971
30	1000	0.1	RMS	860.054	-63.01	-25	38.01	Pass	19402
1000	2490	1	RMS	2490	-48.97	-25	23.97	Pass	2981
2490	2580	1	RMS	2500.125	20.49	60	39.51	Pass	401
2580	3000	1	RMS	2990	-48.39	-25	23.39	Pass	841
3000	12000	1	RMS	5000.5	-48.26	-25	23.26	Pass	18003
12000	26000	1	RMS	25115	-43.05	-25	18.05	Pass	28004




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.09	-25	49.09	Pass	401
0.15	30	0.01	RMS	0.185	-70.87	-25	45.87	Pass	5971
30	1000	0.1	RMS	905.419	-62.89	-25	37.89	Pass	19402
1000	2490	1	RMS	2488.5	-49.38	-25	24.38	Pass	2981
2490	2580	1	RMS	2532.75	21.92	60	38.08	Pass	401
2580	3000	1	RMS	2983.5	-48.36	-25	23.36	Pass	841
3000	12000	1	RMS	11469.5	-59.14	-25	34.14	Pass	18003
12000	26000	1	RMS	25100	-43.03	-25	18.03	Pass	28004




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.34	-25	49.34	Pass	401
0.15	30	0.01	RMS	0.155	-71.1	-25	46.1	Pass	5971
30	1000	0.1	RMS	886.212	-63	-25	38	Pass	19402
1000	2490	1	RMS	2483.5	-49.41	-25	24.41	Pass	2981
2490	2580	1	RMS	2532.75	22.5	60	37.5	Pass	401
2580	3000	1	RMS	2984	-48.41	-25	23.41	Pass	841
3000	12000	1	RMS	5065.5	-49.4	-25	24.4	Pass	18003
12000	26000	1	RMS	25096.5	-43.11	-25	18.11	Pass	28004




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.28	-25	49.28	Pass	401
0.15	30	0.01	RMS	0.23	-71	-25	46	Pass	5971
30	1000	0.1	RMS	898.316	-61.25	-25	36.25	Pass	19402
1000	2490	1	RMS	2488	-49.21	-25	24.21	Pass	2981
2490	2580	1	RMS	2565.15	23.97	60	36.03	Pass	401
2580	3000	1	RMS	2582.5	-48.17	-25	23.17	Pass	841
3000	12000	1	RMS	5130.5	-50.6	-25	25.6	Pass	18003
12000	26000	1	RMS	25106	-42.95	-25	17.95	Pass	28004




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.06	-25	49.06	Pass	401
0.15	30	0.01	RMS	29.285	-71.39	-25	46.39	Pass	5971
30	1000	0.1	RMS	992.798	-62.9	-25	37.9	Pass	19402
1000	2490	1	RMS	2487.5	-49.44	-25	24.44	Pass	2981
2490	2580	1	RMS	2565.15	23.06	60	36.94	Pass	401
2580	3000	1	RMS	2971	-48.25	-25	23.25	Pass	841
3000	12000	1	RMS	5130.5	-51.76	-25	26.76	Pass	18003
12000	26000	1	RMS	25101.5	-42.86	-25	17.86	Pass	28004




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.3	-25	49.3	Pass	401
0.15	30	0.01	RMS	0.18	-71.61	-25	46.61	Pass	5971
30	1000	0.1	RMS	769.95	-62.16	-25	37.16	Pass	19402
1000	2490	1	RMS	2483	-47.18	-25	22.18	Pass	2981
2490	2580	1	RMS	2500.575	23.42	60	36.58	Pass	401
2580	3000	1	RMS	3000	-48.37	-25	23.37	Pass	841
3000	12000	1	RMS	5001	-44.02	-25	19.02	Pass	18003
12000	26000	1	RMS	25095.5	-42.99	-25	17.99	Pass	28004




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.91	-25	49.91	Pass	401
0.15	30	0.01	RMS	0.185	-70.95	-25	45.95	Pass	5971
30	1000	0.1	RMS	993.648	-63.01	-25	38.01	Pass	19402
1000	2490	1	RMS	2483	-46.05	-25	21.05	Pass	2981
2490	2580	1	RMS	2500.35	20.32	60	39.68	Pass	401
2580	3000	1	RMS	2988.5	-48.36	-25	23.36	Pass	841
3000	12000	1	RMS	5001	-48.09	-25	23.09	Pass	18003
12000	26000	1	RMS	25101.5	-42.99	-25	17.99	Pass	28004




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.44	-25	49.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-25	46.08	Pass	5971
30	1000	0.1	RMS	870.907	-62.99	-25	37.99	Pass	19402
1000	2490	1	RMS	2480.5	-47.82	-25	22.82	Pass	2981
2490	2580	1	RMS	2530.5	21.45	60	38.55	Pass	401
2580	3000	1	RMS	2988	-48.37	-25	23.37	Pass	841
3000	12000	1	RMS	11499	-59.03	-25	34.03	Pass	18003
12000	26000	1	RMS	25096.5	-43	-25	18	Pass	28004




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.6	-25	29.6	Pass	401
0.15	30	0.01	RMS	0.15	-56.93	-25	31.93	Pass	5971
30	1000	0.1	RMS	882.9	-61.34	-25	36.34	Pass	19401
1000	2490	1	RMS	2480.5	-47.47	-25	22.47	Pass	2981
2490	2580	1	RMS	2530.5	22.4	60	37.6	Pass	401
2580	3000	1	RMS	2681.5	-47.36	-25	22.36	Pass	841
3000	12000	1	RMS	5061	-49.78	-25	24.78	Pass	18001
12000	26000	1	RMS	25526	-38.03	-25	13.03	Pass	28001




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.61	-25	49.61	Pass	401
0.15	30	0.01	RMS	0.235	-71.05	-25	46.05	Pass	5971
30	1000	0.1	RMS	990.097	-62.73	-25	37.73	Pass	19402
1000	2490	1	RMS	2490	-49.49	-25	24.49	Pass	2981
2490	2580	1	RMS	2560.425	21.64	60	38.36	Pass	401
2580	3000	1	RMS	2988.5	-48.38	-25	23.38	Pass	841
3000	12000	1	RMS	5121	-55.65	-25	30.65	Pass	18003
12000	26000	1	RMS	25104.5	-43.01	-25	18.01	Pass	28004




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.4	-25	49.4	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-25	46.33	Pass	5971
30	1000	0.1	RMS	450.85	-62.15	-25	37.15	Pass	19402
1000	2490	1	RMS	2488.5	-49.54	-25	24.54	Pass	2981
2490	2580	1	RMS	2560.425	20.79	60	39.21	Pass	401
2580	3000	1	RMS	2993	-48.29	-25	23.29	Pass	841
3000	12000	1	RMS	5121	-57	-25	32	Pass	18003
12000	26000	1	RMS	25099.5	-42.95	-25	17.95	Pass	28004




4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.52	-25	49.52	Pass	401
0.15	30	0.01	RMS	0.22	-71	-25	46	Pass	5971
30	1000	0.1	RMS	977.943	-62.82	-25	37.82	Pass	19402
1000	2490	1	RMS	2487.5	-37.62	-25	12.62	Pass	2981
2490	2580	1	RMS	2500.8	21.66	60	38.34	Pass	401
2580	3000	1	RMS	2982	-48.23	-25	23.23	Pass	841
3000	12000	1	RMS	5001.5	-43.46	-25	18.46	Pass	18003
12000	26000	1	RMS	25096	-42.99	-25	17.99	Pass	28004




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.48	-25	49.48	Pass	401
0.15	30	0.01	RMS	0.27	-71.23	-25	46.23	Pass	5971
30	1000	0.1	RMS	910.971	-60.93	-25	35.93	Pass	19402
1000	2490	1	RMS	2487.5	-38.15	-25	13.15	Pass	2981
2490	2580	1	RMS	2500.8	20.92	60	39.08	Pass	401
2580	3000	1	RMS	2984.5	-48.32	-25	23.32	Pass	841
3000	12000	1	RMS	5001.5	-48.56	-25	23.56	Pass	18003
12000	26000	1	RMS	25101.5	-43	-25	18	Pass	28004




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.89	-25	49.89	Pass	401
0.15	30	0.01	RMS	0.155	-70.57	-25	45.57	Pass	5971
30	1000	0.1	RMS	876.859	-61.18	-25	36.18	Pass	19402
1000	2490	1	RMS	2488	-49.24	-25	24.24	Pass	2981
2490	2580	1	RMS	2528.25	23.47	60	36.53	Pass	401
2580	3000	1	RMS	2964.5	-48.22	-25	23.22	Pass	841
3000	12000	1	RMS	5056.5	-48.78	-25	23.78	Pass	18003
12000	26000	1	RMS	25107	-42.86	-25	17.86	Pass	28004




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.58	-25	49.58	Pass	401
0.15	30	0.01	RMS	0.23	-71.18	-25	46.18	Pass	5971
30	1000	0.1	RMS	855.052	-61.19	-25	36.19	Pass	19402
1000	2490	1	RMS	2490	-49.05	-25	24.05	Pass	2981
2490	2580	1	RMS	2528.25	23.22	60	36.78	Pass	401
2580	3000	1	RMS	2993	-48.22	-25	23.22	Pass	841
3000	12000	1	RMS	5056.5	-48.89	-25	23.89	Pass	18003
12000	26000	1	RMS	25103	-42.81	-25	17.81	Pass	28004




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.74	-25	48.74	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-25	46.34	Pass	5971
30	1000	0.1	RMS	993.898	-61.4	-25	36.4	Pass	19402
1000	2490	1	RMS	2488	-47.89	-25	22.89	Pass	2981
2490	2580	1	RMS	2555.7	21.69	60	38.31	Pass	401
2580	3000	1	RMS	2582.5	-35.55	-25	10.55	Pass	841
3000	12000	1	RMS	5111.5	-55.22	-25	30.22	Pass	18003
12000	26000	1	RMS	25083	-42.92	-25	17.92	Pass	28004




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.52	-25	49.52	Pass	401
0.15	30	0.01	RMS	9.055	-71.16	-25	46.16	Pass	5971
30	1000	0.1	RMS	886.612	-60.96	-25	35.96	Pass	19402
1000	2490	1	RMS	2488	-48.36	-25	23.36	Pass	2981
2490	2580	1	RMS	2555.7	20.71	60	39.29	Pass	401
2580	3000	1	RMS	2582.5	-32.76	-25	7.76	Pass	841
3000	12000	1	RMS	5111.5	-56.22	-25	31.22	Pass	18003
12000	26000	1	RMS	25107	-42.94	-25	17.94	Pass	28004




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.17	-25	49.17	Pass	401
0.15	30	0.01	RMS	0.295	-70.29	-25	45.29	Pass	5971
30	1000	0.1	RMS	482.15	-61.66	-25	36.66	Pass	19402
1000	2490	1	RMS	2483.5	-38.91	-25	13.91	Pass	2981
2490	2580	1	RMS	2501.025	21.72	60	38.28	Pass	401
2580	3000	1	RMS	2966	-48.29	-25	23.29	Pass	841
3000	12000	1	RMS	5002	-46.7	-25	21.7	Pass	18003
12000	26000	1	RMS	25102	-42.81	-25	17.81	Pass	28004




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.8	-25	48.8	Pass	401
0.15	30	0.01	RMS	0.215	-70.83	-25	45.83	Pass	5971
30	1000	0.1	RMS	988.596	-61.16	-25	36.16	Pass	19402
1000	2490	1	RMS	2483	-37.39	-25	12.39	Pass	2981
2490	2580	1	RMS	2501.025	22.6	60	37.4	Pass	401
2580	3000	1	RMS	2971	-48.24	-25	23.24	Pass	841
3000	12000	1	RMS	11455	-58.92	-25	33.92	Pass	18003
12000	26000	1	RMS	25084.5	-42.98	-25	17.98	Pass	28004




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.31	-25	49.31	Pass	401
0.15	30	0.01	RMS	0.155	-71.22	-25	46.22	Pass	5971
30	1000	0.1	RMS	507.25	-61.29	-25	36.29	Pass	19402
1000	2490	1	RMS	2490	-47.53	-25	22.53	Pass	2981
2490	2580	1	RMS	2526	23.76	60	36.24	Pass	401
2580	3000	1	RMS	2996	-48.27	-25	23.27	Pass	841
3000	12000	1	RMS	5052	-48.58	-25	23.58	Pass	18003
12000	26000	1	RMS	25093	-42.99	-25	17.99	Pass	28004




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.24	-25	29.24	Pass	401
0.15	30	0.01	RMS	0.15	-57.4	-25	32.4	Pass	5971
30	1000	0.1	RMS	901.7	-61.16	-25	36.16	Pass	19401
1000	2490	1	RMS	2490	-46.81	-25	21.81	Pass	2981
2490	2580	1	RMS	2526	22.36	60	37.64	Pass	401
2580	3000	1	RMS	2679	-47.34	-25	22.34	Pass	841
3000	12000	1	RMS	5052	-50.1	-25	25.1	Pass	18001
12000	26000	1	RMS	25509.5	-37.99	-25	12.99	Pass	28001




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.1	-25	29.1	Pass	401
0.15	30	0.01	RMS	0.15	-58.17	-25	33.17	Pass	5971
30	1000	0.1	RMS	859.55	-61.35	-25	36.35	Pass	19401
1000	2490	1	RMS	2481.5	-47.21	-25	22.21	Pass	2981
2490	2580	1	RMS	2551.2	23.83	60	36.17	Pass	401
2580	3000	1	RMS	2586.5	-44.98	-25	19.98	Pass	841
3000	12000	1	RMS	5102	-52.43	-25	27.43	Pass	18001
12000	26000	1	RMS	25549.5	-37.87	-25	12.87	Pass	28001



4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.66	-25	48.66	Pass	401
0.15	30	0.01	RMS	0.205	-71.49	-25	46.49	Pass	5971
30	1000	0.1	RMS	919.273	-62.76	-25	37.76	Pass	19402
1000	2490	1	RMS	2481.5	-47.23	-25	22.23	Pass	2981
2490	2580	1	RMS	2550.975	22.77	60	37.23	Pass	401
2580	3000	1	RMS	2587	-36.95	-25	11.95	Pass	841
3000	12000	1	RMS	5102	-51.24	-25	26.24	Pass	18003
12000	26000	1	RMS	25100.5	-43	-25	18	Pass	28004



5. LTE_Band12


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.69	-13	41.69	Pass	401
0.15	30	0.01	RMS	0.155	-57.08	-13	44.08	Pass	5971
30	689	0.1	RMS	483.65	-62.8	-13	49.8	Pass	13181
689	726	0.1	RMS	699.25	20.59	60	39.41	Pass	741
726	1000	0.1	RMS	922.45	-61.17	-13	48.17	Pass	5481
1000	3000	1	RMS	1398.5	-44.84	-13	31.84	Pass	4001
3000	10000	1	RMS	7578	-41.24	-13	28.24	Pass	14001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-56.25	-13	43.25	Pass	401
0.15	30	0.01	RMS	0.16	-57.55	-13	44.55	Pass	5971
30	689	0.1	RMS	502.55	-62.91	-13	49.91	Pass	13181
689	726	0.1	RMS	699.25	18.51	60	41.49	Pass	741
726	1000	0.1	RMS	903.65	-61.53	-13	48.53	Pass	5481
1000	3000	1	RMS	2480	-44.87	-13	31.87	Pass	4001
3000	10000	1	RMS	7584	-41.16	-13	28.16	Pass	14001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.37	-13	41.37	Pass	401
0.15	30	0.01	RMS	0.15	-57.9	-13	44.9	Pass	5971
30	689	0.1	RMS	493.7	-62.89	-13	49.89	Pass	13181
689	726	0.1	RMS	707.05	18.54	60	41.46	Pass	741
726	1000	0.1	RMS	903.15	-61.39	-13	48.39	Pass	5481
1000	3000	1	RMS	1414	-44.37	-13	31.37	Pass	4001
3000	10000	1	RMS	7576	-41.27	-13	28.27	Pass	14001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.07	-13	42.07	Pass	401
0.15	30	0.01	RMS	0.15	-57.14	-13	44.14	Pass	5971
30	689	0.1	RMS	507.4	-63	-13	50	Pass	13181
689	726	0.1	RMS	707.05	17.18	60	42.82	Pass	741
726	1000	0.1	RMS	860.45	-61.49	-13	48.49	Pass	5481
1000	3000	1	RMS	1414	-45.71	-13	32.71	Pass	4001
3000	10000	1	RMS	7594	-41.21	-13	28.21	Pass	14001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.97	-13	40.97	Pass	401
0.15	30	0.01	RMS	0.15	-57.92	-13	44.92	Pass	5971
30	689	0.1	RMS	682.55	-63.04	-13	50.04	Pass	13181
689	726	0.1	RMS	714.85	19.32	60	40.68	Pass	741
726	1000	0.1	RMS	883.6	-61.46	-13	48.46	Pass	5481
1000	3000	1	RMS	1429.5	-45.35	-13	32.35	Pass	4001
3000	10000	1	RMS	7591.5	-41.19	-13	28.19	Pass	14001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.36	-13	41.36	Pass	401
0.15	30	0.01	RMS	0.15	-58.68	-13	45.68	Pass	5971
30	689	0.1	RMS	683.05	-63.01	-13	50.01	Pass	13181
689	726	0.1	RMS	714.85	18.48	60	41.52	Pass	741
726	1000	0.1	RMS	908.7	-61.6	-13	48.6	Pass	5481
1000	3000	1	RMS	1429.5	-45.71	-13	32.71	Pass	4001
3000	10000	1	RMS	7601.5	-41.21	-13	28.21	Pass	14001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.01	-13	43.01	Pass	401
0.15	30	0.01	RMS	0.15	-57.95	-13	44.95	Pass	5971
30	689	0.1	RMS	685.55	-62.9	-13	49.9	Pass	13181
689	726	0.1	RMS	699.25	18.94	60	41.06	Pass	741
726	1000	0.1	RMS	918.55	-61.39	-13	48.39	Pass	5481
1000	3000	1	RMS	2677.5	-46.76	-13	33.76	Pass	4001
3000	10000	1	RMS	7596	-41.17	-13	28.17	Pass	14001




**5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.69	-13	42.69	Pass	401
0.15	30	0.01	RMS	0.155	-57.73	-13	44.73	Pass	5971
30	689	0.1	RMS	688.3	-62.83	-13	49.83	Pass	13181
689	726	0.1	RMS	699.25	18.43	60	41.57	Pass	741
726	1000	0.1	RMS	889.75	-61.37	-13	48.37	Pass	5481
1000	3000	1	RMS	2426.5	-46.02	-13	33.02	Pass	4001
3000	10000	1	RMS	7581	-41.21	-13	28.21	Pass	14001




5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.01	-13	43.01	Pass	401
0.15	30	0.01	RMS	0.15	-57.26	-13	44.26	Pass	5971
30	689	0.1	RMS	496	-62.77	-13	49.77	Pass	13181
689	726	0.1	RMS	706.25	20.74	60	39.26	Pass	741
726	1000	0.1	RMS	914.5	-61.46	-13	48.46	Pass	5481
1000	3000	1	RMS	1412.5	-42.12	-13	29.12	Pass	4001
3000	10000	1	RMS	7592	-41.25	-13	28.25	Pass	14001




5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.7	-13	41.7	Pass	401
0.15	30	0.01	RMS	0.17	-58.27	-13	45.27	Pass	5971
30	689	0.1	RMS	668.1	-62.69	-13	49.69	Pass	13181
689	726	0.1	RMS	706.25	19.64	60	40.36	Pass	741
726	1000	0.1	RMS	913.65	-61.02	-13	48.02	Pass	5481
1000	3000	1	RMS	1412.5	-43.31	-13	30.31	Pass	4001
3000	10000	1	RMS	7602	-40.91	-13	27.91	Pass	14001




5.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.08	-13	43.08	Pass	401
0.15	30	0.01	RMS	0.155	-59.71	-13	46.71	Pass	5971
30	689	0.1	RMS	489.05	-63.02	-13	50.02	Pass	13181
689	726	0.1	RMS	713.25	19.01	60	40.99	Pass	741
726	1000	0.1	RMS	906.35	-61.45	-13	48.45	Pass	5481
1000	3000	1	RMS	2692	-46.76	-13	33.76	Pass	4001
3000	10000	1	RMS	7595.5	-41.14	-13	28.14	Pass	14001




5.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.93	-13	41.93	Pass	401
0.15	30	0.01	RMS	0.155	-58.05	-13	45.05	Pass	5971
30	689	0.1	RMS	686.2	-62.97	-13	49.97	Pass	13181
689	726	0.1	RMS	713.25	18.35	60	41.65	Pass	741
726	1000	0.1	RMS	892.6	-61.51	-13	48.51	Pass	5481
1000	3000	1	RMS	2692	-46.74	-13	33.74	Pass	4001
3000	10000	1	RMS	7581	-41.21	-13	28.21	Pass	14001




5.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.4	-13	42.4	Pass	401
0.15	30	0.01	RMS	0.155	-58.32	-13	45.32	Pass	5971
30	689	0.1	RMS	685.1	-62.89	-13	49.89	Pass	13181
689	726	0.1	RMS	699.35	19.23	60	40.77	Pass	741
726	1000	0.1	RMS	891.1	-61.48	-13	48.48	Pass	5481
1000	3000	1	RMS	2675	-46.7	-13	33.7	Pass	4001
3000	10000	1	RMS	7585.5	-41.2	-13	28.2	Pass	14001




5.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.32	-13	43.32	Pass	401
0.15	30	0.01	RMS	0.155	-57.68	-13	44.68	Pass	5971
30	689	0.1	RMS	505.9	-62.91	-13	49.91	Pass	13181
689	726	0.1	RMS	699.35	17.98	60	42.02	Pass	741
726	1000	0.1	RMS	884.35	-61.61	-13	48.61	Pass	5481
1000	3000	1	RMS	2682	-46.76	-13	33.76	Pass	4001
3000	10000	1	RMS	7584	-41.27	-13	28.27	Pass	14001




5.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.69	-13	42.69	Pass	401
0.15	30	0.01	RMS	0.16	-58.99	-13	45.99	Pass	5971
30	689	0.1	RMS	499.8	-62.91	-13	49.91	Pass	13181
689	726	0.1	RMS	705.35	18.7	60	41.3	Pass	741
726	1000	0.1	RMS	938.1	-61.45	-13	48.45	Pass	5481
1000	3000	1	RMS	1410.5	-45.73	-13	32.73	Pass	4001
3000	10000	1	RMS	7591	-41.19	-13	28.19	Pass	14001




5.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.54	-13	41.54	Pass	401
0.15	30	0.01	RMS	0.155	-57.85	-13	44.85	Pass	5971
30	689	0.1	RMS	510.85	-63.01	-13	50.01	Pass	13181
689	726	0.1	RMS	705.35	17.3	60	42.7	Pass	741
726	1000	0.1	RMS	880.5	-61.42	-13	48.42	Pass	5481
1000	3000	1	RMS	2680.5	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	7588	-41.24	-13	28.24	Pass	14001




5.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.9	-13	41.9	Pass	401
0.15	30	0.01	RMS	0.165	-58.02	-13	45.02	Pass	5971
30	689	0.1	RMS	650.95	-63.19	-13	50.19	Pass	13181
689	726	0.1	RMS	711.35	20.81	60	39.19	Pass	741
726	1000	0.1	RMS	883.35	-61.29	-13	48.29	Pass	5481
1000	3000	1	RMS	2677.5	-46.74	-13	33.74	Pass	4001
3000	10000	1	RMS	7584.5	-41.24	-13	28.24	Pass	14001




5.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.71	-13	40.71	Pass	401
0.15	30	0.01	RMS	0.15	-57.28	-13	44.28	Pass	5971
30	689	0.1	RMS	502.5	-62.86	-13	49.86	Pass	13181
689	726	0.1	RMS	711.35	20.13	60	39.87	Pass	741
726	1000	0.1	RMS	895.2	-61.55	-13	48.55	Pass	5481
1000	3000	1	RMS	2696	-46.77	-13	33.77	Pass	4001
3000	10000	1	RMS	7577	-41.22	-13	28.22	Pass	14001




5.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-55.99	-13	42.99	Pass	401
0.15	30	0.01	RMS	0.15	-58.61	-13	45.61	Pass	5971
30	689	0.1	RMS	491.15	-62.89	-13	49.89	Pass	13181
689	726	0.1	RMS	699.6	19.14	60	40.86	Pass	741
726	1000	0.1	RMS	880.65	-61.39	-13	48.39	Pass	5481
1000	3000	1	RMS	2675.5	-46.75	-13	33.75	Pass	4001
3000	10000	1	RMS	7583	-41.21	-13	28.21	Pass	14001




5.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.47	-13	42.47	Pass	401
0.15	30	0.01	RMS	0.16	-58.24	-13	45.24	Pass	5971
30	689	0.1	RMS	504.35	-62.86	-13	49.86	Pass	13181
689	726	0.1	RMS	699.6	18.64	60	41.36	Pass	741
726	1000	0.1	RMS	885.85	-61.41	-13	48.41	Pass	5481
1000	3000	1	RMS	2678	-46.72	-13	33.72	Pass	4001
3000	10000	1	RMS	7596.5	-41.22	-13	28.22	Pass	14001




5.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.44	-13	42.44	Pass	401
0.15	30	0.01	RMS	0.16	-58.84	-13	45.84	Pass	5971
30	689	0.1	RMS	506.4	-62.91	-13	49.91	Pass	13181
689	726	0.1	RMS	703.1	18.71	60	41.29	Pass	741
726	1000	0.1	RMS	882.35	-61.28	-13	48.28	Pass	5481
1000	3000	1	RMS	1406	-43.89	-13	30.89	Pass	4001
3000	10000	1	RMS	7602	-41.26	-13	28.26	Pass	14001




5.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.34	-13	42.34	Pass	401
0.15	30	0.01	RMS	0.155	-57.81	-13	44.81	Pass	5971
30	689	0.1	RMS	496.05	-62.89	-13	49.89	Pass	13181
689	726	0.1	RMS	703.1	17.97	60	42.03	Pass	741
726	1000	0.1	RMS	897.2	-61.57	-13	48.57	Pass	5481
1000	3000	1	RMS	1406	-44.79	-13	31.79	Pass	4001
3000	10000	1	RMS	7583	-41.21	-13	28.21	Pass	14001




5.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.17	-13	43.17	Pass	401
0.15	30	0.01	RMS	0.155	-57.4	-13	44.4	Pass	5971
30	689	0.1	RMS	680.3	-62.95	-13	49.95	Pass	13181
689	726	0.1	RMS	706.6	18.73	60	41.27	Pass	741
726	1000	0.1	RMS	901.95	-61.61	-13	48.61	Pass	5481
1000	3000	1	RMS	1413	-45.12	-13	32.12	Pass	4001
3000	10000	1	RMS	7581.5	-41.19	-13	28.19	Pass	14001



5.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.28	-13	43.28	Pass	401
0.15	30	0.01	RMS	0.15	-58.74	-13	45.74	Pass	5971
30	689	0.1	RMS	501.45	-63.02	-13	50.02	Pass	13181
689	726	0.1	RMS	706.6	17.4	60	42.6	Pass	741
726	1000	0.1	RMS	911.55	-61.47	-13	48.47	Pass	5481
1000	3000	1	RMS	1413	-46.24	-13	33.24	Pass	4001
3000	10000	1	RMS	7594.5	-41.26	-13	28.26	Pass	14001



6. LTE_Band66


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.25	-13	42.25	Pass	401
0.15	30	0.01	RMS	0.155	-58.13	-13	45.13	Pass	5971
30	1000	0.1	RMS	881.15	-61.51	-13	48.51	Pass	19401
1000	1700	1	RMS	1578	-50.76	-13	37.76	Pass	1401
1700	1790	1	RMS	1710.35	23.94	60	36.06	Pass	401
1790	3000	1	RMS	2672	-47.28	-13	34.28	Pass	2421
3000	12000	1	RMS	11960.5	-38.47	-13	25.47	Pass	18001
12000	20000	1	RMS	19952.5	-25.5	-13	12.5	Pass	16001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.75	-13	40.75	Pass	401
0.15	30	0.01	RMS	0.15	-57.41	-13	44.41	Pass	5971
30	1000	0.1	RMS	907.15	-61.51	-13	48.51	Pass	19401
1000	1700	1	RMS	1700	-49.77	-13	36.77	Pass	1401
1700	1790	1	RMS	1710.35	22.45	60	37.55	Pass	401
1790	3000	1	RMS	2695	-47.29	-13	34.29	Pass	2421
3000	12000	1	RMS	11956	-37.78	-13	24.78	Pass	18001
12000	20000	1	RMS	19950	-25.59	-13	12.59	Pass	16001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.42	-13	42.42	Pass	401
0.15	30	0.01	RMS	0.16	-59.58	-13	46.58	Pass	5971
30	1000	0.1	RMS	895.65	-61.49	-13	48.49	Pass	19401
1000	1700	1	RMS	1571	-50.64	-13	37.64	Pass	1401
1700	1790	1	RMS	1744.55	23.82	60	36.18	Pass	401
1790	3000	1	RMS	2675.5	-47.26	-13	34.26	Pass	2421
3000	12000	1	RMS	11951	-37.73	-13	24.73	Pass	18001
12000	20000	1	RMS	19926.5	-25.59	-13	12.59	Pass	16001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.87	-13	43.87	Pass	401
0.15	30	0.01	RMS	0.15	-58	-13	45	Pass	5971
30	1000	0.1	RMS	894.6	-61.31	-13	48.31	Pass	19401
1000	1700	1	RMS	1586	-50.67	-13	37.67	Pass	1401
1700	1790	1	RMS	1744.55	22.72	60	37.28	Pass	401
1790	3000	1	RMS	2675.5	-47.24	-13	34.24	Pass	2421
3000	12000	1	RMS	11954	-37.66	-13	24.66	Pass	18001
12000	20000	1	RMS	19939	-25.54	-13	12.54	Pass	16001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.37	-13	42.37	Pass	401
0.15	30	0.01	RMS	0.15	-57.53	-13	44.53	Pass	5971
30	1000	0.1	RMS	908.2	-61.27	-13	48.27	Pass	19401
1000	1700	1	RMS	1567.5	-50.46	-13	37.46	Pass	1401
1700	1790	1	RMS	1778.75	23.73	60	36.27	Pass	401
1790	3000	1	RMS	2680.5	-47.03	-13	34.03	Pass	2421
3000	12000	1	RMS	11938.5	-38.07	-13	25.07	Pass	18001
12000	20000	1	RMS	19963	-25.14	-13	12.14	Pass	16001




**6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.4	-13	41.4	Pass	401
0.15	30	0.01	RMS	0.17	-57.77	-13	44.77	Pass	5971
30	1000	0.1	RMS	916.8	-61.25	-13	48.25	Pass	19401
1000	1700	1	RMS	1582	-50.43	-13	37.43	Pass	1401
1700	1790	1	RMS	1778.975	21.04	60	38.96	Pass	401
1790	3000	1	RMS	2679.5	-46.97	-13	33.97	Pass	2421
3000	12000	1	RMS	11948.5	-38.05	-13	25.05	Pass	18001
12000	20000	1	RMS	19953.5	-24.99	-13	11.99	Pass	16001




**6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.49	-13	42.49	Pass	401
0.15	30	0.01	RMS	0.15	-56.15	-13	43.15	Pass	5971
30	1000	0.1	RMS	901	-61.17	-13	48.17	Pass	19401
1000	1700	1	RMS	1700	-48.95	-13	35.95	Pass	1401
1700	1790	1	RMS	1710.125	21.93	60	38.07	Pass	401
1790	3000	1	RMS	2680	-46.98	-13	33.98	Pass	2421
3000	12000	1	RMS	11949	-38.08	-13	25.08	Pass	18001
12000	20000	1	RMS	19951	-25.11	-13	12.11	Pass	16001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.47	-13	42.47	Pass	401
0.15	30	0.01	RMS	0.15	-56.51	-13	43.51	Pass	5971
30	1000	0.1	RMS	970.9	-61.38	-13	48.38	Pass	19401
1000	1700	1	RMS	1700	-49	-13	36	Pass	1401
1700	1790	1	RMS	1710.125	21.33	60	38.67	Pass	401
1790	3000	1	RMS	2688	-47	-13	34	Pass	2421
3000	12000	1	RMS	11951.5	-38.05	-13	25.05	Pass	18001
12000	20000	1	RMS	19939	-25.28	-13	12.28	Pass	16001




6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.3	-13	42.3	Pass	401
0.15	30	0.01	RMS	0.16	-57.95	-13	44.95	Pass	5971
30	1000	0.1	RMS	980.4	-61.3	-13	48.3	Pass	19401
1000	1700	1	RMS	1697.5	-50.5	-13	37.5	Pass	1401
1700	1790	1	RMS	1743.65	23.87	60	36.13	Pass	401
1790	3000	1	RMS	2678.5	-47.17	-13	34.17	Pass	2421
3000	12000	1	RMS	11936.5	-38.27	-13	25.27	Pass	18001
12000	20000	1	RMS	19940.5	-25.27	-13	12.27	Pass	16001




6.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.13	-13	42.13	Pass	401
0.15	30	0.01	RMS	0.15	-57.49	-13	44.49	Pass	5971
30	1000	0.1	RMS	883.1	-61.38	-13	48.38	Pass	19401
1000	1700	1	RMS	1695.5	-50.56	-13	37.56	Pass	1401
1700	1790	1	RMS	1743.65	23.44	60	36.56	Pass	401
1790	3000	1	RMS	2689	-47.16	-13	34.16	Pass	2421
3000	12000	1	RMS	11951.5	-38.21	-13	25.21	Pass	18001
12000	20000	1	RMS	19951	-25.26	-13	12.26	Pass	16001




**6.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11,
Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.28	-13	41.28	Pass	401
0.15	30	0.01	RMS	0.175	-58.48	-13	45.48	Pass	5971
30	1000	0.1	RMS	869.4	-61.35	-13	48.35	Pass	19401
1000	1700	1	RMS	1574.5	-50.65	-13	37.65	Pass	1401
1700	1790	1	RMS	1777.175	21.69	60	38.31	Pass	401
1790	3000	1	RMS	2686.5	-47.22	-13	34.22	Pass	2421
3000	12000	1	RMS	11944.5	-38.19	-13	25.19	Pass	18001
12000	20000	1	RMS	19951	-25.25	-13	12.25	Pass	16001




6.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.02	-13	43.02	Pass	401
0.15	30	0.01	RMS	0.15	-57.5	-13	44.5	Pass	5971
30	1000	0.1	RMS	888.3	-61.34	-13	48.34	Pass	19401
1000	1700	1	RMS	1580.5	-50.64	-13	37.64	Pass	1401
1700	1790	1	RMS	1777.175	21.01	60	38.99	Pass	401
1790	3000	1	RMS	2673.5	-47.21	-13	34.21	Pass	2421
3000	12000	1	RMS	11949	-38.13	-13	25.13	Pass	18001
12000	20000	1	RMS	19925	-25.28	-13	12.28	Pass	16001




6.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.77	-13	42.77	Pass	401
0.15	30	0.01	RMS	0.15	-57.18	-13	44.18	Pass	5971
30	1000	0.1	RMS	879.45	-61.28	-13	48.28	Pass	19401
1000	1700	1	RMS	1700	-49.07	-13	36.07	Pass	1401
1700	1790	1	RMS	1710.35	22.13	60	37.87	Pass	401
1790	3000	1	RMS	2678.5	-47.17	-13	34.17	Pass	2421
3000	12000	1	RMS	11948	-38.16	-13	25.16	Pass	18001
12000	20000	1	RMS	19936	-25.31	-13	12.31	Pass	16001




6.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.3	-13	42.3	Pass	401
0.15	30	0.01	RMS	0.15	-57.91	-13	44.91	Pass	5971
30	1000	0.1	RMS	868.85	-61.32	-13	48.32	Pass	19401
1000	1700	1	RMS	1700	-49.43	-13	36.43	Pass	1401
1700	1790	1	RMS	1710.35	20.8	60	39.2	Pass	401
1790	3000	1	RMS	2679	-47.2	-13	34.2	Pass	2421
3000	12000	1	RMS	11950.5	-38.27	-13	25.27	Pass	18001
12000	20000	1	RMS	19963.5	-25.33	-13	12.33	Pass	16001




6.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.02	-13	42.02	Pass	401
0.15	30	0.01	RMS	0.15	-56.83	-13	43.83	Pass	5971
30	1000	0.1	RMS	908.8	-61.28	-13	48.28	Pass	19401
1000	1700	1	RMS	1699.5	-50.61	-13	37.61	Pass	1401
1700	1790	1	RMS	1742.75	21.84	60	38.16	Pass	401
1790	3000	1	RMS	2684.5	-47.18	-13	34.18	Pass	2421
3000	12000	1	RMS	11946.5	-38.15	-13	25.15	Pass	18001
12000	20000	1	RMS	19945.5	-25.23	-13	12.23	Pass	16001




6.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.27	-13	42.27	Pass	401
0.15	30	0.01	RMS	0.15	-57.47	-13	44.47	Pass	5971
30	1000	0.1	RMS	870.55	-61.21	-13	48.21	Pass	19401
1000	1700	1	RMS	1562	-50.63	-13	37.63	Pass	1401
1700	1790	1	RMS	1742.75	21.16	60	38.84	Pass	401
1790	3000	1	RMS	2672.5	-47.18	-13	34.18	Pass	2421
3000	12000	1	RMS	11952	-38.27	-13	25.27	Pass	18001
12000	20000	1	RMS	19951	-25.32	-13	12.32	Pass	16001




**6.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-13	40.42	Pass	401
0.15	30	0.01	RMS	0.15	-58	-13	45	Pass	5971
30	1000	0.1	RMS	906.45	-61.25	-13	48.25	Pass	19401
1000	1700	1	RMS	1573	-50.54	-13	37.54	Pass	1401
1700	1790	1	RMS	1775.375	23.75	60	36.25	Pass	401
1790	3000	1	RMS	2680.5	-47.16	-13	34.16	Pass	2421
3000	12000	1	RMS	11954	-38.2	-13	25.2	Pass	18001
12000	20000	1	RMS	19937	-25.29	-13	12.29	Pass	16001




6.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.79	-13	42.79	Pass	401
0.15	30	0.01	RMS	0.15	-57.74	-13	44.74	Pass	5971
30	1000	0.1	RMS	912.65	-61.37	-13	48.37	Pass	19401
1000	1700	1	RMS	1697.5	-50.66	-13	37.66	Pass	1401
1700	1790	1	RMS	1775.375	20.99	60	39.01	Pass	401
1790	3000	1	RMS	2675.5	-47.2	-13	34.2	Pass	2421
3000	12000	1	RMS	11951.5	-38.2	-13	25.2	Pass	18001
12000	20000	1	RMS	19941.5	-25.28	-13	12.28	Pass	16001




6.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.44	-13	41.44	Pass	401
0.15	30	0.01	RMS	0.155	-58.26	-13	45.26	Pass	5971
30	1000	0.1	RMS	856.45	-61.38	-13	48.38	Pass	19401
1000	1700	1	RMS	1693	-44.47	-13	31.47	Pass	1401
1700	1790	1	RMS	1710.575	21.86	60	38.14	Pass	401
1790	3000	1	RMS	2678	-47.16	-13	34.16	Pass	2421
3000	12000	1	RMS	11951	-38.23	-13	25.23	Pass	18001
12000	20000	1	RMS	19957	-25.28	-13	12.28	Pass	16001




6.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.4	-13	42.4	Pass	401
0.15	30	0.01	RMS	0.15	-58.17	-13	45.17	Pass	5971
30	1000	0.1	RMS	868.8	-61.36	-13	48.36	Pass	19401
1000	1700	1	RMS	1693	-45.3	-13	32.3	Pass	1401
1700	1790	1	RMS	1710.575	21.29	60	38.71	Pass	401
1790	3000	1	RMS	2693	-47.24	-13	34.24	Pass	2421
3000	12000	1	RMS	11952	-38.24	-13	25.24	Pass	18001
12000	20000	1	RMS	19965	-25.33	-13	12.33	Pass	16001




6.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.94	-13	40.94	Pass	401
0.15	30	0.01	RMS	0.15	-57.93	-13	44.93	Pass	5971
30	1000	0.1	RMS	880.25	-61.26	-13	48.26	Pass	19401
1000	1700	1	RMS	1573.5	-50.6	-13	37.6	Pass	1401
1700	1790	1	RMS	1740.5	21.74	60	38.26	Pass	401
1790	3000	1	RMS	2679	-47.14	-13	34.14	Pass	2421
3000	12000	1	RMS	11946	-38.21	-13	25.21	Pass	18001
12000	20000	1	RMS	19948.5	-25.31	-13	12.31	Pass	16001




6.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.28	-13	42.28	Pass	401
0.15	30	0.01	RMS	0.15	-58.09	-13	45.09	Pass	5971
30	1000	0.1	RMS	893.05	-61.36	-13	48.36	Pass	19401
1000	1700	1	RMS	1697.5	-50.63	-13	37.63	Pass	1401
1700	1790	1	RMS	1740.5	21.26	60	38.74	Pass	401
1790	3000	1	RMS	2673.5	-47.25	-13	34.25	Pass	2421
3000	12000	1	RMS	11950	-38.18	-13	25.18	Pass	18001
12000	20000	1	RMS	19943.5	-25.16	-13	12.16	Pass	16001




6.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.65	-13	42.65	Pass	401
0.15	30	0.01	RMS	0.15	-57.32	-13	44.32	Pass	5971
30	1000	0.1	RMS	870.85	-61.41	-13	48.41	Pass	19401
1000	1700	1	RMS	1574	-50.6	-13	37.6	Pass	1401
1700	1790	1	RMS	1770.65	21.75	60	38.25	Pass	401
1790	3000	1	RMS	2684	-47.13	-13	34.13	Pass	2421
3000	12000	1	RMS	11939.5	-38.22	-13	25.22	Pass	18001
12000	20000	1	RMS	19945.5	-25.25	-13	12.25	Pass	16001




6.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.27	-13	41.27	Pass	401
0.15	30	0.01	RMS	0.155	-57.52	-13	44.52	Pass	5971
30	1000	0.1	RMS	882.9	-61.19	-13	48.19	Pass	19401
1000	1700	1	RMS	1564	-50.66	-13	37.66	Pass	1401
1700	1790	1	RMS	1770.65	20.99	60	39.01	Pass	401
1790	3000	1	RMS	2678.5	-47.22	-13	34.22	Pass	2421
3000	12000	1	RMS	11940	-38.24	-13	25.24	Pass	18001
12000	20000	1	RMS	19955	-25.29	-13	12.29	Pass	16001




6.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.55	-13	42.55	Pass	401
0.15	30	0.01	RMS	0.15	-57.14	-13	44.14	Pass	5971
30	1000	0.1	RMS	889.1	-61.24	-13	48.24	Pass	19401
1000	1700	1	RMS	1697.5	-45.11	-13	32.11	Pass	1401
1700	1790	1	RMS	1710.8	21.89	60	38.11	Pass	401
1790	3000	1	RMS	2679	-47.23	-13	34.23	Pass	2421
3000	12000	1	RMS	11930.5	-38.18	-13	25.18	Pass	18001
12000	20000	1	RMS	19941	-25.27	-13	12.27	Pass	16001




6.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.72	-13	42.72	Pass	401
0.15	30	0.01	RMS	0.15	-57.32	-13	44.32	Pass	5971
30	1000	0.1	RMS	872.15	-61.3	-13	48.3	Pass	19401
1000	1700	1	RMS	1697.5	-44.83	-13	31.83	Pass	1401
1700	1790	1	RMS	1710.8	21.33	60	38.67	Pass	401
1790	3000	1	RMS	2691	-47.16	-13	34.16	Pass	2421
3000	12000	1	RMS	11949	-38.16	-13	25.16	Pass	18001
12000	20000	1	RMS	19934	-25.3	-13	12.3	Pass	16001




6.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.12	-13	42.12	Pass	401
0.15	30	0.01	RMS	0.155	-55.9	-13	42.9	Pass	5971
30	1000	0.1	RMS	872.25	-61.13	-13	48.13	Pass	19401
1000	1700	1	RMS	1695	-50.57	-13	37.57	Pass	1401
1700	1790	1	RMS	1738.25	21.71	60	38.29	Pass	401
1790	3000	1	RMS	2682.5	-47.2	-13	34.2	Pass	2421
3000	12000	1	RMS	11946.5	-38.19	-13	25.19	Pass	18001
12000	20000	1	RMS	19950.5	-25.29	-13	12.29	Pass	16001




6.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.44	-13	41.44	Pass	401
0.15	30	0.01	RMS	0.15	-57.87	-13	44.87	Pass	5971
30	1000	0.1	RMS	894.5	-61.31	-13	48.31	Pass	19401
1000	1700	1	RMS	1698	-50.5	-13	37.5	Pass	1401
1700	1790	1	RMS	1738.25	21.06	60	38.94	Pass	401
1790	3000	1	RMS	2686.5	-47.23	-13	34.23	Pass	2421
3000	12000	1	RMS	11953.5	-38.21	-13	25.21	Pass	18001
12000	20000	1	RMS	19945.5	-25.31	-13	12.31	Pass	16001




6.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.19	-13	42.19	Pass	401
0.15	30	0.01	RMS	0.17	-58.11	-13	45.11	Pass	5971
30	1000	0.1	RMS	916.65	-61.23	-13	48.23	Pass	19401
1000	1700	1	RMS	1698.5	-50.65	-13	37.65	Pass	1401
1700	1790	1	RMS	1765.7	21.68	60	38.32	Pass	401
1790	3000	1	RMS	1792.5	-35.24	-13	22.24	Pass	2421
3000	12000	1	RMS	11947	-38.21	-13	25.21	Pass	18001
12000	20000	1	RMS	19930.5	-25.29	-13	12.29	Pass	16001




**6.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.97	-13	41.97	Pass	401
0.15	30	0.01	RMS	0.16	-57.1	-13	44.1	Pass	5971
30	1000	0.1	RMS	904.65	-61.44	-13	48.44	Pass	19401
1000	1700	1	RMS	1574.5	-50.64	-13	37.64	Pass	1401
1700	1790	1	RMS	1765.7	21.07	60	38.93	Pass	401
1790	3000	1	RMS	1792.5	-35.53	-13	22.53	Pass	2421
3000	12000	1	RMS	11948	-38.26	-13	25.26	Pass	18001
12000	20000	1	RMS	19931.5	-25.29	-13	12.29	Pass	16001




6.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.25	-13	41.25	Pass	401
0.15	30	0.01	RMS	0.15	-57.95	-13	44.95	Pass	5971
30	1000	0.1	RMS	915.45	-61.34	-13	48.34	Pass	19401
1000	1700	1	RMS	1693.5	-45.94	-13	32.94	Pass	1401
1700	1790	1	RMS	1711.025	22.07	60	37.93	Pass	401
1790	3000	1	RMS	2678	-47.23	-13	34.23	Pass	2421
3000	12000	1	RMS	11954	-38.22	-13	25.22	Pass	18001
12000	20000	1	RMS	19957.5	-25.27	-13	12.27	Pass	16001




6.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.52	-13	41.52	Pass	401
0.15	30	0.01	RMS	0.155	-57.5	-13	44.5	Pass	5971
30	1000	0.1	RMS	918.05	-61.35	-13	48.35	Pass	19401
1000	1700	1	RMS	1693.5	-47.83	-13	34.83	Pass	1401
1700	1790	1	RMS	1711.025	20.61	60	39.39	Pass	401
1790	3000	1	RMS	2677.5	-47.17	-13	34.17	Pass	2421
3000	12000	1	RMS	11951.5	-38.27	-13	25.27	Pass	18001
12000	20000	1	RMS	19933	-25.36	-13	12.36	Pass	16001




6.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.9	-13	41.9	Pass	401
0.15	30	0.01	RMS	0.16	-58.08	-13	45.08	Pass	5971
30	1000	0.1	RMS	865.5	-61.32	-13	48.32	Pass	19401
1000	1700	1	RMS	1700	-44.69	-13	31.69	Pass	1401
1700	1790	1	RMS	1736	21.93	60	38.07	Pass	401
1790	3000	1	RMS	2673	-47.25	-13	34.25	Pass	2421
3000	12000	1	RMS	11952.5	-38.18	-13	25.18	Pass	18001
12000	20000	1	RMS	19932	-25.27	-13	12.27	Pass	16001




6.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.39	-13	42.39	Pass	401
0.15	30	0.01	RMS	0.165	-58.29	-13	45.29	Pass	5971
30	1000	0.1	RMS	913.1	-61.32	-13	48.32	Pass	19401
1000	1700	1	RMS	1700	-43.42	-13	30.42	Pass	1401
1700	1790	1	RMS	1736	21.57	60	38.43	Pass	401
1790	3000	1	RMS	2677	-47.12	-13	34.12	Pass	2421
3000	12000	1	RMS	11951	-38.25	-13	25.25	Pass	18001
12000	20000	1	RMS	19938.5	-25.34	-13	12.34	Pass	16001




6.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.95	-13	40.95	Pass	401
0.15	30	0.01	RMS	0.15	-58.97	-13	45.97	Pass	5971
30	1000	0.1	RMS	887.8	-61.08	-13	48.08	Pass	19401
1000	1700	1	RMS	1699.5	-47.75	-13	34.75	Pass	1401
1700	1790	1	RMS	1761.2	21.79	60	38.21	Pass	401
1790	3000	1	RMS	1797	-33.34	-13	20.34	Pass	2421
3000	12000	1	RMS	11946	-38.27	-13	25.27	Pass	18001
12000	20000	1	RMS	19956.5	-25.21	-13	12.21	Pass	16001



6.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.58	-13	41.58	Pass	401
0.15	30	0.01	RMS	0.15	-57.42	-13	44.42	Pass	5971
30	1000	0.1	RMS	903.75	-61.25	-13	48.25	Pass	19401
1000	1700	1	RMS	1699.5	-48.02	-13	35.02	Pass	1401
1700	1790	1	RMS	1761.2	21.1	60	38.9	Pass	401
1790	3000	1	RMS	1796.5	-33.52	-13	20.52	Pass	2421
3000	12000	1	RMS	11948	-38.29	-13	25.29	Pass	18001
12000	20000	1	RMS	19931	-25.31	-13	12.31	Pass	16001



7. LTE_Band38


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.95	-25	26.95	Pass	401
0.15	30	0.01	RMS	0.155	-53.59	-25	28.59	Pass	5971
30	1000	0.1	RMS	864.7	-57.3	-25	32.3	Pass	19401
1000	2560	1	RMS	2560	-37.85	-25	12.85	Pass	3121
2560	2630	1	RMS	2570.325	24.22	60	35.78	Pass	401
2630	3000	1	RMS	2693	-43.54	-25	18.54	Pass	741
3000	12000	1	RMS	11948	-43.21	-25	18.21	Pass	18001
12000	26500	1	RMS	25584	-30.99	-25	5.99	Pass	29001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.27	-25	26.27	Pass	401
0.15	30	0.01	RMS	0.15	-53.37	-25	28.37	Pass	5971
30	1000	0.1	RMS	829.2	-57.47	-25	32.47	Pass	19401
1000	2560	1	RMS	2557.5	-39.6	-25	14.6	Pass	3121
2560	2630	1	RMS	2570.5	21.98	60	38.02	Pass	401
2630	3000	1	RMS	2693	-43.51	-25	18.51	Pass	741
3000	12000	1	RMS	11955	-43.15	-25	18.15	Pass	18001
12000	26500	1	RMS	25537	-31.02	-25	6.02	Pass	29001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.88	-25	25.88	Pass	401
0.15	30	0.01	RMS	0.155	-53.81	-25	28.81	Pass	5971
30	1000	0.1	RMS	873.5	-57.46	-25	32.46	Pass	19401
1000	2560	1	RMS	2557.5	-42.28	-25	17.28	Pass	3121
2560	2630	1	RMS	2592.9	24.13	60	35.87	Pass	401
2630	3000	1	RMS	2677	-43.47	-25	18.47	Pass	741
3000	12000	1	RMS	11954	-43.1	-25	18.1	Pass	18001
12000	26500	1	RMS	25575	-31	-25	6	Pass	29001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.81	-25	24.81	Pass	401
0.15	30	0.01	RMS	0.15	-52.79	-25	27.79	Pass	5971
30	1000	0.1	RMS	999	-57.37	-25	32.37	Pass	19401
1000	2560	1	RMS	2559.5	-42.49	-25	17.49	Pass	3121
2560	2630	1	RMS	2592.9	22.31	60	37.69	Pass	401
2630	3000	1	RMS	2680.5	-43.52	-25	18.52	Pass	741
3000	12000	1	RMS	11942	-43.21	-25	18.21	Pass	18001
12000	26500	1	RMS	25568.5	-31.04	-25	6.04	Pass	29001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.56	-25	26.56	Pass	401
0.15	30	0.01	RMS	0.155	-53.66	-25	28.66	Pass	5971
30	1000	0.1	RMS	883.9	-57.34	-25	32.34	Pass	19401
1000	2560	1	RMS	2560	-42.88	-25	17.88	Pass	3121
2560	2630	1	RMS	2615.3	24.4	60	35.6	Pass	401
2630	3000	1	RMS	2631	-42.34	-25	17.34	Pass	741
3000	12000	1	RMS	11962	-43.22	-25	18.22	Pass	18001
12000	26500	1	RMS	25545	-30.98	-25	5.98	Pass	29001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.55	-25	26.55	Pass	401
0.15	30	0.01	RMS	0.15	-53.54	-25	28.54	Pass	5971
30	1000	0.1	RMS	883.85	-57.31	-25	32.31	Pass	19401
1000	2560	1	RMS	2547.5	-42.96	-25	17.96	Pass	3121
2560	2630	1	RMS	2615.475	22.35	60	37.65	Pass	401
2630	3000	1	RMS	2630.5	-42.36	-25	17.36	Pass	741
3000	12000	1	RMS	11958.5	-43.09	-25	18.09	Pass	18001
12000	26500	1	RMS	25580.5	-30.96	-25	5.96	Pass	29001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.21	-25	26.21	Pass	401
0.15	30	0.01	RMS	0.155	-53.75	-25	28.75	Pass	5971
30	1000	0.1	RMS	877.6	-57.46	-25	32.46	Pass	19401
1000	2560	1	RMS	2559.5	-38.62	-25	13.62	Pass	3121
2560	2630	1	RMS	2570.5	23.53	60	36.47	Pass	401
2630	3000	1	RMS	2702.5	-43.36	-25	18.36	Pass	741
3000	12000	1	RMS	11947.5	-43.08	-25	18.08	Pass	18001
12000	26500	1	RMS	25573.5	-30.98	-25	5.98	Pass	29001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.83	-25	25.83	Pass	401
0.15	30	0.01	RMS	0.15	-53.29	-25	28.29	Pass	5971
30	1000	0.1	RMS	902.6	-57.44	-25	32.44	Pass	19401
1000	2560	1	RMS	2560	-38.4	-25	13.4	Pass	3121
2560	2630	1	RMS	2570.5	21.85	60	38.15	Pass	401
2630	3000	1	RMS	2688.5	-43.55	-25	18.55	Pass	741
3000	12000	1	RMS	11958	-43.19	-25	18.19	Pass	18001
12000	26500	1	RMS	25547.5	-30.95	-25	5.95	Pass	29001




7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.2	-25	26.2	Pass	401
0.15	30	0.01	RMS	0.15	-54.11	-25	29.11	Pass	5971
30	1000	0.1	RMS	883.85	-57.33	-25	32.33	Pass	19401
1000	2560	1	RMS	2557.5	-42.48	-25	17.48	Pass	3121
2560	2630	1	RMS	2590.45	23.84	60	36.16	Pass	401
2630	3000	1	RMS	2713.5	-43.23	-25	18.23	Pass	741
3000	12000	1	RMS	11950.5	-43.11	-25	18.11	Pass	18001
12000	26500	1	RMS	25552.5	-30.95	-25	5.95	Pass	29001




7.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.4	-25	24.4	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-25	29.23	Pass	5971
30	1000	0.1	RMS	877.8	-57.38	-25	32.38	Pass	19401
1000	2560	1	RMS	2554.5	-42.62	-25	17.62	Pass	3121
2560	2630	1	RMS	2590.45	21.62	60	38.38	Pass	401
2630	3000	1	RMS	2713.5	-43.49	-25	18.49	Pass	741
3000	12000	1	RMS	11945.5	-43.12	-25	18.12	Pass	18001
12000	26500	1	RMS	25526.5	-31.03	-25	6.03	Pass	29001




7.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.56	-25	25.56	Pass	401
0.15	30	0.01	RMS	0.17	-53.8	-25	28.8	Pass	5971
30	1000	0.1	RMS	885.6	-57.4	-25	32.4	Pass	19401
1000	2560	1	RMS	2557.5	-42.77	-25	17.77	Pass	3121
2560	2630	1	RMS	2610.75	23.66	60	36.34	Pass	401
2630	3000	1	RMS	2630.5	-42.2	-25	17.2	Pass	741
3000	12000	1	RMS	11953.5	-43.21	-25	18.21	Pass	18001
12000	26500	1	RMS	25552	-31.04	-25	6.04	Pass	29001




7.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.99	-25	25.99	Pass	401
0.15	30	0.01	RMS	0.15	-53.98	-25	28.98	Pass	5971
30	1000	0.1	RMS	904.9	-57.32	-25	32.32	Pass	19401
1000	2560	1	RMS	2557	-42.92	-25	17.92	Pass	3121
2560	2630	1	RMS	2610.575	21.92	60	38.08	Pass	401
2630	3000	1	RMS	2630	-42.99	-25	17.99	Pass	741
3000	12000	1	RMS	11958.5	-43.21	-25	18.21	Pass	18001
12000	26500	1	RMS	25571	-30.95	-25	5.95	Pass	29001




7.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.97	-25	25.97	Pass	401
0.15	30	0.01	RMS	0.155	-53.09	-25	28.09	Pass	5971
30	1000	0.1	RMS	870	-57.35	-25	32.35	Pass	19401
1000	2560	1	RMS	2557.5	-34.05	-25	9.05	Pass	3121
2560	2630	1	RMS	2570.85	23.87	60	36.13	Pass	401
2630	3000	1	RMS	2702.5	-40.88	-25	15.88	Pass	741
3000	12000	1	RMS	11948	-43.17	-25	18.17	Pass	18001
12000	26500	1	RMS	25546	-31.01	-25	6.01	Pass	29001




7.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.29	-25	26.29	Pass	401
0.15	30	0.01	RMS	0.155	-53.72	-25	28.72	Pass	5971
30	1000	0.1	RMS	869.9	-57.36	-25	32.36	Pass	19401
1000	2560	1	RMS	2557	-37.73	-25	12.73	Pass	3121
2560	2630	1	RMS	2570.85	22.64	60	37.36	Pass	401
2630	3000	1	RMS	2702.5	-41.72	-25	16.72	Pass	741
3000	12000	1	RMS	11944.5	-43.19	-25	18.19	Pass	18001
12000	26500	1	RMS	25552	-30.97	-25	5.97	Pass	29001




7.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.46	-25	25.46	Pass	401
0.15	30	0.01	RMS	0.15	-54.11	-25	29.11	Pass	5971
30	1000	0.1	RMS	891.6	-57.34	-25	32.34	Pass	19401
1000	2560	1	RMS	2558.5	-42.05	-25	17.05	Pass	3121
2560	2630	1	RMS	2588.175	23.35	60	36.65	Pass	401
2630	3000	1	RMS	2711	-40.15	-25	15.15	Pass	741
3000	12000	1	RMS	11955.5	-43.13	-25	18.13	Pass	18001
12000	26500	1	RMS	25553	-31.05	-25	6.05	Pass	29001




7.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.59	-25	26.59	Pass	401
0.15	30	0.01	RMS	0.15	-54.37	-25	29.37	Pass	5971
30	1000	0.1	RMS	876.5	-57.37	-25	32.37	Pass	19401
1000	2560	1	RMS	2559	-42.45	-25	17.45	Pass	3121
2560	2630	1	RMS	2588.35	21.07	60	38.93	Pass	401
2630	3000	1	RMS	2711	-41.22	-25	16.22	Pass	741
3000	12000	1	RMS	11943	-43.2	-25	18.2	Pass	18001
12000	26500	1	RMS	25548	-30.95	-25	5.95	Pass	29001




**7.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.57	-25	25.57	Pass	401
0.15	30	0.01	RMS	0.15	-55.04	-25	30.04	Pass	5971
30	1000	0.1	RMS	870.65	-57.38	-25	32.38	Pass	19401
1000	2560	1	RMS	2482.5	-40.95	-25	15.95	Pass	3121
2560	2630	1	RMS	2605.85	23.37	60	36.63	Pass	401
2630	3000	1	RMS	2728.5	-40.22	-25	15.22	Pass	741
3000	12000	1	RMS	11942.5	-43.17	-25	18.17	Pass	18001
12000	26500	1	RMS	25571.5	-31.07	-25	6.07	Pass	29001




7.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.67	-25	26.67	Pass	401
0.15	30	0.01	RMS	0.165	-53.28	-25	28.28	Pass	5971
30	1000	0.1	RMS	892.2	-57.36	-25	32.36	Pass	19401
1000	2560	1	RMS	2483	-41.78	-25	16.78	Pass	3121
2560	2630	1	RMS	2605.85	22.21	60	37.79	Pass	401
2630	3000	1	RMS	2632	-34.52	-25	9.52	Pass	741
3000	12000	1	RMS	11953.5	-43.16	-25	18.16	Pass	18001
12000	26500	1	RMS	25543.5	-30.99	-25	5.99	Pass	29001




7.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.93	-25	26.93	Pass	401
0.15	30	0.01	RMS	0.155	-53.62	-25	28.62	Pass	5971
30	1000	0.1	RMS	905.35	-57.23	-25	32.23	Pass	19401
1000	2560	1	RMS	2554	-37.25	-25	12.25	Pass	3121
2560	2630	1	RMS	2571.2	24.2	60	35.8	Pass	401
2630	3000	1	RMS	2703	-39.23	-25	14.23	Pass	741
3000	12000	1	RMS	11950	-43.05	-25	18.05	Pass	18001
12000	26500	1	RMS	25553.5	-30.85	-25	5.85	Pass	29001




7.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.98	-25	26.98	Pass	401
0.15	30	0.01	RMS	0.16	-53.77	-25	28.77	Pass	5971
30	1000	0.1	RMS	910.65	-57.22	-25	32.22	Pass	19401
1000	2560	1	RMS	2558.5	-39.28	-25	14.28	Pass	3121
2560	2630	1	RMS	2571.025	21.99	60	38.01	Pass	401
2630	3000	1	RMS	2702.5	-39.41	-25	14.41	Pass	741
3000	12000	1	RMS	11939.5	-43.15	-25	18.15	Pass	18001
12000	26500	1	RMS	25532.5	-31.07	-25	6.07	Pass	29001




7.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.77	-25	25.77	Pass	401
0.15	30	0.01	RMS	0.17	-54.7	-25	29.7	Pass	5971
30	1000	0.1	RMS	916.6	-57.23	-25	32.23	Pass	19401
1000	2560	1	RMS	2550	-40.6	-25	15.6	Pass	3121
2560	2630	1	RMS	2586.075	23.83	60	36.17	Pass	401
2630	3000	1	RMS	2709	-38.46	-25	13.46	Pass	741
3000	12000	1	RMS	11953	-43.1	-25	18.1	Pass	18001
12000	26500	1	RMS	25556	-31.06	-25	6.06	Pass	29001




7.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.19	-25	26.19	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-25	29.23	Pass	5971
30	1000	0.1	RMS	902.1	-57.45	-25	32.45	Pass	19401
1000	2560	1	RMS	2524.5	-41.76	-25	16.76	Pass	3121
2560	2630	1	RMS	2586.075	21.72	60	38.28	Pass	401
2630	3000	1	RMS	2709	-39.43	-25	14.43	Pass	741
3000	12000	1	RMS	11948.5	-43.14	-25	18.14	Pass	18001
12000	26500	1	RMS	25559	-31.01	-25	6.01	Pass	29001




7.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.89	-25	25.89	Pass	401
0.15	30	0.01	RMS	0.15	-52.71	-25	27.71	Pass	5971
30	1000	0.1	RMS	876.85	-57.47	-25	32.47	Pass	19401
1000	2560	1	RMS	2478.5	-39.51	-25	14.51	Pass	3121
2560	2630	1	RMS	2601.125	23.44	60	36.56	Pass	401
2630	3000	1	RMS	2662.5	-38.24	-25	13.24	Pass	741
3000	12000	1	RMS	11952.5	-43.19	-25	18.19	Pass	18001
12000	26500	1	RMS	25555.5	-31.03	-25	6.03	Pass	29001



7.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.7	-25	25.7	Pass	401
0.15	30	0.01	RMS	0.15	-53.37	-25	28.37	Pass	5971
30	1000	0.1	RMS	925.65	-57.13	-25	32.13	Pass	19401
1000	2560	1	RMS	2478.5	-40.88	-25	15.88	Pass	3121
2560	2630	1	RMS	2601.125	22.14	60	37.86	Pass	401
2630	3000	1	RMS	2637	-35.21	-25	10.21	Pass	741
3000	12000	1	RMS	11969.5	-43.25	-25	18.25	Pass	18001
12000	26500	1	RMS	25551.5	-31.07	-25	6.07	Pass	29001



8. LTE_Band41 120M


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.72	-25	25.72	Pass	401
0.15	30	0.01	RMS	0.15	-53.42	-25	28.42	Pass	5971
30	1000	0.1	RMS	878.7	-57.34	-25	32.34	Pass	19401
1000	2486	1	RMS	2484.5	-43.3	-25	18.3	Pass	2973
2486	2700	1	RMS	2535.5	23.33	60	36.67	Pass	429
2700	3000	1	RMS	2704.5	-43.61	-25	18.61	Pass	601
3000	12000	1	RMS	5070	-53.68	-25	28.68	Pass	18001
12000	27000	1	RMS	25569	-34.21	-25	9.21	Pass	30001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:40065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.98	-25	24.98	Pass	401
0.15	30	0.01	RMS	0.15	-53.23	-25	28.23	Pass	5971
30	1000	0.1	RMS	892.6	-57.45	-25	32.45	Pass	19401
1000	2486	1	RMS	2432	-43.52	-25	18.52	Pass	2973
2486	2700	1	RMS	2535.5	22.48	60	37.52	Pass	429
2700	3000	1	RMS	2700	-43.62	-25	18.62	Pass	601
3000	12000	1	RMS	11953	-57.24	-25	32.24	Pass	18001
12000	27000	1	RMS	25548.5	-34.29	-25	9.29	Pass	30001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.17	-25	26.17	Pass	401
0.15	30	0.01	RMS	0.155	-53.3	-25	28.3	Pass	5971
30	1000	0.1	RMS	879.9	-57.52	-25	32.52	Pass	19401
1000	2486	1	RMS	2438.5	-43.59	-25	18.59	Pass	2973
2486	2700	1	RMS	2593	23.58	60	36.42	Pass	429
2700	3000	1	RMS	2701.5	-43.62	-25	18.62	Pass	601
3000	12000	1	RMS	5186.5	-54.04	-25	29.04	Pass	18001
12000	27000	1	RMS	25533	-34.28	-25	9.28	Pass	30001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:40640, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.51	-25	24.51	Pass	401
0.15	30	0.01	RMS	0.15	-53.63	-25	28.63	Pass	5971
30	1000	0.1	RMS	884.2	-57.39	-25	32.39	Pass	19401
1000	2486	1	RMS	2444	-43.65	-25	18.65	Pass	2973
2486	2700	1	RMS	2593	21.23	60	38.77	Pass	429
2700	3000	1	RMS	2706	-43.57	-25	18.57	Pass	601
3000	12000	1	RMS	5186	-50.71	-25	25.71	Pass	18001
12000	27000	1	RMS	25560	-34.27	-25	9.27	Pass	30001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.21	-25	26.21	Pass	401
0.15	30	0.01	RMS	0.16	-53.66	-25	28.66	Pass	5971
30	1000	0.1	RMS	880.75	-57.39	-25	32.39	Pass	19401
1000	2486	1	RMS	2440	-43.56	-25	18.56	Pass	2973
2486	2700	1	RMS	2650.5	24.25	60	35.75	Pass	429
2700	3000	1	RMS	2700	-43.39	-25	18.39	Pass	601
3000	12000	1	RMS	11946	-57.39	-25	32.39	Pass	18001
12000	27000	1	RMS	25569	-34.23	-25	9.23	Pass	30001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:41215, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.49	-25	25.49	Pass	401
0.15	30	0.01	RMS	0.15	-53.44	-25	28.44	Pass	5971
30	1000	0.1	RMS	877.85	-57.35	-25	32.35	Pass	19401
1000	2486	1	RMS	2426.5	-42.06	-25	17.06	Pass	2973
2486	2700	1	RMS	2650	21.3	60	38.7	Pass	429
2700	3000	1	RMS	2702	-43.52	-25	18.52	Pass	601
3000	12000	1	RMS	5301	-51.45	-25	26.45	Pass	18001
12000	27000	1	RMS	25560.5	-34.33	-25	9.33	Pass	30001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.04	-25	26.04	Pass	401
0.15	30	0.01	RMS	0.15	-53.21	-25	28.21	Pass	5971
30	1000	0.1	RMS	878.9	-57.43	-25	32.43	Pass	19401
1000	2486	1	RMS	2436.5	-43.6	-25	18.6	Pass	2973
2486	2700	1	RMS	2535.5	22.77	60	37.23	Pass	429
2700	3000	1	RMS	2700.5	-43.62	-25	18.62	Pass	601
3000	12000	1	RMS	11962.5	-57.43	-25	32.43	Pass	18001
12000	27000	1	RMS	25548.5	-34.12	-25	9.12	Pass	30001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:40090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.11	-25	26.11	Pass	401
0.15	30	0.01	RMS	0.15	-52.26	-25	27.26	Pass	5971
30	1000	0.1	RMS	881.4	-57.31	-25	32.31	Pass	19401
1000	2486	1	RMS	2449.5	-43.55	-25	18.55	Pass	2973
2486	2700	1	RMS	2535.5	22.29	60	37.71	Pass	429
2700	3000	1	RMS	2700	-43.55	-25	18.55	Pass	601
3000	12000	1	RMS	11953.5	-57.36	-25	32.36	Pass	18001
12000	27000	1	RMS	25570	-34.25	-25	9.25	Pass	30001




8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.96	-25	26.96	Pass	401
0.15	30	0.01	RMS	0.155	-52.96	-25	27.96	Pass	5971
30	1000	0.1	RMS	920.55	-57.37	-25	32.37	Pass	19401
1000	2486	1	RMS	2432	-43.63	-25	18.63	Pass	2973
2486	2700	1	RMS	2590.5	23.83	60	36.17	Pass	429
2700	3000	1	RMS	2713.5	-43.42	-25	18.42	Pass	601
3000	12000	1	RMS	5181	-48.94	-25	23.94	Pass	18001
12000	27000	1	RMS	25517.5	-34.29	-25	9.29	Pass	30001




8.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:40640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.25	-25	26.25	Pass	401
0.15	30	0.01	RMS	0.15	-53.41	-25	28.41	Pass	5971
30	1000	0.1	RMS	897.45	-57.41	-25	32.41	Pass	19401
1000	2486	1	RMS	2480.5	-43.07	-25	18.07	Pass	2973
2486	2700	1	RMS	2590.5	21.36	60	38.64	Pass	429
2700	3000	1	RMS	2713.5	-43.57	-25	18.57	Pass	601
3000	12000	1	RMS	5181	-52.53	-25	27.53	Pass	18001
12000	27000	1	RMS	25573	-34.2	-25	9.2	Pass	30001




8.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-25	27.16	Pass	401
0.15	30	0.01	RMS	0.15	-53.6	-25	28.6	Pass	5971
30	1000	0.1	RMS	906.55	-57.41	-25	32.41	Pass	19401
1000	2486	1	RMS	2428	-43.62	-25	18.62	Pass	2973
2486	2700	1	RMS	2645.5	24.11	60	35.89	Pass	429
2700	3000	1	RMS	2701.5	-43.52	-25	18.52	Pass	601
3000	12000	1	RMS	5291.5	-53.58	-25	28.58	Pass	18001
12000	27000	1	RMS	25567.5	-34.24	-25	9.24	Pass	30001




8.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:41190, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.52	-25	25.52	Pass	401
0.15	30	0.01	RMS	0.16	-54.17	-25	29.17	Pass	5971
30	1000	0.1	RMS	861.55	-57.33	-25	32.33	Pass	19401
1000	2486	1	RMS	2438.5	-43.63	-25	18.63	Pass	2973
2486	2700	1	RMS	2645.5	21.11	60	38.89	Pass	429
2700	3000	1	RMS	2700	-43.55	-25	18.55	Pass	601
3000	12000	1	RMS	5291	-55.4	-25	30.4	Pass	18001
12000	27000	1	RMS	25509.5	-34.28	-25	9.28	Pass	30001




8.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.94	-25	26.94	Pass	401
0.15	30	0.01	RMS	0.155	-53.65	-25	28.65	Pass	5971
30	1000	0.1	RMS	883.9	-57.37	-25	32.37	Pass	19401
1000	2486	1	RMS	2482	-43.49	-25	18.49	Pass	2973
2486	2700	1	RMS	2535.5	22.48	60	37.52	Pass	429
2700	3000	1	RMS	2701.5	-43.61	-25	18.61	Pass	601
3000	12000	1	RMS	5072	-50.83	-25	25.83	Pass	18001
12000	27000	1	RMS	25577	-34.2	-25	9.2	Pass	30001




8.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:40115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51	-25	26	Pass	401
0.15	30	0.01	RMS	0.15	-54.08	-25	29.08	Pass	5971
30	1000	0.1	RMS	887.5	-57.36	-25	32.36	Pass	19401
1000	2486	1	RMS	2480.5	-43.52	-25	18.52	Pass	2973
2486	2700	1	RMS	2536	21.55	60	38.45	Pass	429
2700	3000	1	RMS	2701	-43.63	-25	18.63	Pass	601
3000	12000	1	RMS	5071.5	-54.86	-25	29.86	Pass	18001
12000	27000	1	RMS	25543	-34.26	-25	9.26	Pass	30001




8.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.12	-25	25.12	Pass	401
0.15	30	0.01	RMS	0.15	-53.59	-25	28.59	Pass	5971
30	1000	0.1	RMS	897.5	-57.35	-25	32.35	Pass	19401
1000	2486	1	RMS	2445	-43.65	-25	18.65	Pass	2973
2486	2700	1	RMS	2588.5	23.61	60	36.39	Pass	429
2700	3000	1	RMS	2711.5	-40.66	-25	15.66	Pass	601
3000	12000	1	RMS	5177	-49.24	-25	24.24	Pass	18001
12000	27000	1	RMS	25543.5	-34.11	-25	9.11	Pass	30001




8.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:40640, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.66	-25	25.66	Pass	401
0.15	30	0.01	RMS	0.17	-54.04	-25	29.04	Pass	5971
30	1000	0.1	RMS	928.45	-57.35	-25	32.35	Pass	19401
1000	2486	1	RMS	2431.5	-43.51	-25	18.51	Pass	2973
2486	2700	1	RMS	2588	20.3	60	39.7	Pass	429
2700	3000	1	RMS	2711	-41.36	-25	16.36	Pass	601
3000	12000	1	RMS	5176.5	-50.87	-25	25.87	Pass	18001
12000	27000	1	RMS	25573.5	-34.23	-25	9.23	Pass	30001




8.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.14	-25	27.14	Pass	401
0.15	30	0.01	RMS	0.155	-53.23	-25	28.23	Pass	5971
30	1000	0.1	RMS	888.6	-57.38	-25	32.38	Pass	19401
1000	2486	1	RMS	2430	-43.58	-25	18.58	Pass	2973
2486	2700	1	RMS	2641	24.07	60	35.93	Pass	429
2700	3000	1	RMS	2706.5	-43.07	-25	18.07	Pass	601
3000	12000	1	RMS	5282	-51.04	-25	26.04	Pass	18001
12000	27000	1	RMS	25565.5	-34.11	-25	9.11	Pass	30001




8.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.64	-25	25.64	Pass	401
0.15	30	0.01	RMS	0.15	-53.84	-25	28.84	Pass	5971
30	1000	0.1	RMS	892.55	-57.39	-25	32.39	Pass	19401
1000	2486	1	RMS	2450.5	-43.59	-25	18.59	Pass	2973
2486	2700	1	RMS	2641	22.04	60	37.96	Pass	429
2700	3000	1	RMS	2706.5	-43.06	-25	18.06	Pass	601
3000	12000	1	RMS	5282	-51.74	-25	26.74	Pass	18001
12000	27000	1	RMS	25538.5	-34.19	-25	9.19	Pass	30001




8.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.26	-25	26.26	Pass	401
0.15	30	0.01	RMS	0.15	-54.28	-25	29.28	Pass	5971
30	1000	0.1	RMS	886.05	-57.32	-25	32.32	Pass	19401
1000	2486	1	RMS	2474	-43.38	-25	18.38	Pass	2973
2486	2700	1	RMS	2536	22.61	60	37.39	Pass	429
2700	3000	1	RMS	2700	-43.54	-25	18.54	Pass	601
3000	12000	1	RMS	5072.5	-50.75	-25	25.75	Pass	18001
12000	27000	1	RMS	25552.5	-34.18	-25	9.18	Pass	30001




8.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.18	-25	25.18	Pass	401
0.15	30	0.01	RMS	0.155	-54.29	-25	29.29	Pass	5971
30	1000	0.1	RMS	891.95	-57.37	-25	32.37	Pass	19401
1000	2486	1	RMS	2475	-43.26	-25	18.26	Pass	2973
2486	2700	1	RMS	2536	20.85	60	39.15	Pass	429
2700	3000	1	RMS	2701	-43.57	-25	18.57	Pass	601
3000	12000	1	RMS	5072.5	-53.99	-25	28.99	Pass	18001
12000	27000	1	RMS	25531.5	-34.23	-25	9.23	Pass	30001




8.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.41	-25	25.41	Pass	401
0.15	30	0.01	RMS	0.155	-53.18	-25	28.18	Pass	5971
30	1000	0.1	RMS	898.4	-57.27	-25	32.27	Pass	19401
1000	2486	1	RMS	2480.5	-42.75	-25	17.75	Pass	2973
2486	2700	1	RMS	2586	22.88	60	37.12	Pass	429
2700	3000	1	RMS	2709	-37.25	-25	12.25	Pass	601
3000	12000	1	RMS	5172	-48.8	-25	23.8	Pass	18001
12000	27000	1	RMS	25525	-34.23	-25	9.23	Pass	30001




8.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.88	-25	25.88	Pass	401
0.15	30	0.01	RMS	0.155	-54.81	-25	29.81	Pass	5971
30	1000	0.1	RMS	883	-57.42	-25	32.42	Pass	19401
1000	2486	1	RMS	2432.5	-43.61	-25	18.61	Pass	2973
2486	2700	1	RMS	2586	20.44	60	39.56	Pass	429
2700	3000	1	RMS	2709	-38.82	-25	13.82	Pass	601
3000	12000	1	RMS	5172	-50.41	-25	25.41	Pass	18001
12000	27000	1	RMS	25560.5	-34.18	-25	9.18	Pass	30001




8.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.84	-25	25.84	Pass	401
0.15	30	0.01	RMS	0.155	-53.5	-25	28.5	Pass	5971
30	1000	0.1	RMS	929.4	-57.28	-25	32.28	Pass	19401
1000	2486	1	RMS	2456	-43.58	-25	18.58	Pass	2973
2486	2715	1	RMS	2636	22.94	60	37.06	Pass	459
2715	3000	1	RMS	2715.5	-43.82	-25	18.82	Pass	571
3000	12000	1	RMS	5271.5	-53.99	-25	28.99	Pass	18001
12000	27000	1	RMS	25553.5	-34.22	-25	9.22	Pass	30001



8.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.95	-25	25.95	Pass	401
0.15	30	0.01	RMS	0.155	-53.69	-25	28.69	Pass	5971
30	1000	0.1	RMS	888.45	-57.36	-25	32.36	Pass	19401
1000	2486	1	RMS	2445	-43.6	-25	18.6	Pass	2973
2486	2715	1	RMS	2636	21.92	60	38.08	Pass	459
2715	3000	1	RMS	2715.5	-43.79	-25	18.79	Pass	571
3000	12000	1	RMS	11955	-57.35	-25	32.35	Pass	18001
12000	27000	1	RMS	25518	-34.22	-25	9.22	Pass	30001



--BLANK BELOW--