


CQASZ20260601146E-01


Appendix A: DTS Bandwidth

Test Result

TestMode	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	2402	0.67	2401.69	2402.36	0.5	PASS
	2440	0.68	2439.68	2440.37	0.5	PASS
	2480	0.66	2479.69	2480.36	0.5	PASS

Test Graphs






Date: 11 JUN 2026 20:43:35


Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.055	2401.4965	2402.5514	---	---
		2440	1.055	2439.4965	2440.5514	---	---
		2480	1.039	2479.5045	2480.5435	---	---

Test Graphs






Date: 11 JUN 2026 20:43:41


Appendix C: Maximum conducted output power

Test Result Peak

TestMode	Freq(MHz)	Conducted Peak Power[dBm]	EIRP(dBm)	Conducted Limit[dBm]	Verdict
BLE_1M	2402	6.68	3.09	≤30	PASS
	2440	8.44	4.85	≤30	PASS
	2480	7.22	3.63	≤30	PASS

Test Graphs Peak






Date: 11 JUN 2026 20:43:46


Appendix D: Maximum power spectral density

Test Result

TestMode	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	2402	-10.20	≤8.00	PASS
	2440	-8.11	≤8.00	PASS
	2480	-9.23	≤8.00	PASS

Test Graphs






Date: 11 JUN 2026 20:43:51

Appendix F: Band edge measurements

Test Result

TestMode	ChName	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Low	2402	6.43	-42.69	≤ -13.57	PASS
	High	2480	6.74	-41.85	≤ -13.26	PASS

Test Graphs





Appendix G: Conducted Spurious Emission

Test Result


NO.	Test Condition	Test Mode	Freq (MHz)	Rate	Antenna	Frequency Range (MHz)	Ref Level (MHz)	Max Power (dBm)	Limit (dBm)	Verdict
1	NTNV	BLE	2402	1Mbps	ANT1	Reference	0.1	7.46	/	/
						30~1000	0.1	-47.51	≤-12.54	Pass
						1000~26500	0.1	-36.70	≤-12.54	Pass
2	NTNV	BLE	2440	1Mbps	ANT1	Reference	0.1	7.37	/	/
						30~1000	0.1	-48.01	≤-12.63	Pass
						1000~26500	0.1	-35.52	≤-12.63	Pass
3	NTNV	BLE	2480	1Mbps	ANT1	Reference	0.1	7.91	/	/
						30~1000	0.1	-46.98	≤-12.09	Pass
						1000~26500	0.1	-36.70	≤-12.09	Pass

Test Graphs






Date: 1.SEP.2026 10:52:16




Date: 1.SEP.2026 10:52:22




Date: 1.SEP.2026 10:52:36


NTNV_BLE_2480_1Mbps



Date: 1.SEP.2026 10:53:10



Date: 1.SEP.2026 10:53:16




Date: 1.SEP.2026 10:53:31


Appendix H: Duty Cycle

Test Result

TestMode	Freq(MHz)	ON Time [ms]	Period [ms]	X	DC [%]	xFactor	Limit	Verdict
BLE_1M	2402	2.14	2.50	0.8560	85.60	0.68	---	---
	2440	2.14	2.50	0.8560	85.60	0.68	---	---
	2480	2.14	2.50	0.8560	85.60	0.68	---	---

Test Graphs





Date: 11 JUN 2026 20:53:26