


CQASZ20260601331E-01


Appendix A: DTS Bandwidth

Test Result

TestMode	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	2402	0.67	2401.69	2402.36	0.5	PASS
	2440	0.67	2439.69	2440.36	0.5	PASS
	2480	0.66	2479.69	2480.35	0.5	PASS

Test Graphs






Date: 8 JUL 2026 15:20:04


Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.051	2401.4965	2402.5475	---	---
		2440	1.047	2439.5005	2440.5475	---	---
		2480	1.027	2479.5085	2480.5355	---	---

Test Graphs






Date: 8 JUL 2026 15:20:10


Appendix C: Maximum conducted output power

Test Result Peak

TestMode	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	2402	6.67	≤30	PASS
	2440	8.62	≤30	PASS
	2480	7.95	≤30	PASS

Test Graphs Peak






Date: 8 JUL 2026 15:20:14


Appendix D: Maximum power spectral density

Test Result

TestMode	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	2402	-9.62	≤8.00	PASS
	2440	-7.77	≤8.00	PASS
	2480	-8.35	≤8.00	PASS

Test Graphs






Date: 8 JUL 2026 15:20:20

Appendix F: Band edge measurements

Test Result

TestMode	ChName	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Low	2402	5.78	-44.01	≤ -14.22	PASS
	High	2480	7.58	-42.49	≤ -12.42	PASS

Test Graphs







Appendix G: Conducted Spurious Emission

Test Result


NO.	Test Condition	Test Mode	Freq (MHz)	Rate	Antenna	Frequency Range (MHz)	Ref Level (MHz)	Max Power (dBm)	Limit (dBm)	Verdict
1	NTNV	BLE	2402	1Mbps	ANT1	Reference	0.1	2.84	/	/
						30~1000	0.1	-50.58	≤-17.16	Pass
						1000~26500	0.1	-40.73	≤-17.16	Pass
2	NTNV	BLE	2440	1Mbps	ANT1	Reference	0.1	3.54	/	/
						30~1000	0.1	-51.69	≤-16.46	Pass
						1000~26500	0.1	-40.13	≤-16.46	Pass
3	NTNV	BLE	2480	1Mbps	ANT1	Reference	0.1	4.19	/	/
						30~1000	0.1	-51.70	≤-15.81	Pass
						1000~26500	0.1	-40.52	≤-15.81	Pass

Test Graphs







NTNV_BLE_2480_1Mbps



Date: 19.AUG.2026 17:13:17



Date: 19.AUG.2026 17:13:23




Date: 19.AUG.2026 17:13:37


Appendix H: Duty Cycle

Test Result

TestMode	Freq(MHz)	ON Time [ms]	Period [ms]	X	DC [%]	xFactor	Limit	Verdict
BLE_1M	2402	2.14	2.50	0.8560	85.60	0.68	---	---
	2440	2.14	2.50	0.8560	85.60	0.68	---	---
	2480	2.14	2.50	0.8560	85.60	0.68	---	---

Test Graphs





Date: 8 JUL 2026 15:28:04