


CQASZ20260701378E-01


Appendix A: DTS Bandwidth

Test Result

TestMode	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	2402	0.67	2401.69	2402.36	0.5	PASS
	2440	0.67	2439.69	2440.36	0.5	PASS
	2480	0.66	2479.69	2480.35	0.5	PASS

Test Graphs






Date: 8 JUL 2026 17:31:36


Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.051	2401.4965	2402.5475	---	---
		2440	1.051	2439.4965	2440.5475	---	---
		2480	1.035	2479.5045	2480.5395	---	---

Test Graphs






Date: 8 JUL 2026 17:31:42


Appendix C: Maximum conducted output power

Test Result Peak

TestMode	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	EIRP[dBm]	EIRP Limit[dBm]	Verdict
BLE_1M	2402	4.20	≤30	4.20	≤36	PASS
	2440	6.20	≤30	6.20	≤36	PASS
	2480	5.42	≤30	5.42	≤36	PASS

Test Graphs Peak






Date: 8 JUL 2026 17:31:46


Appendix D: Maximum power spectral density

Test Result

TestMode	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	2402	-12.46	≤8.00	PASS
	2440	-10.08	≤8.00	PASS
	2480	-10.78	≤8.00	PASS

Test Graphs






Date: 8 JUL 2026 17:31:52

Appendix F: Band edge measurements

Test Result

TestMode	ChName	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Low	2402	3.73	-43.45	≤-16.27	PASS
	High	2480	4.58	-43.33	≤-15.42	PASS

Test Graphs





Appendix G: Conducted Spurious Emission

Test Result

TestMode	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	2402	Reference	3.51	3.51	---	PASS
		30~1000	3.51	-51.57	≤-16.49	PASS
		1000~26500	3.51	-40.46	≤-16.49	PASS
	2440	Reference	5.13	5.13	---	PASS
		30~1000	5.13	-52.12	≤-14.87	PASS
		1000~26500	5.13	-41.51	≤-14.87	PASS
	2480	Reference	4.93	4.93	---	PASS
		30~1000	4.93	-51.18	≤-15.07	PASS
		1000~26500	4.93	-40.61	≤-15.07	PASS


Test Graphs






Date: 8 JUL 2026 17:28:44

BLE_1M_Ant1_2440_0~Reference




Date: 8 JUL 2026 17:29:26

BLE_1M_Ant1_2440_30~1000




Date: 8 JUL 2026 17:29:31

BLE_1M_Ant1_2440_1000~26500




Date: 8 JUL 2026 17:29:41

BLE_1M_Ant1_2480_0~Reference




Date: 8 JUL 2026 17:33:25

BLE_1M_Ant1_2480_30~1000



Date: 8 JUL 2026 17:33:30

BLE_1M_Ant1_2480_1000~26500




Date: 8 JUL 2026 17:33:40


Appendix H: Duty Cycle

Test Result

TestMode	Freq(MHz)	ON Time [ms]	Period [ms]	X	DC [%]	xFactor	Limit	Verdict
BLE_1M	2402	2.14	2.50	0.8560	85.60	0.68	---	---
	2440	2.14	2.50	0.8560	85.60	0.68	---	---
	2480	2.14	2.50	0.8560	85.60	0.68	---	---

Test Graphs





Date: 8 JUL 2026 17:37:22