






Date: 8.JAN.2026 13:58:37

OBW NVNT ac40 5755MHz Ant1




Date: 8.JAN.2026 14:06:21

OBW NVNT ac40 5795MHz Ant1




Date: 8.JAN.2026 14:08:35

OBW NVNT ac80 5775MHz Ant1




Date: 8.JAN.2026 14:11:48

OBW NVNT ax20 5745MHz Ant1




Date: 8.JAN.2026 14:21:01

OBW NVNT ax20 5785MHz Ant1




Date: 8.JAN.2026 14:26:49

OBW NVNT ax20 5825MHz Ant1




Date: 8.JAN.2026 14:30:06

OBW NVNT ax40 5755MHz Ant1




Date: 8.JAN.2026 14:33:32


OBW NVNT ax40 5795MHz Ant1



OBW NVNT ax80 5775MHz Ant1




OBW NVNT n20 5745MHz Ant1




Date: 8.JAN.2026 13:46:25

OBW NVNT n20 5785MHz Ant1




Date: 8.JAN.2026 13:48:42


OBW NVNT n20 5825MHz Ant1



OBW NVNT n40 5755MHz Ant1




OBW NVNT n40 5795MHz Ant1



Date: 8.JAN.2026 14:04:05

Note: offset=cable factor


4.4 Duty Cycle

Test Requirement:	FCC Part15 E Section 15.407, RSS-247 Issue 3
Test Method:	ANSI C63.10-2020 + Cor. 1-2023 + C63.10a-2024 + Errata to C63.10a-2024
Limit:	/
Test setup:	 The diagram illustrates the test setup. A Spectrum Analyzer is connected to an E.U.T. (Equipment Under Test) via a red cable. Both the Spectrum Analyzer and the E.U.T. are placed on a Non-Conducted Table. The table is supported by a Ground Reference Plane.
Test procedure:	Measurements of duty cycle and transmission duration shall be performed using one of the following techniques: - A diode detector and an oscilloscope that together have sufficiently short response time to permit accurate measurements of the ON and OFF times of the transmitted signal. - Set the center frequency of the instrument to the center frequency of the transmission. Set RBW $\geq$ EBW if possible; otherwise, set RBW to the largest available value. Set VBW $\geq$ RBW. Set detector = peak.
Test results:	Pass

U-NII 1


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5180	Ant1	91.86	0.37
NVNT	a	5200	Ant1	94.88	0.23
NVNT	a	5240	Ant1	94.88	0.23
NVNT	ac20	5180	Ant1	91.35	0.39
NVNT	ac20	5200	Ant1	93.14	0.31
NVNT	ac20	5240	Ant1	94.03	0.27
NVNT	ac40	5190	Ant1	88.68	0.52
NVNT	ac40	5230	Ant1	87.74	0.57
NVNT	ac80	5210	Ant1	78.95	1.03
NVNT	ax20	5180	Ant1	81.11	0.91
NVNT	ax20	5200	Ant1	90.12	0.45
NVNT	ax20	5240	Ant1	91.25	0.4
NVNT	ax40	5190	Ant1	83.52	0.78
NVNT	ax40	5230	Ant1	78.35	1.06
NVNT	ax80	5210	Ant1	64.52	1.9
NVNT	n20	5180	Ant1	94.03	0.27
NVNT	n20	5200	Ant1	93.6	0.29
NVNT	n20	5240	Ant1	88.73	0.52
NVNT	n40	5190	Ant1	88.57	0.53
NVNT	n40	5230	Ant1	86.11	0.65

Duty Cycle NVNT a 5180MHz Ant1




Date: 7.JAN.2026 23:13:51

Duty Cycle NVNT a 5200MHz Ant1




Date: 7.JAN.2026 23:15:41

Duty Cycle NVNT a 5240MHz Ant1




Date: 7.JAN.2026 23:18:49

Duty Cycle NVNT ac20 5180MHz Ant1




Date: 8.JAN.2026 11:47:37

Duty Cycle NVNT ac20 5200MHz Ant1




Date: 8.JAN.2026 11:56:06

Duty Cycle NVNT ac20 5240MHz Ant1




Date: 8.JAN.2026 11:58:43

Duty Cycle NVNT ac40 5190MHz Ant1




Date: 8.JAN.2026 12:12:44

Duty Cycle NVNT ac40 5230MHz Ant1




Date: 8.JAN.2026 12:16:47

Duty Cycle NVNT ac80 5210MHz Ant1




Date: 8.JAN.2026 12:51:50

Duty Cycle NVNT ax20 5180MHz Ant1




Date: 8.JAN.2026 15:02:16

Duty Cycle NVNT ax20 5200MHz Ant1




Date: 8.JAN.2026 15:05:05

Duty Cycle NVNT ax20 5240MHz Ant1




Date: 8.JAN.2026 15:10:26

Duty Cycle NVNT ax40 5190MHz Ant1




Date: 8.JAN.2026 15:17:49

Duty Cycle NVNT ax40 5230MHz Ant1




Date: 8.JAN.2026 15:27:02

Duty Cycle NVNT ax80 5210MHz Ant1




Date: 8.JAN.2026 16:34:53


Duty Cycle NVNT n20 5180MHz Ant1



Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1




Date: 8.JAN.2026 11:45:12

Duty Cycle NVNT n40 5190MHz Ant1



Date: 8.JAN.2026 12:03:09

Duty Cycle NVNT n40 5230MHz Ant1




Date: 8.JAN.2026 12:05:51

Note: offset=cable factor

U-NII 3


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5745	Ant1	93.58	0.29
NVNT	a	5785	Ant1	91.89	0.37
NVNT	a	5825	Ant1	93.98	0.27
NVNT	ac20	5745	Ant1	94.06	0.27
NVNT	ac20	5785	Ant1	93.6	0.29
NVNT	ac20	5825	Ant1	81.2	0.9
NVNT	ac40	5755	Ant1	88.57	0.53
NVNT	ac40	5795	Ant1	84.68	0.72
NVNT	ac80	5775	Ant1	68.66	1.63
NVNT	ax20	5745	Ant1	89.02	0.5
NVNT	ax20	5785	Ant1	89.57	0.48
NVNT	ax20	5825	Ant1	91.82	0.37
NVNT	ax40	5755	Ant1	82.61	0.83
NVNT	ax40	5795	Ant1	84.44	0.73
NVNT	ax80	5775	Ant1	72.22	1.41
NVNT	n20	5745	Ant1	91.3	0.4
NVNT	n20	5785	Ant1	90	0.46
NVNT	n20	5825	Ant1	89.57	0.48
NVNT	n40	5755	Ant1	88.57	0.53
NVNT	n40	5795	Ant1	83.78	0.77

Duty Cycle NVNT a 5745MHz Ant1




Date: 8.JAN.2026 13:39:11

Duty Cycle NVNT a 5785MHz Ant1




Date: 8.JAN.2026 13:41:27

Duty Cycle NVNT a 5825MHz Ant1




Date: 8.JAN.2026 13:43:29

Duty Cycle NVNT ac20 5745MHz Ant1




Date: 8.JAN.2026 13:52:26

Duty Cycle NVNT ac20 5785MHz Ant1




Date: 8.JAN.2026 13:56:24

Duty Cycle NVNT ac20 5825MHz Ant1




Date: 8.JAN.2026 13:58:18

Duty Cycle NVNT ac40 5755MHz Ant1




Date: 8.JAN.2026 14:05:53


Duty Cycle NVNT ac40 5795MHz Ant1



Duty Cycle NVNT ac80 5775MHz Ant1




Duty Cycle NVNT ax20 5745MHz Ant1




Date: 8.JAN.2026 14:20:29

Duty Cycle NVNT ax20 5785MHz Ant1




Date: 8.JAN.2026 14:26:19

Duty Cycle NVNT ax20 5825MHz Ant1




Date: 8.JAN.2026 14:29:32

Duty Cycle NVNT ax40 5755MHz Ant1




Date: 8.JAN.2026 14:32:55

Duty Cycle NVNT ax40 5795MHz Ant1




Date: 8.JAN.2026 14:41:29

Duty Cycle NVNT ax80 5775MHz Ant1




Date: 8.JAN.2026 14:58:37

Duty Cycle NVNT n20 5745MHz Ant1




Date: 8.JAN.2026 13:46:05

Duty Cycle NVNT n20 5785MHz Ant1




Date: 8.JAN.2026 13:48:22

Duty Cycle NVNT n20 5825MHz Ant1




Date: 8.JAN.2026 13:50:24

Duty Cycle NVNT n40 5755MHz Ant1



Date: 8.JAN.2026 14:00:34


Duty Cycle NVNT n40 5795MHz Ant1



Date: 8.JAN.2026 14:03:08

Note: offset=cable factor

4.5 Average Transmit Power


Test Requirement:	FCC Part15 E Section 15.407, RSS-247 Issue 3																		
Test Method:	ANSI C63.10-2020 + Cor. 1-2023 + C63.10a-2024 + Errata to C63.10a-2024																		
Limit:	FCC: For the band 5.15-5.25GHz, 5.25-5.35GHz, 5.47-5.725GHz, The maximum conducted output power over the frequency bands of operation shall not exceed 250mW. For the band 5.725-5.85GHz, the maximum conducted output power over the frequency bands of operation shall not exceed 1W. IC: <table><thead><tr><th>Section.</th><th>Test Item.</th><th>Limit.</th><th>FrequencyRange. (MHz).</th><th>Result.</th></tr></thead><tbody><tr><td>6.2.1.1.</td><td rowspan="4">Peak Output Power.</td><td>200 mW or $10 + 10 \log_{10} B$, dBm, whichever power is less. B is the 99% emission bandwidth in megahertz.</td><td>5150-5250.</td><td rowspan="4">PASS.</td></tr><tr><td>6.2.2.1.</td><td rowspan="2">The lesser of 250 mW or $11 \text{ dBm} + 10 \log (26 \text{ dB emission bandwidth})$.</td><td>5250-5350.</td></tr><tr><td>6.2.3.1.</td><td>5470-5725.</td></tr><tr><td>6.2.4.1.</td><td>1 watt.</td><td>5725-5825.</td></tr></tbody></table>	Section.	Test Item.	Limit.	FrequencyRange. (MHz).	Result.	6.2.1.1.	Peak Output Power.	200 mW or $10 + 10 \log_{10} B$, dBm, whichever power is less. B is the 99% emission bandwidth in megahertz.	5150-5250.	PASS.	6.2.2.1.	The lesser of 250 mW or $11 \text{ dBm} + 10 \log (26 \text{ dB emission bandwidth})$.	5250-5350.	6.2.3.1.	5470-5725.	6.2.4.1.	1 watt.	5725-5825.
Section.	Test Item.	Limit.	FrequencyRange. (MHz).	Result.															
6.2.1.1.	Peak Output Power.	200 mW or $10 + 10 \log_{10} B$, dBm, whichever power is less. B is the 99% emission bandwidth in megahertz.	5150-5250.	PASS.															
6.2.2.1.		The lesser of 250 mW or $11 \text{ dBm} + 10 \log (26 \text{ dB emission bandwidth})$.	5250-5350.																
6.2.3.1.			5470-5725.																
6.2.4.1.		1 watt.	5725-5825.																
Test setup:	Spectrum Analyzer  Non-Conducted Table Ground Reference Plane																		
Test procedure:	Measurement using an RF average power meter (i) Measurements may be performed using a wideband RF power meter with a thermocouple detector or equivalent if all of the conditions listed below are satisfied a) The EUT is configured to transmit continuously or to transmit with a constant duty cycle. b) At all times when the EUT is transmitting, it must be transmitting at its maximum power control level. c) The integration period of the power meter exceeds the repetition period of the transmitted signal by at least a factor of five. (ii) If the transmitter does not transmit continuously, measure the duty cycle, x, of the transmitter output signal as described in section B). (iii) Measure the average power of the transmitter. This measurement is an average over both the on and off periods of the transmitter. (iv) Adjust the measurement in dBm by adding $10 \log(1/x)$ where x is the duty cycle (e.g., $10 \log(1/0.25)$ if the duty cycle is 25 percent).																		
Test results:	Pass																		

Measurement Data

Band 1 (5150-5250 MHz)


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	FCC Limit (dBm)	Verdict
NVNT	a	5180	Ant1	12.853	0.37	13.223	24	Pass
NVNT	a	5200	Ant1	13.555	0.23	13.785	24	Pass
NVNT	a	5240	Ant1	13.119	0.23	13.349	24	Pass
NVNT	ac20	5180	Ant1	12.921	0.39	13.311	24	Pass
NVNT	ac20	5200	Ant1	14.248	0.31	14.558	24	Pass
NVNT	ac20	5240	Ant1	13.028	0.27	13.298	24	Pass
NVNT	ac40	5190	Ant1	13.079	0.52	13.599	24	Pass
NVNT	ac40	5230	Ant1	13.535	0.57	14.105	24	Pass
NVNT	ac80	5210	Ant1	11.786	1.03	12.816	24	Pass
NVNT	ax20	5180	Ant1	13.075	0.91	13.985	24	Pass
NVNT	ax20	5200	Ant1	12.932	0.45	13.382	24	Pass
NVNT	ax20	5240	Ant1	13.653	0.4	14.053	24	Pass
NVNT	ax40	5190	Ant1	12.695	0.78	13.475	24	Pass
NVNT	ax40	5230	Ant1	12.72	1.06	13.78	24	Pass
NVNT	ax80	5210	Ant1	10.821	1.9	12.721	24	Pass
NVNT	n20	5180	Ant1	13.296	0.27	13.566	24	Pass
NVNT	n20	5200	Ant1	13.652	0.29	13.942	24	Pass
NVNT	n20	5240	Ant1	13.675	0.52	14.195	24	Pass
NVNT	n40	5190	Ant1	14.07	0.53	14.6	24	Pass
NVNT	n40	5230	Ant1	12.796	0.65	13.446	24	Pass

Power NVNT a 5180MHz Ant1




Date: 7.JAN.2026 23:14:01

Power NVNT a 5200MHz Ant1




Date: 7.JAN.2026 23:15:52

Power NVNT a 5240MHz Ant1




Date: 7.JAN.2026 23:19:00

Power NVNT ac20 5180MHz Ant1




Date: 8.JAN.2026 11:50:23

Power NVNT ac20 5200MHz Ant1




Date: 8.JAN.2026 11:56:20

Power NVNT ac20 5240MHz Ant1




Date: 8.JAN.2026 11:58:56

Power NVNT ac40 5190MHz Ant1




Date: 8.JAN.2026 12:12:55

Power NVNT ac40 5230MHz Ant1




Date: 8.JAN.2026 12:17:02

Power NVNT ac80 5210MHz Ant1




Date: 8.JAN.2026 12:52:01

Power NVNT ax20 5180MHz Ant1




Date: 8.JAN.2026 15:02:27

Power NVNT ax20 5200MHz Ant1




Date: 8.JAN.2026 15:05:19

Power NVNT ax20 5240MHz Ant1




Date: 8.JAN.2026 15:10:36

Power NVNT ax40 5190MHz Ant1




Date: 8.JAN.2026 15:18:13

Power NVNT ax40 5230MHz Ant1




Date: 8.JAN.2026 15:27:27

Power NVNT ax80 5210MHz Ant1




Date: 8.JAN.2026 16:35:10

Power NVNT n20 5180MHz Ant1




Date: 8.JAN.2026 11:33:20

Power NVNT n20 5200MHz Ant1




Date: 8.JAN.2026 11:37:32

Power NVNT n20 5240MHz Ant1




Date: 8.JAN.2026 11:45:29

Power NVNT n40 5190MHz Ant1



Date: 8.JAN.2026 12:03:23




Date: 8.JAN.2026 12:06:04

Note: offset=cable factor

Band 4 (5725 – 5850 MHz)


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	FCC Limit (dBm)	Verdict
NVNT	a	5745	Ant1	13.188	0.29	13.478	30	Pass
NVNT	a	5785	Ant1	13.675	0.37	14.045	30	Pass
NVNT	a	5825	Ant1	13.655	0.27	13.925	30	Pass
NVNT	ac20	5745	Ant1	13.121	0.27	13.391	30	Pass
NVNT	ac20	5785	Ant1	13.537	0.29	13.827	30	Pass
NVNT	ac20	5825	Ant1	13.366	0.9	14.266	30	Pass
NVNT	ac40	5755	Ant1	13.258	0.53	13.788	30	Pass
NVNT	ac40	5795	Ant1	13.27	0.72	13.99	30	Pass
NVNT	ac80	5775	Ant1	11.578	1.63	13.208	30	Pass
NVNT	ax20	5745	Ant1	13.355	0.5	13.855	30	Pass
NVNT	ax20	5785	Ant1	13.797	0.48	14.277	30	Pass
NVNT	ax20	5825	Ant1	13.464	0.37	13.834	30	Pass
NVNT	ax40	5755	Ant1	13.773	0.83	14.603	30	Pass
NVNT	ax40	5795	Ant1	13.514	0.73	14.244	30	Pass
NVNT	ax80	5775	Ant1	12.796	1.41	14.206	30	Pass
NVNT	n20	5745	Ant1	13.19	0.4	13.59	30	Pass
NVNT	n20	5785	Ant1	13.609	0.46	14.069	30	Pass
NVNT	n20	5825	Ant1	12.495	0.48	12.975	30	Pass
NVNT	n40	5755	Ant1	13.273	0.53	13.803	30	Pass
NVNT	n40	5795	Ant1	13.173	0.77	13.943	30	Pass

Power NVNT a 5745MHz Ant1




Date: 8.JAN.2026 13:39:22

Power NVNT a 5785MHz Ant1




Date: 8.JAN.2026 13:41:38

Power NVNT a 5825MHz Ant1




Date: 8.JAN.2026 13:43:40

Power NVNT ac20 5745MHz Ant1



Date: 8.JAN.2026 13:52:36

Power NVNT ac20 5785MHz Ant1



Date: 8.JAN.2026 13:56:35