






TF-008-5EQ

MODE
PLAY
PREV
NEXT
REPEAT




BT Antenna
FM Antenna


10FEET
3m
5m


MT-115
QC
5
DAT
STB
GND
+VCC
M-IC GND
O-R
GND
O-L
I-L
IR
+5V
GND
KEY
10FEET
3m
5m


TF-2020A_VFD_V:3
GND
IIC_DAT
IIC_CLK
+5V
IR_DA
GND
10FEET
3m
5m

CARD USB RECO REPLAY












KW-906-7
2015.07.20





TM AUDIO
SUPER BULLET TWEETER

SW4.2J

LONG WAY
6FM4.5
(12V4.5AH/20HR)
Non-spillable
Rechargeable Valve Regulated Lead-Acid Battery
Constant Voltage Charge (25℃)
Type
Voltage Regulation
Initial Current
Standby use
13.50 ~ 13.60V
Less than 1.35A
Cycle use
14.40 ~ 15.00V
Less than 1.35A
WARNING:
• Avoid short circuit
• Recharge after use
• Risk of fire, explosion, or burns
• Do not charge in a sealed container
• Must be recycled or disposed of properly
• Do not disassemble, heat above 50℃, or incinerate
Pb
KAIYING POWER SUPPLY & ELECTRICAL EQUIP CO.,LTD