

Appendix A

IEEE 802.11 a

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRF(us)	Detection(Yes / No)
1	1	5300	57	1	938	Y
1	2	5300	76	1	698	Y
1	3	5300	86	1	618	Y
1	4	5300	99	1	538	Y
1	5	5300	61	1	878	Y
1	6	5300	18	1	3066	Y
1	7	5300	83	1	638	N
1	8	5300	58	1	918	N
1	9	5300	63	1	838	Y
1	10	5300	62	1	858	Y
1	11	5300	67	1	798	Y
1	12	5300	74	1	718	Y
1	13	5300	92	1	578	Y
1	14	5300	89	1	598	Y
1	15	5300	95	1	558	Y
1	16	5300	21	1	2536	Y
1	17	5300	55	1	966	Y
1	18	5300	64	1	827	Y
1	19	5300	22	1	2501	Y
1	20	5300	21	1	2595	Y
1	21	5300	48	1	1114	Y
1	22	5300	41	1	1302	N
1	23	5300	18	1	3045	Y
1	24	5300	33	1	1624	Y
1	25	5300	19	1	2878	Y
1	26	5300	52	1	1027	Y
1	27	5300	22	1	2485	Y
1	28	5300	33	1	1600	Y
1	29	5300	46	1	1172	Y
1	30	5300	45	1	1177	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRF(us)	Detection(Yes / No)
1	1	5500	57	1	938	Y
1	2	5500	76	1	698	Y
1	3	5500	86	1	618	Y
1	4	5500	99	1	538	Y
1	5	5500	61	1	878	Y
1	6	5500	18	1	3066	N
1	7	5500	83	1	638	N
1	8	5500	58	1	918	Y
1	9	5500	63	1	838	Y
1	10	5500	62	1	858	Y
1	11	5500	67	1	798	Y
1	12	5500	74	1	718	Y
1	13	5500	92	1	578	Y
1	14	5500	89	1	598	Y
1	15	5500	95	1	558	N
1	16	5500	21	1	2536	Y
1	17	5500	55	1	966	Y
1	18	5500	64	1	827	Y
1	19	5500	22	1	2501	Y
1	20	5500	21	1	2595	Y
1	21	5500	48	1	1114	Y
1	22	5500	41	1	1302	N
1	23	5500	18	1	3045	Y
1	24	5500	33	1	1624	Y
1	25	5500	19	1	2878	Y
1	26	5500	52	1	1027	Y
1	27	5500	22	1	2485	N
1	28	5500	33	1	1600	Y
1	29	5500	46	1	1172	Y
1	30	5500	45	1	1177	Y

IEEE 802.11n-HT40

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRF(us)	Detection(Yes / No)
1	1	5310	57	1	938	Y
1	2	5310	76	1	698	Y
1	3	5310	86	1	618	Y
1	4	5310	99	1	538	Y
1	5	5310	61	1	878	Y
1	6	5310	18	1	3066	Y
1	7	5310	83	1	638	Y
1	8	5310	58	1	918	N
1	9	5310	63	1	838	Y
1	10	5310	62	1	858	N
1	11	5310	67	1	798	Y
1	12	5310	74	1	718	Y
1	13	5310	92	1	578	Y
1	14	5310	89	1	598	Y
1	15	5310	95	1	558	Y
1	16	5310	21	1	2536	Y
1	17	5310	55	1	966	Y
1	18	5310	64	1	827	N
1	19	5310	22	1	2501	Y
1	20	5310	21	1	2595	N
1	21	5310	48	1	1114	Y
1	22	5310	41	1	1302	Y
1	23	5310	18	1	3045	Y
1	24	5310	33	1	1624	Y
1	25	5310	19	1	2878	Y
1	26	5310	52	1	1027	Y
1	27	5310	22	1	2485	Y
1	28	5310	33	1	1600	Y
1	29	5310	46	1	1172	N
1	30	5310	45	1	1177	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRF(us)	Detection(Yes / No)
1	1	5510	57	1	938	Y
1	2	5510	76	1	698	Y
1	3	5510	86	1	618	Y
1	4	5510	99	1	538	Y
1	5	5510	61	1	878	N
1	6	5510	18	1	3066	N
1	7	5510	83	1	638	Y
1	8	5510	58	1	918	Y
1	9	5510	63	1	838	Y
1	10	5510	62	1	858	Y
1	11	5510	67	1	798	Y
1	12	5510	74	1	718	Y
1	13	5510	92	1	578	Y
1	14	5510	89	1	598	Y
1	15	5510	95	1	558	Y
1	16	5510	21	1	2536	N
1	17	5510	55	1	966	Y
1	18	5510	64	1	827	Y
1	19	5510	22	1	2501	Y
1	20	5510	21	1	2595	Y
1	21	5510	48	1	1114	Y
1	22	5510	41	1	1302	Y
1	23	5510	18	1	3045	Y
1	24	5510	33	1	1624	Y
1	25	5510	19	1	2878	N
1	26	5510	52	1	1027	Y
1	27	5510	22	1	2485	Y
1	28	5510	33	1	1600	Y
1	29	5510	46	1	1172	Y
1	30	5510	45	1	1177	Y

IEEE 802.11ac-VHT80

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRF(us)	Detection(Yes / No)
1	1	5290	57	1	938	Y
1	2	5290	76	1	698	Y
1	3	5290	86	1	618	Y
1	4	5290	99	1	538	Y
1	5	5290	61	1	878	Y
1	6	5290	18	1	3066	Y
1	7	5290	83	1	638	Y
1	8	5290	58	1	918	Y
1	9	5290	63	1	838	Y
1	10	5290	62	1	858	Y
1	11	5290	67	1	798	Y
1	12	5290	74	1	718	N
1	13	5290	92	1	578	Y
1	14	5290	89	1	598	Y
1	15	5290	95	1	558	Y
1	16	5290	21	1	2536	Y
1	17	5290	55	1	966	Y
1	18	5290	64	1	827	Y
1	19	5290	22	1	2501	Y
1	20	5290	21	1	2595	Y
1	21	5290	48	1	1114	Y
1	22	5290	41	1	1302	N
1	23	5290	18	1	3045	Y
1	24	5290	33	1	1624	Y
1	25	5290	19	1	2878	Y
1	26	5290	52	1	1027	Y
1	27	5290	22	1	2485	N
1	28	5290	33	1	1600	Y
1	29	5290	46	1	1172	Y
1	30	5290	45	1	1177	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRF(us)	Detection(Yes / No)
1	1	5530	57	1	938	Y
1	2	5530	76	1	698	Y
1	3	5530	86	1	618	Y
1	4	5530	99	1	538	Y
1	5	5530	61	1	878	Y
1	6	5530	18	1	3066	N
1	7	5530	83	1	638	Y
1	8	5530	58	1	918	Y
1	9	5530	63	1	838	Y
1	10	5530	62	1	858	Y
1	11	5530	67	1	798	N
1	12	5530	74	1	718	Y
1	13	5530	92	1	578	Y
1	14	5530	89	1	598	Y
1	15	5530	95	1	558	Y
1	16	5530	21	1	2536	Y
1	17	5530	55	1	966	N
1	18	5530	64	1	827	Y
1	19	5530	22	1	2501	N
1	20	5530	21	1	2595	Y
1	21	5530	48	1	1114	Y
1	22	5530	41	1	1302	Y
1	23	5530	18	1	3045	Y
1	24	5530	33	1	1624	Y
1	25	5530	19	1	2878	Y
1	26	5530	52	1	1027	Y
1	27	5530	22	1	2485	Y
1	28	5530	33	1	1600	Y
1	29	5530	46	1	1172	N
1	30	5530	45	1	1177	Y

Appendix B

IEEE 802.11 a

Radar Type	Total #	Freq(MHz)	Number Pulse per Burst	Pulse Width(μs)	PRF(us)	Detection(Yes / No)
2	1	5300	26	3.20	178	Y
2	2	5300	26	3.10	207	Y
2	3	5300	24	2.10	230	Y
2	4	5300	26	4.80	200	Y
2	5	5300	28	3.80	214	Y
2	6	5300	26	2.90	222	N
2	7	5300	26	3.20	204	Y
2	8	5300	26	3.10	184	Y
2	9	5300	26	3.10	164	Y
2	10	5300	23	1.20	156	N
2	11	5300	27	3.80	210	Y
2	12	5300	29	4.60	201	N
2	13	5300	26	3.20	182	Y
2	14	5300	25	2.20	197	Y
2	15	5300	29	4.50	163	Y
2	16	5300	26	3.00	203	Y
2	17	5300	26	3.00	198	Y
2	18	5300	25	2.40	217	Y
2	19	5300	26	2.90	191	Y
2	20	5300	25	2.30	186	Y
2	21	5300	27	3.70	150	Y
2	22	5300	25	2.20	178	Y
2	23	5300	28	4.50	185	N
2	24	5300	26	2.90	202	N
2	25	5300	25	2.50	178	Y
2	26	5300	23	1.10	166	Y
2	27	5300	27	3.80	155	Y
2	28	5300	29	4.70	157	Y
2	29	5300	25	2.40	224	N
2	30	5300	28	4.20	159	Y

Radar Type	Total #	Freq(MHz)	Number Pulse per Burst	Pulse Width(μs)	PRF(us)	Detection(Yes / No)
2	1	5600	26	3.20	178	Y
2	2	5600	26	3.10	207	Y
2	3	5600	24	2.10	230	Y
2	4	5600	26	4.80	200	Y
2	5	5600	28	3.80	214	Y
2	6	5600	26	2.90	222	N
2	7	5600	26	3.20	204	Y
2	8	5600	26	3.10	184	Y
2	9	5600	26	3.10	164	Y
2	10	5600	23	1.20	156	N
2	11	5600	27	3.80	210	Y
2	12	5600	29	4.60	201	N
2	13	5600	26	3.20	182	Y
2	14	5600	25	2.20	197	Y
2	15	5600	29	4.50	163	Y
2	16	5600	26	3.00	203	Y
2	17	5600	26	3.00	198	Y
2	18	5600	25	2.40	217	Y
2	19	5600	26	2.90	191	Y
2	20	5600	25	2.30	186	Y
2	21	5600	27	3.70	150	Y
2	22	5600	25	2.20	178	Y
2	23	5600	28	4.50	185	Y
2	24	5600	26	2.90	202	Y
2	25	5600	25	2.50	178	Y
2	26	5600	23	1.10	166	N
2	27	5600	27	3.80	155	Y
2	28	5600	29	4.70	157	Y
2	29	5600	25	2.40	224	N
2	30	5600	28	4.20	159	Y

IEEE 802.11n-HT40

Radar Type	Total #	Freq(MHz)	Number of Bursts	Pulse Width(μs)	PRF(us)	Detection(Yes / No)
2	1	5310	26	3.20	178	Y
2	2	5310	24	2.10	200	Y
2	3	5310	26	4.80	200	Y
2	4	5310	28	3.80	214	N
2	5	5310	26	2.90	222	N
2	6	5310	26	3.20	204	Y
2	7	5310	26	3.10	184	Y
2	8	5310	23	1.20	156	N
2	9	5310	27	3.80	210	Y
2	10	5310	29	4.60	201	Y
2	11	5310	26	3.20	182	Y
2	12	5310	25	2.20	197	Y
2	13	5310	29	4.50	163	Y
2	14	5310	26	3.00	203	Y
2	15	5310	26	3.00	198	Y
2	16	5310	25	2.40	217	Y
2	17	5310	26	2.90	191	Y
2	18	5310	25	2.30	186	N
2	19	5310	27	3.70	150	Y
2	20	5310	25	2.20	178	N
2	21	5310	28	4.90	195	Y
2	22	5310	26	2.90	202	Y
2	23	5310	25	2.50	178	Y
2	24	5310	23	1.10	166	N
2	25	5310	27	3.80	155	Y
2	26	5310	29	4.70	157	Y
2	27	5310	25	2.40	224	Y
2	28	5310	28	4.20	159	Y

Radar Type	Total #	Freq(MHz)	Number of Bursts	Pulse Width(μs)	PRF(us)	Detection(Yes / No)
2	1	5610	26	3.20	178	Y
2	2	5610	24	2.10	200	Y
2	3	5610	26	4.80	200	Y
2	4	5610	28	3.80	214	N
2	5	5610	26	2.90	222	N
2	6	5610	26	3.20	204	Y
2	7	5610	26	3.10	184	Y
2	8	5610	23	1.20	156	N
2	9	5610	27	3.80	210	Y
2	10	5610	29	4.60	201	Y
2	11	5610	26	3.20	182	Y
2	12	5610	25	2.20	197	Y
2	13	5610	29	4.50	163	Y
2	14	5610	26	3.00	203	Y
2	15	5610	26	3.00	198	Y
2	16	5610	25	2.40	217	Y
2	17	5610	26	2.90	191	Y
2	18	5610	25	2.30	186	Y
2	19	5610	27	3.70	150	Y
2	20	5610	25	2.20	178	Y
2	21	5610	28	4.90	195	Y
2	22	5610	26	2.90	202	Y
2	23	5610	25	2.50	178	Y
2	24	5610	23	1.10	166	N
2	25	5610	27	3.80	155	Y
2	26	5610	29	4.70	157	Y
2	27	5610	25	2.40	224	Y
2	28	5610	28	4.20	159	Y

IEEE 802.11ac-VHT80

Radar Type	Total #	Freq(MHz)	Number of Bursts	Pulse Width(μs)	PRF(us)	Detection(Yes / No)
2	1	5260	26	3.20	178	Y
2	2	5260	24	2.10	200	Y
2	3	5260	26	4.80	200	Y
2	4	5260	28	3.80	214	Y
2	5	5260	26	2.90	222	N
2	6	5260	26	3.20	204	Y
2	7	5260	26	3.10	184	Y
2	8	5260	23	1.20	156	N
2	9	5260	27	3.80	210	Y
2	10	5260	29	4.60	201	N
2	11	5260	26	3.20	182	N
2	12	5260	25	2.20	197	Y
2	13	5260	29	4.50	163	Y
2	14	5260	26	3.00	203	Y
2	15	5260	26	3.00	198	Y
2	16	5260	25	2.40	217	Y
2	17	5260	26	2.90	191	Y
2	18	5260	25	2.30	186	Y
2	19	5260	27	3.70	150	Y
2	20	5260	25	2.20	178	Y
2	21	5260	28	4.50	156	Y
2	22	5260	26	2.90	202	Y
2	23	5260	25	2.50	178	Y
2	24	5260	23	1.10	166	Y
2	25	5260	27	3.80	155	Y
2	26	5260	29	4.70	157	Y
2	27	5260	25	2.40	224	Y
2	28	5260	28	4.20	159	Y

Radar Type	Total #	Freq(MHz)	Number of Bursts	Pulse Width(μs)	PRF(us)	Detection(Yes / No)
2	1	5660	26	3.20	178	Y
2	2	5660	24	2.10	200	Y
2	3	5660	26	4.80	200	Y
2	4	5660	28	3.80	214	Y
2	5	5660	26	2.90	222	N
2	6	5660	26	3.20	204	Y
2	7	5660	26	3.10	184	Y
2	8	5660	23	1.20	156	N
2	9	5660	27	3.80	210	Y
2	10	5660	29	4.60	201	N
2	11	5660	26	3.20	182	Y
2	12	5660	25	2.20	197	Y
2	13	5660	29	4.50	163	Y
2	14	5660	26	3.00	203	Y
2	15	5660	26	3.00	198	Y
2	16	5660	25	2.40	217	Y
2	17	5660	26	2.90	191	Y
2	18	5660	25	2.30	186	Y
2	19	5660	27	3.70	150	Y
2	20	5660	25	2.20	178	Y
2	21	5660	28	4.50	156	Y
2	22	5660	26	2.90	202	Y
2	23	5660	25	2.50	178	Y
2	24	5660	23	1.10	166	Y
2	25	5660	27	3.80	155	Y
2	26	5660	29	4.70	157	Y
2	27	5660	25	2.40	224	Y
2	28	5660	28	4.20	159	Y

Appendix C

IEEE 802.11 a

Radar Type	Trial #	Freq(MHz)	Number Pulse per Burst	Pulse Width(us)	PRF(us)	Detection(Yes / No)
A	1	5300	17	8.20	365	Y
A	2	5300	16	8.10	487	Y
A	3	5300	16	7.10	344	Y
A	4	5300	18	9.80	288	Y
A	5	5300	18	8.80	230	Y
A	6	5300	17	7.80	432	Y
A	7	5300	17	8.20	207	Y
A	8	5300	17	7.60	463	N
A	9	5300	17	8.10	438	Y
A	10	5300	16	8.20	223	Y
A	11	5300	18	8.80	238	N
A	12	5300	18	9.60	463	Y
A	13	5300	17	8.20	441	Y
A	14	5300	16	7.20	323	Y
A	15	5300	16	9.50	287	Y
A	16	5300	17	8.00	412	Y
A	17	5300	16	10.00	324	Y
A	18	5300	17	7.60	271	Y
A	19	5300	17	7.80	348	Y
A	20	5300	16	7.50	406	N
A	21	5300	18	8.70	373	Y
A	22	5300	16	7.20	254	Y
A	23	5300	18	9.60	274	Y
A	24	5300	17	7.80	278	Y
A	25	5300	17	7.60	317	Y
A	26	5300	16	8.10	260	Y
A	27	5300	18	8.80	211	N
A	28	5300	18	9.70	272	Y
A	29	5300	17	7.60	264	Y
A	30	5300	18	9.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number Pulse per Burst	Pulse Width(us)	PRF(us)	Detection(Yes / No)
A	1	5500	17	8.20	365	Y
A	2	5500	16	8.10	487	Y
A	3	5500	16	7.10	344	Y
A	4	5500	18	9.80	288	Y
A	5	5500	18	8.80	230	Y
A	6	5500	17	7.80	432	Y
A	7	5500	17	8.20	207	Y
A	8	5500	17	7.60	463	N
A	9	5500	17	8.10	438	Y
A	10	5500	16	8.20	223	Y
A	11	5500	18	8.80	238	N
A	12	5500	18	9.60	463	Y
A	13	5500	17	8.20	441	N
A	14	5500	16	7.20	323	N
A	15	5500	16	9.50	287	Y
A	16	5500	17	8.00	412	Y
A	17	5500	16	10.00	324	Y
A	18	5500	17	7.60	271	Y
A	19	5500	17	7.80	348	N
A	20	5500	16	7.50	406	Y
A	21	5500	18	8.70	373	Y
A	22	5500	16	7.20	254	N
A	23	5500	18	9.60	274	Y
A	24	5500	17	7.80	278	Y
A	25	5500	17	7.60	317	Y
A	26	5500	16	8.10	260	Y
A	27	5500	18	8.80	211	Y
A	28	5500	18	9.70	272	Y
A	29	5500	17	7.60	264	Y
A	30	5500	18	9.20	284	Y

IEEE 802.11n-HT40

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRF(us)	Detection(Yes / No)
A	1	5310	17	8.20	365	Y
A	2	5310	16	8.10	487	N
A	3	5310	16	7.10	344	Y
A	4	5310	18	9.80	288	Y
A	5	5310	18	8.80	230	Y
A	6	5310	17	7.80	432	N
A	7	5310	17	8.20	207	Y
A	8	5310	17	7.60	463	Y
A	9	5310	17	8.10	438	Y
A	10	5310	16	8.20	223	Y
A	11	5310	18	8.80	238	N
A	12	5310	18	9.60	463	Y
A	13	5310	17	8.20	441	Y
A	14	5310	16	7.20	323	N
A	15	5310	16	9.50	287	Y
A	16	5310	17	8.00	412	Y
A	17	5310	16	10.00	324	Y
A	18	5310	17	7.60	271	Y
A	19	5310	17	7.80	348	N
A	20	5310	16	7.50	406	Y
A	21	5310	18	8.70	373	Y
A	22	5310	16	7.20	254	Y
A	23	5310	18	9.60	274	Y
A	24	5310	17	7.80	278	Y
A	25	5310	17	7.50	317	Y
A	26	5310	16	8.10	260	Y
A	27	5310	18	8.80	211	Y
A	28	5310	18	9.70	272	Y
A	29	5310	17	7.60	264	N
A	30	5310	18	9.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRF(us)	Detection(Yes / No)
A	1	5510	17	8.20	365	Y
A	2	5510	16	8.10	487	Y
A	3	5510	16	7.10	344	Y
A	4	5510	18	9.80	288	Y
A	5	5510	18	8.80	230	Y
A	6	5510	17	7.80	432	Y
A	7	5510	17	8.20	207	Y
A	8	5510	17	7.60	463	Y
A	9	5510	17	8.10	438	Y
A	10	5510	16	8.20	223	Y
A	11	5510	18	8.80	238	N
A	12	5510	18	9.60	463	Y
A	13	5510	17	8.20	441	Y
A	14	5510	16	7.20	323	N
A	15	5510	16	9.50	287	Y
A	16	5510	17	8.00	412	Y
A	17	5510	16	10.00	324	Y
A	18	5510	17	7.60	271	Y
A	19	5510	17	7.80	348	N
A	20	5510	16	7.50	406	Y
A	21	5510	18	8.70	373	Y
A	22	5510	16	7.20	254	Y
A	23	5510	18	9.60	274	Y
A	24	5510	17	7.80	278	Y
A	25	5510	17	7.50	317	N
A	26	5510	16	8.10	260	Y
A	27	5510	18	8.80	211	Y
A	28	5510	18	9.70	272	Y
A	29	5510	17	7.60	264	Y
A	30	5510	18	9.20	284	Y

IEEE 802.11ac-VHT80

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRF(us)	Detection(Yes / No)
A	1	5260	17	8.20	365	Y
A	2	5260	16	8.10	487	Y
A	3	5260	16	7.10	344	Y
A	4	5260	18	9.80	288	Y
A	5	5260	18	8.80	230	Y
A	6	5260	17	7.80	432	N
A	7	5260	17	8.20	207	Y
A	8	5260	17	7.60	463	Y
A	9	5260	17	8.10	438	Y
A	10	5260	16	8.20	223	Y
A	11	5260	18	8.80	238	N
A	12	5260	18	9.60	463	Y
A	13	5260	17	8.20	441	Y
A	14	5260	16	7.20	323	Y
A	15	5260	16	9.50	287	N
A	16	5260	17	8.00	412	Y
A	17	5260	16	10.00	324	Y
A	18	5260	17	7.60	271	Y
A	19	5260	17	7.80	348	Y
A	20	5260	16	7.50	406	Y
A	21	5260	18	8.70	373	Y
A	22	5260	16	7.20	254	Y
A	23	5260	18	9.60	274	Y
A	24	5260	17	7.80	278	Y
A	25	5260	17	7.60	317	Y
A	26	5260	16	8.10	260	Y
A	27	5260	18	8.80	211	Y
A	28	5260	18	9.70	272	Y
A	29	5260	17	7.60	264	Y
A	30	5260	18	9.20	284	N

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRF(us)	Detection(Yes / No)
A	1	5380	17	8.20	365	Y
A	2	5380	16	8.10	487	Y
A	3	5380	16	7.10	344	Y
A	4	5380	18	9.80	288	Y
A	5	5380	18	8.80	230	Y
A	6	5380	17	7.80	432	Y
A	7	5380	17	8.20	207	Y
A	8	5380	17	7.60	463	N
A	9	5380	17	8.10	438	N
A	10	5380	16	8.20	223	Y
A	11	5380	18	8.80	238	N
A	12	5380	18	9.60	463	Y
A	13	5380	17	8.20	441	N
A	14	5380	16	7.20	323	N
A	15	5380	16	9.50	287	Y
A	16	5380	17	8.00	412	Y
A	17	5380	16	10.00	324	Y
A	18	5380	17	7.60	271	Y
A	19	5380	17	7.80	348	N
A	20	5380	16	7.50	406	Y
A	21	5380	18	8.70	373	Y
A	22	5380	16	7.20	254	N
A	23	5380	18	9.60	274	Y
A	24	5380	17	7.80	278	Y
A	25	5380	17	7.60	317	Y
A	26	5380	16	8.10	260	Y
A	27	5380	18	8.80	211	Y
A	28	5380	18	9.70	272	Y
A	29	5380	17	7.60	264	Y
A	30	5380	18	9.20	284	Y

Appendix D

IEEE 802.11 a

Radar Type	Trial #	Freq(MHz)	Number r of Bursts	Pulse Width (us)	PRF(us)	Detection(Yes / No)
A	1	5300	14	16.00	355	Y
A	2	5300	12	11.30	487	Y
A	3	5300	13	13.50	344	Y
A	4	5300	16	19.40	288	Y
A	5	5300	15	17.50	230	Y
A	6	5300	14	15.90	432	Y
A	7	5300	14	15.90	207	Y
A	8	5300	13	14.30	443	Y
A	9	5300	14	15.80	439	Y
A	10	5300	12	11.50	223	N
A	11	5300	15	17.40	208	Y
A	12	5300	16	19.00	463	Y
A	13	5300	14	16.00	441	N
A	14	5300	13	13.80	323	Y
A	15	5300	16	19.90	297	Y
A	16	5300	14	15.50	412	N
A	17	5300	16	19.90	324	Y
A	18	5300	13	14.10	271	Y
A	19	5300	14	15.20	349	N
A	20	5300	13	13.80	409	Y
A	21	5300	15	17.10	373	Y
A	22	5300	13	13.80	254	Y
A	23	5300	16	19.80	274	Y
A	24	5300	14	15.30	419	Y
A	25	5300	13	14.50	317	N
A	26	5300	12	11.30	260	Y
A	27	5300	15	17.30	211	Y
A	28	5300	16	19.20	272	N
A	29	5300	13	14.20	264	Y
A	30	5300	15	18.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number r of Bursts	Pulse Width (us)	PRF(us)	Detection(Yes / No)
A	1	5500	14	16.00	355	Y
A	2	5500	12	11.30	487	Y
A	3	5500	13	13.50	344	Y
A	4	5500	16	19.40	288	Y
A	5	5500	15	17.50	230	Y
A	6	5500	14	15.90	432	Y
A	7	5500	14	15.90	207	N
A	8	5500	13	14.30	443	Y
A	9	5500	14	15.80	439	Y
A	10	5500	12	11.50	223	Y
A	11	5500	15	17.40	208	Y
A	12	5500	16	19.00	463	Y
A	13	5500	14	16.00	441	Y
A	14	5500	13	13.80	323	Y
A	15	5500	16	19.90	297	Y
A	16	5500	14	15.50	412	Y
A	17	5500	16	19.90	324	Y
A	18	5500	13	14.10	271	Y
A	19	5500	14	15.20	349	Y
A	20	5500	13	13.80	409	Y
A	21	5500	15	17.10	373	Y
A	22	5500	13	13.80	254	Y
A	23	5500	16	19.80	274	Y
A	24	5500	14	15.30	419	Y
A	25	5500	13	14.50	317	Y
A	26	5500	12	11.30	260	Y
A	27	5500	15	17.30	211	Y
A	28	5500	16	19.20	272	Y
A	29	5500	13	14.20	264	Y
A	30	5500	15	18.20	284	Y

IEEE 802.11n-HT40

Radar Type	Trial #	Freq(MHz)	Number r of Bursts	Pulse Width (us)	PRF(us)	Detection(Yes / No)
A	1	5310	14	16.00	355	Y
A	2	5310	12	11.30	487	Y
A	3	5310	13	13.50	344	Y
A	4	5310	16	19.40	288	Y
A	5	5310	15	17.50	230	Y
A	6	5310	14	15.90	432	Y
A	7	5310	14	15.90	207	N
A	8	5310	13	14.30	443	N
A	9	5310	14	15.80	439	Y
A	10	5310	12	11.50	223	Y
A	11	5310	15	17.40	208	Y
A	12	5310	16	19.00	463	Y
A	13	5310	14	16.00	441	Y
A	14	5310	13	13.80	323	Y
A	15	5310	16	19.90	297	Y
A	16	5310	14	15.50	412	Y
A	17	5310	16	19.90	324	Y
A	18	5310	13	14.10	271	Y
A	19	5310	14	15.20	349	N
A	20	5310	13	13.80	409	Y
A	21	5310	15	17.10	373	Y
A	22	5310	13	13.80	254	Y
A	23	5310	16	19.80	274	Y
A	24	5310	13	14.50	317	N
A	25	5310	13	14.50	317	N
A	26	5310	12	11.30	260	Y
A	27	5310	15	17.30	211	Y
A	28	5310	16	19.20	272	Y
A	29	5310	13	14.20	264	Y
A	30	5310	15	18.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number r of Bursts	Pulse Width (us)	PRF(us)	Detection(Yes / No)
A	1	5510	14	16.00	355	Y
A	2	5510	12	11.30	487	Y
A	3	5510	13	13.50	344	Y
A	4	5510	16	19.40	288	Y
A	5	5510	15	17.50	230	Y
A	6	5510	14	15.90	432	N
A	7	5510	14	15.90	207	N
A	8	5510	13	14.30	443	Y
A	9	5510	14	15.80	439	Y
A	10	5510	12	11.50	223	Y
A	11	5510	15	17.40	208	Y
A	12	5510	16	19.00	463	N
A	13	5510	14	16.00	441	N
A	14	5510	13	13.80	323	Y
A	15	5510	16	19.90	297	Y
A	16	5510	14	15.50	412	Y
A	17	5510	16	19.90	324	Y
A	18	5510	13	14.10	271	Y
A	19	5510	14	15.20	349	Y
A	20	5510	13	13.80	409	Y
A	21	5510	15	17.10	373	Y
A	22	5510	13	13.80	254	Y
A	23	5510	16	19.80	274	Y
A	24	5510	14	15.30	419	Y
A	25	5510	13	14.50	317	N
A	26	5510	12	11.30	260	Y
A	27	5510	15	17.30	211	Y
A	28	5510	16	19.20	272	Y
A	29	5510	13	14.20	264	N
A	30	5510	15	18.20	284	Y

IEEE 802.11ac-VHT80

Radar Type	Trial #	Freq(MHz)	Number r of Bursts	Pulse Width (us)	PRF(us)	Detection(Yes / No)
A	1	5290	14	16.00	355	Y
A	2	5290	12	11.30	487	Y
A	3	5290	13	13.50	344	Y
A	4	5290	16	19.40	288	Y
A	5	5290	15	17.50	230	Y
A	6	5290	14	15.90	432	Y
A	7	5290	14	15.90	207	Y
A	8	5290	13	14.30	443	Y
A	9	5290	14	15.80	439	N
A	10	5290	12	11.50	223	Y
A	11	5290	15	17.40	208	Y
A	12	5290	16	19.00	463	Y
A	13	5290	14	16.00	441	N
A	14	5290	13	13.80	323	Y
A	15	5290	16	19.90	297	Y
A	16	5290	14	15.50	412	Y
A	17	5290	16	19.90	324	Y
A	18	5290	13	14.10	271	Y
A	19	5290	14	15.20	349	Y
A	20	5290	13	13.80	409	Y
A	21	5290	15	17.10	373	N
A	22	5290	13	13.80	254	Y
A	23	5290	16	19.80	274	Y
A	24	5290	13	14.50	317	Y
A	25	5290	13	14.50	317	Y
A	26	5290	12	11.30	260	Y
A	27	5290	15	17.30	211	Y
A	28	5290	16	19.20	272	Y
A	29	5290	13	14.20	264	N
A	30	5290	15	18.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number r of Bursts	Pulse Width (us)	PRF(us)	Detection(Yes / No)
A	1	5530	14	16.00	355	Y
A	2	5530	12	11.30	487	Y
A	3	5530	13	13.50	344	Y
A	4	5530	16	19.40	288	Y
A	5	5530	15	17.50	230	Y
A	6	5530	14	15.90	432	Y
A	7	5530	14	15.90	207	N
A	8	5530	13	14.30	443	Y
A	9	5530	14	15.80	439	Y
A	10	5530	12	11.50	223	Y
A	11	5530	15	17.40	208	Y
A	12	5530	16	19.00	463	N
A	13	5530	14	16.00	441	Y
A	14	5530	13	13.80	323	Y
A	15	5530	16	19.90	297	Y
A	16	5530	14	15.50	412	Y
A	17	5530	16	19.90	324	Y
A	18	5530	13	14.10	271	Y
A	19	5530	14	15.20	349	Y
A	20	5530	13	13.80	409	Y
A	21	5530	15	17.10	373	Y
A	22	5530	13	13.80	254	Y
A	23	5530	16	19.80	274	N
A	24	5530	14	15.30	419	Y
A	25	5530	13	14.50	317	Y
A	26	5530	12	11.30	260	Y
A	27	5530	15	17.30	211	Y
A	28	5530	16	19.20	272	Y
A	29	5530	13	14.20	264	Y
A	30	5530	15	18.20	284	Y

Appendix E

IEEE 802.11 a

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period (s)	Center Frequency (GHz)	Detection(Yes / No)
S	1	5300	16	0.8	5.5	Y
S	2	5300	8	1.5	5.5	Y
S	3	5300	11	1.091	5.5	Y
S	4	5300	20	0.6	5.5	Y
S	5	5300	17	0.706	5.5	Y
S	6	5300	16	0.857	5.5	Y
S	7	5300	15	0.8	5.5	Y
S	8	5300	12	1	5.5	Y
S	9	5300	14	0.857	5.5	Y
S	10	5300	8	1.5	5.5	Y
S	11	5300	17	0.706	5.498	N
S	12	5300	19	0.632	5.498	Y
S	13	5300	15	0.8	5.495	N
S	14	5300	12	1	5.494	Y
S	15	5300	19	0.632	5.497	Y
S	16	5300	14	0.857	5.495	N
S	17	5300	20	0.6	5.498	Y
S	18	5300	12	1	5.494	Y
S	19	5300	14	0.857	5.495	Y
S	20	5300	12	1	5.494	Y
S	21	5300	16	0.75	5.504	Y
S	22	5300	12	1	5.506	Y
S	23	5300	20	0.6	5.502	Y
S	24	5300	13	0.923	5.506	Y
S	25	5300	13	0.923	5.506	Y
S	26	5300	8	1.5	5.508	Y
S	27	5300	17	0.706	5.504	Y
S	28	5300	19	0.632	5.502	N
S	29	5300	13	0.923	5.506	Y
S	30	5300	18	0.667	5.503	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period (s)	Center Frequency (GHz)	Detection(Yes / No)
S	1	5500	8	0.8	5.5	Y
S	2	5500	11	1.091	5.5	Y
S	3	5500	20	0.6	5.5	Y
S	4	5500	17	0.706	5.5	Y
S	5	5500	16	0.857	5.5	N
S	6	5500	15	0.8	5.5	Y
S	7	5500	14	0.857	5.5	Y
S	8	5500	12	1	5.5	Y
S	9	5500	14	0.857	5.5	N
S	10	5500	8	1.5	5.5	N
S	11	5500	17	0.706	5.498	Y
S	12	5500	19	0.632	5.498	Y
S	13	5500	15	0.8	5.495	Y
S	14	5500	12	1	5.494	Y
S	15	5500	19	0.632	5.497	Y
S	16	5500	14	0.857	5.495	N
S	17	5500	20	0.6	5.498	Y
S	18	5500	12	1	5.494	Y
S	19	5500	14	0.857	5.495	N
S	20	5500	12	1	5.494	Y
S	21	5500	16	0.75	5.504	Y
S	22	5500	12	1	5.506	Y
S	23	5500	20	0.6	5.502	Y
S	24	5500	13	0.923	5.506	Y
S	25	5500	13	0.923	5.506	Y
S	26	5500	8	1.5	5.508	Y
S	27	5500	17	0.706	5.504	Y
S	28	5500	19	0.632	5.502	N
S	29	5500	13	0.923	5.506	Y
S	30	5500	18	0.667	5.503	N

IEEE 802.11n-HT40

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period (s)	Center Frequency (GHz)	Detection(Yes / No)
S	1	5310	16	0.8	5.5	Y
S	2	5310	8	1.5	5.5	Y
S	3	5310	11	1.091	5.5	Y
S	4	5310	20	0.6	5.5	Y
S	5	5310	17	0.706	5.5	Y
S	6	5310	16	0.857	5.5	Y
S	7	5310	15	0.8	5.5	Y
S	8	5310	12	1	5.5	Y
S	9	5310	14	0.857	5.5	N
S	10	5310	8	1.5	5.5	Y
S	11	5310	17	0.706	5.4984	Y
S	12	5310	19	0.632	5.4978	N
S	13	5310	15	0.8	5.4952	Y
S	14	5310	12	1	5.494	Y
S	15	5310	19	0.632	5.4972	Y
S	16	5310	14	0.857	5.4948	Y
S	17	5310	20	0.6	5.498	Y
S	18	5310	12	1	5.494	Y
S	19	5310	14	0.857	5.4948	Y
S	20	5310	12	1	5.494	Y
S	21	5310	16	0.75	5.504	Y
S	22	5310	12	1	5.5064	Y
S	23	5310	20	0.6	5.502	N
S	24	5310	14	0.857	5.5052	Y
S	25	5310	13	0.923	5.5058	Y
S	26	5310	8	1.5	5.508	Y
S	27	5310	17	0.706	5.5036	Y
S	28	5310	19	0.632	5.5052	Y
S	29	5310	12	1	5.508	N
S	30	5310	18	0.667	5.5032	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period (s)	Center Frequency (GHz)	Detection(Yes / No)
S	1	5510	16	0.8	5.5	Y
S	2	5510	11	1.091	5.5	Y
S	3	5510	20	0.6	5.5	N
S	4	5510	17	0.706	5.5	Y
S	5	5510	16	0.857	5.5	Y
S	6	5510	15	0.8	5.5	Y
S	7	5510	14	0.857	5.5	Y
S	8	5510	12	1	5.5	Y
S	9	5510	14	0.857	5.5	Y
S	10	5510	8	1.5	5.5	N
S	11	5510	17	0.706	5.4984	Y
S	12	5510	19	0.632	5.4978	Y
S	13	5510	15	0.8	5.4952	Y
S	14	5510	12	1	5.494	Y
S	15	5510	19	0.632	5.4972	Y
S	16	5510	14	0.857	5.4948	Y
S	17	5510	20	0.6	5.498	N
S	18	5510	12	1	5.494	Y
S	19	5510	14	0.857	5.4948	Y
S	20	5510	12	1	5.494	Y
S	21	5510	16	0.75	5.504	Y
S	22	5510	12	1	5.5064	Y
S	23	5510	20	0.6	5.502	Y
S	24	5510	14	0.857	5.5052	Y
S	25	5510	13	0.923	5.5058	N
S	26	5510	8	1.5	5.508	N
S	27	5510	17	0.706	5.5036	Y
S	28	5510	19	0.632	5.5052	Y
S	29	5510	12	1	5.508	Y
S	30	5510	18	0.667	5.5032	Y

IEEE 802.11ac-VHT80

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period (s)	Center Frequency (GHz)	Detection(Yes / No)
S	1	5250	15	0.8	5.5	Y
S	2	5250	8	1.5	5.5	Y
S	3	5250	11	1.091	5.5	Y
S	4	5250	20	0.6	5.5	Y
S	5	5250	17	0.706	5.5	Y
S	6	5250	16	0.857	5.5	Y
S	7	5250	15	0.8	5.5	Y
S	8	5250	12	1	5.5	N
S	9	5250	14	0.857	5.5	Y
S	10	5250	8	1.5	5.5	Y
S	11	5250	17	0.706	5.496	Y
S	12	5250	19	0.632	5.498	Y
S	13	5250	15	0.8	5.495	Y
S	14	5250	12	1	5.494	Y
S	15	5250	19	0.632	5.497	N
S	16	5250	14	0.857	5.495	Y
S	17	5250	20	0.6	5.498	Y
S	18	5250	12	1	5.494	Y
S	19	5250	14	0.857	5.495	Y
S	20	5250	12	1	5.494	Y
S	21	5250	16	0.75	5.504	Y
S	22	5250	12	1	5.506	Y
S	23	5250	20	0.6	5.502	Y
S	24	5250	13	0.923	5.506	Y
S	25	5250	13	0.923	5.506	Y
S	26	5250	8	1.5	5.508	Y
S	27	5250	17	0.706	5.503	Y
S	28	5250	19	0.632	5.502	Y
S	29	5250	12	1	5.508	N
S	30	5250	18	0.667	5.503	N

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period (s)	Center Frequency (GHz)	Detection(Yes / No)
S	1	5630	16	0.8	5.5	Y
S	2	5630	11	1.091	5.5	N
S	3	5630	20	0.6	5.5	Y
S	4	5630	17	0.706	5.5	Y
S	5	5630	16	0.857	5.5	Y
S	6	5630	15	0.8	5.5	Y
S	7	5630	14	0.857	5.5	Y
S	8	5630	12	1	5.5	Y
S	9	5630	14	0.857	5.5	Y
S	10	5630	8	1.5	5.5	Y
S	11	5630	17	0.706	5.498	Y
S	12	5630	19	0.632	5.498	N
S	13	5630	15	0.8	5.495	Y
S	14	5630	12	1	5.494	Y
S	15	5630	19	0.632	5.497	Y
S	16	5630	14	0.857	5.495	N
S	17	5630	20	0.6	5.498	Y
S	18	5630	12	1	5.494	Y
S	19	5630	14	0.857	5.495	Y
S	20	5630	12	1	5.494	Y
S	21	5630	16	0.75	5.504	Y
S	22	5630	12	1	5.5064	Y
S	23	5630	20	0.6	5.502	Y
S	24	5630	14	0.857	5.5052	Y
S	25	5630	13	0.923	5.5058	Y
S	26	5630	8	1.5	5.508	Y
S	27	5630	17	0.706	5.504	Y
S	28	5630	19	0.632	5.506	Y
S	29	5630	12	1	5.508	Y
S	30	5630	18	0.667	5.503	Y

[illegible]

Trial ID	Radior Type	Number of Bursts	Burst Period(s)	Waveform Length(s)	Carrier Frequncy(GHz)	Pulses					
1	Type 5	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR-1 (us)	PR-2 (us)	PR-3 (us)		
		0	636195	77.8	13	2	1665	1477	-		
		1	3074	51.9	13	1	1274	-	-		
		2	226294	68.13	13	1	1594	-	-		
		3	417976	86.6	13	3	1662	1786	1843		
		4	611152	95.9	13	3	1795	1215	1729		
		5	7389	73	13	2	1449	1549	-		
		6	201917	77.2	13	2	1937	1819	-		
		7	395630	68.4	13	2	1587	1114	-		
		8	588564	76.7	13	2	2000	1155	-		
		9	763794	93.5	13	3	1471	-	-		
		10	177933	85.7	13	3	1433	1695	1394		
		11	370624	94.3	13	3	1670	1426	1935		
		12	564893	77.6	13	2	1294	1671	-		
		13	759683	65.7	13	1	1512	-	-		
2	Type 5	14	154262	93.5	13	3	1444	1130	1468		
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR-1 (us)	PR-2 (us)	PR-3 (us)		
		0	653020	75	5	2	1880	1527	-		
		1	1016943	99.4	5	3	1401	1262	1257		
		2	1375398	67.4	5	2	1531	1403	-		
		3	245489	73	5	5	1449	1041	-		
		4	609113	65.9	5	1	1432	-	-		
		5	970852	83.5	5	3	1356	1292	1419		
		6	1335913	65.8	5	1	1543	-	-		
		7	270006	98	5	3	1548	1796	1728		
		3	Type 5	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR-1 (us)	PR-2 (us)	PR-3 (us)
				0	409565	73.8	9	2	1806	1538	-
				1	673892	69.5	9	2	1117	1649	-
				2	1369962	51.9	9	1	1651	-	-
				3	113326	84.6	9	3	1076	1032	1271
4	376726			95.4	9	3	1060	1903	1388		
5	641212			68.9	9	2	1368	1351	-		
6	940374			88.6	9	3	1338	1514	1573		
7	830823			83.7	9	3	1022	1689	-		
8	3406717			89.3	9	3	1810	1330	1838		
9	609331			53.7	9	1	1597	-	-		
10	871542			91.3	9	3	1961	1106	1001		
4	Type 5			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR-1 (us)	PR-2 (us)	PR-3 (us)
				0	26541	68.1	12	2	1339	1355	-
				1	171821	58.7	19	1	1251	-	-
		2	316229	75.3	19	2	1136	1640	-		
		3	461894	56.4	19	1	1753	-	-		
		4	667	87.7	19	3	106	1708	1159		
		5	153995	57.7	19	1	1013	-	-		
		6	296238	59.5	19	1	1072	-	-		
		7	443177	80	19	2	1482	1369	-		
		8	587071	82.3	19	2	1893	1197	1498		
		9	1358748	82.8	19	2	1883	1005	-		
		10	279928	88	19	3	1061	1928	1101		
		11	424729	93.2	19	3	1207	1907	1223		
		12	570132	70.4	19	2	1526	1800	1762		
		5	Type 5	13	117439	95.3	19	3	1771	1955	1775
14	262502			81.9	19	2	1690	1545	-		
15	406573			98.5	19	3	1975	1169	1082		
16	533328			66	19	1	1767	-	-		
17	90706			85.5	19	2	1822	1637	1445		
18	244095			91.6	19	3	1878	1445	1325		
19	390012			67.3	19	2	1091	1218	-		
6	Type 5			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR-1 (us)	PR-2 (us)	PR-3 (us)
				0	628614	67.9	16	2	1320	1133	-
				1	96595	62.3	16	1	1067	-	-
				2	267719	53.3	16	1	1592	-	-
				3	436784	90	16	3	1900	1153	1346
				4	608289	77.1	16	2	1166	1646	-
				5	72610	83.9	16	3	1782	1452	1459
				6	245638	89.1	16	3	1240	1384	1939
		7	416355	81.8	16	2	1833	1676	-		
		8	588736	50.3	16	1	1075	-	-		
		9	54571	87	16	3	1162	1995	1756		
		10	225715	71.3	16	2	1225	1815	-		
		11	394829	97.5	16	3	1884	1465	1132		
		12	565361	90.6	16	3	1561	1040	1354		
		7	Type 5	13	33643	86.3	16	3	1586	1183	1762
14	203957			97	16	3	1365	1073	1361		
15	373812			84.7	16	3	1021	1718	1684		
16	544060			99.7	16	3	1150	1244	1958		
8	Type 5			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR-1 (us)	PR-2 (us)	PR-3 (us)
				0	15438	92.9	12	3	1085	1564	1407
				1	222486	67.7	12	2	1744	1747	-
				2	430731	65.8	12	1	1092	-	-
				3	637784	56.3	12	1	1851	-	-
				4	845342	53.3	12	2	1277	-	-
				5	196720	85.8	12	3	1679	1930	1025
				6	404955	63.5	12	1	1519	-	-
				7	610711	85.9	12	3	1134	1034	1808
				8	818597	76.3	12	2	1608	1926	-
				9	171449	81.4	12	3	1391	1714	1459
		10	377969	89.4	12	3	1310	1594	1827		
		11	586875	63.4	12	1	1569	-	-		
		12	793834	69.6	12	2	1307	1925	-		
		9	Type 5	13	146944	74.5	12	2	1294	1865	-
Burst ID	Burst Offset (us)			Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR-1 (us)	PR-2 (us)	PR-3 (us)		
0	329022			96.6	13	3	1182	1609	1581		
1	521718			96.7	13	3	1829	1799	1154		
2	714222			85.5	13	3	1923	1396	1865		
3	112450			73.3	13	2	1608	1318	-		
4	306283			98.3	13	1	1688	-	-		
5	500239			55.4	13	1	1145	-	-		
6	690532			85.3	13	3	1336	1504	1820		
7	88545			79.4	13	2	1344	1893	-		
8	282508			65.7	13	1	1476	-	-		
9	475842			68.6	13	2	1008	1028	-		
10	66787			77.7	13	2	1972	1835	-		
11	64845			98	13	3	1882	1331	-		
10	Type 5			12	257755	94.3	13	3	1830	1070	1349
		13	452335	61.4	13	1	1451	-	-		
		14	64395	90.6	13	3	1233	1562	1887		
		11	Type 5	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR-1 (us)	PR-2 (us)	PR-3 (us)
				0	51446	82.6	10	1	1210	-	-
				1	292696	52.1	10	3	1314	1725	1529
				2	533989	97.7	10	3	1139	1868	1805
				3	775564	93.3	10	3	1241	1448	1755
				4	21542	98.8	10	3	1544	1385	1302
				5	263585	72.2	10	2	1771	1184	-
				6	505581	67.6	10	2	1175	1027	-
				7	747058	75.7	10	2	1026	1871	-
				8	869678	60.9	10	1	1798	-	-
				9	234024	64.2	10	1	138	-	-
				10	475207	78.5	10	2	1784	1604	-
11	715825			87.8	10	3	1511	1712	1683		
12	Type 5			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR-1 (us)	PR-2 (us)	PR-3 (us)
				0	823112	54.7	13	2	1415	-	-
		1	174965	50.1	13	1	1221	-	-		
		2	382126	59.3	13	1	1974	-	-		
		3	587395	92.8	13	3	1558	1696	1949		
		4	766977	62.4	13	2	1014	1099	-		
		5	149042	80.8	13	2	1736	1595	-		
		6	356750	68.5	13	1	1778	-	-		
		7	563824	70.8	13	2	1149	1204	-		
		8	772314	54.8	13	1	1049	-	-		
		9	127096	54	13	1	1798	-	-		
		10	224024	64.2	10	1	138	-	-		
		11	475207	78.5	10	2	1784	1604	-		
		12	715825	87.8	10	3	1511	1712	1683		

Trial ID	Radior Type	Number of Bursts	Burst Period(s)	Waveform Length(s)	Center Frequency (GHz)	PR1 (us)	PR2 (us)	PR3 (us)	
1	Type 5	15		0.8	12	5.31			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1 (us)	PR2 (us)	PR3 (us)
		0	636185	77.8	13	2	1665	1477	-
		1	32674	51.9	19	3	1074	-	-
		2	226294	68.3	13	1	1584	-	-
		3	417976	96.6	13	3	1682	1786	184
		4	611152	85.9	13	3	1785	1215	1728
		5	8789	73.7	17	2	1188	1549	-
		6	201917	77.2	13	2	1837	1919	-
		7	395530	68.4	13	2	1587	1114	-
		8	588564	76.7	13	2	2000	1155	-
		9	787594	53.2	17	3	1477	-	-
		10	175333	85.7	13	3	1433	1995	139
		11	376624	94.3	13	3	1670	1426	193
		12	564893	77.6	13	2	1294	1671	-
2	Type 8	8		1.5	12	5.31			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1 (us)	PR2 (us)	PR3 (us)
		0	653020	99.5	9	2	1880	1527	-
		1	1015643	79.4	5	3	1401	1262	125
		2	1373968	69.9	9	2	1531	1403	-
		3	245489	73.6	5	2	1449	1901	-
		4	609113	65.9	9	1	1432	-	-
		5	970852	83.5	5	3	1356	1292	141
		6	1335913	63.8	9	1	1543	-	-
		7	200406	96.6	5	3	1548	1792	1728
		11		1.000991	12	5.31			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1 (us)	PR2 (us)	PR3 (us)
		0	409565	73.8	9	2	1806	1538	-
		1	673992	69.5	9	2	1117	1649	-
		2	938952	51.9	9	1	1651	-	-
3	Type 5	20		0.6	12	5.31			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1 (us)	PR2 (us)	PR3 (us)
		0	113206	84.6	9	3	1975	1032	127
		4	376726	95.4	9	3	1060	1903	138
		5	641212	68.8	9	2	1368	1351	-
		6	903714	89.6	9	3	1318	1534	187
		7	82883	81.9	9	2	1022	1872	-
		8	344067	88.3	9	3	1830	1370	153
		9	609331	53.7	9	3	1597	-	-
		10	871542	91.3	9	3	1961	1106	100
		20		0.6	12	5.31			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1 (us)	PR2 (us)	PR3 (us)
		0	26541	68.1	19	2	1339	1355	-
		1	171821	58.9	19	1	1251	-	-
		2	316229	75.3	19	2	1136	1640	-
		3	461894	56.4	19	1	1753	-	-
		4	86717	96.6	19	3	1196	1708	119
		5	15395	95.6	19	1	1013	-	-
		6	299238	59.5	19	1	1072	-	-
		7	443177	80	19	2	1482	1369	-
		8	587371	82	19	2	1993	107	-
		9	133674	82.8	19	2	1	-	-
10	279628	88	19	3	1061	1928	110		
11	424279	93.2	19	3	1267	1907	122		
12	570132	70.9	19	2	1528	980	-		
13	71749	95.3	19	3	1171	1955	177		
14	262502	81.4	19	2	1690	1545	-		
15	406573	98.5	19	3	1975	1189	106		
16	553328	95	19	1	1767	-	-		
17	90799	85.4	19	1011	1637	1421	-		
18	244005	91.6	19	3	1878	1445	132		
19	390012	67.3	19	2	1091	1218	-		
4	Type 5	17		0.705894	12	5.31			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1 (us)	PR2 (us)	PR3 (us)
		0	628614	67.9	16	2	1320	1133	-
		1	98856	82.3	9	3	1957	-	-
		2	267719	53.3	16	1	1592	-	-
		3	438784	90	16	3	1900	1153	134
		4	632829	77.1	16	2	1186	1648	-
		5	73510	89.3	16	2	1273	1732	145
		6	245638	80.1	16	3	1240	1384	193
		7	416355	81.8	16	2	1833	1676	-
		8	588736	50.6	16	1	1075	-	-
		9	54571	87.1	16	1116	1998	175	-
		10	225175	71.3	16	2	1225	1815	-
		11	394825	97.5	16	3	1884	1465	113
		12	563581	90.6	16	3	1561	1040	135
		13	133643	86.3	16	2	1598	1153	179
		14	203957	97.6	16	3	1365	1073	136
		15	384712	64.7	16	3	1021	1218	185
		16	544090	99.7	16	3	1151	1744	189
		14		0.8571429	12	5.31			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1 (us)	PR2 (us)	PR3 (us)
		0	15438	92.9	12	3	1085	1564	140
1	222486	77.7	12	2	1744	1747	-		
2	430731	65.8	12	1	1092	-	-		
3	637784	56.3	12	1	1851	-	-		
4	845342	62.3	12	1	1877	-	-		
5	196720	83.5	12	3	1679	1930	102		
6	404955	65.8	12	1	1519	-	-		
7	610711	85.9	12	3	1134	1304	180		
8	818057	76.9	12	2	1696	1926	-		
9	714659	81.4	12	3	1344	1983	174		
10	377969	89.4	12	3	1568	1594	182		
11	586875	63.4	12	1	1588	-	-		
12	792834	66.6	12	2	1307	1925	-		
13	146944	74.5	12	2	1294	1846	-		
7	Type 5	15		0.8	12	5.31			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1 (us)	PR2 (us)	PR3 (us)
		0	329022	96.6	13	3	1182	1609	158
		1	521718	96.7	13	3	1829	1799	115
		2	714222	85.5	13	3	1923	1316	168
		3	114260	73.3	13	3	1608	1398	-
		4	306283	96.3	13	1	1688	-	-
		5	500239	55.4	13	1	1145	-	-
		6	695932	56.3	13	3	1336	1504	182
		7	714659	81.4	13	3	1344	1983	-
		8	282508	65.7	13	1	1476	-	-
		9	475842	68.6	13	2	1008	1029	-
		10	667887	77.7	13	2	1972	1835	-
		11	64845	79.6	13	2	1882	1321	-
		12	257755	94.9	13	3	1830	1707	134
13	642335	91.4	13	3	1451	-	-		
14	443395	60.6	13	1	1233	1562	185		
8	Type 5	12		1.2	12	5.31			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1 (us)	PR2 (us)	PR3 (us)
		0	51446	52.6	10	1	1210	-	-
		1	206966	84.1	3	3	1314	1725	152
		2	533989	97.7	3	3	1139	1868	180
		3	775554	97.3	3	3	1341	1446	175
		4	21542	66.8	3	3	1544	1386	130
		5	263385	72.2	3	2	1771	1184	-
		6	505581	67.6	3	2	1175	1027	-
		7	747058	75.7	3	2	1026	1871	-
		8	989976	69.9	3	1	1798	-	-
		9	236024	84.2	3	1	1138	-	-
		10	475307	78.5	3	2	1784	1604	-
		11	715825	87.8	3	3	1511	1712	168
		14		0.8571429	12	5.31			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1 (us)	PR2 (us)	PR3 (us)
		0	823112	54.1	13	1	1415	-	-
		1	174965	50.3	13	1	1221	-	-
		2	382116	52.3	13	1	1974	-	-
		3	587395	69.8	13	3	1558	1696	194
		4	79697	62.4	13	2	1014	1056	-
		5	140492	80.8	13	1736	1529	-	-
6	356750	68.5	13	1	1778	-	-		
7	563824	74.8	13	2	1419	1204	-		
8	772314	50.8	13	1	1049	-	-		
9	72709	60.8	13	1	1417	-	-		

Test ID	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)	Result
1	Type 5	15	0.8	12	5.53	Y
Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)
0	636185	77.8	13	2	1665	1477
1	32674	51.9	13	1	1074	-
2	226294	63.8	13	1	1584	-
3	417976	96.6	13	3	1682	1786 1843
4	611152	85.9	13	3	1795	1215 1729
5	87899	73.7	13	2	1198	1549
6	201917	77.2	13	2	1819	1819
7	395530	68.4	13	2	1587	1114
8	588564	76.7	13	2	2000	1155
9	783294	53.2	13	1	1432	-
10	177933	85.7	13	3	1433	1695 1394
11	370524	94.3	13	3	1670	1426 1935
12	564893	77.6	13	2	1294	1671
13	759653	65.7	13	1	1512	-
14	154262	93.5	13	3	1444	1130 1468
2 Type 5	8	1.5	12	5.53	Y	
Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)
0	653020	75	5	2	1880	1527
1	1015643	99.4	5	2	1401	1282 1257
2	1379398	67.4	5	2	1531	1403
3	245489	73.6	5	2	1449	1041
4	609113	65.9	5	1	1432	-
5	970582	83.8	5	3	1356	1292 1419
6	135913	65.5	5	1	1543	-
7	200406	98.6	5	3	1548	1796 1728
3 Type 5	11	1.090909	12	5.53	Y	
Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)
0	409565	73.8	9	2	1806	1538
1	673692	69.5	9	2	1117	1649
2	938562	51.9	9	1	1651	-
3	113209	84.6	9	3	1060	1032 1271
4	376726	95.4	9	3	1060	1903 1388
5	641212	68.8	9	2	1368	1351
6	903714	89.6	9	3	1338	1514 1573
7	80863	81.9	9	3	1063	1819
8	344067	88.3	9	3	1810	1330 1838
9	609331	53.7	9	1	1597	-
10	871542	91.3	9	3	1961	1106 1001
4 Type 5	20	0.6	12	5.53	N	
Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)
0	26541	68.1	19	2	1339	1355
1	171821	58.7	19	1	1251	-
2	316229	54.2	19	2	1136	1640
3	461864	56.4	19	1	1753	-
4	8677	99.7	19	3	1196	1708 1159
5	153995	67.7	19	1	1013	-
6	299238	59.5	19	1	1077	-
7	443177	80	19	2	1482	1369
8	587671	82	19	2	1993	1197
9	135674	82.8	19	3	1367	1056
10	279928	86	19	3	1061	1928 1101
11	424279	93.2	19	3	1207	1907 1223
12	570132	70.4	19	2	1526	1360
13	117439	95.3	19	3	1743	1955 1775
14	262502	81.9	19	2	1690	1545
15	406573	95.5	19	3	1975	1169 1062
16	553308	65	19	1	1767	-
17	99799	85.4	19	3	1011	1637 1425
18	244095	91.6	19	3	1878	1445 1325
19	390012	67.3	19	2	1091	1218
5 Type 5	17	0.705882	12	5.53	Y	
Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)
0	629614	67.3	16	2	1320	1133
1	96856	62.3	16	1	1957	-
2	267719	53.3	16	1	1592	-
3	436784	90.2	16	2	1153	1346
4	608289	77.1	16	2	1166	1846
5	75610	83.9	16	3	1278	1232 1459
6	245638	89.1	16	3	1240	1384 1939
7	416355	81.8	16	3	1833	1361
8	588736	50.3	16	1	1075	-
9	54571	87.1	16	3	1116	1996 1756
10	225175	71.3	16	2	1225	113
11	394825	97.5	16	3	1884	1465 1132
12	565361	90.6	16	3	1561	1040 1354
13	33643	86.3	16	3	1596	1183 1792
14	20367	97.6	16	3	1955	1073 1381
15	373812	84.7	16	3	1021	1718 1854
16	544060	99.7	16	3	1150	1244 1988
6 Type 5	14	0.857143	12	5.53	Y	
Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)
0	15438	92.9	12	3	1085	1564 1407
1	222486	67.7	12	2	1744	1747
2	430731	65.8	12	1	1092	-
3	637784	56.3	12	1	1851	-
4	845342	53.3	12	1	1727	-
5	196720	83.5	12	3	1679	1930 1025
6	404955	65.8	12	1	1519	-
7	610711	85.9	12	3	1034	1034 1808
8	818057	76.3	12	2	1606	1926
9	171459	81.5	12	2	1891	1714
10	377989	89.4	12	3	1310	1594 1827
11	586875	63.4	12	1	1568	-
12	792834	69.6	12	2	1307	1925
13	146044	74.5	12	2	1264	1846
7 Type 5	15	0.8	12	5.53	Y	
Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)
0	329022	96.6	13	3	1182	1609 1581
1	521718	96.7	13	3	1829	1799 1154
2	714222	86.5	13	3	1923	1366 1865
3	112450	112.5	13	2	1316	-
4	306283	55.8	13	1	1688	-
5	500239	55.4	13	1	1145	-
6	690932	85.3	13	3	1336	1504 1820
7	89845	79.4	13	2	1884	1934
8	282508	65.7	13	1	1476	-
9	475842	68.6	13	2	1008	1028
10	667887	77.7	13	2	1972	1835
11	64845	79.6	13	2	1882	1331
12	257755	94.9	13	3	1830	1070 1349
13	452335	61.4	13	1	1451	-
14	643395	90.8	13	3	1233	1562 1887
8 Type 5	12	1	12	5.53	N	
Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)
0	51446	52.6	10	1	1210	-
1	292696	84.1	10	3	1314	1725 1529
2	532989	97.7	10	3	1139	1869 1805
3	775564	97.3	10	3	1341	1446 1755
4	21542	98.8	10	3	1544	1386 1302
5	263385	72.9	10	2	1175	1027
6	505581	67.6	10	2	1175	1027
7	747058	75.7	10	2	1026	1871
8	98976	60.9	10	1	1798	-
9	234024	64.2	10	1	1381	-
10	475207	78.8	10	2	1784	1604
11	715825	87.5	10	3	1511	1712 1683
9 Type 5	14	0.857143	12	5.53	Y	
Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)
0	823112	54.1	13	1	1415	-
1	174965	50.7	13	1	1221	-
2	382216	52.3	13	1	1974	-
3	587395	99.8	13	3	1558	1696 1949
4	798977	68.4	13	3	1014	1099
5	149042	80.8	13	2	1736	1505
6	356750	62.5	13	1	1778	-
7	563824	74.8	13	2	1149	1204
8	772314	50.8	13	1	1049	-
9	123796	54	13	1	1417	-
10	331215	63	13	1	1730	-
11	537402	91.8	13	3	1740	1270 1347
12	744805	79.3	13	2	1274	1992
13	98172	64.3	13	1	1937	-
10 Type 5	8	1.5	12	5.53	N	
Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)

Trail ID	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)	Result		
1	Type 5	15	0.8	12	5.29	Y		
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
	0	636185	77.8	13	2	1665	1477	-
	1	32674	51.9	13	1	1074	-	-
	2	226294	63.8	13	1	1584	-	-
	3	417976	96.6	13	3	1682	1786	1843
	4	611152	85.9	13	3	1795	1215	1729
	5	87899	73.7	13	2	1198	1549	-
	6	201917	77.2	13	2	1819	1819	-
	7	395530	68.4	13	2	1587	1114	-
	8	588564	76.7	13	2	2000	1155	-
	9	783294	53.2	13	1	1432	-	-
	10	177933	85.7	13	3	1433	1695	1394
	11	370524	94.3	13	3	1670	1426	1935
	12	564893	77.6	13	2	1294	1671	-
	13	759653	65.7	13	1	1512	-	-
	14	154262	93.5	13	3	1444	1130	1468
2	Type 5	8	1.5	12	5.29	Y		
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
	0	653020	75	5	2	1880	1527	-
	1	1015643	99.4	5	2	1401	1282	1257
	2	1379398	67.4	5	2	1531	1403	-
	3	245489	73.6	5	2	1449	1041	-
	4	609113	65.9	5	1	1432	-	-
	5	970582	83.8	5	3	1356	1292	1419
	6	135913	65.5	5	1	1543	-	-
	7	200406	98.6	5	3	1548	1796	1728
3	Type 5	11	1.090909	12	5.29	Y		
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
	0	409565	73.8	9	2	1806	1538	-
	1	673692	69.5	9	2	1117	1649	-
	2	938562	51.9	9	1	1651	-	-
	3	113209	84.6	9	3	1060	1032	1271
	4	376726	95.4	9	3	1060	1903	1388
	5	641212	68.8	9	2	1368	1351	-
	6	903714	89.6	9	3	1338	1514	1573
	7	80863	81.9	9	2	1022	1680	-
	8	344067	88.3	9	3	1810	1330	1838
	9	609331	53.7	9	1	1597	-	-
	10	871542	91.3	9	3	1961	1106	1001
4	Type 5	20	0.6	12	5.29	Y		
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
	0	26541	68.1	19	2	1339	1355	-
	1	171821	58.7	19	1	1251	-	-
	2	316229	54.2	19	2	1136	1640	-
	3	461864	56.4	19	1	1753	-	-
	4	877984	56.4	19	3	1196	1708	1159
	5	152985	57.7	19	1	1073	-	-
	6	299238	59.5	19	1	1072	-	-
	7	443717	80.7	19	2	1482	1369	-
	8	587011	89.3	19	3	1071	1272	1371
	9	135674	82.8	19	2	1983	1055	-
	10	279628	88.1	19	3	1061	1928	1101
	11	442479	93.2	19	3	1207	1907	1223
	12	750132	70.7	19	2	1306	1452	1459
	13	117439	95.9	19	3	1171	1955	1775
	14	242502	81.9	19	2	1690	1545	-
	15	406573	98.6	19	3	1075	1169	1062
	16	553328	65.1	19	1	1767	-	-
	17	99709	85.4	19	3	1011	1637	1425
	18	244036	91.6	19	3	1878	1445	1325
	19	380012	67.3	19	1	1901	1218	-
5	Type 5	17	0.7058824	12	5.29	Y		
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
	0	626614	67.9	16	2	1320	1133	-
	1	9656	62.3	16	1	1867	-	-
	2	267179	53.3	16	1	1592	-	-
	3	436784	90.1	16	3	1900	1153	1346
	4	608289	77.1	16	2	1166	1646	-
	5	75610	67.1	16	2	1282	1427	1459
	6	245638	96.1	16	3	1240	1384	1639
	7	416355	81.8	16	2	1833	1676	-
	8	588789	50.1	16	1	1075	-	-
	9	94571	87.1	16	3	1116	1986	1756
	10	225175	71.3	16	2	1225	1815	-
	11	394825	75.5	16	3	1884	1465	1132
	12	565311	90.6	16	3	1040	1262	1354
	13	33643	86.3	16	3	1596	1183	1702
	14	203957	97.6	16	3	1365	1073	1361
	15	373812	89.6	16	3	1021	1788	1865
	16	544000	99.7	16	3	1150	1244	1988
6	Type 5	14	0.8571429	12	5.29	Y		
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
	0	154379	95.9	12	3	1085	1554	1407
	1	22488	61.7	12	2	1484	1747	-
	2	450731	62.8	12	2	1092	-	-
	3	637784	56.3	12	1	1851	-	-
	4	845342	53.7	12	1	1727	-	-
	5	198720	83.5	12	3	1079	1930	1025
	6	404955	65.8	12	1	1519	-	-
	7	610711	85.9	12	3	1134	1034	1808
	8	185927	76.7	12	2	1606	1267	-
	9	171459	81.5	12	2	1991	1714	-
	10	377699	89.4	12	3	1310	1594	1827
	11	58864	63.4	12	1	1568	-	-
	12	760384	69.6	12	2	1827	1925	-
	13	146804	73.5	12	2	1264	1865	-
7	Type 5	15	0.8	12	5.29	Y		
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
	0	326922	96.6	13	3	1182	1609	1581
	1	207178	96.7	13	3	1209	1769	1154
	2	714222	85.3	13	3	1923	1396	1865
	3	112450	76.3	13	3	1098	1318	-
	4	306263	65.6	13	1	1688	-	-
	5	500239	59.3	13	1	1145	-	-
	6	690932	85.4	13	3	1336	1504	1820
	7	38845	79.7	13	3	1444	1893	-
	8	282508	65.7	13	1	1476	-	-
	9	475842	68.6	13	2	1008	1028	-
	10	667887	77.7	13	2	1972	1835	-
	11	64845	79.6	13	2	1082	1331	-
	12	257755	94.3	13	3	1830	1070	1349
	13	452336	91.4	13	1	1451	-	-
	14	643396	60.6	13	3	1233	1562	1987
8	Type 5	12	1	12	5.29	Y		
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
	0	51446	52.6	10	1	1210	-	-
	1	292696	84.1	10	3	1314	1725	1529
	2	533969	97.7	10	3	1088	1989	1856
	3	775564	97.3	10	3	1341	1448	1705
	4	21542	98.8	10	3	1544	1388	1302
	5	263398	72.2	10	2	1771	1184	-
	6	505881	87.6	10	2	1027	1276	-
	7	747058	75.7	10	2	1026	1871	-
	8	989976	80.9	10	1	1798	-	-
	9	243024	84.2	10	2	1784	1604	-
	10	475207	75.8	10	2	1784	1604	-
	11	715826	87.5	10	3	1511	1712	1683
9	Type 5	14	0.8571429	12	5.29	Y		
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
	0	823112	54.1	13	1	1415	-	-
	1	174965	50.7	13	1	1221	-	-
	2	382216	52.3	13	1	1974	-	-
	3	587395	89.8	13	3	1558	1696	1949
	4	768997	88.4	13	2	1014	1277	-
	5	149042	80.6	13	2	1736	1505	-
	6	359750	62.5	13	1	1778	-	-
	7	663804	74.8	13	2	1078	1204	-
	8	772314	50.8	13	1	1049	-	-
	9	127396	52.6	13	1	1417	-	-
	10	331215	68.3	13	3	1733	-	-
	11	837402	91.8	13	3	143	1270	1347
	12	744805	79.3	13	2	1274	1992	-
	13	98172	64.3	13	1	1957	-	-
10	Type 5	8	1.5	12	5.29	Y		
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)

	0	536615	63.4	6	1	1043	-	-
	1	896886	52	6	1	1863	-	-
	2	1259235	97.2	6	2	1605	1583	-
	3	127106	78.7	6	2	1466	1743	-
	4	490358	74.2	6	2	1280	1219	-
	5	852409	88.7	6	3	1293	1934	1273
	6	1217152	54.3	6	1	1891	-	-
	7	82296	95.4	6	3	1580	1555	1791
11	17	0.7058824	12	5.5339				
	Burst ID	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
	0	203249	73.7	16	2	1208	1497	-
	1	378386	97.4	16	3	1942	1754	1613
	2	548411	91.7	16	3	1999	1702	1462
	3	17733	66.2	16	1	1393	-	-
	4	187982	70.8	16	1	1821	-	-
	5	359277	52.3	16	1	1740	-	-
	6	528886	78.9	16	2	1308	1094	-
	7	700166	70.9	16	2	1050	1358	-
	8	167197	75.6	16	2	1437	1430	-
	9	338262	59.1	16	1	1697	-	-
	10	508324	77.7	16	2	1397	1304	-
	11	678689	67.9	16	2	1803	1083	-
	12	146031	81.2	16	2	1720	1932	-
	13	318923	78.7	16	2	1247	1121	-
	14	488056	53.3	16	1	1634	-	-
	15	657326	68.9	16	2	1821	1423	-
	16	125509	69.3	16	1	1093	-	-
12	19	0.6315789	12	5.5351				
	Burst ID	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
	0	263736	98.9	19	3	1381	1680	1488
	1	418459	82.3	19	3	1861	1408	1919
	2	567902	86.7	19	3	1211	1400	1919
	3	92979	89.7	19	3	1861	1068	1282
	4	245155	95.6	19	3	1507	1194	1461
	5	307695	71.1	19	2	1789	-	-
	6	551431	55.9	19	1	1947	-	-
	7	74413	67.9	19	2	1350	1372	-
	8	226559	84.4	19	3	1803	1107	1443
	9	380056	58.8	19	1	1715	-	-
	10	533408	65.6	19	1	1017	-	-
	11	55547	75.5	19	2	1911	1704	-
	12	207876	82.3	19	3	1861	1068	1282
	13	359771	90.1	19	3	1938	1071	1266
	14	511297	90.1	19	3	1989	1089	1950
	15	38803	52.1	19	2	1406	-	-
	16	189652	58.8	19	1	1742	-	-
	17	341809	77.7	19	2	1187	1657	-
	18	495737	55	19	2	1012	-	-
13	15	0.8	12	5.5327				
	Burst ID	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
	0	22911	58.1	13	1	1929	-	-
	1	218473	52.1	13	1	1910	-	-
	2	410004	59.9	13	1	1971	-	-
	3	803871	69.2	13	1	1812	-	-
	4	794160	95.9	13	3	1399	1906	1608
	5	192251	79.9	13	2	1626	1859	-
	6	385580	78.3	13	2	1238	1917	-
	7	579862	53.8	13	1	1763	-	-
	8	773423	64.7	13	1	1800	-	-
	9	168898	61.4	13	1	1390	-	-
	10	361606	53.2	13	1	1652	-	-
	11	553866	84.7	13	3	1533	1677	1638
	12	747241	88.7	13	3	1703	1528	1058
	13	144710	78.3	13	3	1258	1951	-
	14	337856	69.3	13	3	1731	1717	-
14	12	12	5.5315					
	Burst ID	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
	0	664275	75.3	10	2	1994	1612	-
	1	907886	56.3	10	1	1456	-	-
	2	151316	67.7	10	2	1817	1185	-
	3	393746	55.6	10	1	1337	-	-
	4	635093	75.2	10	2	1421	1267	-
	5	878993	76.3	10	2	1305	1293	-
	6	121278	65.7	10	3	1547	1362	1924
	7	362966	98.4	10	3	1873	1550	1249
	8	604342	86.4	10	3	1779	1439	1046
	9	848453	93.6	10	3	1861	1051	1452
	10	91871	63.3	10	1	1328	-	-
	11	333050	92.4	10	3	1412	1673	1322
15	19	0.6315789	12	5.5347				
	Burst ID	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
	0	361323	93.3	18	3	1983	1912	1535
	1	515261	69.1	18	2	1102	1794	-
	2	39025	86.9	18	3	1044	1152	1148
	3	190900	84.9	18	3	1939	1049	1118
	4	343941	72.3	18	2	1094	1916	-
	5	497624	51.7	18	1	1447	-	-
	6	20319	58.3	18	1	1429	-	-
	7	172999	60.8	18	1	1679	-	-
	8	325872	57.1	18	1	1641	-	-
	9	475841	88.9	18	3	1886	1964	1489
	10	1489	149	18	2	1909	1297	-
	11	153647	90.9	18	3	1261	1566	1370
	12	307096	59.8	18	1	1552	-	-
	13	458904	70	18	2	1759	1291	-
	14	610786	67.2	18	1	1881	-	-
	15	134759	91.2	18	3	1382	1832	1661
	16	289306	56.5	18	1	1483	-	-
	17	441296	51.2	18	1	1237	-	-
	18	582780	74.1	18	2	1471	1245	-
16	15	0.8571429	12	5.5323				
	Burst ID	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
	0	158286	76.9	12	2	1110	1140	-
	1	369024	50.2	12	1	1316	-	-
	2	573452	62.6	12	2	1520	1520	-
	3	780619	64.7	12	1	1902	-	-
	4	132455	83.8	12	3	1410	1097	1621
	5	340207	65.1	12	1	1444	-	-
	6	548208	53.2	12	1	1024	-	-
	7	755333	51.7	12	1	1603	-	-
	8	107117	78.7	12	2	1804	1198	-
	9	314500	72.4	12	2	1340	1340	-
	10	524447	53.8	12	1	1327	-	-
	11	728517	73.6	12	2	1524	1553	-
	12	81611	68.7	12	2	1722	1122	-
	13	288948	82.5	12	2	1404	1019	-
17	20	0.6	12	5.5355				
	Burst ID	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
	0	345766	87.6	20	3	1565	1055	1840
	1	490019	85.2	20	3	1735	1541	1408
	2	39073	84.8	20	3	1534	1889	1463
	3	183923	77.9	20	2	1749	1460	-
	4	328777	76.5	20	2	1518	1485	-
	5	474726	69.9	20	1	1540	-	-
	6	21394	83	20	2	1080	1010	-
	7	165992	80.4	20	2	1824	1752	-
	8	310973	67.5	20	2	1764	1181	-
	9	456884	62.6	20	1	1495	-	-
	10	3515	86.4	20	3	1773	1966	1263
	11	147928	94.3	20	3	1593	1188	1788
	12	293225	78.9	20	3	1637	1288	1844
	13	436922	95.8	20	3	1192	1298	1844
	14	584015	55.2	20	1	1644	-	-
	15	130832	59	20	1	1402	-	-
	16	274684	94.5	20	3	1266	1700	1283
	17	418579	91.9	20	3	1970	1978	1165
	18	563464	85.2	20	3	1732	1551	1189
	19	112787	89.5	20	2	1038	1224	-
18	12	12	5.5315					
	Burst ID	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
	0	429224	86.4	10	3	1259	1918	1455
	1	670241	92.2	10	3	1598	1719	1895
	2	912880	80.4	10	2	1335	-	-
	3	158603	54.3	10	1	1303	-	-
	4	400824	53.1	10	1	1303	-	-
	5	641915	69.1	10	2	1503	1546	-
	6	883823	69.1	10	2	1279	1639	-
	7	128373	100	10	3	1375	1438	1595
	8	370379	79.6	10	2	1239	1705	-
	9	611194	191.4	10	3	1374	1579	1623
	10	855665	53.3	10	1	1016	-	-
	11	98897	65.3	10	1	1709	-	-
19	15	0.8571429	12	5.5323				

	0	536515	63.4	6	1	1043	-	-
	1	896868	52	6	1	1863	-	-
	2	1259235	97.2	6	2	1605	1583	-
	3	127106	78.7	6	2	1466	1743	-
	4	490358	74.2	6	2	1280	1219	-
	5	852409	88.7	6	3	1293	1934	1273
	6	1217152	54.3	6	1	1891	-	-
	7	82296	95.4	6	3	1580	1555	1791
11	17	0.7058824	12	5.2939				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
	0	202949	73.7	16	2	1208	1497	-
	1	378386	97.4	16	3	1942	1754	1613
	2	548411	91.7	16	3	1999	1702	1462
	3	17733	66.2	16	1	1393	-	-
	4	187982	70.8	16	1	1821	-	-
	5	359277	52.3	16	1	1740	-	-
	6	528886	78.9	16	2	1308	1094	-
	7	700166	70.9	16	2	1050	1358	-
	8	167197	75.6	16	2	1437	1430	-
	9	338262	59.1	16	1	1697	-	-
	10	508324	77.7	16	2	1397	1304	-
	11	678889	82.3	16	2	1823	1722	-
	12	146031	81.2	16	2	1720	1932	-
	13	318923	78.7	16	2	1247	1121	-
	14	488556	63.3	16	1	1634	-	-
	15	657358	69.9	16	2	1423	1423	-
	16	125509	59.3	16	1	1093	-	-
12	15	0.6315789	12	5.2851				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
	0	263738	98.9	19	3	1381	1580	1440
	1	116489	82.3	19	2	1166	1452	1312
	2	267902	86.7	19	3	1281	1400	1919
	3	329279	80.9	19	3	1861	1968	1228
	4	245155	98.9	19	3	1607	1860	1430
	5	326709	71.1	19	2	1921	1789	-
	6	551431	65.9	19	1	1947	-	-
	7	74413	57.9	19	2	1350	1372	-
	8	226589	84.4	19	3	2033	1107	1444
	9	380056	58.8	19	1	1715	-	-
	10	533408	65.6	19	2	1078	-	-
	11	55947	78.5	19	2	1071	1704	-
	12	207876	82.3	19	2	1835	1686	-
	13	359771	90.1	19	3	1936	1801	1261
	14	511297	89.1	19	3	1880	1949	1430
	15	36803	83.1	19	2	1433	1409	-
	16	189652	58.8	19	1	1742	-	-
	17	341809	77.7	19	2	1817	1657	-
	18	456737	55.1	19	1	1012	-	-
13	15	0.6	12	5.2927				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
	0	129111	58.1	13	1	1920	-	-
	1	216473	52.1	13	1	1919	-	-
	2	410094	59.9	13	1	1922	1570	1212
	3	603671	60.2	13	1	1812	-	-
	4	794186	95.9	13	3	1399	1906	1601
	5	162251	69.8	13	2	1607	1452	1212
	6	385590	78.5	13	3	1238	1917	-
	7	578982	53.8	13	1	1763	-	-
	8	723452	64.7	13	1	1800	-	-
	9	168898	61.4	13	1	1794	-	-
	10	381606	83.2	13	2	1692	1858	-
	11	515396	84.7	13	3	1533	1677	1616
	12	147421	84.7	13	3	1703	1528	1010
	13	144710	78.3	13	2	1258	1951	-
	14	337856	69.3	13	2	1731	1717	-
14	15	0.6	12	5.2915				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
	0	664275	75.3	10	2	1994	1612	-
	1	907880	66.3	10	1	1456	-	-
	2	153116	67.7	10	2	1617	1186	-
	3	983746	67.7	10	2	1617	1186	-
	4	635093	75.2	10	2	1421	1267	-
	5	878993	76.3	10	2	1359	1305	-
	6	161278	85.4	10	3	1577	1462	1010
	7	82998	98.2	10	3	1873	1573	1212
	8	604342	86.7	10	3	1749	1930	1410
	9	846563	93.6	10	3	1059	1031	1410
	10	81571	82.3	10	2	1328	1412	1410
	11	333500	92.4	10	3	1412	1673	1310
15	15	0.6315789	12	5.2947				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
	0	361323	93.3	18	3	1983	1912	1510
	1	515261	69.2	18	2	1873	1573	1212
	2	390525	86.9	19	3	1044	1152	1114
	3	190900	84.9	19	3	1894	1948	1111
	4	433941	72.3	18	2	1094	1916	-
	5	407624	51.7	18	1	1417	-	-
	6	20319	58.3	18	1	1429	-	-
	7	72399	60.8	18	1	1979	-	-
	8	25872	51.7	18	1	1879	-	-
	9	475941	86.9	18	3	1886	1964	1414
	10	1489	72	18	2	1099	1297	-
	11	153847	82.3	18	3	1289	1566	1310
	12	307096	98.9	18	1	1852	-	-
	13	458804	70	18	2	1759	1291	-
	14	610786	67.2	18	2	1625	1881	-
	15	134759	91.2	18	3	1982	1932	1410
	16	288306	56.5	18	1	1483	-	-
	17	441296	51.2	18	1	1237	-	-
	18	592780	64.1	18	2	1471	1245	-
16	15	0.8714285	12	5.2923				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
	0	158286	76.9	12	2	1110	1140	-
	1	366024	50.2	12	1	1312	-	-
	2	734562	69.2	12	2	1916	1531	-
	3	780819	64.7	12	1	1906	-	-
	4	132455	83.8	12	3	1410	1097	1616
	5	356207	65.4	12	1	1944	-	-
	6	448098	59.4	12	2	1540	-	-
	7	755333	51.7	12	1	1603	-	-
	8	107117	78.7	12	2	1684	1168	-
	9	714500	62.4	12	2	1630	1343	-
	10	522447	53.8	12	1	1327	-	-
	11	178517	73.6	12	2	1524	1553	-
	12	81611	66.7	12	2	1722	1122	-
	13	288448	81.1	12	2	1424	1019	-
17	15	0.20	0.6	12	5.2955			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
	0	345766	87.6	20	3	1555	1056	1816
	1	490019	85.2	20	3	1616	1056	1816
	2	39073	84.8	20	3	1334	1889	1410
	3	138303	77.9	20	2	1749	1460	-
	4	526777	75.5	20	2	1518	1485	-
	5	474728	69.1	20	2	1540	-	-
	6	21394	83.1	20	2	1603	-	-
	7	165992	80.4	20	2	1624	1702	-
	8	110973	77.7	20	2	1764	1181	-
	9	456884	62.1	20	1	1495	-	-
	10	3515	86.4	20	3	1733	1966	1210
	11	147628	96.4	20	3	1593	1186	1710
	12	23052	79.2	20	2	1626	1531	-
	13	336022	94.3	20	2	1912	1298	1816
	14	584015	55.2	20	1	1644	-	-
	15	138352	52.3	20	1	1626	-	-
	16	274554	94.5	20	3	1286	1700	1210
	17	148579	91.9	20	3	1375	1878	1116
	18	563464	85.2	20	3	1732	1951	1116
	19	112787	69.5	20	2	1838	1924	-
18	15	0.6	12	5.2915				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
	0	429224	86.4	10	3	1259	1918	1415
	1	670441	92.2	10	3	1518	1719	1816
	2	112880	80.4	10	2	1186	1889	-
	3	158603	54.3	10	1	1335	-	-
	4	430954	55.1	10	1	1303	-	-
	5	641015	69.4	10	2	1503	1546	-
	6	883823	69.1	10	2	1279	1639	-
	7	128373	100	10	3	1375	1438	1516
	8	231199	79.6	10	2	1293	1529	-
	9	311794	89.4	10	3	1374	1579	1616
	10	855655	53.3	10	1	1016	-	-
	11	168987	46.3	10	1	1079	-	-
19	15	0.6747619	12	5.2923				

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	292143	55.3	12	1	1920	-	-
1	490633	58.3	12	1	1797	-	-
2	706377	72.3	12	2	1610	1036	-
3	59889	84.8	12	3	1589	84.8	1721
4	266161	82.5	12	2	1875	1431	-
5	474469	63.3	12	1	1095	-	-
6	680544	80	12	2	1642	1913	-
7	33519	90.3	12	3	1660	1853	1123
8	240319	91.1	12	3	1539	1783	1172
9	447400	96.6	12	3	1525	1036	1385
10	654516	92.7	12	2	1710	1960	-
11	8083	50.7	12	1	1234	-	-
12	215435	78.4	12	2	1047	1109	-
13	421325	99.5	12	3	1299	1965	1869
20 Type 5	12	12	5.5115	12	5.5115	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	733725	88.6	10	3	1501	1067	1927
1	977882	57.4	10	1	1723	-	-
2	221197	96.6	10	3	1086	1658	1324
3	462915	69.7	10	2	1751	1945	-
4	705071	77.9	10	2	1642	1317	-
5	947923	62	10	1	1866	-	-
6	191373	98.7	10	3	1907	1077	1366
7	432561	97.3	10	3	1790	1896	1367
8	674004	96.2	10	3	1391	1787	1672
9	915842	95.4	10	3	1020	1892	1414
10	162176	54.8	10	1	1084	-	-
11	403553	80.4	10	2	1850	1436	-
21 Type 5	16	0.75	12	5.5065	16	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	463470	74.7	15	2	1619	1611	-
1	660772	57.1	15	1	1560	-	-
2	98810	91.9	15	3	1392	1475	1276
3	279914	83.1	15	2	1809	1772	-
4	462536	50.7	15	1	1866	-	-
5	642324	79.2	15	2	1574	1600	-
6	76831	58.7	15	1	1186	-	-
7	257785	71	15	2	1521	1567	-
8	438554	79	15	2	1777	1980	-
9	620397	68.5	15	2	1284	1428	-
10	54310	73.5	15	2	1904	1352	-
11	235506	70.5	15	2	1115	1115	-
12	417036	76.6	15	2	1045	1300	-
13	597974	81.2	15	2	1160	1675	-
14	32086	61.8	15	1	1277	-	-
15	212751	94.9	15	3	1450	1206	1860
22 Type 5	12	12	5.5089	12	5.5089	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	526149	78.5	9	2	1653	1698	-
1	767135	89.8	9	3	1174	1962	1167
2	12065	59.4	9	2	1265	-	-
3	254612	79.6	9	2	1633	1890	-
4	496588	76	9	2	1112	1811	-
5	730728	53.8	9	1	1982	-	-
6	980672	80.9	9	2	1220	1053	-
7	225249	61.6	9	1	1724	-	-
8	467279	53.4	9	1	1901	-	-
9	709720	59.9	9	1	1579	-	-
10	951847	60.4	9	1	1453	-	-
11	194839	91.4	9	3	1768	1726	1227
23 Type 5	20	0.6	12	5.5045	20	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	261858	77	20	2	1191	1363	-
1	407646	58.1	20	1	1248	-	-
2	552319	62.1	20	1	1836	-	-
3	99107	76.9	20	2	1334	1236	-
4	243514	80	20	2	1814	1852	-
5	389464	52	20	1	1701	-	-
6	531093	86.6	20	3	1693	1995	1905
7	81159	81.59	20	3	1839	1746	1389
8	225245	96.5	20	3	1839	1746	1389
9	371906	57.9	20	1	1193	-	-
10	514197	95.9	20	3	1659	1870	1066
11	63661	63.61	20	1	1144	-	-
12	207510	92	20	3	1745	1654	1458
13	353638	57.3	20	1	1834	-	-
14	497515	70.5	20	2	1884	1586	-
15	45553	70	20	2	1042	1664	-
16	189821	84	20	3	1765	1630	1176
17	335330	76.1	20	2	1557	1057	-
18	478825	93.2	20	3	1765	1630	1176
19	27594	96.8	20	3	1760	1614	1817
24 Type 5	14	0.8571429	12	5.5277	14	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	247117	50.1	12	1	1841	-	-
1	453362	93.5	12	2	1707	1577	-
2	660875	68.8	12	2	1707	1577	-
3	14140	56.3	12	1	1056	-	-
4	220734	86	12	3	1953	1108	1987
5	426362	75.2	12	3	1572	1536	-
6	636681	54.4	12	1	1517	-	-
7	843157	71.1	12	2	1329	1243	-
8	195685	76.2	12	2	1770	1770	-
9	403231	80.2	12	2	1098	1209	-
10	610202	79.7	12	2	1588	1214	-
11	815229	90.9	12	3	1815	1016	1601
12	170267	68.7	12	2	1377	1441	-
13	377306	67.4	12	2	1872	1313	-
25 Type 5	13	0.923077	12	5.5281	13	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	628071	94	11	3	1643	1748	1941
1	853301	70.8	11	1	1006	-	-
2	156223	56.3	11	1	1006	-	-
3	378734	96.7	11	3	1230	1163	1332
4	601331	90.6	11	3	1230	1163	1332
5	825462	74.5	11	2	1569	1281	-
6	128265	92.6	11	3	1065	1699	1222
7	351161	89	11	3	1493	1135	1380
8	574425	96.5	11	3	1927	1692	1692
9	798431	70.5	11	2	1141	1178	-
10	100737	94	11	3	1009	1629	1656
11	324951	55.8	11	1	1290	-	-
12	546278	87.7	11	3	1435	1963	1164
26 Type 5	8	1.6	12	5.5305	8	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	1253842	68.6	5	2	1306	1161	-
1	119486	83.1	5	2	1420	1315	-
2	482958	60.9	5	1	1687	-	-
3	845641	77.4	5	2	1776	1158	-
4	1208428	77.5	5	2	1793	1510	-
5	74746	68.8	5	2	1576	1323	-
6	438300	63.7	5	1	1333	-	-
7	800152	91.2	5	3	1409	1681	1275
27 Type 5	17	0.705892	12	5.5261	17	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	545865	83.6	16	3	1632	1195	1000
1	14067	89.4	16	3	1173	1627	1656
2	184953	55.8	16	1	1532	-	-
3	353759	90.9	16	3	1981	1554	1998
4	506388	54	16	2	1677	1677	-
5	694806	97.7	16	3	1734	1202	1250
6	163568	67.5	16	2	1571	1434	-
7	333410	98.6	16	3	1586	1468	1268
8	504006	68.3	16	2	1750	1954	-
9	675297	78.3	16	2	1591	1082	-
10	142890	55	16	1	1427	-	-
11	312479	84.9	16	3	1929	1936	1199
12	482953	74.6	16	2	1959	1856	-
13	655022	63.3	16	1	1885	-	-
14	121457	99.8	16	3	1947	1515	1120
15	252606	63.6	16	1	1647	-	-
16	461322	87.3	16	3	1931	1051	1831
28 Type 5	19	0.631579	12	5.5249	19	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	565136	85.6	19	3	1946	1078	1015
1	89970	68.6	19	2	1029	1780	-
2	243121	54.2	19	1	1111	-	-
3	396034	61.2	19	1	1104	-	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	292143	55.3	12	1	1920	-	-
1	499633	58.3	12	1	1797	-	-
2	706377	72.3	12	2	1610	1036	-
3	59889	84.8	12	3	1589	84.8	1721
4	266161	82.5	12	2	1875	1431	-
5	474469	63.3	12	1	1095	-	-
6	680544	80	12	2	1642	1913	-
7	33519	90.3	12	3	1660	1853	1112
8	240319	91.1	12	3	1539	1783	1117
9	447400	96.6	12	3	1525	1036	1385
10	654516	92.7	12	2	1710	1960	-
11	8083	50.7	12	1	1234	-	-
12	215435	78.4	12	2	1047	1109	-
13	421325	99.5	12	3	1299	1965	1869
20 Type 5	12	12	5.2915	12	5.2915	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	733725	88.6	10	3	1501	1067	1927
1	977882	57.4	10	1	1723	-	-
2	221197	96.6	10	3	1086	1658	1324
3	462915	69.7	10	2	1751	1945	-
4	705071	77.9	10	2	1642	1317	-
5	947923	62	10	1	1866	-	-
6	191373	98.4	10	3	1907	1077	1366
7	432561	97.3	10	3	1790	1896	1367
8	674004	96.2	10	3	1391	1787	1672
9	915842	95.4	10	3	1020	1892	1414
10	162176	54.8	10	1	1084	-	-
11	403553	80.4	10	2	1850	1436	-
21 Type 5	16	0.75	12	5.2865	16	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	463470	7	12	2	1919	1611	-
1	666072	57.1	15	1	1600	-	-
2	19810	91.9	15	3	1302	1475	1217
3	239914	63.1	15	2	1809	1772	-
4	62538	50.7	15	1	1203	-	-
5	642324	79.2	15	2	1574	1902	-
6	76831	58.7	15	1	1186	-	-
7	227785	71	15	2	1507	1567	1927
8	438554	79	15	2	1777	1960	-
9	602097	66.5	15	2	1284	1428	-
10	45310	72.1	15	2	1804	1684	-
11	1235609	70.6	15	2	1944	1155	-
12	417036	76.5	15	2	1065	1300	-
13	597074	81.2	15	2	1556	1675	-
14	32088	61.8	15	1	1277	-	-
15	212751	94.1	15	3	1450	206	186
22 Type 5	12	1	12	5.2889	12	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	526149	78.5	9	2	1653	1098	-
1	78715	89.8	9	3	1743	1862	1116
2	12965	59.4	9	1	1983	-	-
3	254512	76.6	9	2	1633	1880	-
4	196588	76	9	1	1114	-	-
5	739728	53.6	9	1	1240	-	-
6	980872	80.9	9	2	1122	1053	-
7	225249	61.6	9	1	1724	-	-
8	467739	53.4	9	1	1204	-	-
9	709720	59.9	9	1	1379	-	-
10	951847	60.4	9	1	1453	-	-
11	194539	71	9	2	1768	1726	122
23 Type 5	20	0.6	12	5.2845	20	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	261858	77	20	2	1911	1363	-
1	407946	58.1	20	1	1248	-	-
2	552019	62	20	1	1924	-	-
3	919107	76.9	20	2	1334	1236	-
4	243514	80	20	2	1914	1852	-
5	589464	52	20	1	1012	-	-
6	531093	88.6	20	3	1693	1995	199
7	81159	72.9	20	2	1922	1387	-
8	225245	98.5	20	3	1839	1746	133
9	71708	57.9	20	1	1453	-	-
10	514197	95.9	20	3	1659	1807	106
11	63861	53.5	20	1	1162	-	-
12	262710	56.2	20	2	1834	1854	141
13	353838	57.3	20	1	1624	-	-
14	497515	70.5	20	2	1684	1586	-
15	455553	70	20	2	1042	1884	-
16	198821	84	20	3	1756	1935	117
17	335330	78.1	20	2	1567	1057	-
18	178825	63.2	20	3	1985	1018	134
19	27594	96.8	20	3	1760	1614	18
24 Type 5	14	0.8571429	12	5.2877	14	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	247117	50.1	12	1	1841	-	-
1	453382	93.5	12	3	1590	1081	143
2	660875	69.8	12	2	1907	1577	-
3	14140	56.3	12	1	1056	-	-
4	220734	86	12	2	1963	1108	190
5	439367	75.2	12	2	1573	1538	-
6	386861	54.4	12	1	1656	-	-
7	843157	71.1	12	2	1329	1243	-
8	195856	76.2	12	2	1940	1770	-
9	610331	80.2	12	3	1598	1628	117
10	610220	79.7	12	2	1588	1214	-
11	115299	90.9	12	3	1615	1862	166
12	12067	63.7	12	2	1441	-	-
13	373706	67.4	12	2	1872	1313	-
25 Type 5	13	0.9230769	12	5.2881	13	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	626071	94	11	3	1643	1748	194
1	583391	70.1	11	2	1707	1201	-
2	156223	59.3	11	1	1066	-	-
3	378734	96.7	11	3	1230	1163	133
4	601331	96.1	11	3	1717	1582	141
5	25482	74.5	11	2	1698	1611	-
6	128265	92.6	11	3	1055	1669	127
7	351161	89	11	3	1493	1135	133
8	72425	59	11	2	1607	1523	162
9	798431	70.5	11	2	1141	1178	-
10	100737	94	11	3	1009	829	195
11	324661	55.8	11	3	1280	-	-
12	466778	87.8	11	2	1458	1963	111
26 Type 5	8	1.5	12	5.2906	8	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	1263842	68.6	5	2	1306	1161	-
1	19486	63.1	5	2	1793	1315	-
2	428569	69.9	5	2	1367	1151	-
3	845641	77.7	5	2	1776	1158	-
4	128428	77.4	5	2	1793	1510	-
5	14748	68.76	5	2	1306	1162	-
6	438300	63.7	5	1	1433	-	-
7	800152	91.2	5	1	1309	1681	127
27 Type 5	17	0.702924	12	5.2867	17	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	545865	83.6	16	3	1632	1195	106
1	14067	89.4	16	3	1737	1627	165
2	124953	55.8	16	1	1532	-	-
3	63739	99.8	16	3	1836	1554	191
4	526388	54.7	16	1	1825	-	-
5	694806	97.7	16	3	1734	1202	127
6	163568	67.6	16	2	1571	1434	-
7	133410	95.2	16	3	1689	1628	116
8	504006	68.3	16	2	1750	1954	-
9	675297	78.3	16	2	1591	1082	-
10	142892	62.7	16	1	1627	-	-
11	312479	84.9	16	3	1129	1936	111
12	428063	74.6	16	3	1659	1856	155
13	65502	63.3	16	2	1885	1515	117
14	21457	99.8	16	3	1636	-	-
15	252806	63.6	16	1	1647	-	-
16	461322	67.9	16	3	1931	1051	185
28 Type 5	15	0.637673	12	5.2847	15	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	665136	85.6	19	3	1946	1078	107
1	189070	68.6	19	2	1029	1780	-
2	243121	54.2	19	1	1111	-	-
3	390734	61.2	19	2	1636	1636	-

	4	546225	97.1	19	3	1157	1969	1100	
	5	70998	98.3	19	3	1142	1699	1622	
	6	224903	92.4	19	1	1655	-	-	
	7	376127	80.2	19	2	1126	1769	-	
	8	527806	87.5	19	3	1216	1448	1179	
	9	52247	85.9	19	3	1847	1348	1472	
	10	204682	88.1	19	3	1023	1124	1631	
	11	357941	65.3	19	1	1848	-	-	
	12	510977	52.5	19	1	1470	-	-	
	13	33686	52.3	19	1	1312	-	-	
	14	186023	74.1	19	2	1915	1200	-	
	15	339327	54.9	19	1	1479	-	-	
	16	491053	76.2	19	2	1376	1502	-	
	17	14858	60.4	19	1	1758	-	-	
	18	167387	81.5	19	2	1491	1103	-	
29	Type 5	12	1	12	5.5085				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	Y
	0	507709	50.5	10	1	1857	-	-	
	1	750249	55.7	10	1	1246	-	-	
	2	989003	85.8	10	3	1774	1002	1967	
	3	235634	76.9	10	2	1125	1474	-	
	4	477675	75.1	10	2	1254	1052	-	
	5	718312	92.3	10	3	1180	1486	1492	
	6	960895	78.1	10	2	1301	1757	-	
	7	205370	92.2	10	3	1898	1252	1713	
	8	446940	89	10	3	1280	1706	1411	
	9	689225	70.9	10	2	1578	1620	-	
	10	932305	63.1	10	1	1782	-	-	
	11	176231	55.3	10	1	1522	-	-	
30	Type 5	18	0.6666667	12	5.5057				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	Y
	0	277485	83.4	17	3	1454	1205	1801	
	1	437880	97.3	17	3	1319	1826	1635	
	2	589445	90.4	17	3	1079	1986	1674	
	3	97088	91.8	17	3	1563	1151	1802	
	4	257251	98.2	17	3	1876	1977	1766	
	5	419893	59.5	17	1	1952	-	-	
	6	580724	80	17	2	1253	1137	-	
	7	77366	86.5	17	3	1054	1128	1828	
	8	238032	91.1	17	3	1105	1599	1442	
	9	398605	93.5	17	3	1867	1373	1087	
	10	562025	60.7	17	1	1033	-	-	
	11	57684	67.2	17	2	1288	1405	-	
	12	219083	61.8	17	1	1585	-	-	
	13	379234	79.4	17	2	1933	1687	-	
	14	540896	81.4	17	2	1096	1464	-	
	15	37916	65.7	17	1	1496	-	-	
	16	196794	76	17	2	1733	1255	-	
	17	359754	81	17	2	1326	1668	-	

	4	546225	97.1	19	3	1157	1969	1100	
	5	70998	98.3	19	3	1142	1699	1622	
	6	224903	92.4	19	1	1655	-	-	
	7	376127	80.2	19	2	1126	1769	-	
	8	527806	87.5	19	3	1216	1448	1179	
	9	52247	85.9	19	3	1847	1348	1472	
	10	204682	88.1	19	3	1023	1124	1631	
	11	357941	65.3	19	1	1848	-	-	
	12	510977	52.5	19	1	1470	-	-	
	13	33686	52.3	19	1	1312	-	-	
	14	186023	74.1	19	2	1915	1200	-	
	15	339327	54.9	19	1	1479	-	-	
	16	491053	76.2	19	2	1376	1502	-	
	17	14858	60.4	19	1	1758	-	-	
	18	167387	81.5	19	2	1491	1103	-	
29	Type 5	12	1	12	5.2885				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	N
	0	507709	50.5	10	1	1857	-	-	
	1	750249	55.7	10	1	1246	-	-	
	2	989003	85.8	10	3	1774	1002	1967	
	3	235634	76.9	10	2	1125	1474	-	
	4	477675	75.1	10	2	1254	1052	-	
	5	718312	92.3	10	3	1180	1486	1492	
	6	960895	78.1	10	2	1301	1757	-	
	7	205370	92.2	10	3	1898	1252	1713	
	8	446940	89	10	3	1280	1706	1411	
	9	689225	70.9	10	2	1578	1620	-	
	10	932305	63.1	10	1	1782	-	-	
	11	176231	55.3	10	1	1522	-	-	
30	Type 5	18	0.6666667	12	5.2857				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	N
	0	277485	83.4	17	3	1454	1205	1801	
	1	437880	97.3	17	3	1319	1826	1635	
	2	589445	90.4	17	3	1079	1986	1674	
	3	97088	91.8	17	3	1563	1151	1802	
	4	257251	98.2	17	3	1876	1977	1766	
	5	419893	59.5	17	1	1952	-	-	
	6	580724	80	17	2	1253	1137	-	
	7	77366	86.5	17	3	1054	1128	1828	
	8	238032	91.1	17	3	1105	1599	1442	
	9	398605	93.5	17	3	1867	1373	1087	
	10	562025	60.7	17	1	1033	-	-	
	11	57684	67.2	17	2	1288	1405	-	
	12	219083	61.8	17	1	1585	-	-	
	13	379234	79.4	17	2	1933	1687	-	
	14	540896	81.4	17	2	1096	1464	-	
	15	37916	65.7	17	1	1496	-	-	
	16	196794	76	17	2	1733	1255	-	
	17	359754	81	17	2	1326	1668	-	

	4	546225	97.1	19	3	1157	1969	1100	
	5	70998	98.3	19	3	1142	1699	1622	
	6	224903	92.4	19	1	1655	-	-	
	7	376127	80.2	19	2	1126	1769	-	
	8	527806	87.5	19	3	1216	1448	1179	
	9	52247	85.9	19	3	1847	1348	1472	
	10	204682	88.1	19	3	1023	1124	1631	
	11	357941	65.3	19	1	1848	-	-	
	12	510977	52.5	19	1	1470	-	-	
	13	33686	52.3	19	1	1312	-	-	
	14	186023	74.1	19	2	1915	1200	-	
	15	339327	54.9	19	1	1479	-	-	
	16	491053	76.2	19	2	1376	1502	-	
	17	14858	60.4	19	1	1758	-	-	
	18	167387	81.5	19	2	1491	1103	-	
29	Type 5	12	1	12	5.5285				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	Y
	0	507709	50.5	10	1	1857	-	-	
	1	750249	55.7	10	1	1246	-	-	
	2	989003	85.8	10	3	1774	1002	1967	
	3	235634	76.9	10	2	1125	1474	-	
	4	477675	75.1	10	2	1254	1052	-	
	5	718312	92.3	10	3	1180	1486	1492	
	6	960895	78.1	10	2	1301	1757	-	
	7	205370	92.2	10	3	1898	1252	1713	
	8	446940	89	10	3	1280	1706	1411	
	9	689225	70.9	10	2	1578	1620	-	
	10	932305	63.1	10	1	1782	-	-	
	11	176231	55.3	10	1	1522	-	-	
30	Type 5	18	0.6666667	12	5.5257				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	Y
	0	277485	83.4	17	3	1454	1205	1801	
	1	437880	97.3	17	3	1319	1826	1635	
	2	589445	90.4	17	3	1079	1986	1674	
	3	97088	91.8	17	3	1563	1151	1802	
	4	257251	98.2	17	3	1876	1977	1766	
	5	419893	59.5	17	1	1952	-	-	
	6	580724	80	17	2	1253	1137	-	
	7	77366	86.5	17	3	1054	1128	1828	
	8	238032	91.1	17	3	1105	1599	1442	
	9	398605	93.5	17	3	1867	1373	1087	
	10	562025	60.7	17	1	1033	-	-	
	11	57684	67.2	17	2	1288	1405	-	
	12	219083	61.8	17	1	1585	-	-	
	13	379234	79.4	17	2	1933	1687	-	
	14	540896	81.4	17	2	1096	1464	-	
	15	37916	65.7	17	1	1496	-	-	
	16	196794	76	17	2	1733	1255	-	
	17	359754	81	17	2	1326	1668	-	

	10	331215	63	13	1	1730	-	-
	11	537402	91.8	13	3	1143	1270	1347
	12	744805	79.3	13	2	1274	1389	1592
	13	98172	64.3	13	1	1937	-	-
10 Type 5	8	1.5	12	5.3				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
0	535615	63.4	6	1	1043	-	-	
1	899688	52	6	1	1863	-	-	
2	1259235	97.2	6	2	1259235	97.2	1583	1583
3	127106	78.7	6	2	1466	1743	-	
4	490358	74.2	6	2	1280	1219	-	
5	852409	88.7	6	3	1293	1934	1273	
6	1217152	54.3	6	1	1991	-	-	
7	82296	95.4	6	3	1580	1555	1791	
11 Type 5	17	0.7058824	12	5.3039				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
0	209249	73.7	16	2	1208	1497	-	
1	378386	97.4	16	3	1942	1754	1613	
2	549411	91.7	16	3	1999	1702	1462	
3	17733	86.2	16	1	1393	-	-	
4	187952	70.8	16	2	1968	1821	-	
5	359277	52.3	16	1	1740	-	-	
6	528886	78.9	16	2	1308	1984	-	
7	700166	70.9	16	2	1050	1358	-	
8	167197	75.6	16	2	1437	1430	-	
9	338262	59.1	16	1	1697	-	-	
10	508324	77	16	2	1397	1304	-	
11	678889	67.2	16	2	1083	1083	-	
12	146031	81.2	16	2	1720	1932	-	
13	316923	78.7	16	2	1247	1121	-	
14	489056	63.3	16	1	1634	-	-	
15	657326	68.9	16	2	1949	1423	-	
16	125509	59.3	16	1	1093	-	-	
12 Type 5	19	0.6315789	12	5.5051				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
0	263736	98.9	19	3	1381	1680	1488	
1	416459	82.3	19	2	1716	1855	-	
2	567902	96.7	19	3	1961	1068	1282	
3	92979	89.7	19	3	1961	1068	1282	
4	245155	98.6	19	3	1507	1194	1461	
5	397609	71.1	19	2	1921	1789	-	
6	551431	55.9	19	1	1947	-	-	
7	74413	67.9	19	2	1350	1372	-	
8	226559	84.4	19	3	1203	1107	1443	
9	380056	58.8	19	1	1715	-	-	
10	533498	65.6	19	2	1917	-	-	
11	55547	78.5	19	2	1911	1704	-	
12	207876	82.3	19	2	1845	1886	-	
13	359771	90.1	19	3	1938	1071	1266	
14	511297	90.2	19	3	1989	1089	1950	
15	36803	83.1	19	3	1983	1467	-	
16	189652	58.8	19	1	1742	-	-	
17	341809	77	19	2	1187	1657	-	
18	495737	56	19	1	1012	-	-	
13 Type 5	15	0.8	12	5.5022				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
0	22911	58.1	13	1	1929	-	-	
1	216473	52.1	13	1	1910	-	-	
2	410004	59.9	13	1	1971	-	-	
3	603671	60.2	13	1	1812	-	-	
4	794160	95.9	13	3	1399	1906	1608	
5	192251	79.9	13	2	1626	1859	-	
6	385590	78.5	13	2	1238	1917	-	
7	579862	53.8	13	1	1763	-	-	
8	773423	64.7	13	1	1800	-	-	
9	168898	61.4	13	1	1390	-	-	
10	361606	83.2	13	2	1692	1858	-	
11	553866	84.7	13	3	1533	1677	1638	
12	747241	89.7	13	3	1733	1528	1058	
13	144710	78.3	13	2	1258	1951	-	
14	337856	69.3	13	2	1731	1717	-	
14 Type 5	12	1	12	5.5015				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
0	664275	75.3	10	2	1994	1612	-	
1	907886	56.3	10	1	1456	-	-	
2	151316	67.7	10	2	1617	1185	-	
3	393746	55.6	10	1	1337	-	-	
4	635093	75.2	10	2	1421	1267	-	
5	876983	76.3	10	2	1369	1365	-	
6	121278	85.7	10	3	1547	1362	1924	
7	362696	98.4	10	3	1873	1550	1249	
8	604342	86.4	10	3	1779	1439	1046	
9	846453	93.6	10	3	1059	1031	1452	
10	91871	63.3	10	1	1917	-	-	
11	333050	92.4	10	3	1412	1673	1322	
15 Type 5	19	0.6315789	12	5.5047				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
0	361323	93.3	18	3	1983	1912	1535	
1	515281	69.1	18	2	1102	1794	-	
2	39025	89.9	18	3	1044	1159	1148	
3	199090	84.9	18	3	1894	1948	1118	
4	343941	72.3	18	2	1094	1916	-	
5	497624	51.7	18	1	1447	-	-	
6	20319	58.3	18	1	1429	-	-	
7	172999	60.8	18	1	1979	-	-	
8	325872	57.1	18	1	1641	-	-	
9	475841	88.9	18	3	1886	1964	1489	
10	1488	72	18	2	1488	1907	-	
11	153647	90.9	18	3	1261	1566	1370	
12	307096	59.8	18	1	1552	-	-	
13	435804	70	18	2	1759	1291	-	
14	610788	67.2	18	2	1658	1881	-	
15	134759	91.2	18	3	1382	1832	1661	
16	288306	56.5	18	1	1483	-	-	
17	441296	51.2	18	1	1237	-	-	
18	592780	74.1	18	1	1471	1245	-	
16 Type 5	14	0.8571429	12	5.5023				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
0	158286	76.9	12	2	1110	1140	-	
1	366024	50.2	12	1	1316	-	-	
2	573452	62.9	12	1	1520	-	-	
3	780619	64.7	12	1	1902	-	-	
4	132455	83.8	12	3	1410	1097	1621	
5	340207	65.4	12	1	1944	-	-	
6	548208	53.2	12	1	1024	-	-	
7	755333	51.7	12	1	1603	-	-	
8	107117	78.7	12	2	1804	1168	-	
9	314500	72.4	12	2	1030	1343	-	
10	522447	53.8	12	1	1327	-	-	
11	728517	73.6	12	2	1524	1553	-	
12	81611	66.2	12	2	1122	1122	-	
13	288948	82.5	12	2	1404	1019	-	
17 Type 5	20	0.6	12	5.5055				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)	
0	345766	87.6	20	3	1565	1055	1840	
1	490019	85.2	20	3	1735	1541	1408	
2	39073	84.8	20	3	39073	84.8	1463	
3	183923	77.9	20	2	1749	1460	-	
4	328777	76.5	20	2	1518	1485	-	
5	474728	60.9	20	1	1540	-	-	
6	21394	83	20	2	1084	1010	-	
7	165992	80.4	20	2	1824	1752	-	
8	310973	67.5	20	2	1764	1181	-	
9	458584	62.1	20	1	1495	-	-	
10	3515	86.4	20	3	3515	86.4	1263	
11	147928	84.3	20	3	1593	1188	1788	
12	293225	76.9	20	2	1226	1537	-	
13	439922	95.8	20	3	1192	1298	1844	
14	584015	55.2	20	1	1644	-	-	
15	130832	59	20	1	1402	-	-	
16	274684	94.5	20	3	1296	1700	1283	
17	418579	91.9	20	3	1970	1978	1165	
18	563464	89.2	20	3	853464	89.2	1189	
19	112787	69.5	20	2	1038	1224	-	
18 Type 5	12	1	12	5.5015				

Y		10	331215	63	13	1	1730	-	-
		11	537402	91.8	13	3	1143	1270	1347
		12	744805	79.3	13	2	1274	1389	1592
		13	98172	64.3	13	1	1937	-	-
		10 Type 5	8	1.5	12	5.5			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
		0	535615	63.4	6	1	1043	-	-
		1	899688	52	6	1	1863	-	-
		2	1259235	97.2	6	3	1973	1605	1583
		3	127106	78.7	6	2	1468	1743	-
N		4	490358	74.2	6	2	1280	1219	-
		5	852409	88.7	6	3	1293	1934	1273
		6	1217152	54.3	6	1	1991	-	-
		7	82296	95.4	6	3	1580	1555	1791
		11 Type 5	17	0.7058824	12	5.5039			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
		0	209249	73.7	16	2	1208	1497	-
		1	378386	97.4	16	3	1942	1754	1613
		2	549411	91.7	16	3	1999	1702	1462
		3	17733	86.2	16	1	1393	-	-
Y		4	187952	70.8	16	2	1968	1821	-
		5	359277	52.3	16	1	1740	-	-
		6	528886	78.9	16	2	1308	1984	-
		7	700166	70.9	16	2	1050	1358	-
		8	167197	75.6	16	2	1437	1430	-
		9	338262	59.1	16	1	1697	-	-
		10	508324	77	16	2	1397	1304	-
		11	678889	67.9	16	2	1803	1083	-
		12	146031	81.2	16	2	1720	1932	-
		13	316923	78.7	16	2	1247	1121	-
Y		14	488056	63.3	16	1	1634	-	-
		15	657326	68.9	16	2	1846	1423	-
		16	125509	59.3	16	1	1903	-	-
		12 Type 5	19	0.6315789	12	5.5061			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
		0	263736	98.9	19	3	1381	1690	1488
		1	416459	87.6	19	3	1716	1855	-
		2	567502	86.7	19	3	1211	1400	1919
		3	62079	89.9	19	3	1881	1968	-
		4	245155	98.6	19	3	1507	1194	1461
	5	397699	71.1	19	2	1921	1789	-	
N		6	551431	55.9	19	1	1947	-	-
		7	74413	61.4	19	2	1350	1372	-
		8	226559	84.4	19	3	1203	1107	1443
		9	380058	55.6	19	1	1715	-	-
		10	533408	68.8	19	1	1077	-	-
		11	55547	78.5	19	2	1851	1704	-
		12	207876	82.3	19	2	1845	1696	-
		13	359711	90.1	19	3	1938	1071	1266
		14	511297	90.2	19	3	1899	1089	1950
		15	36863	83.1	19	2	1943	1406	-
N		16	189652	58.8	19	1	1742	-	-
		17	341809	75	19	2	1187	1657	-
		18	495737	55	19	1	1012	-	-
		13 Type 5	15	0.8	12	5.5087			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
		0	22211	58.1	13	1	1928	-	-
		1	219473	59.1	13	1	1910	-	-
		2	411004	59.9	13	1	1971	-	-
		3	603671	60.2	13	1	1812	-	-
		4	794100	95.9	13	3	1366	1906	1608
	5	78902	78.9	13	2	1820	1869	-	
	6	385590	78.5	13	2	1238	1917	-	
Y		7	578962	53.8	13	1	1763	-	-
		8	773243	64.7	13	1	1800	-	-
		9	168888	61.4	13	1	1301	-	-
		10	361606	83.2	13	2	1662	1858	-
		11	553866	84.7	13	3	1533	1677	1638
		12	742421	88.7	13	3	1703	1528	1658
		13	144710	78.9	13	2	1256	1961	-
		14	337856	69.3	13	2	1731	1717	-
		14 Type 5	12	1	12	5.5015			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
	0	664275	75.3	10	2	1994	1612	-	
	1	107886	55.3	10	1	1456	-	-	
	2	153116	61.7	10	2	1617	1185	-	
	3	393746	56	10	1	1337	-	-	
	4	635093	75.2	10	2	1421	1267	-	
	5	576993	76.2	10	2	1359	1305	-	
	6	121778	85.7	10	3	1547	1362	1924	
	7	362696	98.4	10	3	1873	1590	1246	
	8	603432	86.4	10	3	1779	1439	1040	
Y		9	846453	93.6	10	3	1059	1031	1452
		10	61671	60	10	1	1296	-	-
		11	333500	82.4	10	3	1412	1673	1322
		15 Type 5	19	0.6315789	12	5.5047			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
		0	361323	93.3	18	3	1983	1912	1535
		1	515261	69.1	18	2	1102	1754	-
		2	29055	89.9	18	3	1044	1152	1148
		3	190900	84.9	18	3	1984	1946	1118
		4	343941	72.3	18	2	1094	1916	-
	5	497624	51.7	18	1	1447	-	-	
	6	63019	58.3	18	1	1429	-	-	
	7	12269	69.8	18	2	1979	-	-	
Y		8	325872	57.1	18	1	1641	-	-
		9	475841	88.9	18	3	1886	1964	1489
		10	1489	72	18	2	1930	1297	-
		11	153847	90.2	18	3	1984	1966	1370
		12	307096	59.8	18	1	1552	-	-
		13	458804	70	18	2	1759	1291	-
		14	610798	67.2	18	2	1625	1881	-
		15	134759	91.4	18	3	1382	1382	1661
		16	288306	55.5	18	1	1483	-	-
		17	441296	51.2	18	1	1237	-	-
Y		18	592780	74.1	18	2	1471	1245	-
		16 Type 5	12	0.8571429	12	5.5023			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
		0	152896	78.9	12	2	1110	1140	-
		1	386004	52	12	1	1316	-	-
		2	273452	62.9	12	1	1520	-	-
		3	780619	64.7	12	1	1902	-	-
		4	123455	81.8	12	2	1480	1097	1621
		5	340207	65.4	12	1	1944	-	-
		6	548208	53.2	12	1	1024	-	-
Y		7	755333	51.7	12	1	1803	-	-
		8	121177	78.7	12	2	1824	1198	-
		9	314500	72.4	12	2	1030	1343	-
		10	522447	53.8	12	1	1327	-	-
		11	728517	73.6	12	2	1524	1553	-
		12	81611	68.7	12	2	1631	1122	-
		13	288848	82.5	12	2	1404	1019	-
		17 Type 5	20	0.6	12	5.5055			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chip Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
		0	345786	87.6	20	3	1565	1055	1840
	1	490019	85.2	20	3	1735	1541	1408	
	2	39073	94.8	20	3	1534	1889	1463	
	3	183623	76.5	20	2	1748	1460	-	
	4	328777	68.5	20	2	1518	1485	-	
	5	474728	60.9	20	1	1540	-	-	
	6	21394	83	20	2	1080	1070	-	
	7	147639	84.8	20	2	1824	1752	-	
	8	310973	67.5	20	2	1764	1181	-	
	9	456884	62.1	20	1	1495	-	-	
N		10	3015	86.4	20	3	1773	1996	1263
		11	147639	84.8	20	2	1824	1752	1788
		12	293225	78.9	20	2	1226	1537	-
		13	639222	95.2	20	3	1192	1206	1844
		14	584015	55.8	20	1	1644	-	-
		15	130632	59	20	1	1624	-	-
		16	274684	94.5	20	3	1296	1700	1283
		17	418579	91.2	20	3	1970	1978	1615
		18	563464	85.2	20	3	1732	1551	1189
		19	112787	69.2	20	2	1038	1224	-
	18 Type 5	12	1	12	5.5015				

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	429224	86.4	10	3	1259	1918	1455
1	670241	92.2	10	3	1598	1719	1895
2	912880	80.4	10	2	1816	1899	-
3	158903	54.3	10	1	1303	-	-
4	400824	53.1	10	1	1303	-	-
5	641915	69.4	10	2	1503	1546	-
6	883823	69.1	10	2	1279	1639	-
7	128373	100	10	3	1375	1438	1595
8	370379	79.6	10	2	1238	1705	-
9	611194	88.4	10	3	1374	1579	1623
10	855665	53.3	10	1	1016	-	-
11	98997	65.3	10	1	1709	-	-
19 Type 5	14	0.8571429	12	5.3023			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	292143	55.3	12	1	1920	-	-
1	499633	58.3	12	1	1797	-	-
2	706377	72.3	12	2	1610	1039	-
3	58989	84.8	12	3	1131	1761	1721
4	266161	82.5	12	2	1875	1431	-
5	474469	63.3	12	1	1095	-	-
6	680544	80	12	2	1119	1913	-
7	33519	90.3	12	3	1660	1853	1123
8	240319	91.1	12	3	1539	1783	1172
9	447400	96.6	12	3	1525	1036	1385
10	654516	82.7	12	2	1710	1990	-
11	8083	50.7	12	1	1234	-	-
12	215435	78.4	12	2	1047	1109	-
13	421325	99.5	12	3	1209	1965	1869
20 Type 5	12	1	12	5.3115			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	733725	88.6	10	3	1501	1067	1927
1	977882	57.4	10	1	1723	-	-
2	221197	96.6	10	3	1688	1658	1324
3	462915	69.7	10	2	1751	1945	-
4	705071	77.9	10	2	1642	1317	-
5	947923	62	10	1	1866	-	-
6	191373	89.4	10	3	1967	1077	1366
7	432561	97.3	10	3	1790	1896	1367
8	674004	96.2	10	3	1391	1787	1672
9	915842	95.4	10	3	1020	1892	1414
10	162176	54.8	10	1	1094	-	-
11	403553	80.4	10	2	1850	1438	-
21 Type 5	16	0.75	12	5.4965			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	483470	74.7	15	2	1619	1611	-
1	666072	57.1	15	1	1560	-	-
2	98810	91.9	15	3	1809	1475	1276
3	279914	83.1	15	2	1809	1772	-
4	462536	50.7	15	1	1003	-	-
5	642324	79.2	15	2	1574	1600	-
6	76831	58.7	15	1	1186	-	-
7	257785	71	15	2	1567	1567	-
8	438554	79	15	2	1777	1960	-
9	620397	68.5	15	2	1284	1428	-
10	54310	73.5	15	2	1904	1352	-
11	235506	70.5	15	1	1155	-	-
12	417036	76.6	15	2	1045	1300	-
13	597974	81.2	15	2	1160	1675	-
14	32066	61.8	15	1	1277	-	-
15	212751	94.9	15	3	1450	1206	1860
22 Type 5	12	1	12	5.2989			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	526149	78.5	9	2	1653	1698	-
1	767135	89.8	9	3	1174	1962	1167
2	12955	59.4	9	1	1982	-	-
3	254612	79.5	9	2	1833	1890	-
4	496588	76	9	2	1112	1811	-
5	739728	53.6	9	1	1144	-	-
6	980872	80.9	9	2	1220	1053	-
7	225249	61.6	9	1	1274	-	-
8	467279	53.4	9	1	1901	-	-
9	709720	59.9	9	1	1379	-	-
10	951847	60.4	9	1	1453	-	-
11	194639	91.4	9	3	1768	1726	1227
23 Type 5	20	0.6	12	5.2945			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	261858	77	20	2	1191	1363	-
1	407646	58.1	20	1	1248	-	-
2	552319	62.1	20	1	1836	-	-
3	99107	76.9	20	2	1334	1236	-
4	243514	80	20	2	1914	1852	-
5	389464	52	20	1	1701	-	-
6	531093	88.6	20	3	1693	1995	1905
7	81159	72.9	20	2	1922	1387	-
8	225245	98.5	20	3	1639	1746	1389
9	371906	57.9	20	1	1193	-	-
10	514197	95.9	20	3	1659	1870	1066
11	63561	53.5	20	1	1661	-	-
12	207510	92	20	3	1745	1654	1458
13	353638	57.3	20	1	1834	-	-
14	497515	70.5	20	2	1684	1586	-
15	45553	70	20	2	1042	1664	-
16	188821	84	20	1	1682	-	-
17	335330	76.1	20	2	1557	1057	-
18	478825	93.2	20	3	1985	1018	1340
19	27594	96.8	20	3	1760	1614	1817
24 Type 5	14	0.8571429	12	5.3077			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	247117	50.1	12	1	1841	-	-
1	453362	93.5	12	3	1590	1081	1413
2	660875	68.8	12	2	1707	1577	-
3	14140	56.3	12	1	1056	-	-
4	220734	86	12	2	1053	1108	1987
5	428367	75.2	12	2	1572	1536	-
6	636681	54.4	12	1	1517	-	-
7	843157	71.1	12	2	1329	1243	-
8	195955	76.2	12	2	1940	1770	-
9	403231	80.2	12	2	1098	1209	-
10	610202	79.7	12	2	1588	1214	-
11	815229	90.9	12	3	1615	1862	1601
12	170267	68.7	12	2	1377	1441	-
13	377306	67.4	12	2	1872	1313	-
25 Type 5	13	0.9230769	12	5.2981			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	628071	94	11	3	1643	1748	1941
1	853391	70.8	11	2	1177	1201	-
2	156223	56.3	11	1	1066	-	-
3	378734	96.7	11	3	1230	1163	1332
4	601331	90.6	11	3	1217	1582	1498
5	825462	74.5	11	2	1569	1281	-
6	126265	92.6	11	3	1065	1669	1222
7	351161	89	11	3	1693	1135	1380
8	573425	96.5	11	3	1607	1822	1602
9	798431	70.5	11	2	1141	1178	-
10	100737	94	11	3	1009	1629	1956
11	324661	55.8	11	1	1260	-	-
12	546278	87.7	11	3	1435	1963	1164
26 Type 5	8	1.5	12	5.3105			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	1253842	68.6	5	2	1306	1161	-
1	119498	83.1	5	2	1420	1315	-
2	482058	80.9	5	1	1687	-	-
3	845641	77.7	5	2	1776	1158	-
4	1208428	77.4	5	2	1793	1510	-
5	74748	66.8	5	2	1576	1323	-
6	438300	63.7	5	1	1333	-	-
7	800152	91.2	5	3	1409	1681	1275
27 Type 5	17	0.7058824	12	5.2961			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	545865	83.6	16	3	1632	1195	1000

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	429224	86.4	10	3	1259	1918	1455
1	670241	92.2	10	3	1598	1719	1895
2	912880	80.4	10	2	1816	1899	-
3	158903	54.3	10	1	1335	-	-
4	400824	53.1	10	1	1303	-	-
5	641915	69.4	10	2	1503	1546	-
6	883823	69.1	10	2	1279	1639	-
7	128373	100	10	3	1375	1438	1595
8	370379	79.6	10	2	1238	1705	-
9	611194	88.4	10	3	1374	1579	1623
10	855665	53.3	10	1	1016	-	-
11	98997	65.3	10	1	1709	-	-
19 Type 5	14	0.8571429	12	5.2023			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	292143	55.3	12	1	1920	-	-
1	499633	58.3	12	1	1797	-	-
2	706377	72.3	12	2	1610	1039	-
3	58989	84.8	12	3	1131	1761	1721
4	266161	82.5	12	2	1875	1431	-
5	474469	63.3	12	1	1095	-	-
6	680544	80	12	2	1119	1913	-
7	33519	90.3	12	3	1660	1853	1123
8	240319	91.1	12	3	1539	1783	1172
9	447400	96.6	12	3	1525	1036	1385
10	654516	82.7	12	2	1710	1990	-
11	8083	50.7	12	1	1234	-	-
12	215435	78.4	12	2	1047	1109	-
13	421325	99.5	12	3	1209	1965	1869
20 Type 5	12	1	12	5.5015			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	733725	88.6	10	3	1501	1067	1927
1	977882	57.4	10	1	1723	-	-
2	221197	96.6	10	3	1688	1658	1324
3	462915	69.7	10	2	1751	1945	-
4	705071	77.9	10	2	1642	1317	-
5	947923	62	10	1	1866	-	-
6	191373	89.4	10	3	1967	1077	1366
7	432561	97.3	10	3	1790	1896	1367
8	674004	96.2	10	3	1391	1787	1672
9	915842	95.4	10	3	1020	1892	1414
10	162176	54.8	10	1	1084	-	-
11	430563	80.4	10	2	1850	1436	-
21 Type 5	16	0.75	12	5.4965			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	483470	74.3	15	2	1619	1611	-
1	666072	57.1	15	1	1560	-	-
2	98910	91.9	15	3	1302	1475	1276
3	278814	63.1	15	2	1777	1772	-
4	49036	50.7	15	1	1003	-	-
5	542324	79.2	15	2	1574	1600	-
6	76831	58.7	15	1	1186	-	-
7	257785	70.7	15	2	1521	1967	-
8	438554	78	15	2	1777	1960	-
9	920397	68.5	15	2	1284	1428	-
10	54310	73.5	15	2	1904	1352	-
11	235306	70.5	15	2	1864	1115	-
12	417038	76.4	15	2	1045	1300	-
13	597974	81.2	15	2	1160	1675	-
14	32086	61.8	15	1	1277	-	-
15	212751	94.9	15	3	1450	1206	1860
22 Type 5	12	1	12	5.4989			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	526149	78.5	9	2	1653	1698	-
1	767135	89.8	9	3	1174	1962	1167
2	12655	59.4	9	1	1982	-	-
3	254612	73.6	9	2	1633	1890	-
4	46838	70	9	2	1712	1611	-
5	739728	59.9	9	1	1144	-	-
6	968072	80.9	9	2	1220	1053	-
7	222649	61.6	9	1	1724	-	-
8	467679	53.4	9	1	1609	-	-
9	705720	59.9	9	1	1379	-	-
10	951847	60.4	9	1	1453	-	-
11	194839	91.4	9	3	1768	1726	1227
23 Type 5	10	0.8	12	5.4945			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	201858	77	20	2	1191	1363	-
1	47046	68	20	1	1248	-	-
2	552319	62.1	20	1	1836	-	-
3	99107	76.9	20	2	1334	1236	-
4	243514	80	20	2	1914	1660	-
5	38944	51.2	20	1	1701	-	-
6	531093	88.6	20	3	1693	1995	1905
7	81159	79.9	20	2	1922	1387	-
8	225245	98.5	20	3	1839	1746	1389
9	467679	53.4	20	1	1379	-	-
10	514197	95.9	20	3	1659	1870	1066
11	63561	53.5	20	1	1162	-	-
12	207510	92	20	3	1745	1654	1458
13	535838	57.4	20	1	1854	-	-
14	4097515	70.5	20	2	1684	1586	-
15	455553	70	20	2	1042	1664	-
16	189821	84	20	3	1765	1630	1176
17	355330	79	20	2	1557	1057	-
18	478825	93.2	20	3	1985	1018	1346
19	27594	96.8	20	3	1760	1614	1817
24 Type 5	14	0.8571429	12	5.4977			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	247117	50.1	12	1	1841	-	-
1	453262	93.5	12	3	1590	1081	1413
2	660875	68.8	12	2	1707	1577	-
3	314140	56.3	12	1	1056	-	-
4	220734	86	12	3	1953	1108	1987
5	432687	75.2	12	2	1572	1536	-
6	436881	54.4	12	1	1517	-	-
7	843157	72	12	2	1329	1243	-
8	956585	76.5	12	2	1940	1770	-
9	400321	80.2	12	2	1098	1209	-
10	810002	78.2	12	2	1098	1214	-
11	815529	90.9	12	3	1615	1852	1601
12	170267	68.7	12	2	1377	1441	-
13	371306	67.4	12	2	1872	1313	-
25 Type 5	13	0.9230769	12	5.498			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	628071	94	11	3	1643	1748	1941
1	853391	70.8	11	2	1177	1201	-
2	156223	56.3	11	1	1006	-	-
3	378734	96.7	11	3	1230	1163	1332
4	811311	90.6	11	2	1717	1582	1498
5	825462	74.5	11	2	1569	1281	-
6	128265	92.6	11	3	1065	1669	1220
7	371561	89	11	3	1453	1135	1380
8	574245	96.6	11	3	1507	1822	1662
9	798431	70.5	11	2	1141	1178	-
10	100737	94	11	3	1009	1629	1956
11	324661	55.8	11	1	1290	-	-
12	548078	87.7	11	3	1435	1963	1164
26 Type 5	17	0.7058824	12	5.5005			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	623942	68.6	5	2	3306	1161	-
1	119486	83.1	5	2	1420	1315	-
2	482058	60.9	5	1	1687	-	-
3	845641	77.7	5	2	1776	1156	-
4	1208428	77.4	5	2	1510	1510	-
5	74748	63.8	5	2	1576	1323	-
6	438300	63.7	5	1	1333	-	-
7	800152	91.2	5	3	1409	1681	1275
27 Type 5	17	0.7058824	12	5.498			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PR1-1 (us)	PR1-2 (us)	PR1-3 (us)
0	545995	83.6	16	3	1532	1195	1000

	1	14067	89.4	16	3	1173	1627	1656	
	2	184953	55.8	16	1	1532	-	-	
	3	353759	90.9	16	3	1981	1554	1998	
	4	526388	54.7	16	1	1825	-	-	
	5	694806	97.7	16	3	1734	1202	1250	
	6	163568	67.5	16	2	1571	1434	-	
	7	333410	96.7	16	3	1589	1469	1268	
	8	504006	68.3	16	2	1750	1954	-	
	9	675297	78.3	16	2	1591	1082	-	
	10	142890	55	16	1	1427	-	-	
	11	312479	84.9	16	3	1129	1936	1199	
	12	482953	74.6	16	2	1959	1856	-	
	13	655022	63.3	16	1	1885	-	-	
	14	121457	99.8	16	3	1035	1515	1120	
	15	292606	63.6	16	1	1647	-	-	
	16	461322	87.3	16	3	1931	1051	1831	
28	Type 5	19	0.6315789	12	5.2949				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	565136	85.6	19	3	1946	1078	1015	
	1	89970	68.6	19	2	1029	1780	-	
	2	243121	54.2	19	1	1111	-	-	
	3	398034	61.2	19	1	1104	-	-	
	4	546225	97.1	19	3	1157	1969	1100	
	5	70998	98.3	19	3	1142	1699	1622	
	6	224093	62.4	19	1	1655	-	-	
	7	378127	90.2	19	3	1326	1789	-	
	8	527806	87.5	19	3	1216	1448	1179	
	9	52247	85.8	19	3	1847	1348	1472	
	10	204582	88.1	19	3	1023	1124	1631	
	11	357941	65.3	19	1	1948	-	-	
	12	510977	52.5	19	1	1470	-	-	
	13	33698	52.3	19	1	1312	-	-	
	14	186023	74.1	19	2	1915	1200	-	
	15	339327	54.9	19	1	1179	-	-	
	16	491053	76.2	19	2	1376	1502	-	
	17	14858	60.4	19	1	1758	-	-	
	18	167387	81.5	19	2	1491	1103	-	
29	Type 5	12	1	12	5.2985				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	507709	50.5	10	1	1857	-	-	
	1	750249	55.7	10	1	1246	-	-	
	2	989003	85.8	10	3	1774	1002	1967	
	3	235634	76.9	10	2	1125	1474	-	
	4	477675	75.1	10	2	1254	1052	-	
	5	716312	92.3	10	3	1180	1486	1492	
	6	960895	78.1	10	2	1301	1757	-	
	7	205370	92.2	10	3	1898	1252	1713	
	8	446940	89	10	3	1260	1706	1411	
	9	689225	70.9	10	2	1578	1620	-	
	10	932305	63.1	10	1	1782	-	-	
	11	176231	55.3	10	1	1522	-	-	
30	Type 5	18	0.6666667	12	5.2957				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	277485	83.4	17	3	1454	1205	1801	
	1	437880	97.3	17	3	1319	1828	1635	
	2	598445	90.4	17	3	1079	1986	1674	
	3	97088	91.8	17	3	1563	1151	1802	
	4	257251	98.2	17	3	1876	1977	1766	
	5	419893	59.5	17	1	1952	-	-	
	6	580724	80	17	2	1253	1137	-	
	7	77366	86.5	17	3	1054	1128	1828	
	8	238032	91.1	17	3	1105	1599	1442	
	9	369605	93.5	17	3	1867	1373	1087	
	10	562025	60.7	17	1	1033	-	-	
	11	57684	67.2	17	2	1288	1405	-	
	12	219083	61.8	17	1	1585	-	-	
	13	379234	79.4	17	2	1933	1687	-	
	14	540896	81.4	17	2	1096	1464	-	
	15	37916	65.7	17	1	1496	-	-	
	16	198794	76	17	2	1733	1255	-	
	17	359754	81	17	2	1326	1668	-	

N

	1	14067	89.4	16	3	1173	1627	1656	
	2	184953	55.8	16	1	1532	-	-	
	3	353759	90.9	16	3	1981	1554	1998	
	4	526388	54.7	16	1	1825	-	-	
	5	694806	97.7	16	3	1734	1202	1250	
	6	163568	67.5	16	2	1571	1434	-	
	7	333410	96.7	16	3	1589	1469	1268	
	8	504006	68.3	16	2	1750	1954	-	
	9	675297	78.3	16	2	1591	1082	-	
	10	142890	55	16	1	1427	-	-	
	11	312479	84.9	16	3	1129	1936	1199	
	12	482953	74.6	16	2	1959	1856	-	
	13	655022	63.3	16	1	1885	-	-	
	14	121457	99.8	16	3	1035	1515	1120	
	15	292606	63.6	16	1	1647	-	-	
	16	461322	87.3	16	3	1931	1051	1831	
28	Type 5	19	0.6315789	12	5.4949				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	565136	85.6	19	3	1946	1078	1015	
	1	89970	68.6	19	2	1029	1780	-	
	2	243121	54.2	19	1	1111	-	-	
	3	398034	61.2	19	1	1104	-	-	
	4	546225	97.1	19	3	1157	1969	1100	
	5	70998	98.3	19	3	1142	1699	1622	
	6	224093	62.4	19	1	1655	-	-	
	7	378127	90.2	19	3	1326	1789	-	
	8	527806	87.5	19	3	1216	1448	1179	
	9	52247	85.8	19	3	1847	1348	1472	
	10	204582	88.1	19	3	1023	1124	1631	
	11	357941	65.3	19	1	1948	-	-	
	12	510977	52.5	19	1	1470	-	-	
	13	33698	52.3	19	1	1312	-	-	
	14	186023	74.1	19	2	1915	1200	-	
	15	339327	54.9	19	1	1179	-	-	
	16	491053	76.2	19	2	1376	1502	-	
	17	14858	60.4	19	1	1758	-	-	
	18	167387	81.5	19	2	1491	1103	-	
29	Type 5	12	1	12	5.4985				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	507709	50.5	10	1	1857	-	-	
	1	750249	55.7	10	1	1246	-	-	
	2	989003	85.8	10	3	1774	1002	1967	
	3	235634	76.9	10	2	1125	1474	-	
	4	477675	75.1	10	2	1254	1052	-	
	5	716312	92.3	10	3	1180	1486	1492	
	6	960895	78.1	10	2	1301	1757	-	
	7	205370	92.2	10	3	1898	1252	1713	
	8	446940	89	10	3	1260	1706	1411	
	9	689225	70.9	10	2	1578	1620	-	
	10	932305	63.1	10	1	1782	-	-	
	11	176231	55.3	10	1	1522	-	-	
30	Type 5	18	0.6666667	12	5.4957				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	277485	83.4	17	3	1454	1205	1801	
	1	437880	97.3	17	3	1319	1828	1635	
	2	598445	90.4	17	3	1079	1986	1674	
	3	97088	91.8	17	3	1563	1151	1802	
	4	257251	98.2	17	3	1876	1977	1766	
	5	419893	59.5	17	1	1952	-	-	
	6	580724	80	17	2	1253	1137	-	
	7	77366	86.5	17	3	1054	1128	1828	
	8	238032	91.1	17	3	1105	1599	1442	
	9	369605	93.5	17	3	1867	1373	1087	
	10	562025	60.7	17	1	1033	-	-	
	11	57684	67.2	17	2	1288	1405	-	
	12	219083	61.8	17	1	1585	-	-	
	13	379234	79.4	17	2	1933	1687	-	
	14	540896	81.4	17	2	1096	1464	-	
	15	37916	65.7	17	1	1496	-	-	
	16	198794	76	17	2	1733	1255	-	
	17	359754	81	17	2	1326	1668	-	

Y

	1	14067	89.4	16	3	1173	1627	1656	
	2	184953	55.8	16	1	1532	-	-	
	3	353759	90.9	16	3	1981	1554	1998	
	4	526388	54.7	16	1	1825	-	-	
	5	694806	97.7	16	3	1734	1202	1250	
	6	163568	67.5	16	2	1571	1434	-	
	7	333410	96.7	16	3	1589	1469	1268	
	8	504006	68.3	16	2	1750	1954	-	
	9	675297	78.3	16	2	1591	1082	-	
	10	142890	55	16	1	1427	-	-	
	11	312479	84.9	16	3	1129	1936	1199	
	12	482953	74.6	16	2	1959	1856	-	
	13	655022	63.3	16	1	1885	-	-	
	14	121457	99.8	16	3	1035	1515	1120	
	15	292606	63.6	16	1	1647	-	-	
	16	461322	87.3	16	3	1931	1051	1831	
28	Type 5	19	0.6315789	12	5.3049				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	565136	85.6	19	3	1946	1078	1015	
	1	86970	68.6	19	2	1029	1780	-	
	2	243121	54.2	19	1	1111	-	-	
	3	396394	81.2	19	1	1109	-	-	
	4	548225	97.1	19	3	1157	1969	1100	
	5	70998	98.3	19	3	1142	1699	1622	
	6	224093	62.4	19	1	1655	-	-	
	7	371127	90.7	19	2	1128	1749	-	
	8	527806	87.5	19	3	1216	1488	1179	
	9	52247	85.8	19	3	1847	1348	1472	
	10	204582	88.1	19	3	1023	1124	1631	
	11	357941	65.3	19	1	1848	-	-	
	12	510977	52.5	19	1	1470	-	-	
	13	33698	72.1	19	1	1312	-	-	
	14	186023	74.1	19	2	1915	1200	-	
	15	339327	54.9	19	1	1478	-	-	
	16	491053	78.2	19	2	1376	1502	-	
	17	14658	60.4	19	1	1759	-	-	
	18	16787	81.5	19	2	1481	1103	-	
29	Type 5	12	1	5.3062					
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	507209	55.7	10	1	1857	-	-	
	1	750249	50.1	10	1	1246	-	-	
	2	980003	85.8	10	3	1774	1002	1967	
	3	235364	76.9	10	2	1125	1474	-	
	4	477675	75.1	10	2	1254	1582	-	
	5	718312	92.3	10	3	1180	1486	1492	
	6	960895	78.1	10	2	1301	1757	-	
	7	205370	92.2	10	3	1898	1252	1713	
	8	449490	89.9	10	2	1280	1706	1411	
	9	689225	79.9	10	2	1578	1260	-	
	10	932305	63.1	10	1	1782	-	-	
	11	176231	55.3	10	1	1522	-	-	
30	Type 5	19	0.6966667	12	5.3067				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	277485	83.1	19	2	1454	1205	1601	
	1	437880	97.9	19	3	1319	1826	1835	
	2	598445	90.4	17	3	1079	1981	1802	
	3	970618	91.2	17	3	1563	1151	1674	
	4	257251	98.2	17	3	1876	1977	1768	
	5	416983	59.5	17	1	1950	-	-	
	6	580724	80.1	17	2	1253	1137	-	
	7	77366	86.5	17	3	1054	1128	1828	
	8	238332	91.1	17	3	1105	1599	1442	
	9	398065	93.5	17	3	1867	1373	1087	
	10	562025	60.7	17	1	1033	-	-	
	11	57694	67.2	17	2	1288	1405	-	
	12	21083	61.8	17	1	1588	-	-	
	13	379324	79.4	17	2	1933	1667	-	
	14	540896	81.4	17	2	1096	1464	-	
	15	37916	65.7	17	1	1496	-	-	
	16	198794	79.8	17	3	1733	1255	-	
	17	395974	81.1	17	2	1326	1068	-	

Appendix F

IEEE 802.11 a

Radar Type	Trial #	Freq(MHz)	Pluse Width(us)	PRF(us)	Pluse Per Hop	Hop g Rate (MHz)	Hopping Sequence Length(ms)	Visible Freqncy Number	Detect on(Yes /No)
A	1	5200	1	333.3	0	0.333	300	8	Y
	2	5200	1	333.3	0	0.333	300	5	V
	3	5200	1	333.3	0	0.333	300	3	V
	4	5200	1	333.3	0	0.333	300	3	V
	5	5200	1	333.3	0	0.333	300	5	N
	6	5200	1	333.3	0	0.333	300	3	V
	7	5200	1	333.3	0	0.333	300	4	V
	8	5200	1	333.3	0	0.333	300	3	V
	9	5200	1	333.3	0	0.333	300	3	V
	10	5200	1	333.3	0	0.333	300	3	V
	11	5200	1	333.3	0	0.333	300	5	V
	12	5200	1	333.3	0	0.333	300	2	V
	13	5200	1	333.3	0	0.333	300	1	V
	14	5200	1	333.3	0	0.333	300	3	N
	15	5200	1	333.3	0	0.333	300	4	V
	16	5200	1	333.3	0	0.333	300	3	V
	17	5200	1	333.3	0	0.333	300	1	V
	18	5200	1	333.3	0	0.333	300	3	V
	19	5200	1	333.3	0	0.333	300	7	V
	20	5200	1	333.3	0	0.333	300	7	V
	21	5200	1	333.3	0	0.333	300	3	V
	22	5200	1	333.3	0	0.333	300	2	V
	23	5200	1	333.3	0	0.333	300	4	V
	24	5200	1	333.3	0	0.333	300	4	V
	25	5200	1	333.3	0	0.333	300	3	V
	26	5200	1	333.3	0	0.333	300	3	V
	27	5200	1	333.3	0	0.333	300	3	N
	28	5200	1	333.3	0	0.333	300	3	V
	29	5200	1	333.3	0	0.333	300	4	V
	30	5200	1	333.3	0	0.333	300	8	V
B	1	5500	1	333.3	0	0.333	300	1	V
	2	5500	1	333.3	0	0.333	300	1	V
	3	5500	1	333.3	0	0.333	300	6	V
	4	5500	1	333.3	0	0.333	300	6	V
	5	5500	1	333.3	0	0.333	300	4	V
	6	5500	1	333.3	0	0.333	300	4	V
	7	5500	1	333.3	0	0.333	300	6	V
	8	5500	1	333.3	0	0.333	300	5	V
	9	5500	1	333.3	0	0.333	300	1	V
	10	5500	1	333.3	0	0.333	300	4	V
	11	5500	1	333.3	0	0.333	300	4	V
	12	5500	1	333.3	0	0.333	300	4	V
	13	5500	1	333.3	0	0.333	300	5	V
	14	5500	1	333.3	0	0.333	300	5	V
	15	5500	1	333.3	0	0.333	300	4	V
	16	5500	1	333.3	0	0.333	300	6	V
	17	5500	1	333.3	0	0.333	300	2	V
	18	5500	1	333.3	0	0.333	300	5	V
	19	5500	1	333.3	0	0.333	300	4	V
	20	5500	1	333.3	0	0.333	300	4	V
	21	5500	1	333.3	0	0.333	300	5	V
	22	5500	1	333.3	0	0.333	300	8	V
	23	5500	1	333.3	0	0.333	300	6	V
	24	5500	1	333.3	0	0.333	300	5	V
	25	5500	1	333.3	0	0.333	300	5	V
	26	5500	1	333.3	0	0.333	300	2	V
	27	5500	1	333.3	0	0.333	300	3	V
	28	5500	1	333.3	0	0.333	300	5	V
	29	5500	1	333.3	0	0.333	300	7	N
	30	5500	1	333.3	0	0.333	300	3	V

IEEE 802.11n-HT40

Radar Type	Trial #	Freq(MHz)	Pluse Width(us)	PRF(us)	Pluse Per Hop	Hop g Rate (MHz)	Hopping Sequence Length(ms)	Visible Freqncy Number	Detect on(Yes /No)
A	1	5210	1	333.3	0	0.333	300	8	N
	2	5210	1	333.3	0	0.333	300	6	V
	3	5210	1	333.3	0	0.333	300	6	V
	4	5210	1	333.3	0	0.333	300	3	V
	5	5210	1	333.3	0	0.333	300	7	V
	6	5210	1	333.3	0	0.333	300	3	V
	7	5210	1	333.3	0	0.333	300	4	V
	8	5210	1	333.3	0	0.333	300	3	V
	9	5210	1	333.3	0	0.333	300	4	V
	10	5210	1	333.3	0	0.333	300	3	V
	11	5210	1	333.3	0	0.333	300	3	V
	12	5210	1	333.3	0	0.333	300	3	V
	13	5210	1	333.3	0	0.333	300	3	V
	14	5210	1	333.3	0	0.333	300	1	V
	15	5210	1	333.3	0	0.333	300	3	V
	16	5210	1	333.3	0	0.333	300	3	V
	17	5210	1	333.3	0	0.333	300	6	V
	18	5210	1	333.3	0	0.333	300	3	V
	19	5210	1	333.3	0	0.333	300	5	N
	20	5210	1	333.3	0	0.333	300	1	V
	21	5210	1	333.3	0	0.333	300	6	V
	22	5210	1	333.3	0	0.333	300	3	V
	23	5210	1	333.3	0	0.333	300	2	N
	24	5210	1	333.3	0	0.333	300	3	V
	25	5210	1	333.3	0	0.333	300	3	V
	26	5210	1	333.3	0	0.333	300	4	V
	27	5210	1	333.3	0	0.333	300	5	N
	28	5210	1	333.3	0	0.333	300	6	N
	29	5210	1	333.3	0	0.333	300	1	V
	30	5210	1	333.3	0	0.333	300	1	V
B	1	5510	1	333.3	0	0.333	300	1	V
	2	5510	1	333.3	0	0.333	300	6	V
	3	5510	1	333.3	0	0.333	300	9	V
	4	5510	1	333.3	0	0.333	300	11	V
	5	5510	1	333.3	0	0.333	300	7	V
	6	5510	1	333.3	0	0.333	300	7	V
	7	5510	1	333.3	0	0.333	300	10	V
	8	5510	1	333.3	0	0.333	300	6	V
	9	5510	1	333.3	0	0.333	300	6	V
	10	5510	1	333.3	0	0.333	300	8	V
	11	5510	1	333.3	0	0.333	300	8	V
	12	5510	1	333.3	0	0.333	300	9	N
	13	5510	1	333.3	0	0.333	300	8	N
	14	5510	1	333.3	0	0.333	300	7	V
	15	5510	1	333.3	0	0.333	300	8	V
	16	5510	1	333.3	0	0.333	300	10	V
	17	5510	1	333.3	0	0.333	300	6	V
	18	5510	1	333.3	0	0.333	300	10	V
	19	5510	1	333.3	0	0.333	300	8	N
	20	5510	1	333.3	0	0.333	300	13	V
	21	5510	1	333.3	0	0.333	300	10	V
	22	5510	1	333.3	0	0.333	300	10	V
	23	5510	1	333.3	0	0.333	300	9	N
	24	5510	1	333.3	0	0.333	300	7	N
	25	5510	1	333.3	0	0.333	300	7	V
	26	5510	1	333.3	0	0.333	300	7	N
	27	5510	1	333.3	0	0.333	300	9	V
	28	5510	1	333.3	0	0.333	300	11	V
	29	5510	1	333.3	0	0.333	300	9	V
	30	5510	1	333.3	0	0.333	300	9	V

IEEE 802.11ac-VHT80

Radar Type	Trial #	Freq(MHz)	Pluse Width(us)	PRF(us)	Pluse Per Hop	Hop g Rate (MHz)	Hopping Sequence Length(ms)	Visible Freqncy Number	Detect on(Yes /No)
A	1	5200	1	333.3	0	0.333	300	16	Y
	2	5200	1	333.3	0	0.333	300	17	V
	3	5200	1	333.3	0	0.333	300	17	V
	4	5200	1	333.3	0	0.333	300	14	V
	5	5200	1	333.3	0	0.333	300	16	V
	6	5200	1	333.3	0	0.333	300	16	V
	7	5200	1	333.3	0	0.333	300	16	V
	8	5200	1	333.3	0	0.333	300	22	V
	9	5200	1	333.3	0	0.333	300	16	V
	10	5200	1	333.3	0	0.333	300	16	V
	11	5200	1	333.3	0	0.333	300	15	V
	12	5200	1	333.3	0	0.333	300	13	V
	13	5200	1	333.3	0	0.333	300	14	V
	14	5200	1	333.3	0	0.333	300	17	N
	15	5200	1	333.3	0	0.333	300	16	V
	16	5200	1	333.3	0	0.333	300	16	V
	17	5200	1	333.3	0	0.333	300	15	V
	18	5200	1	333.3	0	0.333	300	18	V
	19	5200	1	333.3	0	0.333	300	16	V
	20	5200	1	333.3	0	0.333	300	21	V
	21	5200	1	333.3	0	0.333	300	14	V
	22	5200	1	333.3	0	0.333	300	17	V
	23	5200	1	333.3	0	0.333	300	10	V
	24	5200	1	333.3	0	0.333	300	15	V
	25	5200	1	333.3	0	0.333	300	15	N
	26	5200	1	333.3	0	0.333	300	16	V
	27	5200	1	333.3	0	0.333	300	16	V
	28	5200	1	333.3	0	0.333	300	19	V
B	1	5200	1	333.3	0	0.333	300	16	Y
	2	5200	1	333.3	0	0.333	300	17	V
	3	5200	1	333.3	0	0.333	300	17	V
	4	5200	1	333.3	0	0.333	300	14	V
	5	5200	1	333.3	0	0.333	300	16	V
	6	5200	1	333.3	0	0.333	300	16	V
	7	5200	1	333.3	0	0.333	300	16	V
	8	5200	1	333.3	0	0.333	300	22	V
	9	5200	1	333.3	0	0.333	300	16	V
	10	5200	1	333.3	0	0.333	300	16	V
	11	5200	1	333.3	0	0.333	300	15	V
	12	5200	1	333.3	0	0.333	300	22	N
	13	5200	1	333.3	0	0.333	300	14	V
	14	5200	1	333.3	0	0.333	300	17	V
	15	5200	1	333.3	0	0.333	300	16	V
	16	5200	1	333.3	0	0.333	300	22	N
	17	5200	1	333.3	0	0.333	300	16	V
	18	5200	1	333.3	0	0.333	300	22	N
	19	5200	1	333.3	0	0.333	300	16	V
	20	5200	1	333.3	0	0.333	300	17	V
	21	5200	1	333.3	0	0.333	300	14	V
	22	5200	1	333.3	0	0.333	300	18	V
	23	5200	1	333.3	0	0.333	300	16	V
	24	5200	1	333.3	0	0.333	300	14	V
	25	5200	1	333.3	0	0.333	300	16	V
	26	5200	1	333.3	0	0.333	300	18	V
	27	5200	1	333.3	0	0.333	300	20	V
	28	5200	1	333.3	0	0.333	300	16	V