


Radiated Spurious Emission above 1GHz:

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Test_Engineer	\	Test_Date	2026/9/29


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1770.0513	14.40	34.97	49.37	74.00	24.63	PASS	Horizontal	PK
2	2844.7897	17.41	34.77	52.18	74.00	21.82	PASS	Horizontal	PK
3	4803.1202	-8.60	62.29	53.69	74.00	20.31	PASS	Horizontal	PK
4	7729.3153	-1.54	51.06	49.52	74.00	24.48	PASS	Horizontal	PK
5	11284.5523	2.43	51.36	53.79	74.00	20.21	PASS	Horizontal	PK
6	16332.8889	11.38	48.75	60.13	74.00	13.87	PASS	Horizontal	PK
7	16348.8899	11.57	37.20	48.77	54.00	5.23	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Test_Engineer	\	Test_Date	2026/9/29


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1706.5804	14.11	33.82	47.93	74.00	26.07	PASS	Vertical	PK
2	2767.4512	16.88	34.82	51.70	74.00	22.30	PASS	Vertical	PK
3	4804.1203	-8.60	61.76	53.16	74.00	20.84	PASS	Vertical	PK
4	7985.3324	-1.37	53.82	52.45	74.00	21.55	PASS	Vertical	PK
5	9607.4405	1.38	55.62	57.00	74.00	17.00	PASS	Vertical	PK
6	16255.8837	10.50	49.91	60.41	74.00	13.59	PASS	Vertical	PK
7	9609.4406	1.37	48.70	50.07	54.00	3.93	PASS	Vertical	AV
8	16277.8852	10.73	38.02	48.75	54.00	5.25	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Test_Engineer	\	Test_Date	2026/9/29


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18215.5686	-26.95	63.48	36.53	74.00	37.47	PASS	Horizontal	PK
2	19373.995	-25.68	61.52	35.84	74.00	38.16	PASS	Horizontal	PK
3	20806.8123	-25.66	61.02	35.36	74.00	38.64	PASS	Horizontal	PK
4	22231.8093	-25.35	59.45	34.10	74.00	39.90	PASS	Horizontal	PK
5	23890.0556	-22.15	57.77	35.62	74.00	38.38	PASS	Horizontal	PK
6	25579.2432	-20.78	56.27	35.49	74.00	38.51	PASS	Horizontal	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Test_Engineer	\	Test_Date	2026/9/29


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18313.8326	-26.82	64.26	37.44	74.00	36.56	PASS	Vertical	PK
2	19367.1947	-25.70	61.20	35.50	74.00	38.50	PASS	Vertical	PK
3	20847.9539	-25.73	60.87	35.14	74.00	38.86	PASS	Vertical	PK
4	22411.6765	-25.09	60.17	35.08	74.00	38.92	PASS	Vertical	PK
5	24071.9629	-22.19	57.27	35.08	74.00	38.92	PASS	Vertical	PK
6	25830.5132	-20.83	55.91	35.08	74.00	38.92	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2445MHz
Test_Engineer	\	Test_Date	2026/9/29


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1653.2436	13.93	34.64	48.57	74.00	25.43	PASS	Horizontal	PK
2	2731.0487	16.97	34.78	51.75	74.00	22.25	PASS	Horizontal	PK
3	4890.126	-8.33	59.49	51.16	74.00	22.84	PASS	Horizontal	PK
4	7716.3144	-1.60	51.14	49.54	74.00	24.46	PASS	Horizontal	PK
5	9780.452	1.16	61.64	62.80	74.00	11.20	PASS	Horizontal	PK
6	16190.8794	10.43	48.10	58.53	74.00	15.47	PASS	Horizontal	PK
7	9781.4521	1.15	49.11	50.26	54.00	3.74	PASS	Horizontal	AV
8	16197.8799	10.41	35.68	46.09	54.00	7.91	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2445MHz
Test_Engineer	\	Test_Date	2026/9/29


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1716.5811	14.18	34.73	48.91	74.00	25.09	PASS	Vertical	PK
2	2853.9903	17.32	35.85	53.17	74.00	20.83	PASS	Vertical	PK
3	4890.126	-8.33	58.78	50.45	74.00	23.55	PASS	Vertical	PK
4	7726.3151	-1.55	50.84	49.29	74.00	24.71	PASS	Vertical	PK
5	9779.452	1.17	57.24	58.41	74.00	15.59	PASS	Vertical	PK
6	16272.8849	10.68	49.96	60.64	74.00	13.36	PASS	Vertical	PK
7	9780.452	1.16	48.52	49.68	54.00	4.32	PASS	Vertical	AV
8	16273.8849	10.69	38.57	49.26	54.00	4.74	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2445MHz
Test_Engineer	\	Test_Date	2026/9/29


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18436.9175	-26.70	63.12	36.42	74.00	37.58	PASS	Vertical	PK
2	19542.9817	-25.60	61.32	35.72	74.00	38.28	PASS	Vertical	PK
3	20967.2987	-25.94	60.39	34.45	74.00	39.55	PASS	Vertical	PK
4	22564.0026	-25.02	59.35	34.33	74.00	39.67	PASS	Vertical	PK
5	24177.0271	-22.56	57.16	34.60	74.00	39.40	PASS	Vertical	PK
6	25668.3267	-20.75	56.91	36.16	74.00	37.84	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Test_Engineer	\	Test_Date	2026/9/29


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1676.1784	14.03	35.01	49.04	74.00	24.96	PASS	Horizontal	PK
2	2783.0522	17.14	35.64	52.78	74.00	21.22	PASS	Horizontal	PK
3	4960.1307	-8.05	58.05	50.00	74.00	24.00	PASS	Horizontal	PK
4	7440.296	-2.50	58.98	56.48	74.00	17.52	PASS	Horizontal	PK
5	9920.4614	1.49	58.56	60.05	74.00	13.95	PASS	Horizontal	PK
6	16353.8903	11.46	49.52	60.98	74.00	13.02	PASS	Horizontal	PK
7	7441.2961	-2.48	50.43	47.95	54.00	6.05	PASS	Horizontal	AV
8	9921.4614	1.50	49.12	50.62	54.00	3.38	PASS	Horizontal	AV
9	16336.8891	11.43	37.29	48.72	54.00	5.28	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Test_Engineer	\	Test_Date	2026/9/29


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1679.912	14.02	35.15	49.17	74.00	24.83	PASS	Vertical	PK
2	2780.5187	17.08	36.26	53.34	74.00	20.66	PASS	Vertical	PK
3	4960.1307	-8.05	57.21	49.16	74.00	24.84	PASS	Vertical	PK
4	7440.296	-2.50	55.23	52.73	74.00	21.27	PASS	Vertical	PK
5	9920.4614	1.49	53.23	54.72	74.00	19.28	PASS	Vertical	PK
6	16278.8853	10.74	49.98	60.72	74.00	13.28	PASS	Vertical	PK
7	9920.4614	1.49	45.36	46.85	54.00	7.15	PASS	Vertical	AV
8	16278.8853	10.74	37.94	48.68	54.00	5.32	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Test_Engineer	\	Test_Date	2026/9/29


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18431.8173	-26.70	62.65	35.95	74.00	38.05	PASS	Horizontal	PK
2	19617.1047	-25.56	60.54	34.98	74.00	39.02	PASS	Horizontal	PK
3	21030.5412	-25.96	60.77	34.81	74.00	39.19	PASS	Horizontal	PK
4	22569.1028	-25.02	58.79	33.77	74.00	40.23	PASS	Horizontal	PK
5	24018.2407	-22.00	57.35	35.35	74.00	38.65	PASS	Horizontal	PK
6	25497.9799	-21.08	56.54	35.46	74.00	38.54	PASS	Horizontal	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Test_Engineer	\	Test_Date	2026/9/29

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18380.1352	-26.73	63.33	36.60	74.00	37.40	PASS	Vertical	PK
2	19486.5395	-25.60	61.12	35.52	74.00	38.48	PASS	Vertical	PK
3	20899.296	-25.82	60.60	34.78	74.00	39.22	PASS	Vertical	PK
4	22415.7566	-25.09	59.46	34.37	74.00	39.63	PASS	Vertical	PK
5	23851.6341	-22.23	58.46	36.23	74.00	37.77	PASS	Vertical	PK
6	25557.8223	-20.87	56.61	35.74	74.00	38.26	PASS	Vertical	PK


Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- Scan from 9kHz to 25GHz, the disturbance above 10GHz and below 30MHz was very low. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. The report records the lowest Peak value. If the Peak value is greater than 54dBμV/m, then the Average value at that time is recorded.

Restricted bands:

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Test_Engineer	\	Test_Date	2026/9/29


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	34.94	50.90	74.00	23.10	PASS	Horizontal	PK
2	2390	15.96	22.46	38.42	54.00	15.58	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Test_Engineer	\	Test_Date	2026/9/29

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.16	51.12	74.00	22.88	PASS	Vertical	PK
2	2390	15.96	22.57	38.53	54.00	15.47	PASS	Vertical	AV