Band4 QPSK BW=3MHz Channel=20385 RB Size=1 Position=#Max



Band4 QPSK BW=3MHz Channel=20385 RB Size=15 Position=#0



Band4 QAM16 BW=3MHz Channel=20385 RB Size=1 Position=#0

Band4 QAM16 BW=3MHz Channel=20385 RB Size=1 Position=#Max



Band4 QAM16 BW=3MHz Channel=20385 RB Size=15 Position=#0



Band4 QPSK BW=5MHz Channel=19975 RB Size=1 Position=#0



Band4 QPSK BW=5MHz Channel=19975 RB Size=1 Position=#Max

Band4 QPSK BW=5MHz Channel=19975 RB Size=25 Position=#0



Band4 QAM16 BW=5MHz Channel=19975 RB Size=1 Position=#0



Band4 QAM16 BW=5MHz Channel=19975 RB Size=1 Position=#Max



Band4 QAM16 BW=5MHz Channel=19975 RB Size=25 Position=#0



Band4 QPSK BW=5MHz Channel=20375 RB Size=1 Position=#Max



Band4 QPSK BW=5MHz Channel=20375 RB Size=1 Position=#0



Band4 QPSK BW=5MHz Channel=20375 RB Size=25 Position=#0



Band4 QAM16 BW=5MHz Channel=20375 RB Size=1 Position=#Max



Band4 QAM16 BW=5MHz Channel=20375 RB Size=1 Position=#0



Band4 QPSK BW=10MHz Channel=20000 RB Size=1 Position=#0



Band4 QAM16 BW=5MHz Channel=20375 RB Size=25 Position=#0



Band4 QPSK BW=10MHz Channel=20000 RB Size=1 Position=#Max

Band4 QPSK BW=10MHz Channel=20000 RB Size=50 Position=#0



Band4 QAM16 BW=10MHz Channel=20000 RB Size=1 Position=#0



Band4 QAM16 BW=10MHz Channel=20000 RB Size=1 Position=#Max



Band4 QPSK BW=10MHz Channel=20350 RB Size=1 Position=#0

Band4 QAM16 BW=10MHz Channel=20000 RB Size=50 Position=#0



Band4 QPSK BW=10MHz Channel=20350 RB Size=1 Position=#Max



Band4 QPSK BW=10MHz Channel=20350 RB Size=50 Position=#0



Band4 QAM16 BW=10MHz Channel=20350 RB Size=1 Position=#0



Band4 QAM16 BW=10MHz Channel=20350 RB Size=1 Position=#Max



Band4 QAM16 BW=10MHz Channel=20350 RB Size=50 Position=#0



Band4 QPSK BW=15MHz Channel=20025 RB Size=1 Position=#0



Band4 QPSK BW=15MHz Channel=20025 RB Size=75 Position=#0



Band4 QPSK BW=15MHz Channel=20025 RB Size=1 Position=#Max



Band4 QAM16 BW=15MHz Channel=20025 RB Size=1 Position=#0



Band4 QAM16 BW=15MHz Channel=20025 RB Size=75 Position=#0



Band4 QAM16 BW=15MHz Channel=20025 RB Size=1 Position=#Max



Band4 QPSK BW=15MHz Channel=20325 RB Size=1 Position=#0



Band4 QPSK BW=15MHz Channel=20325 RB Size=1 Position=#Max



Band4 QPSK BW=15MHz Channel=20325 RB Size=75 Position=#0



Band4 QAM16 BW=15MHz Channel=20325 RB Size=1 Position=#0



Band4 QAM16 BW=15MHz Channel=20325 RB Size=1 Position=#Max



Band4 QAM16 BW=15MHz Channel=20325 RB Size=75 Position=#0



Band4 QPSK BW=20MHz Channel=20050 RB Size=1 Position=#0



Band4 QPSK BW=20MHz Channel=20050 RB Size=100 Position=#0



Band4 QPSK BW=20MHz Channel=20050 RB Size=1 Position=#Max



Band4 QAM16 BW=20MHz Channel=20050 RB Size=1 Position=#0



Band4 QAM16 BW=20MHz Channel=20050 RB Size=1 Position=#Max



Band4 QAM16 BW=20MHz Channel=20050 RB Size=100 Position=#0



Band4 QPSK BW=20MHz Channel=20300 RB Size=1 Position=#0



Band4 QPSK BW=20MHz Channel=20300 RB Size=1 Position=#Max



Band4 QPSK BW=20MHz Channel=20300 RB Size=100 Position=#0



Band4 QAM16 BW=20MHz Channel=20300 RB Size=1 Position=#0



Band4 QAM16 BW=20MHz Channel=20300 RB Size=1 Position=#Max



Band4 QAM16 BW=20MHz Channel=20300 RB Size=100 Position=#0



Band41 QPSK BW=5MHz Channel=40065 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2526.78	-38.47	-25
2	2529	2530	1000	2529.918	-35.16	-13
3	2530	2534	1000	2533.992	-11.18	-10
4	2534	2535	100	2534.987	-20.88	-10

Band41 QPSK BW=5MHz Channel=40065 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2528.276	-40.17	-25
2	2529	2530	1000	2529.972	-38.31	-13
3	2530	2534	1000	2533.948	-33.17	-10
4	2534	2535	100	2534.036	-45.92	-10

Band41 QAM16 BW=5MHz Channel=40065 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2528.928	-38.52	-25
2	2529	2530	1000	2529.06	-38.33	-13
3	2530	2534	1000	2534	-11.18	-10
4	2534	2535	100	2534.967	-26.64	-10

Band41 QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2528.452	-38.13	-25
2	2529	2530	1000	2529.87	-34	-13
3	2530	2534	1000	2533.988	-22.75	-10
4	2534	2535	100	2534.965	-32.72	-10

Band41 QAM16 BW=5MHz Channel=40065 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2528.972	-39.16	-25
2	2529	2530	1000	2529.591	-36.94	-13
3	2530	2534	1000	2534	-24.07	-10
4	2534	2535	100	2534.924	-35.06	-10

Band41 QAM16 BW=5MHz Channel=40065 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2526.18	-40.27	-25
2	2529	2530	1000	2529.956	-36.43	-13
3	2530	2534	1000	2531.092	-33.76	-10
4	2534	2535	100	2534.639	-47.17	-10

Band41 QPSK BW=5MHz Channel=41215 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	100	2655.59	-44.43	-10
3	2656	2660	1000	2658.708	-31.27	-10
4	2660	2661	1000	2660.096	-36.68	-13
5	2661	2665	1000	2662.188	-39.68	-25

Band41 QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	100	2655.131	-30.79	-10
3	2656	2660	1000	2656.096	-21.65	-10
4	2660	2661	1000	2660.242	-36.58	-13
5	2661	2665	1000	2662.096	-38.84	-25

Band41 QPSK BW=5MHz Channel=41215 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	100	2655.004	-22.25	-10
3	2656	2660	1000	2656.012	-11.41	-10
4	2660	2661	1000	2660.042	-34.54	-13
5	2661	2665	1000	2663.072	-34.98	-25

Band41 QAM16 BW=5MHz Channel=41215 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	100	2655.533	-46.01	-10
3	2656	2660	1000	2658.972	-32.53	-10
4	2660	2661	1000	2660.034	-37.92	-13
5	2661	2665	1000	2661.352	-39.56	-25

Band41 QAM16 BW=5MHz Channel=41215 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	100	2655.009	-21.7	-10
3	2656	2660	1000	2656.024	-11.58	-10
4	2660	2661	1000	2660.067	-34.89	-13
5	2661	2665	1000	2663.232	-37.63	-25

Band41 QAM16 BW=5MHz Channel=41215 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	100	2655.007	-34.21	-10
3	2656	2660	1000	2656.032	-24.38	-10
4	2660	2661	1000	2660.128	-36.3	-13
5	2661	2665	1000	2661.12	-38.39	-25

Band41 QPSK BW=10MHz Channel=40090 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2524.765	-40.25	-25
2	2525	2530	1000	2528.735	-35.75	-13
3	2530	2534	1000	2534	-22	-10
4	2534	2535	200	2534.933	-24.51	-10

Band41 QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2524.725	-40.03	-25
2	2525	2530	1000	2530	-32.43	-13
3	2530	2534	1000	2533.66	-27.01	-10
4	2534	2535	200	2534.409	-32.98	-10

Band41 QPSK BW=10MHz Channel=40090 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2524.0475	-40.29	-25
2	2525	2530	1000	2526.6	-33.36	-13
3	2530	2534	1000	2532.708	-37.36	-10
4	2534	2535	200	2534.591	-44.44	-10

Band41 QAM16 BW=10MHz Channel=40090 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2524.0925	-40.42	-25
2	2525	2530	1000	2528.98	-37.86	-13
3	2530	2534	1000	2533.988	-20.54	-10
4	2534	2535	200	2534.986	-25.83	-10

Band41 QAM16 BW=10MHz Channel=40090 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2523.6975	-40.45	-25
2	2525	2530	1000	2526.665	-33.97	-13
3	2530	2534	1000	2531.04	-38.7	-10
4	2534	2535	200	2534.768	-45.67	-10

Band41 QAM16 BW=10MHz Channel=40090 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2524.86	-39.66	-25
2	2525	2530	1000	2529.935	-34.65	-13
3	2530	2534	1000	2533.156	-29.3	-10
4	2534	2535	200	2535	-34.92	-10

Band41 QPSK BW=10MHz Channel=41190 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	200	2655.047	-25.04	-10
3	2656	2660	1000	2656.004	-20.66	-10
4	2660	2665	1000	2660.19	-34.04	-13
5	2665	2667.5	1000	2666.8125	-39.54	-25

Band41 QPSK BW=10MHz Channel=41190 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	200	2655.335	-44.2	-10
3	2656	2660	1000	2657.972	-37.24	-10
4	2660	2665	1000	2663.085	-30.79	-13
5	2665	2667.5	1000	2665.8075	-39.58	-25

Band41 QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	200	2655.036	-30.59	-10
3	2656	2660	1000	2656.036	-25.28	-10
4	2660	2665	1000	2660.13	-29.54	-13
5	2665	2667.5	1000	2665.435	-39.16	-25

Band41 QAM16 BW=10MHz Channel=41190 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	200	2655.252	-44.77	-10
3	2656	2660	1000	2656.168	-37.22	-10
4	2660	2665	1000	2663.22	-33.17	-13
5	2665	2667.5	1000	2665.16	-39.67	-25

Band41 QAM16 BW=10MHz Channel=41190 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	200	2655.058	-26.37	-10
3	2656	2660	1000	2656.008	-22.19	-10
4	2660	2665	1000	2660.4	-33.72	-13
5	2665	2667.5	1000	2666.0575	-39.52	-25

Band41 QAM16 BW=10MHz Channel=41190 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	200	2655.085	-33.68	-10
3	2656	2660	1000	2656.16	-28.3	-10
4	2660	2665	1000	2660.005	-31.45	-13
5	2665	2667.5	1000	2667.1925	-39.16	-25

Band41 QPSK BW=15MHz Channel=40115 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2516.25	2520	1000	2517.82875	-40.26	-25
2	2520	2530	1000	2522.5	-32.71	-13
3	2530	2534	1000	2532.2	-39.41	-10
4	2534	2535	300	2534.887	-43.58	-10

Band41 QPSK BW=15MHz Channel=40115 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2516.25	2520	1000	2517.4425	-40.36	-25
2	2520	2530	1000	2526.67	-37.08	-13
3	2530	2534	1000	2533.348	-25.29	-10
4	2534	2535	300	2534.996	-25.65	-10

Band41 QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2516.25	2520	1000	2519.74125	-40.12	-25
2	2520	2530	1000	2529.89	-31.15	-13
3	2530	2534	1000	2533.972	-27.1	-10
4	2534	2535	300	2534.781	-30.78	-10

Band41 QAM16 BW=15MHz Channel=40115 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2516.25	2520	1000	2516.78625	-40.42	-25
2	2520	2530	1000	2529.13	-36.98	-13
3	2530	2534	1000	2533.276	-28.31	-10
4	2534	2535	300	2534.973	-25.67	-10

Band41 QAM16 BW=15MHz Channel=40115 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2516.25	2520	1000	2519.895	-40.47	-25
2	2520	2530	1000	2522.35	-34.51	-13
3	2530	2534	1000	2533.592	-38.78	-10
4	2534	2535	300	2534.788	-44.37	-10

Band41 QAM16 BW=15MHz Channel=40115 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2516.25	2520	1000	2519.94375	-40.04	-25
2	2520	2530	1000	2529.87	-34.51	-13
3	2530	2534	1000	2533.9	-30.16	-10
4	2534	2535	300	2534.325	-34.11	-10

Band41 QPSK BW=15MHz Channel=41165 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	300	2655.173	-43.29	-10
3	2656	2660	1000	2656.388	-38.29	-10
4	2660	2670	1000	2667.38	-31.12	-13
5	2670	2673.75	1000	2671.7025	-39.72	-25

Band41 QPSK BW=15MHz Channel=41165 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	300	2655.032	-23.42	-10
3	2656	2660	1000	2656.248	-26.73	-10
4	2660	2670	1000	2660.73	-35.22	-13
5	2670	2673.75	1000	2671.89375	-39.77	-25

Band41 QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	300	2655.809	-28.62	-10
3	2656	2660	1000	2656.388	-24.92	-10
4	2660	2670	1000	2660.43	-29.35	-13
5	2670	2673.75	1000	2670.5175	-39.22	-25

Band41 QAM16 BW=15MHz Channel=41165 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	300	2655.175	-44.03	-10
3	2656	2660	1000	2657.62	-38.39	-10
4	2660	2670	1000	2667.43	-33.14	-13
5	2670	2673.75	1000	2671.2375	-39.56	-25

Band41 QAM16 BW=15MHz Channel=41165 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	300	2655.077	-25.61	-10
3	2656	2660	1000	2656.256	-28.38	-10
4	2660	2670	1000	2660.05	-34.04	-13
5	2670	2673.75	1000	2672.835	-39.52	-25

Band41 QAM16 BW=15MHz Channel=41165 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	300	2655.079	-32	-10
3	2656	2660	1000	2656.424	-27.64	-10
4	2660	2670	1000	2660.3	-32.88	-13
5	2670	2673.75	1000	2671.425	-39.41	-25

Band41 QPSK BW=20MHz Channel=40140 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2510	2515	1000	2512.505	-40.39	-25
2	2515	2530	1000	2518.375	-33.4	-13
3	2530	2534	1000	2532.896	-38.65	-10
4	2534	2535	430	2534.93	-42.37	-10

Band41 QPSK BW=20MHz Channel=40140 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2510	2515	1000	2512.96	-40.39	-25
2	2515	2530	1000	2529.025	-36.06	-13
3	2530	2534	1000	2533.976	-25.43	-10
4	2534	2535	430	2534.934	-22.95	-10

Band41 QAM16 BW=20MHz Channel=40140 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2510	2515	1000	2514.165	-40.32	-25
2	2515	2530	1000	2527.435	-34.88	-13
3	2530	2534	1000	2533.3	-26.1	-10
4	2534	2535	430	2534.676	-23.37	-10

Band41 QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2510	2515	1000	2511.94	-40.29	-25
2	2515	2530	1000	2529.895	-32.41	-13
3	2530	2534	1000	2533.784	-29.28	-10
4	2534	2535	430	2534.942	-31.19	-10

Band41 QAM16 BW=20MHz Channel=40140 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2510	2515	1000	2513.81	-40.32	-25
2	2515	2530	1000	2518.285	-34.51	-13
3	2530	2534	1000	2532.832	-38.33	-10
4	2534	2535	430	2534.901	-42.49	-10

Band41 QAM16 BW=20MHz Channel=40140 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2510	2515	1000	2513.925	-40.35	-25
2	2515	2530	1000	2529.67	-34.72	-13
3	2530	2534	1000	2533.788	-32.26	-10
4	2534	2535	430	2534.887	-33.25	-10

Band41 QPSK BW=20MHz Channel=41140 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	430	2655.155	-42	-10
3	2656	2660	1000	2657.408	-39.01	-10
4	2660	2675	1000	2671.82	-31.62	-13
5	2675	2680	1000	2678.63	-39.7	-25

Band41 QPSK BW=20MHz Channel=41140 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	430	2655.079	-24.43	-10
3	2656	2660	1000	2656.756	-29.88	-10
4	2660	2675	1000	2661.605	-35.76	-13
5	2675	2680	1000	2675.23	-39.68	-25

Band41 QAM16 BW=20MHz Channel=41140 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	430	2655.398	-42.58	-10
3	2656	2660	1000	2656.328	-38.64	-10
4	2660	2675	1000	2671.61	-32.62	-13
5	2675	2680	1000	2675.605	-39.55	-25

Band41 QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	430	2655.986	-31.14	-10
3	2656	2660	1000	2656.064	-29.01	-10
4	2660	2675	1000	2660.045	-30.69	-13
5	2675	2680	1000	2676.81	-39.73	-25

Band41 QAM16 BW=20MHz Channel=41140 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	430	2655.015	-26.16	-10
3	2656	2660	1000	2656.428	-32.11	-10
4	2660	2675	1000	2664.65	-37.83	-13
5	2675	2680	1000	2677.12	-39.68	-25

Band41 QAM16 BW=20MHz Channel=41140 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	430	2655.905	-33.25	-10
3	2656	2660	1000	2656.04	-30.09	-10
4	2660	2675	1000	2660.09	-33.97	-13
5	2675	2680	1000	2679.58	-39.39	-25

Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#0



Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#Max

Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=1 Position=#0



Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=1 Position=#Max

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#0

Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#Max

Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=1 Position=#0



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0

Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=1 Position=#Max



Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0

Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#0

Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0

Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#Max



Band5 QAM16 BW=3MHz Channel=20415 RB Size=1 Position=#0



Band5 QAM16 BW=3MHz Channel=20415 RB Size=1 Position=#Max



Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#Max



Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#0

Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0



Band5 QAM16 BW=3MHz Channel=20635 RB Size=1 Position=#0

Band5 QAM16 BW=3MHz Channel=20635 RB Size=1 Position=#Max



Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0



Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#Max



Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#0



Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QAM16 BW=5MHz Channel=20425 RB Size=1 Position=#Max



Band5 QAM16 BW=5MHz Channel=20425 RB Size=1 Position=#0



Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#Max



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QAM16 BW=5MHz Channel=20625 RB Size=1 Position=#Max



Band5 QAM16 BW=5MHz Channel=20625 RB Size=1 Position=#0



Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#0



Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#Max



Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QAM16 BW=10MHz Channel=20450 RB Size=1 Position=#0



Band5 QAM16 BW=10MHz Channel=20450 RB Size=1 Position=#Max



Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#0



Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#Max



Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0



Band5 QAM16 BW=10MHz Channel=20600 RB Size=1 Position=#0



Band5 QAM16 BW=10MHz Channel=20600 RB Size=1 Position=#Max



Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0

Band66 QPSK BW=1.4MHz Channel=131979 RB Size=1 Position=#Max

Band66 QPSK BW=1.4MHz Channel=131979 RB Size=1 Position=#0



Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0

Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=1 Position=#0



Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0



Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=1 Position=#Max

Band66 QPSK BW=1.4MHz Channel=132665 RB Size=1 Position=#0

Band66 QPSK BW=1.4MHz Channel=132665 RB Size=1 Position=#Max

Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0

Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=1 Position=#0

Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=1 Position=#Max