







11AX40MIMO-Ant1-6965-PASS




11AX40MIMO-Ant2-6965-PASS




11AX40MIMO-Ant1-7085-PASS




11AX40MIMO-Ant2-7085-PASS




11AX80MIMO-Ant1-5985-PASS




11AX80MIMO-Ant2-5985-PASS




11AX80MIMO-Ant1-6145-PASS




11AX80MIMO-Ant2-6145-PASS




11AX80MIMO-Ant1-6385-PASS




11AX80MIMO-Ant2-6385-PASS




11AX80MIMO-Ant1-6465-PASS




11AX80MIMO-Ant2-6465-PASS




11AX80MIMO-Ant1-6545-PASS




11AX80MIMO-Ant2-6545-PASS




11AX80MIMO-Ant1-6625-PASS




11AX80MIMO-Ant2-6625-PASS




11AX80MIMO-Ant1-6705-PASS




11AX80MIMO-Ant2-6705-PASS




11AX80MIMO-Ant1-6785-PASS




11AX80MIMO-Ant2-6785-PASS




11AX80MIMO-Ant1-6865-PASS




11AX80MIMO-Ant2-6865-PASS




11AX80MIMO-Ant1-6945-PASS




11AX80MIMO-Ant2-6945-PASS




11AX80MIMO-Ant1-7025-PASS




11AX80MIMO-Ant2-7025-PASS




11AX160MIMO-Ant1-6025-PASS




11AX160MIMO-Ant2-6025-PASS




11AX160MIMO-Ant1-6185-PASS




11AX160MIMO-Ant2-6185-PASS




11AX160MIMO-Ant1-6345-PASS




11AX160MIMO-Ant2-6345-PASS




11AX160MIMO-Ant1-6505-PASS




11AX160MIMO-Ant2-6505-PASS




11AX160MIMO-Ant1-6665-PASS




11AX160MIMO-Ant2-6665-PASS




11AX160MIMO-Ant1-6825-PASS



11AX160MIMO-Ant2-6825-PASS



11AX160MIMO-Ant1-6985-PASS



11AX160MIMO-Ant2-6985-PASS

## 8.2 MAXIMUM CONDUCTED OUTPUT POWER

### 8.2.1 Applicable Standard

According to FCC Part 15.407(a)  
 According to 789033 D02 Section II.E.2.b)  
 According to 987594 D02 Section II.E  
 According to RSS-248 4.6

### 8.2.2 Conformance Limit

#### FCC Limit:

|                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                              |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| •                                                                                                                                                                                                                                                                                      | For an <b>indoor access point(6ID)</b> operating in the 5.925-7.125 GHz band, the maximum e.i.r.p. over the frequency band of operation must not exceed 30 dBm.                                              |
| •                                                                                                                                                                                                                                                                                      | For a <b>subordinate device(6PP)</b> operating under the control of an indoor access point in the 5.925-7.125 GHz band, the maximum e.i.r.p. over the frequency band of operation must not exceed 30 dBm.    |
| •                                                                                                                                                                                                                                                                                      | For an <b>indoor client device(6XD)</b> operating under the control of an indoor access point in the 5.925-7.125 GHz band, the maximum e.i.r.p. over the frequency band of operation must not exceed 24 dBm. |
| •                                                                                                                                                                                                                                                                                      | For a <b>Dual client device(6CD)</b> operating under the control of an indoor access point in the 5.925-7.125 GHz band, the maximum e.i.r.p. over the frequency band of operation must not exceed 24 dBm.    |
| •                                                                                                                                                                                                                                                                                      | For a <b>Dual client device(6CD)</b> operating under the control of an standard access point in the 5.925-7.125 GHz band, the maximum e.i.r.p. over the frequency band of operation must not exceed 30 dBm.  |
| The limits are based upon the maximum antenna gain does not exceed 6 dBi.<br>If transmitting antennas of directional gain greater than 6 dBi are used, the maximum conducted output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. |                                                                                                                                                                                                              |

#### IC Limit:

|                                                                                                                                                                                                                                                                                        |                                                                                                                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| •                                                                                                                                                                                                                                                                                      | Other than client devices<br>The maximum e.i.r.p. over the 5925-7125 MHz frequency band shall not exceed 30 dBm. |
| •                                                                                                                                                                                                                                                                                      | Client devices<br>The maximum e.i.r.p. over the 5925-7125 MHz frequency band shall not exceed 24 dBm.            |
| The limits are based upon the maximum antenna gain does not exceed 6 dBi.<br>If transmitting antennas of directional gain greater than 6 dBi are used, the maximum conducted output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. |                                                                                                                  |

### 8.2.3 Test Configuration

Test according to clause 7.1 radio frequency test setup

### 8.2.4 Test Procedure

Method SA-2 (trace averaging across on and off times of the EUT transmissions, followed by duty cycle correction).

- (i) Measure the duty cycle, x, of the transmitter output signal.
- (ii) Set span to encompass the EBW (or the entire 99% occupied bandwidth) of the signal.
- (iii) Set RBW = 1 MHz.
- (iv) Set VBW ≥ 3 MHz.
- (v) Number of points in sweep  $\geq 2 \times \text{span} / \text{RBW}$ . (This ensures that bin-to-bin spacing is  $\leq \text{RBW}/2$ , so that narrowband signals are not lost between frequency bins.)
- (vi) Sweep time = auto.
- (vii) Detector = power averaging (rms).
- (viii) Do not use sweep triggering. Allow the sweep to “free run.”
- (ix) Trace average at least 100 traces in power averaging (rms) mode; however, the number of traces to be averaged shall be increased above 100 as needed to ensure that the average accurately represents the true average over the on and off periods of the transmitter.

- (x) Compute power by integrating the spectrum across the EBW (or the entire 99% occupied bandwidth) of the signal using the instrument's band power measurement function with band limits set equal to the EBW (or occupied bandwidth) band edges. If the instrument does not have a band power function, sum the spectrum levels (in power units) at 1 MHz intervals extending across the EBW (or the entire 99% occupied bandwidth) of the signal.
- (xi) Add  $10 \log (1/x)$ , where  $x$  is the duty cycle, to the measured power in order to compute the average power during the actual transmission times (because the measurement represents an average over both the on and off times of the transmission). For example, add  $10 \log (1/0.25) = 6 \text{ dB}$  if the duty cycle is 25%.

### 8.2.5 Test Results

#### PASS

|               |      |                |           |
|---------------|------|----------------|-----------|
| Temperature : | 25°C | ATM Pressure:  | 1011 mbar |
| Humidity :    | 48 % | Test Engineer: | GJ        |



Partial RU modes:

Note: The Duty Cycle has been tested and listed in the below table, which has been compensated in the graph.

| Test Mode  | Antenna | Frequency [MHz] | RU Size | RU Index | Set Power | Duty Cycle [%] | DC Factor [dBm] | Result [dBm] | Limit [dBm] | Gain [dBi] | EIRP [dBm] | EIRP Limit [dBm] | Verdict |
|------------|---------|-----------------|---------|----------|-----------|----------------|-----------------|--------------|-------------|------------|------------|------------------|---------|
| 11AX20MIMO | Ant1    | 5955            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -10.04       | ≤19.47      | 4.53       | -5.51      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 5955            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -10.04       | ≤20.10      | 3.90       | -6.14      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 5955            | 26Tone  | RU0      | ---       | ---            | ---             | -7.03        | ≤19.47      | 4.53       | -2.50      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 5955            | 52Tone  | RU37     | ---       | 96.62          | 0.15            | -6.93        | ≤19.47      | 4.53       | -2.40      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 5955            | 52Tone  | RU37     | ---       | 96.62          | 0.15            | -6.80        | ≤20.10      | 3.90       | -2.90      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 5955            | 52Tone  | RU37     | ---       | ---            | ---             | -3.85        | ≤19.47      | 4.53       | 0.68       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 5955            | 106Tone | RU53     | ---       | 98.70          | 0.06            | -4.27        | ≤19.47      | 4.53       | 0.26       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 5955            | 106Tone | RU53     | ---       | 98.70          | 0.06            | -4.10        | ≤20.10      | 3.90       | -0.20      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 5955            | 106Tone | RU53     | ---       | ---            | ---             | -1.17        | ≤19.47      | 4.53       | 3.36       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6175            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -11.42       | ≤19.47      | 4.53       | -6.89      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6175            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -12.54       | ≤20.10      | 3.90       | -8.64      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6175            | 26Tone  | RU0      | ---       | ---            | ---             | -8.93        | ≤19.47      | 4.53       | -4.40      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6175            | 52Tone  | RU37     | ---       | 96.64          | 0.15            | -8.98        | ≤19.47      | 4.53       | -4.45      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6175            | 52Tone  | RU37     | ---       | 96.62          | 0.15            | -10.14       | ≤20.10      | 3.90       | -6.24      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6175            | 52Tone  | RU37     | ---       | ---            | ---             | -6.51        | ≤19.47      | 4.53       | -1.98      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6175            | 106Tone | RU53     | ---       | 98.38          | 0.07            | -6.04        | ≤19.47      | 4.53       | -1.51      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6175            | 106Tone | RU53     | ---       | 98.38          | 0.07            | -7.15        | ≤20.10      | 3.90       | -3.25      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6175            | 106Tone | RU53     | ---       | ---            | ---             | -3.55        | ≤19.47      | 4.53       | 0.98       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6415            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -10.99       | ≤19.47      | 4.53       | -6.46      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6415            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -10.99       | ≤20.10      | 3.90       | -7.09      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6415            | 26Tone  | RU0      | ---       | ---            | ---             | -7.98        | ≤19.47      | 4.53       | -3.45      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6415            | 52Tone  | RU37     | ---       | 96.64          | 0.15            | -8.46        | ≤19.47      | 4.53       | -3.93      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6415            | 52Tone  | RU37     | ---       | 96.62          | 0.15            | -8.71        | ≤20.10      | 3.90       | -4.81      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6415            | 52Tone  | RU37     | ---       | ---            | ---             | -5.57        | ≤19.47      | 4.53       | -1.04      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6415            | 106Tone | RU53     | ---       | 98.38          | 0.07            | -5.43        | ≤19.47      | 4.53       | -0.90      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6415            | 106Tone | RU53     | ---       | 98.38          | 0.07            | -5.58        | ≤20.10      | 3.90       | -1.68      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6415            | 106Tone | RU53     | ---       | ---            | ---             | -2.49        | ≤19.47      | 4.53       | 2.04       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6435            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -10.84       | ≤19.47      | 4.53       | -6.31      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6435            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -10.86       | ≤20.10      | 3.90       | -6.96      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6435            | 26Tone  | RU0      | ---       | ---            | ---             | -7.84        | ≤19.47      | 4.53       | -3.31      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6435            | 52Tone  | RU37     | ---       | 96.62          | 0.15            | -8.33        | ≤19.47      | 4.53       | -3.80      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6435            | 52Tone  | RU37     | ---       | 96.64          | 0.15            | -8.39        | ≤20.10      | 3.90       | -4.49      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6435            | 52Tone  | RU37     | ---       | ---            | ---             | -5.35        | ≤19.47      | 4.53       | -0.82      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6435            | 106Tone | RU53     | ---       | 98.70          | 0.06            | -5.45        | ≤19.47      | 4.53       | -0.92      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6435            | 106Tone | RU53     | ---       | 98.38          | 0.07            | -5.57        | ≤20.10      | 3.90       | -1.67      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6435            | 106Tone | RU53     | ---       | ---            | ---             | -2.50        | ≤19.47      | 4.53       | 2.03       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6475            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -10.79       | ≤19.47      | 4.53       | -6.26      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6475            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -11.69       | ≤20.10      | 3.90       | -7.79      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6475            | 26Tone  | RU0      | ---       | ---            | ---             | -8.21        | ≤19.47      | 4.53       | -3.68      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6475            | 52Tone  | RU37     | ---       | 96.64          | 0.15            | -8.27        | ≤19.47      | 4.53       | -3.74      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6475            | 52Tone  | RU37     | ---       | 96.62          | 0.15            | -9.36        | ≤20.10      | 3.90       | -5.46      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6475            | 52Tone  | RU37     | ---       | ---            | ---             | -5.77        | ≤19.47      | 4.53       | -1.24      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6475            | 106Tone | RU53     | ---       | 98.38          | 0.07            | -5.71        | ≤19.47      | 4.53       | -1.18      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6475            | 106Tone | RU53     | ---       | 98.38          | 0.07            | -6.71        | ≤20.10      | 3.90       | -2.81      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6475            | 106Tone | RU53     | ---       | ---            | ---             | -3.17        | ≤19.47      | 4.53       | 1.36       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6515            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -11.55       | ≤19.47      | 4.53       | -7.02      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6515            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -12.98       | ≤20.10      | 3.90       | -9.08      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6515            | 26Tone  | RU0      | ---       | ---            | ---             | -9.20        | ≤19.47      | 4.53       | -4.67      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6515            | 52Tone  | RU37     | ---       | 96.64          | 0.15            | -9.15        | ≤19.47      | 4.53       | -4.62      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6515            | 52Tone  | RU37     | ---       | 96.64          | 0.15            | -10.73       | ≤20.10      | 3.90       | -6.83      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6515            | 52Tone  | RU37     | ---       | ---            | ---             | -6.86        | ≤19.47      | 4.53       | -2.33      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6515            | 106Tone | RU53     | ---       | 98.38          | 0.07            | -6.72        | ≤19.47      | 4.53       | -2.19      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6515            | 106Tone | RU53     | ---       | 98.38          | 0.07            | -8.19        | ≤20.10      | 3.90       | -4.29      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6515            | 106Tone | RU53     | ---       | ---            | ---             | -4.38        | ≤19.47      | 4.53       | 0.15       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6535            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -11.84       | ≤19.47      | 4.53       | -7.31      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6535            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -13.53       | ≤20.10      | 3.90       | -9.63      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6535            | 26Tone  | RU0      | ---       | ---            | ---             | -9.59        | ≤19.47      | 4.53       | -5.06      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6535            | 52Tone  | RU37     | ---       | 96.64          | 0.15            | -9.50        | ≤19.47      | 4.53       | -4.97      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6535            | 52Tone  | RU37     | ---       | 96.64          | 0.15            | -11.33       | ≤20.10      | 3.90       | -7.43      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6535            | 52Tone  | RU37     | ---       | ---            | ---             | -7.31        | ≤19.47      | 4.53       | -2.78      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6535            | 106Tone | RU53     | ---       | 98.38          | 0.07            | -7.17        | ≤19.47      | 4.53       | -2.64      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6535            | 106Tone | RU53     | ---       | 98.70          | 0.06            | -8.89        | ≤20.10      | 3.90       | -4.99      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6535            | 106Tone | RU53     | ---       | ---            | ---             | -4.94        | ≤19.47      | 4.53       | -0.41      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6695            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -15.16       | ≤19.47      | 4.53       | -10.63     | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6695            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -15.68       | ≤20.10      | 3.90       | -11.78     | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6695            | 26Tone  | RU0      | ---       | ---            | ---             | -12.40       | ≤19.47      | 4.53       | -7.87      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6695            | 52Tone  | RU37     | ---       | 96.64          | 0.15            | -12.75       | ≤19.47      | 4.53       | -8.22      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6695            | 52Tone  | RU37     | ---       | 96.62          | 0.15            | -13.24       | ≤20.10      | 3.90       | -9.34      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6695            | 52Tone  | RU37     | ---       | ---            | ---             | -9.98        | ≤19.47      | 4.53       | -5.45      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6695            | 106Tone | RU53     | ---       | 98.38          | 0.07            | -10.07       | ≤19.47      | 4.53       | -5.54      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6695            | 106Tone | RU53     | ---       | 98.38          | 0.07            | -10.46       | ≤20.10      | 3.90       | -6.56      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6695            | 106Tone | RU53     | ---       | ---            | ---             | -7.25        | ≤19.47      | 4.53       | -2.72      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6855            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -11.46       | ≤19.47      | 4.53       | -6.93      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6855            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -11.78       | ≤20.10      | 3.90       | -7.88      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6855            | 26Tone  | RU0      | ---       | ---            | ---             | -8.61        | ≤19.47      | 4.53       | -4.08      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6855            | 52Tone  | RU37     | ---       | 96.64          | 0.15            | -9.38        | ≤19.47      | 4.53       | -4.85      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6855            | 52Tone  | RU37     | ---       | 96.64          | 0.15            | -9.52        | ≤20.10      | 3.90       | -5.62      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6855            | 52Tone  | RU37     | ---       | ---            | ---             | -6.44        | ≤19.47      | 4.53       | -1.91      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6855            | 106Tone | RU53     | ---       | 98.38          | 0.07            | -6.70        | ≤19.47      | 4.53       | -2.17      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6855            | 106Tone | RU53     | ---       | 98.38          | 0.07            | -6.88        | ≤20.10      | 3.90       | -2.98      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6855            | 106Tone | RU53     | ---       | ---            | ---             | -3.78        | ≤19.47      | 4.53       | 0.75       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6875            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -10.82       | ≤19.47      | 4.53       | -6.29      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6875            | 26Tone  | RU0      | ---       | 93.98          | 0.27            | -11.59       | ≤20.10      | 3.90       | -7.69      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6875            | 26Tone  | RU0      | ---       | ---            | ---             | -8.18        | ≤19.47      | 4.53       | -3.65      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6875            | 52Tone  | RU37     | ---       | 96.64          | 0.15            | -8.79        | ≤19.47      | 4.53       | -4.26      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6875            | 52Tone  | RU37     | ---       | 96.62          | 0.15            | -9.45        | ≤20.10      | 3.90       | -5.55      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6875            | 52Tone  | RU37     | ---       | ---            | ---             | -6.10        | ≤19.47      | 4.53       | -1.57      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6875            | 106Tone | RU53     | ---       | 98.38          | 0.07            | -6.14        | ≤19.47      | 4.53       | -1.61      | ≤24.00           | PASS    |

|            |       |      |         |      |     |       |      |        |        |      |        |        |      |
|------------|-------|------|---------|------|-----|-------|------|--------|--------|------|--------|--------|------|
| 11AX20MIMO | Ant2  | 6875 | 106Tone | RU53 | --- | 98.38 | 0.07 | -6.82  | ≤20.10 | 3.90 | -2.92  | ≤24.00 | PASS |
| 11AX20MIMO | total | 6875 | 106Tone | RU53 | --- | ---   | ---  | -3.46  | ≤19.47 | 4.53 | 1.07   | ≤24.00 | PASS |
| 11AX20MIMO | Ant1  | 6895 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -10.70 | ≤19.47 | 4.53 | -6.17  | ≤24.00 | PASS |
| 11AX20MIMO | Ant2  | 6895 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -12.11 | ≤20.10 | 3.90 | -8.21  | ≤24.00 | PASS |
| 11AX20MIMO | total | 6895 | 26Tone  | RU0  | --- | ---   | ---  | -8.34  | ≤19.47 | 4.53 | -3.81  | ≤24.00 | PASS |
| 11AX20MIMO | Ant1  | 6895 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -8.79  | ≤19.47 | 4.53 | -4.26  | ≤24.00 | PASS |
| 11AX20MIMO | Ant2  | 6895 | 52Tone  | RU37 | --- | 96.62 | 0.15 | -10.05 | ≤20.10 | 3.90 | -6.15  | ≤24.00 | PASS |
| 11AX20MIMO | total | 6895 | 52Tone  | RU37 | --- | ---   | ---  | -6.36  | ≤19.47 | 4.53 | -1.83  | ≤24.00 | PASS |
| 11AX20MIMO | Ant1  | 6895 | 106Tone | RU53 | --- | 98.38 | 0.07 | -6.21  | ≤19.47 | 4.53 | -1.68  | ≤24.00 | PASS |
| 11AX20MIMO | Ant2  | 6895 | 106Tone | RU53 | --- | 98.70 | 0.06 | -7.46  | ≤20.10 | 3.90 | -3.56  | ≤24.00 | PASS |
| 11AX20MIMO | total | 6895 | 106Tone | RU53 | --- | ---   | ---  | -3.78  | ≤19.47 | 4.53 | 0.75   | ≤24.00 | PASS |
| 11AX20MIMO | Ant1  | 6995 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -11.60 | ≤19.47 | 4.53 | -7.07  | ≤24.00 | PASS |
| 11AX20MIMO | Ant2  | 6995 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -14.43 | ≤20.10 | 3.90 | -10.53 | ≤24.00 | PASS |
| 11AX20MIMO | total | 6995 | 26Tone  | RU0  | --- | ---   | ---  | -9.78  | ≤19.47 | 4.53 | -5.25  | ≤24.00 | PASS |
| 11AX20MIMO | Ant1  | 6995 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -9.03  | ≤19.47 | 4.53 | -4.50  | ≤24.00 | PASS |
| 11AX20MIMO | Ant2  | 6995 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -11.83 | ≤20.10 | 3.90 | -7.93  | ≤24.00 | PASS |
| 11AX20MIMO | total | 6995 | 52Tone  | RU37 | --- | ---   | ---  | -7.20  | ≤19.47 | 4.53 | -2.67  | ≤24.00 | PASS |
| 11AX20MIMO | Ant1  | 6995 | 106Tone | RU53 | --- | 98.70 | 0.06 | -6.63  | ≤19.47 | 4.53 | -2.10  | ≤24.00 | PASS |
| 11AX20MIMO | Ant2  | 6995 | 106Tone | RU53 | --- | 98.38 | 0.07 | -9.26  | ≤20.10 | 3.90 | -5.36  | ≤24.00 | PASS |
| 11AX20MIMO | total | 6995 | 106Tone | RU53 | --- | ---   | ---  | -4.74  | ≤19.47 | 4.53 | -0.21  | ≤24.00 | PASS |
| 11AX20MIMO | Ant1  | 7115 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -12.54 | ≤19.47 | 4.53 | -8.01  | ≤24.00 | PASS |
| 11AX20MIMO | Ant2  | 7115 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -14.09 | ≤20.10 | 3.90 | -10.19 | ≤24.00 | PASS |
| 11AX20MIMO | total | 7115 | 26Tone  | RU0  | --- | ---   | ---  | -10.24 | ≤19.47 | 4.53 | -5.71  | ≤24.00 | PASS |
| 11AX20MIMO | Ant1  | 7115 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -9.84  | ≤19.47 | 4.53 | -5.31  | ≤24.00 | PASS |
| 11AX20MIMO | Ant2  | 7115 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -11.47 | ≤20.10 | 3.90 | -7.57  | ≤24.00 | PASS |
| 11AX20MIMO | total | 7115 | 52Tone  | RU37 | --- | ---   | ---  | -7.57  | ≤19.47 | 4.53 | -3.04  | ≤24.00 | PASS |
| 11AX20MIMO | Ant1  | 7115 | 106Tone | RU53 | --- | 98.70 | 0.06 | -7.22  | ≤19.47 | 4.53 | -2.69  | ≤24.00 | PASS |
| 11AX20MIMO | Ant2  | 7115 | 106Tone | RU53 | --- | 98.38 | 0.07 | -8.79  | ≤20.10 | 3.90 | -4.89  | ≤24.00 | PASS |
| 11AX20MIMO | total | 7115 | 106Tone | RU53 | --- | ---   | ---  | -4.92  | ≤19.47 | 4.53 | -0.39  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 5965 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -10.05 | ≤19.47 | 4.53 | -5.52  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 5965 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -10.53 | ≤20.10 | 3.90 | -6.63  | ≤24.00 | PASS |
| 11AX40MIMO | total | 5965 | 26Tone  | RU0  | --- | ---   | ---  | -7.27  | ≤19.47 | 4.53 | -2.74  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 5965 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -6.81  | ≤19.47 | 4.53 | -2.28  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 5965 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -7.27  | ≤20.10 | 3.90 | -3.37  | ≤24.00 | PASS |
| 11AX40MIMO | total | 5965 | 52Tone  | RU37 | --- | ---   | ---  | -4.02  | ≤19.47 | 4.53 | 0.51   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 5965 | 106Tone | RU53 | --- | 98.38 | 0.07 | -4.11  | ≤19.47 | 4.53 | 0.42   | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 5965 | 106Tone | RU53 | --- | 98.38 | 0.07 | -4.29  | ≤20.10 | 3.90 | -0.39  | ≤24.00 | PASS |
| 11AX40MIMO | total | 5965 | 106Tone | RU53 | --- | ---   | ---  | -1.19  | ≤19.47 | 4.53 | 3.34   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 5965 | 242Tone | RU61 | --- | 98.54 | 0.06 | -0.98  | ≤19.47 | 4.53 | 3.55   | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 5965 | 242Tone | RU61 | --- | 98.54 | 0.06 | -1.09  | ≤20.10 | 3.90 | 2.81   | ≤24.00 | PASS |
| 11AX40MIMO | total | 5965 | 242Tone | RU61 | --- | ---   | ---  | 1.98   | ≤19.47 | 4.53 | 6.51   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6165 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -11.53 | ≤19.47 | 4.53 | -7.00  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6165 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -12.54 | ≤20.10 | 3.90 | -8.64  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6165 | 26Tone  | RU0  | --- | ---   | ---  | -9.00  | ≤19.47 | 4.53 | -4.47  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6165 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -8.56  | ≤19.47 | 4.53 | -4.03  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6165 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -9.79  | ≤20.10 | 3.90 | -5.89  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6165 | 52Tone  | RU37 | --- | ---   | ---  | -6.12  | ≤19.47 | 4.53 | -1.59  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6165 | 106Tone | RU53 | --- | 98.38 | 0.07 | -5.71  | ≤19.47 | 4.53 | -1.18  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6165 | 106Tone | RU53 | --- | 98.38 | 0.07 | -6.84  | ≤20.10 | 3.90 | -2.94  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6165 | 106Tone | RU53 | --- | ---   | ---  | -3.23  | ≤19.47 | 4.53 | 1.30   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6165 | 242Tone | RU61 | --- | 98.54 | 0.06 | -3.08  | ≤19.47 | 4.53 | 1.45   | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6165 | 242Tone | RU61 | --- | 98.54 | 0.06 | -3.90  | ≤20.10 | 3.90 | 0.00   | ≤24.00 | PASS |
| 11AX40MIMO | total | 6165 | 242Tone | RU61 | --- | ---   | ---  | -0.46  | ≤19.47 | 4.53 | 4.07   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6405 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -11.88 | ≤19.47 | 4.53 | -7.35  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6405 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -11.99 | ≤20.10 | 3.90 | -8.09  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6405 | 26Tone  | RU0  | --- | ---   | ---  | -8.92  | ≤19.47 | 4.53 | -4.39  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6405 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -8.95  | ≤19.47 | 4.53 | -4.42  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6405 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -9.28  | ≤20.10 | 3.90 | -5.38  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6405 | 52Tone  | RU37 | --- | ---   | ---  | -6.10  | ≤19.47 | 4.53 | -1.57  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6405 | 106Tone | RU53 | --- | 98.38 | 0.07 | -5.93  | ≤19.47 | 4.53 | -1.40  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6405 | 106Tone | RU53 | --- | 98.38 | 0.07 | -6.12  | ≤20.10 | 3.90 | -2.22  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6405 | 106Tone | RU53 | --- | ---   | ---  | -3.01  | ≤19.47 | 4.53 | 1.52   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6405 | 242Tone | RU61 | --- | 98.54 | 0.06 | -2.84  | ≤19.47 | 4.53 | 1.69   | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6405 | 242Tone | RU61 | --- | 98.83 | 0.05 | -2.94  | ≤20.10 | 3.90 | 0.96   | ≤24.00 | PASS |
| 11AX40MIMO | total | 6405 | 242Tone | RU61 | --- | ---   | ---  | 0.12   | ≤19.47 | 4.53 | 4.65   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6445 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -11.37 | ≤19.47 | 4.53 | -6.84  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6445 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -11.49 | ≤20.10 | 3.90 | -7.59  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6445 | 26Tone  | RU0  | --- | ---   | ---  | -8.42  | ≤19.47 | 4.53 | -3.89  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6445 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -8.51  | ≤19.47 | 4.53 | -3.98  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6445 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -8.83  | ≤20.10 | 3.90 | -4.93  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6445 | 52Tone  | RU37 | --- | ---   | ---  | -5.66  | ≤19.47 | 4.53 | -1.13  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6445 | 106Tone | RU53 | --- | 98.38 | 0.07 | -5.45  | ≤19.47 | 4.53 | -0.92  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6445 | 106Tone | RU53 | --- | 98.38 | 0.07 | -5.73  | ≤20.10 | 3.90 | -1.83  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6445 | 106Tone | RU53 | --- | ---   | ---  | -2.58  | ≤19.47 | 4.53 | 1.95   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6445 | 242Tone | RU61 | --- | 98.54 | 0.06 | -2.49  | ≤19.47 | 4.53 | 2.04   | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6445 | 242Tone | RU61 | --- | 98.54 | 0.06 | -2.65  | ≤20.10 | 3.90 | 1.25   | ≤24.00 | PASS |
| 11AX40MIMO | total | 6445 | 242Tone | RU61 | --- | ---   | ---  | 0.44   | ≤19.47 | 4.53 | 4.97   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6485 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -11.20 | ≤19.47 | 4.53 | -6.67  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6485 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -12.23 | ≤20.10 | 3.90 | -8.33  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6485 | 26Tone  | RU0  | --- | ---   | ---  | -8.67  | ≤19.47 | 4.53 | -4.14  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6485 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -8.43  | ≤19.47 | 4.53 | -3.90  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6485 | 52Tone  | RU37 | --- | 96.62 | 0.15 | -9.70  | ≤20.10 | 3.90 | -5.80  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6485 | 52Tone  | RU37 | --- | ---   | ---  | -6.01  | ≤19.47 | 4.53 | -1.48  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6485 | 106Tone | RU53 | --- | 98.38 | 0.07 | -5.38  | ≤19.47 | 4.53 | -0.85  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6485 | 106Tone | RU53 | --- | 98.70 | 0.06 | -6.64  | ≤20.10 | 3.90 | -2.74  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6485 | 106Tone | RU53 | --- | ---   | ---  | -2.95  | ≤19.47 | 4.53 | 1.58   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6485 | 242Tone | RU61 | --- | 98.83 | 0.05 | -2.68  | ≤19.47 | 4.53 | 1.85   | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6485 | 242Tone | RU61 | --- | 98.54 | 0.06 | -3.67  | ≤20.10 | 3.90 | 0.23   | ≤24.00 | PASS |
| 11AX40MIMO | total | 6485 | 242Tone | RU61 | --- | ---   | ---  | -0.14  | ≤19.47 | 4.53 | 4.39   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6525 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -11.93 | ≤19.47 | 4.53 | -7.40  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6525 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -13.45 | ≤20.10 | 3.90 | -9.55  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6525 | 26Tone  | RU0  | --- | ---   | ---  | -9.61  | ≤19.47 | 4.53 | -5.08  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6525 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -9.23  | ≤19.47 | 4.53 | -4.70  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6525 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -10.96 | ≤20.10 | 3.90 | -7.06  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6525 | 52Tone  | RU37 | --- | ---   | ---  | -7.00  | ≤19.47 | 4.53 | -2.47  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6525 | 106Tone | RU53 | --- | 98.70 | 0.06 | -6.24  | ≤19.47 | 4.53 | -1.71  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6525 | 106Tone | RU53 | --- | 98.38 | 0.07 | -7.93  | ≤20.10 | 3.90 | -4.03  | ≤24.00 | PASS |

|            |       |      |         |      |     |       |      |        |        |      |        |        |      |
|------------|-------|------|---------|------|-----|-------|------|--------|--------|------|--------|--------|------|
| 11AX40MIMO | total | 6525 | 106Tone | RU53 | --- | ---   | ---  | -3.99  | ≤19.47 | 4.53 | 0.54   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6525 | 242Tone | RU61 | --- | 98.54 | 0.06 | -3.61  | ≤19.47 | 4.53 | 0.92   | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6525 | 242Tone | RU61 | --- | 98.83 | 0.05 | -5.01  | ≤20.10 | 3.90 | -1.11  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6525 | 242Tone | RU61 | --- | ---   | ---  | -1.24  | ≤19.47 | 4.53 | 3.29   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6565 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -13.32 | ≤19.47 | 4.53 | -8.79  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6565 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -15.36 | ≤20.10 | 3.90 | -11.46 | ≤24.00 | PASS |
| 11AX40MIMO | total | 6565 | 26Tone  | RU0  | --- | ---   | ---  | -11.21 | ≤19.47 | 4.53 | -6.68  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6565 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -10.70 | ≤19.47 | 4.53 | -6.17  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6565 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -12.90 | ≤20.10 | 3.90 | -9.00  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6565 | 52Tone  | RU37 | --- | ---   | ---  | -8.65  | ≤19.47 | 4.53 | -4.12  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6565 | 106Tone | RU53 | --- | 98.38 | 0.07 | -7.72  | ≤19.47 | 4.53 | -3.19  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6565 | 106Tone | RU53 | --- | 98.38 | 0.07 | -9.85  | ≤20.10 | 3.90 | -5.95  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6565 | 106Tone | RU53 | --- | ---   | ---  | -5.65  | ≤19.47 | 4.53 | -1.12  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6565 | 242Tone | RU61 | --- | 98.54 | 0.06 | -5.17  | ≤19.47 | 4.53 | -0.64  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6565 | 242Tone | RU61 | --- | 98.83 | 0.05 | -6.84  | ≤20.10 | 3.90 | -2.94  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6565 | 242Tone | RU61 | --- | ---   | ---  | -2.91  | ≤19.47 | 4.53 | 1.62   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6685 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -15.51 | ≤19.47 | 4.53 | -10.98 | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6685 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -16.42 | ≤20.10 | 3.90 | -12.52 | ≤24.00 | PASS |
| 11AX40MIMO | total | 6685 | 26Tone  | RU0  | --- | ---   | ---  | -12.93 | ≤19.47 | 4.53 | -8.40  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6685 | 52Tone  | RU37 | --- | 96.62 | 0.15 | -12.64 | ≤19.47 | 4.53 | -8.11  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6685 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -13.65 | ≤20.10 | 3.90 | -9.75  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6685 | 52Tone  | RU37 | --- | ---   | ---  | -10.11 | ≤19.47 | 4.53 | -5.58  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6685 | 106Tone | RU53 | --- | 98.38 | 0.07 | -9.66  | ≤19.47 | 4.53 | -5.13  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6685 | 106Tone | RU53 | --- | 98.70 | 0.06 | -10.52 | ≤20.10 | 3.90 | -6.62  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6685 | 106Tone | RU53 | --- | ---   | ---  | -7.06  | ≤19.47 | 4.53 | -2.53  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6685 | 242Tone | RU61 | --- | 98.54 | 0.06 | -6.99  | ≤19.47 | 4.53 | -2.46  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6685 | 242Tone | RU61 | --- | 98.54 | 0.06 | -7.36  | ≤20.10 | 3.90 | -3.46  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6685 | 242Tone | RU61 | --- | ---   | ---  | -4.16  | ≤19.47 | 4.53 | 0.37   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6845 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -12.09 | ≤19.47 | 4.53 | -7.56  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6845 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -12.53 | ≤20.10 | 3.90 | -8.63  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6845 | 26Tone  | RU0  | --- | ---   | ---  | -9.29  | ≤19.47 | 4.53 | -4.76  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6845 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -9.56  | ≤19.47 | 4.53 | -5.03  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6845 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -10.07 | ≤20.10 | 3.90 | -6.17  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6845 | 52Tone  | RU37 | --- | ---   | ---  | -6.80  | ≤19.47 | 4.53 | -2.27  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6845 | 106Tone | RU53 | --- | 98.38 | 0.07 | -6.50  | ≤19.47 | 4.53 | -1.97  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6845 | 106Tone | RU53 | --- | 98.38 | 0.07 | -6.91  | ≤20.10 | 3.90 | -3.01  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6845 | 106Tone | RU53 | --- | ---   | ---  | -3.69  | ≤19.47 | 4.53 | 0.84   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6845 | 242Tone | RU61 | --- | 98.54 | 0.06 | -3.69  | ≤19.47 | 4.53 | 0.84   | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6845 | 242Tone | RU61 | --- | 98.83 | 0.05 | -3.71  | ≤20.10 | 3.90 | 0.19   | ≤24.00 | PASS |
| 11AX40MIMO | total | 6845 | 242Tone | RU61 | --- | ---   | ---  | -0.69  | ≤19.47 | 4.53 | 3.84   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6885 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -11.13 | ≤19.47 | 4.53 | -6.60  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6885 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -12.15 | ≤20.10 | 3.90 | -8.25  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6885 | 26Tone  | RU0  | --- | ---   | ---  | -8.60  | ≤19.47 | 4.53 | -4.07  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6885 | 52Tone  | RU37 | --- | 96.62 | 0.15 | -8.77  | ≤19.47 | 4.53 | -4.24  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6885 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -9.89  | ≤20.10 | 3.90 | -5.99  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6885 | 52Tone  | RU37 | --- | ---   | ---  | -6.28  | ≤19.47 | 4.53 | -1.75  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6885 | 106Tone | RU53 | --- | 98.38 | 0.07 | -5.67  | ≤19.47 | 4.53 | -1.14  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6885 | 106Tone | RU53 | --- | 98.38 | 0.07 | -6.71  | ≤20.10 | 3.90 | -2.81  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6885 | 106Tone | RU53 | --- | ---   | ---  | -3.15  | ≤19.47 | 4.53 | 1.38   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6885 | 242Tone | RU61 | --- | 98.54 | 0.06 | -2.94  | ≤19.47 | 4.53 | 1.59   | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6885 | 242Tone | RU61 | --- | 98.54 | 0.06 | -3.76  | ≤20.10 | 3.90 | 0.14   | ≤24.00 | PASS |
| 11AX40MIMO | total | 6885 | 242Tone | RU61 | --- | ---   | ---  | -0.32  | ≤19.47 | 4.53 | 4.21   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6925 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -10.11 | ≤19.47 | 4.53 | -5.58  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6925 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -12.17 | ≤20.10 | 3.90 | -8.27  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6925 | 26Tone  | RU0  | --- | ---   | ---  | -8.01  | ≤19.47 | 4.53 | -3.48  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6925 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -7.01  | ≤19.47 | 4.53 | -2.48  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6925 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -9.26  | ≤20.10 | 3.90 | -5.36  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6925 | 52Tone  | RU37 | --- | ---   | ---  | -4.98  | ≤19.47 | 4.53 | -0.45  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6925 | 106Tone | RU53 | --- | 98.38 | 0.07 | -3.99  | ≤19.47 | 4.53 | 0.54   | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6925 | 106Tone | RU53 | --- | 98.38 | 0.07 | -6.22  | ≤20.10 | 3.90 | -2.32  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6925 | 106Tone | RU53 | --- | ---   | ---  | -1.95  | ≤19.47 | 4.53 | 2.58   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6925 | 242Tone | RU61 | --- | 98.54 | 0.06 | -1.41  | ≤19.47 | 4.53 | 3.12   | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6925 | 242Tone | RU61 | --- | 98.54 | 0.06 | -3.40  | ≤20.10 | 3.90 | 0.50   | ≤24.00 | PASS |
| 11AX40MIMO | total | 6925 | 242Tone | RU61 | --- | ---   | ---  | 0.72   | ≤19.47 | 4.53 | 5.25   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6965 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -11.09 | ≤19.47 | 4.53 | -6.56  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6965 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -14.01 | ≤20.10 | 3.90 | -10.11 | ≤24.00 | PASS |
| 11AX40MIMO | total | 6965 | 26Tone  | RU0  | --- | ---   | ---  | -9.30  | ≤19.47 | 4.53 | -4.77  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6965 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -8.17  | ≤19.47 | 4.53 | -3.64  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6965 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -11.17 | ≤20.10 | 3.90 | -7.27  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6965 | 52Tone  | RU37 | --- | ---   | ---  | -6.41  | ≤19.47 | 4.53 | -1.88  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6965 | 106Tone | RU53 | --- | 98.38 | 0.07 | -5.19  | ≤19.47 | 4.53 | -0.66  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6965 | 106Tone | RU53 | --- | 98.38 | 0.07 | -8.16  | ≤20.10 | 3.90 | -4.26  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6965 | 106Tone | RU53 | --- | ---   | ---  | -3.42  | ≤19.47 | 4.53 | 1.11   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 6965 | 242Tone | RU61 | --- | 98.54 | 0.06 | -2.71  | ≤19.47 | 4.53 | 1.82   | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 6965 | 242Tone | RU61 | --- | 98.83 | 0.05 | -5.31  | ≤20.10 | 3.90 | -1.41  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6965 | 242Tone | RU61 | --- | ---   | ---  | -0.81  | ≤19.47 | 4.53 | 3.72   | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 7085 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -12.68 | ≤19.47 | 4.53 | -8.15  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 7085 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -14.92 | ≤20.10 | 3.90 | -11.02 | ≤24.00 | PASS |
| 11AX40MIMO | total | 7085 | 26Tone  | RU0  | --- | ---   | ---  | -10.65 | ≤19.47 | 4.53 | -6.12  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 7085 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -9.60  | ≤19.47 | 4.53 | -5.07  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 7085 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -12.00 | ≤20.10 | 3.90 | -8.10  | ≤24.00 | PASS |
| 11AX40MIMO | total | 7085 | 52Tone  | RU37 | --- | ---   | ---  | -7.63  | ≤19.47 | 4.53 | -3.10  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 7085 | 106Tone | RU53 | --- | 98.70 | 0.06 | -6.61  | ≤19.47 | 4.53 | -2.08  | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 7085 | 106Tone | RU53 | --- | 98.38 | 0.07 | -8.85  | ≤20.10 | 3.90 | -4.95  | ≤24.00 | PASS |
| 11AX40MIMO | total | 7085 | 106Tone | RU53 | --- | ---   | ---  | -4.58  | ≤19.47 | 4.53 | -0.05  | ≤24.00 | PASS |
| 11AX40MIMO | Ant1  | 7085 | 242Tone | RU61 | --- | 98.83 | 0.05 | -4.02  | ≤19.47 | 4.53 | 0.51   | ≤24.00 | PASS |
| 11AX40MIMO | Ant2  | 7085 | 242Tone | RU61 | --- | 98.54 | 0.06 | -5.82  | ≤20.10 | 3.90 | -1.92  | ≤24.00 | PASS |
| 11AX40MIMO | total | 7085 | 242Tone | RU61 | --- | ---   | ---  | -1.82  | ≤19.47 | 4.53 | 2.71   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 5985 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -9.93  | ≤19.47 | 4.53 | -5.40  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 5985 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -10.35 | ≤20.10 | 3.90 | -6.45  | ≤24.00 | PASS |
| 11AX80MIMO | total | 5985 | 26Tone  | RU0  | --- | ---   | ---  | -7.12  | ≤19.47 | 4.53 | -2.59  | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 5985 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -7.43  | ≤19.47 | 4.53 | -2.90  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 5985 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -7.54  | ≤20.10 | 3.90 | -3.64  | ≤24.00 | PASS |
| 11AX80MIMO | total | 5985 | 52Tone  | RU37 | --- | ---   | ---  | -4.47  | ≤19.47 | 4.53 | 0.06   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 5985 | 106Tone | RU53 | --- | 98.38 | 0.07 | -4.40  | ≤19.47 | 4.53 | 0.13   | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 5985 | 106Tone | RU53 | --- | 98.38 | 0.07 | -4.30  | ≤20.10 | 3.90 | -0.40  | ≤24.00 | PASS |
| 11AX80MIMO | total | 5985 | 106Tone | RU53 | --- | ---   | ---  | -1.34  | ≤19.47 | 4.53 | 3.19   | ≤24.00 | PASS |

|            |       |      |         |      |     |       |      |        |        |      |        |        |      |
|------------|-------|------|---------|------|-----|-------|------|--------|--------|------|--------|--------|------|
| 11AX80MIMO | Ant1  | 5985 | 242Tone | RU61 | --- | 99.28 | 0.03 | -1.21  | ≤19.47 | 4.53 | 3.32   | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 5985 | 242Tone | RU61 | --- | 99.09 | 0.04 | -1.32  | ≤20.10 | 3.90 | 2.58   | ≤24.00 | PASS |
| 11AX80MIMO | total | 5985 | 242Tone | RU61 | --- | ---   | ---  | 1.75   | ≤19.47 | 4.53 | 6.28   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 5985 | 484Tone | RU65 | --- | 99.09 | 0.04 | 2.34   | ≤19.47 | 4.53 | 6.87   | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 5985 | 484Tone | RU65 | --- | 98.92 | 0.05 | 1.74   | ≤20.10 | 3.90 | 5.64   | ≤24.00 | PASS |
| 11AX80MIMO | total | 5985 | 484Tone | RU65 | --- | ---   | ---  | 5.06   | ≤19.47 | 4.53 | 9.59   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6145 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -10.69 | ≤19.47 | 4.53 | -6.16  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6145 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -11.61 | ≤20.10 | 3.90 | -7.71  | ≤24.00 | PASS |
| 11AX80MIMO | total | 6145 | 26Tone  | RU0  | --- | ---   | ---  | -8.12  | ≤19.47 | 4.53 | -3.59  | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6145 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -8.08  | ≤19.47 | 4.53 | -3.55  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6145 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -9.17  | ≤20.10 | 3.90 | -5.27  | ≤24.00 | PASS |
| 11AX80MIMO | total | 6145 | 52Tone  | RU37 | --- | ---   | ---  | -5.58  | ≤19.47 | 4.53 | -1.05  | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6145 | 106Tone | RU53 | --- | 98.38 | 0.07 | -5.00  | ≤19.47 | 4.53 | -0.47  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6145 | 106Tone | RU53 | --- | 98.38 | 0.07 | -5.98  | ≤20.10 | 3.90 | -2.08  | ≤24.00 | PASS |
| 11AX80MIMO | total | 6145 | 106Tone | RU53 | --- | ---   | ---  | -2.45  | ≤19.47 | 4.53 | 2.08   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6145 | 242Tone | RU61 | --- | 99.09 | 0.04 | -2.31  | ≤19.47 | 4.53 | 2.22   | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6145 | 242Tone | RU61 | --- | 99.09 | 0.04 | -3.08  | ≤20.10 | 3.90 | 0.82   | ≤24.00 | PASS |
| 11AX80MIMO | total | 6145 | 242Tone | RU61 | --- | ---   | ---  | 0.33   | ≤19.47 | 4.53 | 4.86   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6145 | 484Tone | RU65 | --- | 99.09 | 0.04 | 1.81   | ≤19.47 | 4.53 | 6.34   | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6145 | 484Tone | RU65 | --- | 99.09 | 0.04 | 0.91   | ≤20.10 | 3.90 | 4.81   | ≤24.00 | PASS |
| 11AX80MIMO | total | 6145 | 484Tone | RU65 | --- | ---   | ---  | 4.39   | ≤19.47 | 4.53 | 8.92   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6385 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -12.44 | ≤19.47 | 4.53 | -7.91  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6385 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -12.82 | ≤20.10 | 3.90 | -8.92  | ≤24.00 | PASS |
| 11AX80MIMO | total | 6385 | 26Tone  | RU0  | --- | ---   | ---  | -9.62  | ≤19.47 | 4.53 | -5.09  | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6385 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -9.92  | ≤19.47 | 4.53 | -5.39  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6385 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -10.49 | ≤20.10 | 3.90 | -6.59  | ≤24.00 | PASS |
| 11AX80MIMO | total | 6385 | 52Tone  | RU37 | --- | ---   | ---  | -7.19  | ≤19.47 | 4.53 | -2.66  | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6385 | 106Tone | RU53 | --- | 98.38 | 0.07 | -6.73  | ≤19.47 | 4.53 | -2.20  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6385 | 106Tone | RU53 | --- | 98.70 | 0.06 | -7.15  | ≤20.10 | 3.90 | -3.25  | ≤24.00 | PASS |
| 11AX80MIMO | total | 6385 | 106Tone | RU53 | --- | ---   | ---  | -3.92  | ≤19.47 | 4.53 | 0.61   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6385 | 242Tone | RU61 | --- | 99.09 | 0.04 | -3.66  | ≤19.47 | 4.53 | 0.87   | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6385 | 242Tone | RU61 | --- | 99.27 | 0.03 | -4.08  | ≤20.10 | 3.90 | -0.18  | ≤24.00 | PASS |
| 11AX80MIMO | total | 6385 | 242Tone | RU61 | --- | ---   | ---  | -0.85  | ≤19.47 | 4.53 | 3.68   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6385 | 484Tone | RU65 | --- | 99.09 | 0.04 | 2.38   | ≤19.47 | 4.53 | 6.91   | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6385 | 484Tone | RU65 | --- | 99.09 | 0.04 | 1.57   | ≤20.10 | 3.90 | 5.47   | ≤24.00 | PASS |
| 11AX80MIMO | total | 6385 | 484Tone | RU65 | --- | ---   | ---  | 5.00   | ≤19.47 | 4.53 | 9.53   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6465 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -11.59 | ≤19.47 | 4.53 | -7.06  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6465 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -11.75 | ≤20.10 | 3.90 | -7.85  | ≤24.00 | PASS |
| 11AX80MIMO | total | 6465 | 26Tone  | RU0  | --- | ---   | ---  | -8.66  | ≤19.47 | 4.53 | -4.13  | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6465 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -9.19  | ≤19.47 | 4.53 | -4.66  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6465 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -9.33  | ≤20.10 | 3.90 | -5.43  | ≤24.00 | PASS |
| 11AX80MIMO | total | 6465 | 52Tone  | RU37 | --- | ---   | ---  | -6.25  | ≤19.47 | 4.53 | -1.72  | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6465 | 106Tone | RU53 | --- | 98.38 | 0.07 | -6.01  | ≤19.47 | 4.53 | -1.48  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6465 | 106Tone | RU53 | --- | 98.38 | 0.07 | -6.03  | ≤20.10 | 3.90 | -2.13  | ≤24.00 | PASS |
| 11AX80MIMO | total | 6465 | 106Tone | RU53 | --- | ---   | ---  | -3.01  | ≤19.47 | 4.53 | 1.52   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6465 | 242Tone | RU61 | --- | 99.28 | 0.03 | -2.90  | ≤19.47 | 4.53 | 1.63   | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6465 | 242Tone | RU61 | --- | 99.09 | 0.04 | -3.08  | ≤20.10 | 3.90 | 0.82   | ≤24.00 | PASS |
| 11AX80MIMO | total | 6465 | 242Tone | RU61 | --- | ---   | ---  | 0.02   | ≤19.47 | 4.53 | 4.55   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6465 | 484Tone | RU65 | --- | 99.09 | 0.04 | 1.99   | ≤19.47 | 4.53 | 6.52   | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6465 | 484Tone | RU65 | --- | 99.09 | 0.04 | 1.52   | ≤20.10 | 3.90 | 5.42   | ≤24.00 | PASS |
| 11AX80MIMO | total | 6465 | 484Tone | RU65 | --- | ---   | ---  | 4.77   | ≤19.47 | 4.53 | 9.30   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6545 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -11.97 | ≤19.47 | 4.53 | -7.44  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6545 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -13.48 | ≤20.10 | 3.90 | -9.58  | ≤24.00 | PASS |
| 11AX80MIMO | total | 6545 | 26Tone  | RU0  | --- | ---   | ---  | -9.65  | ≤19.47 | 4.53 | -5.12  | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6545 | 52Tone  | RU37 | --- | 96.62 | 0.15 | -9.75  | ≤19.47 | 4.53 | -5.22  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6545 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -11.20 | ≤20.10 | 3.90 | -7.30  | ≤24.00 | PASS |
| 11AX80MIMO | total | 6545 | 52Tone  | RU37 | --- | ---   | ---  | -7.40  | ≤19.47 | 4.53 | -2.87  | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6545 | 106Tone | RU53 | --- | 98.38 | 0.07 | -6.66  | ≤19.47 | 4.53 | -2.13  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6545 | 106Tone | RU53 | --- | 98.38 | 0.07 | -7.98  | ≤20.10 | 3.90 | -4.08  | ≤24.00 | PASS |
| 11AX80MIMO | total | 6545 | 106Tone | RU53 | --- | ---   | ---  | -4.26  | ≤19.47 | 4.53 | 0.27   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6545 | 242Tone | RU61 | --- | 99.28 | 0.03 | -3.74  | ≤19.47 | 4.53 | 0.79   | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6545 | 242Tone | RU61 | --- | 99.09 | 0.04 | -5.13  | ≤20.10 | 3.90 | -1.23  | ≤24.00 | PASS |
| 11AX80MIMO | total | 6545 | 242Tone | RU61 | --- | ---   | ---  | -1.37  | ≤19.47 | 4.53 | 3.16   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6545 | 484Tone | RU65 | --- | 98.92 | 0.05 | 2.40   | ≤19.47 | 4.53 | 6.93   | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6545 | 484Tone | RU65 | --- | 99.10 | 0.04 | 1.11   | ≤20.10 | 3.90 | 5.01   | ≤24.00 | PASS |
| 11AX80MIMO | total | 6545 | 484Tone | RU65 | --- | ---   | ---  | 4.81   | ≤19.47 | 4.53 | 9.34   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6625 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -14.95 | ≤19.47 | 4.53 | -10.42 | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6625 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -16.20 | ≤20.10 | 3.90 | -12.30 | ≤24.00 | PASS |
| 11AX80MIMO | total | 6625 | 26Tone  | RU0  | --- | ---   | ---  | -12.52 | ≤19.47 | 4.53 | -7.99  | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6625 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -12.62 | ≤19.47 | 4.53 | -8.09  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6625 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -13.76 | ≤20.10 | 3.90 | -9.86  | ≤24.00 | PASS |
| 11AX80MIMO | total | 6625 | 52Tone  | RU37 | --- | ---   | ---  | -10.14 | ≤19.47 | 4.53 | -5.61  | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6625 | 106Tone | RU53 | --- | 98.38 | 0.07 | -9.49  | ≤19.47 | 4.53 | -4.96  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6625 | 106Tone | RU53 | --- | 98.38 | 0.07 | -10.40 | ≤20.10 | 3.90 | -6.50  | ≤24.00 | PASS |
| 11AX80MIMO | total | 6625 | 106Tone | RU53 | --- | ---   | ---  | -6.91  | ≤19.47 | 4.53 | -2.38  | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6625 | 242Tone | RU61 | --- | 99.28 | 0.03 | -6.57  | ≤19.47 | 4.53 | -2.04  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6625 | 242Tone | RU61 | --- | 99.28 | 0.03 | -7.48  | ≤20.10 | 3.90 | -3.58  | ≤24.00 | PASS |
| 11AX80MIMO | total | 6625 | 242Tone | RU61 | --- | ---   | ---  | -3.99  | ≤19.47 | 4.53 | 0.54   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6625 | 484Tone | RU65 | --- | 99.28 | 0.03 | 1.80   | ≤19.47 | 4.53 | 6.33   | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6625 | 484Tone | RU65 | --- | 99.09 | 0.04 | 0.61   | ≤20.10 | 3.90 | 4.51   | ≤24.00 | PASS |
| 11AX80MIMO | total | 6625 | 484Tone | RU65 | --- | ---   | ---  | 4.26   | ≤19.47 | 4.53 | 8.79   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6705 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -15.61 | ≤19.47 | 4.53 | -11.08 | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6705 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -16.49 | ≤20.10 | 3.90 | -12.59 | ≤24.00 | PASS |
| 11AX80MIMO | total | 6705 | 26Tone  | RU0  | --- | ---   | ---  | -13.02 | ≤19.47 | 4.53 | -8.49  | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6705 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -13.32 | ≤19.47 | 4.53 | -8.79  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6705 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -14.10 | ≤20.10 | 3.90 | -10.20 | ≤24.00 | PASS |
| 11AX80MIMO | total | 6705 | 52Tone  | RU37 | --- | ---   | ---  | -10.68 | ≤19.47 | 4.53 | -6.15  | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6705 | 106Tone | RU53 | --- | 98.38 | 0.07 | -10.14 | ≤19.47 | 4.53 | -5.61  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6705 | 106Tone | RU53 | --- | 98.38 | 0.07 | -10.74 | ≤20.10 | 3.90 | -6.84  | ≤24.00 | PASS |
| 11AX80MIMO | total | 6705 | 106Tone | RU53 | --- | ---   | ---  | -7.42  | ≤19.47 | 4.53 | -2.89  | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6705 | 242Tone | RU61 | --- | 99.09 | 0.04 | -7.18  | ≤19.47 | 4.53 | -2.65  | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6705 | 242Tone | RU61 | --- | 99.27 | 0.03 | -7.73  | ≤20.10 | 3.90 | -3.83  | ≤24.00 | PASS |
| 11AX80MIMO | total | 6705 | 242Tone | RU61 | --- | ---   | ---  | -4.44  | ≤19.47 | 4.53 | 0.09   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6705 | 484Tone | RU65 | --- | 99.09 | 0.04 | 1.81   | ≤19.47 | 4.53 | 6.34   | ≤24.00 | PASS |
| 11AX80MIMO | Ant2  | 6705 | 484Tone | RU65 | --- | 99.09 | 0.04 | 0.83   | ≤20.10 | 3.90 | 4.73   | ≤24.00 | PASS |
| 11AX80MIMO | total | 6705 | 484Tone | RU65 | --- | ---   | ---  | 4.36   | ≤19.47 | 4.53 | 8.89   | ≤24.00 | PASS |
| 11AX80MIMO | Ant1  | 6785 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -13.95 | ≤19.47 | 4.53 | -9.42  | ≤24.00 | PASS |

|             |       |      |         |      |     |       |      |        |        |      |        |        |      |
|-------------|-------|------|---------|------|-----|-------|------|--------|--------|------|--------|--------|------|
| 11AX80MIMO  | Ant2  | 6785 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -14.30 | ≤20.10 | 3.90 | -10.40 | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6785 | 26Tone  | RU0  | --- | ---   | ---  | -11.11 | ≤19.47 | 4.53 | -6.58  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6785 | 52Tone  | RU37 | --- | 96.62 | 0.15 | -11.53 | ≤19.47 | 4.53 | -7.00  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6785 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -11.54 | ≤20.10 | 3.90 | -7.64  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6785 | 52Tone  | RU37 | --- | ---   | ---  | -8.52  | ≤19.47 | 4.53 | -3.99  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6785 | 106Tone | RU53 | --- | 98.38 | 0.07 | -8.59  | ≤19.47 | 4.53 | -4.06  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6785 | 106Tone | RU53 | --- | 98.38 | 0.07 | -8.61  | ≤20.10 | 3.90 | -4.71  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6785 | 106Tone | RU53 | --- | ---   | ---  | -5.59  | ≤19.47 | 4.53 | -1.06  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6785 | 242Tone | RU61 | --- | 99.09 | 0.04 | -5.44  | ≤19.47 | 4.53 | -0.91  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6785 | 242Tone | RU61 | --- | 99.28 | 0.03 | -5.50  | ≤20.10 | 3.90 | -1.60  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6785 | 242Tone | RU61 | --- | ---   | ---  | -2.46  | ≤19.47 | 4.53 | 2.07   | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6785 | 484Tone | RU65 | --- | 99.09 | 0.04 | 2.30   | ≤19.47 | 4.53 | 6.83   | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6785 | 484Tone | RU65 | --- | 99.09 | 0.04 | 1.46   | ≤20.10 | 3.90 | 5.36   | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6785 | 484Tone | RU65 | --- | ---   | ---  | 4.91   | ≤19.47 | 4.53 | 9.44   | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6865 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -12.29 | ≤19.47 | 4.53 | -7.76  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6865 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -12.78 | ≤20.10 | 3.90 | -8.88  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6865 | 26Tone  | RU0  | --- | ---   | ---  | -9.52  | ≤19.47 | 4.53 | -4.99  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6865 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -10.08 | ≤19.47 | 4.53 | -5.55  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6865 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -10.20 | ≤20.10 | 3.90 | -6.30  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6865 | 52Tone  | RU37 | --- | ---   | ---  | -7.13  | ≤19.47 | 4.53 | -2.60  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6865 | 106Tone | RU53 | --- | 98.38 | 0.07 | -7.07  | ≤19.47 | 4.53 | -2.54  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6865 | 106Tone | RU53 | --- | 98.38 | 0.07 | -7.26  | ≤20.10 | 3.90 | -3.36  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6865 | 106Tone | RU53 | --- | ---   | ---  | -4.15  | ≤19.47 | 4.53 | 0.38   | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6865 | 242Tone | RU61 | --- | 99.28 | 0.03 | -3.98  | ≤19.47 | 4.53 | 0.55   | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6865 | 242Tone | RU61 | --- | 99.27 | 0.03 | -4.28  | ≤20.10 | 3.90 | -0.38  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6865 | 242Tone | RU61 | --- | ---   | ---  | -1.12  | ≤19.47 | 4.53 | 3.41   | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6865 | 484Tone | RU65 | --- | 99.09 | 0.04 | 2.18   | ≤19.47 | 4.53 | 6.71   | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6865 | 484Tone | RU65 | --- | 99.09 | 0.04 | 1.01   | ≤20.10 | 3.90 | 4.91   | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6865 | 484Tone | RU65 | --- | ---   | ---  | 4.64   | ≤19.47 | 4.53 | 9.17   | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6945 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -10.12 | ≤19.47 | 4.53 | -5.59  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6945 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -12.24 | ≤20.10 | 3.90 | -8.34  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6945 | 26Tone  | RU0  | --- | ---   | ---  | -8.04  | ≤19.47 | 4.53 | -3.51  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6945 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -7.22  | ≤19.47 | 4.53 | -2.69  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6945 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -9.10  | ≤20.10 | 3.90 | -5.20  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6945 | 52Tone  | RU37 | --- | ---   | ---  | -5.05  | ≤19.47 | 4.53 | -0.52  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6945 | 106Tone | RU53 | --- | 98.70 | 0.06 | -3.86  | ≤19.47 | 4.53 | 0.67   | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6945 | 106Tone | RU53 | --- | 98.70 | 0.06 | -5.94  | ≤20.10 | 3.90 | -2.04  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6945 | 106Tone | RU53 | --- | ---   | ---  | -1.77  | ≤19.47 | 4.53 | 2.76   | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6945 | 242Tone | RU61 | --- | 99.27 | 0.03 | -1.43  | ≤19.47 | 4.53 | 3.10   | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6945 | 242Tone | RU61 | --- | 99.27 | 0.03 | -3.54  | ≤20.10 | 3.90 | 0.36   | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6945 | 242Tone | RU61 | --- | ---   | ---  | 0.65   | ≤19.47 | 4.53 | 5.18   | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6945 | 484Tone | RU65 | --- | 99.28 | 0.03 | 2.53   | ≤19.47 | 4.53 | 7.06   | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6945 | 484Tone | RU65 | --- | 99.28 | 0.03 | 1.31   | ≤20.10 | 3.90 | 5.21   | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6945 | 484Tone | RU65 | --- | ---   | ---  | 4.97   | ≤19.47 | 4.53 | 9.50   | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 7025 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -12.12 | ≤19.47 | 4.53 | -7.59  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 7025 | 26Tone  | RU0  | --- | 93.98 | 0.27 | -14.96 | ≤20.10 | 3.90 | -11.06 | ≤24.00 | PASS |
| 11AX80MIMO  | total | 7025 | 26Tone  | RU0  | --- | ---   | ---  | -10.30 | ≤19.47 | 4.53 | -5.77  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 7025 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -9.47  | ≤19.47 | 4.53 | -4.94  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 7025 | 52Tone  | RU37 | --- | 96.64 | 0.15 | -12.00 | ≤20.10 | 3.90 | -8.10  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 7025 | 52Tone  | RU37 | --- | ---   | ---  | -7.54  | ≤19.47 | 4.53 | -3.01  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 7025 | 106Tone | RU53 | --- | 98.38 | 0.07 | -6.31  | ≤19.47 | 4.53 | -1.78  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 7025 | 106Tone | RU53 | --- | 98.38 | 0.07 | -8.88  | ≤20.10 | 3.90 | -4.98  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 7025 | 106Tone | RU53 | --- | ---   | ---  | -4.40  | ≤19.47 | 4.53 | 0.13   | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 7025 | 242Tone | RU61 | --- | 99.27 | 0.03 | -3.86  | ≤19.47 | 4.53 | 0.67   | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 7025 | 242Tone | RU61 | --- | 99.09 | 0.04 | -6.39  | ≤20.10 | 3.90 | -2.49  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 7025 | 242Tone | RU61 | --- | ---   | ---  | -1.93  | ≤19.47 | 4.53 | 2.60   | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 7025 | 484Tone | RU65 | --- | 99.10 | 0.04 | 2.40   | ≤19.47 | 4.53 | 6.93   | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 7025 | 484Tone | RU65 | --- | 99.28 | 0.03 | 0.88   | ≤20.10 | 3.90 | 4.78   | ≤24.00 | PASS |
| 11AX80MIMO  | total | 7025 | 484Tone | RU65 | --- | ---   | ---  | 4.72   | ≤19.47 | 4.53 | 9.25   | ≤24.00 | PASS |
| 11AX160MIMO | Ant1  | 6025 | 996Tone | RU67 | --- | 99.09 | 0.04 | 5.49   | ≤19.47 | 4.53 | 10.02  | ≤24.00 | PASS |
| 11AX160MIMO | Ant2  | 6025 | 996Tone | RU67 | --- | 99.09 | 0.04 | 4.53   | ≤20.10 | 3.90 | 8.43   | ≤24.00 | PASS |
| 11AX160MIMO | total | 6025 | 996Tone | RU67 | --- | ---   | ---  | 8.05   | ≤19.47 | 4.53 | 12.58  | ≤24.00 | PASS |
| 11AX160MIMO | Ant1  | 6185 | 996Tone | RU67 | --- | 99.09 | 0.04 | 5.14   | ≤19.47 | 4.53 | 9.67   | ≤24.00 | PASS |
| 11AX160MIMO | Ant2  | 6185 | 996Tone | RU67 | --- | 99.28 | 0.03 | 4.30   | ≤20.10 | 3.90 | 8.20   | ≤24.00 | PASS |
| 11AX160MIMO | total | 6185 | 996Tone | RU67 | --- | ---   | ---  | 7.75   | ≤19.47 | 4.53 | 12.28  | ≤24.00 | PASS |
| 11AX160MIMO | Ant1  | 6345 | 996Tone | RU67 | --- | 99.10 | 0.04 | 5.28   | ≤19.47 | 4.53 | 9.81   | ≤24.00 | PASS |
| 11AX160MIMO | Ant2  | 6345 | 996Tone | RU67 | --- | 99.09 | 0.04 | 4.87   | ≤20.10 | 3.90 | 8.77   | ≤24.00 | PASS |
| 11AX160MIMO | total | 6345 | 996Tone | RU67 | --- | ---   | ---  | 8.09   | ≤19.47 | 4.53 | 12.62  | ≤24.00 | PASS |
| 11AX160MIMO | Ant1  | 6505 | 996Tone | RU67 | --- | 98.92 | 0.05 | 5.17   | ≤19.47 | 4.53 | 9.70   | ≤24.00 | PASS |
| 11AX160MIMO | Ant2  | 6505 | 996Tone | RU67 | --- | 99.09 | 0.04 | 4.69   | ≤20.10 | 3.90 | 8.59   | ≤24.00 | PASS |
| 11AX160MIMO | total | 6505 | 996Tone | RU67 | --- | ---   | ---  | 7.95   | ≤19.47 | 4.53 | 12.48  | ≤24.00 | PASS |
| 11AX160MIMO | Ant1  | 6665 | 996Tone | RU67 | --- | 99.10 | 0.04 | 4.61   | ≤19.47 | 4.53 | 9.14   | ≤24.00 | PASS |
| 11AX160MIMO | Ant2  | 6665 | 996Tone | RU67 | --- | 99.28 | 0.03 | 3.82   | ≤20.10 | 3.90 | 7.72   | ≤24.00 | PASS |
| 11AX160MIMO | total | 6665 | 996Tone | RU67 | --- | ---   | ---  | 7.24   | ≤19.47 | 4.53 | 11.77  | ≤24.00 | PASS |
| 11AX160MIMO | Ant1  | 6825 | 996Tone | RU67 | --- | 99.28 | 0.03 | 5.06   | ≤19.47 | 4.53 | 9.59   | ≤24.00 | PASS |
| 11AX160MIMO | Ant2  | 6825 | 996Tone | RU67 | --- | 99.28 | 0.03 | 4.41   | ≤20.10 | 3.90 | 8.31   | ≤24.00 | PASS |
| 11AX160MIMO | total | 6825 | 996Tone | RU67 | --- | ---   | ---  | 7.76   | ≤19.47 | 4.53 | 12.29  | ≤24.00 | PASS |
| 11AX160MIMO | Ant1  | 6985 | 996Tone | RU67 | --- | 99.09 | 0.04 | 5.09   | ≤19.47 | 4.53 | 9.62   | ≤24.00 | PASS |
| 11AX160MIMO | Ant2  | 6985 | 996Tone | RU67 | --- | 99.28 | 0.03 | 4.15   | ≤20.10 | 3.90 | 8.05   | ≤24.00 | PASS |
| 11AX160MIMO | total | 6985 | 996Tone | RU67 | --- | ---   | ---  | 7.66   | ≤19.47 | 4.53 | 12.19  | ≤24.00 | PASS |


Full RU modes:


Note: The Duty Cycle has been tested and listed in the below table, which has been compensated in the graph.

| Test Mode  | Antenna | Frequency [MHz] | Set Power | Duty Cycle [%] | DC Factor [dBm] | Result [dBm] | Gain [dBi] | EIRP [dBm] | EIRP Limit [dBm] | Verdict |
|------------|---------|-----------------|-----------|----------------|-----------------|--------------|------------|------------|------------------|---------|
| 11AX20MIMO | Ant1    | 5955            | ---       | 98.84          | 0.05            | -0.80        | 4.53       | 3.73       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 5955            | ---       | 98.84          | 0.05            | -0.84        | 3.90       | 3.06       | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 5955            | ---       | ---            | ---             | 2.19         | 4.53       | 6.72       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6175            | ---       | 99.22          | 0.03            | -2.17        | 4.53       | 2.36       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6175            | ---       | 98.84          | 0.05            | -2.87        | 3.90       | 1.03       | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6175            | ---       | ---            | ---             | 0.50         | 4.53       | 5.03       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6415            | ---       | 99.22          | 0.03            | -1.83        | 4.53       | 2.70       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6415            | ---       | 99.22          | 0.03            | -2.06        | 3.90       | 1.84       | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6415            | ---       | ---            | ---             | 1.07         | 4.53       | 5.60       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6435            | ---       | 98.84          | 0.05            | -1.76        | 4.53       | 2.77       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6435            | ---       | 99.22          | 0.03            | -1.76        | 3.90       | 2.14       | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6435            | ---       | ---            | ---             | 1.25         | 4.53       | 5.78       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6475            | ---       | 98.84          | 0.05            | -1.88        | 4.53       | 2.65       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6475            | ---       | 99.22          | 0.03            | -2.86        | 3.90       | 1.04       | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6475            | ---       | ---            | ---             | 0.67         | 4.53       | 5.20       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6515            | ---       | 99.22          | 0.03            | -2.81        | 4.53       | 1.72       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6515            | ---       | 99.22          | 0.03            | -4.28        | 3.90       | -0.38      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6515            | ---       | ---            | ---             | -0.47        | 4.53       | 4.06       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6535            | ---       | 99.22          | 0.03            | -3.50        | 4.53       | 1.03       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6535            | ---       | 98.84          | 0.05            | -5.17        | 3.90       | -1.27      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6535            | ---       | ---            | ---             | -1.24        | 4.53       | 3.29       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6695            | ---       | 99.22          | 0.03            | -6.38        | 4.53       | -1.85      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6695            | ---       | 99.22          | 0.03            | -6.61        | 3.90       | -2.71      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6695            | ---       | ---            | ---             | -3.48        | 4.53       | 1.05       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6855            | ---       | 99.22          | 0.03            | -2.65        | 4.53       | 1.88       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6855            | ---       | 99.22          | 0.03            | -2.92        | 3.90       | 0.98       | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6855            | ---       | ---            | ---             | 0.23         | 4.53       | 4.76       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6875            | ---       | 99.22          | 0.03            | -2.27        | 4.53       | 2.26       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6875            | ---       | 99.22          | 0.03            | -3.09        | 3.90       | 0.81       | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6875            | ---       | ---            | ---             | 0.35         | 4.53       | 4.88       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6895            | ---       | 99.22          | 0.03            | -2.25        | 4.53       | 2.28       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6895            | ---       | 99.22          | 0.03            | -3.74        | 3.90       | 0.16       | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6895            | ---       | ---            | ---             | 0.08         | 4.53       | 4.61       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 6995            | ---       | 99.22          | 0.03            | -2.95        | 4.53       | 1.58       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 6995            | ---       | 99.22          | 0.03            | -5.77        | 3.90       | -1.87      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6995            | ---       | ---            | ---             | -1.12        | 4.53       | 3.41       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant1    | 7115            | ---       | 99.22          | 0.03            | -3.31        | 4.53       | 1.22       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant2    | 7115            | ---       | 99.22          | 0.03            | -4.93        | 3.90       | -1.03      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 7115            | ---       | ---            | ---             | -1.03        | 4.53       | 3.50       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant1    | 5965            | ---       | 98.84          | 0.05            | 2.67         | 4.53       | 7.20       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant2    | 5965            | ---       | 98.84          | 0.05            | 1.89         | 3.90       | 5.79       | ≤24.00           | PASS    |
| 11AX40MIMO | total   | 5965            | ---       | ---            | ---             | 5.31         | 4.53       | 9.84       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant1    | 6165            | ---       | 99.22          | 0.03            | 2.16         | 4.53       | 6.69       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant2    | 6165            | ---       | 98.84          | 0.05            | 1.39         | 3.90       | 5.29       | ≤24.00           | PASS    |
| 11AX40MIMO | total   | 6165            | ---       | ---            | ---             | 4.80         | 4.53       | 9.33       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant1    | 6405            | ---       | 99.22          | 0.03            | 2.66         | 4.53       | 7.19       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant2    | 6405            | ---       | 98.84          | 0.05            | 2.00         | 3.90       | 5.90       | ≤24.00           | PASS    |
| 11AX40MIMO | total   | 6405            | ---       | ---            | ---             | 5.35         | 4.53       | 9.88       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant1    | 6445            | ---       | 98.84          | 0.05            | 2.65         | 4.53       | 7.18       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant2    | 6445            | ---       | 98.84          | 0.05            | 1.97         | 3.90       | 5.87       | ≤24.00           | PASS    |
| 11AX40MIMO | total   | 6445            | ---       | ---            | ---             | 5.33         | 4.53       | 9.86       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant1    | 6485            | ---       | 98.84          | 0.05            | 2.68         | 4.53       | 7.21       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant2    | 6485            | ---       | 98.84          | 0.05            | 1.72         | 3.90       | 5.62       | ≤24.00           | PASS    |
| 11AX40MIMO | total   | 6485            | ---       | ---            | ---             | 5.24         | 4.53       | 9.77       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant1    | 6525            | ---       | 99.22          | 0.03            | 2.37         | 4.53       | 6.90       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant2    | 6525            | ---       | 98.84          | 0.05            | 1.40         | 3.90       | 5.30       | ≤24.00           | PASS    |
| 11AX40MIMO | total   | 6525            | ---       | ---            | ---             | 4.92         | 4.53       | 9.45       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant1    | 6565            | ---       | 98.84          | 0.05            | 2.20         | 4.53       | 6.73       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant2    | 6565            | ---       | 99.22          | 0.03            | 1.02         | 3.90       | 4.92       | ≤24.00           | PASS    |
| 11AX40MIMO | total   | 6565            | ---       | ---            | ---             | 4.66         | 4.53       | 9.19       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant1    | 6685            | ---       | 98.84          | 0.05            | 2.00         | 4.53       | 6.53       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant2    | 6685            | ---       | 98.84          | 0.05            | 1.32         | 3.90       | 5.22       | ≤24.00           | PASS    |
| 11AX40MIMO | total   | 6685            | ---       | ---            | ---             | 4.68         | 4.53       | 9.21       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant1    | 6845            | ---       | 98.84          | 0.05            | 2.44         | 4.53       | 6.97       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant2    | 6845            | ---       | 98.84          | 0.05            | 1.66         | 3.90       | 5.56       | ≤24.00           | PASS    |
| 11AX40MIMO | total   | 6845            | ---       | ---            | ---             | 5.08         | 4.53       | 9.61       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant1    | 6885            | ---       | 98.84          | 0.05            | 2.53         | 4.53       | 7.06       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant2    | 6885            | ---       | 99.22          | 0.03            | 1.92         | 3.90       | 5.82       | ≤24.00           | PASS    |
| 11AX40MIMO | total   | 6885            | ---       | ---            | ---             | 5.25         | 4.53       | 9.78       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant1    | 6925            | ---       | 98.84          | 0.05            | 2.59         | 4.53       | 7.12       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant2    | 6925            | ---       | 98.84          | 0.05            | 1.77         | 3.90       | 5.67       | ≤24.00           | PASS    |
| 11AX40MIMO | total   | 6925            | ---       | ---            | ---             | 5.21         | 4.53       | 9.74       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant1    | 6965            | ---       | 99.22          | 0.03            | 2.44         | 4.53       | 6.97       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant2    | 6965            | ---       | 98.84          | 0.05            | 1.59         | 3.90       | 5.49       | ≤24.00           | PASS    |
| 11AX40MIMO | total   | 6965            | ---       | ---            | ---             | 5.05         | 4.53       | 9.58       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant1    | 7085            | ---       | 98.84          | 0.05            | 2.18         | 4.53       | 6.71       | ≤24.00           | PASS    |
| 11AX40MIMO | Ant2    | 7085            | ---       | 98.84          | 0.05            | 1.31         | 3.90       | 5.21       | ≤24.00           | PASS    |
| 11AX40MIMO | total   | 7085            | ---       | ---            | ---             | 4.78         | 4.53       | 9.31       | ≤24.00           | PASS    |
| 11AX80MIMO | Ant1    | 5985            | ---       | 98.84          | 0.05            | 4.86         | 4.53       | 9.39       | ≤24.00           | PASS    |
| 11AX80MIMO | Ant2    | 5985            | ---       | 99.22          | 0.03            | 4.02         | 3.90       | 7.92       | ≤24.00           | PASS    |
| 11AX80MIMO | total   | 5985            | ---       | ---            | ---             | 7.47         | 4.53       | 12.00      | ≤24.00           | PASS    |
| 11AX80MIMO | Ant1    | 6145            | ---       | 99.22          | 0.03            | 4.28         | 4.53       | 8.81       | ≤24.00           | PASS    |
| 11AX80MIMO | Ant2    | 6145            | ---       | 98.84          | 0.05            | 3.38         | 3.90       | 7.28       | ≤24.00           | PASS    |
| 11AX80MIMO | total   | 6145            | ---       | ---            | ---             | 6.86         | 4.53       | 11.39      | ≤24.00           | PASS    |
| 11AX80MIMO | Ant1    | 6385            | ---       | 98.84          | 0.05            | 4.92         | 4.53       | 9.45       | ≤24.00           | PASS    |
| 11AX80MIMO | Ant2    | 6385            | ---       | 98.84          | 0.05            | 4.17         | 3.90       | 8.07       | ≤24.00           | PASS    |
| 11AX80MIMO | total   | 6385            | ---       | ---            | ---             | 7.57         | 4.53       | 12.10      | ≤24.00           | PASS    |
| 11AX80MIMO | Ant1    | 6465            | ---       | 99.22          | 0.03            | 4.66         | 4.53       | 9.19       | ≤24.00           | PASS    |
| 11AX80MIMO | Ant2    | 6465            | ---       | 99.22          | 0.03            | 3.91         | 3.90       | 7.81       | ≤24.00           | PASS    |


|             |       |      |     |       |      |       |      |       |        |      |
|-------------|-------|------|-----|-------|------|-------|------|-------|--------|------|
| 11AX80MIMO  | total | 6465 | --- | ---   | ---  | 7.31  | 4.53 | 11.84 | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6545 | --- | 98.84 | 0.05 | 4.44  | 4.53 | 8.97  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6545 | --- | 98.84 | 0.05 | 3.35  | 3.90 | 7.25  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6545 | --- | ---   | ---  | 6.94  | 4.53 | 11.47 | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6625 | --- | 99.22 | 0.03 | 4.04  | 4.53 | 8.57  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6625 | --- | 98.84 | 0.05 | 3.20  | 3.90 | 7.10  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6625 | --- | ---   | ---  | 6.65  | 4.53 | 11.18 | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6705 | --- | 98.84 | 0.05 | 4.21  | 4.53 | 8.74  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6705 | --- | 98.84 | 0.05 | 3.48  | 3.90 | 7.38  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6705 | --- | ---   | ---  | 6.87  | 4.53 | 11.40 | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6785 | --- | 99.22 | 0.03 | 4.56  | 4.53 | 9.09  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6785 | --- | 98.84 | 0.05 | 4.18  | 3.90 | 8.08  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6785 | --- | ---   | ---  | 7.38  | 4.53 | 11.91 | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6865 | --- | 99.22 | 0.03 | 4.63  | 4.53 | 9.16  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6865 | --- | 98.84 | 0.05 | 3.94  | 3.90 | 7.84  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6865 | --- | ---   | ---  | 7.31  | 4.53 | 11.84 | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 6945 | --- | 99.22 | 0.03 | 4.60  | 4.53 | 9.13  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 6945 | --- | 99.22 | 0.03 | 3.91  | 3.90 | 7.81  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6945 | --- | ---   | ---  | 7.28  | 4.53 | 11.81 | ≤24.00 | PASS |
| 11AX80MIMO  | Ant1  | 7025 | --- | 98.84 | 0.05 | 4.69  | 4.53 | 9.22  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant2  | 7025 | --- | 98.84 | 0.05 | 3.61  | 3.90 | 7.51  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 7025 | --- | ---   | ---  | 7.19  | 4.53 | 11.72 | ≤24.00 | PASS |
| 11AX160MIMO | Ant1  | 6025 | --- | 98.68 | 0.06 | 7.51  | 4.53 | 12.04 | ≤24.00 | PASS |
| 11AX160MIMO | Ant2  | 6025 | --- | 99.12 | 0.04 | 6.53  | 3.90 | 10.43 | ≤24.00 | PASS |
| 11AX160MIMO | total | 6025 | --- | ---   | ---  | 10.06 | 4.53 | 14.59 | ≤24.00 | PASS |
| 11AX160MIMO | Ant1  | 6185 | --- | 98.68 | 0.06 | 7.01  | 4.53 | 11.54 | ≤24.00 | PASS |
| 11AX160MIMO | Ant2  | 6185 | --- | 98.68 | 0.06 | 6.47  | 3.90 | 10.37 | ≤24.00 | PASS |
| 11AX160MIMO | total | 6185 | --- | ---   | ---  | 9.76  | 4.53 | 14.29 | ≤24.00 | PASS |
| 11AX160MIMO | Ant1  | 6345 | --- | 98.68 | 0.06 | 7.44  | 4.53 | 11.97 | ≤24.00 | PASS |
| 11AX160MIMO | Ant2  | 6345 | --- | 98.68 | 0.06 | 6.83  | 3.90 | 10.73 | ≤24.00 | PASS |
| 11AX160MIMO | total | 6345 | --- | ---   | ---  | 10.16 | 4.53 | 14.69 | ≤24.00 | PASS |
| 11AX160MIMO | Ant1  | 6505 | --- | 98.68 | 0.06 | 7.28  | 4.53 | 11.81 | ≤24.00 | PASS |
| 11AX160MIMO | Ant2  | 6505 | --- | 98.68 | 0.06 | 6.47  | 3.90 | 10.37 | ≤24.00 | PASS |
| 11AX160MIMO | total | 6505 | --- | ---   | ---  | 9.90  | 4.53 | 14.43 | ≤24.00 | PASS |
| 11AX160MIMO | Ant1  | 6665 | --- | 98.68 | 0.06 | 6.80  | 4.53 | 11.33 | ≤24.00 | PASS |
| 11AX160MIMO | Ant2  | 6665 | --- | 98.68 | 0.06 | 6.23  | 3.90 | 10.13 | ≤24.00 | PASS |
| 11AX160MIMO | total | 6665 | --- | ---   | ---  | 9.53  | 4.53 | 14.06 | ≤24.00 | PASS |
| 11AX160MIMO | Ant1  | 6825 | --- | 99.12 | 0.04 | 7.42  | 4.53 | 11.95 | ≤24.00 | PASS |
| 11AX160MIMO | Ant2  | 6825 | --- | 98.68 | 0.06 | 6.88  | 3.90 | 10.78 | ≤24.00 | PASS |
| 11AX160MIMO | total | 6825 | --- | ---   | ---  | 10.17 | 4.53 | 14.70 | ≤24.00 | PASS |
| 11AX160MIMO | Ant1  | 6985 | --- | 98.68 | 0.06 | 7.45  | 4.53 | 11.98 | ≤24.00 | PASS |
| 11AX160MIMO | Ant2  | 6985 | --- | 98.68 | 0.06 | 6.34  | 3.90 | 10.24 | ≤24.00 | PASS |
| 11AX160MIMO | total | 6985 | --- | ---   | ---  | 9.94  | 4.53 | 14.47 | ≤24.00 | PASS |

## Partial RU modes





11AX20MIMO-Ant1-5955-52Tone-RU37-PASS



11AX20MIMO-Ant2-5955-52Tone-RU37-PASS