


Test_Mode	8DPSK Transmitting	Test_Frequency	2480Mhz
Remark	/	Test_Date	2026/1/12
Remark	R		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18773.871	-26.34	63.79	37.45	74.00	36.55	PASS	Horizontal	PK
2	20042.4617	-24.81	62.22	37.41	74.00	36.59	PASS	Horizontal	PK
3	21160.7664	-25.80	62.23	36.43	74.00	37.57	PASS	Horizontal	PK
4	21922.0569	-25.71	62.17	36.46	74.00	37.54	PASS	Horizontal	PK
5	23158.0063	-24.57	60.33	35.76	74.00	38.24	PASS	Horizontal	PK
6	25294.9918	-21.23	58.59	37.36	74.00	36.64	PASS	Horizontal	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2480Mhz
Remark	/	Test_Date	2026/1/12
Remark	R		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18564.4226	-26.69	65.13	38.44	74.00	35.56	PASS	Vertical	PK
2	20006.4203	-24.65	61.43	36.78	74.00	37.22	PASS	Vertical	PK
3	21610.6044	-25.73	61.48	35.75	74.00	38.25	PASS	Vertical	PK
4	23379.6952	-23.63	59.24	35.61	74.00	38.39	PASS	Vertical	PK
5	24590.4836	-21.86	58.00	36.14	74.00	37.86	PASS	Vertical	PK
6	25697.9079	-20.76	58.90	38.14	74.00	35.86	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2402Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1266.4178	11.91	36.85	48.76	74.00	25.24	PASS	Horizontal	PK
2	1745.9164	14.09	36.99	51.08	74.00	22.92	PASS	Horizontal	PK
3	4804.1203	-8.60	62.97	54.37	74.00	19.63	PASS	Horizontal	PK
4	8438.3626	-0.60	46.61	46.01	74.00	27.99	PASS	Horizontal	PK
5	13165.6777	6.37	42.79	49.16	74.00	24.84	PASS	Horizontal	PK
6	16843.9229	13.01	40.29	53.30	74.00	20.70	PASS	Horizontal	PK
7	4805.1203	-8.59	57.63	49.04	54.00	4.96	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2402Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1364.8243	12.66	35.85	48.51	74.00	25.49	PASS	Vertical	PK
2	1700.18	14.08	36.46	50.54	74.00	23.46	PASS	Vertical	PK
3	4804.1203	-8.60	55.95	47.35	74.00	26.65	PASS	Vertical	PK
4	6653.2436	-3.93	49.93	46.00	74.00	28.00	PASS	Vertical	PK
5	10222.4815	1.73	44.51	46.24	74.00	27.76	PASS	Vertical	PK
6	16335.8891	11.41	41.40	52.81	74.00	21.19	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2402Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18824.873	-26.29	62.86	36.57	74.00	37.43	PASS	Horizontal	PK
2	19915.2966	-24.88	61.88	37.00	74.00	37.00	PASS	Horizontal	PK
3	21373.6149	-25.87	61.83	35.96	74.00	38.04	PASS	Horizontal	PK
4	22778.5511	-25.04	60.39	35.35	74.00	38.65	PASS	Horizontal	PK
5	24001.24	-21.94	58.89	36.95	74.00	37.05	PASS	Horizontal	PK
6	25302.1321	-21.24	58.06	36.82	74.00	37.18	PASS	Horizontal	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2402Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18727.6291	-26.43	63.16	36.73	74.00	37.27	PASS	Vertical	PK
2	19667.7667	-25.47	62.09	36.62	74.00	37.38	PASS	Vertical	PK
3	21175.727	-25.78	62.34	36.56	74.00	37.44	PASS	Vertical	PK
4	22258.6703	-25.31	61.04	35.73	74.00	38.27	PASS	Vertical	PK
5	23779.8912	-22.41	58.36	35.95	74.00	38.05	PASS	Vertical	PK
6	24553.0821	-21.82	57.51	35.69	74.00	38.31	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2441Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1343.0895	12.46	36.51	48.97	74.00	25.03	PASS	Horizontal	PK
2	1772.9849	14.36	36.85	51.21	74.00	22.79	PASS	Horizontal	PK
3	4882.1255	-8.36	62.80	54.44	74.00	19.56	PASS	Horizontal	PK
4	6756.2504	-3.36	47.02	43.66	74.00	30.34	PASS	Horizontal	PK
5	10271.4848	1.94	44.06	46.00	74.00	28.00	PASS	Horizontal	PK
6	16345.8897	11.53	41.55	53.08	74.00	20.92	PASS	Horizontal	PK
7	4883.1255	-8.35	57.47	49.12	54.00	4.88	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2441Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1291.2194	12.01	37.22	49.23	74.00	24.77	PASS	Vertical	PK
2	1826.7218	14.37	36.76	51.13	74.00	22.87	PASS	Vertical	PK
3	4882.1255	-8.36	56.40	48.04	74.00	25.96	PASS	Vertical	PK
4	6649.2433	-3.97	52.09	48.12	74.00	25.88	PASS	Vertical	PK
5	10265.4844	1.96	44.15	46.11	74.00	27.89	PASS	Vertical	PK
6	16821.9215	12.12	40.58	52.70	74.00	21.30	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2441Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18875.535	-26.28	63.99	37.71	74.00	36.29	PASS	Horizontal	PK
2	20000.64	-24.62	61.53	36.91	74.00	37.09	PASS	Horizontal	PK
3	21177.7671	-25.77	61.72	35.95	74.00	38.05	PASS	Horizontal	PK
4	22191.3477	-25.42	60.59	35.17	74.00	38.83	PASS	Horizontal	PK
5	23535.7614	-23.22	58.83	35.61	74.00	38.39	PASS	Horizontal	PK
6	25770.6708	-20.81	57.58	36.77	74.00	37.23	PASS	Horizontal	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2441Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18636.5055	-26.62	63.26	36.64	74.00	37.36	PASS	Vertical	PK
2	19933.6573	-24.82	61.77	36.95	74.00	37.05	PASS	Vertical	PK
3	20860.8744	-25.76	62.45	36.69	74.00	37.31	PASS	Vertical	PK
4	22181.8273	-25.44	61.03	35.59	74.00	38.41	PASS	Vertical	PK
5	23134.5454	-24.74	59.71	34.97	74.00	39.03	PASS	Vertical	PK
6	23850.614	-22.23	59.14	36.91	74.00	37.09	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2480Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1306.1537	12.14	36.49	48.63	74.00	25.37	PASS	Horizontal	PK
2	1892.4595	14.42	36.97	51.39	74.00	22.61	PASS	Horizontal	PK
3	4960.1307	-8.05	64.57	56.52	74.00	17.48	PASS	Horizontal	PK
4	7814.321	-1.96	46.38	44.42	74.00	29.58	PASS	Horizontal	PK
5	13278.6852	6.18	42.38	48.56	74.00	25.44	PASS	Horizontal	PK
6	17349.9567	14.18	39.53	53.71	74.00	20.29	PASS	Horizontal	PK
7	4961.1307	-8.05	59.79	51.74	54.00	2.26	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2480Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1409.7607	12.92	36.36	49.28	74.00	24.72	PASS	Vertical	PK
2	1833.6556	14.34	36.74	51.08	74.00	22.92	PASS	Vertical	PK
3	3987.0658	-11.74	53.11	41.37	74.00	32.63	PASS	Vertical	PK
4	4960.1307	-8.05	57.55	49.50	74.00	24.50	PASS	Vertical	PK
5	6643.2429	-3.97	51.10	47.13	74.00	26.87	PASS	Vertical	PK
6	9830.4554	1.26	44.00	45.26	74.00	28.74	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2480Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18783.3913	-26.32	63.14	36.82	74.00	37.18	PASS	Horizontal	PK
2	20049.262	-24.84	61.71	36.87	74.00	37.13	PASS	Horizontal	PK
3	21576.2631	-25.75	61.86	36.11	74.00	37.89	PASS	Horizontal	PK
4	23173.6469	-24.46	59.76	35.30	74.00	38.70	PASS	Horizontal	PK
5	23968.2587	-22.00	58.10	36.10	74.00	37.90	PASS	Horizontal	PK
6	25768.6307	-20.81	57.78	36.97	74.00	37.03	PASS	Horizontal	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2480Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18917.6967	-26.28	63.05	36.77	74.00	37.23	PASS	Vertical	PK
2	20430.0772	-25.57	61.66	36.09	74.00	37.91	PASS	Vertical	PK
3	21569.8028	-25.77	62.30	36.53	74.00	37.47	PASS	Vertical	PK
4	23190.9876	-24.33	59.53	35.20	74.00	38.80	PASS	Vertical	PK
5	25241.9497	-21.12	58.38	37.26	74.00	36.74	PASS	Vertical	PK
6	25748.5699	-20.79	58.08	37.29	74.00	36.71	PASS	Vertical	PK

Test_Mode	$\pi/4$ DQPSK Transmitting	Test_Frequency	2402Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1409.0939	12.91	35.73	48.64	74.00	25.36	PASS	Horizontal	PK
2	2014.601	14.64	37.79	52.43	74.00	21.57	PASS	Horizontal	PK
3	4804.1203	-8.60	62.52	53.92	74.00	20.08	PASS	Horizontal	PK
4	7747.3165	-1.44	46.07	44.63	74.00	29.37	PASS	Horizontal	PK
5	11313.5542	2.40	44.88	47.28	74.00	26.72	PASS	Horizontal	PK
6	13119.6746	6.26	42.79	49.05	74.00	24.95	PASS	Horizontal	PK

Test_Mode	$\pi/4$ DQPSK Transmitting	Test_Frequency	2402Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1367.6245	12.69	36.36	49.05	74.00	24.95	PASS	Vertical	PK
2	1804.7203	14.23	36.44	50.67	74.00	23.33	PASS	Vertical	PK
3	4804.1203	-8.60	56.60	48.00	74.00	26.00	PASS	Vertical	PK
4	7498.2999	-2.32	46.08	43.76	74.00	30.24	PASS	Vertical	PK
5	12437.6292	3.74	44.65	48.39	74.00	25.61	PASS	Vertical	PK
6	13717.7145	7.22	44.06	51.28	74.00	22.72	PASS	Vertical	PK

Test_Mode	$\pi/4$ DQPSK Transmitting	Test_Frequency	2402Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18741.9097	-26.41	63.15	36.74	74.00	37.26	PASS	Horizontal	PK
2	20039.7416	-24.80	61.67	36.87	74.00	37.13	PASS	Horizontal	PK
3	21191.3677	-25.76	61.90	36.14	74.00	37.86	PASS	Horizontal	PK
4	22832.2733	-25.15	60.21	35.06	74.00	38.94	PASS	Horizontal	PK
5	24282.0913	-22.25	58.43	36.18	74.00	37.82	PASS	Horizontal	PK
6	25205.2282	-21.05	57.08	36.03	74.00	37.97	PASS	Horizontal	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2402Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18896.2759	-26.28	63.04	36.76	74.00	37.24	PASS	Vertical	PK
2	20399.136	-25.48	61.20	35.72	74.00	38.28	PASS	Vertical	PK
3	22225.009	-25.36	61.27	35.91	74.00	38.09	PASS	Vertical	PK
4	23857.0743	-22.22	59.28	37.06	74.00	36.94	PASS	Vertical	PK
5	25435.4174	-21.31	58.29	36.98	74.00	37.02	PASS	Vertical	PK
6	25947.8179	-20.88	58.21	37.33	74.00	36.67	PASS	Vertical	PK

Test_Mode	$\pi/4$ DQPSK Transmitting	Test_Frequency	2441Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1377.3585	12.73	36.88	49.61	74.00	24.39	PASS	Horizontal	PK
2	1901.3934	14.63	35.99	50.62	74.00	23.38	PASS	Horizontal	PK
3	3856.0571	-12.07	53.02	40.95	74.00	33.05	PASS	Horizontal	PK
4	4882.1255	-8.36	63.54	55.18	74.00	18.82	PASS	Horizontal	PK
5	9210.414	0.32	45.67	45.99	74.00	28.01	PASS	Horizontal	PK
6	16762.9175	11.76	41.15	52.91	74.00	21.09	PASS	Horizontal	PK
7	4883.1255	-8.35	56.21	47.86	54.00	6.14	PASS	Horizontal	AV

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2441Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1253.3502	11.72	36.77	48.49	74.00	25.51	PASS	Vertical	PK
2	1905.7937	14.73	35.36	50.09	74.00	23.91	PASS	Vertical	PK
3	3991.0661	-11.72	56.18	44.46	74.00	29.54	PASS	Vertical	PK
4	4882.1255	-8.36	56.58	48.22	74.00	25.78	PASS	Vertical	PK
5	10321.4881	1.87	44.05	45.92	74.00	28.08	PASS	Vertical	PK
6	16512.9009	11.92	41.17	53.09	74.00	20.91	PASS	Vertical	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2441Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18980.5992	-26.27	63.15	36.88	74.00	37.12	PASS	Horizontal	PK
2	20263.8106	-25.50	61.90	36.40	74.00	37.60	PASS	Horizontal	PK
3	21181.1672	-25.77	61.74	35.97	74.00	38.03	PASS	Horizontal	PK
4	22494.6398	-25.05	60.72	35.67	74.00	38.33	PASS	Horizontal	PK
5	23557.8623	-23.17	58.87	35.70	74.00	38.30	PASS	Horizontal	PK
6	24706.4283	-21.92	57.90	35.98	74.00	38.02	PASS	Horizontal	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2441Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18636.1654	-26.62	63.49	36.87	74.00	37.13	PASS	Vertical	PK
2	20008.4603	-24.66	61.57	36.91	74.00	37.09	PASS	Vertical	PK
3	21828.8932	-25.57	60.96	35.39	74.00	38.61	PASS	Vertical	PK
4	23968.9388	-22.00	58.69	36.69	74.00	37.31	PASS	Vertical	PK
5	25031.1412	-21.96	57.61	35.65	74.00	38.35	PASS	Vertical	PK
6	25743.1297	-20.79	57.87	37.08	74.00	36.92	PASS	Vertical	PK

Test_Mode	$\pi/4$ DQPSK Transmitting	Test_Frequency	2480Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1308.2872	12.15	37.39	49.54	74.00	24.46	PASS	Horizontal	PK
2	1838.3226	14.32	36.76	51.08	74.00	22.92	PASS	Horizontal	PK
3	3991.0661	-11.72	52.67	40.95	74.00	33.05	PASS	Horizontal	PK
4	4960.1307	-8.05	65.87	57.82	74.00	16.18	PASS	Horizontal	PK
5	7622.3082	-2.18	47.25	45.07	74.00	28.93	PASS	Horizontal	PK
6	15331.8221	9.95	41.17	51.12	74.00	22.88	PASS	Horizontal	PK
7	4961.1307	-8.05	60.72	52.67	54.00	1.33	PASS	Horizontal	AV

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1478.5652	13.07	36.44	49.51	74.00	24.49	PASS	Vertical	PK
2	1909.9273	14.81	36.03	50.84	74.00	23.16	PASS	Vertical	PK
3	4960.1307	-8.05	56.01	47.96	74.00	26.04	PASS	Vertical	PK
4	6653.2436	-3.93	53.11	49.18	74.00	24.82	PASS	Vertical	PK
5	13131.6754	6.31	42.32	48.63	74.00	25.37	PASS	Vertical	PK
6	17245.9497	13.44	39.49	52.93	74.00	21.07	PASS	Vertical	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18632.7653	-26.62	63.31	36.69	74.00	37.31	PASS	Horizontal	PK
2	20019.6808	-24.71	61.33	36.62	74.00	37.38	PASS	Horizontal	PK
3	20886.3755	-25.80	61.90	36.10	74.00	37.90	PASS	Horizontal	PK
4	22106.6843	-25.60	61.49	35.89	74.00	38.11	PASS	Horizontal	PK
5	23329.7132	-23.81	59.53	35.72	74.00	38.28	PASS	Horizontal	PK
6	24793.1317	-21.96	57.65	35.69	74.00	38.31	PASS	Horizontal	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18813.3125	-26.29	62.72	36.43	74.00	37.57	PASS	Vertical	PK
2	20415.1166	-25.52	61.63	36.11	74.00	37.89	PASS	Vertical	PK
3	22553.8022	-25.03	60.79	35.76	74.00	38.24	PASS	Vertical	PK
4	23534.4014	-23.23	58.48	35.25	74.00	38.75	PASS	Vertical	PK
5	25178.0271	-21.16	57.18	36.02	74.00	37.98	PASS	Vertical	PK
6	25738.3695	-20.78	57.61	36.83	74.00	37.17	PASS	Vertical	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2402Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1238.6826	11.57	37.04	48.61	74.00	25.39	PASS	Horizontal	PK
2	1967.1311	14.63	36.88	51.51	74.00	22.49	PASS	Horizontal	PK
3	3871.0581	-12.03	51.74	39.71	74.00	34.29	PASS	Horizontal	PK
4	4804.1203	-8.60	63.47	54.87	74.00	19.13	PASS	Horizontal	PK
5	7218.2812	-3.25	47.02	43.77	74.00	30.23	PASS	Horizontal	PK
6	15412.8275	11.32	39.23	50.55	74.00	23.45	PASS	Horizontal	PK
7	4805.1203	-8.59	54.84	46.25	54.00	7.75	PASS	Horizontal	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2402Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1340.156	12.46	36.59	49.05	74.00	24.95	PASS	Vertical	PK
2	1709.7807	14.11	36.53	50.64	74.00	23.36	PASS	Vertical	PK
3	3982.0655	-11.77	52.81	41.04	74.00	32.96	PASS	Vertical	PK
4	4804.1203	-8.60	57.08	48.48	74.00	25.52	PASS	Vertical	PK
5	6650.2434	-3.97	50.82	46.85	74.00	27.15	PASS	Vertical	PK
6	13047.6698	6.00	42.83	48.83	74.00	25.17	PASS	Vertical	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2402Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18718.7888	-26.45	63.31	36.86	74.00	37.14	PASS	Horizontal	PK
2	20183.9074	-25.44	61.92	36.48	74.00	37.52	PASS	Horizontal	PK
3	22539.5216	-25.03	60.49	35.46	74.00	38.54	PASS	Horizontal	PK
4	23645.5858	-22.89	59.64	36.75	74.00	37.25	PASS	Horizontal	PK
5	25113.0845	-21.52	58.46	36.94	74.00	37.06	PASS	Horizontal	PK
6	25681.5873	-20.75	57.84	37.09	74.00	36.91	PASS	Horizontal	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2402Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18893.2157	-26.28	63.50	37.22	74.00	36.78	PASS	Vertical	PK
2	20481.4193	-25.72	61.57	35.85	74.00	38.15	PASS	Vertical	PK
3	22072.0029	-25.67	61.14	35.47	74.00	38.53	PASS	Vertical	PK
4	23401.116	-23.56	59.32	35.76	74.00	38.24	PASS	Vertical	PK
5	24764.2306	-21.94	57.99	36.05	74.00	37.95	PASS	Vertical	PK
6	26179.3672	-21.31	58.31	37.00	74.00	37.00	PASS	Vertical	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2441Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1314.6876	12.22	36.33	48.55	74.00	25.45	PASS	Horizontal	PK
2	1768.7179	14.37	36.58	50.95	74.00	23.05	PASS	Horizontal	PK
3	3799.0533	-12.45	52.72	40.27	74.00	33.73	PASS	Horizontal	PK
4	4882.1255	-8.36	63.53	55.17	74.00	18.83	PASS	Horizontal	PK
5	8439.3626	-0.59	45.86	45.27	74.00	28.73	PASS	Horizontal	PK
6	13239.6826	6.24	43.34	49.58	74.00	24.42	PASS	Horizontal	PK
7	4883.1255	-8.35	56.09	47.74	54.00	6.26	PASS	Horizontal	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2441Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1338.5559	12.44	35.99	48.43	74.00	25.57	PASS	Vertical	PK
2	1942.1961	14.79	36.20	50.99	74.00	23.01	PASS	Vertical	PK
3	4882.1255	-8.36	58.50	50.14	74.00	23.86	PASS	Vertical	PK
4	7974.3316	-1.38	47.31	45.93	74.00	28.07	PASS	Vertical	PK
5	13215.681	6.31	42.93	49.24	74.00	24.76	PASS	Vertical	PK
6	16918.9279	13.31	39.23	52.54	74.00	21.46	PASS	Vertical	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2441Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18703.4881	-26.48	63.58	37.10	74.00	36.90	PASS	Horizontal	PK
2	20020.3608	-24.71	61.41	36.70	74.00	37.30	PASS	Horizontal	PK
3	21248.83	-25.78	62.73	36.95	74.00	37.05	PASS	Horizontal	PK
4	22793.8518	-25.04	60.22	35.18	74.00	38.82	PASS	Horizontal	PK
5	24504.4602	-21.78	58.09	36.31	74.00	37.69	PASS	Horizontal	PK
6	25615.9646	-20.72	57.63	36.91	74.00	37.09	PASS	Horizontal	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2441Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18844.2538	-26.29	63.32	37.03	74.00	36.97	PASS	Vertical	PK
2	20455.2382	-25.64	61.30	35.66	74.00	38.34	PASS	Vertical	PK
3	21813.9326	-25.55	61.47	35.92	74.00	38.08	PASS	Vertical	PK
4	23817.6327	-22.29	59.53	37.24	74.00	36.76	PASS	Vertical	PK
5	25101.8641	-21.58	57.48	35.90	74.00	38.10	PASS	Vertical	PK
6	26101.5041	-21.13	58.29	37.16	74.00	36.84	PASS	Vertical	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2480Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1394.5596	12.81	36.12	48.93	74.00	25.07	PASS	Horizontal	PK
2	1916.4611	14.76	36.34	51.10	74.00	22.90	PASS	Horizontal	PK
3	3711.0474	-12.80	52.79	39.99	74.00	34.01	PASS	Horizontal	PK
4	4960.1307	-8.05	65.19	57.14	74.00	16.86	PASS	Horizontal	PK
5	8764.3843	-0.16	44.91	44.75	74.00	29.25	PASS	Horizontal	PK
6	13948.7299	7.71	42.43	50.14	74.00	23.86	PASS	Horizontal	PK
7	4961.1307	-8.05	58.23	50.18	54.00	3.82	PASS	Horizontal	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2480Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1377.7585	12.73	35.62	48.35	74.00	25.65	PASS	Vertical	PK
2	1854.9903	14.47	36.54	51.01	74.00	22.99	PASS	Vertical	PK
3	3323.0215	-14.06	57.82	43.76	74.00	30.24	PASS	Vertical	PK
4	4960.1307	-8.05	59.02	50.97	74.00	23.03	PASS	Vertical	PK
5	6639.2426	-3.96	51.21	47.25	74.00	26.75	PASS	Vertical	PK
6	10728.5152	2.39	44.17	46.56	74.00	27.44	PASS	Vertical	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2480Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18790.1916	-26.31	63.47	37.16	74.00	36.84	PASS	Horizontal	PK
2	20341.3337	-25.49	62.24	36.75	74.00	37.25	PASS	Horizontal	PK
3	21268.2107	-25.80	61.46	35.66	74.00	38.34	PASS	Horizontal	PK
4	22250.51	-25.32	60.55	35.23	74.00	38.77	PASS	Horizontal	PK
5	24428.6371	-21.71	58.01	36.30	74.00	37.70	PASS	Horizontal	PK
6	25674.107	-20.76	57.71	36.95	74.00	37.05	PASS	Horizontal	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2480Mhz
Remark	/	Test_Date	2026/1/12
Remark	L		

Test Graph



Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19012.9005	-26.26	63.24	36.98	74.00	37.02	PASS	Vertical	PK
2	20381.7953	-25.48	61.19	35.71	74.00	38.29	PASS	Vertical	PK
3	21335.1934	-25.83	61.75	35.92	74.00	38.08	PASS	Vertical	PK
4	22202.5681	-25.40	60.97	35.57	74.00	38.43	PASS	Vertical	PK
5	23749.97	-22.51	59.39	36.88	74.00	37.12	PASS	Vertical	PK
6	25519.4008	-21.01	57.81	36.80	74.00	37.20	PASS	Vertical	PK

Remark:


- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- Scan from 9kHz to 25GHz, the disturbance above 10GHz and below 30MHz was very low. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. As the PK values are all below 54dBμV/m. So, only the peak measurements were shown in the report.

Restricted bands:

Test plot as follows:

Test_Mode	GFSK Transmitting	Test_Frequency	2402Mhz
Remark	/	Test_Date	2026/1/10
Remark	R		

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.09	51.05	74.00	22.95	PASS	Horizontal	PK
2	2390	15.96	23.06	39.02	54.00	14.98	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2402Mhz
Remark	/	Test_Date	2026/1/10
Remark	R		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.66	51.62	74.00	22.38	PASS	Vertical	PK
2	2390	15.96	22.19	38.15	54.00	15.85	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2480Mhz
Remark	/	Test_Date	2026/1/10
Remark	R		

Test Graph



Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	35.04	51.33	74.00	22.67	PASS	Horizontal	PK
2	2483.5	16.29	23.85	40.14	54.00	13.86	PASS	Horizontal	AV