

M113-IOT RF specification

蓝牙 PCB 印制天线 Bluetooth PCB printed antenna

供应商/supplier: SHENZHEN FREQUENCV EXTENSION IOT TECHNOLOGY CO.,LTD.

Address: Rm 301B, Junfeng Innovation ParkFuyong, Baoan Dist,Shenzhen

型号/model: MT90C-S-M2


频率范围 Frequency Range (MHz): 2400-2500

频带宽度 Bandwidth (MHz): 100


输入阻抗 Input Impedence (Ω) : 50

增益 Gain (dBi): 3

电压驻波比 V.S.W.R: <2



Antenna size chart



Radiation Pattern


M113-IOT RF specification

GPS 天线/GPS Antenna


供应商/supplier: INPAQ TECHNOLOGY CO., LTD.

Address: Room 802, Unit 2, Building A, Kexing Science Park, No.15 Keyuan Road, Science Park
Central District, Nanshan District, Shenzhen, Guangdong


型号/model: PA1590MI4G-289-2ZM




M113-IOT RF specification



5. Measured Input Impedance on a Smith Chart



M113-IOT RF specification



6. Explanation of Appendix

PA1590MI4G -289- 2 Z M
 | | |
 (1) (2) (3)

(1) 2=2.0mm pin Length

(2) Adhesive Tape Z 22×22mm

Adhesive Transfer Tape Specification

1.1 TAPE: D038 22×22×0.16mm

1.2 Thickness : 0.12 ± 5% mm

1.3 Release Liner : 0.1mm (typ.) printed paper or paper

1.4 Dimension : mm

M113-IOT RF specification

LTE Antenna

供应商/supplier:


SHENZHEN FREQUENC V EXTENSION IOT TECHNOLOGY CO.,LTD.

Adress: Rm 301B, Junfeng Innovation ParkFuyong, Baoan Dist,Shenzhen


型号/model: M113-BG95-M1

Antenna Performance Table								
Band	Channel No.	TRP (dBm)	TIS (dBm)		Band	Channel No.	TRP (dBm)	TIS (dBm)
eMTC B2	L	16.28			eMTC B12	L	14.58	
	M	16.49				M	14.89	
	H	16.78	-89.32			H	14.98	-87.25
eMTC B4	L	15.67			eMTC B13	L	14.78	
	M	15.76				M	14.89	
	H	16.27	-88.71			H	14.69	-86.95
eMTC B5	L	14.21						
	M	14.18						
	H	13.94	-86.58					


B2




B4




B5



B12



B13



频段frequency	增益Gain(dBi)
B2	-1.25
B4	-0.86
B5	-1.3
B12	-0.93
B13	-0.81