


EUT INTERNAL PHOTOS


EUT UNCOVER VIEW 1



EUT UNCOVER VIEW 2




EUT UNCOVER VIEW 3




EUT UNCOVER VIEW 4




EUT UNCOVER VIEW 5




EUT UNCOVER VIEW 6




MAIN BOARD TOP VIEW 1




MAIN BOARD TOP VIEW 1




MAIN BOARD TOP VIEW 1




MAIN BOARD BACK VIEW 1



MAIN BOARD BACK VIEW 1



MAIN BOARD TOP VIEW 2



IDEALENS + - MTC

904764P
3.8V 3800mAh(14.44Wh)
锂离子聚合物充电电池
Lithium-ion polymer rechargeable battery
充电限制电压: 4.35V
limited charge voltage: 4.35V

警告
禁止拆解、撞击、挤压或投入火中
若出现严重膨胀, 请勿继续使用
请勿置于高温环境中
电池受损后禁止使用!

Cautions
Do not disassemble, hit, squeeze battery or discard battery into fire
Do not continue to use battery, if appear serious inflation
Do not put battery in high temperature area
宁波维科电池股份有限公司制造
Manufacturer: Ningbo Veken Battery Co., LTD
成都虚位芯科技有限公司监制
Producer: Chengdu IDEALENS Technology Co., Ltd

♻️