(Channel Bandwidth: 5 MHz)_LCH_16QAM_1RB#0



(Channel Bandwidth: 5 MHz)_LCH_16QAM_1RB#12





(Channel Bandwidth: 5 MHz)_LCH_16QAM_1RB#24







(Channel Bandwidth: 5 MHz)_MCH_16QAM_1RB#0







(Channel Bandwidth: 5 MHz)_MCH_16QAM_1RB#12





(Channel Bandwidth: 5 MHz)_MCH_16QAM_1RB#24


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 17/100
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Mkr1 15.86 kHz
-54.085 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.1 ms (3000 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 12/100
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Mkr1 150 kHz
-53.782 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.5 ms (3000 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 11/100
Ref Offset 8.95 dB
10 dB/div
Ref 30.00 dBm
Mkr2 25.636 GHz
-25.758 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.98 ms (3000 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

(Channel Bandwidth: 5 MHz)_HCH_16QAM_1RB#0



(Channel Bandwidth: 5 MHz)_HCH_16QAM_1RB#12







(Channel Bandwidth: 5 MHz)_HCH_16QAM_1RB#24


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 17/100
03:04:34 PM Jan 09, 2018
Frequency
Mkr1 60.67 kHz
-53.621 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.1 ms (3000 pts)
DC Coupled


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 16 dB
Avg Type: RMS
Avg|Hold: 12/100
03:04:46 PM Jan 09, 2018
Frequency
Mkr1 150 kHz
-57.647 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.5 ms (3000 pts)
DC Coupled


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 11/100
03:04:51 PM Jan 09, 2018
Frequency
Mkr2 25.628 GHz
-26.383 dBm
Ref Offset 8.95 dB
10 dB/div
Log
Ref 30.00 dBm
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.98 ms (3000 pts)

Channel Bandwidth: 10 MHz

Channel Bandwidth: 10 MHz_MCH_QPSK_1RB#0


Channel Bandwidth: 10 MHz_MCH_QPSK_1RB#24







Channel Bandwidth: 10 MHz_MCH_QPSK_1RB#49


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 17/100
03:05:36 PM Jan 09, 2018
Frequency
Auto Tune
Mkr1 91.23 kHz
-52.104 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.1 ms (3000 pts)
DC Coupled


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 12/100
03:05:42 PM Jan 09, 2018
Frequency
Auto Tune
Mkr1 150 kHz
-52.928 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.5 ms (3000 pts)
DC Coupled


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 11/100
03:05:48 PM Jan 09, 2018
Frequency
Auto Tune
Mkr2 25.697 GHz
-26.052 dBm
Ref Offset 8.95 dB
10 dB/div
Log
Ref 30.00 dBm
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.98 ms (3000 pts)

Channel Bandwidth: 10 MHz_MCH_16QAM_1RB#0



Channel Bandwidth: 10 MHz_MCH_16QAM_1RB#24







Channel Bandwidth: 10 MHz_MCH_16QAM_1RB#49


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 17/100
03:06:38 PM Jan 09, 2018
Frequency
Auto Tune
Mkr1 16.29 kHz
-53.321 dBm
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Log
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.1 ms (3000 pts)
DC Coupled


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 11/100
03:06:44 PM Jan 09, 2018
Frequency
Auto Tune
Mkr1 160 kHz
-53.959 dBm
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Log
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.5 ms (3000 pts)
DC Coupled


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 11/100
03:06:50 PM Jan 09, 2018
Frequency
Auto Tune
Mkr2 25.636 GHz
-26.191 dBm
Ref Offset 8.95 dB
10 dB/div
Ref 30.00 dBm
Log
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.98 ms (3000 pts)

Appendix F: Frequency Stability

Test Result

Channel Bandwidth: 5 MHz

Channel Bandwidth: 5 MHz							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	3.54	0.004541	± 2.5	PASS
		VN	TN	2.73	0.003502	± 2.5	PASS
		VH	TN	3.78	0.004849	± 2.5	PASS
	MCH	/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
	HCH	VL	TN	2.63	0.003352	± 2.5	PASS
		VN	TN	-1.96	-0.002498	± 2.5	PASS
		VH	TN	-1.53	-0.001950	± 2.5	PASS
16QAM	LCH	VL	TN	4.78	0.006132	± 2.5	PASS
		VN	TN	-0.09	-0.000115	± 2.5	PASS
		VH	TN	-0.99	-0.001270	± 2.5	PASS
	MCH	/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
	HCH	VL	TN	0.79	0.001007	± 2.5	PASS
		VN	TN	-1.68	-0.002141	± 2.5	PASS
		VH	TN	1.57	0.002001	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VN	-30	0.54	0.000693	± 2.5	PASS
		VN	-20	-1.82	-0.002335	± 2.5	PASS
		VN	-10	0.8	0.001026	± 2.5	PASS
		VN	0	-0.43	-0.000552	± 2.5	PASS
		VN	10	1.75	0.002245	± 2.5	PASS
		VN	20	-0.55	-0.000706	± 2.5	PASS
		VN	30	-0.64	-0.000821	± 2.5	PASS
		VN	40	2.14	0.002745	± 2.5	PASS
		VN	50	-1.29	-0.001655	± 2.5	PASS
	MCH	/	/	/	/	/	/
		/	/	/	/	/	/

		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
	HCH	VN	-30	2.88	0.003671	± 2.5	PASS
		VN	-20	2.76	0.003518	± 2.5	PASS
		VN	-10	3.71	0.004729	± 2.5	PASS
		VN	0	-1.22	-0.001555	± 2.5	PASS
		VN	10	-0.02	-0.000025	± 2.5	PASS
		VN	20	0.26	0.000331	± 2.5	PASS
		VN	30	0.56	0.000714	± 2.5	PASS
		VN	40	4.9	0.006246	± 2.5	PASS
		VN	50	-0.12	-0.000153	± 2.5	PASS
16QAM	LCH	VN	-30	2.88	0.003671	± 2.5	PASS
		VN	-20	2.76	0.003518	± 2.5	PASS
		VN	-10	3.71	0.004729	± 2.5	PASS
		VN	0	-1.22	-0.001555	± 2.5	PASS
		VN	10	-0.02	-0.000025	± 2.5	PASS
		VN	20	0.26	0.000331	± 2.5	PASS
		VN	30	0.56	0.000714	± 2.5	PASS
		VN	40	4.9	0.006246	± 2.5	PASS
		VN	50	-0.12	-0.000153	± 2.5	PASS
	MCH	/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
	HCH	VN	-30	2.21	0.002817	± 2.5	PASS
		VN	-20	-1.34	-0.001708	± 2.5	PASS
		VN	-10	0.29	0.000370	± 2.5	PASS
		VN	0	-0.24	-0.000306	± 2.5	PASS
		VN	10	0.62	0.000790	± 2.5	PASS
		VN	20	2.09	0.002664	± 2.5	PASS
		VN	30	-0.59	-0.000752	± 2.5	PASS

		VN	40	3.98	0.005073	± 2.5	PASS
		VN	50	0.46	0.000586	± 2.5	PASS

Channel Bandwidth: 10 MHz

Channel Bandwidth: 10 MHz							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
	MCH	VL	TN	0.8	0.001023	± 2.5	PASS
		VN	TN	2.28	0.002916	± 2.5	PASS
		VH	TN	3.38	0.004308	± 2.5	PASS
	HCH	/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
16QAM	LCH	/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
	MCH	VL	TN	-1.17	-0.001496	± 2.5	PASS
		VN	TN	1.01	0.001292	± 2.5	PASS
		VH	TN	4.51	0.005767	± 2.5	PASS
	HCH	/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
16QAM	LCH	/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
	MCH	VN	-30	1.68	0.002148	± 2.5	PASS
		VN	-20	1.43	0.001829	± 2.5	PASS
		VN	-10	1.67	0.002136	± 2.5	PASS
		VN	0	3.7	0.004731	± 2.5	PASS

		VN	10	3.19	0.004079	± 2.5	PASS
		VN	20	0.77	0.000985	± 2.5	PASS
		VN	30	0.19	0.000243	± 2.5	PASS
		VN	40	-1.58	-0.002020	± 2.5	PASS
		VN	50	2.49	0.003184	± 2.5	PASS
	HCH	/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
QPSK	LCH	/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
	MCH	VN	-30	3.43	0.004386	± 2.5	PASS
		VN	-20	3.74	0.004783	± 2.5	PASS
		VN	-10	2.15	0.002749	± 2.5	PASS
		VN	0	0.91	0.001164	± 2.5	PASS
		VN	10	0.75	0.000959	± 2.5	PASS
		VN	20	-1.39	-0.001777	± 2.5	PASS
		VN	30	1.27	0.001624	± 2.5	PASS
		VN	40	-0.57	-0.000729	± 2.5	PASS
		VN	50	4.89	0.006253	± 2.5	PASS
	HCH	/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/
		/	/	/	/	/	/