










锂电池组
Li-ion Battery Pack
Nominal voltage:19.2V
Limited charge voltage:21.0V
Standard:GB 31241-2014
Do not expose to high temperature!
Do not use after the battery is scrap!
Made in China


































WIFI ANT
BT ANT















R7FD25560R
M91F9P2
2N50 TAIWAN
2R2
2R2
2R2



CHIPSEA
G020KBU6
2248K
72K
2K
2K
72K
01X



2R2
14.31818
MHZ
72K
3407


12.000
MHZ
SS54








YC3KW_T_A0C1 Ver10.1










Rayson






SiliconGo
100C-S36BCG
B210B2328
Rockchi


SiliconGo
Rockchip
RK3399
SBGTC4C19 2114


B21GB2328
Rockchip
RK3399
SBGTC4C19 2114
Rockchip
RK808-D
HFBDNS686 2112



BT
WB
Wifi
AP6275S
2319
Rockchip



Wifi
WB
BT
AP6275S
2319
Rockchip
RK809-5
HFBDN5686 2112



Rockchip
RK808-D



2.4G WIFI ANT



5G WIFI/BT ANT









KUTX-M2023-24
E503945
CQC19134224291
L013-0000-000-120
0230619004


VBUS
DM
DP
GND
UART_RX
UART_TX
U402
KASA
KT6739
SG_KT6739_12
C414
R410
C407
R408
C408
C406
C418
C417
C404
C419
C420
C416
C415
C405
Y401
R409
C409
C413
D401
L1
C411
C412
R403


C409
R409
C413
C407R408
C408C406
KASA
R410
C414
U402
C411
C412
C416
C419
C420
C415
C405
C404
Y401
SG_KI6739_1221D_