

APPENDIX B

Test Results of Wi-Fi 802.11a/n/ac of Radiated Emission and Conducted Emission Testing

APPENDIX B	1
APPENDIX B.1: RADIATED SPURIOUS EMISSIONS	2
<i>Wi-Fi 802.11 a mode, 6 Mbps</i>	<i>2</i>
<i>Wi-Fi 802.11 n(HT20) mode, MCS0</i>	<i>26</i>
<i>Wi-Fi 802.11 n(HT40) mode, MCS0</i>	<i>50</i>
<i>Wi-Fi 802.11 ac(HT20) mode, MCS0</i>	<i>66</i>
<i>Wi-Fi 802.11 ac(HT40) mode, MCS0</i>	<i>90</i>
<i>Wi-Fi 802.11 ac(HT80) mode, MCS0</i>	<i>106</i>
APPENDIX B.2: RADIATED EMISSIONS NEAR THE BAND EDGE	114
<i>Wi-Fi 802.11 a mode, 6 Mbps</i>	<i>114</i>
<i>Wi-Fi 802.11 n(HT20) mode, MCS0</i>	<i>122</i>
<i>Wi-Fi 802.11 n(HT40) mode, MCS0</i>	<i>130</i>
<i>Wi-Fi 802.11 ac(HT20) mode, MCS0</i>	<i>138</i>
<i>Wi-Fi 802.11 ac(HT40) mode, MCS0</i>	<i>146</i>
<i>Wi-Fi 802.11 ac(HT80) mode, MCS0</i>	<i>154</i>
APPENDIX B.3: CONDUCTED EMISSION	162

NOTE

Testing was carried out within frequency range 9 kHz to the tenth harmonics. The measurement results below 30MHz and above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported. For the mode of 802.11a, the worst case spurious emissions of the chain ant 1 were reported, and for the mode of 802.11n/ac, the worst case spurious emission of the chain ant 0+ant 1 were reported.

APPENDIX B.1: Radiated Spurious Emissions

Wi-Fi 802.11 a mode, 6 Mbps

30MHz - 1GHz

U-NII-1



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Igwade #4261

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Media Player

Mode: TX 5180MHz

Model: P-PLA-103-YIT-02

Manufacturer: ContextMedia LLC

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 16/11/23/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	136.9390	33.84	-14.41	19.43	43.50	-24.07	QP			
2	222.9500	39.15	-11.35	27.80	46.00	-18.20	QP			
3	372.0045	38.84	-7.13	31.71	46.00	-14.29	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4262
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5180MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	34.8823	29.99	-10.37	19.62	40.00	-20.38	QP			
2	139.3611	33.42	-14.97	18.45	43.50	-25.05	QP			
3	455.9057	35.05	-5.25	29.80	46.00	-16.20	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Igwade #4263

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Media Player

Mode: TX 5220MHz

Model: P-PLA-103-YIT-02

Manufacturer: ContextMedia LLC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 16/11/23/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	34.3962	30.91	-10.24	20.67	40.00	-19.33	QP			
2	135.0319	32.94	-13.97	18.97	43.50	-24.53	QP			
3	455.9057	32.71	-5.25	27.46	46.00	-18.54	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4264
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5220MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	139.3611	34.17	-14.97	19.20	43.50	-24.30	QP			
2	222.9500	35.17	-11.35	23.82	46.00	-22.18	QP			
3	455.9057	31.64	-5.25	26.39	46.00	-19.61	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Igwade #4265

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Media Player

Mode: TX 5240MHz

Model: P-PLA-103-YIT-02

Manufacturer: ContextMedia LLC

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 16/11/23/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	138.8735	34.54	-14.87	19.67	43.50	-23.83	QP			
2	222.9500	39.51	-11.35	28.16	46.00	-17.84	QP			
3	372.0045	33.09	-7.13	25.96	46.00	-20.04	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Igwade #4266

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Media Player

Mode: TX 5240MHz

Model: P-PLA-103-YIT-02

Manufacturer: ContextMedia LLC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 16/11/23/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	36.2541	29.83	-10.70	19.13	40.00	-20.87	QP			
2	136.9390	33.54	-14.41	19.13	43.50	-24.37	QP			
3	455.9057	33.41	-5.25	28.16	46.00	-17.84	QP			

U-NII-3



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Igwade #4267
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5745MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	34.1561	31.30	-10.16	21.14	40.00	-18.86	QP			
2	222.9500	36.53	-11.35	25.18	46.00	-20.82	QP			
3	455.9057	33.08	-5.25	27.83	46.00	-18.17	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Igwade #4268
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5745MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	140.8351	34.69	-15.13	19.56	43.50	-23.94	QP			
2	222.9500	39.72	-11.35	28.37	46.00	-17.63	QP			
3	372.0045	32.85	-7.13	25.72	46.00	-20.28	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4269
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5785MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	137.4200	34.52	-14.53	19.99	43.50	-23.51	QP			
2	222.9500	35.97	-11.35	24.62	46.00	-21.38	QP			
3	372.0045	33.02	-7.13	25.89	46.00	-20.11	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4270
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5785MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	35.2511	29.89	-10.47	19.42	40.00	-20.58	QP			
2	49.8813	31.15	-12.58	18.57	40.00	-21.43	QP			
3	138.3873	33.47	-14.76	18.71	43.50	-24.79	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4271
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5825MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	34.1561	29.85	-10.16	19.69	40.00	-20.31	QP			
2	141.3298	34.35	-15.13	19.22	43.50	-24.28	QP			
3	455.9057	33.06	-5.25	27.81	46.00	-18.19	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4272
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5825MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	139.3611	34.92	-14.97	19.95	43.50	-23.55	QP			
2	297.2241	35.51	-9.06	26.45	46.00	-19.55	QP			
3	455.9057	32.45	-5.25	27.20	46.00	-18.80	QP			

1GHz - 18GHz
U-NII-1




ACCURATE TECHNOLOGY CO., LTD.
F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4093	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 16/11/09/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Media Player	Engineer Signature: LGWADE
Mode: TX 5180MHz	Distance: 3m
Model: P-PLA-103-YIT-02	
Manufacturer: ContextMedia LLC	

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5180.000	95.32	0.61	95.93	/	/	peak			
2	14960.320	9.09	41.22	50.31	74.00	-23.69	peak			
3	14960.320	1.13	41.22	42.35	54.00	-11.65	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4094
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5180MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/09/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5180.000	86.19	0.61	86.80	/	/	peak			
2	15090.405	8.97	40.92	49.89	74.00	-24.11	peak			
3	15090.405	0.43	40.92	41.35	54.00	-12.65	AVG			




ACCURATE TECHNOLOGY CO., LTD.
F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4095
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5220MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/09/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5220.000	87.29	0.75	88.04	/	/	peak			
2	14618.166	7.77	42.25	50.02	74.00	-23.98	peak			
3	14618.166	0.09	42.25	42.34	54.00	-11.66	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4096
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5220MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/09/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5220.000	92.77	0.75	93.52	/	/	peak			
2	14745.473	8.71	41.86	50.57	74.00	-23.43	peak			
3	14745.473	0.50	41.86	42.36	54.00	-11.64	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4097
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5240MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/09/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5240.000	93.92	0.82	94.74	/	/	peak			
2	15488.107	9.94	40.12	50.06	74.00	-23.94	peak			
3	15488.107	2.21	40.12	42.33	54.00	-11.67	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Igwade #4098

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Media Player

Mode: TX 5240MHz

Model: P-PLA-103-YIT-02

Manufacturer: ContextMedia LLC

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 16/11/09/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5240.000	85.05	0.82	85.87	/	/	peak			
2	15310.072	10.10	40.48	50.58	74.00	-23.42	peak			
3	15310.072	2.15	40.48	42.63	54.00	-11.37	AVG			

U-NII-3



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Igwade #4099

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Media Player

Mode: TX 5745MHz

Model: P-PLA-103-YIT-02

Manufacturer: ContextMedia LLC

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 16/11/10/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5745.000	92.06	1.50	93.56	/	/	peak			
2	15622.990	9.71	40.08	49.79	74.00	-24.21	peak			
3	15622.990	1.15	40.08	41.23	54.00	-12.77	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4100
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5745MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5745.000	93.55	1.50	95.05	/	/	peak			
2	16081.142	9.91	40.05	49.96	74.00	-24.04	peak			
3	16081.142	1.30	40.05	41.35	54.00	-12.65	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4101
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5785MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5785.000	92.05	1.86	93.91	/	/	peak			
2	16034.728	9.82	40.02	49.84	74.00	-24.16	peak			
3	16034.728	1.21	40.02	41.23	54.00	-12.77	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Igwade #4102
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5785MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5785.000	88.01	1.86	89.87	/	/	peak			
2	15577.899	10.04	40.08	50.12	74.00	-23.88	peak			
3	15577.899	2.61	40.08	42.69	54.00	-11.31	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4103
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5825MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5825.000	88.08	1.97	90.05	/	/	peak			
2	15713.564	9.32	40.06	49.38	74.00	-24.62	peak			
3	15713.564	1.31	40.06	41.37	54.00	-12.63	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4104
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5825MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11a



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5825.000	85.07	1.97	87.04	/	/	peak			
2	15577.899	9.80	40.08	49.88	74.00	-24.12	peak			
3	15577.899	1.22	40.08	41.30	54.00	-12.70	AVG			

**Wi-Fi 802.11 n(HT20) mode, MCS0 Mbps
30MHz - 1GHz
U-NII-1**




ACCURATE TECHNOLOGY CO., LTD.
F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4273	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 16/11/23/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Media Player	Engineer Signature: LGWADE
Mode: TX 5180MHz	Distance: 3m
Model: P-PLA-103-YIT-02	
Manufacturer: ContextMedia LLC	

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	140.8351	33.52	-15.13	18.39	43.50	-25.11	QP			
2	222.9500	35.43	-11.35	24.08	46.00	-21.92	QP			
3	455.9057	31.62	-5.25	26.37	46.00	-19.63	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4274
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5180MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	33.2111	29.56	-9.89	19.67	40.00	-20.33	QP			
2	137.4200	33.55	-14.53	19.02	43.50	-24.48	QP			
3	455.9057	33.33	-5.25	28.08	46.00	-17.92	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4275
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5220MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	35.2511	30.79	-10.47	20.32	40.00	-19.68	QP			
2	138.8735	33.56	-14.87	18.69	43.50	-24.81	QP			
3	455.9057	33.90	-5.25	28.65	46.00	-17.35	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Igwade #4276

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Media Player

Mode: TX 5220MHz

Model: P-PLA-103-YIT-02

Manufacturer: ContextMedia LLC

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 16/11/23/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	140.8351	33.87	-15.13	18.74	43.50	-24.76	QP			
2	222.9500	40.33	-11.35	28.98	46.00	-17.02	QP			
3	455.9057	31.76	-5.25	26.51	46.00	-19.49	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4277
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5240MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	141.3298	34.62	-15.13	19.49	43.50	-24.01	QP			
2	222.9500	38.13	-11.35	26.78	46.00	-19.22	QP			
3	372.0045	32.23	-7.13	25.10	46.00	-20.90	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4278
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5240MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	34.8823	30.96	-10.37	20.59	40.00	-19.41	QP			
2	136.9390	32.80	-14.41	18.39	43.50	-25.11	QP			
3	455.9057	34.52	-5.25	29.27	46.00	-16.73	QP			

U-NII-3



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4279

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Media Player

Mode: TX 5745MHz

Model: P-PLA-103-YIT-02

Manufacturer: ContextMedia LLC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 16/11/23/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	34.6385	29.69	-10.32	19.37	40.00	-20.63	QP			
2	137.9028	33.64	-14.64	19.00	43.50	-24.50	QP			
3	455.9057	33.39	-5.25	28.14	46.00	-17.86	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4280
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5745MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	139.3611	33.83	-14.97	18.86	43.50	-24.64	QP			
2	204.9550	32.01	-12.11	19.90	43.50	-23.60	QP			
3	222.9500	44.05	-11.35	32.70	46.00	-13.30	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4281
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5785MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	139.3610	34.67	-14.97	19.70	43.50	-23.80	QP			
2	222.9499	38.79	-11.35	27.44	46.00	-18.56	QP			
3	455.9057	31.65	-5.25	26.40	46.00	-19.60	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4282
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5785MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	34.7601	29.98	-10.34	19.64	40.00	-20.36	QP			
2	139.8506	33.99	-15.09	18.90	43.50	-24.60	QP			
3	455.9057	32.23	-5.25	26.98	46.00	-19.02	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4283
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5825MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	143.8293	33.95	-15.11	18.84	43.50	-24.66	QP			
2	372.0045	32.92	-7.13	25.79	46.00	-20.21	QP			
3	455.9057	33.36	-5.25	28.11	46.00	-17.89	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4284
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5825MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	222.9500	35.33	-11.35	23.98	46.00	-22.02	QP			
2	372.0045	31.93	-7.13	24.80	46.00	-21.20	QP			
3	455.9057	32.43	-5.25	27.18	46.00	-18.82	QP			

1GHz - 18GHz
U-NII-1



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Igwade #4117

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Media Player

Mode: TX 5180MHz

Model: P-PLA-103-YIT-02

Manufacturer: ContextMedia LLC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 16/11/10/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5180.000	98.25	0.61	98.86	/	/	peak			
2	14533.906	7.68	42.50	50.18	74.00	-23.82	peak			
3	14533.906	0.17	42.50	42.67	54.00	-11.33	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4118

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Media Player

Mode: TX 5180MHz

Model: P-PLA-103-YIT-02

Manufacturer: ContextMedia LLC

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 16/11/10/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5180.000	86.67	0.61	87.28	/	/	peak			
2	14916.942	8.61	41.35	49.96	74.00	-24.04	peak			
3	14916.942	0.19	41.35	41.54	54.00	-12.46	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4119

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Media Player

Mode: TX 5220MHz

Model: P-PLA-103-YIT-02

Manufacturer: ContextMedia LLC

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 16/11/10/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5220.000	88.67	0.75	89.42	/	/	peak			
2	15622.990	9.74	40.08	49.82	74.00	-24.18	peak			
3	15622.990	1.14	40.08	41.22	54.00	-12.78	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4120

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Media Player

Mode: TX 5220MHz

Model: P-PLA-103-YIT-02

Manufacturer: ContextMedia LLC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 16/11/10/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5220.000	95.33	0.75	96.08	/	/	peak			
2	15265.885	9.32	40.57	49.89	74.00	-24.11	peak			
3	15265.885	1.30	40.57	41.87	54.00	-12.13	AVG			